Private SNMP Objects and OIDs Scanning

ITB TEAM - Special Projects

May, 13, 2024

ITB - Business Networks - Special Projects

Summary

1. Description **3**

2. SNMP Objects and OIDs **3**

1. Description

This document presents the results of the private SNMP Objects and OIDs scanning for the WC 5000 wireless controller. The OIDs and MiBs presented were collected using the following switch specifications:

```
INTELBRAS OS Software, Version 9.1.061, Release 1411P02
Copyright (c) 2024 Intelbras S.A. All rights reserved.
INTELBRAS WC 5020 uptime is 0 weeks, 1 day, 7 hours, 12 minutes
Last reboot reason : Power on

Boot image: flash:/boot.bin
Boot image version: 9.1.061, Release 1411P02
  Compiled Sep 12 2024 16:00:00
System image: flash:/system.bin
System image version: 9.1.061, Release 1411P02
  Compiled Sep 12 2024 16:00:00
Feature image(s) list:
  flash:/freeradius.bin, version: 9.1.061
    Compiled Sep 12 2024 16:00:00


Slot 1
Uptime is 0 week, 1 day, 7 hours, 12 minutes
with 1 2.0GHz Processor
16384M bytes DDR4
7296M bytes EMMC Memory

PCB Version on Access Controller Board is Ver.A
PCB Version on CPU Daughter Board is Ver.A
CPLD Version on CPU Daughter Board is 001
CPLD Version on Access Controller Board is 008
Basic Bootrom Version is 3.03
Extend Bootrom Version is 3.03
[Subslot 0]WC 5020 Hardware Version is Ver.A
```

2. SNMP Objects and OIDs

Name	OID	Value Type	Value Example
IB-SYS-MAN-MIB::ibSysLocalClock.0	.1.3.6.1.4.1.26138.2.3.1.1.1.0	STRING	2025-3-8,13:8:3.0,-3:0
IB-SYS-MAN-MIB::ibSysSummerTimeEnable.0	.1.3.6.1.4.1.26138.2.3.1.1.2.1.0	INTEGER	disable(2)
IB-SYS-MAN-MIB::ibSysSummerTimeZone.0	.1.3.6.1.4.1.26138.2.3.1.1.2.2.0	STRING	
IB-SYS-MAN-MIB::ibSysSummerTimeMethod.0	.1.3.6.1.4.1.26138.2.3.1.1.2.3.0	INTEGER	repeating(2)
IB-SYS-MAN-MIB::ibSysSummerTimeStart.0	.1.3.6.1.4.1.26138.2.3.1.1.2.4.0	STRING	0-0-0,0:0:0.0
IB-SYS-MAN-MIB::ibSysSummerTimeEnd.0	.1.3.6.1.4.1.26138.2.3.1.1.2.5.0	STRING	0-0-0,0:0:0.0

Name	OID	Value Type	Value Example
IB-SYS-MAN-MIB::ibSysSummerTimeOffset.0	.1.3.6.1.4.1.26138.2.3.1.1.2.6.0	INTEGER	0
IB-SYS-MAN-MIB::ibSysLocalClockString.0	.1.3.6.1.4.1.26138.2.3.1.1.3.0	STRING	"2025-3-8T13:8:3.3Z"
IB-SYS-MAN-MIB::ibSysClockProtocol.0	.1.3.6.1.4.1.26138.2.3.1.1.4.1.0	INTEGER	ntp(2)
IB-SYS-MAN-MIB::ibSysCurCFGFileIndex.97	.1.3.6.1.4.1.26138.2.3.1.2.1.1.2.97	INTEGER	0
IB-SYS-MAN-MIB::ibSysReloadSchedule.0	.1.3.6.1.4.1.26138.2.3.1.3.1.0	INTEGER	0
IB-SYS-MAN-MIB::ibSysReloadAction.0	.1.3.6.1.4.1.26138.2.3.1.3.2.0	INTEGER	reloadUnavailable(1)
IB-SYS-MAN-MIB::ibSysReloadEntity.6356992	.1.3.6.1.4.1.26138.2.3.1.3.3.1.2.6356992	INTEGER	97
IB-SYS-MAN-MIB::ibSysReloadCfgFile.6356992	.1.3.6.1.4.1.26138.2.3.1.3.3.1.3.6356992	INTEGER	0
IB-SYS-MAN-MIB::ibSysReloadReason.6356992	.1.3.6.1.4.1.26138.2.3.1.3.3.1.5.6356992	STRING	Upgrade
IB-SYS-MAN-MIB::ibSysReloadScheduleTime.6356992	.1.3.6.1.4.1.26138.2.3.1.3.3.1.6.6356992	STRING	2025-3-7,15:47:35.0
IB-SYS-MAN-MIB::ibSysReloadRowStatus.6356992	.1.3.6.1.4.1.26138.2.3.1.3.3.1.7.6356992	INTEGER	active(1)
IB-SYS-MAN-MIB::ibSysReloadScheduleTagList.6356992	.1.3.6.1.4.1.26138.2.3.1.3.3.1.8.6356992	STRING	Network-SuperVisor
IB-SYS-MAN-MIB::ibSysReloadTag.0	.1.3.6.1.4.1.26138.2.3.1.3.4.0	STRING	Network-SuperVisor
IB-SYS-MAN-MIB::ibSysCFGFileNum.0	.1.3.6.1.4.1.26138.2.3.1.5.1.0	INTEGER	1
IB-SYS-MAN-MIB::ibSysCFGFileName.6356994	.1.3.6.1.4.1.26138.2.3.1.5.2.1.2.6356994	STRING	startup.cfg
IB-SYS-MAN-MIB::ibSysCFGFileSize.6356994	.1.3.6.1.4.1.26138.2.3.1.5.2.1.3.6356994	INTEGER	5014
IB-SYS-MAN-MIB::ibSysCFGFileLocation.6356994	.1.3.6.1.4.1.26138.2.3.1.5.2.1.4.6356994	STRING	flash:/
IB-SYS-MAN-MIB::ibSysBtmLoadMaxNumber.0	.1.3.6.1.4.1.26138.2.3.1.6.1.1.0	INTEGER	4
IB-SYS-MAN-MIB::ibSysPackageNum.0	.1.3.6.1.4.1.26138.2.3.1.7.1.0	INTEGER	6
IB-SYS-MAN-MIB::ibSysPackageName.6356993	.1.3.6.1.4.1.26138.2.3.1.7.2.1.2.6356993	STRING	boot-lvzhoubak.bin
IB-SYS-MAN-MIB::ibSysPackageName.6356994	.1.3.6.1.4.1.26138.2.3.1.7.2.1.2.6356994	STRING	ap.bin
IB-SYS-MAN-MIB::ibSysPackageName.6356995	.1.3.6.1.4.1.26138.2.3.1.7.2.1.2.6356995	STRING	boot.bin
IB-SYS-MAN-MIB::ibSysPackageName.6356996	.1.3.6.1.4.1.26138.2.3.1.7.2.1.2.6356996	STRING	system.bin
IB-SYS-MAN-MIB::ibSysPackageName.6356997	.1.3.6.1.4.1.26138.2.3.1.7.2.1.2.6356997	STRING	freeradius.bin
IB-SYS-MAN-MIB::ibSysPackageName.6356998	.1.3.6.1.4.1.26138.2.3.1.7.2.1.2.6356998	STRING	system-lvzhoubak.bin
IB-SYS-MAN-MIB::ibSysPackageSize.6356993	.1.3.6.1.4.1.26138.2.3.1.7.2.1.3.6356993	Gauge32	170074112

Name	OID	Value Type	Value Example
IB-SYS-MAN-MIB::ibSysPackageSize.6356994	.1.3.6.1.4.1.26138.2.3.1.7.2.1.3.6356994	Gauge32	231988224
IB-SYS-MAN-MIB::ibSysPackageSize.6356995	.1.3.6.1.4.1.26138.2.3.1.7.2.1.3.6356995	Gauge32	170242048
IB-SYS-MAN-MIB::ibSysPackageSize.6356996	.1.3.6.1.4.1.26138.2.3.1.7.2.1.3.6356996	Gauge32	128252928
IB-SYS-MAN-MIB::ibSysPackageSize.6356997	.1.3.6.1.4.1.26138.2.3.1.7.2.1.3.6356997	Gauge32	43482112
IB-SYS-MAN-MIB::ibSysPackageSize.6356998	.1.3.6.1.4.1.26138.2.3.1.7.2.1.3.6356998	Gauge32	128227328
IB-SYS-MAN-MIB::ibSysPackageLocation.6356993	.1.3.6.1.4.1.26138.2.3.1.7.2.1.4.6356993	STRING	flash:/
IB-SYS-MAN-MIB::ibSysPackageLocation.6356994	.1.3.6.1.4.1.26138.2.3.1.7.2.1.4.6356994	STRING	flash:/
IB-SYS-MAN-MIB::ibSysPackageLocation.6356995	.1.3.6.1.4.1.26138.2.3.1.7.2.1.4.6356995	STRING	flash:/
IB-SYS-MAN-MIB::ibSysPackageLocation.6356996	.1.3.6.1.4.1.26138.2.3.1.7.2.1.4.6356996	STRING	flash:/
IB-SYS-MAN-MIB::ibSysPackageLocation.6356997	.1.3.6.1.4.1.26138.2.3.1.7.2.1.4.6356997	STRING	flash:/
IB-SYS-MAN-MIB::ibSysPackageLocation.6356998	.1.3.6.1.4.1.26138.2.3.1.7.2.1.4.6356998	STRING	flash:/
IB-SYS-MAN-MIB::ibSysPackageType.6356993	.1.3.6.1.4.1.26138.2.3.1.7.2.1.5.6356993	INTEGER	boot(1)
IB-SYS-MAN-MIB::ibSysPackageType.6356994	.1.3.6.1.4.1.26138.2.3.1.7.2.1.5.6356994	INTEGER	feature(3)
IB-SYS-MAN-MIB::ibSysPackageType.6356995	.1.3.6.1.4.1.26138.2.3.1.7.2.1.5.6356995	INTEGER	boot(1)
IB-SYS-MAN-MIB::ibSysPackageType.6356996	.1.3.6.1.4.1.26138.2.3.1.7.2.1.5.6356996	INTEGER	system(2)
IB-SYS-MAN-MIB::ibSysPackageType.6356997	.1.3.6.1.4.1.26138.2.3.1.7.2.1.5.6356997	INTEGER	feature(3)
IB-SYS-MAN-MIB::ibSysPackageType.6356998	.1.3.6.1.4.1.26138.2.3.1.7.2.1.5.6356998	INTEGER	system(2)
IB-SYS-MAN-MIB::ibSysPackageAttribute.6356993	.1.3.6.1.4.1.26138.2.3.1.7.2.1.6.6356993	INTEGER	secondary(3)
IB-SYS-MAN-MIB::ibSysPackageAttribute.6356994	.1.3.6.1.4.1.26138.2.3.1.7.2.1.6.6356994	INTEGER	none(1)
IB-SYS-MAN-MIB::ibSysPackageAttribute.6356995	.1.3.6.1.4.1.26138.2.3.1.7.2.1.6.6356995	INTEGER	primary(2)
IB-SYS-MAN-MIB::ibSysPackageAttribute.6356996	.1.3.6.1.4.1.26138.2.3.1.7.2.1.6.6356996	INTEGER	primary(2)
IB-SYS-MAN-MIB::ibSysPackageAttribute.6356997	.1.3.6.1.4.1.26138.2.3.1.7.2.1.6.6356997	INTEGER	primary(2)
IB-SYS-MAN-MIB::ibSysPackageAttribute.6356998	.1.3.6.1.4.1.26138.2.3.1.7.2.1.6.6356998	INTEGER	secondary(3)
IB-SYS-MAN-MIB::ibSysPackageStatus.6356993	.1.3.6.1.4.1.26138.2.3.1.7.2.1.7.6356993	INTEGER	inactive(2)
IB-SYS-MAN-MIB::ibSysPackageStatus.6356994	.1.3.6.1.4.1.26138.2.3.1.7.2.1.7.6356994	INTEGER	inactive(2)
IB-SYS-MAN-MIB::ibSysPackageStatus.6356995	.1.3.6.1.4.1.26138.2.3.1.7.2.1.7.6356995	INTEGER	active(1)

Name	OID	Value Type	Value Example
IB-SYS-MAN-MIB::ibSysPackageStatus.6356996	.1.3.6.1.4.1.26138.2.3.1.7.2.1.7.6356996	INTEGER	active(1)
IB-SYS-MAN-MIB::ibSysPackageStatus.6356997	.1.3.6.1.4.1.26138.2.3.1.7.2.1.7.6356997	INTEGER	active(1)
IB-SYS-MAN-MIB::ibSysPackageStatus.6356998	.1.3.6.1.4.1.26138.2.3.1.7.2.1.7.6356998	INTEGER	inactive(2)
IB-SYS-MAN-MIB::ibSysPackageDescription.6356993	.1.3.6.1.4.1.26138.2.3.1.7.2.1.8.6356993	STRING	boot package
IB-SYS-MAN-MIB::ibSysPackageDescription.6356994	.1.3.6.1.4.1.26138.2.3.1.7.2.1.8.6356994	STRING	ap package
IB-SYS-MAN-MIB::ibSysPackageDescription.6356995	.1.3.6.1.4.1.26138.2.3.1.7.2.1.8.6356995	STRING	boot package
IB-SYS-MAN-MIB::ibSysPackageDescription.6356996	.1.3.6.1.4.1.26138.2.3.1.7.2.1.8.6356996	STRING	system package
IB-SYS-MAN-MIB::ibSysPackageDescription.6356997	.1.3.6.1.4.1.26138.2.3.1.7.2.1.8.6356997	STRING	freeradius package
IB-SYS-MAN-MIB::ibSysPackageDescription.6356998	.1.3.6.1.4.1.26138.2.3.1.7.2.1.8.6356998	STRING	system package
IB-SYS-MAN-MIB::ibSysPackageFeature.6356993	.1.3.6.1.4.1.26138.2.3.1.7.2.1.9.6356993	STRING	boot
IB-SYS-MAN-MIB::ibSysPackageFeature.6356994	.1.3.6.1.4.1.26138.2.3.1.7.2.1.9.6356994	STRING	ap
IB-SYS-MAN-MIB::ibSysPackageFeature.6356995	.1.3.6.1.4.1.26138.2.3.1.7.2.1.9.6356995	STRING	boot
IB-SYS-MAN-MIB::ibSysPackageFeature.6356996	.1.3.6.1.4.1.26138.2.3.1.7.2.1.9.6356996	STRING	system
IB-SYS-MAN-MIB::ibSysPackageFeature.6356997	.1.3.6.1.4.1.26138.2.3.1.7.2.1.9.6356997	STRING	freeradius
IB-SYS-MAN-MIB::ibSysPackageFeature.6356998	.1.3.6.1.4.1.26138.2.3.1.7.2.1.9.6356998	STRING	system
IB-SYS-MAN-MIB::ibSysPackageVersion.6356993	.1.3.6.1.4.1.26138.2.3.1.7.2.1.10.6356993	STRING	ESS 1411P01
IB-SYS-MAN-MIB::ibSysPackageVersion.6356994	.1.3.6.1.4.1.26138.2.3.1.7.2.1.10.6356994	STRING	Release 1411P02
IB-SYS-MAN-MIB::ibSysPackageVersion.6356995	.1.3.6.1.4.1.26138.2.3.1.7.2.1.10.6356995	STRING	Release 1411P02
IB-SYS-MAN-MIB::ibSysPackageVersion.6356996	.1.3.6.1.4.1.26138.2.3.1.7.2.1.10.6356996	STRING	Release 1411P02
IB-SYS-MAN-MIB::ibSysPackageVersion.6356997	.1.3.6.1.4.1.26138.2.3.1.7.2.1.10.6356997	STRING	Release 1411P02
IB-SYS-MAN-MIB::ibSysPackageVersion.6356998	.1.3.6.1.4.1.26138.2.3.1.7.2.1.10.6356998	STRING	ESS 1411P01
IB-SYS-MAN-MIB::ibSysPackageLoadAttribute.6356993	.1.3.6.1.4.1.26138.2.3.1.7.2.1.11.6356993	INTEGER	none(1)
IB-SYS-MAN-MIB::ibSysPackageLoadAttribute.6356994	.1.3.6.1.4.1.26138.2.3.1.7.2.1.11.6356994	INTEGER	none(1)
IB-SYS-MAN-MIB::ibSysPackageLoadAttribute.6356995	.1.3.6.1.4.1.26138.2.3.1.7.2.1.11.6356995	INTEGER	none(1)
IB-SYS-MAN-MIB::ibSysPackageLoadAttribute.6356996	.1.3.6.1.4.1.26138.2.3.1.7.2.1.11.6356996	INTEGER	none(1)
IB-SYS-MAN-MIB::ibSysPackageLoadAttribute.6356997	.1.3.6.1.4.1.26138.2.3.1.7.2.1.11.6356997	INTEGER	none(1)

Name	OID	Value Type	Value Example
IB-SYS-MAN-MIB::ibSysPackageLoadAttribute.6356998	.1.3.6.1.4.1.26138.2.3.1.7.2.1.11.6356998	INTEGER	none(1)
IB-SYS-MAN-MIB::ibSysPackageModel.6356993	.1.3.6.1.4.1.26138.2.3.1.7.2.1.12.6356993	STRING	mpu
IB-SYS-MAN-MIB::ibSysPackageModel.6356994	.1.3.6.1.4.1.26138.2.3.1.7.2.1.12.6356994	STRING	mpu
IB-SYS-MAN-MIB::ibSysPackageModel.6356995	.1.3.6.1.4.1.26138.2.3.1.7.2.1.12.6356995	STRING	mpu
IB-SYS-MAN-MIB::ibSysPackageModel.6356996	.1.3.6.1.4.1.26138.2.3.1.7.2.1.12.6356996	STRING	mpu
IB-SYS-MAN-MIB::ibSysPackageModel.6356997	.1.3.6.1.4.1.26138.2.3.1.7.2.1.12.6356997	STRING	mpu
IB-SYS-MAN-MIB::ibSysPackageModel.6356998	.1.3.6.1.4.1.26138.2.3.1.7.2.1.12.6356998	STRING	mpu
IB-SYS-MAN-MIB::ibSysPackageOperateEntryLimit.0	.1.3.6.1.4.1.26138.2.3.1.7.3.0	INTEGER	32
IB-SYS-MAN-MIB::ibSysIpeFileNum.0	.1.3.6.1.4.1.26138.2.3.1.8.1.0	INTEGER	0
IB-SYS-MAN-MIB::ibSysSetBootImageAction.0	.1.3.6.1.4.1.26138.2.3.1.9.1.1.0	INTEGER	none(1)
IB-SYS-MAN-MIB::ibSysSetBootImageFileOverWrite.0	.1.3.6.1.4.1.26138.2.3.1.9.1.2.0	INTEGER	false(2)
IB-SYS-MAN-MIB::ibSysSetBootImageRemoveIpeFile.0	.1.3.6.1.4.1.26138.2.3.1.9.1.3.0	INTEGER	false(2)
IB-SYS-MAN-MIB::ibSysSetBootImageStatus.0	.1.3.6.1.4.1.26138.2.3.1.9.1.4.0	INTEGER	none(1)
IB-SYS-MAN-MIB::ibSysSetBootImageFailedReason.0	.1.3.6.1.4.1.26138.2.3.1.9.1.5.0	STRING	
IB-CONFIG-MAN-MIB::ibCfgRunModifiedLast.0	.1.3.6.1.4.1.26138.2.4.1.1.1.0	Timeticks	(368017) 1:01:20.17
IB-CONFIG-MAN-MIB::ibCfgRunSavedLast.0	.1.3.6.1.4.1.26138.2.4.1.1.2.0	Timeticks	(36083) 0:06:00.83
IB-CONFIG-MAN-MIB::ibCfgStartModifiedLast.0	.1.3.6.1.4.1.26138.2.4.1.1.3.0	Timeticks	(0) 0:00:00.00
IB-CONFIG-MAN-MIB::ibCfgLogLimitedEntries.0	.1.3.6.1.4.1.26138.2.4.1.1.4.0	INTEGER	10
IB-CONFIG-MAN-MIB::ibCfgLogDeletedEntries.0	.1.3.6.1.4.1.26138.2.4.1.1.5.0	Counter32	0
IB-CONFIG-MAN-MIB::ibCfgLogWantBackup.0	.1.3.6.1.4.1.26138.2.4.1.1.6.0	INTEGER	true(1)
IB-CONFIG-MAN-MIB::ibCfgLogTime.1	.1.3.6.1.4.1.26138.2.4.1.1.7.1.2.1	Timeticks	(36115) 0:06:01.15
IB-CONFIG-MAN-MIB::ibCfgLogTime.2	.1.3.6.1.4.1.26138.2.4.1.1.7.1.2.2	Timeticks	(72696) 0:12:06.96
IB-CONFIG-MAN-MIB::ibCfgLogTime.3	.1.3.6.1.4.1.26138.2.4.1.1.7.1.2.3	Timeticks	(372696) 1:02:06.96
IB-CONFIG-MAN-MIB::ibCfgLogSrcCmd.1	.1.3.6.1.4.1.26138.2.4.1.1.7.1.3.1	INTEGER	cmdLine(1)
IB-CONFIG-MAN-MIB::ibCfgLogSrcCmd.2	.1.3.6.1.4.1.26138.2.4.1.1.7.1.3.2	INTEGER	snmp(2)

Name	OID	Value Type	Value Example
IB-CONFIG-MAN-MIB::ibCfgLogSrcCmd.3	.1.3.6.1.4.1.26138.2.4.1.1.7.1.3.3	INTEGER	snmp(2)
IB-CONFIG-MAN-MIB::ibCfgLogSrcData.1	.1.3.6.1.4.1.26138.2.4.1.1.7.1.4.1	INTEGER	runningData(2)
IB-CONFIG-MAN-MIB::ibCfgLogSrcData.2	.1.3.6.1.4.1.26138.2.4.1.1.7.1.4.2	INTEGER	startupData(4)
IB-CONFIG-MAN-MIB::ibCfgLogSrcData.3	.1.3.6.1.4.1.26138.2.4.1.1.7.1.4.3	INTEGER	startupData(4)
IB-CONFIG-MAN-MIB::ibCfgLogDesData.1	.1.3.6.1.4.1.26138.2.4.1.1.7.1.5.1	INTEGER	startupData(4)
IB-CONFIG-MAN-MIB::ibCfgLogDesData.2	.1.3.6.1.4.1.26138.2.4.1.1.7.1.5.2	INTEGER	runningData(2)
IB-CONFIG-MAN-MIB::ibCfgLogDesData.3	.1.3.6.1.4.1.26138.2.4.1.1.7.1.5.3	INTEGER	runningData(2)
IB-CONFIG-MAN-MIB::ibCfgLogTerminalType.1	.1.3.6.1.4.1.26138.2.4.1.1.7.1.6.1	INTEGER	virtual(5)
IB-CONFIG-MAN-MIB::ibCfgLogTerminalType.2	.1.3.6.1.4.1.26138.2.4.1.1.7.1.6.2	INTEGER	notApplicable(1)
IB-CONFIG-MAN-MIB::ibCfgLogTerminalType.3	.1.3.6.1.4.1.26138.2.4.1.1.7.1.6.3	INTEGER	notApplicable(1)
IB-CONFIG-MAN-MIB::ibCfgLogTerminalUser.1	.1.3.6.1.4.1.26138.2.4.1.1.7.1.7.1	STRING	admin
IB-CONFIG-MAN-MIB::ibCfgLogTerminalUser.2	.1.3.6.1.4.1.26138.2.4.1.1.7.1.7.2	STRING	
IB-CONFIG-MAN-MIB::ibCfgLogTerminalUser.3	.1.3.6.1.4.1.26138.2.4.1.1.7.1.7.3	STRING	
IB-CONFIG-MAN-MIB::ibCfgLogTerminalNum.1	.1.3.6.1.4.1.26138.2.4.1.1.7.1.8.1	INTEGER	1
IB-CONFIG-MAN-MIB::ibCfgLogTerminalNum.2	.1.3.6.1.4.1.26138.2.4.1.1.7.1.8.2	INTEGER	-1
IB-CONFIG-MAN-MIB::ibCfgLogTerminalNum.3	.1.3.6.1.4.1.26138.2.4.1.1.7.1.8.3	INTEGER	-1
IB-CONFIG-MAN-MIB::ibCfgLogTerminalLocation.1	.1.3.6.1.4.1.26138.2.4.1.1.7.1.9.1	STRING	VTY
IB-CONFIG-MAN-MIB::ibCfgLogTerminalLocation.2	.1.3.6.1.4.1.26138.2.4.1.1.7.1.9.2	STRING	
IB-CONFIG-MAN-MIB::ibCfgLogTerminalLocation.3	.1.3.6.1.4.1.26138.2.4.1.1.7.1.9.3	STRING	
IB-CONFIG-MAN-MIB::ibCfgLogCmdScAddress.1	.1.3.6.1.4.1.26138.2.4.1.1.7.1.10.1	IpAddress	10.100.250.1
IB-CONFIG-MAN-MIB::ibCfgLogCmdScAddress.2	.1.3.6.1.4.1.26138.2.4.1.1.7.1.10.2	IpAddress	0.0.0.0
IB-CONFIG-MAN-MIB::ibCfgLogCmdScAddress.3	.1.3.6.1.4.1.26138.2.4.1.1.7.1.10.3	IpAddress	0.0.0.0
IB-CONFIG-MAN-MIB::ibCfgLogVirHost.1	.1.3.6.1.4.1.26138.2.4.1.1.7.1.11.1	STRING	

Name	OID	Value Type	Value Example
IB-CONFIG-MAN-MIB::ibCfgLogVirHost.2	.1.3.6.1.4.1.26138.2.4.1.1.7.1.11.2	STRING	
IB-CONFIG-MAN-MIB::ibCfgLogVirHost.3	.1.3.6.1.4.1.26138.2.4.1.1.7.1.11.3	STRING	
IB-CONFIG-MAN-MIB::ibCfgLogUserName.1	.1.3.6.1.4.1.26138.2.4.1.1.7.1.12.1	STRING	
IB-CONFIG-MAN-MIB::ibCfgLogUserName.2	.1.3.6.1.4.1.26138.2.4.1.1.7.1.12.2	STRING	
IB-CONFIG-MAN-MIB::ibCfgLogUserName.3	.1.3.6.1.4.1.26138.2.4.1.1.7.1.12.3	STRING	
IB-CONFIG-MAN-MIB::ibCfgLogServerAddress.1	.1.3.6.1.4.1.26138.2.4.1.1.7.1.13.1	IpAddress	0.0.0.0
IB-CONFIG-MAN-MIB::ibCfgLogServerAddress.2	.1.3.6.1.4.1.26138.2.4.1.1.7.1.13.2	IpAddress	0.0.0.0
IB-CONFIG-MAN-MIB::ibCfgLogServerAddress.3	.1.3.6.1.4.1.26138.2.4.1.1.7.1.13.3	IpAddress	0.0.0.0
IB-CONFIG-MAN-MIB::ibCfgLogFile.1	.1.3.6.1.4.1.26138.2.4.1.1.7.1.14.1	STRING	
IB-CONFIG-MAN-MIB::ibCfgLogFile.2	.1.3.6.1.4.1.26138.2.4.1.1.7.1.14.2	STRING	
IB-CONFIG-MAN-MIB::ibCfgLogFile.3	.1.3.6.1.4.1.26138.2.4.1.1.7.1.14.3	STRING	
IB-CONFIG-MAN-MIB::ibCfgOperateGlobalEntryLimit.0	.1.3.6.1.4.1.26138.2.4.1.2.1.0	INTEGER	5
IB-CONFIG-MAN-MIB::ibCfgOperateEntryAgeOutTime.0	.1.3.6.1.4.1.26138.2.4.1.2.2.0	INTEGER	5 minute
IB-CONFIG-MAN-MIB::ibCfgOperateResultGlobalEntryLimit.0	.1.3.6.1.4.1.26138.2.4.1.2.3.0	INTEGER	5
IB-CONFIG-MAN-MIB::ibCfgExecuteOperateResultEntryLimit.0	.1.3.6.1.4.1.26138.2.4.1.2.6.1.0	INTEGER	5
IB-CONFIG-MAN-MIB::ibCfgReset.0	.1.3.6.1.4.1.26138.2.4.1.2.7.0	INTEGER	normal(1)
IB-FLASH-MAN-MIB::ibFlhSupportNum.0	.1.3.6.1.4.1.26138.2.5.1.1.1.0	INTEGER	32
IB-FLASH-MAN-MIB::ibFlhIndex.6356993	.1.3.6.1.4.1.26138.2.5.1.1.2.1.1.6356993	INTEGER	6356993
IB-FLASH-MAN-MIB::ibFlhSize.6356993	.1.3.6.1.4.1.26138.2.5.1.1.2.1.2.6356993	INTEGER	2147483647 bytes
IB-FLASH-MAN-MIB::ibFlhName.6356993	.1.3.6.1.4.1.26138.2.5.1.1.2.1.4.6356993	STRING	flash:
IB-FLASH-MAN-MIB::ibFlhKbyteSize.6356993	.1.3.6.1.4.1.26138.2.5.1.1.2.1.15.6356993	INTEGER	7456508 kbytes
IB-FLASH-MAN-MIB::ibFlhHCSize.6356993	.1.3.6.1.4.1.26138.2.5.1.1.2.1.16.6356993	Counter64	7635464192 bytes
IB-FLASH-MAN-MIB::ibFlhPartSpace.6356993.1	.1.3.6.1.4.1.26138.2.5.1.1.4.1.1.4.6356993.1	INTEGER	2147483647 bytes
IB-FLASH-MAN-MIB::ibFlhPartSpaceFree.6356993.1	.1.3.6.1.4.1.26138.2.5.1.1.4.1.1.5.6356993.1	Gauge32	2147483647 bytes
IB-FLASH-MAN-MIB::ibFlhPartStatus.6356993.1	.1.3.6.1.4.1.26138.2.5.1.1.4.1.1.8.6356993.1	INTEGER	readWrite(3)
IB-FLASH-MAN-MIB::ibFlhPartName.6356993.1	.1.3.6.1.4.1.26138.2.5.1.1.4.1.1.10.6356993.1	STRING	flash:

Name	OID	Value Type	Value Example
IB-FLASH-MAN-MIB::ibFlhPartBootable.6356993.1	.1.3.6.1.4.1.26138.2.5.1.1.4.1.1.13.6356993.1	INTEGER	true(1)
IB-FLASH-MAN-MIB::ibFlhPartPathForGlobalOpt.6356993.1	.1.3.6.1.4.1.26138.2.5.1.1.4.1.1.14.6356993.1	INTEGER	true(1)
IB-FLASH-MAN-MIB::ibFlhPartHCSpace.6356993.1	.1.3.6.1.4.1.26138.2.5.1.1.4.1.1.15.6356993.1	Counter64	7635464192 bytes
IB-FLASH-MAN-MIB::ibFlhPartHCSpaceFree.6356993.1	.1.3.6.1.4.1.26138.2.5.1.1.4.1.1.16.6356993.1	Counter64	6451666944 bytes
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.0	.1.3.6.1.4.1.26138.2.5.1.1.4.1.1.16.6356993.1	STRING	flash:/logfile
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.1	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.1	STRING	flash:/logfile
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.2	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.2	STRING	flash:/logfile/logfile.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.3	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.3	STRING	flash:/apimge
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.4	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.4	STRING	flash:/apimge/ap6000.ipe
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.5	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.5	STRING	flash:/apimge/ap6001.ipe
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.6	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.6	STRING	flash:/apimge/ap6002.ipe
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.7	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.7	STRING	flash:/apimge/ap6003.ipe
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.8	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.8	STRING	flash:/pdt_reserve
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.9	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.9	STRING	flash:/pdt_reserve/LastStartInfo
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.10	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.10	STRING	flash:/pdt_reserve/LastStartInfo/vlan.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.11	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.11	STRING	flash:/pdt_reserve/LastStartInfo/vlan_tmp.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.12	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.12	STRING	flash:/pdt_reserve/LastStartInfo/wtmp
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.13	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.13	STRING	flash:/pdt_reserve/LastStartInfo/cplog.txt
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.14	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.14	STRING	flash:/pdt_reserve/LastStartInfo/btmp
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.15	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.15	STRING	flash:/pdt_reserve/LastStartInfo/ccluster
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.16	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.16	STRING	flash:/pdt_reserve/LastStartInfo/ccluster/cpfagent-fsm.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.17	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.17	STRING	flash:/pdt_reserve/LastStartInfo/ccluster/cpfagent-old.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.18	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.18	STRING	flash:/pdt_reserve/LastStartInfo/ccluster/cpfagent.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.19	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.19	STRING	flash:/pdt_reserve/LastStartInfo/cpfadmin.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.20	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.20	STRING	flash:/pdt_reserve/LastStartInfo/cpfmanager.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.21	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.21	STRING	flash:/pdt_reserve/LastStartInfo/cpfworker.log

Name	OID	Value Type	Value Example
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.22	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.22	STRING	flash:/pdt_reserve/LastStartInfo/devd-956.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.23	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.23	STRING	flash:/pdt_reserve/LastStartInfo/devd-974.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.24	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.24	STRING	flash:/pdt_reserve/LastStartInfo/devd-989.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.25	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.25	STRING	flash:/pdt_reserve/LastStartInfo/dhcp_drv.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.26	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.26	STRING	flash:/pdt_reserve/LastStartInfo/dpdk
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.27	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.27	STRING	flash:/pdt_reserve/LastStartInfo/drnievent.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.28	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.28	STRING	flash:/pdt_reserve/LastStartInfo/drv
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.29	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.29	STRING	flash:/pdt_reserve/LastStartInfo/drv/drv_starting.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.30	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.30	STRING	flash:/pdt_reserve/LastStartInfo/drv/sysm.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.31	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.31	STRING	flash:/pdt_reserve/LastStartInfo/drv/drv_stm.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.32	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.32	STRING	flash:/pdt_reserve/LastStartInfo/drv/devm.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.33	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.33	STRING	flash:/pdt_reserve/LastStartInfo/drv/cpss.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.34	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.34	STRING	flash:/pdt_reserve/LastStartInfo/drv/u2f.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.35	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.35	STRING	flash:/pdt_reserve/LastStartInfo/drv/support.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.36	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.36	STRING	flash:/pdt_reserve/LastStartInfo/drv/stm.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.37	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.37	STRING	flash:/pdt_reserve/LastStartInfo/drv/pdtmgr.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.38	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.38	STRING	flash:/pdt_reserve/LastStartInfo/drv/port.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.39	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.39	STRING	flash:/pdt_reserve/LastStartInfo/drv/lic.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.40	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.40	STRING	flash:/pdt_reserve/LastStartInfo/drv/vlan.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.41	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.41	STRING	flash:/pdt_reserve/LastStartInfo/drv/l3intf.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.42	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.42	STRING	flash:/pdt_reserve/LastStartInfo/drv/cli.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.43	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.43	STRING	flash:/pdt_reserve/LastStartInfo/drv/trunk.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.44	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.44	STRING	flash:/pdt_reserve/LastStartInfo/drv/rport.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.45	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.45	STRING	flash:/pdt_reserve/LastStartInfo/drv/wlan.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.46	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.46	STRING	flash:/pdt_reserve/LastStartInfo/drv/stp.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.47	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.47	STRING	flash:/pdt_reserve/LastStartInfo/drv/proen.log

Name	OID	Value Type	Value Example
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.48	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.48	STRING	flash:/pdt_reserve/LastStartInfo/drv/drv_working.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.49	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.49	STRING	flash:/pdt_reserve/LastStartInfo/drv/mac.log.bak
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.50	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.50	STRING	flash:/pdt_reserve/LastStartInfo/drv/mac.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.51	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.51	STRING	flash:/pdt_reserve/LastStartInfo/drv/fwd_mbus.log.bak
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.52	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.52	STRING	flash:/pdt_reserve/LastStartInfo/drv/fwd_ipc.log.bak
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.53	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.53	STRING	flash:/pdt_reserve/LastStartInfo/drv/fwd_mbus.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.54	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.54	STRING	flash:/pdt_reserve/LastStartInfo/drv/fwd_ipc.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.55	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.55	STRING	flash:/pdt_reserve/LastStartInfo/drv_confile.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.56	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.56	STRING	flash:/pdt_reserve/LastStartInfo/event.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.57	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.57	STRING	flash:/pdt_reserve/LastStartInfo/fdisk.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.58	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.58	STRING	flash:/pdt_reserve/LastStartInfo/fscheck.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.59	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.59	STRING	flash:/pdt_reserve/LastStartInfo/fstrace.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.60	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.60	STRING	flash:/pdt_reserve/LastStartInfo/fwdutility.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.61	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.61	STRING	flash:/pdt_reserve/LastStartInfo/ha.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.62	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.62	STRING	flash:/pdt_reserve/LastStartInfo/hiscmdline
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.63	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.63	STRING	flash:/pdt_reserve/LastStartInfo/if
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.64	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.64	STRING	flash:/pdt_reserve/LastStartInfo/if/ifmgr_event.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.65	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.65	STRING	flash:/pdt_reserve/LastStartInfo/if/bak
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.66	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.66	STRING	flash:/pdt_reserve/LastStartInfo/if/ifmgr_core.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.67	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.67	STRING	flash:/pdt_reserve/LastStartInfo/if/ifmgr_crit.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.68	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.68	STRING	flash:/pdt_reserve/LastStartInfo/if/ifmgr_hot.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.69	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.69	STRING	flash:/pdt_reserve/LastStartInfo/if/ifast_crit.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.70	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.70	STRING	flash:/pdt_reserve/LastStartInfo/if/ifast_coreold.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.71	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.71	STRING	flash:/pdt_reserve/LastStartInfo/if/ifast_core.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.72	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.72	STRING	flash:/pdt_reserve/LastStartInfo/ifwan.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.73	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.73	STRING	flash:/pdt_reserve/LastStartInfo/inet.log

Name	OID	Value Type	Value Example
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.74	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.74	STRING	flash:/pdt_reserve/LastStartInfo/ipaddr_event.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.75	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.75	STRING	flash:/pdt_reserve/LastStartInfo/ipaddr_thread_event.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.76	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.76	STRING	flash:/pdt_reserve/LastStartInfo/ipcim.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.77	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.77	STRING	flash:/pdt_reserve/LastStartInfo/ipfw.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.78	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.78	STRING	flash:/pdt_reserve/LastStartInfo/issu.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.79	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.79	STRING	flash:/pdt_reserve/LastStartInfo/keychain.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.80	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.80	STRING	flash:/pdt_reserve/LastStartInfo/ktun.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.81	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.81	STRING	flash:/pdt_reserve/LastStartInfo/l2vfib.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.82	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.82	STRING	flash:/pdt_reserve/LastStartInfo/l3vpn.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.83	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.83	STRING	flash:/pdt_reserve/LastStartInfo/lastlog
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.84	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.84	STRING	flash:/pdt_reserve/LastStartInfo/lipc
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.85	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.85	STRING	flash:/pdt_reserve/LastStartInfo/lipc/control.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.86	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.86	STRING	flash:/pdt_reserve/LastStartInfo/lipc/lipc_drv.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.87	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.87	STRING	flash:/pdt_reserve/LastStartInfo/dplog.txt
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.88	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.88	STRING	flash:/pdt_reserve/LastStartInfo/mdc.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.89	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.89	STRING	flash:/pdt_reserve/LastStartInfo/nm.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.90	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.90	STRING	flash:/pdt_reserve/LastStartInfo/preread.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.91	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.91	STRING	flash:/pdt_reserve/LastStartInfo/private
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.92	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.92	STRING	flash:/pdt_reserve/LastStartInfo/process.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.93	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.93	STRING	flash:/pdt_reserve/LastStartInfo/scm.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.94	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.94	STRING	flash:/pdt_reserve/LastStartInfo/shm.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.95	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.95	STRING	flash:/pdt_reserve/LastStartInfo/trace.log
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.96	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.96	STRING	flash:/pdt_reserve/history
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.97	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.97	STRING	flash:/pdt_reserve/history/macfwlog.txt
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.98	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.98	STRING	flash:/pdt_reserve/history/macllog.txt
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.99	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.99	STRING	flash:/pdt_reserve/history/secondary_log_buf.txt

Name	OID	Value Type	Value Example
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.100	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.100	STRING	flash:/pdt_reserve/cplog.txt
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.101	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.101	STRING	flash:/pdt_reserve/dplog.txt
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.102	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.102	STRING	flash:/pdt_reserve/FSCK0000.REC
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.103	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.103	STRING	flash:/pdt_reserve/versionrecord
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.104	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.104	STRING	flash:/pdt_reserve/pktbusy.txt
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.105	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.105	STRING	flash:/pdt_reserve/pktbusy.pcap
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.106	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.106	STRING	flash:/pdt_reserve/secondary_log_buf.txt
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.107	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.107	STRING	flash:/third-party
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.108	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.108	STRING	flash:/third-party/container_storage
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.109	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.109	STRING	flash:/.cluster.json
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.110	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.110	STRING	flash:/.cluster_topo_tmp.json
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.111	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.111	STRING	flash:/boot-lvzhoubak.bin
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.112	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.112	STRING	flash:/.cluster_topo.json
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.113	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.113	STRING	flash:/core
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.114	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.114	STRING	flash:/license
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.115	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.115	STRING	flash:/license/history
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.116	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.116	STRING	flash:/license/210235A4AU5243N00002.did
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.117	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.117	STRING	flash:/license/historyData.bin
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.118	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.118	STRING	flash:/license/historyData_bak.bin
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.119	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.119	STRING	flash:/license/210235A52DAAAAA00002.did
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.120	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.120	STRING	flash:/license/210235A52DAAAAA00002202409022247053392 2.ak
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.121	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.121	STRING	flash:/license/210235A52DAAAAA00002202411082043012904 7.ak
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.122	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.122	STRING	flash:/defaultfile.zip
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.123	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.123	STRING	flash:/ise.zip
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.124	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.124	STRING	flash:/pdump
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.125	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.125	STRING	flash:/diagfile

Name	OID	Value Type	Value Example
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.126	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.126	STRING	flash:/seclog
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.127	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.127	STRING	flash:/tracefile
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.128	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.128	STRING	flash:/lauth.dat
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.129	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.129	STRING	flash:/hostkey
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.130	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.130	STRING	flash:/serverkey
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.131	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.131	STRING	flash:/pki
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.132	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.132	STRING	flash:/pki/https-server.p12
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.133	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.133	STRING	flash:/.snmpboots
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.134	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.134	STRING	flash:/ifindex.dat
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.135	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.135	STRING	flash:/ap.bin
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.136	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.136	STRING	flash:/boot.bin
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.137	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.137	STRING	flash:/system.bin
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.138	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.138	STRING	flash:/startup.cfg
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.139	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.139	STRING	flash:/startup.mdb
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.140	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.140	STRING	flash:/freeradius.bin
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.141	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.141	STRING	flash:/rpm_save
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.142	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.142	STRING	flash:/.cluster_next.json
IB-FLASH-MAN-MIB::ibFlhFileName.6356993.1.143	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.143	STRING	flash:/system-lvzhoubak.bin
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.0	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.6356993.1.143	INTEGER	4096
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.1	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.1	INTEGER	4096
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.2	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.2	INTEGER	79968
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.3	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.3	INTEGER	4096
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.4	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.4	INTEGER	52687872
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.5	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.5	INTEGER	53452800
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.6	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.6	INTEGER	53776384
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.7	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.7	INTEGER	72059904

Name	OID	Value Type	Value Example
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.8	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.8	INTEGER	4096
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.9	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.9	INTEGER	4096
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.10	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.10	INTEGER	120542
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.11	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.11	INTEGER	25344
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.12	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.12	INTEGER	3072
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.13	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.13	INTEGER	1480874
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.14	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.14	INTEGER	0
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.15	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.15	INTEGER	4096
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.16	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.16	INTEGER	3405
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.17	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.17	INTEGER	2097246
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.18	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.18	INTEGER	40507
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.19	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.19	INTEGER	887
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.20	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.20	INTEGER	1097
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.21	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.21	INTEGER	6764
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.22	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.22	INTEGER	313
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.23	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.23	INTEGER	622
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.24	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.24	INTEGER	1951
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.25	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.25	INTEGER	830
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.26	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.26	INTEGER	15249
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.27	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.27	INTEGER	5404
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.28	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.28	INTEGER	4096
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.29	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.29	INTEGER	1376265
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.30	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.30	INTEGER	3410
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.31	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.31	INTEGER	37010
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.32	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.32	INTEGER	8435
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.33	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.33	INTEGER	2718

Name	OID	Value Type	Value Example
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.34	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.34	INTEGER	145961
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.35	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.35	INTEGER	280684
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.36	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.36	INTEGER	9216
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.37	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.37	INTEGER	314
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.38	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.38	INTEGER	177945
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.39	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.39	INTEGER	4349
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.40	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.40	INTEGER	40867
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.41	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.41	INTEGER	336
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.42	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.42	INTEGER	56064
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.43	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.43	INTEGER	74796
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.44	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.44	INTEGER	495
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.45	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.45	INTEGER	7500
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.46	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.46	INTEGER	11645
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.47	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.47	INTEGER	27770
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.48	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.48	INTEGER	1275
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.49	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.49	INTEGER	512074
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.50	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.50	INTEGER	263287
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.51	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.51	INTEGER	512109
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.52	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.52	INTEGER	512000
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.53	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.53	INTEGER	387387
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.54	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.54	INTEGER	22400
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.55	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.55	INTEGER	5234
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.56	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.56	INTEGER	644919
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.57	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.57	INTEGER	0
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.58	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.58	INTEGER	0
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.59	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.59	INTEGER	78

Name	OID	Value Type	Value Example
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.60	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.60	INTEGER	24801
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.61	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.61	INTEGER	0
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.62	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.62	INTEGER	251175
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.63	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.63	INTEGER	4096
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.64	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.64	INTEGER	311659
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.65	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.65	INTEGER	4096
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.66	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.66	INTEGER	19845
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.67	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.67	INTEGER	738
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.68	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.68	INTEGER	723
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.69	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.69	INTEGER	19760
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.70	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.70	INTEGER	1048733
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.71	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.71	INTEGER	748698
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.72	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.72	INTEGER	4238
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.73	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.73	INTEGER	38839
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.74	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.74	INTEGER	266
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.75	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.75	INTEGER	140
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.76	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.76	INTEGER	149
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.77	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.77	INTEGER	27145
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.78	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.78	INTEGER	3836
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.79	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.79	INTEGER	106
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.80	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.80	INTEGER	2206
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.81	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.81	INTEGER	0
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.82	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.82	INTEGER	50
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.83	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.83	INTEGER	310980
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.84	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.84	INTEGER	4096
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.85	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.85	INTEGER	0

Name	OID	Value Type	Value Example
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.86	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.86	INTEGER	267
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.87	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.87	INTEGER	4881821
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.88	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.88	INTEGER	916
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.89	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.89	INTEGER	1879
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.90	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.90	INTEGER	5281
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.91	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.91	INTEGER	4096
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.92	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.92	INTEGER	800
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.93	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.93	INTEGER	12761
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.94	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.94	INTEGER	35638
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.95	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.95	INTEGER	10485699
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.96	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.96	INTEGER	4096
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.97	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.97	INTEGER	44477
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.98	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.98	INTEGER	10485751
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.99	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.99	INTEGER	83849
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.100	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.100	INTEGER	9460118
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.101	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.101	INTEGER	31097138
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.102	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.102	INTEGER	53248
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.103	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.103	INTEGER	49208
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.104	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.104	INTEGER	1520
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.105	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.105	INTEGER	24
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.106	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.106	INTEGER	8192
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.107	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.107	INTEGER	4096
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.108	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.108	INTEGER	4096
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.109	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.109	INTEGER	283
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.110	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.110	INTEGER	167
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.111	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.111	INTEGER	170074112

Name	OID	Value Type	Value Example
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.112	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.112	INTEGER	167
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.113	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.113	INTEGER	4096
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.114	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.114	INTEGER	4096
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.115	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.115	INTEGER	4096
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.116	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.116	INTEGER	1099
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.117	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.117	INTEGER	1544
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.118	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.118	INTEGER	1544
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.119	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.119	INTEGER	1005
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.120	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.120	INTEGER	2930
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.121	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.121	INTEGER	2930
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.122	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.122	INTEGER	261891
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.123	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.123	INTEGER	251136
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.124	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.124	INTEGER	4096
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.125	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.125	INTEGER	4096
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.126	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.126	INTEGER	4096
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.127	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.127	INTEGER	4096
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.128	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.128	INTEGER	766
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.129	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.129	INTEGER	735
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.130	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.130	INTEGER	591
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.131	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.131	INTEGER	4096
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.132	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.132	INTEGER	2398
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.133	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.133	INTEGER	20
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.134	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.134	INTEGER	918
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.135	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.135	INTEGER	231988224
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.136	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.136	INTEGER	170242048
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.137	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.137	INTEGER	128252928

Name	OID	Value Type	Value Example
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.138	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.138	INTEGER	5014
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.139	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.139	INTEGER	118207
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.140	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.140	INTEGER	43482112
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.141	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.141	INTEGER	4096
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.142	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.142	INTEGER	283
IB-FLASH-MAN-MIB::ibFlhFileSize.6356993.1.143	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.143	INTEGER	128227328
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.0	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.3.6356993.1.143	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.1	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.1	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.2	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.2	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.3	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.3	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.4	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.4	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.5	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.5	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.6	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.6	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.7	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.7	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.8	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.8	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.9	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.9	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.10	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.10	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.11	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.11	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.12	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.12	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.13	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.13	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.14	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.14	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.15	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.15	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.16	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.16	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.17	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.17	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.18	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.18	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.19	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.19	INTEGER	valid(3)

Name	OID	Value Type	Value Example
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.20	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.20	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.21	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.21	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.22	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.22	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.23	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.23	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.24	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.24	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.25	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.25	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.26	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.26	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.27	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.27	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.28	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.28	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.29	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.29	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.30	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.30	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.31	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.31	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.32	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.32	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.33	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.33	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.34	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.34	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.35	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.35	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.36	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.36	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.37	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.37	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.38	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.38	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.39	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.39	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.40	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.40	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.41	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.41	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.42	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.42	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.43	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.43	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.44	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.44	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.45	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.45	INTEGER	valid(3)

Name	OID	Value Type	Value Example
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.46	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.46	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.47	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.47	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.48	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.48	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.49	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.49	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.50	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.50	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.51	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.51	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.52	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.52	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.53	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.53	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.54	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.54	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.55	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.55	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.56	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.56	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.57	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.57	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.58	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.58	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.59	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.59	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.60	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.60	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.61	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.61	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.62	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.62	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.63	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.63	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.64	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.64	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.65	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.65	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.66	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.66	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.67	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.67	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.68	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.68	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.69	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.69	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.70	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.70	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.71	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.71	INTEGER	valid(3)

Name	OID	Value Type	Value Example
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.72	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.72	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.73	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.73	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.74	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.74	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.75	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.75	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.76	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.76	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.77	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.77	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.78	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.78	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.79	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.79	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.80	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.80	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.81	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.81	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.82	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.82	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.83	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.83	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.84	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.84	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.85	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.85	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.86	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.86	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.87	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.87	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.88	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.88	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.89	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.89	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.90	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.90	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.91	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.91	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.92	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.92	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.93	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.93	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.94	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.94	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.95	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.95	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.96	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.96	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.97	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.97	INTEGER	valid(3)

Name	OID	Value Type	Value Example
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.98	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.98	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.99	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.99	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.100	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.100	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.101	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.101	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.102	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.102	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.103	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.103	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.104	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.104	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.105	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.105	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.106	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.106	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.107	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.107	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.108	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.108	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.109	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.109	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.110	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.110	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.111	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.111	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.112	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.112	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.113	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.113	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.114	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.114	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.115	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.115	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.116	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.116	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.117	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.117	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.118	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.118	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.119	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.119	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.120	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.120	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.121	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.121	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.122	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.122	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.123	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.123	INTEGER	valid(3)

Name	OID	Value Type	Value Example
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.124	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.124	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.125	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.125	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.126	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.126	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.127	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.127	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.128	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.128	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.129	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.129	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.130	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.130	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.131	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.131	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.132	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.132	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.133	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.133	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.134	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.134	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.135	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.135	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.136	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.136	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.137	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.137	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.138	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.138	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.139	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.139	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.140	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.140	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.141	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.141	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.142	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.142	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileStatus.6356993.1.143	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.143	INTEGER	valid(3)
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.0	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.4.6356993.1.143	Counter64	4096 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.1	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.1	Counter64	4096 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.2	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.2	Counter64	79968 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.3	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.3	Counter64	4096 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.4	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.4	Counter64	52687872 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.5	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.5	Counter64	53452800 bytes

Name	OID	Value Type	Value Example
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.6	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.6	Counter64	53776384 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.7	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.7	Counter64	72059904 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.8	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.8	Counter64	4096 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.9	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.9	Counter64	4096 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.10	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.10	Counter64	120542 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.11	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.11	Counter64	25344 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.12	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.12	Counter64	3072 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.13	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.13	Counter64	1480874 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.14	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.14	Counter64	0 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.15	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.15	Counter64	4096 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.16	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.16	Counter64	3405 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.17	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.17	Counter64	2097246 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.18	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.18	Counter64	40507 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.19	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.19	Counter64	887 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.20	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.20	Counter64	1097 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.21	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.21	Counter64	6764 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.22	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.22	Counter64	313 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.23	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.23	Counter64	622 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.24	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.24	Counter64	1951 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.25	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.25	Counter64	830 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.26	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.26	Counter64	15249 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.27	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.27	Counter64	5404 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.28	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.28	Counter64	4096 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.29	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.29	Counter64	1376265 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.30	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.30	Counter64	3410 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.31	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.31	Counter64	37010 bytes

Name	OID	Value Type	Value Example
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.32	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.32	Counter64	8435 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.33	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.33	Counter64	2718 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.34	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.34	Counter64	145961 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.35	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.35	Counter64	280684 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.36	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.36	Counter64	9216 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.37	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.37	Counter64	314 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.38	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.38	Counter64	177945 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.39	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.39	Counter64	4349 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.40	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.40	Counter64	40867 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.41	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.41	Counter64	336 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.42	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.42	Counter64	56064 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.43	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.43	Counter64	74796 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.44	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.44	Counter64	495 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.45	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.45	Counter64	7500 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.46	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.46	Counter64	11645 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.47	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.47	Counter64	27770 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.48	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.48	Counter64	1275 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.49	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.49	Counter64	512074 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.50	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.50	Counter64	263287 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.51	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.51	Counter64	512109 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.52	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.52	Counter64	512000 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.53	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.53	Counter64	387387 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.54	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.54	Counter64	22400 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.55	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.55	Counter64	5234 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.56	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.56	Counter64	644919 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.57	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.57	Counter64	0 bytes

Name	OID	Value Type	Value Example
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.58	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.58	Counter64	0 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.59	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.59	Counter64	78 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.60	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.60	Counter64	24801 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.61	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.61	Counter64	0 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.62	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.62	Counter64	251175 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.63	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.63	Counter64	4096 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.64	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.64	Counter64	311659 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.65	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.65	Counter64	4096 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.66	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.66	Counter64	19845 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.67	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.67	Counter64	738 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.68	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.68	Counter64	723 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.69	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.69	Counter64	19760 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.70	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.70	Counter64	1048733 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.71	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.71	Counter64	748698 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.72	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.72	Counter64	4238 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.73	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.73	Counter64	38839 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.74	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.74	Counter64	266 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.75	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.75	Counter64	140 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.76	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.76	Counter64	149 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.77	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.77	Counter64	27145 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.78	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.78	Counter64	3836 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.79	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.79	Counter64	106 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.80	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.80	Counter64	2206 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.81	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.81	Counter64	0 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.82	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.82	Counter64	50 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.83	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.83	Counter64	310980 bytes

Name	OID	Value Type	Value Example
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.84	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.84	Counter64	4096 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.85	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.85	Counter64	0 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.86	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.86	Counter64	267 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.87	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.87	Counter64	4881821 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.88	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.88	Counter64	916 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.89	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.89	Counter64	1879 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.90	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.90	Counter64	5281 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.91	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.91	Counter64	4096 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.92	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.92	Counter64	800 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.93	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.93	Counter64	12761 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.94	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.94	Counter64	35638 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.95	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.95	Counter64	10485699 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.96	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.96	Counter64	4096 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.97	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.97	Counter64	44477 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.98	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.98	Counter64	10485751 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.99	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.99	Counter64	83849 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.100	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.100	Counter64	9460118 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.101	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.101	Counter64	31097138 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.102	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.102	Counter64	53248 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.103	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.103	Counter64	49208 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.104	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.104	Counter64	1520 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.105	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.105	Counter64	24 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.106	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.106	Counter64	8192 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.107	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.107	Counter64	4096 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.108	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.108	Counter64	4096 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.109	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.109	Counter64	283 bytes

Name	OID	Value Type	Value Example
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.110	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.110	Counter64	167 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.111	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.111	Counter64	170074112 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.112	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.112	Counter64	167 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.113	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.113	Counter64	4096 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.114	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.114	Counter64	4096 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.115	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.115	Counter64	4096 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.116	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.116	Counter64	1099 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.117	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.117	Counter64	1544 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.118	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.118	Counter64	1544 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.119	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.119	Counter64	1005 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.120	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.120	Counter64	2930 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.121	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.121	Counter64	2930 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.122	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.122	Counter64	261891 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.123	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.123	Counter64	251136 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.124	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.124	Counter64	4096 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.125	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.125	Counter64	4096 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.126	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.126	Counter64	4096 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.127	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.127	Counter64	4096 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.128	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.128	Counter64	766 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.129	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.129	Counter64	735 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.130	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.130	Counter64	591 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.131	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.131	Counter64	4096 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.132	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.132	Counter64	2398 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.133	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.133	Counter64	20 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.134	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.134	Counter64	918 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.135	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.135	Counter64	231988224 bytes

Name	OID	Value Type	Value Example
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.136	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.136	Counter64	170242048 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.137	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.137	Counter64	128252928 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.138	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.138	Counter64	5014 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.139	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.139	Counter64	118207 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.140	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.140	Counter64	43482112 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.141	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.141	Counter64	4096 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.142	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.142	Counter64	283 bytes
IB-FLASH-MAN-MIB::ibFlhFileHCSize.6356993.1.143	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.143	Counter64	128227328 bytes
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.0	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.6.6356993.1.143	INTEGER	directory(2)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.1	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.1	INTEGER	directory(2)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.2	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.2	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.3	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.3	INTEGER	directory(2)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.4	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.4	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.5	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.5	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.6	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.6	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.7	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.7	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.8	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.8	INTEGER	directory(2)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.9	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.9	INTEGER	directory(2)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.10	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.10	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.11	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.11	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.12	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.12	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.13	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.13	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.14	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.14	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.15	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.15	INTEGER	directory(2)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.16	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.16	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.17	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.17	INTEGER	file(1)

Name	OID	Value Type	Value Example
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.18	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.18	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.19	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.19	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.20	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.20	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.21	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.21	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.22	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.22	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.23	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.23	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.24	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.24	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.25	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.25	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.26	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.26	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.27	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.27	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.28	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.28	INTEGER	directory(2)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.29	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.29	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.30	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.30	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.31	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.31	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.32	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.32	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.33	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.33	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.34	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.34	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.35	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.35	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.36	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.36	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.37	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.37	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.38	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.38	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.39	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.39	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.40	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.40	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.41	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.41	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.42	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.42	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.43	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.43	INTEGER	file(1)

Name	OID	Value Type	Value Example
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.44	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.44	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.45	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.45	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.46	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.46	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.47	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.47	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.48	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.48	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.49	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.49	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.50	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.50	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.51	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.51	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.52	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.52	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.53	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.53	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.54	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.54	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.55	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.55	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.56	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.56	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.57	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.57	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.58	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.58	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.59	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.59	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.60	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.60	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.61	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.61	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.62	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.62	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.63	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.63	INTEGER	directory(2)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.64	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.64	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.65	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.65	INTEGER	directory(2)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.66	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.66	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.67	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.67	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.68	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.68	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.69	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.69	INTEGER	file(1)

Name	OID	Value Type	Value Example
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.70	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.70	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.71	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.71	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.72	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.72	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.73	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.73	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.74	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.74	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.75	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.75	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.76	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.76	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.77	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.77	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.78	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.78	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.79	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.79	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.80	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.80	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.81	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.81	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.82	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.82	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.83	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.83	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.84	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.84	INTEGER	directory(2)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.85	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.85	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.86	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.86	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.87	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.87	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.88	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.88	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.89	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.89	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.90	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.90	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.91	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.91	INTEGER	directory(2)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.92	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.92	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.93	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.93	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.94	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.94	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.95	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.95	INTEGER	file(1)

Name	OID	Value Type	Value Example
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.96	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.96	INTEGER	directory(2)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.97	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.97	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.98	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.98	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.99	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.99	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.100	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.100	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.101	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.101	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.102	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.102	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.103	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.103	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.104	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.104	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.105	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.105	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.106	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.106	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.107	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.107	INTEGER	directory(2)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.108	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.108	INTEGER	directory(2)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.109	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.109	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.110	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.110	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.111	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.111	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.112	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.112	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.113	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.113	INTEGER	directory(2)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.114	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.114	INTEGER	directory(2)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.115	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.115	INTEGER	directory(2)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.116	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.116	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.117	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.117	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.118	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.118	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.119	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.119	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.120	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.120	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.121	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.121	INTEGER	file(1)

Name	OID	Value Type	Value Example
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.122	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.122	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.123	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.123	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.124	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.124	INTEGER	directory(2)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.125	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.125	INTEGER	directory(2)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.126	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.126	INTEGER	directory(2)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.127	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.127	INTEGER	directory(2)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.128	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.128	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.129	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.129	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.130	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.130	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.131	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.131	INTEGER	directory(2)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.132	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.132	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.133	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.133	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.134	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.134	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.135	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.135	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.136	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.136	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.137	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.137	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.138	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.138	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.139	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.139	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.140	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.140	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.141	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.141	INTEGER	directory(2)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.142	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.142	INTEGER	file(1)
IB-FLASH-MAN-MIB::ibFlhFileType.6356993.1.143	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.7.6356993.1.143	INTEGER	file(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.4	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.4	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.5	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.5	INTEGER	notSupported(1)

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.6	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.6	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.7	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.7	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.8	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.8	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.9	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.9	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.10	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.10	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.11	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.11	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.97	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.97	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.98	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.98	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.99	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.99	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.100	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.100	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.101	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.101	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.102	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.102	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.103	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.103	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.104	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.104	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.117	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.117	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.118	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.118	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.119	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.119	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.120	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.120	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.122	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.122	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.123	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.123	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.124	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.124	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.125	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.125	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.137	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.137	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.177	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.177	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.178	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.178	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.179	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.179	INTEGER	notSupported(1)

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.180	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.180	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.182	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.182	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.183	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.183	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.184	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.184	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.185	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.185	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.197	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.197	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.237	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.237	INTEGER	unlocked(4)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.238	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.238	INTEGER	unlocked(4)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.239	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.239	INTEGER	unlocked(4)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.240	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.240	INTEGER	unlocked(4)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.241	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.241	INTEGER	unlocked(4)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.242	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.242	INTEGER	unlocked(4)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.243	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.243	INTEGER	unlocked(4)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.244	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.244	INTEGER	unlocked(4)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.245	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.245	INTEGER	unlocked(4)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.246	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.246	INTEGER	unlocked(4)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.247	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.247	INTEGER	unlocked(4)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.248	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.248	INTEGER	unlocked(4)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.249	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.249	INTEGER	unlocked(4)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.250	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.250	INTEGER	unlocked(4)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.251	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.251	INTEGER	unlocked(4)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.252	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.252	INTEGER	unlocked(4)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.253	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.253	INTEGER	unlocked(4)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.254	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.254	INTEGER	unlocked(4)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.255	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.255	INTEGER	unlocked(4)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.257	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.257	INTEGER	unlocked(4)

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.258	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.258	INTEGER	unlocked(4)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.259	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.259	INTEGER	unlocked(4)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.260	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.260	INTEGER	unlocked(4)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.261	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.261	INTEGER	unlocked(4)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.262	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.262	INTEGER	unlocked(4)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.263	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.263	INTEGER	unlocked(4)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.264	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.264	INTEGER	unlocked(4)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.265	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.265	INTEGER	unlocked(4)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.266	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.266	INTEGER	unlocked(4)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.267	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.267	INTEGER	unlocked(4)
IB-ENTITY-EXT-MIB::ibEntityExtAdminStatus.268	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.268	INTEGER	unlocked(4)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.1	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.2	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.4	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4	INTEGER	enabled(3)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.5	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.5	INTEGER	enabled(3)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.6	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.6	INTEGER	enabled(3)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.7	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.7	INTEGER	enabled(3)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.8	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.8	INTEGER	enabled(3)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.9	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.9	INTEGER	enabled(3)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.10	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.10	INTEGER	enabled(3)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.11	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.11	INTEGER	enabled(3)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.97	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.97	INTEGER	enabled(3)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.98	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.98	INTEGER	disabled(2)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.99	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.99	INTEGER	enabled(3)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.100	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.100	INTEGER	enabled(3)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.101	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.101	INTEGER	enabled(3)

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.102	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.102	INTEGER	enabled(3)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.103	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.103	INTEGER	enabled(3)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.104	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.104	INTEGER	enabled(3)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.117	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.117	INTEGER	enabled(3)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.118	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.118	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.119	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.119	INTEGER	enabled(3)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.120	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.120	INTEGER	enabled(3)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.122	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.122	INTEGER	enabled(3)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.123	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.123	INTEGER	enabled(3)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.124	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.124	INTEGER	enabled(3)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.125	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.125	INTEGER	enabled(3)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.137	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.137	INTEGER	enabled(3)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.177	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.177	INTEGER	enabled(3)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.178	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.178	INTEGER	disabled(2)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.179	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.179	INTEGER	enabled(3)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.180	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.180	INTEGER	enabled(3)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.182	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.182	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.183	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.183	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.184	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.184	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.185	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.185	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.197	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.197	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.237	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.237	INTEGER	disabled(2)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.238	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.238	INTEGER	disabled(2)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.239	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.239	INTEGER	disabled(2)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.240	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.240	INTEGER	disabled(2)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.241	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.241	INTEGER	disabled(2)

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.242	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.242	INTEGER	disabled(2)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.243	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.243	INTEGER	disabled(2)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.244	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.244	INTEGER	enabled(3)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.245	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.245	INTEGER	disabled(2)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.246	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.246	INTEGER	disabled(2)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.247	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.247	INTEGER	disabled(2)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.248	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.248	INTEGER	disabled(2)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.249	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.249	INTEGER	disabled(2)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.250	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.250	INTEGER	disabled(2)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.251	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.251	INTEGER	disabled(2)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.252	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.252	INTEGER	disabled(2)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.253	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.253	INTEGER	disabled(2)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.254	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.254	INTEGER	disabled(2)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.255	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.255	INTEGER	disabled(2)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.257	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.257	INTEGER	disabled(2)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.258	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.258	INTEGER	disabled(2)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.259	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.259	INTEGER	disabled(2)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.260	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.260	INTEGER	disabled(2)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.261	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.261	INTEGER	disabled(2)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.262	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.262	INTEGER	disabled(2)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.263	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.263	INTEGER	disabled(2)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.264	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.264	INTEGER	disabled(2)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.265	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.265	INTEGER	disabled(2)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.266	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.266	INTEGER	disabled(2)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.267	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.267	INTEGER	disabled(2)
IB-ENTITY-EXT-MIB::ibEntityExtOperStatus.268	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.268	INTEGER	disabled(2)

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.1	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.2	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.4	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.4	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.5	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.5	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.6	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.6	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.7	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.7	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.8	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.8	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.9	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.9	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.10	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.10	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.11	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.11	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.97	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.97	INTEGER	providingService(4)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.98	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.98	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.99	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.99	INTEGER	providingService(4)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.100	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.100	INTEGER	providingService(4)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.101	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.101	INTEGER	providingService(4)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.102	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.102	INTEGER	providingService(4)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.103	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.103	INTEGER	providingService(4)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.104	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.104	INTEGER	providingService(4)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.117	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.117	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.118	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.118	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.119	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.119	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.120	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.120	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.122	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.122	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.123	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.123	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.124	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.124	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.125	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.125	INTEGER	notSupported(1)

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.137	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.137	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.177	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.177	INTEGER	providingService(4)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.178	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.178	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.179	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.179	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.180	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.180	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.182	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.182	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.183	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.183	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.184	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.184	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.185	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.185	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.197	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.197	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.237	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.237	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.238	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.238	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.239	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.239	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.240	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.240	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.241	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.241	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.242	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.242	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.243	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.243	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.244	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.244	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.245	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.245	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.246	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.246	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.247	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.247	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.248	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.248	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.249	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.249	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.250	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.250	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.251	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.251	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.252	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.252	INTEGER	notSupported(1)

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.253	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.253	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.254	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.254	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.255	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.255	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.257	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.257	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.258	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.258	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.259	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.259	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.260	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.260	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.261	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.261	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.262	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.262	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.263	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.263	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.264	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.264	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.265	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.265	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.266	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.266	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.267	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.267	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtStandbyStatus.268	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.268	INTEGER	notSupported(1)
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.1	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.2	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.4	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.4	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.5	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.5	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.6	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.6	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.7	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.7	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.8	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.8	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.9	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.9	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.10	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.10	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.11	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.11	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.97	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.97	BITS	00

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.98	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.98	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.99	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.99	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.100	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.100	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.101	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.101	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.102	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.102	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.103	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.103	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.104	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.104	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.117	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.117	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.118	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.118	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.119	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.119	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.120	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.120	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.122	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.122	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.123	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.123	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.124	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.124	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.125	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.125	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.137	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.137	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.177	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.177	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.178	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.178	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.179	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.179	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.180	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.180	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.182	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.182	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.183	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.183	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.184	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.184	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.185	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.185	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.197	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.197	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.237	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.237	BITS	00

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.238	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.238	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.239	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.239	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.240	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.240	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.241	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.241	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.242	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.242	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.243	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.243	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.244	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.244	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.245	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.245	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.246	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.246	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.247	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.247	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.248	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.248	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.249	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.249	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.250	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.250	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.251	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.251	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.252	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.252	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.253	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.253	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.254	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.254	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.255	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.255	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.257	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.257	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.258	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.258	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.259	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.259	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.260	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.260	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.261	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.261	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.262	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.262	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.263	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.263	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.264	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.264	BITS	00

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.265	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.265	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.266	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.266	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.267	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.267	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtAlarmLight.268	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.268	BITS	00
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.1	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.2	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.4	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.4	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.5	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.5	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.6	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.6	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.7	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.7	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.8	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.8	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.9	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.9	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.10	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.10	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.11	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.11	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.97	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.97	INTEGER	1
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.98	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.98	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.99	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.99	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.100	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.100	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.101	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.101	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.102	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.102	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.103	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.103	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.104	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.104	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.117	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.117	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.118	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.118	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.119	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.119	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.120	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.120	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.122	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.122	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.123	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.123	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.124	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.124	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.125	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.125	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.137	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.137	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.177	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.177	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.178	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.178	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.179	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.179	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.180	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.180	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.182	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.182	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.183	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.183	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.184	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.184	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.185	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.185	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.197	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.197	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.237	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.237	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.238	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.238	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.239	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.239	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.240	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.240	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.241	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.241	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.242	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.242	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.243	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.243	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.244	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.244	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.245	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.245	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.246	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.246	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.247	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.247	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.248	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.248	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.249	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.249	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.250	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.250	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.251	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.251	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.252	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.252	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.253	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.253	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.254	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.254	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.255	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.255	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.257	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.257	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.258	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.258	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.259	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.259	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.260	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.260	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.261	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.261	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.262	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.262	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.263	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.263	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.264	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.264	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.265	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.265	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.266	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.266	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.267	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.267	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsage.268	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.268	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.1	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.2	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.4	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.4	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.5	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.5	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.6	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.6	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.7	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.7	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.8	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.8	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.9	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.9	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.10	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.10	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.11	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.11	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.97	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.97	INTEGER	99
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.98	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.98	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.99	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.99	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.100	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.100	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.101	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.101	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.102	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.102	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.103	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.103	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.104	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.104	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.117	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.117	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.118	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.118	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.119	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.119	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.120	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.120	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.122	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.122	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.123	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.123	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.124	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.124	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.125	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.125	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.137	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.137	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.177	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.177	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.178	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.178	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.179	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.179	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.180	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.180	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.182	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.182	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.183	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.183	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.184	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.184	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.185	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.185	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.197	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.197	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.237	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.237	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.238	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.238	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.239	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.239	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.240	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.240	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.241	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.241	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.242	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.242	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.243	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.243	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.244	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.244	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.245	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.245	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.246	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.246	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.247	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.247	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.248	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.248	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.249	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.249	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.250	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.250	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.251	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.251	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.252	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.252	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.253	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.253	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.254	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.254	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.255	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.255	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.257	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.257	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.258	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.258	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.259	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.259	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.260	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.260	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.261	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.261	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.262	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.262	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.263	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.263	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.264	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.264	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.265	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.265	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.266	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.266	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.267	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.267	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageThreshold.268	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.268	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.1	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.2	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.4	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.4	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.5	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.5	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.6	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.6	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.7	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.7	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.8	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.8	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.9	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.9	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.10	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.10	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.11	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.11	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.97	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.97	INTEGER	28
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.98	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.98	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.99	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.99	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.100	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.100	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.101	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.101	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.102	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.102	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.103	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.103	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.104	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.104	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.117	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.117	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.118	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.118	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.119	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.119	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.120	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.120	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.122	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.122	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.123	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.123	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.124	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.124	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.125	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.125	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.137	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.137	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.177	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.177	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.178	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.178	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.179	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.179	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.180	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.180	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.182	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.182	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.183	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.183	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.184	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.184	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.185	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.185	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.197	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.197	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.237	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.237	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.238	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.238	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.239	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.239	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.240	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.240	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.241	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.241	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.242	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.242	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.243	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.243	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.244	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.244	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.245	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.245	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.246	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.246	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.247	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.247	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.248	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.248	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.249	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.249	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.250	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.250	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.251	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.251	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.252	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.252	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.253	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.253	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.254	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.254	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.255	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.255	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.257	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.257	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.258	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.258	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.259	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.259	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.260	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.260	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.261	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.261	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.262	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.262	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.263	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.263	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.264	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.264	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.265	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.265	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.266	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.266	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.267	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.267	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsage.268	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.268	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.1	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.2	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.4	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.4	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.5	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.5	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.6	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.6	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.7	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.7	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.8	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.8	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.9	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.9	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.10	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.10	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.11	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.11	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.97	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.97	INTEGER	100
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.98	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.98	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.99	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.99	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.100	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.100	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.101	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.101	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.102	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.102	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.103	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.103	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.104	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.104	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.117	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.117	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.118	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.118	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.119	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.119	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.120	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.120	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.122	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.122	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.123	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.123	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.124	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.124	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.125	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.125	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.137	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.137	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.177	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.177	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.178	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.178	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.179	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.179	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.180	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.180	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.182	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.182	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.183	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.183	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.184	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.184	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.185	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.185	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.197	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.197	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.237	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.237	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.238	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.238	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.239	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.239	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.240	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.240	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.241	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.241	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.242	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.242	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.243	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.243	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.244	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.244	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.245	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.245	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.246	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.246	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.247	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.247	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.248	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.248	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.249	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.249	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.250	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.250	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.251	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.251	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.252	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.252	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.253	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.253	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.254	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.254	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.255	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.255	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.257	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.257	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.258	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.258	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.259	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.259	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.260	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.260	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.261	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.261	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.262	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.262	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.263	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.263	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.264	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.264	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.265	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.265	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.266	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.266	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.267	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.267	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemUsageThreshold.268	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.268	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.1	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.2	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.4	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.4	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.5	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.5	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.6	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.6	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.7	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.7	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.8	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.8	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.9	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.9	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.10	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.10	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.11	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.11	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.97	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.97	Gauge32	4294967295 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.98	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.98	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.99	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.99	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.100	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.100	Gauge32	0 bytes

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.101	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.101	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.102	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.102	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.103	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.103	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.104	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.104	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.117	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.117	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.118	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.118	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.119	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.119	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.120	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.120	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.122	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.122	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.123	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.123	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.124	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.124	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.125	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.125	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.137	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.137	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.177	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.177	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.178	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.178	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.179	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.179	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.180	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.180	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.182	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.182	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.183	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.183	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.184	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.184	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.185	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.185	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.197	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.197	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.237	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.237	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.238	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.238	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.239	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.239	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.240	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.240	Gauge32	0 bytes

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.241	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.241	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.242	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.242	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.243	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.243	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.244	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.244	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.245	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.245	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.246	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.246	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.247	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.247	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.248	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.248	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.249	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.249	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.250	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.250	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.251	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.251	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.252	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.252	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.253	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.253	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.254	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.254	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.255	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.255	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.257	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.257	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.258	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.258	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.259	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.259	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.260	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.260	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.261	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.261	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.262	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.262	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.263	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.263	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.264	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.264	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.265	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.265	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.266	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.266	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.267	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.267	Gauge32	0 bytes

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtMemSize.268	.1.3.6.1.4.1.26138.2.6.1.1.1.1.10.268	Gauge32	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtUpTime.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.11.2	INTEGER	76352 seconds
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.1	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.2	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.4	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.4	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.5	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.5	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.6	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.6	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.7	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.7	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.8	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.8	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.9	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.9	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.10	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.10	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.11	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.11	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.97	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.97	INTEGER	32
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.98	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.98	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.99	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.99	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.100	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.100	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.101	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.101	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.102	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.102	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.103	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.103	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.104	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.104	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.117	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.117	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.118	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.118	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.119	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.119	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.120	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.120	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.122	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.122	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.123	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.123	INTEGER	65535

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.124	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.124	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.125	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.125	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.137	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.137	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.177	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.177	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.178	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.178	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.179	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.179	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.180	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.180	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.182	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.182	INTEGER	32
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.183	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.183	INTEGER	55
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.184	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.184	INTEGER	62
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.185	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.185	INTEGER	34
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.197	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.197	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.237	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.237	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.238	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.238	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.239	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.239	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.240	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.240	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.241	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.241	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.242	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.242	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.243	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.243	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.244	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.244	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.245	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.245	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.246	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.246	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.247	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.247	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.248	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.248	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.249	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.249	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.250	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.250	INTEGER	65535

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.251	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.251	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.252	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.252	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.253	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.253	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.254	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.254	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.255	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.255	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.257	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.257	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.258	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.258	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.259	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.259	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.260	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.260	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.261	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.261	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.262	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.262	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.263	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.263	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.264	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.264	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.265	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.265	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.266	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.266	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.267	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.267	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperature.268	.1.3.6.1.4.1.26138.2.6.1.1.1.1.12.268	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.1	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.2	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.4	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.4	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.5	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.5	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.6	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.6	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.7	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.7	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.8	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.8	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.9	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.9	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.10	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.10	INTEGER	65535

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.11	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.11	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.97	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.97	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.98	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.98	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.99	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.99	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.100	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.100	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.101	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.101	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.102	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.102	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.103	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.103	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.104	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.104	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.117	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.117	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.118	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.118	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.119	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.119	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.120	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.120	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.122	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.122	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.123	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.123	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.124	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.124	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.125	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.125	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.137	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.137	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.177	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.177	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.178	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.178	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.179	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.179	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.180	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.180	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.182	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.182	INTEGER	59
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.183	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.183	INTEGER	100
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.184	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.184	INTEGER	86
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.185	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.185	INTEGER	65

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.197	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.197	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.237	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.237	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.238	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.238	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.239	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.239	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.240	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.240	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.241	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.241	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.242	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.242	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.243	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.243	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.244	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.244	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.245	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.245	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.246	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.246	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.247	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.247	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.248	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.248	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.249	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.249	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.250	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.250	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.251	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.251	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.252	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.252	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.253	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.253	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.254	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.254	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.255	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.255	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.257	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.257	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.258	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.258	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.259	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.259	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.260	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.260	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.261	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.261	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.262	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.262	INTEGER	65535

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.263	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.263	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.264	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.264	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.265	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.265	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.266	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.266	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.267	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.267	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtTemperatureThreshold.268	.1.3.6.1.4.1.26138.2.6.1.1.1.1.13.268	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.1	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.2	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.4	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.4	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.5	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.5	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.6	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.6	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.7	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.7	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.8	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.8	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.9	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.9	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.10	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.10	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.11	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.11	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.97	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.97	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.98	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.98	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.99	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.99	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.100	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.100	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.101	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.101	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.102	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.102	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.103	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.103	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.104	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.104	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.117	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.117	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.118	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.118	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.119	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.119	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.120	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.120	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.122	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.122	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.123	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.123	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.124	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.124	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.125	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.125	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.137	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.137	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.177	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.177	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.178	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.178	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.179	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.179	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.180	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.180	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.182	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.182	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.183	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.183	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.184	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.184	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.185	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.185	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.197	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.197	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.237	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.237	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.238	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.238	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.239	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.239	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.240	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.240	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.241	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.241	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.242	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.242	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.243	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.243	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.244	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.244	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.245	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.245	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.246	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.246	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.247	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.247	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.248	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.248	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.249	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.249	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.250	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.250	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.251	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.251	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.252	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.252	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.253	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.253	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.254	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.254	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.255	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.255	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.257	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.257	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.258	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.258	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.259	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.259	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.260	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.260	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.261	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.261	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.262	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.262	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.263	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.263	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.264	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.264	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.265	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.265	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.266	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.266	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.267	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.267	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltage.268	.1.3.6.1.4.1.26138.2.6.1.1.1.1.14.268	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.1	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.2	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.4	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.4	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.5	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.5	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.6	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.6	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.7	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.7	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.8	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.8	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.9	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.9	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.10	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.10	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.11	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.11	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.97	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.97	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.98	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.98	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.99	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.99	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.100	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.100	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.101	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.101	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.102	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.102	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.103	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.103	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.104	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.104	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.117	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.117	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.118	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.118	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.119	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.119	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.120	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.120	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.122	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.122	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.123	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.123	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.124	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.124	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.125	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.125	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.137	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.137	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.177	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.177	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.178	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.178	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.179	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.179	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.180	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.180	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.182	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.182	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.183	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.183	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.184	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.184	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.185	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.185	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.197	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.197	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.237	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.237	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.238	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.238	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.239	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.239	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.240	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.240	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.241	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.241	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.242	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.242	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.243	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.243	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.244	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.244	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.245	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.245	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.246	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.246	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.247	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.247	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.248	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.248	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.249	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.249	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.250	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.250	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.251	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.251	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.252	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.252	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.253	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.253	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.254	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.254	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.255	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.255	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.257	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.257	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.258	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.258	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.259	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.259	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.260	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.260	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.261	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.261	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.262	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.262	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.263	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.263	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.264	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.264	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.265	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.265	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.266	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.266	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.267	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.267	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageLowThreshold.268	.1.3.6.1.4.1.26138.2.6.1.1.1.1.15.268	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.1	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.2	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.4	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.4	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.5	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.5	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.6	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.6	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.7	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.7	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.8	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.8	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.9	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.9	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.10	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.10	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.11	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.11	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.97	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.97	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.98	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.98	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.99	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.99	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.100	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.100	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.101	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.101	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.102	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.102	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.103	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.103	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.104	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.104	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.117	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.117	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.118	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.118	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.119	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.119	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.120	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.120	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.122	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.122	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.123	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.123	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.124	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.124	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.125	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.125	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.137	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.137	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.177	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.177	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.178	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.178	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.179	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.179	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.180	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.180	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.182	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.182	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.183	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.183	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.184	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.184	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.185	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.185	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.197	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.197	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.237	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.237	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.238	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.238	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.239	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.239	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.240	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.240	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.241	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.241	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.242	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.242	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.243	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.243	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.244	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.244	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.245	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.245	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.246	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.246	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.247	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.247	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.248	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.248	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.249	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.249	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.250	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.250	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.251	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.251	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.252	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.252	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.253	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.253	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.254	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.254	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.255	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.255	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.257	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.257	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.258	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.258	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.259	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.259	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.260	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.260	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.261	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.261	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.262	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.262	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.263	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.263	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.264	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.264	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.265	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.265	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.266	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.266	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.267	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.267	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtVoltageHighThreshold.268	.1.3.6.1.4.1.26138.2.6.1.1.1.1.16.268	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.1	INTEGER	65535

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.2	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.4	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.4	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.5	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.5	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.6	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.6	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.7	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.7	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.8	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.8	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.9	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.9	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.10	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.10	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.11	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.11	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.97	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.97	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.98	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.98	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.99	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.99	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.100	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.100	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.101	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.101	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.102	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.102	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.103	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.103	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.104	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.104	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.117	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.117	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.118	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.118	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.119	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.119	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.120	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.120	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.122	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.122	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.123	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.123	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.124	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.124	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.125	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.125	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.137	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.137	INTEGER	65535

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.177	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.177	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.178	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.178	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.179	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.179	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.180	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.180	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.182	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.182	INTEGER	64
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.183	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.183	INTEGER	117
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.184	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.184	INTEGER	89
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.185	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.185	INTEGER	70
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.197	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.197	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.237	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.237	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.238	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.238	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.239	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.239	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.240	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.240	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.241	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.241	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.242	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.242	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.243	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.243	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.244	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.244	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.245	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.245	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.246	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.246	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.247	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.247	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.248	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.248	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.249	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.249	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.250	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.250	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.251	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.251	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.252	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.252	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.253	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.253	INTEGER	65535

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.254	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.254	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.255	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.255	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.257	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.257	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.258	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.258	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.259	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.259	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.260	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.260	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.261	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.261	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.262	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.262	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.263	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.263	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.264	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.264	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.265	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.265	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.266	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.266	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.267	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.267	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtCriticalTemperatureThreshold.268	.1.3.6.1.4.1.26138.2.6.1.1.1.1.17.268	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.1	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.2	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.4	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.4	STRING	0:0:0:0:0:0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.5	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.5	STRING	0:0:0:0:0:0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.6	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.6	STRING	0:0:0:0:0:0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.7	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.7	STRING	0:0:0:0:0:0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.8	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.8	STRING	0:0:0:0:0:0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.9	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.9	STRING	0:0:0:0:0:0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.10	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.10	STRING	0:0:0:0:0:0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.11	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.11	STRING	0:0:0:0:0:0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.97	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.97	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.98	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.98	STRING	0:0:0:0:0:0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.99	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.99	STRING	0:0:0:0:0:0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.100	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.100	STRING	0:0:0:0:0:0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.101	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.101	STRING	0:0:0:0:0:0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.102	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.102	STRING	0:0:0:0:0:0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.103	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.103	STRING	0:0:0:0:0:0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.104	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.104	STRING	0:0:0:0:0:0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.117	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.117	STRING	0:0:0:0:0:0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.118	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.118	STRING	0:0:0:0:0:0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.119	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.119	STRING	0:0:0:0:0:0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.120	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.120	STRING	0:0:0:0:0:0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.122	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.122	STRING	0:0:0:0:0:0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.123	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.123	STRING	0:0:0:0:0:0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.124	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.124	STRING	0:0:0:0:0:0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.125	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.125	STRING	0:0:0:0:0:0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.137	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.137	STRING	0:0:0:0:0:0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.177	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.177	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.178	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.178	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.179	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.179	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.180	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.180	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.182	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.182	STRING	0:0:0:0:0:0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.183	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.183	STRING	0:0:0:0:0:0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.184	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.184	STRING	0:0:0:0:0:0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.185	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.185	STRING	0:0:0:0:0:0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.197	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.197	STRING	0:0:0:0:0:0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.237	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.237	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.238	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.238	STRING	10:90:fa:51:57:8

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.239	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.239	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.240	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.240	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.241	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.241	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.242	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.242	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.243	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.243	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.244	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.244	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.245	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.245	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.246	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.246	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.247	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.247	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.248	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.248	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.249	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.249	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.250	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.250	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.251	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.251	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.252	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.252	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.253	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.253	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.254	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.254	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.255	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.255	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.257	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.257	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.258	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.258	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.259	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.259	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.260	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.260	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.261	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.261	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.262	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.262	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.263	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.263	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.264	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.264	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.265	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.265	STRING	10:90:fa:51:57:8

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.266	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.266	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.267	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.267	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddress.268	.1.3.6.1.4.1.26138.2.6.1.1.1.1.18.268	STRING	10:90:fa:51:57:8
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.1	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.2	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.4	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.4	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.5	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.5	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.6	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.6	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.7	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.7	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.8	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.8	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.9	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.9	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.10	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.10	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.11	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.11	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.97	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.97	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.98	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.98	INTEGER	psuError(51)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.99	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.99	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.100	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.100	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.101	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.101	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.102	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.102	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.103	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.103	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.104	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.104	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.117	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.117	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.118	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.118	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.119	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.119	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.120	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.120	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.122	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.122	INTEGER	normal(2)

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.123	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.123	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.124	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.124	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.125	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.125	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.137	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.137	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.177	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.177	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.178	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.178	INTEGER	entityAbsent(4)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.179	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.179	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.180	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.180	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.182	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.182	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.183	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.183	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.184	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.184	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.185	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.185	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.197	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.197	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.237	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.237	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.238	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.238	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.239	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.239	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.240	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.240	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.241	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.241	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.242	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.242	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.243	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.243	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.244	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.244	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.245	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.245	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.246	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.246	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.247	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.247	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.248	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.248	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.249	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.249	INTEGER	normal(2)

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.250	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.250	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.251	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.251	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.252	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.252	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.253	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.253	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.254	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.254	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.255	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.255	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.257	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.257	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.258	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.258	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.259	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.259	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.260	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.260	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.261	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.261	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.262	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.262	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.263	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.263	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.264	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.264	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.265	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.265	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.266	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.266	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.267	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.267	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtErrorStatus.268	.1.3.6.1.4.1.26138.2.6.1.1.1.1.19.268	INTEGER	normal(2)
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.1	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.2	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.4	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.4	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.5	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.5	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.6	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.6	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.7	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.7	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.8	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.8	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.9	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.9	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.10	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.10	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.11	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.11	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.97	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.97	INTEGER	3
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.98	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.98	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.99	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.99	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.100	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.100	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.101	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.101	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.102	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.102	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.103	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.103	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.104	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.104	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.117	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.117	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.118	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.118	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.119	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.119	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.120	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.120	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.122	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.122	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.123	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.123	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.124	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.124	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.125	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.125	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.137	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.137	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.177	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.177	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.178	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.178	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.179	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.179	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.180	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.180	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.182	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.182	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.183	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.183	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.184	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.184	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.185	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.185	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.197	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.197	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.237	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.237	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.238	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.238	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.239	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.239	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.240	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.240	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.241	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.241	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.242	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.242	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.243	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.243	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.244	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.244	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.245	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.245	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.246	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.246	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.247	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.247	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.248	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.248	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.249	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.249	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.250	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.250	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.251	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.251	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.252	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.252	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.253	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.253	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.254	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.254	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.255	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.255	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.257	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.257	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.258	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.258	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.259	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.259	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.260	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.260	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.261	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.261	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.262	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.262	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.263	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.263	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.264	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.264	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.265	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.265	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.266	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.266	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.267	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.267	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuMaxUsage.268	.1.3.6.1.4.1.26138.2.6.1.1.1.1.20.268	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.1	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.2	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.4	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.4	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.5	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.5	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.6	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.6	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.7	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.7	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.8	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.8	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.9	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.9	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.10	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.10	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.11	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.11	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.97	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.97	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.98	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.98	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.99	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.99	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.100	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.100	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.101	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.101	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.102	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.102	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.103	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.103	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.104	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.104	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.117	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.117	INTEGER	65535

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.118	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.118	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.119	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.119	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.120	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.120	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.122	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.122	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.123	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.123	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.124	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.124	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.125	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.125	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.137	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.137	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.177	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.177	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.178	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.178	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.179	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.179	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.180	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.180	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.182	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.182	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.183	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.183	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.184	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.184	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.185	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.185	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.197	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.197	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.237	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.237	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.238	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.238	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.239	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.239	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.240	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.240	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.241	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.241	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.242	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.242	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.243	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.243	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.244	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.244	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.245	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.245	INTEGER	65535

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.246	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.246	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.247	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.247	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.248	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.248	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.249	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.249	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.250	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.250	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.251	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.251	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.252	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.252	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.253	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.253	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.254	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.254	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.255	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.255	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.257	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.257	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.258	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.258	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.259	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.259	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.260	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.260	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.261	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.261	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.262	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.262	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.263	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.263	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.264	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.264	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.265	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.265	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.266	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.266	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.267	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.267	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtLowerTemperatureThreshold.268	.1.3.6.1.4.1.26138.2.6.1.1.1.1.21.268	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.22.1	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.22.2	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.4	.1.3.6.1.4.1.26138.2.6.1.1.1.1.22.4	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.5	.1.3.6.1.4.1.26138.2.6.1.1.1.1.22.5	INTEGER	65535

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.6	.1.3.6.1.4.1.26138.2.6.1.1.1.1.22.6	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.7	.1.3.6.1.4.1.26138.2.6.1.1.1.1.22.7	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.8	.1.3.6.1.4.1.26138.2.6.1.1.1.1.22.8	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.9	.1.3.6.1.4.1.26138.2.6.1.1.1.1.22.9	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.10	.1.3.6.1.4.1.26138.2.6.1.1.1.1.22.10	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.11	.1.3.6.1.4.1.26138.2.6.1.1.1.1.22.11	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.97	.1.3.6.1.4.1.26138.2.6.1.1.1.1.22.97	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.98	.1.3.6.1.4.1.26138.2.6.1.1.1.1.22.98	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.99	.1.3.6.1.4.1.26138.2.6.1.1.1.1.22.99	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.100	.1.3.6.1.4.1.26138.2.6.1.1.1.1.22.100	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.101	.1.3.6.1.4.1.26138.2.6.1.1.1.1.22.101	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.102	.1.3.6.1.4.1.26138.2.6.1.1.1.1.22.102	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.103	.1.3.6.1.4.1.26138.2.6.1.1.1.1.22.103	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.104	.1.3.6.1.4.1.26138.2.6.1.1.1.1.22.104	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.117	.1.3.6.1.4.1.26138.2.6.1.1.1.1.22.117	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.118	.1.3.6.1.4.1.26138.2.6.1.1.1.1.22.118	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.119	.1.3.6.1.4.1.26138.2.6.1.1.1.1.22.119	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.120	.1.3.6.1.4.1.26138.2.6.1.1.1.1.22.120	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.122	.1.3.6.1.4.1.26138.2.6.1.1.1.1.22.122	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.123	.1.3.6.1.4.1.26138.2.6.1.1.1.1.22.123	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.124	.1.3.6.1.4.1.26138.2.6.1.1.1.1.22.124	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.125	.1.3.6.1.4.1.26138.2.6.1.1.1.1.22.125	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.137	.1.3.6.1.4.1.26138.2.6.1.1.1.1.22.137	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.177	.1.3.6.1.4.1.26138.2.6.1.1.1.1.22.177	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.178	.1.3.6.1.4.1.26138.2.6.1.1.1.1.22.178	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.179	.1.3.6.1.4.1.26138.2.6.1.1.1.1.22.179	INTEGER	65535

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.180	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.180	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.182	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.182	INTEGER	80
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.183	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.183	INTEGER	122
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.184	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.184	INTEGER	102
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.185	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.185	INTEGER	92
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.197	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.197	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.237	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.237	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.238	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.238	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.239	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.239	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.240	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.240	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.241	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.241	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.242	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.242	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.243	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.243	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.244	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.244	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.245	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.245	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.246	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.246	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.247	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.247	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.248	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.248	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.249	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.249	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.250	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.250	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.251	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.251	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.252	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.252	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.253	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.253	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.254	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.254	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.255	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.255	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.257	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.257	INTEGER	65535

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.258	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.258	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.259	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.259	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.260	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.260	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.261	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.261	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.262	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.262	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.263	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.263	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.264	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.264	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.265	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.265	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.266	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.266	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.267	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.267	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtShutdownTemperatureThreshold.268	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.268	INTEGER	65535
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.1	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.2	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.4	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.5	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.5	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.6	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.6	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.7	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.7	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.8	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.8	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.9	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.9	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.10	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.10	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.11	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.11	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.97	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.97	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.98	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.98	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.99	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.99	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.100	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.100	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.101	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.101	Gauge32	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.102	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.102	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.103	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.103	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.104	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.104	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.117	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.117	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.118	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.118	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.119	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.119	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.120	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.120	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.122	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.122	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.123	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.123	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.124	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.124	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.125	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.125	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.137	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.137	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.177	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.177	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.178	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.178	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.179	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.179	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.180	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.180	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.182	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.182	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.183	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.183	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.184	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.184	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.185	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.185	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.197	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.197	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.237	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.237	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.238	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.238	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.239	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.239	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.240	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.240	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.241	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.241	Gauge32	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.242	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.242	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.243	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.243	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.244	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.244	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.245	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.245	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.246	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.246	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.247	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.247	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.248	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.248	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.249	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.249	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.250	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.250	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.251	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.251	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.252	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.252	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.253	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.253	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.254	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.254	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.255	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.255	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.257	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.257	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.258	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.258	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.259	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.259	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.260	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.260	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.261	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.261	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.262	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.262	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.263	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.263	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.264	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.264	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.265	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.265	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.266	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.266	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.267	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.267	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyMemSize.268	.1.3.6.1.4.1.26138.2.6.1.1.1.1.23.268	Gauge32	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.1	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.2	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.4	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.4	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.5	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.5	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.6	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.6	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.7	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.7	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.8	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.8	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.9	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.9	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.10	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.10	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.11	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.11	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.97	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.97	INTEGER	819
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.98	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.98	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.99	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.99	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.100	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.100	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.101	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.101	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.102	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.102	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.103	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.103	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.104	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.104	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.117	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.117	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.118	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.118	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.119	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.119	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.120	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.120	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.122	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.122	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.123	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.123	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.124	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.124	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.125	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.125	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.137	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.137	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.177	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.177	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.178	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.178	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.179	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.179	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.180	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.180	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.182	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.182	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.183	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.183	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.184	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.184	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.185	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.185	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.197	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.197	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.237	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.237	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.238	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.238	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.239	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.239	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.240	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.240	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.241	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.241	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.242	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.242	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.243	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.243	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.244	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.244	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.245	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.245	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.246	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.246	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.247	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.247	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.248	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.248	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.249	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.249	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.250	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.250	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.251	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.251	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.252	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.252	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.253	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.253	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.254	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.254	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.255	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.255	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.257	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.257	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.258	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.258	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.259	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.259	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.260	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.260	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.261	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.261	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.262	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.262	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.263	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.263	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.264	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.264	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.265	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.265	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.266	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.266	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.267	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.267	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtPhyCpuFrequency.268	.1.3.6.1.4.1.26138.2.6.1.1.1.1.24.268	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.1	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.2	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.4	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.4	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.5	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.5	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.6	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.6	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.7	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.7	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.8	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.8	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.9	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.9	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.10	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.10	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.11	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.11	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.97	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.97	STRING	0-0-0,0:0:0.0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.98	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.98	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.99	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.99	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.100	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.100	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.101	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.101	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.102	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.102	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.103	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.103	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.104	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.104	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.117	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.117	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.118	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.118	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.119	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.119	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.120	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.120	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.122	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.122	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.123	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.123	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.124	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.124	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.125	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.125	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.137	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.137	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.177	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.177	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.178	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.178	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.179	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.179	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.180	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.180	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.182	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.182	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.183	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.183	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.184	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.184	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.185	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.185	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.197	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.197	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.237	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.237	STRING	0-0-0,0:0:0.0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.238	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.238	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.239	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.239	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.240	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.240	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.241	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.241	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.242	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.242	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.243	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.243	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.244	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.244	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.245	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.245	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.246	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.246	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.247	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.247	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.248	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.248	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.249	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.249	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.250	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.250	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.251	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.251	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.252	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.252	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.253	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.253	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.254	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.254	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.255	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.255	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.257	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.257	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.258	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.258	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.259	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.259	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.260	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.260	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.261	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.261	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.262	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.262	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.263	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.263	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.264	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.264	STRING	0-0-0,0:0:0.0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.265	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.265	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.266	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.266	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.267	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.267	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtFirstUsedDate.268	.1.3.6.1.4.1.26138.2.6.1.1.1.1.25.268	STRING	0-0-0,0:0:0.0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.1	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.2	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.4	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.4	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.5	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.5	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.6	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.6	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.7	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.7	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.8	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.8	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.9	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.9	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.10	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.10	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.11	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.11	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.97	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.97	INTEGER	1
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.98	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.98	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.99	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.99	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.100	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.100	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.101	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.101	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.102	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.102	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.103	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.103	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.104	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.104	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.117	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.117	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.118	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.118	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.119	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.119	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.120	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.120	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.122	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.122	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.123	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.123	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.124	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.124	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.125	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.125	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.137	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.137	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.177	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.177	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.178	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.178	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.179	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.179	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.180	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.180	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.182	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.182	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.183	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.183	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.184	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.184	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.185	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.185	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.197	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.197	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.237	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.237	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.238	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.238	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.239	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.239	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.240	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.240	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.241	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.241	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.242	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.242	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.243	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.243	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.244	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.244	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.245	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.245	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.246	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.246	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.247	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.247	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.248	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.248	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.249	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.249	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.250	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.250	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.251	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.251	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.252	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.252	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.253	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.253	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.254	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.254	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.255	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.255	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.257	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.257	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.258	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.258	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.259	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.259	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.260	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.260	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.261	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.261	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.262	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.262	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.263	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.263	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.264	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.264	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.265	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.265	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.266	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.266	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.267	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.267	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuAvgUsage.268	.1.3.6.1.4.1.26138.2.6.1.1.1.1.26.268	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.1	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.2	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.4	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.4	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.5	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.5	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.6	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.6	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.7	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.7	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.8	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.8	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.9	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.9	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.10	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.10	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.11	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.11	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.97	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.97	INTEGER	27
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.98	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.98	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.99	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.99	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.100	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.100	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.101	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.101	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.102	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.102	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.103	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.103	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.104	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.104	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.117	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.117	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.118	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.118	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.119	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.119	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.120	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.120	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.122	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.122	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.123	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.123	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.124	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.124	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.125	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.125	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.137	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.137	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.177	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.177	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.178	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.178	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.179	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.179	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.180	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.180	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.182	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.182	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.183	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.183	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.184	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.184	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.185	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.185	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.197	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.197	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.237	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.237	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.238	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.238	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.239	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.239	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.240	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.240	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.241	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.241	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.242	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.242	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.243	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.243	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.244	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.244	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.245	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.245	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.246	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.246	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.247	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.247	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.248	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.248	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.249	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.249	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.250	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.250	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.251	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.251	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.252	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.252	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.253	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.253	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.254	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.254	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.255	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.255	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.257	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.257	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.258	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.258	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.259	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.259	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.260	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.260	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.261	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.261	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.262	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.262	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.263	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.263	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.264	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.264	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.265	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.265	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.266	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.266	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.267	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.267	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemAvgUsage.268	.1.3.6.1.4.1.26138.2.6.1.1.1.1.27.268	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtMemType.97	.1.3.6.1.4.1.26138.2.6.1.1.1.1.28.97	STRING	"DDR4"
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.1	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.2	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.4	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.4	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.5	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.5	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.6	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.6	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.7	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.7	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.8	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.8	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.9	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.9	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.10	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.10	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.11	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.11	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.97	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.97	Counter64	16698888192 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.98	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.98	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.99	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.99	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.100	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.100	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.101	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.101	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.102	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.102	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.103	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.103	Counter64	0 bytes

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.104	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.104	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.117	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.117	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.118	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.118	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.119	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.119	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.120	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.120	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.122	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.122	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.123	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.123	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.124	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.124	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.125	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.125	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.137	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.137	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.177	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.177	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.178	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.178	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.179	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.179	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.180	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.180	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.182	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.182	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.183	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.183	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.184	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.184	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.185	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.185	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.197	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.197	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.237	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.237	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.238	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.238	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.239	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.239	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.240	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.240	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.241	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.241	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.242	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.242	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.243	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.243	Counter64	0 bytes

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.244	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.244	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.245	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.245	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.246	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.246	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.247	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.247	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.248	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.248	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.249	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.249	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.250	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.250	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.251	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.251	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.252	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.252	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.253	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.253	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.254	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.254	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.255	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.255	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.257	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.257	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.258	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.258	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.259	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.259	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.260	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.260	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.261	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.261	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.262	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.262	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.263	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.263	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.264	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.264	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.265	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.265	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.266	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.266	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.267	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.267	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtMemSizeRev.268	.1.3.6.1.4.1.26138.2.6.1.1.1.1.32.268	Counter64	0 bytes
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.33.1	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.33.2	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.4	.1.3.6.1.4.1.26138.2.6.1.1.1.1.33.4	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.5	.1.3.6.1.4.1.26138.2.6.1.1.1.1.33.5	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.6	.1.3.6.1.4.1.26138.2.6.1.1.1.1.33.6	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.7	.1.3.6.1.4.1.26138.2.6.1.1.1.1.33.7	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.8	.1.3.6.1.4.1.26138.2.6.1.1.1.1.33.8	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.9	.1.3.6.1.4.1.26138.2.6.1.1.1.1.33.9	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.10	.1.3.6.1.4.1.26138.2.6.1.1.1.1.33.10	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.11	.1.3.6.1.4.1.26138.2.6.1.1.1.1.33.11	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.97	.1.3.6.1.4.1.26138.2.6.1.1.1.1.33.97	INTEGER	1
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.98	.1.3.6.1.4.1.26138.2.6.1.1.1.1.33.98	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.99	.1.3.6.1.4.1.26138.2.6.1.1.1.1.33.99	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.100	.1.3.6.1.4.1.26138.2.6.1.1.1.1.33.100	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.101	.1.3.6.1.4.1.26138.2.6.1.1.1.1.33.101	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.102	.1.3.6.1.4.1.26138.2.6.1.1.1.1.33.102	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.103	.1.3.6.1.4.1.26138.2.6.1.1.1.1.33.103	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.104	.1.3.6.1.4.1.26138.2.6.1.1.1.1.33.104	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.117	.1.3.6.1.4.1.26138.2.6.1.1.1.1.33.117	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.118	.1.3.6.1.4.1.26138.2.6.1.1.1.1.33.118	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.119	.1.3.6.1.4.1.26138.2.6.1.1.1.1.33.119	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.120	.1.3.6.1.4.1.26138.2.6.1.1.1.1.33.120	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.122	.1.3.6.1.4.1.26138.2.6.1.1.1.1.33.122	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.123	.1.3.6.1.4.1.26138.2.6.1.1.1.1.33.123	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.124	.1.3.6.1.4.1.26138.2.6.1.1.1.1.33.124	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.125	.1.3.6.1.4.1.26138.2.6.1.1.1.1.33.125	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.137	.1.3.6.1.4.1.26138.2.6.1.1.1.1.33.137	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.177	.1.3.6.1.4.1.26138.2.6.1.1.1.1.33.177	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.178	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.178	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.179	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.179	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.180	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.180	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.182	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.182	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.183	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.183	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.184	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.184	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.185	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.185	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.197	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.197	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.237	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.237	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.238	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.238	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.239	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.239	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.240	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.240	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.241	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.241	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.242	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.242	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.243	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.243	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.244	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.244	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.245	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.245	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.246	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.246	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.247	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.247	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.248	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.248	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.249	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.249	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.250	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.250	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.251	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.251	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.252	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.252	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.253	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.253	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.254	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.254	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.255	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.255	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.257	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.257	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.258	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.258	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.259	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.259	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.260	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.260	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.261	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.261	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.262	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.262	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.263	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.263	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.264	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.264	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.265	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.265	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.266	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.266	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.267	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.267	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn1Minute.268	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.268	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.1	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.2	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.4	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.4	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.5	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.5	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.6	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.6	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.7	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.7	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.8	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.8	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.9	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.9	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.10	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.10	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.11	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.11	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.97	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.97	INTEGER	1
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.98	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.98	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.99	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.99	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.100	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.100	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.101	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.101	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.102	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.102	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.103	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.103	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.104	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.104	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.117	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.117	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.118	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.118	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.119	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.119	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.120	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.120	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.122	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.122	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.123	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.123	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.124	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.124	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.125	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.125	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.137	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.137	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.177	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.177	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.178	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.178	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.179	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.179	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.180	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.180	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.182	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.182	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.183	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.183	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.184	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.184	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.185	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.185	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.197	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.197	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.237	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.237	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.238	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.238	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.239	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.239	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.240	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.240	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.241	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.241	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.242	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.242	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.243	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.243	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.244	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.244	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.245	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.245	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.246	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.246	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.247	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.247	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.248	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.248	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.249	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.249	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.250	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.250	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.251	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.251	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.252	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.252	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.253	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.253	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.254	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.254	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.255	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.255	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.257	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.257	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.258	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.258	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.259	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.259	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.260	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.260	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.261	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.261	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.262	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.262	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.263	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.263	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.264	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.264	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.265	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.265	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.266	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.266	INTEGER	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.267	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.267	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtCpuUsageIn5Minutes.268	.1.3.6.1.4.1.26138.2.6.1.1.1.1.34.268	INTEGER	0
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.1	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.1	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.2	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.2	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.4	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.4	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.5	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.5	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.6	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.6	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.7	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.7	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.8	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.8	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.9	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.9	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.10	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.10	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.11	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.11	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.97	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.97	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.98	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.98	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.99	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.99	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.100	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.100	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.101	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.101	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.102	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.102	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.103	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.103	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.104	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.104	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.117	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.117	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.118	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.118	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.119	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.119	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.120	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.120	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.122	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.122	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.123	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.123	STRING	

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.124	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.124	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.125	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.125	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.137	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.137	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.177	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.177	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.178	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.178	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.179	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.179	STRING	210231APBCAAAAA0002W
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.180	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.180	STRING	210231APBDAAAAA0009C
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.182	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.182	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.183	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.183	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.184	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.184	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.185	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.185	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.197	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.197	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.237	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.237	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.238	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.238	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.239	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.239	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.240	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.240	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.241	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.241	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.242	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.242	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.243	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.243	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.244	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.244	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.245	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.245	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.246	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.246	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.247	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.247	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.248	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.248	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.249	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.249	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.250	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.250	STRING	210235A52DAAAAA00002

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.251	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.251	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.252	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.252	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.253	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.253	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.254	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.254	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.255	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.255	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.257	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.257	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.258	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.258	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.259	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.259	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.260	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.260	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.261	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.261	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.262	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.262	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.263	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.263	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.264	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.264	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.265	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.265	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.266	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.266	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.267	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.267	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuSerialNum.268	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.268	STRING	210235A52DAAAAA00002
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.1	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.1	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.2	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.2	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.4	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.4	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.5	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.5	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.6	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.6	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.7	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.7	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.8	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.8	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.9	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.9	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.10	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.10	STRING	

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.11	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.11	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.97	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.97	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.98	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.98	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.99	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.99	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.100	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.100	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.101	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.101	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.102	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.102	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.103	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.103	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.104	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.104	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.117	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.117	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.118	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.118	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.119	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.119	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.120	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.120	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.122	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.122	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.123	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.123	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.124	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.124	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.125	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.125	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.137	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.137	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.177	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.177	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.178	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.178	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.179	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.179	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.180	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.180	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.182	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.182	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.183	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.183	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.184	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.184	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.185	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.185	STRING	

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.197	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.197	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.237	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.237	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.238	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.238	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.239	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.239	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.240	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.240	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.241	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.241	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.242	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.242	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.243	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.243	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.244	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.244	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.245	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.245	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.246	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.246	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.247	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.247	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.248	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.248	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.249	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.249	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.250	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.250	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.251	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.251	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.252	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.252	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.253	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.253	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.254	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.254	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.255	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.255	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.257	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.257	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.258	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.258	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.259	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.259	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.260	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.260	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.261	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.261	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.262	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.262	STRING	NONE

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.263	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.263	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.264	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.264	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.265	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.265	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.266	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.266	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.267	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.267	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBuildInfo.268	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.268	STRING	NONE
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.1	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.1	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.2	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.2	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.4	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.4	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.5	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.5	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.6	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.6	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.7	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.7	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.8	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.8	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.9	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.9	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.10	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.10	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.11	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.11	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.97	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.97	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.98	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.98	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.99	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.99	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.100	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.100	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.101	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.101	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.102	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.102	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.103	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.103	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.104	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.104	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.117	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.117	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.118	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.118	STRING	

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.119	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.119	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.120	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.120	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.122	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.122	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.123	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.123	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.124	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.124	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.125	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.125	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.137	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.137	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.177	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.177	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.178	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.178	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.179	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.179	STRING	0231APBC
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.180	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.180	STRING	0231APBD
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.182	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.182	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.183	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.183	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.184	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.184	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.185	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.185	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.197	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.197	STRING	
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.237	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.237	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.238	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.238	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.239	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.239	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.240	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.240	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.241	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.241	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.242	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.242	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.243	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.243	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.244	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.244	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.245	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.245	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.246	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.246	STRING	0235A52D

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.247	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.247	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.248	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.248	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.249	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.249	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.250	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.250	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.251	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.251	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.252	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.252	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.253	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.253	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.254	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.254	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.255	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.255	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.257	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.257	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.258	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.258	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.259	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.259	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.260	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.260	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.261	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.261	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.262	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.262	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.263	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.263	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.264	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.264	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.265	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.265	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.266	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.266	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.267	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.267	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtManuBOM.268	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.268	STRING	0235A52D
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.1	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.1	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.2	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.2	Gauge32	8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.4	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.4	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.5	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.5	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.6	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.6	Gauge32	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.7	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.7	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.8	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.8	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.9	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.9	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.10	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.10	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.11	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.11	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.97	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.97	Gauge32	8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.98	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.98	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.99	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.99	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.100	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.100	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.101	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.101	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.102	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.102	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.103	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.103	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.104	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.104	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.117	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.117	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.118	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.118	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.119	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.119	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.120	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.120	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.122	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.122	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.123	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.123	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.124	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.124	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.125	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.125	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.137	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.137	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.177	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.177	Gauge32	8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.178	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.178	Gauge32	8
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.179	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.179	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.180	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.180	Gauge32	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.182	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.182	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.183	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.183	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.184	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.184	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.185	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.185	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.197	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.197	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.237	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.237	Gauge32	1
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.238	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.238	Gauge32	1
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.239	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.239	Gauge32	1
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.240	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.240	Gauge32	1
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.241	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.241	Gauge32	1
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.242	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.242	Gauge32	1
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.243	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.243	Gauge32	1
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.244	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.244	Gauge32	1
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.245	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.245	Gauge32	1
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.246	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.246	Gauge32	1
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.247	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.247	Gauge32	1
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.248	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.248	Gauge32	1
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.249	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.249	Gauge32	1
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.250	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.250	Gauge32	1
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.251	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.251	Gauge32	1
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.252	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.252	Gauge32	1
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.253	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.253	Gauge32	1
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.254	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.254	Gauge32	1
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.255	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.255	Gauge32	1
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.257	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.257	Gauge32	1
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.258	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.258	Gauge32	1

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.259	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.259	Gauge32	1
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.260	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.260	Gauge32	1
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.261	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.261	Gauge32	1
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.262	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.262	Gauge32	1
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.263	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.263	Gauge32	1
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.264	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.264	Gauge32	1
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.265	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.265	Gauge32	1
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.266	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.266	Gauge32	1
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.267	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.267	Gauge32	1
IB-ENTITY-EXT-MIB::ibEntityExtMacAddressCount.268	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.268	Gauge32	1
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.1	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.1	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.2	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.2	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.4	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.4	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.5	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.5	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.6	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.6	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.7	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.7	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.8	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.8	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.9	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.9	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.10	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.10	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.11	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.11	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.97	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.97	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.98	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.98	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.99	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.99	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.100	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.100	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.101	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.101	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.102	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.102	Gauge32	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.103	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.103	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.104	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.104	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.117	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.117	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.118	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.118	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.119	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.119	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.120	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.120	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.122	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.122	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.123	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.123	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.124	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.124	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.125	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.125	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.137	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.137	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.177	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.177	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.178	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.178	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.179	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.179	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.180	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.180	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.182	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.182	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.183	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.183	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.184	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.184	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.185	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.185	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.197	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.197	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.237	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.237	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.238	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.238	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.239	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.239	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.240	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.240	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.241	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.241	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.242	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.242	Gauge32	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.243	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.243	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.244	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.244	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.245	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.245	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.246	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.246	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.247	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.247	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.248	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.248	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.249	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.249	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.250	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.250	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.251	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.251	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.252	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.252	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.253	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.253	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.254	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.254	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.255	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.255	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.257	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.257	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.258	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.258	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.259	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.259	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.260	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.260	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.261	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.261	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.262	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.262	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.263	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.263	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.264	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.264	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.265	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.265	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.266	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.266	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.267	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.267	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtNominalPower.268	.1.3.6.1.4.1.26138.2.6.1.3.1.1.2.268	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.1	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.2	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.2	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.4	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.4	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.5	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.5	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.6	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.6	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.7	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.7	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.8	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.8	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.9	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.9	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.10	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.10	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.11	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.11	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.97	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.97	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.98	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.98	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.99	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.99	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.100	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.100	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.101	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.101	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.102	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.102	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.103	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.103	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.104	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.104	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.117	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.117	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.118	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.118	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.119	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.119	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.120	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.120	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.122	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.122	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.123	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.123	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.124	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.124	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.125	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.125	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.137	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.137	Gauge32	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.177	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.177	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.178	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.178	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.179	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.179	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.180	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.180	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.182	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.182	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.183	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.183	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.184	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.184	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.185	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.185	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.197	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.197	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.237	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.237	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.238	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.238	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.239	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.239	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.240	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.240	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.241	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.241	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.242	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.242	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.243	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.243	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.244	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.244	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.245	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.245	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.246	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.246	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.247	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.247	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.248	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.248	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.249	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.249	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.250	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.250	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.251	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.251	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.252	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.252	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.253	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.253	Gauge32	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.254	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.254	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.255	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.255	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.257	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.257	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.258	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.258	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.259	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.259	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.260	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.260	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.261	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.261	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.262	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.262	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.263	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.263	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.264	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.264	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.265	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.265	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.266	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.266	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.267	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.267	Gauge32	0
IB-ENTITY-EXT-MIB::ibEntityExtCurrentPower.268	.1.3.6.1.4.1.26138.2.6.1.3.1.1.3.268	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessID.1	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1	Gauge32	1
IB-ENTITY-EXT-MIB::ibProcessID.881	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.881	Gauge32	881
IB-ENTITY-EXT-MIB::ibProcessID.917	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.917	Gauge32	917
IB-ENTITY-EXT-MIB::ibProcessID.958	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.958	Gauge32	958
IB-ENTITY-EXT-MIB::ibProcessID.971	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.971	Gauge32	971
IB-ENTITY-EXT-MIB::ibProcessID.973	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.973	Gauge32	973
IB-ENTITY-EXT-MIB::ibProcessID.978	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.978	Gauge32	978
IB-ENTITY-EXT-MIB::ibProcessID.981	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.981	Gauge32	981
IB-ENTITY-EXT-MIB::ibProcessID.983	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.983	Gauge32	983
IB-ENTITY-EXT-MIB::ibProcessID.988	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.988	Gauge32	988
IB-ENTITY-EXT-MIB::ibProcessID.989	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.989	Gauge32	989
IB-ENTITY-EXT-MIB::ibProcessID.990	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.990	Gauge32	990

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibProcessID.991	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.991	Gauge32	991
IB-ENTITY-EXT-MIB::ibProcessID.1003	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1003	Gauge32	1003
IB-ENTITY-EXT-MIB::ibProcessID.1005	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1005	Gauge32	1005
IB-ENTITY-EXT-MIB::ibProcessID.1009	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1009	Gauge32	1009
IB-ENTITY-EXT-MIB::ibProcessID.1010	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1010	Gauge32	1010
IB-ENTITY-EXT-MIB::ibProcessID.1029	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1029	Gauge32	1029
IB-ENTITY-EXT-MIB::ibProcessID.1073	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1073	Gauge32	1073
IB-ENTITY-EXT-MIB::ibProcessID.1099	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1099	Gauge32	1099
IB-ENTITY-EXT-MIB::ibProcessID.1104	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1104	Gauge32	1104
IB-ENTITY-EXT-MIB::ibProcessID.1105	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1105	Gauge32	1105
IB-ENTITY-EXT-MIB::ibProcessID.1106	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1106	Gauge32	1106
IB-ENTITY-EXT-MIB::ibProcessID.1107	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1107	Gauge32	1107
IB-ENTITY-EXT-MIB::ibProcessID.1108	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1108	Gauge32	1108
IB-ENTITY-EXT-MIB::ibProcessID.1109	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1109	Gauge32	1109
IB-ENTITY-EXT-MIB::ibProcessID.1110	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1110	Gauge32	1110
IB-ENTITY-EXT-MIB::ibProcessID.1113	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1113	Gauge32	1113
IB-ENTITY-EXT-MIB::ibProcessID.1114	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1114	Gauge32	1114
IB-ENTITY-EXT-MIB::ibProcessID.1115	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1115	Gauge32	1115
IB-ENTITY-EXT-MIB::ibProcessID.1117	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1117	Gauge32	1117
IB-ENTITY-EXT-MIB::ibProcessID.1134	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1134	Gauge32	1134
IB-ENTITY-EXT-MIB::ibProcessID.1197	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1197	Gauge32	1197
IB-ENTITY-EXT-MIB::ibProcessID.1288	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1288	Gauge32	1288
IB-ENTITY-EXT-MIB::ibProcessID.1289	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1289	Gauge32	1289
IB-ENTITY-EXT-MIB::ibProcessID.1290	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1290	Gauge32	1290
IB-ENTITY-EXT-MIB::ibProcessID.1291	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1291	Gauge32	1291
IB-ENTITY-EXT-MIB::ibProcessID.1292	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1292	Gauge32	1292

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibProcessID.1294	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1294	Gauge32	1294
IB-ENTITY-EXT-MIB::ibProcessID.1297	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1297	Gauge32	1297
IB-ENTITY-EXT-MIB::ibProcessID.1298	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1298	Gauge32	1298
IB-ENTITY-EXT-MIB::ibProcessID.1299	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1299	Gauge32	1299
IB-ENTITY-EXT-MIB::ibProcessID.1308	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1308	Gauge32	1308
IB-ENTITY-EXT-MIB::ibProcessID.1336	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1336	Gauge32	1336
IB-ENTITY-EXT-MIB::ibProcessID.1337	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1337	Gauge32	1337
IB-ENTITY-EXT-MIB::ibProcessID.1362	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1362	Gauge32	1362
IB-ENTITY-EXT-MIB::ibProcessID.1389	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1389	Gauge32	1389
IB-ENTITY-EXT-MIB::ibProcessID.1390	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1390	Gauge32	1390
IB-ENTITY-EXT-MIB::ibProcessID.1391	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1391	Gauge32	1391
IB-ENTITY-EXT-MIB::ibProcessID.1392	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1392	Gauge32	1392
IB-ENTITY-EXT-MIB::ibProcessID.1393	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1393	Gauge32	1393
IB-ENTITY-EXT-MIB::ibProcessID.1398	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1398	Gauge32	1398
IB-ENTITY-EXT-MIB::ibProcessID.1400	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1400	Gauge32	1400
IB-ENTITY-EXT-MIB::ibProcessID.1401	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1401	Gauge32	1401
IB-ENTITY-EXT-MIB::ibProcessID.1402	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1402	Gauge32	1402
IB-ENTITY-EXT-MIB::ibProcessID.1565	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1565	Gauge32	1565
IB-ENTITY-EXT-MIB::ibProcessID.1568	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1568	Gauge32	1568
IB-ENTITY-EXT-MIB::ibProcessID.1573	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1573	Gauge32	1573
IB-ENTITY-EXT-MIB::ibProcessID.1576	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1576	Gauge32	1576
IB-ENTITY-EXT-MIB::ibProcessID.1586	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1586	Gauge32	1586
IB-ENTITY-EXT-MIB::ibProcessID.1621	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1621	Gauge32	1621
IB-ENTITY-EXT-MIB::ibProcessID.1643	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1643	Gauge32	1643
IB-ENTITY-EXT-MIB::ibProcessID.1734	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1734	Gauge32	1734
IB-ENTITY-EXT-MIB::ibProcessID.1759	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1759	Gauge32	1759

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibProcessID.1804	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1804	Gauge32	1804
IB-ENTITY-EXT-MIB::ibProcessID.1851	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1851	Gauge32	1851
IB-ENTITY-EXT-MIB::ibProcessID.2149	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.2149	Gauge32	2149
IB-ENTITY-EXT-MIB::ibProcessID.6943	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.6943	Gauge32	6943
IB-ENTITY-EXT-MIB::ibProcessName.1	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.1	STRING	scmd
IB-ENTITY-EXT-MIB::ibProcessName.881	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.881	STRING	drvuserd
IB-ENTITY-EXT-MIB::ibProcessName.917	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.917	STRING	forward
IB-ENTITY-EXT-MIB::ibProcessName.958	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.958	STRING	cpfagentd
IB-ENTITY-EXT-MIB::ibProcessName.971	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.971	STRING	lipcd
IB-ENTITY-EXT-MIB::ibProcessName.973	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.973	STRING	eventd
IB-ENTITY-EXT-MIB::ibProcessName.978	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.978	STRING	loads
IB-ENTITY-EXT-MIB::ibProcessName.981	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.981	STRING	fsd
IB-ENTITY-EXT-MIB::ibProcessName.983	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.983	STRING	dbmd
IB-ENTITY-EXT-MIB::ibProcessName.988	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.988	STRING	diagd
IB-ENTITY-EXT-MIB::ibProcessName.989	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.989	STRING	had
IB-ENTITY-EXT-MIB::ibProcessName.990	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.990	STRING	devd
IB-ENTITY-EXT-MIB::ibProcessName.991	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.991	STRING	syslogd
IB-ENTITY-EXT-MIB::ibProcessName.1003	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.1003	STRING	timesync
IB-ENTITY-EXT-MIB::ibProcessName.1005	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.1005	STRING	edev
IB-ENTITY-EXT-MIB::ibProcessName.1009	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.1009	STRING	pdtmgrd
IB-ENTITY-EXT-MIB::ibProcessName.1010	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.1010	STRING	licd
IB-ENTITY-EXT-MIB::ibProcessName.1029	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.1029	STRING	ifmgr
IB-ENTITY-EXT-MIB::ibProcessName.1073	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.1073	STRING	ifast
IB-ENTITY-EXT-MIB::ibProcessName.1099	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.1099	STRING	licsynd
IB-ENTITY-EXT-MIB::ibProcessName.1104	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.1104	STRING	cfpd
IB-ENTITY-EXT-MIB::ibProcessName.1105	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.1105	STRING	appprofiled

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibProcessName .1106	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1106	STRING	clcpd
IB-ENTITY-EXT-MIB::ibProcessName .1107	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1107	STRING	trackd
IB-ENTITY-EXT-MIB::ibProcessName .1108	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1108	STRING	moduleproxyd
IB-ENTITY-EXT-MIB::ibProcessName .1109	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1109	STRING	tranged
IB-ENTITY-EXT-MIB::ibProcessName .1110	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1110	STRING	sysmand
IB-ENTITY-EXT-MIB::ibProcessName .1113	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1113	STRING	vland
IB-ENTITY-EXT-MIB::ibProcessName .1114	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1114	STRING	comsh
IB-ENTITY-EXT-MIB::ibProcessName .1115	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1115	STRING	ttymgrd
IB-ENTITY-EXT-MIB::ibProcessName .1117	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1117	STRING	aaad
IB-ENTITY-EXT-MIB::ibProcessName .1134	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1134	STRING	aaamngtd
IB-ENTITY-EXT-MIB::ibProcessName .1197	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1197	STRING	aclmgrd
IB-ENTITY-EXT-MIB::ibProcessName .1288	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1288	STRING	scmd
IB-ENTITY-EXT-MIB::ibProcessName .1289	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1289	STRING	ofcd
IB-ENTITY-EXT-MIB::ibProcessName .1290	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1290	STRING	pfilterd
IB-ENTITY-EXT-MIB::ibProcessName .1291	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1291	STRING	proend
IB-ENTITY-EXT-MIB::ibProcessName .1292	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1292	STRING	ipstackd
IB-ENTITY-EXT-MIB::ibProcessName .1294	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1294	STRING	ethd
IB-ENTITY-EXT-MIB::ibProcessName .1297	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1297	STRING	lauthd
IB-ENTITY-EXT-MIB::ibProcessName .1298	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1298	STRING	qosd
IB-ENTITY-EXT-MIB::ibProcessName .1299	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1299	STRING	ipaddrd
IB-ENTITY-EXT-MIB::ibProcessName .1308	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1308	STRING	apmgrd
IB-ENTITY-EXT-MIB::ibProcessName .1336	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1336	STRING	staticrtd
IB-ENTITY-EXT-MIB::ibProcessName .1337	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1337	STRING	routed
IB-ENTITY-EXT-MIB::ibProcessName .1362	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1362	STRING	stamgrd
IB-ENTITY-EXT-MIB::ibProcessName .1389	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1389	STRING	hlthd
IB-ENTITY-EXT-MIB::ibProcessName .1390	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1390	STRING	maintaind

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibProcessName .1391	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1391	STRING	tphypervisor
IB-ENTITY-EXT-MIB::ibProcessName .1392	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1392	STRING	cloudagentd
IB-ENTITY-EXT-MIB::ibProcessName .1393	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1393	STRING	wsald
IB-ENTITY-EXT-MIB::ibProcessName .1398	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1398	STRING	xmlcfgd
IB-ENTITY-EXT-MIB::ibProcessName .1400	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1400	STRING	ipcimd
IB-ENTITY-EXT-MIB::ibProcessName .1401	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1401	STRING	ccfd
IB-ENTITY-EXT-MIB::ibProcessName .1402	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1402	STRING	hlthcase
IB-ENTITY-EXT-MIB::ibProcessName .1565	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1565	STRING	sshs
IB-ENTITY-EXT-MIB::ibProcessName .1568	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1568	STRING	httpd
IB-ENTITY-EXT-MIB::ibProcessName .1573	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1573	STRING	wlanfwd
IB-ENTITY-EXT-MIB::ibProcessName .1576	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1576	STRING	cmtnlmgrd
IB-ENTITY-EXT-MIB::ibProcessName .1586	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1586	STRING	lldpd
IB-ENTITY-EXT-MIB::ibProcessName .1621	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1621	STRING	stpd
IB-ENTITY-EXT-MIB::ibProcessName .1643	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1643	STRING	telnetd
IB-ENTITY-EXT-MIB::ibProcessName .1734	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1734	STRING	dhcpcd
IB-ENTITY-EXT-MIB::ibProcessName .1759	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1759	STRING	dnsd
IB-ENTITY-EXT-MIB::ibProcessName .1804	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1804	STRING	telnetd
IB-ENTITY-EXT-MIB::ibProcessName .1851	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .1851	STRING	snmpd
IB-ENTITY-EXT-MIB::ibProcessName .2149	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .2149	STRING	ntpd
IB-ENTITY-EXT-MIB::ibProcessName .6943	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2 .6943	STRING	wlocd
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.881	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .881	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.917	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .917	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.958	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .958	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.971	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .971	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.973	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .973	Gauge32	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.978	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .978	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.981	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .981	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.983	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .983	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.988	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .988	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.989	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .989	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.990	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .990	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.991	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .991	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1003	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1003	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1005	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1005	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1009	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1009	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1010	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1010	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1029	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1029	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1073	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1073	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1099	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1099	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1104	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1104	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1105	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1105	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1106	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1106	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1107	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1107	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1108	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1108	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1109	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1109	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1110	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1110	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1113	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1113	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1114	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1114	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1115	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1115	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1117	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1117	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1134	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1134	Gauge32	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1197	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1197	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1288	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1288	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1289	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1289	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1290	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1290	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1291	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1291	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1292	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1292	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1294	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1294	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1297	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1297	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1298	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1298	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1299	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1299	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1308	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1308	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1336	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1336	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1337	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1337	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1362	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1362	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1389	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1389	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1390	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1390	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1391	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1391	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1392	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1392	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1393	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1393	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1398	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1398	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1400	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1400	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1401	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1401	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1402	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1402	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1565	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1565	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1568	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1568	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil 5Min.1573	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3 .1573	Gauge32	0

Name	OID	Value Type	Value Example
IB-ENTITY-EXT-MIB::ibProcessUtil5Min.1576	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.1576	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil5Min.1586	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.1586	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil5Min.1621	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.1621	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil5Min.1643	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.1643	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil5Min.1734	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.1734	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil5Min.1759	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.1759	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil5Min.1804	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.1804	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil5Min.1851	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.1851	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil5Min.2149	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.2149	Gauge32	0
IB-ENTITY-EXT-MIB::ibProcessUtil5Min.6943	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.6943	Gauge32	0
IB-ACL-MIB::ibAclMib2ObjectsCapabilities.0	.1.3.6.1.4.1.26138.2.8.2.1.1.3.0	BITS	3F 40 ibAclMib2ObjectsCapabilities(2) ibAclMib2CapabilityTable(3) ibAclNumberGroupTable(4) ibAclIPAclBasicTable(5) ibAclIPAclAdvancedTable(6) ibAclMACTable(7) ibAclMib2ProcessingStatus(9)
IB-ACL-MIB::ibAclMib2ProcessingStatus.0	.1.3.6.1.4.1.26138.2.8.2.1.1.4.0	INTEGER	done(2)
IB-ACL-MIB::ibAclMib2CharacteristicsValue.system.0.userDefined.2	.1.3.6.1.4.1.26138.2.8.2.1.2.1.6.1.0.3.2	Gauge32	0
IB-ACL-MIB::ibAclMib2CharacteristicsValue.system.0.userDefined.4	.1.3.6.1.4.1.26138.2.8.2.1.2.1.6.1.0.3.4	Gauge32	0
IB-ACL-MIB::ibAclMib2CharacteristicsValue.system.0.userDefined.5	.1.3.6.1.4.1.26138.2.8.2.1.2.1.6.1.0.3.5	Gauge32	0
IB-ACL-MIB::ibAclMib2CharacteristicsValue.system.0.userDefined.6	.1.3.6.1.4.1.26138.2.8.2.1.2.1.6.1.0.3.6	Gauge32	0
IB-USER-MIB::ibUserMaxNum.0	.1.3.6.1.4.1.26138.2.12.1.3.0	INTEGER	30720
IB-USER-MIB::ibUserCurrNum.0	.1.3.6.1.4.1.26138.2.12.1.4.0	INTEGER	0
IB-USER-MIB::ibUserIndexIndicator.0	.1.3.6.1.4.1.26138.2.12.1.5.0	INTEGER	1
IB-USER-MIB::ibUserGroupInfoRowStatus."system"	.1.3.6.1.4.1.26138.2.12.1.5.0	INTEGER	active(1)
IB-RADIUS-MIB::ibRadiusAuthErrThreshold.0	.1.3.6.1.4.1.26138.2.13.1.3.1.0	Gauge32	30 percentage
IB-RADIUS-MIB::ibRadiusStatAccReq.0	.1.3.6.1.4.1.26138.2.13.6.1.0	Counter64	0
IB-RADIUS-MIB::ibRadiusStatAccAck.0	.1.3.6.1.4.1.26138.2.13.6.2.0	Counter64	0
IB-RADIUS-MIB::ibRadiusStatLogoutReq.0	.1.3.6.1.4.1.26138.2.13.6.3.0	Counter64	0
IB-RADIUS-MIB::ibRadiusStatLogoutAck.0	.1.3.6.1.4.1.26138.2.13.6.4.0	Counter64	0

Name	OID	Value Type	Value Example
IB-SSH-MIB::ibSSHServerVersion.0	.1.3.6.1.4.1.26138.2.22.1.1.1.1.0	STRING	2.0
IB-SSH-MIB::ibSSHServerCompatibleSSH1x.0	.1.3.6.1.4.1.26138.2.22.1.1.1.2.0	INTEGER	disableCompatibleSSH1x(2)
IB-SSH-MIB::ibSSHServerRekeyInterval.0	.1.3.6.1.4.1.26138.2.22.1.1.1.3.0	INTEGER	0
IB-SSH-MIB::ibSSHServerAuthRetries.0	.1.3.6.1.4.1.26138.2.22.1.1.1.4.0	INTEGER	3
IB-SSH-MIB::ibSSHServerAuthTimeout.0	.1.3.6.1.4.1.26138.2.22.1.1.1.5.0	INTEGER	60
IB-SSH-MIB::ibSFTPServerIdleTimeout.0	.1.3.6.1.4.1.26138.2.22.1.1.1.6.0	INTEGER	10
IB-SSH-MIB::ibSSHServerEnable.0	.1.3.6.1.4.1.26138.2.22.1.1.1.7.0	INTEGER	enableSSHServer(1)
IB-SSH-MIB::ibSFTPServerEnable.0	.1.3.6.1.4.1.26138.2.22.1.1.1.8.0	INTEGER	disableSFTPService(2)
IB-SSH-MIB::ibSTelnetServerEnable.0	.1.3.6.1.4.1.26138.2.22.1.1.1.9.0	INTEGER	enableSTelnetServer(1)
IB-SSH-MIB::ibSCPServerEnable.0	.1.3.6.1.4.1.26138.2.22.1.1.1.10.0	INTEGER	enableSCPService(1)
IB-SSH-MIB::ibSSHUserServiceType."ped"	.1.3.6.1.4.1.26138.2.22.1.1.1.10.0	INTEGER	all(2)
IB-SSH-MIB::ibSSHUserAuthType."ped"	.1.3.6.1.4.1.26138.2.22.1.1.1.10.0	INTEGER	password(2)
IB-SSH-MIB::ibSSHUserPublicKeyName."ped"	.1.3.6.1.4.1.26138.2.22.1.1.1.10.0	STRING	
IB-SSH-MIB::ibSSHUserWorkDirectory."ped"	.1.3.6.1.4.1.26138.2.22.1.1.1.10.0	STRING	
IB-SSH-MIB::ibSSHUserRowStatus."ped"	.1.3.6.1.4.1.26138.2.22.1.1.1.10.0	INTEGER	active(1)
IB-SSH-MIB::ibSSHUserPublicKeyName2."ped"	.1.3.6.1.4.1.26138.2.22.1.1.1.10.0	STRING	
IB-SSH-MIB::ibSSHUserPublicKeyName3."ped"	.1.3.6.1.4.1.26138.2.22.1.1.1.10.0	STRING	
IB-SSH-MIB::ibSSHUserPublicKeyName4."ped"	.1.3.6.1.4.1.26138.2.22.1.1.1.10.0	STRING	
IB-SSH-MIB::ibSSHUserPublicKeyName5."ped"	.1.3.6.1.4.1.26138.2.22.1.1.1.10.0	STRING	
IB-SSH-MIB::ibSSHUserPublicKeyName6."ped"	.1.3.6.1.4.1.26138.2.22.1.1.1.10.0	STRING	
IB-TRAP-MIB::ibTrapConfigName.16777216	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.16777216	STRING	TemperatureTooHighTrap
IB-TRAP-MIB::ibTrapConfigDescr.16777216	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.16777216	STRING	TemperatureTooHighTrap
IB-IF-EXT-MIB::ibIfShutDownInterval.0	.1.3.6.1.4.1.26138.2.40.1.2.0	INTEGER	30 seconds
IB-IF-EXT-MIB::ibIfThroughputInKbps.0	.1.3.6.1.4.1.26138.2.40.1.3.0	Counter64	5
IB-IF-EXT-MIB::ibIfThroughputOutKbps.0	.1.3.6.1.4.1.26138.2.40.1.4.0	Counter64	4
IB-IF-EXT-MIB::ibIfStatFlowInterval.2	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.2	INTEGER	300 seconds

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfStatFlowInterval.3	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.3	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.4	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.4	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.5	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.5	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.6	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.6	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.7	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.7	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.8	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.8	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.9	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.9	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.10	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.10	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.11	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.11	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.12	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.12	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.13	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.13	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.14	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.14	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.15	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.15	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.16	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.16	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.17	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.17	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.18	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.18	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.19	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.19	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.20	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.20	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.21	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.21	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.22	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.22	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.23	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.23	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.24	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.24	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.25	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.25	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.26	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.26	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.27	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.27	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.28	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.28	INTEGER	300 seconds

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfStatFlowInterval.29	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.29	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.30	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.30	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.31	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.31	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.32	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.32	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.65537	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.65537	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.65538	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.65538	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInterval.65539	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.65539	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfStatFlowInBits.2	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.2	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.3	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.3	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.4	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.4	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.5	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.5	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.6	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.6	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.7	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.7	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.8	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.8	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.9	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.9	Gauge32	1595104
IB-IF-EXT-MIB::ibIfStatFlowInBits.10	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.10	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.11	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.11	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.12	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.12	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.13	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.13	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.14	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.14	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.15	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.15	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.16	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.16	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.17	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.17	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.18	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.18	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.19	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.19	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.20	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.20	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfStatFlowInBits.21	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.21	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.22	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.22	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.23	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.23	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.24	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.24	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.25	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.25	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.26	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.26	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.27	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.27	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.28	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.28	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.29	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.29	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.30	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.30	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.31	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.31	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.32	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.32	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.65537	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.65537	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.65538	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.65538	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBits.65539	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.65539	Gauge32	1945008
IB-IF-EXT-MIB::ibIfStatFlowOutBits.2	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.2	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.3	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.3	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.4	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.4	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.5	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.5	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.6	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.6	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.7	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.7	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.8	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.8	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.9	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.9	Gauge32	1267912
IB-IF-EXT-MIB::ibIfStatFlowOutBits.10	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.10	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.11	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.11	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.12	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.12	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfStatFlowOutBits.13	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.13	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.14	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.14	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.15	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.15	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.16	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.16	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.17	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.17	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.18	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.18	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.19	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.19	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.20	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.20	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.21	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.21	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.22	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.22	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.23	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.23	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.24	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.24	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.25	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.25	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.26	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.26	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.27	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.27	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.28	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.28	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.29	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.29	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.30	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.30	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.31	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.31	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.32	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.32	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.65537	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.65537	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.65538	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.65538	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBits.65539	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.65539	Gauge32	1809512
IB-IF-EXT-MIB::ibIfStatFlowInPkts.2	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.2	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInPkts.3	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.3	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInPkts.4	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.4	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfStatFlowInPkts.5	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.5	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInPkts.6	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.6	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInPkts.7	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.7	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInPkts.8	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.8	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInPkts.9	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.9	Gauge32	2121
IB-IF-EXT-MIB::ibIfStatFlowInPkts.10	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.10	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInPkts.11	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.11	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInPkts.12	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.12	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInPkts.13	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.13	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInPkts.14	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.14	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInPkts.15	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.15	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInPkts.16	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.16	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInPkts.17	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.17	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInPkts.18	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.18	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInPkts.19	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.19	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInPkts.20	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.20	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInPkts.21	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.21	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInPkts.22	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.22	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInPkts.23	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.23	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInPkts.24	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.24	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInPkts.25	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.25	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInPkts.26	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.26	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInPkts.27	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.27	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInPkts.28	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.28	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInPkts.29	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.29	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInPkts.30	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.30	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfStatFlowInPkts.31	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.31	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInPkts.32	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.32	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInPkts.65537	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.65537	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInPkts.65538	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.65538	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInPkts.65539	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.65539	Gauge32	2547
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.2	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.2	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.3	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.3	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.4	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.4	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.5	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.5	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.6	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.6	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.7	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.7	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.8	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.8	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.9	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.9	Gauge32	1497
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.10	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.10	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.11	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.11	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.12	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.12	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.13	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.13	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.14	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.14	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.15	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.15	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.16	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.16	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.17	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.17	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.18	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.18	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.19	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.19	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.20	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.20	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.21	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.21	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.22	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.22	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.23	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.23	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.24	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.24	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.25	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.25	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.26	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.26	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.27	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.27	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.28	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.28	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.29	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.29	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.30	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.30	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.31	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.31	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.32	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.32	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.65537	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.65537	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.65538	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.65538	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutPkts.65539	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.65539	Gauge32	1530
IB-IF-EXT-MIB::ibIfStatFlowInBytes.2	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.2	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.3	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.3	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.4	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.4	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.5	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.5	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.6	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.6	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.7	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.7	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.8	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.8	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.9	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.9	Gauge32	202928
IB-IF-EXT-MIB::ibIfStatFlowInBytes.10	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.10	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.11	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.11	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.12	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.12	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.13	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.13	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.14	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.14	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfStatFlowInBytes.15	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.15	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.16	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.16	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.17	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.17	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.18	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.18	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.19	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.19	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.20	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.20	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.21	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.21	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.22	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.22	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.23	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.23	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.24	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.24	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.25	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.25	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.26	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.26	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.27	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.27	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.28	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.28	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.29	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.29	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.30	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.30	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.31	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.31	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.32	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.32	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.65537	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.65537	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.65538	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.65538	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowInBytes.65539	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.65539	Gauge32	177845
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.2	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.2	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.3	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.3	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.4	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.4	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.5	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.5	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.6	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.6	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.7	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.7	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.8	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.8	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.9	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.9	Gauge32	162882
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.10	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.10	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.11	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.11	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.12	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.12	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.13	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.13	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.14	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.14	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.15	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.15	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.16	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.16	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.17	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.17	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.18	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.18	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.19	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.19	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.20	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.20	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.21	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.21	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.22	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.22	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.23	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.23	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.24	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.24	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.25	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.25	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.26	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.26	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.27	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.27	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.28	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.28	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.29	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.29	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.30	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.30	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.31	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.31	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.32	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.32	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.65537	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.65537	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.65538	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.65538	Gauge32	0
IB-IF-EXT-MIB::ibIfStatFlowOutBytes.65539	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.65539	Gauge32	161781
IB-IF-EXT-MIB::ibIfSpeedStatInterval.2	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.2	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.3	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.3	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.4	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.4	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.5	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.5	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.6	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.6	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.7	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.7	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.8	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.8	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.9	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.9	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.10	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.10	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.11	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.11	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.12	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.12	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.13	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.13	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.14	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.14	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.15	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.15	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.16	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.16	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.17	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.17	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.18	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.18	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.19	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.19	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.20	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.20	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.21	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.21	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.22	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.22	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.23	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.23	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.24	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.24	INTEGER	300 seconds

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfSpeedStatInterval.25	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.25	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.26	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.26	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.27	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.27	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.28	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.28	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.29	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.29	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.30	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.30	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.31	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.31	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.32	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.32	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.65537	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.65537	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.65538	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.65538	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInterval.65539	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.65539	INTEGER	300 seconds
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.2	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.2	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.3	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.3	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.4	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.4	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.5	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.5	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.6	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.6	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.7	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.7	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.8	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.8	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.9	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.9	Gauge32	7
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.10	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.10	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.11	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.11	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.12	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.12	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.13	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.13	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.14	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.14	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.15	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.15	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.16	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.16	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.17	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.17	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.18	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.18	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.19	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.19	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.20	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.20	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.21	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.21	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.22	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.22	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.23	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.23	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.24	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.24	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.25	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.25	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.26	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.26	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.27	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.27	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.28	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.28	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.29	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.29	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.30	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.30	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.31	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.31	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.32	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.32	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.65537	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.65537	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.65538	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.65538	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInPkts.65539	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.65539	Gauge32	6
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.2	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.2	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.3	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.3	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.4	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.4	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.5	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.5	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.6	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.6	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.7	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.7	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.8	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.8	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.9	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.9	Gauge32	5
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.10	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.10	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.11	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.11	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.12	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.12	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.13	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.13	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.14	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.14	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.15	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.15	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.16	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.16	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.17	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.17	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.18	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.18	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.19	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.19	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.20	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.20	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.21	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.21	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.22	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.22	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.23	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.23	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.24	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.24	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.25	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.25	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.26	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.26	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.27	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.27	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.28	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.28	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.29	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.29	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.30	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.30	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.31	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.31	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.32	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.32	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.65537	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.65537	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.65538	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.65538	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfSpeedStatOutPkts.65539	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.65539	Gauge32	5
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.2	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.2	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.3	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.3	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.4	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.4	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.5	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.5	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.6	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.6	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.7	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.7	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.8	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.8	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.9	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.9	Gauge32	702
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.10	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.10	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.11	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.11	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.12	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.12	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.13	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.13	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.14	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.14	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.15	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.15	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.16	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.16	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.17	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.17	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.18	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.18	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.19	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.19	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.20	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.20	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.21	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.21	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.22	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.22	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.23	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.23	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.24	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.24	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.25	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.25	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.26	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.26	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.27	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.27	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.28	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.28	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.29	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.29	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.30	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.30	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.31	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.31	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.32	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.32	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.65537	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.65537	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.65538	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.65538	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBytes.65539	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.65539	Gauge32	592
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.2	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.2	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.3	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.3	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.4	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.4	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.5	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.5	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.6	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.6	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.7	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.7	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.8	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.8	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.9	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.9	Gauge32	571
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.10	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.10	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.11	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.11	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.12	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.12	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.13	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.13	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.14	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.14	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.15	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.15	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.16	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.16	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.17	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.17	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.18	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.18	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.19	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.19	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.20	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.20	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.21	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.21	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.22	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.22	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.23	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.23	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.24	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.24	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.25	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.25	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.26	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.26	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.27	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.27	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.28	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.28	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.29	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.29	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.30	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.30	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.31	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.31	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.32	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.32	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.65537	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.65537	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.65538	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.65538	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBytes.65539	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.65539	Gauge32	539
IB-IF-EXT-MIB::ibIfSpeedStatInBits.2	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.2	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.3	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.3	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.4	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.4	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.5	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.5	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.6	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.6	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.7	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.7	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.8	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.8	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.9	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.9	Gauge32	5528
IB-IF-EXT-MIB::ibIfSpeedStatInBits.10	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.10	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfSpeedStatInBits.11	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.11	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.12	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.12	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.13	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.13	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.14	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.14	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.15	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.15	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.16	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.16	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.17	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.17	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.18	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.18	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.19	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.19	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.20	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.20	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.21	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.21	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.22	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.22	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.23	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.23	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.24	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.24	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.25	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.25	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.26	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.26	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.27	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.27	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.28	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.28	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.29	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.29	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.30	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.30	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.31	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.31	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.32	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.32	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.65537	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.65537	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.65538	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.65538	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatInBits.65539	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.6.65539	Gauge32	4736
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.2	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.2	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.3	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.3	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.4	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.4	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.5	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.5	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.6	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.6	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.7	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.7	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.8	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.8	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.9	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.9	Gauge32	4464
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.10	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.10	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.11	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.11	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.12	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.12	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.13	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.13	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.14	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.14	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.15	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.15	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.16	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.16	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.17	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.17	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.18	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.18	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.19	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.19	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.20	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.20	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.21	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.21	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.22	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.22	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.23	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.23	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.24	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.24	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.25	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.25	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.26	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.26	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.27	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.27	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.28	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.28	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.29	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.29	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.30	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.30	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.31	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.31	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.32	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.32	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.65537	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.65537	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.65538	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.65538	Gauge32	0
IB-IF-EXT-MIB::ibIfSpeedStatOutBits.65539	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.7.65539	Gauge32	4312
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.2	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.2	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.3	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.3	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.4	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.4	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.5	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.5	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.6	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.6	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.7	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.7	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.8	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.8	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.9	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.9	Counter64	1685480
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.10	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.10	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.11	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.11	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.12	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.12	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.13	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.13	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.14	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.14	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.15	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.15	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.16	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.16	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.17	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.17	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.18	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.18	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.19	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.19	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.20	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.20	Counter64	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.21	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.21	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.22	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.22	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.23	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.23	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.24	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.24	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.25	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.25	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.26	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.26	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.27	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.27	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.28	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.28	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.29	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.29	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.30	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.30	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.31	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.31	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.32	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.32	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.65537	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.65537	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.65538	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.65538	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBits.65539	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.1.65539	Counter64	1422760
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.2	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.2	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.3	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.3	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.4	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.4	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.5	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.5	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.6	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.6	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.7	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.7	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.8	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.8	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.9	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.9	Counter64	1347696
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.10	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.10	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.11	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.11	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.12	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.12	Counter64	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.13	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.13	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.14	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.14	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.15	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.15	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.16	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.16	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.17	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.17	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.18	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.18	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.19	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.19	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.20	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.20	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.21	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.21	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.22	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.22	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.23	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.23	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.24	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.24	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.25	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.25	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.26	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.26	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.27	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.27	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.28	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.28	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.29	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.29	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.30	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.30	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.31	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.31	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.32	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.32	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.65537	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.65537	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.65538	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.65538	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBits.65539	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.2.65539	Counter64	1294248
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.2	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.2	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.3	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.3	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.4	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.4	Counter64	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.5	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.5	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.6	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.6	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.7	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.7	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.8	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.8	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.9	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.9	Counter64	2227
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.10	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.10	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.11	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.11	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.12	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.12	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.13	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.13	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.14	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.14	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.15	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.15	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.16	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.16	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.17	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.17	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.18	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.18	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.19	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.19	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.20	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.20	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.21	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.21	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.22	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.22	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.23	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.23	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.24	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.24	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.25	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.25	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.26	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.26	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.27	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.27	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.28	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.28	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.29	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.29	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.30	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.30	Counter64	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.31	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.31	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.32	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.32	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.65537	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.65537	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.65538	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.65538	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInPkts.65539	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.3.65539	Counter64	1894
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.2	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.2	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.3	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.3	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.4	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.4	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.5	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.5	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.6	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.6	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.7	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.7	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.8	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.8	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.9	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.9	Counter64	1625
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.10	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.10	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.11	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.11	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.12	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.12	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.13	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.13	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.14	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.14	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.15	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.15	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.16	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.16	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.17	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.17	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.18	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.18	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.19	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.19	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.20	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.20	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.21	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.21	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.22	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.22	Counter64	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.23	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.23	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.24	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.24	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.25	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.25	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.26	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.26	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.27	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.27	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.28	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.28	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.29	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.29	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.30	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.30	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.31	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.31	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.32	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.32	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.65537	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.65537	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.65538	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.65538	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutPkts.65539	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.4.65539	Counter64	1530
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.2	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.2	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.3	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.3	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.4	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.4	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.5	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.5	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.6	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.6	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.7	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.7	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.8	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.8	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.9	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.9	Counter64	210791
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.10	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.10	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.11	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.11	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.12	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.12	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.13	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.13	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.14	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.14	Counter64	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.15	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.15	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.16	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.16	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.17	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.17	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.18	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.18	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.19	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.19	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.20	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.20	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.21	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.21	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.22	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.22	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.23	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.23	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.24	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.24	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.25	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.25	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.26	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.26	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.27	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.27	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.28	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.28	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.29	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.29	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.30	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.30	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.31	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.31	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.32	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.32	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.65537	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.65537	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.65538	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.65538	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCInBytes.65539	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.5.65539	Counter64	177845
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.2	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.2	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.3	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.3	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.4	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.4	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.5	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.5	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.6	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.6	Counter64	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.7	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.7	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.8	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.8	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.9	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.9	Counter64	168764
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.10	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.10	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.11	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.11	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.12	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.12	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.13	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.13	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.14	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.14	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.15	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.15	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.16	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.16	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.17	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.17	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.18	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.18	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.19	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.19	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.20	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.20	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.21	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.21	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.22	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.22	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.23	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.23	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.24	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.24	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.25	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.25	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.26	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.26	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.27	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.27	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.28	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.28	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.29	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.29	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.30	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.30	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.31	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.31	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.32	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.32	Counter64	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.65537	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.65537	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.65538	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.65538	Counter64	0
IB-IF-EXT-MIB::ibIfStatFlowHCOutBytes.65539	.1.3.6.1.4.1.26138.2.40.2.1.2.3.1.6.65539	Counter64	161781
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.2	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.2	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.3	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.3	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.4	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.4	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.5	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.5	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.6	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.6	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.7	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.7	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.8	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.8	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.9	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.9	Counter64	7
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.10	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.10	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.11	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.11	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.12	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.12	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.13	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.13	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.14	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.14	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.15	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.15	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.16	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.16	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.17	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.17	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.18	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.18	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.19	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.19	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.20	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.20	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.21	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.21	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.22	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.22	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.23	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.23	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.24	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.24	Counter64	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.25	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.25	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.26	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.26	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.27	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.27	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.28	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.28	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.29	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.29	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.30	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.30	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.31	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.31	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.32	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.32	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.65537	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.65537	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.65538	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.65538	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInPkts.65539	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.1.65539	Counter64	6
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.2	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.2	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.3	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.3	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.4	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.4	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.5	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.5	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.6	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.6	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.7	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.7	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.8	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.8	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.9	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.9	Counter64	5
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.10	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.10	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.11	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.11	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.12	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.12	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.13	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.13	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.14	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.14	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.15	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.15	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.16	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.16	Counter64	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.17	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.17	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.18	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.18	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.19	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.19	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.20	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.20	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.21	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.21	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.22	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.22	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.23	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.23	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.24	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.24	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.25	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.25	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.26	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.26	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.27	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.27	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.28	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.28	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.29	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.29	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.30	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.30	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.31	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.31	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.32	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.32	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.65537	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.65537	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.65538	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.65538	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutPkts.65539	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.2.65539	Counter64	5
IB-IF-EXT-MIB::ibIfSpeedStatHCInBytes.2	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.3.2	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBytes.3	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.3.3	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBytes.4	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.3.4	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBytes.5	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.3.5	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBytes.6	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.3.6	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBytes.7	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.3.7	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBytes.8	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.3.8	Counter64	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfSpeedStatHCIn Bytes.9	.1.3.6.1.4.1.26138.2.40.2.1.2.4. 1.3.9	Counter64	707
IB-IF-EXT-MIB::ibIfSpeedStatHCIn Bytes.10	.1.3.6.1.4.1.26138.2.40.2.1.2.4. 1.3.10	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCIn Bytes.11	.1.3.6.1.4.1.26138.2.40.2.1.2.4. 1.3.11	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCIn Bytes.12	.1.3.6.1.4.1.26138.2.40.2.1.2.4. 1.3.12	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCIn Bytes.13	.1.3.6.1.4.1.26138.2.40.2.1.2.4. 1.3.13	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCIn Bytes.14	.1.3.6.1.4.1.26138.2.40.2.1.2.4. 1.3.14	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCIn Bytes.15	.1.3.6.1.4.1.26138.2.40.2.1.2.4. 1.3.15	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCIn Bytes.16	.1.3.6.1.4.1.26138.2.40.2.1.2.4. 1.3.16	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCIn Bytes.17	.1.3.6.1.4.1.26138.2.40.2.1.2.4. 1.3.17	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCIn Bytes.18	.1.3.6.1.4.1.26138.2.40.2.1.2.4. 1.3.18	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCIn Bytes.19	.1.3.6.1.4.1.26138.2.40.2.1.2.4. 1.3.19	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCIn Bytes.20	.1.3.6.1.4.1.26138.2.40.2.1.2.4. 1.3.20	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCIn Bytes.21	.1.3.6.1.4.1.26138.2.40.2.1.2.4. 1.3.21	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCIn Bytes.22	.1.3.6.1.4.1.26138.2.40.2.1.2.4. 1.3.22	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCIn Bytes.23	.1.3.6.1.4.1.26138.2.40.2.1.2.4. 1.3.23	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCIn Bytes.24	.1.3.6.1.4.1.26138.2.40.2.1.2.4. 1.3.24	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCIn Bytes.25	.1.3.6.1.4.1.26138.2.40.2.1.2.4. 1.3.25	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCIn Bytes.26	.1.3.6.1.4.1.26138.2.40.2.1.2.4. 1.3.26	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCIn Bytes.27	.1.3.6.1.4.1.26138.2.40.2.1.2.4. 1.3.27	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCIn Bytes.28	.1.3.6.1.4.1.26138.2.40.2.1.2.4. 1.3.28	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCIn Bytes.29	.1.3.6.1.4.1.26138.2.40.2.1.2.4. 1.3.29	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCIn Bytes.30	.1.3.6.1.4.1.26138.2.40.2.1.2.4. 1.3.30	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCIn Bytes.31	.1.3.6.1.4.1.26138.2.40.2.1.2.4. 1.3.31	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCIn Bytes.32	.1.3.6.1.4.1.26138.2.40.2.1.2.4. 1.3.32	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCIn Bytes.65537	.1.3.6.1.4.1.26138.2.40.2.1.2.4. 1.3.65537	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCIn Bytes.65538	.1.3.6.1.4.1.26138.2.40.2.1.2.4. 1.3.65538	Counter64	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfSpeedStatHCInBytes.65539	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.3.65539	Counter64	592
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.2	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.2	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.3	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.3	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.4	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.4	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.5	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.5	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.6	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.6	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.7	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.7	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.8	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.8	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.9	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.9	Counter64	548
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.10	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.10	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.11	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.11	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.12	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.12	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.13	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.13	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.14	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.14	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.15	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.15	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.16	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.16	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.17	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.17	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.18	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.18	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.19	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.19	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.20	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.20	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.21	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.21	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.22	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.22	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.23	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.23	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.24	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.24	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.25	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.25	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.26	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.26	Counter64	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.27	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.27	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.28	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.28	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.29	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.29	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.30	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.30	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.31	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.31	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.32	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.32	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.65537	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.65537	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.65538	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.65538	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBytes.65539	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.4.65539	Counter64	539
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.2	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.2	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.3	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.3	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.4	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.4	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.5	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.5	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.6	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.6	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.7	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.7	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.8	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.8	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.9	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.9	Counter64	5592
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.10	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.10	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.11	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.11	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.12	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.12	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.13	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.13	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.14	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.14	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.15	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.15	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.16	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.16	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.17	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.17	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.18	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.18	Counter64	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.19	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.19	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.20	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.20	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.21	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.21	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.22	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.22	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.23	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.23	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.24	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.24	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.25	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.25	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.26	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.26	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.27	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.27	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.28	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.28	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.29	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.29	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.30	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.30	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.31	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.31	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.32	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.32	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.65537	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.65537	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.65538	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.65538	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCInBits.65539	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.5.65539	Counter64	4736
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.2	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.2	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.3	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.3	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.4	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.4	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.5	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.5	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.6	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.6	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.7	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.7	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.8	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.8	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.9	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.9	Counter64	4408
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.10	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.10	Counter64	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.11	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.11	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.12	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.12	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.13	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.13	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.14	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.14	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.15	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.15	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.16	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.16	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.17	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.17	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.18	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.18	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.19	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.19	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.20	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.20	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.21	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.21	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.22	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.22	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.23	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.23	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.24	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.24	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.25	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.25	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.26	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.26	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.27	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.27	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.28	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.28	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.29	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.29	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.30	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.30	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.31	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.31	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.32	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.32	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.65537	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.65537	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.65538	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.65538	Counter64	0
IB-IF-EXT-MIB::ibIfSpeedStatHCOutBits.65539	.1.3.6.1.4.1.26138.2.40.2.1.2.4.1.6.65539	Counter64	4312
IB-IF-EXT-MIB::ibIfLinkMode.3	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.3	INTEGER	bridgeMode(1)

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfLinkMode.4	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.4	INTEGER	bridgeMode(1)
IB-IF-EXT-MIB::ibIfLinkMode.5	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.5	INTEGER	bridgeMode(1)
IB-IF-EXT-MIB::ibIfLinkMode.6	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.6	INTEGER	bridgeMode(1)
IB-IF-EXT-MIB::ibIfLinkMode.7	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.7	INTEGER	bridgeMode(1)
IB-IF-EXT-MIB::ibIfLinkMode.8	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.8	INTEGER	bridgeMode(1)
IB-IF-EXT-MIB::ibIfLinkMode.9	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.9	INTEGER	bridgeMode(1)
IB-IF-EXT-MIB::ibIfLinkMode.10	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.10	INTEGER	bridgeMode(1)
IB-IF-EXT-MIB::ibIfLinkMode.11	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.11	INTEGER	bridgeMode(1)
IB-IF-EXT-MIB::ibIfLinkMode.12	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.12	INTEGER	bridgeMode(1)
IB-IF-EXT-MIB::ibIfLinkMode.13	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.13	INTEGER	bridgeMode(1)
IB-IF-EXT-MIB::ibIfLinkMode.14	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.14	INTEGER	bridgeMode(1)
IB-IF-EXT-MIB::ibIfLinkMode.15	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.15	INTEGER	bridgeMode(1)
IB-IF-EXT-MIB::ibIfLinkMode.16	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.16	INTEGER	bridgeMode(1)
IB-IF-EXT-MIB::ibIfLinkMode.17	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.17	INTEGER	bridgeMode(1)
IB-IF-EXT-MIB::ibIfLinkMode.18	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.18	INTEGER	bridgeMode(1)
IB-IF-EXT-MIB::ibIfLinkMode.19	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.19	INTEGER	bridgeMode(1)
IB-IF-EXT-MIB::ibIfLinkMode.20	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.20	INTEGER	bridgeMode(1)
IB-IF-EXT-MIB::ibIfLinkMode.21	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.21	INTEGER	bridgeMode(1)
IB-IF-EXT-MIB::ibIfLinkMode.22	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.22	INTEGER	bridgeMode(1)
IB-IF-EXT-MIB::ibIfLinkMode.23	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.23	INTEGER	bridgeMode(1)
IB-IF-EXT-MIB::ibIfLinkMode.24	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.24	INTEGER	bridgeMode(1)
IB-IF-EXT-MIB::ibIfLinkMode.25	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.25	INTEGER	bridgeMode(1)
IB-IF-EXT-MIB::ibIfLinkMode.26	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.26	INTEGER	bridgeMode(1)
IB-IF-EXT-MIB::ibIfLinkMode.27	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.27	INTEGER	bridgeMode(1)
IB-IF-EXT-MIB::ibIfLinkMode.28	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.28	INTEGER	bridgeMode(1)
IB-IF-EXT-MIB::ibIfLinkMode.29	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.29	INTEGER	bridgeMode(1)

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfLinkMode.30	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.30	INTEGER	bridgeMode(1)
IB-IF-EXT-MIB::ibIfLinkMode.31	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.31	INTEGER	bridgeMode(1)
IB-IF-EXT-MIB::ibIfLinkMode.32	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.32	INTEGER	bridgeMode(1)
IB-IF-EXT-MIB::ibIfLinkModeSwitchSupport.3	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.3	INTEGER	false(2)
IB-IF-EXT-MIB::ibIfLinkModeSwitchSupport.4	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.4	INTEGER	false(2)
IB-IF-EXT-MIB::ibIfLinkModeSwitchSupport.5	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.5	INTEGER	false(2)
IB-IF-EXT-MIB::ibIfLinkModeSwitchSupport.6	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.6	INTEGER	false(2)
IB-IF-EXT-MIB::ibIfLinkModeSwitchSupport.7	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.7	INTEGER	false(2)
IB-IF-EXT-MIB::ibIfLinkModeSwitchSupport.8	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.8	INTEGER	false(2)
IB-IF-EXT-MIB::ibIfLinkModeSwitchSupport.9	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.9	INTEGER	false(2)
IB-IF-EXT-MIB::ibIfLinkModeSwitchSupport.10	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.10	INTEGER	false(2)
IB-IF-EXT-MIB::ibIfLinkModeSwitchSupport.11	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.11	INTEGER	false(2)
IB-IF-EXT-MIB::ibIfLinkModeSwitchSupport.12	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.12	INTEGER	false(2)
IB-IF-EXT-MIB::ibIfLinkModeSwitchSupport.13	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.13	INTEGER	false(2)
IB-IF-EXT-MIB::ibIfLinkModeSwitchSupport.14	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.14	INTEGER	false(2)
IB-IF-EXT-MIB::ibIfLinkModeSwitchSupport.15	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.15	INTEGER	false(2)
IB-IF-EXT-MIB::ibIfLinkModeSwitchSupport.16	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.16	INTEGER	false(2)
IB-IF-EXT-MIB::ibIfLinkModeSwitchSupport.17	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.17	INTEGER	false(2)
IB-IF-EXT-MIB::ibIfLinkModeSwitchSupport.18	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.18	INTEGER	false(2)
IB-IF-EXT-MIB::ibIfLinkModeSwitchSupport.19	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.19	INTEGER	true(1)
IB-IF-EXT-MIB::ibIfLinkModeSwitchSupport.20	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.20	INTEGER	true(1)
IB-IF-EXT-MIB::ibIfLinkModeSwitchSupport.21	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.21	INTEGER	false(2)
IB-IF-EXT-MIB::ibIfLinkModeSwitchSupport.22	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.22	INTEGER	false(2)
IB-IF-EXT-MIB::ibIfLinkModeSwitchSupport.23	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.23	INTEGER	false(2)
IB-IF-EXT-MIB::ibIfLinkModeSwitchSupport.24	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.24	INTEGER	false(2)
IB-IF-EXT-MIB::ibIfLinkModeSwitchSupport.25	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.25	INTEGER	false(2)

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfLinkModeSwitchSupport.26	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.26	INTEGER	false(2)
IB-IF-EXT-MIB::ibIfLinkModeSwitchSupport.27	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.27	INTEGER	false(2)
IB-IF-EXT-MIB::ibIfLinkModeSwitchSupport.28	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.28	INTEGER	false(2)
IB-IF-EXT-MIB::ibIfLinkModeSwitchSupport.29	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.29	INTEGER	false(2)
IB-IF-EXT-MIB::ibIfLinkModeSwitchSupport.30	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.30	INTEGER	false(2)
IB-IF-EXT-MIB::ibIfLinkModeSwitchSupport.31	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.31	INTEGER	false(2)
IB-IF-EXT-MIB::ibIfLinkModeSwitchSupport.32	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.32	INTEGER	false(2)
IB-IF-EXT-MIB::ibIfPortType.21	.1.3.6.1.4.1.26138.2.40.2.2.4.1.2.21	INTEGER	other(1)
IB-IF-EXT-MIB::ibIfPortType.22	.1.3.6.1.4.1.26138.2.40.2.2.4.1.2.22	INTEGER	other(1)
IB-IF-EXT-MIB::ibIfPortType.31	.1.3.6.1.4.1.26138.2.40.2.2.4.1.2.31	INTEGER	other(1)
IB-IF-EXT-MIB::ibIfPortType.32	.1.3.6.1.4.1.26138.2.40.2.2.4.1.2.32	INTEGER	other(1)
IB-IF-EXT-MIB::ibIfQueId.3.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.3.1	INTEGER	que0(1)
IB-IF-EXT-MIB::ibIfQueId.3.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.3.2	INTEGER	que1(2)
IB-IF-EXT-MIB::ibIfQueId.3.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.3.3	INTEGER	que2(3)
IB-IF-EXT-MIB::ibIfQueId.3.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.3.4	INTEGER	que3(4)
IB-IF-EXT-MIB::ibIfQueId.3.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.3.5	INTEGER	que4(5)
IB-IF-EXT-MIB::ibIfQueId.3.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.3.6	INTEGER	que5(6)
IB-IF-EXT-MIB::ibIfQueId.3.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.3.7	INTEGER	que6(7)
IB-IF-EXT-MIB::ibIfQueId.3.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.3.8	INTEGER	que7(8)
IB-IF-EXT-MIB::ibIfQueId.4.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.4.1	INTEGER	que0(1)
IB-IF-EXT-MIB::ibIfQueId.4.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.4.2	INTEGER	que1(2)
IB-IF-EXT-MIB::ibIfQueId.4.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.4.3	INTEGER	que2(3)
IB-IF-EXT-MIB::ibIfQueId.4.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.4.4	INTEGER	que3(4)
IB-IF-EXT-MIB::ibIfQueId.4.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.4.5	INTEGER	que4(5)
IB-IF-EXT-MIB::ibIfQueId.4.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.4.6	INTEGER	que5(6)
IB-IF-EXT-MIB::ibIfQueId.4.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.4.7	INTEGER	que6(7)

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueId.4.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.4.8	INTEGER	que7(8)
IB-IF-EXT-MIB::ibIfQueId.5.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.5.1	INTEGER	que0(1)
IB-IF-EXT-MIB::ibIfQueId.5.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.5.2	INTEGER	que1(2)
IB-IF-EXT-MIB::ibIfQueId.5.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.5.3	INTEGER	que2(3)
IB-IF-EXT-MIB::ibIfQueId.5.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.5.4	INTEGER	que3(4)
IB-IF-EXT-MIB::ibIfQueId.5.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.5.5	INTEGER	que4(5)
IB-IF-EXT-MIB::ibIfQueId.5.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.5.6	INTEGER	que5(6)
IB-IF-EXT-MIB::ibIfQueId.5.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.5.7	INTEGER	que6(7)
IB-IF-EXT-MIB::ibIfQueId.5.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.5.8	INTEGER	que7(8)
IB-IF-EXT-MIB::ibIfQueId.6.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.6.1	INTEGER	que0(1)
IB-IF-EXT-MIB::ibIfQueId.6.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.6.2	INTEGER	que1(2)
IB-IF-EXT-MIB::ibIfQueId.6.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.6.3	INTEGER	que2(3)
IB-IF-EXT-MIB::ibIfQueId.6.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.6.4	INTEGER	que3(4)
IB-IF-EXT-MIB::ibIfQueId.6.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.6.5	INTEGER	que4(5)
IB-IF-EXT-MIB::ibIfQueId.6.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.6.6	INTEGER	que5(6)
IB-IF-EXT-MIB::ibIfQueId.6.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.6.7	INTEGER	que6(7)
IB-IF-EXT-MIB::ibIfQueId.6.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.6.8	INTEGER	que7(8)
IB-IF-EXT-MIB::ibIfQueId.7.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.7.1	INTEGER	que0(1)
IB-IF-EXT-MIB::ibIfQueId.7.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.7.2	INTEGER	que1(2)
IB-IF-EXT-MIB::ibIfQueId.7.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.7.3	INTEGER	que2(3)
IB-IF-EXT-MIB::ibIfQueId.7.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.7.4	INTEGER	que3(4)
IB-IF-EXT-MIB::ibIfQueId.7.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.7.5	INTEGER	que4(5)
IB-IF-EXT-MIB::ibIfQueId.7.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.7.6	INTEGER	que5(6)
IB-IF-EXT-MIB::ibIfQueId.7.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.7.7	INTEGER	que6(7)
IB-IF-EXT-MIB::ibIfQueId.7.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.7.8	INTEGER	que7(8)
IB-IF-EXT-MIB::ibIfQueId.8.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.8.1	INTEGER	que0(1)

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueId.8.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.8.2	INTEGER	que1(2)
IB-IF-EXT-MIB::ibIfQueId.8.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.8.3	INTEGER	que2(3)
IB-IF-EXT-MIB::ibIfQueId.8.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.8.4	INTEGER	que3(4)
IB-IF-EXT-MIB::ibIfQueId.8.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.8.5	INTEGER	que4(5)
IB-IF-EXT-MIB::ibIfQueId.8.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.8.6	INTEGER	que5(6)
IB-IF-EXT-MIB::ibIfQueId.8.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.8.7	INTEGER	que6(7)
IB-IF-EXT-MIB::ibIfQueId.8.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.8.8	INTEGER	que7(8)
IB-IF-EXT-MIB::ibIfQueId.9.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.9.1	INTEGER	que0(1)
IB-IF-EXT-MIB::ibIfQueId.9.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.9.2	INTEGER	que1(2)
IB-IF-EXT-MIB::ibIfQueId.9.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.9.3	INTEGER	que2(3)
IB-IF-EXT-MIB::ibIfQueId.9.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.9.4	INTEGER	que3(4)
IB-IF-EXT-MIB::ibIfQueId.9.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.9.5	INTEGER	que4(5)
IB-IF-EXT-MIB::ibIfQueId.9.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.9.6	INTEGER	que5(6)
IB-IF-EXT-MIB::ibIfQueId.9.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.9.7	INTEGER	que6(7)
IB-IF-EXT-MIB::ibIfQueId.9.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.9.8	INTEGER	que7(8)
IB-IF-EXT-MIB::ibIfQueId.10.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.10.1	INTEGER	que0(1)
IB-IF-EXT-MIB::ibIfQueId.10.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.10.2	INTEGER	que1(2)
IB-IF-EXT-MIB::ibIfQueId.10.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.10.3	INTEGER	que2(3)
IB-IF-EXT-MIB::ibIfQueId.10.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.10.4	INTEGER	que3(4)
IB-IF-EXT-MIB::ibIfQueId.10.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.10.5	INTEGER	que4(5)
IB-IF-EXT-MIB::ibIfQueId.10.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.10.6	INTEGER	que5(6)
IB-IF-EXT-MIB::ibIfQueId.10.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.10.7	INTEGER	que6(7)
IB-IF-EXT-MIB::ibIfQueId.10.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.10.8	INTEGER	que7(8)
IB-IF-EXT-MIB::ibIfQueId.11.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.11.1	INTEGER	que0(1)
IB-IF-EXT-MIB::ibIfQueId.11.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.11.2	INTEGER	que1(2)
IB-IF-EXT-MIB::ibIfQueId.11.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.11.3	INTEGER	que2(3)

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueId.11.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.11.4	INTEGER	que3(4)
IB-IF-EXT-MIB::ibIfQueId.11.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.11.5	INTEGER	que4(5)
IB-IF-EXT-MIB::ibIfQueId.11.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.11.6	INTEGER	que5(6)
IB-IF-EXT-MIB::ibIfQueId.11.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.11.7	INTEGER	que6(7)
IB-IF-EXT-MIB::ibIfQueId.11.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.11.8	INTEGER	que7(8)
IB-IF-EXT-MIB::ibIfQueId.12.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.12.1	INTEGER	que0(1)
IB-IF-EXT-MIB::ibIfQueId.12.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.12.2	INTEGER	que1(2)
IB-IF-EXT-MIB::ibIfQueId.12.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.12.3	INTEGER	que2(3)
IB-IF-EXT-MIB::ibIfQueId.12.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.12.4	INTEGER	que3(4)
IB-IF-EXT-MIB::ibIfQueId.12.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.12.5	INTEGER	que4(5)
IB-IF-EXT-MIB::ibIfQueId.12.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.12.6	INTEGER	que5(6)
IB-IF-EXT-MIB::ibIfQueId.12.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.12.7	INTEGER	que6(7)
IB-IF-EXT-MIB::ibIfQueId.12.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.12.8	INTEGER	que7(8)
IB-IF-EXT-MIB::ibIfQueId.13.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.13.1	INTEGER	que0(1)
IB-IF-EXT-MIB::ibIfQueId.13.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.13.2	INTEGER	que1(2)
IB-IF-EXT-MIB::ibIfQueId.13.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.13.3	INTEGER	que2(3)
IB-IF-EXT-MIB::ibIfQueId.13.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.13.4	INTEGER	que3(4)
IB-IF-EXT-MIB::ibIfQueId.13.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.13.5	INTEGER	que4(5)
IB-IF-EXT-MIB::ibIfQueId.13.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.13.6	INTEGER	que5(6)
IB-IF-EXT-MIB::ibIfQueId.13.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.13.7	INTEGER	que6(7)
IB-IF-EXT-MIB::ibIfQueId.13.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.13.8	INTEGER	que7(8)
IB-IF-EXT-MIB::ibIfQueId.14.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.14.1	INTEGER	que0(1)
IB-IF-EXT-MIB::ibIfQueId.14.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.14.2	INTEGER	que1(2)
IB-IF-EXT-MIB::ibIfQueId.14.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.14.3	INTEGER	que2(3)
IB-IF-EXT-MIB::ibIfQueId.14.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.14.4	INTEGER	que3(4)
IB-IF-EXT-MIB::ibIfQueId.14.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.14.5	INTEGER	que4(5)

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueId.14.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.14.6	INTEGER	que5(6)
IB-IF-EXT-MIB::ibIfQueId.14.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.14.7	INTEGER	que6(7)
IB-IF-EXT-MIB::ibIfQueId.14.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.14.8	INTEGER	que7(8)
IB-IF-EXT-MIB::ibIfQueId.15.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.15.1	INTEGER	que0(1)
IB-IF-EXT-MIB::ibIfQueId.15.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.15.2	INTEGER	que1(2)
IB-IF-EXT-MIB::ibIfQueId.15.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.15.3	INTEGER	que2(3)
IB-IF-EXT-MIB::ibIfQueId.15.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.15.4	INTEGER	que3(4)
IB-IF-EXT-MIB::ibIfQueId.15.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.15.5	INTEGER	que4(5)
IB-IF-EXT-MIB::ibIfQueId.15.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.15.6	INTEGER	que5(6)
IB-IF-EXT-MIB::ibIfQueId.15.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.15.7	INTEGER	que6(7)
IB-IF-EXT-MIB::ibIfQueId.15.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.15.8	INTEGER	que7(8)
IB-IF-EXT-MIB::ibIfQueId.16.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.16.1	INTEGER	que0(1)
IB-IF-EXT-MIB::ibIfQueId.16.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.16.2	INTEGER	que1(2)
IB-IF-EXT-MIB::ibIfQueId.16.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.16.3	INTEGER	que2(3)
IB-IF-EXT-MIB::ibIfQueId.16.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.16.4	INTEGER	que3(4)
IB-IF-EXT-MIB::ibIfQueId.16.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.16.5	INTEGER	que4(5)
IB-IF-EXT-MIB::ibIfQueId.16.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.16.6	INTEGER	que5(6)
IB-IF-EXT-MIB::ibIfQueId.16.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.16.7	INTEGER	que6(7)
IB-IF-EXT-MIB::ibIfQueId.16.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.16.8	INTEGER	que7(8)
IB-IF-EXT-MIB::ibIfQueId.17.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.17.1	INTEGER	que0(1)
IB-IF-EXT-MIB::ibIfQueId.17.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.17.2	INTEGER	que1(2)
IB-IF-EXT-MIB::ibIfQueId.17.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.17.3	INTEGER	que2(3)
IB-IF-EXT-MIB::ibIfQueId.17.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.17.4	INTEGER	que3(4)
IB-IF-EXT-MIB::ibIfQueId.17.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.17.5	INTEGER	que4(5)
IB-IF-EXT-MIB::ibIfQueId.17.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.17.6	INTEGER	que5(6)
IB-IF-EXT-MIB::ibIfQueId.17.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.17.7	INTEGER	que6(7)

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueId.17.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.17.8	INTEGER	que7(8)
IB-IF-EXT-MIB::ibIfQueId.18.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.18.1	INTEGER	que0(1)
IB-IF-EXT-MIB::ibIfQueId.18.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.18.2	INTEGER	que1(2)
IB-IF-EXT-MIB::ibIfQueId.18.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.18.3	INTEGER	que2(3)
IB-IF-EXT-MIB::ibIfQueId.18.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.18.4	INTEGER	que3(4)
IB-IF-EXT-MIB::ibIfQueId.18.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.18.5	INTEGER	que4(5)
IB-IF-EXT-MIB::ibIfQueId.18.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.18.6	INTEGER	que5(6)
IB-IF-EXT-MIB::ibIfQueId.18.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.18.7	INTEGER	que6(7)
IB-IF-EXT-MIB::ibIfQueId.18.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.18.8	INTEGER	que7(8)
IB-IF-EXT-MIB::ibIfQueId.19.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.19.1	INTEGER	que0(1)
IB-IF-EXT-MIB::ibIfQueId.19.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.19.2	INTEGER	que1(2)
IB-IF-EXT-MIB::ibIfQueId.19.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.19.3	INTEGER	que2(3)
IB-IF-EXT-MIB::ibIfQueId.19.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.19.4	INTEGER	que3(4)
IB-IF-EXT-MIB::ibIfQueId.19.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.19.5	INTEGER	que4(5)
IB-IF-EXT-MIB::ibIfQueId.19.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.19.6	INTEGER	que5(6)
IB-IF-EXT-MIB::ibIfQueId.19.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.19.7	INTEGER	que6(7)
IB-IF-EXT-MIB::ibIfQueId.19.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.19.8	INTEGER	que7(8)
IB-IF-EXT-MIB::ibIfQueId.20.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.20.1	INTEGER	que0(1)
IB-IF-EXT-MIB::ibIfQueId.20.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.20.2	INTEGER	que1(2)
IB-IF-EXT-MIB::ibIfQueId.20.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.20.3	INTEGER	que2(3)
IB-IF-EXT-MIB::ibIfQueId.20.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.20.4	INTEGER	que3(4)
IB-IF-EXT-MIB::ibIfQueId.20.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.20.5	INTEGER	que4(5)
IB-IF-EXT-MIB::ibIfQueId.20.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.20.6	INTEGER	que5(6)
IB-IF-EXT-MIB::ibIfQueId.20.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.20.7	INTEGER	que6(7)
IB-IF-EXT-MIB::ibIfQueId.20.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.20.8	INTEGER	que7(8)
IB-IF-EXT-MIB::ibIfQueId.21.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.21.1	INTEGER	que0(1)

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueId.21.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.21.2	INTEGER	que1(2)
IB-IF-EXT-MIB::ibIfQueId.21.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.21.3	INTEGER	que2(3)
IB-IF-EXT-MIB::ibIfQueId.21.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.21.4	INTEGER	que3(4)
IB-IF-EXT-MIB::ibIfQueId.21.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.21.5	INTEGER	que4(5)
IB-IF-EXT-MIB::ibIfQueId.21.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.21.6	INTEGER	que5(6)
IB-IF-EXT-MIB::ibIfQueId.21.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.21.7	INTEGER	que6(7)
IB-IF-EXT-MIB::ibIfQueId.21.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.21.8	INTEGER	que7(8)
IB-IF-EXT-MIB::ibIfQueId.22.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.22.1	INTEGER	que0(1)
IB-IF-EXT-MIB::ibIfQueId.22.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.22.2	INTEGER	que1(2)
IB-IF-EXT-MIB::ibIfQueId.22.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.22.3	INTEGER	que2(3)
IB-IF-EXT-MIB::ibIfQueId.22.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.22.4	INTEGER	que3(4)
IB-IF-EXT-MIB::ibIfQueId.22.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.22.5	INTEGER	que4(5)
IB-IF-EXT-MIB::ibIfQueId.22.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.22.6	INTEGER	que5(6)
IB-IF-EXT-MIB::ibIfQueId.22.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.22.7	INTEGER	que6(7)
IB-IF-EXT-MIB::ibIfQueId.22.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.22.8	INTEGER	que7(8)
IB-IF-EXT-MIB::ibIfQueId.23.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.23.1	INTEGER	que0(1)
IB-IF-EXT-MIB::ibIfQueId.23.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.23.2	INTEGER	que1(2)
IB-IF-EXT-MIB::ibIfQueId.23.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.23.3	INTEGER	que2(3)
IB-IF-EXT-MIB::ibIfQueId.23.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.23.4	INTEGER	que3(4)
IB-IF-EXT-MIB::ibIfQueId.23.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.23.5	INTEGER	que4(5)
IB-IF-EXT-MIB::ibIfQueId.23.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.23.6	INTEGER	que5(6)
IB-IF-EXT-MIB::ibIfQueId.23.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.23.7	INTEGER	que6(7)
IB-IF-EXT-MIB::ibIfQueId.23.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.23.8	INTEGER	que7(8)
IB-IF-EXT-MIB::ibIfQueId.24.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.24.1	INTEGER	que0(1)
IB-IF-EXT-MIB::ibIfQueId.24.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.24.2	INTEGER	que1(2)
IB-IF-EXT-MIB::ibIfQueId.24.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.24.3	INTEGER	que2(3)

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueId.24.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.24.4	INTEGER	que3(4)
IB-IF-EXT-MIB::ibIfQueId.24.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.24.5	INTEGER	que4(5)
IB-IF-EXT-MIB::ibIfQueId.24.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.24.6	INTEGER	que5(6)
IB-IF-EXT-MIB::ibIfQueId.24.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.24.7	INTEGER	que6(7)
IB-IF-EXT-MIB::ibIfQueId.24.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.24.8	INTEGER	que7(8)
IB-IF-EXT-MIB::ibIfQueId.25.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.25.1	INTEGER	que0(1)
IB-IF-EXT-MIB::ibIfQueId.25.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.25.2	INTEGER	que1(2)
IB-IF-EXT-MIB::ibIfQueId.25.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.25.3	INTEGER	que2(3)
IB-IF-EXT-MIB::ibIfQueId.25.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.25.4	INTEGER	que3(4)
IB-IF-EXT-MIB::ibIfQueId.25.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.25.5	INTEGER	que4(5)
IB-IF-EXT-MIB::ibIfQueId.25.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.25.6	INTEGER	que5(6)
IB-IF-EXT-MIB::ibIfQueId.25.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.25.7	INTEGER	que6(7)
IB-IF-EXT-MIB::ibIfQueId.25.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.25.8	INTEGER	que7(8)
IB-IF-EXT-MIB::ibIfQueId.26.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.26.1	INTEGER	que0(1)
IB-IF-EXT-MIB::ibIfQueId.26.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.26.2	INTEGER	que1(2)
IB-IF-EXT-MIB::ibIfQueId.26.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.26.3	INTEGER	que2(3)
IB-IF-EXT-MIB::ibIfQueId.26.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.26.4	INTEGER	que3(4)
IB-IF-EXT-MIB::ibIfQueId.26.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.26.5	INTEGER	que4(5)
IB-IF-EXT-MIB::ibIfQueId.26.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.26.6	INTEGER	que5(6)
IB-IF-EXT-MIB::ibIfQueId.26.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.26.7	INTEGER	que6(7)
IB-IF-EXT-MIB::ibIfQueId.26.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.26.8	INTEGER	que7(8)
IB-IF-EXT-MIB::ibIfQueId.27.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.27.1	INTEGER	que0(1)
IB-IF-EXT-MIB::ibIfQueId.27.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.27.2	INTEGER	que1(2)
IB-IF-EXT-MIB::ibIfQueId.27.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.27.3	INTEGER	que2(3)
IB-IF-EXT-MIB::ibIfQueId.27.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.27.4	INTEGER	que3(4)
IB-IF-EXT-MIB::ibIfQueId.27.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.27.5	INTEGER	que4(5)

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueId.27.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.27.6	INTEGER	que5(6)
IB-IF-EXT-MIB::ibIfQueId.27.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.27.7	INTEGER	que6(7)
IB-IF-EXT-MIB::ibIfQueId.27.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.27.8	INTEGER	que7(8)
IB-IF-EXT-MIB::ibIfQueId.28.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.28.1	INTEGER	que0(1)
IB-IF-EXT-MIB::ibIfQueId.28.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.28.2	INTEGER	que1(2)
IB-IF-EXT-MIB::ibIfQueId.28.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.28.3	INTEGER	que2(3)
IB-IF-EXT-MIB::ibIfQueId.28.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.28.4	INTEGER	que3(4)
IB-IF-EXT-MIB::ibIfQueId.28.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.28.5	INTEGER	que4(5)
IB-IF-EXT-MIB::ibIfQueId.28.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.28.6	INTEGER	que5(6)
IB-IF-EXT-MIB::ibIfQueId.28.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.28.7	INTEGER	que6(7)
IB-IF-EXT-MIB::ibIfQueId.28.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.28.8	INTEGER	que7(8)
IB-IF-EXT-MIB::ibIfQueId.29.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.29.1	INTEGER	que0(1)
IB-IF-EXT-MIB::ibIfQueId.29.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.29.2	INTEGER	que1(2)
IB-IF-EXT-MIB::ibIfQueId.29.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.29.3	INTEGER	que2(3)
IB-IF-EXT-MIB::ibIfQueId.29.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.29.4	INTEGER	que3(4)
IB-IF-EXT-MIB::ibIfQueId.29.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.29.5	INTEGER	que4(5)
IB-IF-EXT-MIB::ibIfQueId.29.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.29.6	INTEGER	que5(6)
IB-IF-EXT-MIB::ibIfQueId.29.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.29.7	INTEGER	que6(7)
IB-IF-EXT-MIB::ibIfQueId.29.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.29.8	INTEGER	que7(8)
IB-IF-EXT-MIB::ibIfQueId.30.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.30.1	INTEGER	que0(1)
IB-IF-EXT-MIB::ibIfQueId.30.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.30.2	INTEGER	que1(2)
IB-IF-EXT-MIB::ibIfQueId.30.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.30.3	INTEGER	que2(3)
IB-IF-EXT-MIB::ibIfQueId.30.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.30.4	INTEGER	que3(4)
IB-IF-EXT-MIB::ibIfQueId.30.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.30.5	INTEGER	que4(5)
IB-IF-EXT-MIB::ibIfQueId.30.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.30.6	INTEGER	que5(6)
IB-IF-EXT-MIB::ibIfQueId.30.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.30.7	INTEGER	que6(7)

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueId.30.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.30.8	INTEGER	que7(8)
IB-IF-EXT-MIB::ibIfQueId.31.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.31.1	INTEGER	que0(1)
IB-IF-EXT-MIB::ibIfQueId.31.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.31.2	INTEGER	que1(2)
IB-IF-EXT-MIB::ibIfQueId.31.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.31.3	INTEGER	que2(3)
IB-IF-EXT-MIB::ibIfQueId.31.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.31.4	INTEGER	que3(4)
IB-IF-EXT-MIB::ibIfQueId.31.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.31.5	INTEGER	que4(5)
IB-IF-EXT-MIB::ibIfQueId.31.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.31.6	INTEGER	que5(6)
IB-IF-EXT-MIB::ibIfQueId.31.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.31.7	INTEGER	que6(7)
IB-IF-EXT-MIB::ibIfQueId.31.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.31.8	INTEGER	que7(8)
IB-IF-EXT-MIB::ibIfQueId.32.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.32.1	INTEGER	que0(1)
IB-IF-EXT-MIB::ibIfQueId.32.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.32.2	INTEGER	que1(2)
IB-IF-EXT-MIB::ibIfQueId.32.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.32.3	INTEGER	que2(3)
IB-IF-EXT-MIB::ibIfQueId.32.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.32.4	INTEGER	que3(4)
IB-IF-EXT-MIB::ibIfQueId.32.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.32.5	INTEGER	que4(5)
IB-IF-EXT-MIB::ibIfQueId.32.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.32.6	INTEGER	que5(6)
IB-IF-EXT-MIB::ibIfQueId.32.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.32.7	INTEGER	que6(7)
IB-IF-EXT-MIB::ibIfQueId.32.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.32.8	INTEGER	que7(8)
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.3.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.3.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.3.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.3.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.3.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.3.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.3.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.3.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.3.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.3.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.3.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.3.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.3.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.3.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.3.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.3.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.4.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.4.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.4.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.4.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.4.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.4.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.4.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.4.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.4.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.4.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.4.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.4.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.4.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.4.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.4.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.4.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.5.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.5.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.5.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.5.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.5.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.5.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.5.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.5.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.5.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.5.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.5.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.5.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.5.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.5.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.5.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.5.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.6.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.6.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.6.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.6.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.6.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.6.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.6.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.6.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.6.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.6.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.6.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.6.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.6.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.6.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.6.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.6.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.7.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.7.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.7.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.7.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.7.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.7.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.7.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.7.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.7.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.7.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.7.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.7.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.7.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.7.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.7.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.7.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.8.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.8.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.8.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.8.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.8.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.8.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.8.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.8.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.8.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.8.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.8.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.8.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.8.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.8.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.8.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.8.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.9.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.9.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.9.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.9.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.9.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.9.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.9.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.9.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.9.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.9.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.9.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.9.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.9.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.9.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.9.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.9.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.10.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.10.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.10.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.10.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.10.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.10.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.10.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.10.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.10.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.10.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.10.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.10.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.10.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.10.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.10.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.10.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.11.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.11.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.11.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.11.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.11.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.11.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.11.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.11.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.11.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.11.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.11.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.11.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.11.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.11.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.11.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.11.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.12.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.12.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.12.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.12.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.12.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.12.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.12.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.12.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.12.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.12.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.12.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.12.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.12.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.12.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.12.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.12.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.13.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.13.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.13.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.13.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.13.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.13.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.13.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.13.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.13.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.13.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.13.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.13.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.13.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.13.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.13.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.13.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.14.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.14.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.14.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.14.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.14.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.14.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.14.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.14.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.14.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.14.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.14.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.14.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.14.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.14.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.14.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.14.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.15.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.15.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.15.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.15.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.15.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.15.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.15.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.15.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.15.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.15.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.15.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.15.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.15.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.15.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.15.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.15.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.16.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.16.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.16.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.16.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.16.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.16.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.16.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.16.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.16.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.16.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.16.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.16.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.16.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.16.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.16.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.16.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.17.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.17.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.17.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.17.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.17.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.17.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.17.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.17.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.17.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.17.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.17.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.17.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.17.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.17.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.17.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.17.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.18.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.18.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.18.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.18.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.18.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.18.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.18.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.18.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.18.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.18.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.18.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.18.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.18.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.18.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.18.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.18.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.19.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.19.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.19.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.19.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.19.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.19.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.19.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.19.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.19.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.19.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.19.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.19.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.19.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.19.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.19.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.19.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.20.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.20.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.20.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.20.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.20.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.20.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.20.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.20.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.20.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.20.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.20.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.20.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.20.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.20.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.20.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.20.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.21.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.21.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.21.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.21.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.21.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.21.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.21.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.21.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.21.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.21.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.21.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.21.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.21.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.21.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.21.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.21.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.22.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.22.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.22.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.22.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.22.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.22.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.22.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.22.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.22.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.22.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.22.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.22.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.22.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.22.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.22.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.22.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.23.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.23.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.23.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.23.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.23.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.23.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.23.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.23.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.23.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.23.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.23.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.23.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.23.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.23.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.23.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.23.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.24.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.24.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.24.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.24.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.24.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.24.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.24.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.24.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.24.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.24.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.24.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.24.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.24.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.24.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.24.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.24.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.25.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.25.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.25.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.25.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.25.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.25.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.25.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.25.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.25.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.25.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.25.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.25.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.25.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.25.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.25.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.25.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.26.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.26.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.26.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.26.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.26.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.26.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.26.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.26.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.26.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.26.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.26.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.26.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.26.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.26.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.26.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.26.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.27.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.27.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.27.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.27.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.27.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.27.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.27.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.27.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.27.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.27.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.27.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.27.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.27.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.27.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.27.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.27.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.28.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.28.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.28.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.28.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.28.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.28.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.28.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.28.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.28.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.28.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.28.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.28.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.28.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.28.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.28.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.28.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.29.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.29.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.29.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.29.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.29.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.29.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.29.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.29.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.29.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.29.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.29.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.29.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.29.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.29.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.29.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.29.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.30.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.30.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.30.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.30.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.30.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.30.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.30.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.30.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.30.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.30.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.30.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.30.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.30.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.30.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.30.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.30.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.31.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.31.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.31.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.31.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.31.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.31.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.31.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.31.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.31.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.31.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.31.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.31.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.31.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.31.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.31.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.31.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.32.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.32.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.32.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.32.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.32.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.32.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.32.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.32.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.32.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.32.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.32.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.32.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.32.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.32.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastTotal.32.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.32.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.3.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.3.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.3.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.3.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.3.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.3.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastFree.3.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.3.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.3.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.3.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.3.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.3.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.3.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.3.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.3.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.3.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.4.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.4.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.4.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.4.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.4.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.4.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.4.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.4.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.4.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.4.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.4.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.4.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.4.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.4.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.4.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.4.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.5.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.5.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.5.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.5.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.5.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.5.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.5.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.5.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.5.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.5.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.5.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.5.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.5.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.5.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.5.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.5.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.6.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.6.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.6.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.6.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.6.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.6.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.6.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.6.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.6.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.6.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastFree.6.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.6.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.6.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.6.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.6.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.6.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.7.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.7.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.7.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.7.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.7.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.7.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.7.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.7.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.7.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.7.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.7.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.7.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.7.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.7.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.7.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.7.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.8.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.8.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.8.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.8.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.8.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.8.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.8.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.8.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.8.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.8.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.8.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.8.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.8.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.8.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.8.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.8.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.9.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.9.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.9.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.9.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.9.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.9.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.9.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.9.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.9.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.9.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.9.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.9.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.9.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.9.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastFree.9.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.9.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.10.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.10.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.10.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.10.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.10.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.10.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.10.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.10.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.10.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.10.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.10.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.10.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.10.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.10.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.10.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.10.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.11.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.11.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.11.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.11.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.11.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.11.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.11.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.11.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.11.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.11.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.11.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.11.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.11.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.11.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.11.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.11.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.12.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.12.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.12.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.12.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.12.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.12.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.12.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.12.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.12.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.12.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.12.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.12.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.12.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.12.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.12.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.12.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.13.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.13.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastFree.13.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.13.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.13.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.13.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.13.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.13.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.13.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.13.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.13.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.13.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.13.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.13.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.13.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.13.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.14.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.14.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.14.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.14.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.14.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.14.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.14.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.14.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.14.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.14.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.14.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.14.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.14.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.14.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.14.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.14.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.15.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.15.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.15.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.15.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.15.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.15.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.15.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.15.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.15.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.15.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.15.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.15.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.15.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.15.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.15.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.15.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.16.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.16.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.16.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.16.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.16.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.16.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastFree.16.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.16.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.16.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.16.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.16.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.16.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.16.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.16.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.16.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.16.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.17.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.17.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.17.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.17.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.17.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.17.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.17.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.17.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.17.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.17.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.17.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.17.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.17.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.17.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.17.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.17.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.18.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.18.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.18.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.18.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.18.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.18.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.18.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.18.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.18.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.18.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.18.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.18.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.18.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.18.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.18.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.18.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.19.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.19.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.19.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.19.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.19.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.19.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.19.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.19.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.19.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.19.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastFree.19.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.19.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.19.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.19.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.19.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.19.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.20.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.20.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.20.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.20.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.20.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.20.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.20.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.20.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.20.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.20.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.20.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.20.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.20.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.20.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.20.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.20.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.21.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.21.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.21.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.21.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.21.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.21.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.21.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.21.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.21.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.21.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.21.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.21.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.21.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.21.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.21.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.21.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.22.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.22.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.22.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.22.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.22.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.22.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.22.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.22.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.22.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.22.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.22.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.22.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.22.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.22.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastFree.22.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.22.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.23.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.23.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.23.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.23.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.23.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.23.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.23.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.23.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.23.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.23.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.23.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.23.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.23.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.23.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.23.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.23.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.24.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.24.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.24.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.24.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.24.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.24.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.24.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.24.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.24.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.24.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.24.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.24.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.24.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.24.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.24.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.24.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.25.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.25.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.25.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.25.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.25.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.25.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.25.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.25.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.25.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.25.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.25.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.25.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.25.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.25.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.25.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.25.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.26.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.26.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastFree.26.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.26.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.26.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.26.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.26.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.26.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.26.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.26.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.26.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.26.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.26.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.26.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.26.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.26.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.27.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.27.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.27.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.27.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.27.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.27.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.27.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.27.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.27.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.27.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.27.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.27.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.27.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.27.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.27.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.27.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.28.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.28.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.28.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.28.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.28.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.28.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.28.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.28.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.28.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.28.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.28.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.28.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.28.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.28.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.28.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.28.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.29.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.29.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.29.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.29.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.29.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.29.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastFree.29.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.29.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.29.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.29.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.29.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.29.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.29.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.29.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.29.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.29.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.30.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.30.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.30.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.30.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.30.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.30.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.30.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.30.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.30.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.30.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.30.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.30.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.30.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.30.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.30.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.30.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.31.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.31.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.31.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.31.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.31.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.31.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.31.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.31.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.31.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.31.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.31.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.31.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.31.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.31.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.31.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.31.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.32.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.32.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.32.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.32.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.32.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.32.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.32.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.32.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.32.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.32.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastFree.32.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.32.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.32.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.32.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastFree.32.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.32.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.3.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.3.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.3.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.3.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.3.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.3.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.3.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.3.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.3.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.3.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.3.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.3.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.3.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.3.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.3.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.3.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.4.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.4.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.4.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.4.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.4.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.4.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.4.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.4.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.4.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.4.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.4.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.4.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.4.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.4.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.4.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.4.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.5.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.5.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.5.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.5.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.5.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.5.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.5.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.5.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.5.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.5.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.5.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.5.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.5.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.5.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.5.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.5.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.6.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.6.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.6.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.6.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.6.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.6.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.6.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.6.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.6.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.6.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.6.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.6.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.6.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.6.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.6.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.6.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.7.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.7.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.7.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.7.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.7.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.7.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.7.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.7.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.7.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.7.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.7.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.7.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.7.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.7.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.7.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.7.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.8.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.8.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.8.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.8.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.8.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.8.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.8.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.8.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.8.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.8.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.8.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.8.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.8.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.8.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.8.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.8.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.9.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.9.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.9.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.9.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.9.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.9.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.9.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.9.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.9.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.9.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.9.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.9.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.9.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.9.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.9.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.9.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.10.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.10.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.10.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.10.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.10.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.10.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.10.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.10.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.10.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.10.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.10.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.10.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.10.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.10.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.10.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.10.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.11.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.11.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.11.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.11.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.11.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.11.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.11.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.11.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.11.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.11.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.11.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.11.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.11.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.11.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.11.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.11.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.12.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.12.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.12.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.12.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.12.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.12.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.12.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.12.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.12.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.12.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.12.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.12.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.12.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.12.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.12.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.12.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.13.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.13.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.13.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.13.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.13.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.13.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.13.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.13.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.13.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.13.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.13.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.13.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.13.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.13.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.13.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.13.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.14.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.14.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.14.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.14.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.14.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.14.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.14.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.14.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.14.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.14.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.14.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.14.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.14.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.14.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.14.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.14.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.15.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.15.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.15.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.15.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.15.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.15.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.15.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.15.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.15.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.15.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.15.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.15.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.15.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.15.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.15.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.15.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.16.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.16.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.16.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.16.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.16.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.16.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.16.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.16.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.16.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.16.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.16.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.16.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.16.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.16.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.16.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.16.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.17.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.17.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.17.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.17.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.17.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.17.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.17.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.17.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.17.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.17.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.17.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.17.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.17.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.17.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.17.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.17.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.18.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.18.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.18.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.18.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.18.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.18.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.18.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.18.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.18.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.18.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.18.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.18.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.18.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.18.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.18.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.18.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.19.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.19.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.19.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.19.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.19.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.19.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.19.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.19.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.19.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.19.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.19.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.19.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.19.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.19.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.19.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.19.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.20.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.20.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.20.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.20.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.20.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.20.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.20.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.20.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.20.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.20.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.20.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.20.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.20.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.20.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.20.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.20.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.21.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.21.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.21.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.21.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.21.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.21.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.21.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.21.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.21.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.21.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.21.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.21.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.21.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.21.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.21.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.21.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.22.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.22.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.22.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.22.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.22.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.22.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.22.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.22.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.22.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.22.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.22.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.22.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.22.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.22.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.22.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.22.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.23.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.23.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.23.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.23.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.23.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.23.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.23.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.23.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.23.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.23.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.23.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.23.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.23.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.23.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.23.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.23.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.24.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.24.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.24.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.24.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.24.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.24.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.24.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.24.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.24.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.24.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.24.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.24.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.24.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.24.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.24.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.24.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.25.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.25.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.25.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.25.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.25.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.25.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.25.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.25.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.25.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.25.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.25.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.25.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.25.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.25.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.25.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.25.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.26.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.26.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.26.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.26.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.26.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.26.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.26.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.26.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.26.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.26.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.26.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.26.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.26.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.26.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.26.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.26.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.27.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.27.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.27.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.27.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.27.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.27.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.27.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.27.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.27.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.27.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.27.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.27.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.27.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.27.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.27.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.27.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.28.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.28.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.28.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.28.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.28.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.28.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.28.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.28.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.28.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.28.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.28.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.28.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.28.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.28.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.28.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.28.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.29.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.29.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.29.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.29.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.29.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.29.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.29.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.29.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.29.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.29.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.29.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.29.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.29.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.29.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.29.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.29.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.30.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.30.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.30.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.30.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.30.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.30.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.30.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.30.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.30.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.30.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.30.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.30.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.30.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.30.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.30.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.30.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.31.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.31.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.31.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.31.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.31.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.31.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.31.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.31.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.31.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.31.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.31.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.31.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.31.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.31.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.31.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.31.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.32.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.32.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.32.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.32.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.32.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.32.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.32.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.32.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.32.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.32.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.32.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.32.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.32.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.32.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedRatio.32.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.32.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.3.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.3.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.3.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.3.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.3.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.3.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.3.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.3.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.3.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.3.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.3.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.3.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.3.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.3.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.3.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.3.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.4.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.4.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.4.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.4.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.4.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.4.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.4.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.4.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.4.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.4.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.4.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.4.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.4.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.4.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.4.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.4.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.5.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.5.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.5.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.5.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.5.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.5.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.5.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.5.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.5.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.5.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.5.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.5.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.5.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.5.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.5.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.5.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.6.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.6.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.6.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.6.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.6.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.6.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.6.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.6.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.6.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.6.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.6.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.6.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.6.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.6.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.6.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.6.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.7.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.7.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.7.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.7.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.7.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.7.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.7.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.7.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.7.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.7.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.7.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.7.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.7.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.7.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.7.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.7.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.8.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.8.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.8.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.8.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.8.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.8.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.8.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.8.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.8.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.8.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.8.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.8.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.8.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.8.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.8.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.8.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.9.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.9.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.9.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.9.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.9.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.9.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.9.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.9.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.9.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.9.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.9.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.9.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.9.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.9.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.9.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.9.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.10.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.10.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.10.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.10.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.10.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.10.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.10.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.10.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.10.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.10.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.10.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.10.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.10.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.10.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.10.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.10.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.11.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.11.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.11.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.11.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.11.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.11.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.11.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.11.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.11.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.11.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.11.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.11.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.11.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.11.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.11.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.11.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.12.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.12.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.12.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.12.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.12.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.12.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.12.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.12.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.12.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.12.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.12.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.12.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.12.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.12.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.12.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.12.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.13.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.13.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.13.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.13.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.13.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.13.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.13.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.13.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.13.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.13.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.13.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.13.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.13.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.13.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.13.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.13.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.14.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.14.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.14.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.14.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.14.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.14.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.14.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.14.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.14.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.14.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.14.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.14.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.14.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.14.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.14.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.14.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.15.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.15.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.15.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.15.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.15.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.15.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.15.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.15.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.15.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.15.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.15.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.15.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.15.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.15.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.15.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.15.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.16.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.16.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.16.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.16.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.16.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.16.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.16.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.16.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.16.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.16.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.16.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.16.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.16.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.16.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.16.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.16.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.17.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.17.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.17.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.17.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.17.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.17.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.17.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.17.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.17.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.17.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.17.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.17.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.17.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.17.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.17.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.17.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.18.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.18.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.18.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.18.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.18.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.18.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.18.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.18.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.18.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.18.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.18.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.18.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.18.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.18.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.18.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.18.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.19.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.19.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.19.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.19.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.19.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.19.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.19.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.19.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.19.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.19.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.19.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.19.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.19.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.19.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.19.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.19.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.20.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.20.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.20.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.20.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.20.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.20.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.20.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.20.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.20.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.20.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.20.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.20.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.20.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.20.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.20.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.20.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.21.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.21.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.21.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.21.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.21.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.21.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.21.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.21.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.21.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.21.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.21.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.21.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.21.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.21.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.21.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.21.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.22.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.22.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.22.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.22.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.22.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.22.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.22.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.22.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.22.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.22.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.22.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.22.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.22.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.22.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.22.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.22.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.23.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.23.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.23.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.23.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.23.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.23.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.23.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.23.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.23.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.23.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.23.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.23.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.23.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.23.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.23.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.23.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.24.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.24.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.24.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.24.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.24.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.24.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.24.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.24.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.24.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.24.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.24.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.24.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.24.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.24.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.24.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.24.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.25.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.25.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.25.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.25.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.25.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.25.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.25.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.25.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.25.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.25.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.25.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.25.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.25.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.25.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.25.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.25.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.26.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.26.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.26.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.26.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.26.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.26.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.26.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.26.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.26.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.26.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.26.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.26.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.26.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.26.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.26.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.26.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.27.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.27.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.27.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.27.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.27.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.27.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.27.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.27.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.27.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.27.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.27.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.27.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.27.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.27.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.27.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.27.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.28.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.28.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.28.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.28.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.28.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.28.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.28.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.28.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.28.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.28.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.28.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.28.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.28.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.28.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.28.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.28.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.29.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.29.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.29.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.29.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.29.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.29.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.29.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.29.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.29.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.29.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.29.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.29.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.29.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.29.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.29.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.29.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.30.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.30.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.30.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.30.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.30.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.30.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.30.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.30.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.30.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.30.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.30.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.30.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.30.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.30.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.30.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.30.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.31.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.31.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.31.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.31.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.31.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.31.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.31.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.31.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.31.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.31.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.31.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.31.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.31.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.31.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.31.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.31.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.32.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.32.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.32.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.32.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.32.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.32.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.32.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.32.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.32.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.32.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.32.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.32.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.32.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.32.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastUsedPeak.32.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.32.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.3.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.3.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.3.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.3.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.3.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.3.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.3.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.3.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.3.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.3.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.3.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.3.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.3.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.3.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.3.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.3.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.4.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.4.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.4.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.4.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.4.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.4.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.4.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.4.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.4.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.4.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.4.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.4.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.4.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.4.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.4.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.4.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.5.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.5.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.5.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.5.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.5.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.5.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.5.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.5.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.5.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.5.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.5.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.5.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.5.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.5.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.5.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.5.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.6.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.6.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.6.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.6.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.6.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.6.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.6.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.6.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.6.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.6.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.6.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.6.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.6.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.6.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.6.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.6.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.7.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.7.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.7.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.7.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.7.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.7.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.7.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.7.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.7.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.7.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.7.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.7.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.7.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.7.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.7.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.7.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.8.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.8.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.8.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.8.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.8.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.8.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.8.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.8.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.8.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.8.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.8.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.8.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.8.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.8.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.8.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.8.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.9.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.9.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.9.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.9.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.9.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.9.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.9.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.9.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.9.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.9.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.9.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.9.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.9.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.9.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.9.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.9.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.10.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.10.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.10.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.10.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.10.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.10.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.10.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.10.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.10.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.10.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.10.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.10.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.10.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.10.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.10.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.10.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.11.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.11.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.11.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.11.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.11.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.11.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.11.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.11.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.11.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.11.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.11.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.11.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.11.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.11.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.11.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.11.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.12.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.12.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.12.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.12.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.12.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.12.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.12.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.12.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.12.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.12.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.12.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.12.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.12.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.12.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.12.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.12.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.13.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.13.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.13.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.13.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.13.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.13.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.13.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.13.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.13.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.13.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.13.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.13.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.13.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.13.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.13.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.13.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.14.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.14.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.14.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.14.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.14.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.14.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.14.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.14.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.14.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.14.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.14.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.14.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.14.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.14.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.14.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.14.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.15.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.15.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.15.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.15.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.15.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.15.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.15.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.15.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.15.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.15.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.15.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.15.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.15.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.15.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.15.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.15.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.16.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.16.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.16.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.16.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.16.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.16.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.16.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.16.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.16.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.16.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.16.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.16.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.16.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.16.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.16.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.16.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.17.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.17.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.17.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.17.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.17.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.17.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.17.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.17.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.17.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.17.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.17.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.17.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.17.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.17.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.17.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.17.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.18.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.18.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.18.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.18.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.18.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.18.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.18.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.18.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.18.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.18.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.18.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.18.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.18.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.18.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.18.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.18.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.19.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.19.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.19.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.19.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.19.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.19.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.19.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.19.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.19.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.19.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.19.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.19.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.19.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.19.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.19.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.19.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.20.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.20.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.20.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.20.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.20.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.20.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.20.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.20.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.20.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.20.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.20.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.20.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.20.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.20.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.20.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.20.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.21.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.21.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.21.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.21.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.21.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.21.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.21.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.21.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.21.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.21.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.21.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.21.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.21.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.21.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.21.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.21.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.22.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.22.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.22.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.22.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.22.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.22.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.22.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.22.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.22.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.22.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.22.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.22.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.22.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.22.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.22.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.22.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.23.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.23.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.23.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.23.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.23.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.23.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.23.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.23.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.23.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.23.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.23.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.23.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.23.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.23.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.23.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.23.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.24.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.24.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.24.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.24.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.24.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.24.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.24.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.24.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.24.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.24.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.24.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.24.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.24.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.24.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.24.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.24.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.25.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.25.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.25.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.25.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.25.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.25.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.25.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.25.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.25.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.25.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.25.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.25.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.25.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.25.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.25.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.25.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.26.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.26.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.26.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.26.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.26.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.26.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.26.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.26.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.26.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.26.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.26.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.26.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.26.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.26.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.26.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.26.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.27.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.27.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.27.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.27.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.27.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.27.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.27.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.27.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.27.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.27.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.27.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.27.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.27.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.27.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.27.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.27.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.28.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.28.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.28.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.28.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.28.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.28.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.28.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.28.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.28.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.28.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.28.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.28.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.28.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.28.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.28.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.28.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.29.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.29.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.29.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.29.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.29.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.29.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.29.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.29.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.29.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.29.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.29.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.29.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.29.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.29.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.29.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.29.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.30.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.30.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.30.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.30.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.30.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.30.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.30.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.30.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.30.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.30.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.30.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.30.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.30.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.30.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.30.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.30.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.31.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.31.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.31.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.31.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.31.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.31.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.31.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.31.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.31.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.31.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.31.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.31.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.31.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.31.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.31.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.31.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.32.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.32.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.32.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.32.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.32.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.32.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.32.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.32.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.32.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.32.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.32.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.32.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.32.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.32.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastThreshold.32.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.32.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.3.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.3.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.3.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.3.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.3.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.3.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.3.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.3.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.3.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.3.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.3.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.3.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.3.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.3.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.3.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.3.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.4.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.4.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.4.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.4.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.4.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.4.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.4.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.4.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.4.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.4.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.4.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.4.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.4.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.4.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.4.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.4.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.5.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.5.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.5.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.5.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.5.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.5.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.5.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.5.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.5.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.5.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.5.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.5.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.5.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.5.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.5.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.5.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.6.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.6.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.6.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.6.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.6.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.6.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.6.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.6.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.6.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.6.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.6.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.6.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.6.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.6.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.6.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.6.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.7.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.7.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.7.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.7.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.7.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.7.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.7.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.7.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.7.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.7.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.7.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.7.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.7.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.7.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.7.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.7.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.8.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.8.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.8.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.8.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.8.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.8.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.8.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.8.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.8.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.8.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.8.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.8.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.8.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.8.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.8.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.8.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.9.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.9.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.9.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.9.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.9.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.9.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.9.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.9.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.9.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.9.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.9.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.9.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.9.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.9.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.9.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.9.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.10.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.10.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.10.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.10.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.10.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.10.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.10.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.10.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.10.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.10.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.10.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.10.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.10.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.10.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.10.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.10.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.11.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.11.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.11.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.11.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.11.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.11.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.11.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.11.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.11.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.11.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.11.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.11.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.11.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.11.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.11.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.11.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.12.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.12.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.12.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.12.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.12.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.12.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.12.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.12.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.12.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.12.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.12.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.12.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.12.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.12.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.12.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.12.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.13.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.13.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.13.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.13.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.13.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.13.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.13.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.13.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.13.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.13.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.13.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.13.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.13.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.13.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.13.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.13.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.14.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.14.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.14.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.14.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.14.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.14.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.14.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.14.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.14.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.14.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.14.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.14.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.14.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.14.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.14.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.14.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.15.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.15.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.15.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.15.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.15.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.15.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.15.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.15.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.15.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.15.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.15.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.15.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.15.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.15.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.15.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.15.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.16.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.16.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.16.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.16.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.16.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.16.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.16.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.16.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.16.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.16.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.16.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.16.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.16.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.16.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.16.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.16.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.17.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.17.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.17.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.17.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.17.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.17.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.17.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.17.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.17.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.17.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.17.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.17.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.17.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.17.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.17.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.17.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.18.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.18.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.18.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.18.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.18.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.18.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.18.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.18.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.18.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.18.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.18.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.18.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.18.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.18.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.18.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.18.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.19.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.19.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.19.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.19.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.19.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.19.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.19.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.19.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.19.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.19.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.19.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.19.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.19.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.19.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.19.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.19.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.20.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.20.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.20.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.20.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.20.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.20.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.20.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.20.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.20.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.20.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.20.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.20.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.20.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.20.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.20.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.20.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.21.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.21.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.21.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.21.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.21.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.21.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.21.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.21.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.21.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.21.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.21.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.21.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.21.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.21.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.21.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.21.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.22.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.22.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.22.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.22.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.22.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.22.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.22.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.22.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.22.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.22.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.22.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.22.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.22.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.22.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.22.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.22.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.23.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.23.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.23.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.23.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.23.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.23.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.23.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.23.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.23.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.23.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.23.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.23.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.23.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.23.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.23.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.23.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.24.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.24.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.24.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.24.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.24.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.24.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.24.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.24.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.24.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.24.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.24.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.24.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.24.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.24.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.24.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.24.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.25.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.25.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.25.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.25.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.25.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.25.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.25.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.25.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.25.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.25.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.25.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.25.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.25.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.25.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.25.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.25.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.26.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.26.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.26.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.26.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.26.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.26.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.26.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.26.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.26.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.26.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.26.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.26.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.26.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.26.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.26.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.26.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.27.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.27.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.27.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.27.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.27.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.27.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.27.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.27.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.27.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.27.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.27.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.27.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.27.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.27.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.27.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.27.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.28.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.28.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.28.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.28.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.28.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.28.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.28.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.28.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.28.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.28.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.28.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.28.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.28.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.28.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.28.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.28.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.29.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.29.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.29.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.29.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.29.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.29.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.29.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.29.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.29.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.29.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.29.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.29.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.29.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.29.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.29.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.29.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.30.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.30.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.30.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.30.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.30.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.30.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.30.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.30.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.30.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.30.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.30.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.30.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.30.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.30.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.30.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.30.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.31.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.31.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.31.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.31.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.31.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.31.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.31.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.31.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.31.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.31.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.31.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.31.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.31.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.31.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.31.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.31.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.32.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.32.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.32.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.32.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.32.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.32.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.32.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.32.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.32.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.32.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.32.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.32.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.32.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.32.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueOutUcastOverThres.32.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.32.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.3.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.3.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.3.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.3.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.3.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.3.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.3.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.3.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.3.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.3.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.3.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.3.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.3.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.3.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.3.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.3.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.4.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.4.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.4.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.4.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.4.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.4.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.4.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.4.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.4.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.4.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.4.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.4.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.4.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.4.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.4.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.4.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.5.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.5.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.5.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.5.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.5.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.5.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.5.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.5.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.5.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.5.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.5.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.5.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.5.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.5.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.5.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.5.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.6.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.6.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInTotal.6.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.6.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.6.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.6.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.6.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.6.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.6.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.6.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.6.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.6.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.6.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.6.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.6.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.6.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.7.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.7.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.7.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.7.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.7.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.7.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.7.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.7.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.7.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.7.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.7.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.7.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.7.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.7.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.7.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.7.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.8.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.8.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.8.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.8.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.8.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.8.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.8.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.8.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.8.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.8.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.8.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.8.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.8.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.8.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.8.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.8.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.9.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.9.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.9.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.9.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.9.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.9.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInTotal.9.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.9.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.9.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.9.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.9.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.9.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.9.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.9.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.9.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.9.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.10.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.10.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.10.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.10.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.10.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.10.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.10.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.10.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.10.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.10.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.10.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.10.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.10.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.10.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.10.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.10.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.11.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.11.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.11.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.11.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.11.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.11.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.11.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.11.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.11.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.11.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.11.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.11.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.11.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.11.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.11.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.11.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.12.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.12.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.12.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.12.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.12.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.12.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.12.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.12.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.12.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.12.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInTotal.12.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.12.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.12.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.12.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.12.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.12.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.13.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.13.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.13.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.13.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.13.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.13.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.13.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.13.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.13.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.13.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.13.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.13.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.13.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.13.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.13.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.13.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.14.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.14.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.14.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.14.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.14.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.14.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.14.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.14.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.14.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.14.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.14.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.14.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.14.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.14.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.14.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.14.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.15.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.15.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.15.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.15.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.15.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.15.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.15.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.15.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.15.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.15.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.15.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.15.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.15.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.15.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInTotal.15.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.15.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.16.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.16.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.16.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.16.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.16.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.16.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.16.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.16.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.16.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.16.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.16.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.16.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.16.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.16.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.16.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.16.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.17.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.17.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.17.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.17.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.17.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.17.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.17.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.17.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.17.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.17.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.17.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.17.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.17.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.17.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.17.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.17.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.18.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.18.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.18.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.18.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.18.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.18.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.18.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.18.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.18.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.18.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.18.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.18.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.18.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.18.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.18.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.18.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.19.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.19.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInTotal.19.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.19.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.19.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.19.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.19.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.19.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.19.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.19.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.19.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.19.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.19.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.19.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.19.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.19.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.20.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.20.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.20.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.20.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.20.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.20.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.20.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.20.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.20.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.20.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.20.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.20.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.20.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.20.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.20.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.20.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.21.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.21.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.21.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.21.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.21.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.21.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.21.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.21.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.21.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.21.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.21.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.21.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.21.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.21.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.21.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.21.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.22.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.22.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.22.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.22.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.22.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.22.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInTotal.22.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.22.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.22.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.22.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.22.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.22.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.22.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.22.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.22.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.22.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.23.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.23.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.23.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.23.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.23.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.23.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.23.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.23.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.23.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.23.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.23.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.23.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.23.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.23.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.23.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.23.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.24.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.24.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.24.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.24.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.24.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.24.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.24.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.24.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.24.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.24.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.24.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.24.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.24.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.24.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.24.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.24.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.25.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.25.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.25.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.25.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.25.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.25.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.25.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.25.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.25.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.25.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInTotal.25.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.25.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.25.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.25.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.25.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.25.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.26.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.26.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.26.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.26.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.26.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.26.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.26.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.26.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.26.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.26.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.26.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.26.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.26.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.26.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.26.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.26.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.27.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.27.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.27.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.27.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.27.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.27.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.27.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.27.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.27.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.27.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.27.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.27.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.27.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.27.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.27.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.27.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.28.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.28.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.28.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.28.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.28.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.28.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.28.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.28.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.28.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.28.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.28.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.28.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.28.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.28.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInTotal.28.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.28.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.29.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.29.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.29.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.29.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.29.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.29.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.29.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.29.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.29.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.29.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.29.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.29.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.29.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.29.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.29.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.29.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.30.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.30.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.30.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.30.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.30.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.30.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.30.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.30.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.30.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.30.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.30.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.30.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.30.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.30.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.30.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.30.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.31.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.31.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.31.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.31.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.31.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.31.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.31.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.31.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.31.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.31.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.31.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.31.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.31.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.31.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.31.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.31.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.32.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.32.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInTotal.32.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.32.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.32.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.32.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.32.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.32.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.32.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.32.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.32.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.32.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.32.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.32.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInTotal.32.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.32.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.3.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.3.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.3.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.3.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.3.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.3.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.3.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.3.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.3.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.3.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.3.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.3.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.3.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.3.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.3.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.3.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.4.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.4.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.4.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.4.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.4.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.4.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.4.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.4.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.4.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.4.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.4.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.4.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.4.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.4.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.4.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.4.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.5.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.5.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.5.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.5.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.5.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.5.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInFree.5.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.5.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.5.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.5.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.5.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.5.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.5.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.5.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.5.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.5.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.6.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.6.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.6.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.6.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.6.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.6.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.6.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.6.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.6.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.6.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.6.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.6.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.6.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.6.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.6.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.6.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.7.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.7.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.7.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.7.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.7.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.7.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.7.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.7.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.7.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.7.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.7.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.7.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.7.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.7.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.7.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.7.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.8.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.8.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.8.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.8.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.8.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.8.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.8.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.8.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.8.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.8.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInFree.8.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.8.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.8.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.8.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.8.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.8.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.9.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.9.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.9.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.9.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.9.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.9.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.9.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.9.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.9.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.9.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.9.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.9.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.9.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.9.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.9.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.9.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.10.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.10.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.10.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.10.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.10.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.10.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.10.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.10.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.10.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.10.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.10.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.10.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.10.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.10.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.10.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.10.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.11.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.11.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.11.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.11.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.11.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.11.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.11.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.11.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.11.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.11.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.11.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.11.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.11.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.11.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInFree.11.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.11.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.12.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.12.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.12.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.12.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.12.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.12.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.12.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.12.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.12.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.12.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.12.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.12.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.12.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.12.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.12.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.12.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.13.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.13.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.13.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.13.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.13.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.13.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.13.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.13.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.13.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.13.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.13.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.13.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.13.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.13.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.13.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.13.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.14.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.14.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.14.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.14.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.14.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.14.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.14.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.14.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.14.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.14.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.14.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.14.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.14.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.14.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.14.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.14.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.15.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.15.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInFree.15.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.15.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.15.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.15.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.15.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.15.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.15.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.15.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.15.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.15.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.15.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.15.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.15.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.15.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.16.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.16.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.16.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.16.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.16.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.16.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.16.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.16.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.16.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.16.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.16.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.16.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.16.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.16.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.16.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.16.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.17.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.17.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.17.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.17.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.17.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.17.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.17.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.17.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.17.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.17.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.17.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.17.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.17.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.17.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.17.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.17.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.18.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.18.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.18.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.18.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.18.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.18.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInFree.18.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.18.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.18.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.18.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.18.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.18.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.18.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.18.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.18.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.18.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.19.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.19.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.19.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.19.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.19.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.19.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.19.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.19.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.19.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.19.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.19.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.19.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.19.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.19.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.19.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.19.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.20.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.20.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.20.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.20.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.20.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.20.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.20.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.20.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.20.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.20.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.20.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.20.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.20.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.20.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.20.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.20.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.21.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.21.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.21.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.21.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.21.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.21.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.21.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.21.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.21.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.21.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInFree.21.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.21.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.21.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.21.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.21.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.21.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.22.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.22.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.22.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.22.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.22.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.22.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.22.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.22.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.22.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.22.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.22.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.22.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.22.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.22.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.22.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.22.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.23.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.23.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.23.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.23.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.23.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.23.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.23.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.23.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.23.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.23.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.23.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.23.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.23.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.23.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.23.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.23.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.24.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.24.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.24.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.24.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.24.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.24.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.24.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.24.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.24.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.24.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.24.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.24.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.24.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.24.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInFree.24.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.24.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.25.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.25.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.25.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.25.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.25.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.25.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.25.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.25.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.25.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.25.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.25.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.25.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.25.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.25.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.25.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.25.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.26.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.26.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.26.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.26.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.26.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.26.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.26.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.26.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.26.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.26.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.26.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.26.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.26.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.26.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.26.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.26.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.27.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.27.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.27.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.27.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.27.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.27.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.27.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.27.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.27.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.27.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.27.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.27.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.27.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.27.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.27.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.27.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.28.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.28.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInFree.28.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.28.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.28.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.28.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.28.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.28.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.28.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.28.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.28.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.28.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.28.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.28.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.28.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.28.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.29.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.29.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.29.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.29.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.29.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.29.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.29.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.29.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.29.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.29.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.29.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.29.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.29.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.29.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.29.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.29.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.30.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.30.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.30.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.30.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.30.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.30.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.30.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.30.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.30.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.30.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.30.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.30.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.30.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.30.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.30.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.30.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.31.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.31.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.31.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.31.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.31.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.31.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInFree.31.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.31.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.31.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.31.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.31.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.31.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.31.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.31.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.31.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.31.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.32.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.32.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.32.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.32.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.32.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.32.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.32.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.32.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.32.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.32.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.32.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.32.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.32.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.32.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInFree.32.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.32.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.3.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.3.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.3.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.3.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.3.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.3.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.3.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.3.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.3.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.3.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.3.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.3.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.3.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.3.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.3.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.3.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.4.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.4.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.4.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.4.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.4.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.4.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.4.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.4.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.4.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.4.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInUsedRatio.4.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.4.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.4.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.4.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.4.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.4.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.5.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.5.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.5.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.5.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.5.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.5.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.5.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.5.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.5.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.5.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.5.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.5.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.5.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.5.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.5.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.5.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.6.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.6.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.6.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.6.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.6.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.6.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.6.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.6.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.6.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.6.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.6.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.6.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.6.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.6.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.6.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.6.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.7.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.7.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.7.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.7.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.7.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.7.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.7.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.7.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.7.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.7.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.7.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.7.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.7.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.7.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInUsedRatio.7.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.7.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.8.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.8.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.8.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.8.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.8.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.8.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.8.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.8.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.8.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.8.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.8.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.8.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.8.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.8.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.8.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.8.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.9.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.9.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.9.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.9.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.9.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.9.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.9.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.9.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.9.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.9.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.9.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.9.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.9.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.9.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.9.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.9.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.10.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.10.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.10.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.10.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.10.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.10.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.10.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.10.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.10.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.10.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.10.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.10.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.10.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.10.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.10.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.10.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.11.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.11.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInUsedRatio.11.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.11.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.11.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.11.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.11.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.11.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.11.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.11.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.11.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.11.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.11.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.11.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.11.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.11.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.12.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.12.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.12.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.12.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.12.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.12.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.12.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.12.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.12.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.12.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.12.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.12.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.12.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.12.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.12.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.12.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.13.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.13.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.13.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.13.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.13.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.13.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.13.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.13.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.13.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.13.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.13.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.13.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.13.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.13.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.13.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.13.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.14.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.14.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.14.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.14.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.14.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.14.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInUsedRatio.14.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.14.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.14.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.14.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.14.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.14.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.14.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.14.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.14.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.14.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.15.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.15.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.15.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.15.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.15.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.15.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.15.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.15.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.15.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.15.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.15.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.15.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.15.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.15.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.15.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.15.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.16.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.16.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.16.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.16.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.16.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.16.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.16.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.16.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.16.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.16.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.16.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.16.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.16.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.16.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.16.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.16.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.17.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.17.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.17.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.17.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.17.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.17.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.17.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.17.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.17.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.17.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInUsedRatio.17.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.17.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.17.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.17.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.17.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.17.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.18.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.18.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.18.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.18.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.18.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.18.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.18.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.18.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.18.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.18.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.18.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.18.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.18.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.18.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.18.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.18.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.19.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.19.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.19.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.19.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.19.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.19.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.19.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.19.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.19.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.19.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.19.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.19.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.19.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.19.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.19.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.19.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.20.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.20.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.20.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.20.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.20.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.20.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.20.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.20.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.20.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.20.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.20.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.20.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.20.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.20.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInUsedRatio.20.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.20.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.21.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.21.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.21.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.21.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.21.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.21.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.21.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.21.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.21.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.21.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.21.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.21.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.21.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.21.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.21.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.21.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.22.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.22.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.22.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.22.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.22.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.22.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.22.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.22.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.22.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.22.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.22.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.22.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.22.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.22.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.22.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.22.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.23.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.23.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.23.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.23.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.23.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.23.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.23.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.23.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.23.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.23.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.23.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.23.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.23.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.23.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.23.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.23.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.24.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.24.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInUsedRatio.24.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.24.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.24.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.24.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.24.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.24.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.24.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.24.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.24.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.24.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.24.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.24.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.24.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.24.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.25.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.25.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.25.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.25.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.25.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.25.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.25.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.25.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.25.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.25.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.25.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.25.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.25.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.25.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.25.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.25.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.26.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.26.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.26.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.26.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.26.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.26.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.26.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.26.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.26.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.26.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.26.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.26.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.26.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.26.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.26.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.26.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.27.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.27.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.27.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.27.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.27.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.27.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInUsedRatio.27.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.27.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.27.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.27.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.27.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.27.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.27.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.27.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.27.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.27.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.28.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.28.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.28.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.28.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.28.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.28.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.28.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.28.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.28.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.28.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.28.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.28.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.28.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.28.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.28.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.28.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.29.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.29.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.29.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.29.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.29.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.29.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.29.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.29.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.29.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.29.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.29.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.29.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.29.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.29.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.29.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.29.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.30.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.30.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.30.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.30.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.30.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.30.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.30.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.30.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.30.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.30.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInUsedRatio.30.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.30.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.30.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.30.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.30.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.30.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.31.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.31.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.31.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.31.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.31.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.31.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.31.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.31.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.31.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.31.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.31.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.31.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.31.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.31.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.31.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.31.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.32.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.32.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.32.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.32.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.32.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.32.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.32.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.32.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.32.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.32.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.32.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.32.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.32.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.32.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedRatio.32.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.32.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.3.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.3.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.3.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.3.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.3.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.3.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.3.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.3.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.3.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.3.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.3.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.3.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.3.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.3.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInUsedPeak.3.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.3.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.4.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.4.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.4.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.4.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.4.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.4.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.4.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.4.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.4.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.4.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.4.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.4.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.4.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.4.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.4.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.4.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.5.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.5.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.5.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.5.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.5.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.5.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.5.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.5.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.5.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.5.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.5.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.5.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.5.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.5.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.5.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.5.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.6.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.6.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.6.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.6.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.6.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.6.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.6.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.6.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.6.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.6.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.6.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.6.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.6.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.6.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.6.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.6.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.7.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.7.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInUsedPeak.7.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.7.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.7.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.7.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.7.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.7.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.7.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.7.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.7.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.7.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.7.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.7.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.7.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.7.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.8.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.8.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.8.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.8.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.8.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.8.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.8.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.8.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.8.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.8.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.8.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.8.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.8.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.8.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.8.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.8.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.9.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.9.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.9.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.9.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.9.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.9.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.9.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.9.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.9.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.9.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.9.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.9.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.9.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.9.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.9.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.9.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.10.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.10.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.10.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.10.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.10.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.10.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInUsedPeak.10.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.10.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.10.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.10.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.10.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.10.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.10.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.10.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.10.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.10.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.11.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.11.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.11.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.11.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.11.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.11.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.11.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.11.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.11.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.11.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.11.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.11.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.11.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.11.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.11.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.11.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.12.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.12.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.12.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.12.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.12.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.12.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.12.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.12.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.12.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.12.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.12.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.12.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.12.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.12.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.12.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.12.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.13.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.13.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.13.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.13.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.13.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.13.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.13.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.13.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.13.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.13.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInUsedPeak.13.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.13.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.13.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.13.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.13.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.13.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.14.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.14.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.14.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.14.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.14.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.14.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.14.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.14.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.14.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.14.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.14.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.14.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.14.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.14.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.14.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.14.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.15.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.15.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.15.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.15.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.15.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.15.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.15.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.15.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.15.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.15.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.15.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.15.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.15.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.15.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.15.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.15.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.16.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.16.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.16.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.16.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.16.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.16.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.16.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.16.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.16.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.16.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.16.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.16.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.16.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.16.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInUsedPeak .16.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.16.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak .17.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.17.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak .17.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.17.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak .17.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.17.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak .17.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.17.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak .17.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.17.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak .17.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.17.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak .17.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.17.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak .17.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.17.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak .18.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.18.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak .18.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.18.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak .18.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.18.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak .18.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.18.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak .18.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.18.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak .18.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.18.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak .18.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.18.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak .18.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.18.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak .19.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.19.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak .19.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.19.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak .19.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.19.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak .19.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.19.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak .19.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.19.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak .19.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.19.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak .19.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.19.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak .19.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.19.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak .20.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.20.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInUsedPeak.20.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.20.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.20.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.20.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.20.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.20.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.20.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.20.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.20.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.20.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.20.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.20.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.20.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.20.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.21.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.21.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.21.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.21.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.21.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.21.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.21.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.21.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.21.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.21.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.21.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.21.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.21.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.21.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.21.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.21.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.22.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.22.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.22.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.22.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.22.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.22.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.22.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.22.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.22.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.22.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.22.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.22.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.22.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.22.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.22.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.22.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.23.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.23.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.23.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.23.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.23.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.23.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInUsedPeak.23.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.23.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.23.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.23.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.23.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.23.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.23.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.23.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.23.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.23.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.24.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.24.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.24.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.24.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.24.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.24.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.24.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.24.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.24.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.24.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.24.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.24.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.24.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.24.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.24.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.24.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.25.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.25.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.25.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.25.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.25.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.25.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.25.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.25.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.25.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.25.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.25.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.25.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.25.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.25.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.25.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.25.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.26.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.26.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.26.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.26.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.26.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.26.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.26.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.26.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.26.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.26.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInUsedPeak.26.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.26.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.26.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.26.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.26.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.26.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.27.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.27.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.27.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.27.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.27.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.27.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.27.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.27.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.27.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.27.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.27.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.27.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.27.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.27.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.27.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.27.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.28.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.28.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.28.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.28.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.28.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.28.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.28.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.28.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.28.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.28.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.28.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.28.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.28.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.28.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.28.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.28.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.29.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.29.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.29.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.29.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.29.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.29.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.29.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.29.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.29.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.29.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.29.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.29.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.29.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.29.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInUsedPeak.29.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.29.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.30.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.30.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.30.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.30.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.30.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.30.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.30.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.30.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.30.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.30.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.30.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.30.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.30.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.30.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.30.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.30.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.31.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.31.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.31.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.31.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.31.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.31.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.31.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.31.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.31.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.31.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.31.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.31.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.31.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.31.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.31.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.31.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.32.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.32.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.32.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.32.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.32.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.32.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.32.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.32.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.32.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.32.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.32.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.32.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.32.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.32.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInUsedPeak.32.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.32.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.3.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.3.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInThreshold.3.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.3.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.3.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.3.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.3.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.3.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.3.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.3.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.3.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.3.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.3.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.3.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.3.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.3.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.4.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.4.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.4.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.4.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.4.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.4.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.4.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.4.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.4.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.4.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.4.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.4.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.4.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.4.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.4.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.4.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.5.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.5.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.5.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.5.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.5.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.5.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.5.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.5.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.5.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.5.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.5.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.5.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.5.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.5.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.5.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.5.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.6.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.6.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.6.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.6.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.6.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.6.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInThreshold.6.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.6.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.6.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.6.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.6.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.6.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.6.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.6.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.6.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.6.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.7.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.7.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.7.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.7.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.7.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.7.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.7.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.7.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.7.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.7.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.7.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.7.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.7.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.7.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.7.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.7.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.8.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.8.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.8.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.8.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.8.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.8.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.8.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.8.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.8.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.8.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.8.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.8.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.8.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.8.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.8.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.8.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.9.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.9.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.9.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.9.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.9.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.9.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.9.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.9.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.9.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.9.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInThreshold.9.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.9.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.9.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.9.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.9.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.9.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.10.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.10.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.10.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.10.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.10.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.10.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.10.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.10.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.10.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.10.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.10.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.10.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.10.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.10.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.10.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.10.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.11.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.11.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.11.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.11.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.11.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.11.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.11.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.11.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.11.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.11.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.11.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.11.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.11.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.11.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.11.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.11.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.12.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.12.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.12.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.12.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.12.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.12.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.12.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.12.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.12.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.12.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.12.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.12.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.12.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.12.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInThreshold.12.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.12.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.13.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.13.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.13.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.13.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.13.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.13.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.13.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.13.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.13.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.13.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.13.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.13.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.13.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.13.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.13.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.13.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.14.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.14.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.14.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.14.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.14.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.14.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.14.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.14.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.14.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.14.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.14.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.14.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.14.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.14.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.14.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.14.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.15.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.15.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.15.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.15.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.15.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.15.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.15.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.15.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.15.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.15.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.15.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.15.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.15.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.15.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.15.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.15.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.16.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.16.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInThreshold.16.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.16.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.16.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.16.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.16.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.16.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.16.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.16.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.16.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.16.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.16.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.16.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.16.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.16.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.17.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.17.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.17.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.17.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.17.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.17.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.17.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.17.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.17.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.17.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.17.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.17.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.17.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.17.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.17.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.17.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.18.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.18.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.18.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.18.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.18.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.18.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.18.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.18.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.18.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.18.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.18.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.18.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.18.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.18.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.18.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.18.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.19.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.19.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.19.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.19.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.19.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.19.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInThresholdd.19.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.19.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.19.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.19.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.19.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.19.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.19.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.19.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.19.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.19.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.20.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.20.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.20.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.20.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.20.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.20.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.20.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.20.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.20.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.20.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.20.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.20.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.20.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.20.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.20.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.20.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.21.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.21.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.21.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.21.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.21.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.21.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.21.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.21.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.21.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.21.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.21.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.21.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.21.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.21.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.21.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.21.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.22.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.22.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.22.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.22.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.22.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.22.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.22.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.22.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.22.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.22.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInThreshold.22.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.22.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.22.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.22.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.22.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.22.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.23.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.23.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.23.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.23.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.23.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.23.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.23.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.23.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.23.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.23.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.23.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.23.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.23.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.23.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.23.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.23.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.24.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.24.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.24.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.24.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.24.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.24.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.24.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.24.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.24.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.24.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.24.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.24.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.24.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.24.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.24.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.24.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.25.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.25.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.25.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.25.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.25.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.25.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.25.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.25.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.25.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.25.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.25.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.25.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.25.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.25.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInThresholdd.25.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.25.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.26.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.26.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.26.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.26.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.26.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.26.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.26.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.26.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.26.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.26.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.26.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.26.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.26.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.26.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.26.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.26.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.27.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.27.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.27.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.27.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.27.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.27.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.27.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.27.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.27.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.27.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.27.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.27.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.27.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.27.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.27.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.27.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.28.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.28.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.28.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.28.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.28.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.28.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.28.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.28.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.28.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.28.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.28.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.28.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.28.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.28.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.28.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.28.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThresholdd.29.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.29.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInThreshold.29.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.29.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.29.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.29.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.29.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.29.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.29.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.29.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.29.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.29.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.29.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.29.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.29.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.29.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.30.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.30.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.30.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.30.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.30.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.30.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.30.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.30.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.30.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.30.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.30.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.30.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.30.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.30.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.30.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.30.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.31.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.31.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.31.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.31.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.31.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.31.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.31.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.31.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.31.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.31.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.31.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.31.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.31.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.31.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.31.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.31.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.32.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.32.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.32.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.32.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.32.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.32.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInThreshold.32.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.32.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.32.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.32.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.32.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.32.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.32.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.32.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInThreshold.32.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.32.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.3.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.3.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.3.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.3.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.3.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.3.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.3.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.3.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.3.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.3.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.3.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.3.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.3.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.3.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.3.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.3.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.4.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.4.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.4.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.4.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.4.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.4.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.4.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.4.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.4.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.4.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.4.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.4.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.4.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.4.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.4.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.4.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.5.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.5.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.5.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.5.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.5.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.5.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.5.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.5.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.5.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.5.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInOverThres.5.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.5.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.5.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.5.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.5.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.5.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.6.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.6.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.6.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.6.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.6.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.6.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.6.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.6.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.6.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.6.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.6.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.6.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.6.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.6.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.6.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.6.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.7.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.7.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.7.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.7.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.7.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.7.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.7.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.7.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.7.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.7.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.7.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.7.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.7.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.7.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.7.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.7.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.8.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.8.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.8.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.8.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.8.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.8.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.8.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.8.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.8.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.8.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.8.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.8.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.8.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.8.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInOverThres.8.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.8.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.9.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.9.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.9.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.9.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.9.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.9.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.9.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.9.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.9.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.9.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.9.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.9.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.9.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.9.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.9.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.9.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.10.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.10.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.10.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.10.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.10.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.10.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.10.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.10.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.10.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.10.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.10.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.10.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.10.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.10.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.10.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.10.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.11.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.11.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.11.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.11.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.11.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.11.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.11.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.11.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.11.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.11.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.11.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.11.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.11.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.11.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.11.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.11.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.12.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.12.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInOverThres.12.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.12.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.12.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.12.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.12.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.12.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.12.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.12.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.12.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.12.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.12.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.12.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.12.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.12.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.13.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.13.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.13.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.13.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.13.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.13.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.13.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.13.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.13.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.13.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.13.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.13.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.13.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.13.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.13.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.13.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.14.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.14.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.14.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.14.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.14.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.14.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.14.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.14.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.14.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.14.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.14.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.14.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.14.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.14.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.14.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.14.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.15.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.15.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.15.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.15.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.15.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.15.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInOverThres.15.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.15.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.15.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.15.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.15.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.15.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.15.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.15.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.15.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.15.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.16.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.16.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.16.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.16.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.16.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.16.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.16.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.16.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.16.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.16.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.16.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.16.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.16.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.16.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.16.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.16.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.17.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.17.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.17.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.17.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.17.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.17.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.17.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.17.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.17.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.17.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.17.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.17.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.17.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.17.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.17.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.17.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.18.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.18.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.18.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.18.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.18.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.18.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.18.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.18.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.18.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.18.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInOverThres.18.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.18.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.18.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.18.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.18.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.18.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.19.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.19.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.19.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.19.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.19.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.19.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.19.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.19.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.19.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.19.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.19.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.19.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.19.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.19.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.19.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.19.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.20.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.20.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.20.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.20.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.20.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.20.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.20.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.20.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.20.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.20.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.20.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.20.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.20.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.20.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.20.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.20.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.21.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.21.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.21.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.21.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.21.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.21.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.21.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.21.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.21.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.21.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.21.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.21.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.21.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.21.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInOverThres.21.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.21.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.22.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.22.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.22.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.22.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.22.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.22.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.22.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.22.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.22.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.22.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.22.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.22.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.22.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.22.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.22.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.22.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.23.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.23.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.23.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.23.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.23.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.23.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.23.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.23.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.23.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.23.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.23.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.23.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.23.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.23.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.23.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.23.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.24.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.24.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.24.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.24.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.24.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.24.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.24.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.24.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.24.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.24.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.24.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.24.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.24.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.24.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.24.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.24.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.25.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.25.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInOverThres.25.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.25.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.25.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.25.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.25.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.25.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.25.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.25.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.25.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.25.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.25.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.25.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.25.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.25.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.26.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.26.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.26.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.26.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.26.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.26.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.26.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.26.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.26.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.26.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.26.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.26.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.26.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.26.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.26.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.26.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.27.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.27.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.27.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.27.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.27.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.27.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.27.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.27.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.27.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.27.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.27.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.27.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.27.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.27.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.27.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.27.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.28.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.28.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.28.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.28.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.28.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.28.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInOverThres.28.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.28.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.28.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.28.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.28.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.28.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.28.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.28.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.28.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.28.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.29.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.29.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.29.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.29.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.29.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.29.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.29.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.29.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.29.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.29.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.29.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.29.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.29.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.29.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.29.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.29.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.30.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.30.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.30.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.30.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.30.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.30.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.30.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.30.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.30.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.30.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.30.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.30.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.30.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.30.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.30.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.30.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.31.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.31.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.31.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.31.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.31.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.31.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.31.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.31.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.31.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.31.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInOverThres.31.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.31.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.31.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.31.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.31.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.31.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.32.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.32.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.32.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.32.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.32.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.32.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.32.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.32.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.32.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.32.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.32.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.32.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.32.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.32.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInOverThres.32.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.32.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomTotal.3.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.3.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomTotal.3.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.3.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomTotal.3.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.3.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomTotal.3.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.3.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomTotal.3.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.3.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomTotal.3.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.3.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomTotal.3.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.3.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomTotal.3.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.3.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomTotal.4.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.4.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomTotal.4.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.4.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomTotal.4.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.4.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomTotal.4.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.4.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomTotal.4.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.4.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomTotal.4.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.4.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomTotal.4.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.4.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.4.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.4.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.5.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.5.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.5.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.5.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.5.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.5.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.5.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.5.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.5.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.5.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.5.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.5.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.5.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.5.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.5.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.5.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.6.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.6.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.6.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.6.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.6.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.6.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.6.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.6.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.6.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.6.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.6.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.6.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.6.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.6.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.6.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.6.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.7.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.7.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.7.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.7.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.7.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.7.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.7.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.7.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.7.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.7.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.7.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.7.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.7.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.7.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.7.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.7.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.8.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.8.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.8.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.8.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.8.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.8.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.8.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.8.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.8.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.8.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.8.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.8.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.8.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.8.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.8.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.8.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.9.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.9.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.9.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.9.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.9.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.9.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.9.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.9.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.9.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.9.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.9.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.9.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.9.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.9.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.9.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.9.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.10.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.10.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.10.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.10.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.10.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.10.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.10.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.10.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.10.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.10.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.10.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.10.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.10.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.10.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.10.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.10.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.11.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.11.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.11.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.11.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.11.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.11.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.11.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.11.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.11.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.11.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.11.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.11.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.11.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.11.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.11.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.11.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.12.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.12.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.12.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.12.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.12.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.12.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.12.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.12.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.12.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.12.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.12.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.12.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.12.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.12.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.12.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.12.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.13.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.13.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.13.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.13.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.13.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.13.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.13.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.13.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.13.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.13.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.13.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.13.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.13.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.13.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.13.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.13.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.14.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.14.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.14.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.14.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.14.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.14.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.14.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.14.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.14.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.14.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.14.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.14.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.14.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.14.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.14.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.14.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.15.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.15.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.15.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.15.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.15.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.15.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.15.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.15.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.15.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.15.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.15.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.15.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.15.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.15.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.15.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.15.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.16.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.16.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.16.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.16.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.16.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.16.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.16.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.16.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.16.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.16.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.16.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.16.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.16.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.16.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.16.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.16.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.17.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.17.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.17.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.17.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.17.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.17.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.17.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.17.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.17.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.17.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.17.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.17.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.17.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.17.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.17.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.17.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.18.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.18.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.18.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.18.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.18.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.18.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.18.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.18.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.18.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.18.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.18.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.18.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.18.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.18.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.18.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.18.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.19.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.19.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.19.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.19.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.19.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.19.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.19.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.19.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.19.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.19.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.19.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.19.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.19.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.19.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.19.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.19.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.20.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.20.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.20.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.20.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.20.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.20.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.20.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.20.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.20.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.20.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.20.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.20.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.20.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.20.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.20.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.20.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.21.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.21.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.21.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.21.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.21.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.21.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.21.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.21.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.21.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.21.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.21.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.21.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.21.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.21.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.21.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.21.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.22.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.22.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.22.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.22.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.22.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.22.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.22.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.22.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.22.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.22.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.22.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.22.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.22.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.22.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.22.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.22.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.23.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.23.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.23.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.23.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.23.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.23.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.23.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.23.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.23.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.23.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.23.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.23.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.23.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.23.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.23.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.23.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.24.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.24.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.24.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.24.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.24.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.24.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.24.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.24.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.24.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.24.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.24.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.24.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.24.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.24.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.24.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.24.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.25.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.25.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.25.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.25.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.25.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.25.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.25.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.25.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.25.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.25.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.25.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.25.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.25.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.25.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.25.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.25.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.26.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.26.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.26.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.26.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.26.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.26.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.26.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.26.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.26.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.26.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.26.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.26.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.26.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.26.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.26.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.26.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.27.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.27.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.27.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.27.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.27.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.27.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.27.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.27.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.27.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.27.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.27.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.27.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.27.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.27.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.27.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.27.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.28.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.28.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.28.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.28.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.28.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.28.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.28.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.28.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.28.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.28.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.28.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.28.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.28.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.28.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.28.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.28.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.29.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.29.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.29.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.29.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.29.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.29.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.29.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.29.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.29.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.29.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.29.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.29.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.29.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.29.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.29.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.29.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.30.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.30.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.30.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.30.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.30.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.30.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.30.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.30.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.30.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.30.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.30.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.30.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.30.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.30.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.30.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.30.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.31.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.31.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.31.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.31.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.31.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.31.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.31.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.31.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.31.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.31.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.31.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.31.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.31.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.31.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.31.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.31.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.32.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.32.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.32.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.32.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.32.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.32.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.32.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.32.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.32.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.32.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.32.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.32.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.32.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.32.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Total.32.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.32.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Free.3.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.3.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Free.3.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.3.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Free.3.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.3.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Free.3.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.3.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Free.3.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.3.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Free.3.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.3.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Free.3.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.3.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Free.3.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.3.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom Free.4.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.4.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.4.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.4.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.4.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.4.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.4.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.4.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.4.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.4.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.4.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.4.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.4.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.4.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.4.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.4.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.5.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.5.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.5.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.5.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.5.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.5.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.5.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.5.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.5.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.5.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.5.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.5.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.5.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.5.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.5.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.5.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.6.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.6.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.6.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.6.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.6.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.6.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.6.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.6.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.6.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.6.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.6.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.6.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.6.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.6.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.6.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.6.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.7.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.7.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.7.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.7.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.7.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.7.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.7.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.7.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.7.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.7.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.7.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.7.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.7.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.7.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.7.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.7.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.8.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.8.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.8.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.8.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.8.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.8.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.8.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.8.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.8.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.8.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.8.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.8.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.8.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.8.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.8.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.8.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.9.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.9.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.9.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.9.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.9.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.9.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.9.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.9.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.9.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.9.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.9.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.9.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.9.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.9.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.9.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.9.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.10.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.10.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.10.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.10.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.10.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.10.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.10.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.10.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.10.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.10.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.10.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.10.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.10.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.10.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.10.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.10.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.11.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.11.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.11.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.11.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.11.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.11.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.11.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.11.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.11.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.11.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.11.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.11.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.11.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.11.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.11.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.11.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.12.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.12.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.12.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.12.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.12.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.12.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.12.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.12.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.12.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.12.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.12.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.12.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.12.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.12.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.12.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.12.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.13.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.13.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.13.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.13.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.13.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.13.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.13.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.13.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.13.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.13.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.13.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.13.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.13.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.13.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.13.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.13.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.14.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.14.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.14.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.14.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.14.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.14.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.14.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.14.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.14.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.14.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.14.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.14.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.14.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.14.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.14.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.14.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.15.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.15.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.15.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.15.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.15.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.15.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.15.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.15.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.15.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.15.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.15.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.15.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.15.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.15.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.15.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.15.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.16.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.16.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.16.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.16.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.16.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.16.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.16.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.16.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.16.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.16.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.16.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.16.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.16.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.16.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.16.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.16.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.17.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.17.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.17.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.17.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.17.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.17.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.17.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.17.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.17.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.17.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.17.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.17.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.17.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.17.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.17.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.17.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.18.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.18.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.18.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.18.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.18.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.18.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.18.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.18.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.18.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.18.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.18.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.18.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.18.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.18.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.18.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.18.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.19.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.19.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.19.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.19.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.19.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.19.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.19.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.19.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.19.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.19.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.19.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.19.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.19.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.19.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.19.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.19.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.20.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.20.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.20.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.20.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.20.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.20.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.20.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.20.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.20.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.20.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.20.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.20.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.20.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.20.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.20.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.20.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.21.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.21.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.21.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.21.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.21.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.21.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.21.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.21.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.21.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.21.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.21.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.21.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.21.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.21.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.21.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.21.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.22.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.22.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.22.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.22.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.22.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.22.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.22.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.22.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.22.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.22.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.22.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.22.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.22.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.22.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.22.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.22.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.23.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.23.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.23.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.23.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.23.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.23.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.23.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.23.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.23.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.23.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.23.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.23.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.23.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.23.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.23.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.23.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.24.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.24.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.24.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.24.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.24.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.24.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.24.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.24.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.24.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.24.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.24.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.24.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.24.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.24.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.24.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.24.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.25.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.25.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.25.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.25.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.25.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.25.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.25.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.25.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.25.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.25.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.25.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.25.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.25.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.25.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.25.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.25.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.26.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.26.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.26.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.26.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.26.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.26.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.26.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.26.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.26.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.26.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.26.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.26.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.26.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.26.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.26.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.26.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.27.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.27.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.27.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.27.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.27.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.27.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.27.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.27.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.27.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.27.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.27.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.27.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.27.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.27.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.27.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.27.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.28.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.28.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.28.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.28.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.28.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.28.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.28.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.28.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.28.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.28.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.28.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.28.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.28.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.28.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.28.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.28.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.29.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.29.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.29.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.29.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.29.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.29.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.29.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.29.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.29.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.29.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.29.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.29.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.29.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.29.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.29.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.29.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.30.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.30.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.30.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.30.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.30.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.30.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.30.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.30.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.30.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.30.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.30.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.30.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.30.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.30.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.30.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.30.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.31.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.31.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.31.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.31.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.31.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.31.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.31.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.31.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.31.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.31.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.31.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.31.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.31.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.31.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.31.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.31.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.32.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.32.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.32.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.32.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.32.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.32.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.32.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.32.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.32.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.32.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.32.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.32.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.32.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.32.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomFree.32.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.32.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedRatio.3.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.3.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedRatio.3.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.3.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedRatio.3.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.3.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.3.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.3.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.3.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.3.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.3.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.3.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.3.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.3.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.3.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.3.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.4.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.4.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.4.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.4.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.4.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.4.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.4.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.4.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.4.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.4.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.4.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.4.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.4.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.4.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.4.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.4.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.5.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.5.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.5.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.5.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.5.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.5.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.5.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.5.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.5.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.5.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.5.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.5.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.5.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.5.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.5.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.5.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.6.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.6.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.6.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.6.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.6.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.6.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.6.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.6.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.6.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.6.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.6.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.6.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.6.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.6.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.6.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.6.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.7.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.7.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.7.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.7.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.7.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.7.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.7.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.7.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.7.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.7.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.7.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.7.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.7.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.7.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.7.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.7.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.8.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.8.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.8.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.8.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.8.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.8.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.8.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.8.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.8.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.8.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.8.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.8.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.8.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.8.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.8.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.8.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.9.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.9.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.9.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.9.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.9.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.9.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.9.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.9.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.9.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.9.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.9.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.9.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.9.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.9.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedRatio.9.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.9.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedRatio.10.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.10.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedRatio.10.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.10.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedRatio.10.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.10.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedRatio.10.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.10.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedRatio.10.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.10.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedRatio.10.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.10.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedRatio.10.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.10.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedRatio.10.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.10.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedRatio.11.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.11.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedRatio.11.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.11.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedRatio.11.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.11.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedRatio.11.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.11.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedRatio.11.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.11.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedRatio.11.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.11.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedRatio.11.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.11.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedRatio.11.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.11.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedRatio.12.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.12.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedRatio.12.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.12.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedRatio.12.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.12.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedRatio.12.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.12.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedRatio.12.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.12.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedRatio.12.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.12.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedRatio.12.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.12.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedRatio.12.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.12.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedRatio.13.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.13.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.13.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.13.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.13.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.13.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.13.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.13.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.13.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.13.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.13.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.13.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.13.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.13.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.13.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.13.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.14.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.14.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.14.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.14.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.14.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.14.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.14.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.14.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.14.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.14.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.14.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.14.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.14.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.14.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.14.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.14.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.15.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.15.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.15.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.15.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.15.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.15.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.15.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.15.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.15.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.15.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.15.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.15.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.15.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.15.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.15.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.15.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.16.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.16.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.16.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.16.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.16.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.16.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.16.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.16.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.16.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.16.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.16.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.16.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.16.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.16.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.16.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.16.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.17.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.17.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.17.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.17.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.17.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.17.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.17.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.17.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.17.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.17.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.17.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.17.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.17.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.17.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.17.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.17.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.18.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.18.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.18.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.18.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.18.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.18.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.18.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.18.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.18.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.18.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.18.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.18.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.18.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.18.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.18.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.18.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.19.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.19.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.19.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.19.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.19.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.19.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.19.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.19.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.19.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.19.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.19.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.19.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.19.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.19.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.19.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.19.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.20.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.20.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.20.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.20.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.20.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.20.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.20.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.20.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.20.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.20.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.20.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.20.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.20.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.20.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.20.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.20.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.21.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.21.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.21.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.21.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.21.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.21.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.21.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.21.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.21.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.21.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.21.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.21.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.21.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.21.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.21.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.21.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.22.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.22.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.22.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.22.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.22.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.22.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.22.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.22.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.22.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.22.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.22.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.22.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.22.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.22.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.22.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.22.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.23.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.23.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.23.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.23.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.23.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.23.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.23.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.23.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.23.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.23.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.23.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.23.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.23.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.23.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.23.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.23.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.24.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.24.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.24.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.24.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.24.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.24.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.24.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.24.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.24.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.24.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.24.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.24.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.24.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.24.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.24.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.24.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.25.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.25.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.25.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.25.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.25.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.25.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.25.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.25.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.25.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.25.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.25.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.25.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.25.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.25.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.25.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.25.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.26.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.26.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.26.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.26.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.26.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.26.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.26.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.26.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.26.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.26.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.26.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.26.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.26.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.26.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.26.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.26.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.27.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.27.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.27.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.27.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.27.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.27.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.27.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.27.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.27.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.27.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.27.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.27.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.27.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.27.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.27.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.27.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.28.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.28.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.28.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.28.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.28.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.28.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.28.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.28.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.28.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.28.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.28.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.28.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.28.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.28.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.28.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.28.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.29.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.29.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.29.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.29.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.29.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.29.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.29.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.29.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.29.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.29.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.29.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.29.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.29.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.29.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.29.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.29.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.30.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.30.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.30.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.30.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.30.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.30.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.30.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.30.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.30.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.30.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.30.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.30.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.30.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.30.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.30.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.30.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.31.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.31.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.31.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.31.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.31.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.31.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.31.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.31.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.31.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.31.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.31.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.31.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.31.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.31.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.31.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.31.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.32.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.32.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.32.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.32.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.32.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.32.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.32.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.32.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.32.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.32.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.32.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.32.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.32.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.32.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedRatio.32.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.32.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.3.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.3.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.3.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.3.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.3.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.3.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.3.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.3.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.3.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.3.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.3.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.3.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.3.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.3.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.3.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.3.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.4.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.4.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.4.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.4.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.4.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.4.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.4.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.4.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.4.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.4.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.4.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.4.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.4.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.4.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.4.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.4.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.5.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.5.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.5.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.5.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.5.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.5.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.5.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.5.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.5.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.5.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.5.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.5.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.5.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.5.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.5.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.5.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.6.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.6.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.6.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.6.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.6.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.6.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.6.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.6.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.6.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.6.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.6.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.6.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.6.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.6.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.6.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.6.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.7.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.7.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.7.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.7.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.7.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.7.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.7.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.7.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.7.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.7.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.7.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.7.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.7.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.7.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.7.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.7.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.8.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.8.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.8.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.8.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.8.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.8.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.8.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.8.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.8.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.8.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.8.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.8.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.8.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.8.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.8.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.8.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.9.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.9.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.9.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.9.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.9.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.9.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.9.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.9.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.9.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.9.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.9.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.9.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.9.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.9.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.9.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.9.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.10.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.10.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.10.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.10.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.10.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.10.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.10.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.10.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.10.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.10.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.10.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.10.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.10.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.10.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.10.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.10.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.11.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.11.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.11.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.11.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.11.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.11.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.11.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.11.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.11.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.11.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.11.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.11.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.11.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.11.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.11.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.11.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.12.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.12.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.12.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.12.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.12.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.12.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.12.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.12.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.12.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.12.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.12.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.12.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.12.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.12.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.12.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.12.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.13.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.13.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.13.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.13.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.13.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.13.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.13.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.13.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.13.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.13.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.13.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.13.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.13.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.13.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.13.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.13.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.14.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.14.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.14.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.14.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.14.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.14.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.14.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.14.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.14.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.14.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.14.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.14.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.14.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.14.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.14.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.14.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.15.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.15.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.15.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.15.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.15.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.15.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.15.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.15.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.15.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.15.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.15.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.15.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.15.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.15.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.15.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.15.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.16.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.16.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.16.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.16.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.16.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.16.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.16.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.16.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.16.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.16.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.16.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.16.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.16.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.16.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.16.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.16.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.17.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.17.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.17.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.17.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.17.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.17.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.17.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.17.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.17.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.17.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.17.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.17.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.17.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.17.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.17.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.17.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.18.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.18.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.18.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.18.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.18.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.18.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.18.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.18.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.18.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.18.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.18.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.18.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.18.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.18.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.18.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.18.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.19.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.19.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.19.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.19.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.19.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.19.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.19.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.19.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.19.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.19.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.19.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.19.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.19.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.19.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.19.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.19.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.20.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.20.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.20.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.20.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.20.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.20.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.20.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.20.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.20.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.20.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.20.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.20.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.20.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.20.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.20.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.20.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.21.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.21.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.21.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.21.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.21.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.21.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.21.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.21.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.21.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.21.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.21.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.21.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.21.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.21.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.21.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.21.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.22.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.22.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.22.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.22.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.22.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.22.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.22.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.22.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.22.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.22.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.22.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.22.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.22.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.22.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.22.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.22.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.23.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.23.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.23.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.23.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.23.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.23.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.23.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.23.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.23.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.23.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.23.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.23.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.23.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.23.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.23.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.23.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.24.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.24.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.24.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.24.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.24.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.24.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.24.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.24.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.24.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.24.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.24.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.24.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.24.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.24.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.24.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.24.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.25.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.25.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.25.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.25.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.25.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.25.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.25.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.25.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.25.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.25.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.25.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.25.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.25.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.25.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.25.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.25.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.26.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.26.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.26.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.26.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.26.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.26.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.26.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.26.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.26.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.26.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.26.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.26.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.26.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.26.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.26.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.26.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.27.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.27.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.27.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.27.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.27.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.27.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.27.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.27.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.27.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.27.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.27.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.27.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.27.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.27.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.27.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.27.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.28.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.28.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.28.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.28.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.28.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.28.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.28.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.28.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.28.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.28.5	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.28.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.28.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.28.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.28.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.28.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.28.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.29.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.29.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.29.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.29.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.29.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.29.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.29.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.29.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.29.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.29.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.29.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.29.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.29.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.29.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.29.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.29.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.30.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.30.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.30.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.30.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.30.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.30.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.30.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.30.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.30.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.30.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.30.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.30.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.30.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.30.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.30.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.30.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.31.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.31.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.31.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.31.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.31.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.31.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.31.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.31.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.31.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.31.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.31.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.31.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoom UsedPeak.31.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.31.7	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedPeak.31.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.31.8	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedPeak.32.que0	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.32.1	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedPeak.32.que1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.32.2	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedPeak.32.que2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.32.3	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedPeak.32.que3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.32.4	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedPeak.32.que4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.32.5	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedPeak.32.que5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.32.6	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedPeak.32.que6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.32.7	Gauge32	0
IB-IF-EXT-MIB::ibIfQueInHeadRoomUsedPeak.32.que7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.32.8	Gauge32	0
IB-IF-EXT-MIB::ibIfPhysicalNumber.0	.1.3.6.1.4.1.26138.2.40.2.3.1.0	INTEGER	31
IB-IF-EXT-MIB::ibIfUpDownTimes.2	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.2	INTEGER	0
IB-IF-EXT-MIB::ibIfUpDownTimes.3	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.3	INTEGER	0
IB-IF-EXT-MIB::ibIfUpDownTimes.4	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.4	INTEGER	0
IB-IF-EXT-MIB::ibIfUpDownTimes.5	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.5	INTEGER	0
IB-IF-EXT-MIB::ibIfUpDownTimes.6	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.6	INTEGER	0
IB-IF-EXT-MIB::ibIfUpDownTimes.7	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.7	INTEGER	0
IB-IF-EXT-MIB::ibIfUpDownTimes.8	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.8	INTEGER	0
IB-IF-EXT-MIB::ibIfUpDownTimes.9	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.9	INTEGER	1
IB-IF-EXT-MIB::ibIfUpDownTimes.10	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.10	INTEGER	0
IB-IF-EXT-MIB::ibIfUpDownTimes.11	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.11	INTEGER	0
IB-IF-EXT-MIB::ibIfUpDownTimes.12	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.12	INTEGER	0
IB-IF-EXT-MIB::ibIfUpDownTimes.13	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.13	INTEGER	0
IB-IF-EXT-MIB::ibIfUpDownTimes.14	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.14	INTEGER	0
IB-IF-EXT-MIB::ibIfUpDownTimes.15	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.15	INTEGER	0
IB-IF-EXT-MIB::ibIfUpDownTimes.16	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.16	INTEGER	0
IB-IF-EXT-MIB::ibIfUpDownTimes.17	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.17	INTEGER	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfUpDownTimes.18	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.18	INTEGER	0
IB-IF-EXT-MIB::ibIfUpDownTimes.19	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.19	INTEGER	0
IB-IF-EXT-MIB::ibIfUpDownTimes.20	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.20	INTEGER	0
IB-IF-EXT-MIB::ibIfUpDownTimes.21	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.21	INTEGER	0
IB-IF-EXT-MIB::ibIfUpDownTimes.22	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.22	INTEGER	0
IB-IF-EXT-MIB::ibIfUpDownTimes.23	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.23	INTEGER	0
IB-IF-EXT-MIB::ibIfUpDownTimes.24	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.24	INTEGER	0
IB-IF-EXT-MIB::ibIfUpDownTimes.25	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.25	INTEGER	0
IB-IF-EXT-MIB::ibIfUpDownTimes.26	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.26	INTEGER	0
IB-IF-EXT-MIB::ibIfUpDownTimes.27	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.27	INTEGER	0
IB-IF-EXT-MIB::ibIfUpDownTimes.28	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.28	INTEGER	0
IB-IF-EXT-MIB::ibIfUpDownTimes.29	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.29	INTEGER	0
IB-IF-EXT-MIB::ibIfUpDownTimes.30	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.30	INTEGER	0
IB-IF-EXT-MIB::ibIfUpDownTimes.31	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.31	INTEGER	0
IB-IF-EXT-MIB::ibIfUpDownTimes.32	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.32	INTEGER	0
IB-IF-EXT-MIB::ibIfUpDownTimes.65537	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.65537	INTEGER	0
IB-IF-EXT-MIB::ibIfUpDownTimes.65538	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.65538	INTEGER	1
IB-IF-EXT-MIB::ibIfUpDownTimes.65539	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.65539	INTEGER	1
IB-IF-EXT-MIB::ibIfMtu.2	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.2	INTEGER	1500
IB-IF-EXT-MIB::ibIfMtu.3	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.3	INTEGER	4000
IB-IF-EXT-MIB::ibIfMtu.4	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.4	INTEGER	4000
IB-IF-EXT-MIB::ibIfMtu.5	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.5	INTEGER	4000
IB-IF-EXT-MIB::ibIfMtu.6	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.6	INTEGER	4000
IB-IF-EXT-MIB::ibIfMtu.7	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.7	INTEGER	4000
IB-IF-EXT-MIB::ibIfMtu.8	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.8	INTEGER	4000
IB-IF-EXT-MIB::ibIfMtu.9	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.9	INTEGER	4000

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfMtu.10	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.10	INTEGER	4000
IB-IF-EXT-MIB::ibIfMtu.11	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.11	INTEGER	4000
IB-IF-EXT-MIB::ibIfMtu.12	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.12	INTEGER	4000
IB-IF-EXT-MIB::ibIfMtu.13	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.13	INTEGER	4000
IB-IF-EXT-MIB::ibIfMtu.14	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.14	INTEGER	4000
IB-IF-EXT-MIB::ibIfMtu.15	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.15	INTEGER	4000
IB-IF-EXT-MIB::ibIfMtu.16	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.16	INTEGER	4000
IB-IF-EXT-MIB::ibIfMtu.17	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.17	INTEGER	4000
IB-IF-EXT-MIB::ibIfMtu.18	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.18	INTEGER	4000
IB-IF-EXT-MIB::ibIfMtu.19	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.19	INTEGER	4000
IB-IF-EXT-MIB::ibIfMtu.20	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.20	INTEGER	4000
IB-IF-EXT-MIB::ibIfMtu.21	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.21	INTEGER	4000
IB-IF-EXT-MIB::ibIfMtu.22	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.22	INTEGER	4000
IB-IF-EXT-MIB::ibIfMtu.23	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.23	INTEGER	4000
IB-IF-EXT-MIB::ibIfMtu.24	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.24	INTEGER	4000
IB-IF-EXT-MIB::ibIfMtu.25	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.25	INTEGER	4000
IB-IF-EXT-MIB::ibIfMtu.26	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.26	INTEGER	4000
IB-IF-EXT-MIB::ibIfMtu.27	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.27	INTEGER	4000
IB-IF-EXT-MIB::ibIfMtu.28	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.28	INTEGER	4000
IB-IF-EXT-MIB::ibIfMtu.29	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.29	INTEGER	4000
IB-IF-EXT-MIB::ibIfMtu.30	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.30	INTEGER	4000
IB-IF-EXT-MIB::ibIfMtu.31	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.31	INTEGER	4000
IB-IF-EXT-MIB::ibIfMtu.32	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.32	INTEGER	4000
IB-IF-EXT-MIB::ibIfMtu.65537	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.65537	INTEGER	1500
IB-IF-EXT-MIB::ibIfMtu.65538	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.65538	INTEGER	1536
IB-IF-EXT-MIB::ibIfMtu.65539	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.65539	INTEGER	1500

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfStatusKeepTime.2	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.2	Timeticks	(7784974) 21:37:29.74
IB-IF-EXT-MIB::ibIfStatusKeepTime.3	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.3	Timeticks	(7786372) 21:37:43.72
IB-IF-EXT-MIB::ibIfStatusKeepTime.4	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.4	Timeticks	(7786376) 21:37:43.76
IB-IF-EXT-MIB::ibIfStatusKeepTime.5	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.5	Timeticks	(7786380) 21:37:43.80
IB-IF-EXT-MIB::ibIfStatusKeepTime.6	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.6	Timeticks	(7786384) 21:37:43.84
IB-IF-EXT-MIB::ibIfStatusKeepTime.7	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.7	Timeticks	(7786388) 21:37:43.88
IB-IF-EXT-MIB::ibIfStatusKeepTime.8	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.8	Timeticks	(7786392) 21:37:43.92
IB-IF-EXT-MIB::ibIfStatusKeepTime.9	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.9	Timeticks	(7784416) 21:37:24.16
IB-IF-EXT-MIB::ibIfStatusKeepTime.10	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.10	Timeticks	(7786399) 21:37:43.99
IB-IF-EXT-MIB::ibIfStatusKeepTime.11	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.11	Timeticks	(7786404) 21:37:44.04
IB-IF-EXT-MIB::ibIfStatusKeepTime.12	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.12	Timeticks	(7786408) 21:37:44.08
IB-IF-EXT-MIB::ibIfStatusKeepTime.13	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.13	Timeticks	(7786412) 21:37:44.12
IB-IF-EXT-MIB::ibIfStatusKeepTime.14	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.14	Timeticks	(7786416) 21:37:44.16
IB-IF-EXT-MIB::ibIfStatusKeepTime.15	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.15	Timeticks	(7786420) 21:37:44.20
IB-IF-EXT-MIB::ibIfStatusKeepTime.16	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.16	Timeticks	(7786424) 21:37:44.24
IB-IF-EXT-MIB::ibIfStatusKeepTime.17	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.17	Timeticks	(7786428) 21:37:44.28
IB-IF-EXT-MIB::ibIfStatusKeepTime.18	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.18	Timeticks	(7786431) 21:37:44.31
IB-IF-EXT-MIB::ibIfStatusKeepTime.19	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.19	Timeticks	(7786435) 21:37:44.35
IB-IF-EXT-MIB::ibIfStatusKeepTime.20	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.20	Timeticks	(7786439) 21:37:44.39
IB-IF-EXT-MIB::ibIfStatusKeepTime.21	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.21	Timeticks	(7786443) 21:37:44.43
IB-IF-EXT-MIB::ibIfStatusKeepTime.22	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.22	Timeticks	(7786447) 21:37:44.47
IB-IF-EXT-MIB::ibIfStatusKeepTime.23	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.23	Timeticks	(7786451) 21:37:44.51
IB-IF-EXT-MIB::ibIfStatusKeepTime.24	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.24	Timeticks	(7786455) 21:37:44.55
IB-IF-EXT-MIB::ibIfStatusKeepTime.25	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.25	Timeticks	(7786459) 21:37:44.59
IB-IF-EXT-MIB::ibIfStatusKeepTime.26	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.26	Timeticks	(7786463) 21:37:44.63
IB-IF-EXT-MIB::ibIfStatusKeepTime.27	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.27	Timeticks	(7786466) 21:37:44.66

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfStatusKeepTime.28	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.28	Timeticks	(7786470) 21:37:44.70
IB-IF-EXT-MIB::ibIfStatusKeepTime.29	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.29	Timeticks	(7786474) 21:37:44.74
IB-IF-EXT-MIB::ibIfStatusKeepTime.30	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.30	Timeticks	(7786478) 21:37:44.78
IB-IF-EXT-MIB::ibIfStatusKeepTime.31	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.31	Timeticks	(7786482) 21:37:44.82
IB-IF-EXT-MIB::ibIfStatusKeepTime.32	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.32	Timeticks	(7786486) 21:37:44.86
IB-IF-EXT-MIB::ibIfStatusKeepTime.65537	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.65537	Timeticks	(7786498) 21:37:44.98
IB-IF-EXT-MIB::ibIfStatusKeepTime.65538	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.65538	Timeticks	(7784805) 21:37:28.05
IB-IF-EXT-MIB::ibIfStatusKeepTime.65539	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.65539	Timeticks	(7780397) 21:36:43.97
IB-IF-EXT-MIB::ibIfPfcStatus.2	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.2	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.3	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.3	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.4	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.4	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.5	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.5	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.6	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.6	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.7	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.7	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.8	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.8	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.9	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.9	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.10	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.10	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.11	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.11	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.12	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.12	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.13	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.13	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.14	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.14	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.15	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.15	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.16	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.16	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.17	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.17	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.18	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.18	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.19	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.19	INTEGER	disable(2)

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfPfcStatus.20	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.20	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.21	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.21	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.22	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.22	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.23	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.23	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.24	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.24	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.25	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.25	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.26	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.26	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.27	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.27	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.28	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.28	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.29	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.29	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.30	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.30	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.31	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.31	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.32	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.32	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.65537	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.65537	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.65538	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.65538	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcStatus.65539	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.65539	INTEGER	disable(2)
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.2	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.2	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.3	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.3	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.4	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.4	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.5	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.5	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.6	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.6	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.7	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.7	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.8	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.8	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.9	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.9	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.10	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.10	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.11	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.11	BITS	00

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.12	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.12	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.13	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.13	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.14	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.14	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.15	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.15	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.16	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.16	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.17	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.17	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.18	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.18	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.19	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.19	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.20	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.20	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.21	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.21	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.22	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.22	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.23	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.23	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.24	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.24	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.25	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.25	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.26	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.26	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.27	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.27	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.28	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.28	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.29	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.29	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.30	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.30	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.31	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.31	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.32	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.32	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.65537	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.65537	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.65538	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.65538	BITS	00
IB-IF-EXT-MIB::ibIfPfcDot1pNoDrop.65539	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.65539	BITS	00
IB-IF-EXT-MIB::ibIfDescription.2	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.2	STRING	M-GigabitEthernet0/0/0 Interface
IB-IF-EXT-MIB::ibIfDescription.3	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.3	STRING	GigabitEthernet1/0/1 Interface

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfDescription.4	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.4	STRING	GigabitEthernet1/0/2 Interface
IB-IF-EXT-MIB::ibIfDescription.5	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.5	STRING	GigabitEthernet1/0/3 Interface
IB-IF-EXT-MIB::ibIfDescription.6	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.6	STRING	GigabitEthernet1/0/4 Interface
IB-IF-EXT-MIB::ibIfDescription.7	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.7	STRING	GigabitEthernet1/0/5 Interface
IB-IF-EXT-MIB::ibIfDescription.8	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.8	STRING	GigabitEthernet1/0/6 Interface
IB-IF-EXT-MIB::ibIfDescription.9	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.9	STRING	GigabitEthernet1/0/7 Interface
IB-IF-EXT-MIB::ibIfDescription.10	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.10	STRING	GigabitEthernet1/0/8 Interface
IB-IF-EXT-MIB::ibIfDescription.11	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.11	STRING	GigabitEthernet1/0/9 Interface
IB-IF-EXT-MIB::ibIfDescription.12	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.12	STRING	GigabitEthernet1/0/10 Interface
IB-IF-EXT-MIB::ibIfDescription.13	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.13	STRING	GigabitEthernet1/0/11 Interface
IB-IF-EXT-MIB::ibIfDescription.14	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.14	STRING	GigabitEthernet1/0/12 Interface
IB-IF-EXT-MIB::ibIfDescription.15	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.15	STRING	GigabitEthernet1/0/13 Interface
IB-IF-EXT-MIB::ibIfDescription.16	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.16	STRING	GigabitEthernet1/0/14 Interface
IB-IF-EXT-MIB::ibIfDescription.17	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.17	STRING	GigabitEthernet1/0/15 Interface
IB-IF-EXT-MIB::ibIfDescription.18	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.18	STRING	GigabitEthernet1/0/16 Interface
IB-IF-EXT-MIB::ibIfDescription.19	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.19	STRING	GigabitEthernet1/0/17 Interface
IB-IF-EXT-MIB::ibIfDescription.20	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.20	STRING	GigabitEthernet1/0/18 Interface
IB-IF-EXT-MIB::ibIfDescription.21	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.21	STRING	Ten-GigabitEthernet1/2/1 Interface
IB-IF-EXT-MIB::ibIfDescription.22	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.22	STRING	Ten-GigabitEthernet1/2/2 Interface
IB-IF-EXT-MIB::ibIfDescription.23	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.23	STRING	GigabitEthernet1/3/1 Interface
IB-IF-EXT-MIB::ibIfDescription.24	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.24	STRING	GigabitEthernet1/3/2 Interface
IB-IF-EXT-MIB::ibIfDescription.25	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.25	STRING	GigabitEthernet1/3/3 Interface
IB-IF-EXT-MIB::ibIfDescription.26	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.26	STRING	GigabitEthernet1/3/4 Interface
IB-IF-EXT-MIB::ibIfDescription.27	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.27	STRING	GigabitEthernet1/3/5 Interface
IB-IF-EXT-MIB::ibIfDescription.28	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.28	STRING	GigabitEthernet1/3/6 Interface
IB-IF-EXT-MIB::ibIfDescription.29	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.29	STRING	GigabitEthernet1/3/7 Interface

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfDescription.30	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.30	STRING	GigabitEthernet1/3/8 Interface
IB-IF-EXT-MIB::ibIfDescription.31	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.31	STRING	Ten-GigabitEthernet1/3/9 Interface
IB-IF-EXT-MIB::ibIfDescription.32	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.32	STRING	Ten-GigabitEthernet1/3/10 Interface
IB-IF-EXT-MIB::ibIfDescription.65537	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.65537	STRING	NULL0 Interface
IB-IF-EXT-MIB::ibIfDescription.65538	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.65538	STRING	InLoopBack0 Interface
IB-IF-EXT-MIB::ibIfDescription.65539	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.65539	STRING	Vlan-interface1 Interface
IB-IF-EXT-MIB::ibIfFwdErrDiscards.2	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.2	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.3	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.3	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.4	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.4	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.5	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.5	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.6	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.6	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.7	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.7	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.8	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.8	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.9	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.9	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.10	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.10	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.11	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.11	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.12	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.12	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.13	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.13	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.14	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.14	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.15	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.15	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.16	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.16	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.17	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.17	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.18	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.18	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.19	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.19	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.20	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.20	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.21	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.21	Gauge32	0

Name	OID	Value Type	Value Example
IB-IF-EXT-MIB::ibIfFwdErrDiscards.22	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.22	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.23	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.23	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.24	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.24	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.25	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.25	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.26	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.26	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.27	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.27	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.28	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.28	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.29	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.29	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.30	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.30	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.31	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.31	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.32	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.32	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.65537	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.65537	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.65538	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.65538	Gauge32	0
IB-IF-EXT-MIB::ibIfFwdErrDiscards.65539	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.65539	Gauge32	0
IB-DOMAIN-MIB::ibDomainDefault.0	.1.3.6.1.4.1.26138.2.46.1.1.0	STRING	"system"
IB-DOMAIN-MIB::ibDomainName."system"	.1.3.6.1.4.1.26138.2.46.1.1.0	STRING	"system"
IB-DOMAIN-MIB::ibDomainState."system"	.1.3.6.1.4.1.26138.2.46.1.1.0	INTEGER	active(1)
IB-DOMAIN-MIB::ibDomainRowStatus."system"	.1.3.6.1.4.1.26138.2.46.1.1.0	INTEGER	active(1)
IB-DOMAIN-MIB::ibDomainServiceType."system"	.1.3.6.1.4.1.26138.2.46.1.1.0	INTEGER	hsi(1)
IB-DOMAIN-MIB::ibDomainSchemeMode."system".1	.1.3.6.1.4.1.26138.2.46.1.1.0	INTEGER	local(2)
IB-DOMAIN-MIB::ibDomainSchemeMode."system".2	.1.3.6.1.4.1.26138.2.46.1.1.0	INTEGER	local(2)
IB-DOMAIN-MIB::ibDomainSchemeMode."system".3	.1.3.6.1.4.1.26138.2.46.1.1.0	INTEGER	local(2)
IB-DOMAIN-MIB::ibDomainSchemeRowStatus."system".1	.1.3.6.1.4.1.26138.2.46.1.1.0	INTEGER	active(1)
IB-DOMAIN-MIB::ibDomainSchemeRowStatus."system".2	.1.3.6.1.4.1.26138.2.46.1.1.0	INTEGER	active(1)

Name	OID	Value Type	Value Example
IB-DOMAIN-MIB::ibDomainScheme-Row Status."system".3	.1.3.6.1.4.1.26138.2.46.1.1.0	INTEGER	active(1)
IB-DOMAIN-MIB::ibDomainScheme-AAA Type."system".1	.1.3.6.1.4.1.26138.2.46.1.1.0	INTEGER	authentication(2)
IB-DOMAIN-MIB::ibDomainScheme-AAA Type."system".2	.1.3.6.1.4.1.26138.2.46.1.1.0	INTEGER	authorization(3)
IB-DOMAIN-MIB::ibDomainScheme-AAA Type."system".3	.1.3.6.1.4.1.26138.2.46.1.1.0	INTEGER	accounting(1)
IB-DOMAIN-MIB::ibDomainScheme-Acc essMode."system".1	.1.3.6.1.4.1.26138.2.46.1.1.0	INTEGER	default(1)
IB-DOMAIN-MIB::ibDomainScheme-Acc essMode."system".2	.1.3.6.1.4.1.26138.2.46.1.1.0	INTEGER	default(1)
IB-DOMAIN-MIB::ibDomainScheme-Acc essMode."system".3	.1.3.6.1.4.1.26138.2.46.1.1.0	INTEGER	default(1)
IB-DOMAIN-MIB::ibDomainAccessedNum."system"	.1.3.6.1.4.1.26138.2.46.1.1.0	Gauge32	0
IB-DOMAIN-MIB::ibDomainOnline-Num ."system"	.1.3.6.1.4.1.26138.2.46.1.1.0	Gauge32	0
IB-DOMAIN-MIB::ibDomainOnlinePPP User."system"	.1.3.6.1.4.1.26138.2.46.1.1.0	Gauge32	0
IB-DOMAIN-MIB::ibDomainOnlineLac User."system"	.1.3.6.1.4.1.26138.2.46.1.1.0	Gauge32	0
IB-DOMAIN-MIB::ibDomainOnlineLns User."system"	.1.3.6.1.4.1.26138.2.46.1.1.0	Gauge32	0
IB-DOMAIN-MIB::ibDomainIPTotalNum."system"	.1.3.6.1.4.1.26138.2.46.1.1.0	Gauge32	0
IB-DOMAIN-MIB::ibDomainIPUsed-Num ."system"	.1.3.6.1.4.1.26138.2.46.1.1.0	Gauge32	0
IB-DOMAIN-MIB::ibDomainIPConflic tNum."system"	.1.3.6.1.4.1.26138.2.46.1.1.0	Gauge32	0
IB-DOMAIN-MIB::ibDomainIPExclude Num."system"	.1.3.6.1.4.1.26138.2.46.1.1.0	Gauge32	0
IB-DOMAIN-MIB::ibDomainIPIdleNum ."system"	.1.3.6.1.4.1.26138.2.46.1.1.0	Gauge32	0
IB-DOMAIN-MIB::ibDomainIPUsedPer cent."system"	.1.3.6.1.4.1.26138.2.46.1.1.0	STRING	" 0.00"
IB-DOMAIN-MIB::ibDomainGlobalAcc essedNum.0	.1.3.6.1.4.1.26138.2.46.3.1.0	Gauge32	0
IB-DOMAIN-MIB::ibDomainGlobalOnl ineNum.0	.1.3.6.1.4.1.26138.2.46.3.2.0	Gauge32	0
IB-DOMAIN-MIB::ibDomainGlobalOnl inePPPUser.0	.1.3.6.1.4.1.26138.2.46.3.3.0	Gauge32	0
IB-DOMAIN-MIB::ibDomainGlobalOnl ineLacUser.0	.1.3.6.1.4.1.26138.2.46.3.8.0	Gauge32	0

Name	OID	Value Type	Value Example
IB-DOMAIN-MIB::ibDomainGlobalOnlineLnsUser.0	.1.3.6.1.4.1.26138.2.46.3.9.0	Gauge32	0
IB-IFQOS2-MIB::ibIfQoSAggregativeCarNextIndex.0	.1.3.6.1.4.1.26138.2.65.1.4.1.1.0	INTEGER	65535
IB-IFQOS2-MIB::ibIfQoSPortPriorityValue.3	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.3	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPortPriorityValue.4	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.4	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPortPriorityValue.5	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.5	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPortPriorityValue.6	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.6	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPortPriorityValue.7	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.7	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPortPriorityValue.8	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.8	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPortPriorityValue.9	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.9	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPortPriorityValue.10	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.10	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPortPriorityValue.11	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.11	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPortPriorityValue.12	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.12	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPortPriorityValue.13	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.13	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPortPriorityValue.14	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.14	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPortPriorityValue.15	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.15	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPortPriorityValue.16	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.16	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPortPriorityValue.17	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.17	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPortPriorityValue.18	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.18	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPortPriorityValue.19	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.19	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPortPriorityValue.20	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.20	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPortPriorityValue.21	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.21	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPortPriorityValue.22	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.22	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPortPriorityValue.23	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.23	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPortPriorityValue.24	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.24	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPortPriorityValue.25	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.25	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPortPriorityValue.26	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.26	INTEGER	0

Name	OID	Value Type	Value Example
IB-IFQOS2-MIB::ibIfQoSPortPriorityValue.27	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.27	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPortPriorityValue.28	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.28	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPortPriorityValue.29	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.29	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPortPriorityValue.30	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.30	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPortPriorityValue.31	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.31	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPortPriorityValue.32	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.32	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustTrustType.3	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.3	INTEGER	untrust(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustTrustType.4	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.4	INTEGER	untrust(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustTrustType.5	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.5	INTEGER	untrust(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustTrustType.6	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.6	INTEGER	untrust(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustTrustType.7	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.7	INTEGER	untrust(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustTrustType.8	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.8	INTEGER	untrust(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustTrustType.9	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.9	INTEGER	untrust(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustTrustType.10	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.10	INTEGER	untrust(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustTrustType.11	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.11	INTEGER	untrust(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustTrustType.12	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.12	INTEGER	untrust(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustTrustType.13	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.13	INTEGER	untrust(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustTrustType.14	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.14	INTEGER	untrust(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustTrustType.15	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.15	INTEGER	untrust(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustTrustType.16	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.16	INTEGER	untrust(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustTrustType.17	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.17	INTEGER	untrust(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustTrustType.18	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.18	INTEGER	untrust(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustTrustType.19	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.19	INTEGER	untrust(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustTrustType.20	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.20	INTEGER	untrust(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustTrustType.21	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.21	INTEGER	untrust(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustTrustType.22	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.22	INTEGER	untrust(1)

Name	OID	Value Type	Value Example
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustTrustType.23	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.23	INTEGER	untrust(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustTrustType.24	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.24	INTEGER	untrust(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustTrustType.25	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.25	INTEGER	untrust(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustTrustType.26	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.26	INTEGER	untrust(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustTrustType.27	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.27	INTEGER	untrust(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustTrustType.28	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.28	INTEGER	untrust(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustTrustType.29	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.29	INTEGER	untrust(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustTrustType.30	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.30	INTEGER	untrust(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustTrustType.31	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.31	INTEGER	untrust(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustTrustType.32	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.32	INTEGER	untrust(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustOvercastType.3	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.3	INTEGER	noOvercast(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustOvercastType.4	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.4	INTEGER	noOvercast(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustOvercastType.5	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.5	INTEGER	noOvercast(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustOvercastType.6	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.6	INTEGER	noOvercast(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustOvercastType.7	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.7	INTEGER	noOvercast(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustOvercastType.8	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.8	INTEGER	noOvercast(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustOvercastType.9	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.9	INTEGER	noOvercast(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustOvercastType.10	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.10	INTEGER	noOvercast(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustOvercastType.11	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.11	INTEGER	noOvercast(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustOvercastType.12	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.12	INTEGER	noOvercast(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustOvercastType.13	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.13	INTEGER	noOvercast(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustOvercastType.14	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.14	INTEGER	noOvercast(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustOvercastType.15	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.15	INTEGER	noOvercast(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustOvercastType.16	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.16	INTEGER	noOvercast(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustOvercastType.17	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.17	INTEGER	noOvercast(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustOvercastType.18	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.18	INTEGER	noOvercast(1)

Name	OID	Value Type	Value Example
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustOvercastType.19	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.19	INTEGER	noOvercast(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustOvercastType.20	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.20	INTEGER	noOvercast(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustOvercastType.21	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.21	INTEGER	noOvercast(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustOvercastType.22	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.22	INTEGER	noOvercast(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustOvercastType.23	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.23	INTEGER	noOvercast(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustOvercastType.24	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.24	INTEGER	noOvercast(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustOvercastType.25	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.25	INTEGER	noOvercast(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustOvercastType.26	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.26	INTEGER	noOvercast(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustOvercastType.27	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.27	INTEGER	noOvercast(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustOvercastType.28	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.28	INTEGER	noOvercast(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustOvercastType.29	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.29	INTEGER	noOvercast(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustOvercastType.30	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.30	INTEGER	noOvercast(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustOvercastType.31	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.31	INTEGER	noOvercast(1)
IB-IFQOS2-MIB::ibIfQoSPortPriorityTrustOvercastType.32	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.32	INTEGER	noOvercast(1)
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dot1pToLp.noColor.noDirection.0	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.1.1.1.0	INTEGER	2
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dot1pToLp.noColor.noDirection.1	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.1.1.1.1	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dot1pToLp.noColor.noDirection.2	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.1.1.1.2	INTEGER	1
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dot1pToLp.noColor.noDirection.3	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.1.1.1.3	INTEGER	3
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dot1pToLp.noColor.noDirection.4	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.1.1.1.4	INTEGER	4
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dot1pToLp.noColor.noDirection.5	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.1.1.1.5	INTEGER	5
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dot1pToLp.noColor.noDirection.6	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.1.1.1.6	INTEGER	6
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dot1pToLp.noColor.noDirection.7	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.1.1.1.7	INTEGER	7

Name	OID	Value Type	Value Example
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.0	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.0	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.1	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.1	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.2	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.2	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.3	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.3	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.4	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.4	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.5	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.5	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.6	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.6	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.7	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.7	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.8	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.8	INTEGER	1
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.9	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.9	INTEGER	1
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.10	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.10	INTEGER	1
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.11	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.11	INTEGER	1
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.12	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.12	INTEGER	1
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.13	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.13	INTEGER	1
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.14	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.14	INTEGER	1
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.15	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.15	INTEGER	1
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.16	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.16	INTEGER	2
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.17	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.17	INTEGER	2

Name	OID	Value Type	Value Example
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.18	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.18	INTEGER	2
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.19	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.19	INTEGER	2
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.20	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.20	INTEGER	2
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.21	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.21	INTEGER	2
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.22	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.22	INTEGER	2
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.23	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.23	INTEGER	2
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.24	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.24	INTEGER	3
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.25	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.25	INTEGER	3
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.26	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.26	INTEGER	3
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.27	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.27	INTEGER	3
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.28	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.28	INTEGER	3
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.29	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.29	INTEGER	3
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.30	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.30	INTEGER	3
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.31	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.31	INTEGER	3
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.32	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.32	INTEGER	4
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.33	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.33	INTEGER	4
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.34	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.34	INTEGER	4
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.35	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.35	INTEGER	4

Name	OID	Value Type	Value Example
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.36	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.36	INTEGER	4
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.37	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.37	INTEGER	4
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.38	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.38	INTEGER	4
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.39	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.39	INTEGER	4
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.40	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.40	INTEGER	5
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.41	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.41	INTEGER	5
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.42	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.42	INTEGER	5
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.43	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.43	INTEGER	5
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.44	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.44	INTEGER	5
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.45	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.45	INTEGER	5
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.46	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.46	INTEGER	5
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.47	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.47	INTEGER	5
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.48	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.48	INTEGER	6
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.49	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.49	INTEGER	6
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.50	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.50	INTEGER	6
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.51	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.51	INTEGER	6
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.52	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.52	INTEGER	6
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.53	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.53	INTEGER	6

Name	OID	Value Type	Value Example
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.54	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.54	INTEGER	6
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.55	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.55	INTEGER	6
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.56	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.56	INTEGER	7
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.57	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.57	INTEGER	7
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.58	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.58	INTEGER	7
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.59	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.59	INTEGER	7
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.60	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.60	INTEGER	7
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.61	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.61	INTEGER	7
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.62	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.62	INTEGER	7
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dscpToLp.noColor.noDirection.63	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.4.1.1.63	INTEGER	7
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.lpToDot1p.noColor.noDirection.0	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.14.1.1.0	INTEGER	1
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.lpToDot1p.noColor.noDirection.1	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.14.1.1.1	INTEGER	2
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.lpToDot1p.noColor.noDirection.2	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.14.1.1.2	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.lpToDot1p.noColor.noDirection.3	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.14.1.1.3	INTEGER	3
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.lpToDot1p.noColor.noDirection.4	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.14.1.1.4	INTEGER	4
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.lpToDot1p.noColor.noDirection.5	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.14.1.1.5	INTEGER	5
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.lpToDot1p.noColor.noDirection.6	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.14.1.1.6	INTEGER	6
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.lpToDot1p.noColor.noDirection.7	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.14.1.1.7	INTEGER	7

Name	OID	Value Type	Value Example
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.lpTodscp.noColor.noDirection.0	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.26.1.1.0	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.lpTodscp.noColor.noDirection.1	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.26.1.1.1	INTEGER	8
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.lpTodscp.noColor.noDirection.2	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.26.1.1.2	INTEGER	16
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.lpTodscp.noColor.noDirection.3	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.26.1.1.3	INTEGER	24
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.lpTodscp.noColor.noDirection.4	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.26.1.1.4	INTEGER	32
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.lpTodscp.noColor.noDirection.5	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.26.1.1.5	INTEGER	40
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.lpTodscp.noColor.noDirection.6	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.26.1.1.6	INTEGER	48
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.lpTodscp.noColor.noDirection.7	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.26.1.1.7	INTEGER	56
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dot11eToLp.noColor.noDirection.0	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.27.1.1.0	INTEGER	2
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dot11eToLp.noColor.noDirection.1	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.27.1.1.1	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dot11eToLp.noColor.noDirection.2	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.27.1.1.2	INTEGER	1
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dot11eToLp.noColor.noDirection.3	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.27.1.1.3	INTEGER	3
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dot11eToLp.noColor.noDirection.4	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.27.1.1.4	INTEGER	4
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dot11eToLp.noColor.noDirection.5	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.27.1.1.5	INTEGER	5
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dot11eToLp.noColor.noDirection.6	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.27.1.1.6	INTEGER	6
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.dot11eToLp.noColor.noDirection.7	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.27.1.1.7	INTEGER	7
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.lpToDot11e.noColor.noDirection.0	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.28.1.1.0	INTEGER	1
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.lpToDot11e.noColor.noDirection.1	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.28.1.1.1	INTEGER	2

Name	OID	Value Type	Value Example
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.lpToDot11e.noColor.noDirection.2	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.28.1.1.2	INTEGER	0
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.lpToDot11e.noColor.noDirection.3	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.28.1.1.3	INTEGER	3
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.lpToDot11e.noColor.noDirection.4	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.28.1.1.4	INTEGER	4
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.lpToDot11e.noColor.noDirection.5	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.28.1.1.5	INTEGER	5
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.lpToDot11e.noColor.noDirection.6	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.28.1.1.6	INTEGER	6
IB-IFQOS2-MIB::ibIfQoSPrePriMapTableExportValue.lpToDot11e.noColor.noDirection.7	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.28.1.1.7	INTEGER	7
IB-IFQOS2-MIB::ibIfQoSProcessingStatus.0	.1.3.6.1.4.1.26138.2.65.1.13.1.0	INTEGER	idle(1)
IB-CBQOS2-MIB::ibCBQoSClassifierIndexNext.0	.1.3.6.1.4.1.26138.2.65.2.1.1.1.0	INTEGER	100
IB-CBQOS2-MIB::ibCBQoSBehaviorIndexNext.0	.1.3.6.1.4.1.26138.2.65.2.1.2.1.0	INTEGER	100
IB-CBQOS2-MIB::ibCBQoSPolicyIndexNext.0	.1.3.6.1.4.1.26138.2.65.2.1.3.1.0	INTEGER	100
IB-CBQOS2-MIB::ibCBQoSApplyingStatus.0	.1.3.6.1.4.1.26138.2.65.2.1.6.1.0	INTEGER	idle(1)
IB-IP-ADDRESS-MIB::ibIpAddrReadMask.65539.ipv4."10.100.73.249"	.1.3.6.1.4.1.26138.2.67.1.1.2.1.4.65539.1.10.100.73.249	IpAddress	255.255.255.0
IB-IP-ADDRESS-MIB::ibIpAddrReadSourceType.65539.ipv4."10.100.73.249"	.1.3.6.1.4.1.26138.2.67.1.1.2.1.5.65539.1.10.100.73.249	INTEGER	dhcp(3)
IB-IP-ADDRESS-MIB::ibIpAddrReadCatalog.65539.ipv4."10.100.73.249"	.1.3.6.1.4.1.26138.2.67.1.1.2.1.6.65539.1.10.100.73.249	INTEGER	primary(1)
IB-IP-ADDRESS-MIB::ibIpv4AddrAddr.2	.1.3.6.1.4.1.26138.2.67.1.1.3.1.1.2	IpAddress	0.0.0.0
IB-IP-ADDRESS-MIB::ibIpv4AddrAddr.65539	.1.3.6.1.4.1.26138.2.67.1.1.3.1.1.65539	IpAddress	0.0.0.0
IB-IP-ADDRESS-MIB::ibIpv4AddrMask.2	.1.3.6.1.4.1.26138.2.67.1.1.3.1.2.2	IpAddress	0.0.0.0
IB-IP-ADDRESS-MIB::ibIpv4AddrMask.65539	.1.3.6.1.4.1.26138.2.67.1.1.3.1.2.65539	IpAddress	0.0.0.0
IB-IP-ADDRESS-MIB::ibIpv4AddrRowStatus.2	.1.3.6.1.4.1.26138.2.67.1.1.3.1.3.2	INTEGER	notInService(2)
IB-IP-ADDRESS-MIB::ibIpv4AddrRowStatus.65539	.1.3.6.1.4.1.26138.2.67.1.1.3.1.3.65539	INTEGER	notInService(2)
IB-TRANSCEIVER-INFO-MIB::ibTransceiverExtrAlarmEnable.0	.1.3.6.1.4.1.26138.2.70.2.1.0	INTEGER	true(1)
IB-DOT11-ACMT-MIB::ibDot11CurrentACMACMode.0	.1.3.6.1.4.1.26138.2.75.1.1.1.1.0	INTEGER	split(1)

Name	OID	Value Type	Value Example
IB-DOT11- -ACMT-MIB::ibDot11MaxAPN umPermitted.0	.1.3.6.1.4.1.26138.2.75.1.1.1.2. 0	INTEGER	80
IB-DOT11-ACMT-MIB::ibDot11MaxSta tionNumPermitted.0	.1.3.6.1.4.1.26138.2.75.1.1.1.3. 0	INTEGER	30720
IB-DOT11- -ACMT-MIB::ibDot11RunAPN umThreshold.0	.1.3.6.1.4.1.26138.2.75.1.1.1.4. 0	INTEGER	100 percent
IB-DOT11-ACMT-MIB::ibDot11APLice nseWeight.0	.1.3.6.1.4.1.26138.2.75.1.1.1.7. 0	STRING	"80"
IB-DOT11-ACMT-MIB::ibDot11ACTota lRebootCnt.0	.1.3.6.1.4.1.26138.2.75.1.1.1.8. 0	INTEGER	2
IB-DOT11- -ACMT-MIB::ibDot11APConn ectCount.0	.1.3.6.1.4.1.26138.2.75.1.1.2.1. 0	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11Statio nConnectCount.0	.1.3.6.1.4.1.26138.2.75.1.1.2.2. 0	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfAp Num.3	.1.3.6.1.4.1.26138.2.75.1.1.2.3. 1.2.3	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfAp Num.4	.1.3.6.1.4.1.26138.2.75.1.1.2.3. 1.2.4	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfAp Num.5	.1.3.6.1.4.1.26138.2.75.1.1.2.3. 1.2.5	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfAp Num.6	.1.3.6.1.4.1.26138.2.75.1.1.2.3. 1.2.6	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfAp Num.7	.1.3.6.1.4.1.26138.2.75.1.1.2.3. 1.2.7	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfAp Num.8	.1.3.6.1.4.1.26138.2.75.1.1.2.3. 1.2.8	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfAp Num.9	.1.3.6.1.4.1.26138.2.75.1.1.2.3. 1.2.9	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfAp Num.10	.1.3.6.1.4.1.26138.2.75.1.1.2.3. 1.2.10	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfAp Num.11	.1.3.6.1.4.1.26138.2.75.1.1.2.3. 1.2.11	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfAp Num.12	.1.3.6.1.4.1.26138.2.75.1.1.2.3. 1.2.12	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfAp Num.13	.1.3.6.1.4.1.26138.2.75.1.1.2.3. 1.2.13	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfAp Num.14	.1.3.6.1.4.1.26138.2.75.1.1.2.3. 1.2.14	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfAp Num.15	.1.3.6.1.4.1.26138.2.75.1.1.2.3. 1.2.15	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfAp Num.16	.1.3.6.1.4.1.26138.2.75.1.1.2.3. 1.2.16	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfAp Num.17	.1.3.6.1.4.1.26138.2.75.1.1.2.3. 1.2.17	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfAp Num.18	.1.3.6.1.4.1.26138.2.75.1.1.2.3. 1.2.18	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfAp Num.19	.1.3.6.1.4.1.26138.2.75.1.1.2.3. 1.2.19	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfAp Num.20	.1.3.6.1.4.1.26138.2.75.1.1.2.3. 1.2.20	INTEGER	0

Name	OID	Value Type	Value Example
IB-DOT11-ACMT-MIB::ibDot11ACIfApNum.23	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.2.23	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfApNum.24	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.2.24	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfApNum.25	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.2.25	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfApNum.26	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.2.26	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfApNum.27	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.2.27	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfApNum.28	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.2.28	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfApNum.29	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.2.29	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfApNum.30	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.2.30	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfStaNum.3	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.3.3	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfStaNum.4	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.3.4	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfStaNum.5	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.3.5	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfStaNum.6	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.3.6	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfStaNum.7	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.3.7	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfStaNum.8	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.3.8	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfStaNum.9	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.3.9	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfStaNum.10	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.3.10	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfStaNum.11	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.3.11	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfStaNum.12	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.3.12	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfStaNum.13	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.3.13	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfStaNum.14	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.3.14	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfStaNum.15	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.3.15	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfStaNum.16	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.3.16	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfStaNum.17	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.3.17	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfStaNum.18	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.3.18	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfStaNum.19	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.3.19	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfStaNum.20	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.3.20	INTEGER	0

Name	OID	Value Type	Value Example
IB-DOT11-ACMT-MIB::ibDot11ACIfStaNum.23	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.3.23	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfStaNum.24	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.3.24	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfStaNum.25	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.3.25	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfStaNum.26	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.3.26	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfStaNum.27	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.3.27	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfStaNum.28	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.3.28	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfStaNum.29	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.3.29	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfStaNum.30	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.3.30	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACIfName.3	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.4.3	STRING	"GigabitEthernet1/0/1"
IB-DOT11-ACMT-MIB::ibDot11ACIfName.4	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.4.4	STRING	"GigabitEthernet1/0/2"
IB-DOT11-ACMT-MIB::ibDot11ACIfName.5	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.4.5	STRING	"GigabitEthernet1/0/3"
IB-DOT11-ACMT-MIB::ibDot11ACIfName.6	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.4.6	STRING	"GigabitEthernet1/0/4"
IB-DOT11-ACMT-MIB::ibDot11ACIfName.7	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.4.7	STRING	"GigabitEthernet1/0/5"
IB-DOT11-ACMT-MIB::ibDot11ACIfName.8	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.4.8	STRING	"GigabitEthernet1/0/6"
IB-DOT11-ACMT-MIB::ibDot11ACIfName.9	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.4.9	STRING	"GigabitEthernet1/0/7"
IB-DOT11-ACMT-MIB::ibDot11ACIfName.10	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.4.10	STRING	"GigabitEthernet1/0/8"
IB-DOT11-ACMT-MIB::ibDot11ACIfName.11	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.4.11	STRING	"GigabitEthernet1/0/9"
IB-DOT11-ACMT-MIB::ibDot11ACIfName.12	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.4.12	STRING	"GigabitEthernet1/0/10"
IB-DOT11-ACMT-MIB::ibDot11ACIfName.13	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.4.13	STRING	"GigabitEthernet1/0/11"
IB-DOT11-ACMT-MIB::ibDot11ACIfName.14	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.4.14	STRING	"GigabitEthernet1/0/12"
IB-DOT11-ACMT-MIB::ibDot11ACIfName.15	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.4.15	STRING	"GigabitEthernet1/0/13"
IB-DOT11-ACMT-MIB::ibDot11ACIfName.16	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.4.16	STRING	"GigabitEthernet1/0/14"
IB-DOT11-ACMT-MIB::ibDot11ACIfName.17	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.4.17	STRING	"GigabitEthernet1/0/15"
IB-DOT11-ACMT-MIB::ibDot11ACIfName.18	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.4.18	STRING	"GigabitEthernet1/0/16"
IB-DOT11-ACMT-MIB::ibDot11ACIfName.19	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.4.19	STRING	"GigabitEthernet1/0/17"
IB-DOT11-ACMT-MIB::ibDot11ACIfName.20	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.4.20	STRING	"GigabitEthernet1/0/18"

Name	OID	Value Type	Value Example
IB-DOT11-ACMT-MIB::ibDot11ACIfName.23	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.4.23	STRING	"GigabitEthernet1/3/1"
IB-DOT11-ACMT-MIB::ibDot11ACIfName.24	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.4.24	STRING	"GigabitEthernet1/3/2"
IB-DOT11-ACMT-MIB::ibDot11ACIfName.25	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.4.25	STRING	"GigabitEthernet1/3/3"
IB-DOT11-ACMT-MIB::ibDot11ACIfName.26	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.4.26	STRING	"GigabitEthernet1/3/4"
IB-DOT11-ACMT-MIB::ibDot11ACIfName.27	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.4.27	STRING	"GigabitEthernet1/3/5"
IB-DOT11-ACMT-MIB::ibDot11ACIfName.28	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.4.28	STRING	"GigabitEthernet1/3/6"
IB-DOT11-ACMT-MIB::ibDot11ACIfName.29	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.4.29	STRING	"GigabitEthernet1/3/7"
IB-DOT11-ACMT-MIB::ibDot11ACIfName.30	.1.3.6.1.4.1.26138.2.75.1.1.2.3.1.4.30	STRING	"GigabitEthernet1/3/8"
IB-DOT11-ACMT-MIB::ibDot11MasterAPCount.0	.1.3.6.1.4.1.26138.2.75.1.1.2.4.0	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11SlaveAPCount.0	.1.3.6.1.4.1.26138.2.75.1.1.2.5.0	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ConnectAutoAPCount.0	.1.3.6.1.4.1.26138.2.75.1.1.2.6.0	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11PersistentAPCount.0	.1.3.6.1.4.1.26138.2.75.1.1.2.7.0	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11AcUploadFrameCnt.0	.1.3.6.1.4.1.26138.2.75.1.1.2.8.0	Counter64	0
IB-DOT11--ACMT-MIB::ibDot11AcDownloadFrameCnt.0	.1.3.6.1.4.1.26138.2.75.1.1.2.9.0	Counter64	0
IB-DOT11-ACMT-MIB::ibDot11AcUploadFrameBytes.0	.1.3.6.1.4.1.26138.2.75.1.1.2.10.0	Counter64	0
IB-DOT11--ACMT-MIB::ibDot11AcDownloadFrameBytes.0	.1.3.6.1.4.1.26138.2.75.1.1.2.11.0	Counter64	0
IB-DOT11-ACMT-MIB::ibDot11BackupACRole.0	.1.3.6.1.4.1.26138.2.75.1.1.2.12.0	INTEGER	master(2)
IB-DOT11-ACMT-MIB::ibDot11BackupACNMSIP.0	.1.3.6.1.4.1.26138.2.75.1.1.2.13.0	IpAddress	0.0.0.0
IB-DOT11-ACMT-MIB::ibDot11ACBackupMode.0	.1.3.6.1.4.1.26138.2.75.1.1.2.14.0	INTEGER	null(1)
IB-DOT11-ACMT-MIB::ibDot11ACBackupStatus.0	.1.3.6.1.4.1.26138.2.75.1.1.2.15.0	INTEGER	standby(2)
IB-DOT11-ACMT-MIB::ibDot11ACSwitchCnt.0	.1.3.6.1.4.1.26138.2.75.1.1.2.16.0	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACSouthifPacketOutputCount.0	.1.3.6.1.4.1.26138.2.75.1.1.2.17.0	Counter64	0
IB-DOT11-ACMT-MIB::ibDot11ACSouthifPacketOutputBytes.0	.1.3.6.1.4.1.26138.2.75.1.1.2.18.0	Counter64	0
IB-DOT11-ACMT-MIB::ibDot11ACSouthifPacketInputCount.0	.1.3.6.1.4.1.26138.2.75.1.1.2.19.0	Counter64	0
IB-DOT11-ACMT-MIB::ibDot11ACSouthifPacketInputBytes.0	.1.3.6.1.4.1.26138.2.75.1.1.2.20.0	Counter64	0

Name	OID	Value Type	Value Example
IB-DOT11-ACMT-MIB::ibDot11TotalAPconnected.0	.1.3.6.1.4.1.26138.2.75.1.1.2.21.0	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11RemainingAPcapacity.0	.1.3.6.1.4.1.26138.2.75.1.1.2.22.0	INTEGER	80
IB-DOT11-ACMT-MIB::ibDot11StationAssocSum.0	.1.3.6.1.4.1.26138.2.75.1.1.3.1.0	Counter32	0
IB-DOT11-ACMT-MIB::ibDot11StationAssocFailSum.0	.1.3.6.1.4.1.26138.2.75.1.1.3.2.0	Counter32	0
IB-DOT11-ACMT-MIB::ibDot11StationReassocSum.0	.1.3.6.1.4.1.26138.2.75.1.1.3.3.0	Counter32	0
IB-DOT11-ACMT-MIB::ibDot11StationAssocRejectedSum.0	.1.3.6.1.4.1.26138.2.75.1.1.3.4.0	Counter32	0
IB-DOT11-ACMT-MIB::ibDot11StationExDeAuthenSum.0	.1.3.6.1.4.1.26138.2.75.1.1.3.5.0	Counter32	0
IB-DOT11-ACMT-MIB::ibDot11StationCurAssocSum.0	.1.3.6.1.4.1.26138.2.75.1.1.3.6.0	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11StationAssocReqSum.0	.1.3.6.1.4.1.26138.2.75.1.1.3.7.0	Counter32	0
IB-DOT11-ACMT-MIB::ibDot11StationReassocReqSum.0	.1.3.6.1.4.1.26138.2.75.1.1.3.8.0	Counter32	0
IB-DOT11-ACMT-MIB::ibDot11StationReassocFailSum.0	.1.3.6.1.4.1.26138.2.75.1.1.3.9.0	Counter32	0
IB-DOT11-ACMT-MIB::ibDot11ACStaUserAuthCurNumber.0	.1.3.6.1.4.1.26138.2.75.1.1.5.1.0	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACStaUserConnFailCnt.0	.1.3.6.1.4.1.26138.2.75.1.1.5.2.0	Counter32	0
IB-DOT11-ACMT-MIB::ibDot11ACStaUserAuthReqCnt.0	.1.3.6.1.4.1.26138.2.75.1.1.5.3.0	Counter32	0
IB-DOT11-ACMT-MIB::ibDot11ACStaUserAuthSuccCnt.0	.1.3.6.1.4.1.26138.2.75.1.1.5.4.0	Counter32	0
IB-DOT11-ACMT-MIB::ibDot11ACStaUserAuthFailCnt.0	.1.3.6.1.4.1.26138.2.75.1.1.5.5.0	Counter32	0
IB-DOT11-ACMT-MIB::ibDot11ACStaUserAllAuthCntCM.0	.1.3.6.1.4.1.26138.2.75.1.1.5.6.0	Counter32	0
IB-DOT11-ACMT-MIB::ibDot11ACStaUserAuthRespCntCM.0	.1.3.6.1.4.1.26138.2.75.1.1.5.7.0	Counter32	0
IB-DOT11-ACMT-MIB::ibDot11ACStaUserPortalOnlineNum.0	.1.3.6.1.4.1.26138.2.75.1.1.6.1.0	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACStaUserFreeAuthOnlineNum.0	.1.3.6.1.4.1.26138.2.75.1.1.6.2.0	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACStaUserAssociateAuthOnlineNum.0	.1.3.6.1.4.1.26138.2.75.1.1.6.3.0	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACStaUserMacAuthOnlineNum.0	.1.3.6.1.4.1.26138.2.75.1.1.6.4.0	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACStaUserPortalLostConnectionCnt.0	.1.3.6.1.4.1.26138.2.75.1.1.6.5.0	Counter32	0
IB-DOT11-ACMT-MIB::ibDot11ACStaUserFreeAuthLostConnectionCnt.0	.1.3.6.1.4.1.26138.2.75.1.1.6.6.0	Counter32	0
IB-DOT11-ACMT-MIB::ibDot11ACStaUserAssociateAuthLostConnectionCnt.0	.1.3.6.1.4.1.26138.2.75.1.1.6.7.0	Counter32	0
IB-DOT11-ACMT-MIB::ibDot11ACStaUserMacAuthLostConnectionCnt.0	.1.3.6.1.4.1.26138.2.75.1.1.6.8.0	Counter32	0

Name	OID	Value Type	Value Example
IB-DOT11-ACMT-MIB::ibDot11ACStaPortalAuthReqCnt.0	.1.3.6.1.4.1.26138.2.75.1.1.6.9.0	Counter32	0
IB-DOT11-ACMT-MIB::ibDot11ACStaAssociateAuthReqCnt.0	.1.3.6.1.4.1.26138.2.75.1.1.6.10.0	Counter32	0
IB-DOT11--ACMT-MIB::ibDot11ACStaMacAuthReqCnt.0	.1.3.6.1.4.1.26138.2.75.1.1.6.11.0	Counter32	0
IB-DOT11-ACMT-MIB::ibDot11ACStaPortalAuthSuccCnt.0	.1.3.6.1.4.1.26138.2.75.1.1.6.12.0	Counter32	0
IB-DOT11-ACMT-MIB::ibDot11ACStaAssociateAuthSuccCnt.0	.1.3.6.1.4.1.26138.2.75.1.1.6.13.0	Counter32	0
IB-DOT11--ACMT-MIB::ibDot11ACStaMacAuthSuccCnt.0	.1.3.6.1.4.1.26138.2.75.1.1.6.14.0	Counter32	0
IB-DOT11-ACMT-MIB::ibDot11ACStaPortalAuthReqFailCnt.0	.1.3.6.1.4.1.26138.2.75.1.1.6.15.0	Counter32	0
IB-DOT11-ACMT-MIB::ibDot11ACStaAssociateAuthReqFailCnt.0	.1.3.6.1.4.1.26138.2.75.1.1.6.16.0	Counter32	0
IB-DOT11--ACMT-MIB::ibDot11ACStaMacAuthReqFailCnt.0	.1.3.6.1.4.1.26138.2.75.1.1.6.17.0	Counter32	0
IB-DOT11-ACMT-MIB::ibDot11ACStaUserAutoAuthOnlineNumCM.0	.1.3.6.1.4.1.26138.2.75.1.1.6.18.0	INTEGER	0
IB-DOT11-ACMT-MIB::ibDot11ACStaUserAutoAuthLostConnectionCntCM.0	.1.3.6.1.4.1.26138.2.75.1.1.6.19.0	Counter32	0
IB-DOT11-ACMT-MIB::ibDot11ACStaAutoAuthReqCntCM.0	.1.3.6.1.4.1.26138.2.75.1.1.6.20.0	Counter32	0
IB-DOT11-ACMT-MIB::ibDot11ACStaAutoAuthSuccCntCM.0	.1.3.6.1.4.1.26138.2.75.1.1.6.21.0	Counter32	0
IB-DOT11-ACMT-MIB::ibDot11ACStaAutoAuthReqFailCntCM.0	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Counter32	0
IB-DOT11--APMT-MIB::ibDot11APModelName.'AP3620'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"AP3620"
IB-DOT11--APMT-MIB::ibDot11APModelName.'AP3620H'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"AP3620H"
IB-DOT11--APMT-MIB::ibDot11APModelName.'AP3620X'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"AP3620X"
IB-DOT11--APMT-MIB::ibDot11APModelName.'AP3622'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"AP3622"
IB-DOT11--APMT-MIB::ibDot11APModelName.'AP5620'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"AP5620"
IB-DOT11--APMT-MIB::ibDot11APModelName.'AP5620XDE'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"AP5620XDE"
IB-DOT11--APMT-MIB::ibDot11APModelName.'AP5626'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"AP5626"
IB-DOT11--APMT-MIB::ibDot11APModelName.'AP5630'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"AP5630"

Name	OID	Value Type	Value Example
IB-DOT11--APMT-MIB::ibDot11APModelName.'AP7630X'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"AP7630X"
IB-DOT11--APMT-MIB::ibDot11APModelName.'AP7636'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"AP7636"
IB-DOT11-APMT-MIB::ibDot11RadioNumSupport.'AP3620'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	2
IB-DOT11-APMT-MIB::ibDot11RadioNumSupport.'AP3620H'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	2
IB-DOT11-APMT-MIB::ibDot11RadioNumSupport.'AP3620X'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	2
IB-DOT11-APMT-MIB::ibDot11RadioNumSupport.'AP3622'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	2
IB-DOT11-APMT-MIB::ibDot11RadioNumSupport.'AP5620'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	2
IB-DOT11-APMT-MIB::ibDot11RadioNumSupport.'AP5620XDE'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	2
IB-DOT11-APMT-MIB::ibDot11RadioNumSupport.'AP5626'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	2
IB-DOT11-APMT-MIB::ibDot11RadioNumSupport.'AP5630'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	3
IB-DOT11-APMT-MIB::ibDot11RadioNumSupport.'AP7630X'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	3
IB-DOT11-APMT-MIB::ibDot11RadioNumSupport.'AP7636'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	3
IB-DOT11-APMT-MIB::ibDot11StationNumSupport.'AP3620'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	1024
IB-DOT11-APMT-MIB::ibDot11StationNumSupport.'AP3620H'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	1024
IB-DOT11-APMT-MIB::ibDot11StationNumSupport.'AP3620X'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	256
IB-DOT11-APMT-MIB::ibDot11StationNumSupport.'AP3622'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	1024
IB-DOT11-APMT-MIB::ibDot11StationNumSupport.'AP5620'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	256
IB-DOT11-APMT-MIB::ibDot11StationNumSupport.'AP5620XDE'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	1024
IB-DOT11-APMT-MIB::ibDot11StationNumSupport.'AP5626'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	640
IB-DOT11-APMT-MIB::ibDot11StationNumSupport.'AP5630'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	1280
IB-DOT11-APMT-MIB::ibDot11StationNumSupport.'AP7630X'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	1536
IB-DOT11-APMT-MIB::ibDot11StationNumSupport.'AP7636'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	1536
IB-DOT11--APMT-MIB::ibDot11MACModeSupport.'AP3620'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	split(1)
IB-DOT11--APMT-MIB::ibDot11MACModeSupport.'AP3620H'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	split(1)

Name	OID	Value Type	Value Example
IB-DOT11--APMT-MIB::ibDot11MACModeSupport.'AP3620X'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	split(1)
IB-DOT11--APMT-MIB::ibDot11MACModeSupport.'AP3622'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	split(1)
IB-DOT11--APMT-MIB::ibDot11MACModeSupport.'AP5620'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	split(1)
IB-DOT11--APMT-MIB::ibDot11MACModeSupport.'AP5620XDE'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	split(1)
IB-DOT11--APMT-MIB::ibDot11MACModeSupport.'AP5626'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	split(1)
IB-DOT11--APMT-MIB::ibDot11MACModeSupport.'AP5630'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	split(1)
IB-DOT11--APMT-MIB::ibDot11MACModeSupport.'AP7630X'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	split(1)
IB-DOT11--APMT-MIB::ibDot11MACModeSupport.'AP7636'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	split(1)
IB-DOT11--APMT-MIB::ibDot11APManufacturer.'AP3620'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"INTELBRAS"
IB-DOT11--APMT-MIB::ibDot11APManufacturer.'AP3620H'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"INTELBRAS"
IB-DOT11--APMT-MIB::ibDot11APManufacturer.'AP3620X'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"INTELBRAS"
IB-DOT11--APMT-MIB::ibDot11APManufacturer.'AP3622'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"INTELBRAS"
IB-DOT11--APMT-MIB::ibDot11APManufacturer.'AP5620'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"INTELBRAS"
IB-DOT11--APMT-MIB::ibDot11APManufacturer.'AP5620XDE'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"INTELBRAS"
IB-DOT11--APMT-MIB::ibDot11APManufacturer.'AP5626'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"INTELBRAS"
IB-DOT11--APMT-MIB::ibDot11APManufacturer.'AP5630'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"INTELBRAS"
IB-DOT11--APMT-MIB::ibDot11APManufacturer.'AP7630X'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"INTELBRAS"
IB-DOT11--APMT-MIB::ibDot11APManufacturer.'AP7636'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"INTELBRAS"

Name	OID	Value Type	Value Example
IB-DOT11--APMT-MIB::ibDot11APCPUType.'AP3620'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"ARM"
IB-DOT11--APMT-MIB::ibDot11APCPUType.'AP3620H'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"ARM"
IB-DOT11--APMT-MIB::ibDot11APCPUType.'AP3620X'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"ARM"
IB-DOT11--APMT-MIB::ibDot11APCPUType.'AP3622'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"ARM"
IB-DOT11--APMT-MIB::ibDot11APCPUType.'AP5620'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"ARM"
IB-DOT11--APMT-MIB::ibDot11APCPUType.'AP5620XDE'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"ARM"
IB-DOT11--APMT-MIB::ibDot11APCPUType.'AP5626'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"ARM"
IB-DOT11--APMT-MIB::ibDot11APCPUType.'AP5630'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"ARM"
IB-DOT11--APMT-MIB::ibDot11APCPUType.'AP7630X'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"ARM"
IB-DOT11--APMT-MIB::ibDot11APCPUType.'AP7636'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"ARM"
IB-DOT11--APMT-MIB::ibDot11APCPUClockSpeed.'AP3620'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	1000000000 Hz
IB-DOT11--APMT-MIB::ibDot11APCPUClockSpeed.'AP3620H'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	1000000000 Hz
IB-DOT11--APMT-MIB::ibDot11APCPUClockSpeed.'AP3620X'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	1000000000 Hz
IB-DOT11--APMT-MIB::ibDot11APCPUClockSpeed.'AP3622'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	1000000000 Hz
IB-DOT11--APMT-MIB::ibDot11APCPUClockSpeed.'AP5620'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	1000000000 Hz
IB-DOT11--APMT-MIB::ibDot11APCPUClockSpeed.'AP5620XDE'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	1000000000 Hz
IB-DOT11--APMT-MIB::ibDot11APCPUClockSpeed.'AP5626'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	1000000000 Hz
IB-DOT11--APMT-MIB::ibDot11APCPUClockSpeed.'AP5630'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	1500000000 Hz

Name	OID	Value Type	Value Example
IB-DOT11--APMT-MIB::ibDot11APCPUClockSpeed.'AP7630X'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	1700000000 Hz
IB-DOT11--APMT-MIB::ibDot11APCPUClockSpeed.'AP7636'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	1700000000 Hz
IB-DOT11--APMT-MIB::ibDot11APMemoryType.'AP3620'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"DDR3"
IB-DOT11--APMT-MIB::ibDot11APMemoryType.'AP3620H'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"DDR4"
IB-DOT11--APMT-MIB::ibDot11APMemoryType.'AP3620X'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"DDR3"
IB-DOT11--APMT-MIB::ibDot11APMemoryType.'AP3622'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"DDR4"
IB-DOT11--APMT-MIB::ibDot11APMemoryType.'AP5620'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"DDR3"
IB-DOT11--APMT-MIB::ibDot11APMemoryType.'AP5620XDE'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"DDR3"
IB-DOT11--APMT-MIB::ibDot11APMemoryType.'AP5626'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"DDR3"
IB-DOT11--APMT-MIB::ibDot11APMemoryType.'AP5630'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"DDR4"
IB-DOT11--APMT-MIB::ibDot11APMemoryType.'AP7630X'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"DDR3"
IB-DOT11--APMT-MIB::ibDot11APMemoryType.'AP7636'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"DDR3"
IB-DOT11-APMT-MIB::ibDot11APFlashType.'AP3620'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"NAND"
IB-DOT11-APMT-MIB::ibDot11APFlashType.'AP3620H'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"NAND"
IB-DOT11-APMT-MIB::ibDot11APFlashType.'AP3620X'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"NAND"
IB-DOT11-APMT-MIB::ibDot11APFlashType.'AP3622'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"NAND"
IB-DOT11-APMT-MIB::ibDot11APFlashType.'AP5620'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"NAND"
IB-DOT11-APMT-MIB::ibDot11APFlashType.'AP5620XDE'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"NAND"
IB-DOT11-APMT-MIB::ibDot11APFlashType.'AP5626'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"NAND"
IB-DOT11-APMT-MIB::ibDot11APFlashType.'AP5630'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"NAND"
IB-DOT11-APMT-MIB::ibDot11APFlashType.'AP7630X'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"NAND"

Name	OID	Value Type	Value Example
IB-DOT11-APMT-MIB::ibDot11APFlashType.'AP7636'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	STRING	"NAND"
IB-DOT11-APMT-MIB::ibDot11APFlashSize.'AP3620'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	131072 kbytes
IB-DOT11-APMT-MIB::ibDot11APFlashSize.'AP3620H'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	131072 kbytes
IB-DOT11-APMT-MIB::ibDot11APFlashSize.'AP3620X'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	131072 kbytes
IB-DOT11-APMT-MIB::ibDot11APFlashSize.'AP3622'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	131072 kbytes
IB-DOT11-APMT-MIB::ibDot11APFlashSize.'AP5620'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	262144 kbytes
IB-DOT11-APMT-MIB::ibDot11APFlashSize.'AP5620XDE'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	262144 kbytes
IB-DOT11-APMT-MIB::ibDot11APFlashSize.'AP5626'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	262144 kbytes
IB-DOT11-APMT-MIB::ibDot11APFlashSize.'AP5630'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	131072 kbytes
IB-DOT11-APMT-MIB::ibDot11APFlashSize.'AP7630X'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	262144 kbytes
IB-DOT11-APMT-MIB::ibDot11APFlashSize.'AP7636'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	262144 kbytes
IB-DOT11--APMT-MIB::ibDot11APMemSize.'AP3620'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	536870912 bytes
IB-DOT11--APMT-MIB::ibDot11APMemSize.'AP3620H'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	536870912 bytes
IB-DOT11--APMT-MIB::ibDot11APMemSize.'AP3620X'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	536870912 bytes
IB-DOT11--APMT-MIB::ibDot11APMemSize.'AP3622'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	1073741824 bytes
IB-DOT11--APMT-MIB::ibDot11APMemSize.'AP5620'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	1073741824 bytes
IB-DOT11--APMT-MIB::ibDot11APMemSize.'AP5620XDE'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	1073741824 bytes
IB-DOT11--APMT-MIB::ibDot11APMemSize.'AP5626'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	1073741824 bytes
IB-DOT11--APMT-MIB::ibDot11APMemSize.'AP5630'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	1073741824 bytes
IB-DOT11--APMT-MIB::ibDot11APMemSize.'AP7630X'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	1073741824 bytes
IB-DOT11--APMT-MIB::ibDot11APMemSize.'AP7636'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	1073741824 bytes
IB-DOT11-APMT-MIB::ibDot11APFlashSizeInBytes.'AP3620'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	134217728 bytes

Name	OID	Value Type	Value Example
IB-DOT11-APMT-MIB::ibDot11APFlashSizeInBytes.'AP3620H'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	134217728 bytes
IB-DOT11-APMT-MIB::ibDot11APFlashSizeInBytes.'AP3620X'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	134217728 bytes
IB-DOT11-APMT-MIB::ibDot11APFlashSizeInBytes.'AP3622'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	134217728 bytes
IB-DOT11-APMT-MIB::ibDot11APFlashSizeInBytes.'AP5620'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	268435456 bytes
IB-DOT11-APMT-MIB::ibDot11APFlashSizeInBytes.'AP5620XDE'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	268435456 bytes
IB-DOT11-APMT-MIB::ibDot11APFlashSizeInBytes.'AP5626'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	268435456 bytes
IB-DOT11-APMT-MIB::ibDot11APFlashSizeInBytes.'AP5630'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	134217728 bytes
IB-DOT11-APMT-MIB::ibDot11APFlashSizeInBytes.'AP7630X'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	268435456 bytes
IB-DOT11-APMT-MIB::ibDot11APFlashSizeInBytes.'AP7636'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	268435456 bytes
IB-DOT11--APMT-MIB::ibDot11WsmAPLicenseType.'AP3620'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	normal(1)
IB-DOT11--APMT-MIB::ibDot11WsmAPLicenseType.'AP3620H'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	iot(4)
IB-DOT11--APMT-MIB::ibDot11WsmAPLicenseType.'AP3620X'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	normal(1)
IB-DOT11--APMT-MIB::ibDot11WsmAPLicenseType.'AP3622'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	iot(4)
IB-DOT11--APMT-MIB::ibDot11WsmAPLicenseType.'AP5620'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	normal(1)
IB-DOT11--APMT-MIB::ibDot11WsmAPLicenseType.'AP5620XDE'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	iot(4)
IB-DOT11--APMT-MIB::ibDot11WsmAPLicenseType.'AP5626'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	iot(4)
IB-DOT11--APMT-MIB::ibDot11WsmAPLicenseType.'AP5630'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	iot(4)
IB-DOT11--APMT-MIB::ibDot11WsmAPLicenseType.'AP7630X'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	iot(4)
IB-DOT11--APMT-MIB::ibDot11WsmAPLicenseType.'AP7636'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	INTEGER	iot(4)
IB-DOT11--APMT-MIB::ibDot11APMemorySize.'AP3620'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	524288 kbytes
IB-DOT11--APMT-MIB::ibDot11APMemorySize.'AP3620H'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	524288 kbytes

Name	OID	Value Type	Value Example
IB-DOT11--APMT-MIB::ibDot11APMemorySize.'AP3620X'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	524288 kbytes
IB-DOT11--APMT-MIB::ibDot11APMemorySize.'AP3622'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	1048576 kbytes
IB-DOT11--APMT-MIB::ibDot11APMemorySize.'AP5620'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	1048576 kbytes
IB-DOT11--APMT-MIB::ibDot11APMemorySize.'AP5620XDE'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	1048576 kbytes
IB-DOT11--APMT-MIB::ibDot11APMemorySize.'AP5626'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	1048576 kbytes
IB-DOT11--APMT-MIB::ibDot11APMemorySize.'AP5630'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	1048576 kbytes
IB-DOT11--APMT-MIB::ibDot11APMemorySize.'AP7630X'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	1048576 kbytes
IB-DOT11--APMT-MIB::ibDot11APMemorySize.'AP7636'	.1.3.6.1.4.1.26138.2.75.1.1.6.22.0	Gauge32	1048576 kbytes
IB-DOT11-CFG-MIB::ibDot11GlobalCountryCode.0	.1.3.6.1.4.1.26138.2.75.4.1.1.0	Hex-STRING	42 52 00
IB-DOT11-CFG-MIB::ibDot11APScanMode.0	.1.3.6.1.4.1.26138.2.75.4.1.5.0	INTEGER	passive(2)
IB-DOT11-CFG-MIB::ibDot11ACCtrlTunnelSecSupport.0	.1.3.6.1.4.1.26138.2.75.4.1.6.0	INTEGER	cleartxt(1)
IB-DOT11-CFG-MIB::ibDot11ACDataTunnelSecSupport.0	.1.3.6.1.4.1.26138.2.75.4.1.7.0	INTEGER	cleartxt(1)
IB-DOT11-CFG-MIB::ibDot11ACAutoAPSupport.0	.1.3.6.1.4.1.26138.2.75.4.1.8.0	INTEGER	false(2)
IB-DOT11-CFG-MIB::ibDot11MonitorInterval.0	.1.3.6.1.4.1.26138.2.75.4.1.12.0	Gauge32	0 minute
IB-DOT11-CFG-MIB::ibDot11SampleInterval.0	.1.3.6.1.4.1.26138.2.75.4.1.13.0	Gauge32	0 second
IB-DOT11-CFG-MIB::ibDot11MaxAPPerIf.0	.1.3.6.1.4.1.26138.2.75.4.1.20.0	Gauge32	65535
IB-DOT11-CFG-MIB::ibDot11RtCollectSwitch.0	.1.3.6.1.4.1.26138.2.75.4.1.23.0	INTEGER	false(2)
IB-DOT11-CFG-MIB::ibDot11RglCollectIntvl.0	.1.3.6.1.4.1.26138.2.75.4.1.24.0	INTEGER	50 second
IB-DOT11-CFG-MIB::ibDot11RtCollectIntvl.0	.1.3.6.1.4.1.26138.2.75.4.1.25.0	INTEGER	50 second
IB-DOT11-CFG-MIB::ibDot11AllAPMonitorMode.0	.1.3.6.1.4.1.26138.2.75.4.1.29.0	INTEGER	normal(1)
IB-DOT11-CFG-MIB::ibDot11GlobalApFmwUpdState.0	.1.3.6.1.4.1.26138.2.75.4.1.30.0	INTEGER	disable(2)
IB-DOT11-CFG-MIB::ibDot11BackupACAdrssIP.0	.1.3.6.1.4.1.26138.2.75.4.7.1.0	Hex-STRING	00 00 00 00
IB-DOT11-CFG-MIB::ibDot11BackupACAdrssIPv6.0	.1.3.6.1.4.1.26138.2.75.4.7.2.0	Hex-STRING	00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00

Name	OID	Value Type	Value Example
IB-DOT11-CFGEXT-MIB::ibDot11LoadBalanceTrafficEnable.0	.1.3.6.1.4.1.26138.2.75.6.1.1.1.0	INTEGER	false(2)
IB-DOT11-CFGEXT-MIB::ibDot11LoadBalanceTrafficThres.0	.1.3.6.1.4.1.26138.2.75.6.1.1.2.0	INTEGER	30
IB-DOT11-CFGEXT-MIB::ibDot11LoadBalanceSessionEnable.0	.1.3.6.1.4.1.26138.2.75.6.1.1.3.0	INTEGER	false(2)
IB-DOT11-CFGEXT-MIB::ibDot11LoadBalanceSessionThres.0	.1.3.6.1.4.1.26138.2.75.6.1.1.4.0	INTEGER	20
IB-DOT11-CFGEXT-MIB::ibDot11LoadBalanceTrafficGap.0	.1.3.6.1.4.1.26138.2.75.6.1.1.5.0	INTEGER	20
IB-DOT11-CFGEXT-MIB::ibDot11LoadBalanceSessionGap.0	.1.3.6.1.4.1.26138.2.75.6.1.1.6.0	INTEGER	4
IB-DOT11-CFGEXT-MIB::ibDot11LBTrafficThresKbps.0	.1.3.6.1.4.1.26138.2.75.6.1.1.7.0	INTEGER	9000 kbps
IB-DOT11-CFGEXT-MIB::ibDot11LBTrafficGapKbps.0	.1.3.6.1.4.1.26138.2.75.6.1.1.8.0	INTEGER	6000 kbps
IB-DOT11--QOS-MIB::ibDot11WmmResetRadioByAP.0	.1.3.6.1.4.1.26138.2.75.9.1.4.1.0	INTEGER	0
IB-DOT11--QOS-MIB::ibDot11WmmResetStationByAP.0	.1.3.6.1.4.1.26138.2.75.9.1.4.2.0	INTEGER	0
IB-DOT11-ROAM-MIB::ibDot11IntraACRoamingSuccCnt.0	.1.3.6.1.4.1.26138.2.75.10.3.1.0	INTEGER	0
IB-DOT11-ROAM-MIB::ibDot11InterACRoamingSuccCnt.0	.1.3.6.1.4.1.26138.2.75.10.3.2.0	INTEGER	0
IB-DOT11-ROAM-MIB::ibDot11InterACRoamOutSuccCnt.0	.1.3.6.1.4.1.26138.2.75.10.3.3.0	INTEGER	0
IB-DOT11-ROAM-MIB::ibDot11IntraACRoamingSuccCnt2.0	.1.3.6.1.4.1.26138.2.75.10.4.1.0	Counter32	0
IB-DOT11-ROAM-MIB::ibDot11InterACRoamingSuccCnt2.0	.1.3.6.1.4.1.26138.2.75.10.4.2.0	Counter32	0
IB-DOT11-ROAM-MIB::ibDot11InterACRoamOutSuccCnt2.0	.1.3.6.1.4.1.26138.2.75.10.4.3.0	Counter32	0
IB-DOT11-ROAM-MIB::ibDot11InterACRoamInSuccCnt2.0	.1.3.6.1.4.1.26138.2.75.10.4.4.0	Counter32	0
IB-MAC-INFORMATION-MIB::ibMACInformationEnabled.0	.1.3.6.1.4.1.26138.2.87.1.1.1.0	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACInformationcSendInterval.0	.1.3.6.1.4.1.26138.2.87.1.1.2.0	Gauge32	1
IB-MAC-INFORMATION-MIB::ibMACInformationLearntMACNum.0	.1.3.6.1.4.1.26138.2.87.1.1.3.0	Counter32	0
IB-MAC-INFORMATION-MIB::ibMACInformationRemovedMACNum.0	.1.3.6.1.4.1.26138.2.87.1.1.4.0	Counter32	0
IB-MAC-INFORMATION-MIB::ibMACInformationTrapSendNum.0	.1.3.6.1.4.1.26138.2.87.1.1.5.0	Counter32	0
IB-MAC-INFORMATION-MIB::ibMACInformationSyslogSendNum.0	.1.3.6.1.4.1.26138.2.87.1.1.6.0	Counter32	0

Name	OID	Value Type	Value Example
IB-MAC-INFORMATION-MIB::ibMACInformationCacheLen.0	.1.3.6.1.4.1.26138.2.87.1.1.7.0	Gauge32	50
IB-MAC-INFORMATION-MIB::ibMACInformationWorkMode.0	.1.3.6.1.4.1.26138.2.87.1.1.8.0	INTEGER	trap(1)
IB-MAC-INFORMATION-MIB::ibMACLearntEnable.3	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.3	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACLearntEnable.4	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.4	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACLearntEnable.5	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.5	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACLearntEnable.6	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.6	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACLearntEnable.7	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.7	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACLearntEnable.8	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.8	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACLearntEnable.9	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.9	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACLearntEnable.10	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.10	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACLearntEnable.11	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.11	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACLearntEnable.12	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.12	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACLearntEnable.13	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.13	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACLearntEnable.14	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.14	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACLearntEnable.15	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.15	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACLearntEnable.16	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.16	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACLearntEnable.17	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.17	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACLearntEnable.18	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.18	INTEGER	disabled(2)

Name	OID	Value Type	Value Example
IB-MAC-INFORMATION-MIB::ibMACLearntEnable.19	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.19	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACLearntEnable.20	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.20	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACLearntEnable.21	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.21	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACLearntEnable.22	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.22	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACLearntEnable.23	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.23	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACLearntEnable.24	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.24	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACLearntEnable.25	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.25	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACLearntEnable.26	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.26	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACLearntEnable.27	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.27	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACLearntEnable.28	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.28	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACLearntEnable.29	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.29	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACLearntEnable.30	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.30	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACLearntEnable.31	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.31	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACLearntEnable.32	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.32	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACRemovedEnable.3	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.3	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACRemovedEnable.4	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.4	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACRemovedEnable.5	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.5	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACRemovedEnable.6	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.6	INTEGER	disabled(2)

Name	OID	Value Type	Value Example
IB-MAC-INFORMATION-MIB::ibMACRemovedEnable.7	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.7	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACRemovedEnable.8	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.8	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACRemovedEnable.9	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.9	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACRemovedEnable.10	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.10	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACRemovedEnable.11	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.11	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACRemovedEnable.12	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.12	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACRemovedEnable.13	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.13	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACRemovedEnable.14	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.14	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACRemovedEnable.15	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.15	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACRemovedEnable.16	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.16	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACRemovedEnable.17	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.17	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACRemovedEnable.18	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.18	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACRemovedEnable.19	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.19	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACRemovedEnable.20	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.20	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACRemovedEnable.21	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.21	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACRemovedEnable.22	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.22	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACRemovedEnable.23	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.23	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACRemovedEnable.24	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.24	INTEGER	disabled(2)

Name	OID	Value Type	Value Example
IB-MAC-INFORMATION-MIB::ibMACRemovedEnable.25	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.25	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACRemovedEnable.26	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.26	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACRemovedEnable.27	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.27	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACRemovedEnable.28	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.28	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACRemovedEnable.29	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.29	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACRemovedEnable.30	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.30	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACRemovedEnable.31	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.31	INTEGER	disabled(2)
IB-MAC-INFORMATION-MIB::ibMACRemovedEnable.32	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.32	INTEGER	disabled(2)
IB-DNS-MIB::ibDnsDynamicSrvIpPriority.ipv4."8.8.8.8"	.1.3.6.1.4.1.26138.2.97.1.2.1.3.1.8.8.8.8	INTEGER	0
IB-LLDP-EXT-MIB::iblldpAdminStatus.0	.1.3.6.1.4.1.26138.2.100.1.1.1.0	INTEGER	true(1)
IB-LLDP-EXT-MIB::iblldpComplianceCDPStatus.0	.1.3.6.1.4.1.26138.2.100.1.1.2.0	INTEGER	false(2)
IB-LLDP-EXT-MIB::iblldpPortConfigCDPComplianceStatus.3	.1.3.6.1.4.1.26138.2.100.1.1.3.1.2.3	INTEGER	disabled(2)
IB-LLDP-EXT-MIB::iblldpPortConfigCDPComplianceStatus.4	.1.3.6.1.4.1.26138.2.100.1.1.3.1.2.4	INTEGER	disabled(2)
IB-LLDP-EXT-MIB::iblldpPortConfigCDPComplianceStatus.5	.1.3.6.1.4.1.26138.2.100.1.1.3.1.2.5	INTEGER	disabled(2)
IB-LLDP-EXT-MIB::iblldpPortConfigCDPComplianceStatus.6	.1.3.6.1.4.1.26138.2.100.1.1.3.1.2.6	INTEGER	disabled(2)
IB-LLDP-EXT-MIB::iblldpPortConfigCDPComplianceStatus.7	.1.3.6.1.4.1.26138.2.100.1.1.3.1.2.7	INTEGER	disabled(2)
IB-LLDP-EXT-MIB::iblldpPortConfigCDPComplianceStatus.8	.1.3.6.1.4.1.26138.2.100.1.1.3.1.2.8	INTEGER	disabled(2)
IB-LLDP-EXT-MIB::iblldpPortConfigCDPComplianceStatus.9	.1.3.6.1.4.1.26138.2.100.1.1.3.1.2.9	INTEGER	disabled(2)
IB-LLDP-EXT-MIB::iblldpPortConfigCDPComplianceStatus.10	.1.3.6.1.4.1.26138.2.100.1.1.3.1.2.10	INTEGER	disabled(2)
IB-LLDP-EXT-MIB::iblldpPortConfigCDPComplianceStatus.11	.1.3.6.1.4.1.26138.2.100.1.1.3.1.2.11	INTEGER	disabled(2)
IB-LLDP-EXT-MIB::iblldpPortConfigCDPComplianceStatus.12	.1.3.6.1.4.1.26138.2.100.1.1.3.1.2.12	INTEGER	disabled(2)
IB-LLDP-EXT-MIB::iblldpPortConfigCDPComplianceStatus.13	.1.3.6.1.4.1.26138.2.100.1.1.3.1.2.13	INTEGER	disabled(2)
IB-LLDP-EXT-MIB::iblldpPortConfigCDPComplianceStatus.14	.1.3.6.1.4.1.26138.2.100.1.1.3.1.2.14	INTEGER	disabled(2)

Name	OID	Value Type	Value Example
IB-LLDP-EXT-MIB::iblldpPortConfigCDPComplianceStatus.15	.1.3.6.1.4.1.26138.2.100.1.1.3.1.2.15	INTEGER	disabled(2)
IB-LLDP-EXT-MIB::iblldpPortConfigCDPComplianceStatus.16	.1.3.6.1.4.1.26138.2.100.1.1.3.1.2.16	INTEGER	disabled(2)
IB-LLDP-EXT-MIB::iblldpPortConfigCDPComplianceStatus.17	.1.3.6.1.4.1.26138.2.100.1.1.3.1.2.17	INTEGER	disabled(2)
IB-LLDP-EXT-MIB::iblldpPortConfigCDPComplianceStatus.18	.1.3.6.1.4.1.26138.2.100.1.1.3.1.2.18	INTEGER	disabled(2)
IB-LLDP-EXT-MIB::iblldpPortConfigCDPComplianceStatus.19	.1.3.6.1.4.1.26138.2.100.1.1.3.1.2.19	INTEGER	disabled(2)
IB-LLDP-EXT-MIB::iblldpPortConfigCDPComplianceStatus.20	.1.3.6.1.4.1.26138.2.100.1.1.3.1.2.20	INTEGER	disabled(2)
IB-LLDP-EXT-MIB::iblldpPortConfigCDPComplianceStatus.21	.1.3.6.1.4.1.26138.2.100.1.1.3.1.2.21	INTEGER	disabled(2)
IB-LLDP-EXT-MIB::iblldpPortConfigCDPComplianceStatus.22	.1.3.6.1.4.1.26138.2.100.1.1.3.1.2.22	INTEGER	disabled(2)
IB-LLDP-EXT-MIB::iblldpPortConfigCDPComplianceStatus.23	.1.3.6.1.4.1.26138.2.100.1.1.3.1.2.23	INTEGER	disabled(2)
IB-LLDP-EXT-MIB::iblldpPortConfigCDPComplianceStatus.24	.1.3.6.1.4.1.26138.2.100.1.1.3.1.2.24	INTEGER	disabled(2)
IB-LLDP-EXT-MIB::iblldpPortConfigCDPComplianceStatus.25	.1.3.6.1.4.1.26138.2.100.1.1.3.1.2.25	INTEGER	disabled(2)
IB-LLDP-EXT-MIB::iblldpPortConfigCDPComplianceStatus.26	.1.3.6.1.4.1.26138.2.100.1.1.3.1.2.26	INTEGER	disabled(2)
IB-LLDP-EXT-MIB::iblldpPortConfigCDPComplianceStatus.27	.1.3.6.1.4.1.26138.2.100.1.1.3.1.2.27	INTEGER	disabled(2)
IB-LLDP-EXT-MIB::iblldpPortConfigCDPComplianceStatus.28	.1.3.6.1.4.1.26138.2.100.1.1.3.1.2.28	INTEGER	disabled(2)
IB-LLDP-EXT-MIB::iblldpPortConfigCDPComplianceStatus.29	.1.3.6.1.4.1.26138.2.100.1.1.3.1.2.29	INTEGER	disabled(2)
IB-LLDP-EXT-MIB::iblldpPortConfigCDPComplianceStatus.30	.1.3.6.1.4.1.26138.2.100.1.1.3.1.2.30	INTEGER	disabled(2)
IB-LLDP-EXT-MIB::iblldpPortConfigCDPComplianceStatus.31	.1.3.6.1.4.1.26138.2.100.1.1.3.1.2.31	INTEGER	disabled(2)
IB-LLDP-EXT-MIB::iblldpPortConfigCDPComplianceStatus.32	.1.3.6.1.4.1.26138.2.100.1.1.3.1.2.32	INTEGER	disabled(2)
IB-LLDP-EXT-MIB::iblldpPortConfigValidationAction.3	.1.3.6.1.4.1.26138.2.100.1.1.3.1.3.3	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigValidationAction.4	.1.3.6.1.4.1.26138.2.100.1.1.3.1.3.4	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigValidationAction.5	.1.3.6.1.4.1.26138.2.100.1.1.3.1.3.5	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigValidationAction.6	.1.3.6.1.4.1.26138.2.100.1.1.3.1.3.6	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigValidationAction.7	.1.3.6.1.4.1.26138.2.100.1.1.3.1.3.7	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigValidationAction.8	.1.3.6.1.4.1.26138.2.100.1.1.3.1.3.8	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigValidationAction.9	.1.3.6.1.4.1.26138.2.100.1.1.3.1.3.9	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigValidationAction.10	.1.3.6.1.4.1.26138.2.100.1.1.3.1.3.10	INTEGER	0

Name	OID	Value Type	Value Example
IB-LLDP-EXT-MIB::iblldpPortConfigValidationAction.11	.1.3.6.1.4.1.26138.2.100.1.1.3.1.3.11	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigValidationAction.12	.1.3.6.1.4.1.26138.2.100.1.1.3.1.3.12	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigValidationAction.13	.1.3.6.1.4.1.26138.2.100.1.1.3.1.3.13	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigValidationAction.14	.1.3.6.1.4.1.26138.2.100.1.1.3.1.3.14	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigValidationAction.15	.1.3.6.1.4.1.26138.2.100.1.1.3.1.3.15	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigValidationAction.16	.1.3.6.1.4.1.26138.2.100.1.1.3.1.3.16	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigValidationAction.17	.1.3.6.1.4.1.26138.2.100.1.1.3.1.3.17	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigValidationAction.18	.1.3.6.1.4.1.26138.2.100.1.1.3.1.3.18	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigValidationAction.19	.1.3.6.1.4.1.26138.2.100.1.1.3.1.3.19	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigValidationAction.20	.1.3.6.1.4.1.26138.2.100.1.1.3.1.3.20	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigValidationAction.21	.1.3.6.1.4.1.26138.2.100.1.1.3.1.3.21	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigValidationAction.22	.1.3.6.1.4.1.26138.2.100.1.1.3.1.3.22	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigValidationAction.23	.1.3.6.1.4.1.26138.2.100.1.1.3.1.3.23	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigValidationAction.24	.1.3.6.1.4.1.26138.2.100.1.1.3.1.3.24	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigValidationAction.25	.1.3.6.1.4.1.26138.2.100.1.1.3.1.3.25	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigValidationAction.26	.1.3.6.1.4.1.26138.2.100.1.1.3.1.3.26	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigValidationAction.27	.1.3.6.1.4.1.26138.2.100.1.1.3.1.3.27	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigValidationAction.28	.1.3.6.1.4.1.26138.2.100.1.1.3.1.3.28	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigValidationAction.29	.1.3.6.1.4.1.26138.2.100.1.1.3.1.3.29	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigValidationAction.30	.1.3.6.1.4.1.26138.2.100.1.1.3.1.3.30	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigValidationAction.31	.1.3.6.1.4.1.26138.2.100.1.1.3.1.3.31	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigValidationAction.32	.1.3.6.1.4.1.26138.2.100.1.1.3.1.3.32	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigAgingAction.3	.1.3.6.1.4.1.26138.2.100.1.1.3.1.4.3	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigAgingAction.4	.1.3.6.1.4.1.26138.2.100.1.1.3.1.4.4	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigAgingAction.5	.1.3.6.1.4.1.26138.2.100.1.1.3.1.4.5	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigAgingAction.6	.1.3.6.1.4.1.26138.2.100.1.1.3.1.4.6	INTEGER	0

Name	OID	Value Type	Value Example
IB-LLDP-EXT-MIB::iblldpPortConfigAgingAction.7	.1.3.6.1.4.1.26138.2.100.1.1.3.1.4.7	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigAgingAction.8	.1.3.6.1.4.1.26138.2.100.1.1.3.1.4.8	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigAgingAction.9	.1.3.6.1.4.1.26138.2.100.1.1.3.1.4.9	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigAgingAction.10	.1.3.6.1.4.1.26138.2.100.1.1.3.1.4.10	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigAgingAction.11	.1.3.6.1.4.1.26138.2.100.1.1.3.1.4.11	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigAgingAction.12	.1.3.6.1.4.1.26138.2.100.1.1.3.1.4.12	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigAgingAction.13	.1.3.6.1.4.1.26138.2.100.1.1.3.1.4.13	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigAgingAction.14	.1.3.6.1.4.1.26138.2.100.1.1.3.1.4.14	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigAgingAction.15	.1.3.6.1.4.1.26138.2.100.1.1.3.1.4.15	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigAgingAction.16	.1.3.6.1.4.1.26138.2.100.1.1.3.1.4.16	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigAgingAction.17	.1.3.6.1.4.1.26138.2.100.1.1.3.1.4.17	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigAgingAction.18	.1.3.6.1.4.1.26138.2.100.1.1.3.1.4.18	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigAgingAction.19	.1.3.6.1.4.1.26138.2.100.1.1.3.1.4.19	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigAgingAction.20	.1.3.6.1.4.1.26138.2.100.1.1.3.1.4.20	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigAgingAction.21	.1.3.6.1.4.1.26138.2.100.1.1.3.1.4.21	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigAgingAction.22	.1.3.6.1.4.1.26138.2.100.1.1.3.1.4.22	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigAgingAction.23	.1.3.6.1.4.1.26138.2.100.1.1.3.1.4.23	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigAgingAction.24	.1.3.6.1.4.1.26138.2.100.1.1.3.1.4.24	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigAgingAction.25	.1.3.6.1.4.1.26138.2.100.1.1.3.1.4.25	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigAgingAction.26	.1.3.6.1.4.1.26138.2.100.1.1.3.1.4.26	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigAgingAction.27	.1.3.6.1.4.1.26138.2.100.1.1.3.1.4.27	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigAgingAction.28	.1.3.6.1.4.1.26138.2.100.1.1.3.1.4.28	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigAgingAction.29	.1.3.6.1.4.1.26138.2.100.1.1.3.1.4.29	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigAgingAction.30	.1.3.6.1.4.1.26138.2.100.1.1.3.1.4.30	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigAgingAction.31	.1.3.6.1.4.1.26138.2.100.1.1.3.1.4.31	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortConfigAgingAction.32	.1.3.6.1.4.1.26138.2.100.1.1.3.1.4.32	INTEGER	0

Name	OID	Value Type	Value Example
IB-LLDP-EXT-MIB::iblldpNbIdentityChassisIDSubtype.3	.1.3.6.1.4.1.26138.2.100.1.1.4.1.2.3	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityChassisIDSubtype.4	.1.3.6.1.4.1.26138.2.100.1.1.4.1.2.4	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityChassisIDSubtype.5	.1.3.6.1.4.1.26138.2.100.1.1.4.1.2.5	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityChassisIDSubtype.6	.1.3.6.1.4.1.26138.2.100.1.1.4.1.2.6	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityChassisIDSubtype.7	.1.3.6.1.4.1.26138.2.100.1.1.4.1.2.7	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityChassisIDSubtype.8	.1.3.6.1.4.1.26138.2.100.1.1.4.1.2.8	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityChassisIDSubtype.9	.1.3.6.1.4.1.26138.2.100.1.1.4.1.2.9	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityChassisIDSubtype.10	.1.3.6.1.4.1.26138.2.100.1.1.4.1.2.10	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityChassisIDSubtype.11	.1.3.6.1.4.1.26138.2.100.1.1.4.1.2.11	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityChassisIDSubtype.12	.1.3.6.1.4.1.26138.2.100.1.1.4.1.2.12	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityChassisIDSubtype.13	.1.3.6.1.4.1.26138.2.100.1.1.4.1.2.13	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityChassisIDSubtype.14	.1.3.6.1.4.1.26138.2.100.1.1.4.1.2.14	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityChassisIDSubtype.15	.1.3.6.1.4.1.26138.2.100.1.1.4.1.2.15	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityChassisIDSubtype.16	.1.3.6.1.4.1.26138.2.100.1.1.4.1.2.16	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityChassisIDSubtype.17	.1.3.6.1.4.1.26138.2.100.1.1.4.1.2.17	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityChassisIDSubtype.18	.1.3.6.1.4.1.26138.2.100.1.1.4.1.2.18	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityChassisIDSubtype.19	.1.3.6.1.4.1.26138.2.100.1.1.4.1.2.19	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityChassisIDSubtype.20	.1.3.6.1.4.1.26138.2.100.1.1.4.1.2.20	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityChassisIDSubtype.21	.1.3.6.1.4.1.26138.2.100.1.1.4.1.2.21	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityChassisIDSubtype.22	.1.3.6.1.4.1.26138.2.100.1.1.4.1.2.22	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityChassisIDSubtype.23	.1.3.6.1.4.1.26138.2.100.1.1.4.1.2.23	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityChassisIDSubtype.24	.1.3.6.1.4.1.26138.2.100.1.1.4.1.2.24	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityChassisIDSubtype.25	.1.3.6.1.4.1.26138.2.100.1.1.4.1.2.25	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityChassisIDSubtype.26	.1.3.6.1.4.1.26138.2.100.1.1.4.1.2.26	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityChassisIDSubtype.27	.1.3.6.1.4.1.26138.2.100.1.1.4.1.2.27	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityChassisIDSubtype.28	.1.3.6.1.4.1.26138.2.100.1.1.4.1.2.28	INTEGER	default(0)

Name	OID	Value Type	Value Example
IB-LLDP-EXT-MIB::iblldpNbIdentityChassisIDSubtype.29	.1.3.6.1.4.1.26138.2.100.1.1.4.1.2.29	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityChassisIDSubtype.30	.1.3.6.1.4.1.26138.2.100.1.1.4.1.2.30	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityChassisIDSubtype.31	.1.3.6.1.4.1.26138.2.100.1.1.4.1.2.31	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityChassisIDSubtype.32	.1.3.6.1.4.1.26138.2.100.1.1.4.1.2.32	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityPortIDSubtype.3	.1.3.6.1.4.1.26138.2.100.1.1.4.1.4.3	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityPortIDSubtype.4	.1.3.6.1.4.1.26138.2.100.1.1.4.1.4.4	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityPortIDSubtype.5	.1.3.6.1.4.1.26138.2.100.1.1.4.1.4.5	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityPortIDSubtype.6	.1.3.6.1.4.1.26138.2.100.1.1.4.1.4.6	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityPortIDSubtype.7	.1.3.6.1.4.1.26138.2.100.1.1.4.1.4.7	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityPortIDSubtype.8	.1.3.6.1.4.1.26138.2.100.1.1.4.1.4.8	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityPortIDSubtype.9	.1.3.6.1.4.1.26138.2.100.1.1.4.1.4.9	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityPortIDSubtype.10	.1.3.6.1.4.1.26138.2.100.1.1.4.1.4.10	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityPortIDSubtype.11	.1.3.6.1.4.1.26138.2.100.1.1.4.1.4.11	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityPortIDSubtype.12	.1.3.6.1.4.1.26138.2.100.1.1.4.1.4.12	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityPortIDSubtype.13	.1.3.6.1.4.1.26138.2.100.1.1.4.1.4.13	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityPortIDSubtype.14	.1.3.6.1.4.1.26138.2.100.1.1.4.1.4.14	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityPortIDSubtype.15	.1.3.6.1.4.1.26138.2.100.1.1.4.1.4.15	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityPortIDSubtype.16	.1.3.6.1.4.1.26138.2.100.1.1.4.1.4.16	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityPortIDSubtype.17	.1.3.6.1.4.1.26138.2.100.1.1.4.1.4.17	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityPortIDSubtype.18	.1.3.6.1.4.1.26138.2.100.1.1.4.1.4.18	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityPortIDSubtype.19	.1.3.6.1.4.1.26138.2.100.1.1.4.1.4.19	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityPortIDSubtype.20	.1.3.6.1.4.1.26138.2.100.1.1.4.1.4.20	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityPortIDSubtype.21	.1.3.6.1.4.1.26138.2.100.1.1.4.1.4.21	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityPortIDSubtype.22	.1.3.6.1.4.1.26138.2.100.1.1.4.1.4.22	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityPortIDSubtype.23	.1.3.6.1.4.1.26138.2.100.1.1.4.1.4.23	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityPortIDSubtype.24	.1.3.6.1.4.1.26138.2.100.1.1.4.1.4.24	INTEGER	default(0)

Name	OID	Value Type	Value Example
IB-LLDP-EXT-MIB::iblldpNbIdentityPortIDSubtype.25	.1.3.6.1.4.1.26138.2.100.1.1.4.1.4.25	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityPortIDSubtype.26	.1.3.6.1.4.1.26138.2.100.1.1.4.1.4.26	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityPortIDSubtype.27	.1.3.6.1.4.1.26138.2.100.1.1.4.1.4.27	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityPortIDSubtype.28	.1.3.6.1.4.1.26138.2.100.1.1.4.1.4.28	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityPortIDSubtype.29	.1.3.6.1.4.1.26138.2.100.1.1.4.1.4.29	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityPortIDSubtype.30	.1.3.6.1.4.1.26138.2.100.1.1.4.1.4.30	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityPortIDSubtype.31	.1.3.6.1.4.1.26138.2.100.1.1.4.1.4.31	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityPortIDSubtype.32	.1.3.6.1.4.1.26138.2.100.1.1.4.1.4.32	INTEGER	default(0)
IB-LLDP-EXT-MIB::iblldpNbIdentityRowStatus.3	.1.3.6.1.4.1.26138.2.100.1.1.4.1.6.3	INTEGER	active(1)
IB-LLDP-EXT-MIB::iblldpNbIdentityRowStatus.4	.1.3.6.1.4.1.26138.2.100.1.1.4.1.6.4	INTEGER	active(1)
IB-LLDP-EXT-MIB::iblldpNbIdentityRowStatus.5	.1.3.6.1.4.1.26138.2.100.1.1.4.1.6.5	INTEGER	active(1)
IB-LLDP-EXT-MIB::iblldpNbIdentityRowStatus.6	.1.3.6.1.4.1.26138.2.100.1.1.4.1.6.6	INTEGER	active(1)
IB-LLDP-EXT-MIB::iblldpNbIdentityRowStatus.7	.1.3.6.1.4.1.26138.2.100.1.1.4.1.6.7	INTEGER	active(1)
IB-LLDP-EXT-MIB::iblldpNbIdentityRowStatus.8	.1.3.6.1.4.1.26138.2.100.1.1.4.1.6.8	INTEGER	active(1)
IB-LLDP-EXT-MIB::iblldpNbIdentityRowStatus.9	.1.3.6.1.4.1.26138.2.100.1.1.4.1.6.9	INTEGER	active(1)
IB-LLDP-EXT-MIB::iblldpNbIdentityRowStatus.10	.1.3.6.1.4.1.26138.2.100.1.1.4.1.6.10	INTEGER	active(1)
IB-LLDP-EXT-MIB::iblldpNbIdentityRowStatus.11	.1.3.6.1.4.1.26138.2.100.1.1.4.1.6.11	INTEGER	active(1)
IB-LLDP-EXT-MIB::iblldpNbIdentityRowStatus.12	.1.3.6.1.4.1.26138.2.100.1.1.4.1.6.12	INTEGER	active(1)
IB-LLDP-EXT-MIB::iblldpNbIdentityRowStatus.13	.1.3.6.1.4.1.26138.2.100.1.1.4.1.6.13	INTEGER	active(1)
IB-LLDP-EXT-MIB::iblldpNbIdentityRowStatus.14	.1.3.6.1.4.1.26138.2.100.1.1.4.1.6.14	INTEGER	active(1)
IB-LLDP-EXT-MIB::iblldpNbIdentityRowStatus.15	.1.3.6.1.4.1.26138.2.100.1.1.4.1.6.15	INTEGER	active(1)
IB-LLDP-EXT-MIB::iblldpNbIdentityRowStatus.16	.1.3.6.1.4.1.26138.2.100.1.1.4.1.6.16	INTEGER	active(1)
IB-LLDP-EXT-MIB::iblldpNbIdentityRowStatus.17	.1.3.6.1.4.1.26138.2.100.1.1.4.1.6.17	INTEGER	active(1)
IB-LLDP-EXT-MIB::iblldpNbIdentityRowStatus.18	.1.3.6.1.4.1.26138.2.100.1.1.4.1.6.18	INTEGER	active(1)
IB-LLDP-EXT-MIB::iblldpNbIdentityRowStatus.19	.1.3.6.1.4.1.26138.2.100.1.1.4.1.6.19	INTEGER	active(1)
IB-LLDP-EXT-MIB::iblldpNbIdentityRowStatus.20	.1.3.6.1.4.1.26138.2.100.1.1.4.1.6.20	INTEGER	active(1)

Name	OID	Value Type	Value Example
IB-LLDP-EXT-MIB::iblldpNbIdentityRowStatus.21	.1.3.6.1.4.1.26138.2.100.1.1.4.1.6.21	INTEGER	active(1)
IB-LLDP-EXT-MIB::iblldpNbIdentityRowStatus.22	.1.3.6.1.4.1.26138.2.100.1.1.4.1.6.22	INTEGER	active(1)
IB-LLDP-EXT-MIB::iblldpNbIdentityRowStatus.23	.1.3.6.1.4.1.26138.2.100.1.1.4.1.6.23	INTEGER	active(1)
IB-LLDP-EXT-MIB::iblldpNbIdentityRowStatus.24	.1.3.6.1.4.1.26138.2.100.1.1.4.1.6.24	INTEGER	active(1)
IB-LLDP-EXT-MIB::iblldpNbIdentityRowStatus.25	.1.3.6.1.4.1.26138.2.100.1.1.4.1.6.25	INTEGER	active(1)
IB-LLDP-EXT-MIB::iblldpNbIdentityRowStatus.26	.1.3.6.1.4.1.26138.2.100.1.1.4.1.6.26	INTEGER	active(1)
IB-LLDP-EXT-MIB::iblldpNbIdentityRowStatus.27	.1.3.6.1.4.1.26138.2.100.1.1.4.1.6.27	INTEGER	active(1)
IB-LLDP-EXT-MIB::iblldpNbIdentityRowStatus.28	.1.3.6.1.4.1.26138.2.100.1.1.4.1.6.28	INTEGER	active(1)
IB-LLDP-EXT-MIB::iblldpNbIdentityRowStatus.29	.1.3.6.1.4.1.26138.2.100.1.1.4.1.6.29	INTEGER	active(1)
IB-LLDP-EXT-MIB::iblldpNbIdentityRowStatus.30	.1.3.6.1.4.1.26138.2.100.1.1.4.1.6.30	INTEGER	active(1)
IB-LLDP-EXT-MIB::iblldpNbIdentityRowStatus.31	.1.3.6.1.4.1.26138.2.100.1.1.4.1.6.31	INTEGER	active(1)
IB-LLDP-EXT-MIB::iblldpNbIdentityRowStatus.32	.1.3.6.1.4.1.26138.2.100.1.1.4.1.6.32	INTEGER	active(1)
IB-LLDP-EXT-MIB::iblldpPortValidationStatus.3	.1.3.6.1.4.1.26138.2.100.1.1.5.1.2.3	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortValidationStatus.4	.1.3.6.1.4.1.26138.2.100.1.1.5.1.2.4	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortValidationStatus.5	.1.3.6.1.4.1.26138.2.100.1.1.5.1.2.5	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortValidationStatus.6	.1.3.6.1.4.1.26138.2.100.1.1.5.1.2.6	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortValidationStatus.7	.1.3.6.1.4.1.26138.2.100.1.1.5.1.2.7	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortValidationStatus.8	.1.3.6.1.4.1.26138.2.100.1.1.5.1.2.8	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortValidationStatus.9	.1.3.6.1.4.1.26138.2.100.1.1.5.1.2.9	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortValidationStatus.10	.1.3.6.1.4.1.26138.2.100.1.1.5.1.2.10	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortValidationStatus.11	.1.3.6.1.4.1.26138.2.100.1.1.5.1.2.11	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortValidationStatus.12	.1.3.6.1.4.1.26138.2.100.1.1.5.1.2.12	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortValidationStatus.13	.1.3.6.1.4.1.26138.2.100.1.1.5.1.2.13	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortValidationStatus.14	.1.3.6.1.4.1.26138.2.100.1.1.5.1.2.14	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortValidationStatus.15	.1.3.6.1.4.1.26138.2.100.1.1.5.1.2.15	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortValidationStatus.16	.1.3.6.1.4.1.26138.2.100.1.1.5.1.2.16	INTEGER	0

Name	OID	Value Type	Value Example
IB-LLDP-EXT-MIB::iblldpPortValidationStatus.17	.1.3.6.1.4.1.26138.2.100.1.1.5.1.2.17	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortValidationStatus.18	.1.3.6.1.4.1.26138.2.100.1.1.5.1.2.18	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortValidationStatus.19	.1.3.6.1.4.1.26138.2.100.1.1.5.1.2.19	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortValidationStatus.20	.1.3.6.1.4.1.26138.2.100.1.1.5.1.2.20	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortValidationStatus.21	.1.3.6.1.4.1.26138.2.100.1.1.5.1.2.21	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortValidationStatus.22	.1.3.6.1.4.1.26138.2.100.1.1.5.1.2.22	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortValidationStatus.23	.1.3.6.1.4.1.26138.2.100.1.1.5.1.2.23	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortValidationStatus.24	.1.3.6.1.4.1.26138.2.100.1.1.5.1.2.24	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortValidationStatus.25	.1.3.6.1.4.1.26138.2.100.1.1.5.1.2.25	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortValidationStatus.26	.1.3.6.1.4.1.26138.2.100.1.1.5.1.2.26	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortValidationStatus.27	.1.3.6.1.4.1.26138.2.100.1.1.5.1.2.27	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortValidationStatus.28	.1.3.6.1.4.1.26138.2.100.1.1.5.1.2.28	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortValidationStatus.29	.1.3.6.1.4.1.26138.2.100.1.1.5.1.2.29	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortValidationStatus.30	.1.3.6.1.4.1.26138.2.100.1.1.5.1.2.30	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortValidationStatus.31	.1.3.6.1.4.1.26138.2.100.1.1.5.1.2.31	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortValidationStatus.32	.1.3.6.1.4.1.26138.2.100.1.1.5.1.2.32	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortAgingStatus.3	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.3	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortAgingStatus.4	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.4	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortAgingStatus.5	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.5	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortAgingStatus.6	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.6	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortAgingStatus.7	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.7	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortAgingStatus.8	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.8	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortAgingStatus.9	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.9	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortAgingStatus.10	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.10	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortAgingStatus.11	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.11	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortAgingStatus.12	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.12	INTEGER	0

Name	OID	Value Type	Value Example
IB-LLDP-EXT-MIB::iblldpPortAgingStatus.13	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.13	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortAgingStatus.14	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.14	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortAgingStatus.15	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.15	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortAgingStatus.16	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.16	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortAgingStatus.17	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.17	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortAgingStatus.18	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.18	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortAgingStatus.19	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.19	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortAgingStatus.20	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.20	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortAgingStatus.21	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.21	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortAgingStatus.22	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.22	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortAgingStatus.23	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.23	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortAgingStatus.24	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.24	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortAgingStatus.25	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.25	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortAgingStatus.26	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.26	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortAgingStatus.27	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.27	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortAgingStatus.28	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.28	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortAgingStatus.29	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.29	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortAgingStatus.30	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.30	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortAgingStatus.31	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.31	INTEGER	0
IB-LLDP-EXT-MIB::iblldpPortAgingStatus.32	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.32	INTEGER	0
IB-LLDP-EXT-MIB::iblldpRemManAddrSubtype.962360.9.1.ipV4.".dI."	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.32	INTEGER	ipV4(1)
IB-LLDP-EXT-MIB::iblldpRemManAddr.962360.9.1.ipV4.".dI."	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.32	STRING	"10.100.73.253"
IB-LLDP-EXT-MIB::iblldpRemManAddrIfSubtype.962360.9.1.ipV4.".dI."	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.32	INTEGER	ifIndex(2)
IB-LLDP-EXT-MIB::iblldpRemManAddrIfId.962360.9.1.ipV4.".dI."	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.32	INTEGER	10
IB-LLDP-EXT-MIB::iblldpRemManAddrOID.962360.9.1.ipV4.".dI."	.1.3.6.1.4.1.26138.2.100.1.1.5.1.3.32	OID	SNMPv2-SMI::zeroDotZero

Name	OID	Value Type	Value Example
IB-SNMP-EXT-MIB::ibSnmpExtMax-Con textNum.0	.1.3.6.1.4.1.26138.2.104.1.4.0	INTEGER	20
IB-SNMP-EXT-MIB::ibSnmpExtVersio n.0	.1.3.6.1.4.1.26138.2.104.1.5.0	BITS	E0 snmpV1(0) snmpV2c(1) snmpV3(2)
IB-SNMP-EXT-MIB::ibSnmpExtTrapSo urce.0	.1.3.6.1.4.1.26138.2.104.1.6.0	STRING	
IB-SNMP-EXT-MIB::ibSnmpExtInform Source.0	.1.3.6.1.4.1.26138.2.104.1.7.0	STRING	
IB-INFOCENTER-MIB::ibICMaxLogbuf ferSize.0	.1.3.6.1.4.1.26138.2.119.1.1.1.0	Gauge32	1024
IB-INFOCENTER-MIB::ibICLogbuffer Size.0	.1.3.6.1.4.1.26138.2.119.1.1.2.0	Gauge32	512
IB-INFOCENTER-MIB::ibICLogbuffer CurrentMessages.0	.1.3.6.1.4.1.26138.2.119.1.1.3.0	Gauge32	119
IB-INFOCENTER-MIB::ibICLogbuffer OverwrittenMessages.0	.1.3.6.1.4.1.26138.2.119.1.1.4.0	Counter32	0
IB-INFOCENTER-MIB::ibICLogbuffer DroppedMessages.0	.1.3.6.1.4.1.26138.2.119.1.1.5.0	Counter32	0
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.1	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .1	STRING	%Mar 7 18:47:17:923 2025 INTELB RAS SYSLOG/6/SYSLOG_RESTART: Sys tem restarted --
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.2	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .2	STRING	%Mar 7 18:47:23:875 2025 INTELB RAS XMLCFG/3/XMLCFG_API: get ser vice status, ret=40010005, state =0
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.3	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .3	STRING	%Mar 7 18:47:23:875 2025 INTELB RAS XMLCFG/3/XMLCFG_API: start s ervice on master, ret=0
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.4	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .4	STRING	%Mar 7 18:47:23:875 2025 INTELB RAS XMLCFG/3/XMLCFG_API: start s ervice on slave, ret=0, slave nu m=0, addr=0
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.5	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .5	STRING	%Mar 7 18:47:29:101 2025 INTELB RAS XMLCFG/3/XMLCFG_API: get ser vice status, ret=0, state=1
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.6	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .6	STRING	%Mar 7 18:47:30:788 2025 INTELB RAS XMLCFG/3/XMLCFG_API: get ser vice status, ret=0, state=1
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.7	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .7	STRING	%Mar 7 18:47:34:179 2025 INTELB RAS XMLCFG/3/XMLCFG_API: start s ervice on master, ret=0
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.8	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .8	STRING	%Mar 7 18:47:34:179 2025 INTELB RAS XMLCFG/3/XMLCFG_API: start s ervice on master, ret=0
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.9	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .9	STRING	%Mar 7 18:47:34:179 2025 INTELB RAS XMLCFG/3/XMLCFG_API: start s ervice on slave, ret=0, slave nu m=0, addr=0
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.10	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .10	STRING	%Mar 7 18:47:34:179 2025 INTELB RAS XMLCFG/3/XMLCFG_API: start s ervice on slave, ret=0, slave nu m=0, addr=0
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.11	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .11	STRING	%Mar 7 15:47:34:502 2025 INTELB RAS DEV/5/DEV_CLOCK_CHANGE: -

Name	OID	Value Type	Value Example
			-Use r=-IPAddr=; System clock changed from 18:47:34 UTC Fri 03/07/202 5 to 15:47:34 Brazil Fri 03/07/2 025.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.12	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .12	STRING	%Mar 7 15:47:34:987 2025 INTELB RAS STP/6/STP_ENABLE: STP is now enabled on the device.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.13	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .13	STRING	%Mar 7 15:47:35:034 2025 INTELB RAS IFNET/3/PHY_UPDOWN: Physical state on the interface InLoopBa ck0 changed to up.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.14	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .14	STRING	%Mar 7 15:47:35:040 2025 INTELB RAS IFNET/3/PHY_UPDOWN: Physical state on the interface Inner-Et hernet1/0/1 changed to up.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.15	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .15	STRING	%Mar 7 15:47:37:932 2025 INTELB RAS IFNET/3/PHY_UPDOWN: Physical state on the interface GigabitE thernet1/0/7 changed to up.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.16	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .16	STRING	%Mar 7 15:47:37:933 2025 INTELB RAS IFNET/5/LINK_UPDOWN: Line pr otocol state on the interface Gi gabitEthernet1/0/7 changed to up .
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.17	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .17	STRING	%Mar 7 15:47:37:933 2025 INTELB RAS IFNET/3/PHY_UPDOWN: Physical state on the interface Vlan-int erface1 changed to up.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.18	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .18	STRING	%Mar 7 15:47:37:933 2025 INTELB RAS IFNET/5/LINK_UPDOWN: Line pr otocol state on the interface Vl an-interface1 changed to up.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.19	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .19	STRING	%Mar 7 15:47:38:030 2025 INTELB RAS STP/5/STP_NOT_ROOT: The curr ent switch is no longer the root of Instance 0.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.20	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .20	STRING	%Mar 7 15:47:38:031 2025 INTELB RAS STP/6/STP_DETECTED_TC: Insta nce 0's port GigabitEthernet1/0/ 7 detected a topology change.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.21	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .21	STRING	%Mar 7 15:47:38:050 2025 INTELB RAS STP/6/STP_NOTIFIED_TC: Insta nce 0's port GigabitEthernet1/0/ 7 was notified a topology change .
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.22	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .22	STRING	%Mar 7 15:47:39:527 2025 INTELB RAS LLDP/6/LLDP_CREATE_NEIGHBOR: Nearest bridge agent neighbor c reated on port GigabitEthernet1/ 0/7 (IfIndex 9), neighbor's chas sis ID is 7c7a-3c35-0d00, port I D is Smartrate-Ethernet1/0/12.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.23	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .23	STRING	%Mar 7 15:47:58:820 2025 INTELB RAS SHELL/5/SHELL_LOGIN: TTY log ged in from aux0.

Name	OID	Value Type	Value Example
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.24	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .24	STRING	%Mar 7 15:48:00:907 2025 INTELB RAS SHELL/6/SHELL_CMD: User=**-I PAddr=**-StartTime=Mar 7 18:48: 00:904718 2025 -EndTime=Mar 7 1 8:48:00:907563 2025 -Ret=SUCCESS ;Command is sys.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.25	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .25	STRING	%Mar 7 15:48:03:222 2025 INTELB RAS SHELL/6/SHELL_CMD: User=**-I PAddr=**-StartTime=Mar 7 15:48: 03:218131 2025 -EndTime=Mar 7 1 5:48:03:222075 2025 -Ret=SUCCESS ;Command is dis ip int br.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.26	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .26	STRING	%Mar 7 15:48:14:363 2025 INTELB RAS SHELL/6/SHELL_CMD: User=**-I PAddr=**-StartTime=Mar 7 15:48: 14:358940 2025 -EndTime=Mar 7 1 5:48:14:363253 2025 -Ret=SUCCESS ;Command is int Vlan-interface 1 .
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.27	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .27	STRING	%Mar 7 15:48:19:111 2025 INTELB RAS SHELL/6/SHELL_CMD: User=**-I PAddr=**-StartTime=Mar 7 15:48: 19:111352 2025 -EndTime=Mar 7 1 5:48:19:111957 2025 -Ret=SUCCESS ;Command is ip address dhcp-allo c.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.28	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .28	STRING	%Mar 7 15:48:21:386 2025 INTELB RAS SHELL/6/SHELL_CMD: User=**-I PAddr=**-StartTime=Mar 7 15:48: 21:384037 2025 -EndTime=Mar 7 1 5:48:21:386683 2025 -Ret=SUCCESS ;Command is dis ip int br.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.29	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .29	STRING	%Mar 7 15:48:22:338 2025 INTELB RAS SHELL/6/SHELL_CMD: User=**-I PAddr=**-StartTime=Mar 7 15:48: 22:335472 2025 -EndTime=Mar 7 1 5:48:22:338226 2025 -Ret=SUCCESS ;Command is dis ip int br.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.30	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .30	STRING	%Mar 7 15:48:23:106 2025 INTELB RAS SHELL/6/SHELL_CMD: User=**-I PAddr=**-StartTime=Mar 7 15:48: 23:103469 2025 -EndTime=Mar 7 1 5:48:23:106337 2025 -Ret=SUCCESS ;Command is dis ip int br.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.31	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .31	STRING	%Mar 7 15:48:23:874 2025 INTELB RAS SHELL/6/SHELL_CMD: User=**-I PAddr=**-StartTime=Mar 7 15:48: 23:871373 2025 -EndTime=Mar 7 1 5:48:23:874422 2025 -Ret=SUCCESS ;Command is dis ip int br.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.32	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .32	STRING	%Mar 7 15:48:24:587 2025 INTELB RAS SHELL/6/SHELL_CMD: User=**-I PAddr=**-StartTime=Mar 7 15:48: 24:584419 2025 -EndTime=Mar 7 1 5:48:24:587201 2025 -Ret=SUCCESS ;Command is dis ip int br.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.33	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .33	STRING	%Mar 7 15:48:25:282 2025 INTELB RAS SHELL/6/SHELL_CMD: User=**-I PAddr=**-StartTime=Mar 7 15:48: 25:279074 2025 -EndTime=Mar 7 1

Name	OID	Value Type	Value Example
			5:48:25:282749 2025 -Ret=SUCCESS ;Command is dis ip int br.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.34	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .34	STRING	%Mar 7 15:48:26:401 2025 INTELB RAS SHELL/6/SHELL_CMD: User=**-I PAddr=**-StartTime=Mar 7 15:48: 26:399058 2025 -EndTime=Mar 7 1 5:48:26:401864 2025 -Ret=SUCCESS ;Command is dis ip int br.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.35	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .35	STRING	%Mar 7 15:48:27:282 2025 INTELB RAS SHELL/6/SHELL_CMD: User=**-I PAddr=**-StartTime=Mar 7 15:48: 27:279206 2025 -EndTime=Mar 7 1 5:48:27:282163 2025 -Ret=SUCCESS ;Command is dis ip int br.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.36	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .36	STRING	%Mar 7 15:48:27:966 2025 INTELB RAS SHELL/6/SHELL_CMD: User=**-I PAddr=**-StartTime=Mar 7 15:48: 27:962557 2025 -EndTime=Mar 7 1 5:48:27:966428 2025 -Ret=SUCCESS ;Command is dis ip int br.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.37	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .37	STRING	%Mar 7 15:48:28:803 2025 INTELB RAS SHELL/6/SHELL_CMD: User=**-I PAddr=**-StartTime=Mar 7 15:48: 28:799313 2025 -EndTime=Mar 7 1 5:48:28:803031 2025 -Ret=SUCCESS ;Command is dis ip int br.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.38	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .38	STRING	%Mar 7 15:48:32:474 2025 INTELB RAS SHELL/6/SHELL_CMD: User=**-I PAddr=**-StartTime=Mar 7 15:48: 32:473267 2025 -EndTime=Mar 7 1 5:48:32:474039 2025 -Ret=SUCCESS ;Command is quit.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.39	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .39	STRING	%Mar 7 15:48:36:817 2025 INTELB RAS SHELL/6/SHELL_CMD: User=**-I PAddr=**-StartTime=Mar 7 15:48: 36:816647 2025 -EndTime=Mar 7 1 5:48:36:817698 2025 -Ret=SUCCESS ;Command is local-user admin.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.40	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .40	STRING	%Mar 7 15:48:43:321 2025 INTELB RAS SHELL/6/SHELL_CMD: User=**-I PAddr=**-StartTime=Mar 7 15:48: 43:318771 2025 -EndTime=Mar 7 1 5:48:43:321207 2025 -Ret=SUCCESS ;Command is password simple ********.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.41	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .41	STRING	%Mar 7 15:48:43:355 2025 INTELB RAS LS/5/LS_PWD_CHGPWD: The pass word of local device-management user admin was modified.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.42	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .42	STRING	%Mar 7 15:48:47:144 2025 INTELB RAS SHELL/6/SHELL_CMD: User=**-I PAddr=**-StartTime=Mar 7 15:48: 47:143574 2025 -EndTime=Mar 7 1 5:48:47:144166 2025 -Ret=SUCCESS ;Command is quit.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.43	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .43	STRING	%Mar 7 15:48:49:943 2025 INTELB RAS SHELL/6/SHELL_CMD: User=**-I PAddr=**-StartTime=Mar 7 15:48: 49:942094 2025 -EndTime=Mar 7 1

Name	OID	Value Type	Value Example
			5:48:49:943208 2025 -Ret=SUCCESS ;Command is local-user admin.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.44	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .44	STRING	%Mar 7 15:48:51:928 2025 INTELB RAS SHELL/6/SHELL_CMD: User=**-I PAddr=**-StartTime=Mar 7 15:48: 51:927947 2025 -EndTime=Mar 7 1 5:48:51:928639 2025 -Ret=SUCCESS ;Command is quit.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.45	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .45	STRING	%Mar 7 15:48:55:927 2025 INTELB RAS SHELL/6/SHELL_CMD: User=**-I PAddr=**-StartTime=Mar 7 15:48: 55:926609 2025 -EndTime=Mar 7 1 5:48:55:927783 2025 -Ret=SUCCESS ;Command is telnet server enable .
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.46	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .46	STRING	%Mar 7 15:49:22:680 2025 INTELB RAS SHELL/6/SHELL_CMD: User=**-I PAddr=**-StartTime=Mar 7 15:49: 22:679069 2025 -EndTime=Mar 7 1 5:49:22:680055 2025 -Ret=SUCCESS ;Command is snmp-agent community intelbras user-role network-adm in.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.47	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .47	STRING	%Mar 7 15:49:38:606 2025 INTELB RAS SHELL/6/SHELL_CMD: User=**-I PAddr=**-StartTime=Mar 7 15:49: 38:605753 2025 -EndTime=Mar 7 1 5:49:38:606724 2025 -Ret=SUCCESS ;Command is snmp-agent sys-info version v3 v2c.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.48	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .48	STRING	%Mar 7 15:49:41:657 2025 INTELB RAS SHELL/6/SHELL_CMD: User=**-I PAddr=**-StartTime=Mar 7 15:49: 41:655638 2025 -EndTime=Mar 7 1 5:49:41:657078 2025 -Ret=SUCCESS ;Command is quit.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.49	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .49	STRING	%Mar 7 15:49:43:351 2025 INTELB RAS SHELL/6/SHELL_CMD: User=**-I PAddr=**-StartTime=Mar 7 15:49: 43:349822 2025 -EndTime=Mar 7 1 5:49:43:351652 2025 -Ret=SUCCESS ;Command is sys.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.50	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .50	STRING	%Mar 7 15:49:52:998 2025 INTELB RAS SHELL/6/SHELL_CMD: User=**-I PAddr=**-StartTime=Mar 7 15:49: 52:997782 2025 -EndTime=Mar 7 1 5:49:52:998813 2025 -Ret=SUCCESS ;Command is local-user ad.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.51	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .51	STRING	%Mar 7 15:49:54:808 2025 INTELB RAS SHELL/6/SHELL_CMD: User=**-I PAddr=**-StartTime=Mar 7 15:49: 54:807756 2025 -EndTime=Mar 7 1 5:49:54:808314 2025 -Ret=SUCCESS ;Command is quit.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.52	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .52	STRING	%Mar 7 15:49:57:007 2025 INTELB RAS SHELL/6/SHELL_CMD: User=**-I PAddr=**-StartTime=Mar 7 15:49: 57:6627 2025 -EndTime=Mar 7 15: 49:57:7685 2025 -Ret=SUCCESS;Com mand is local-user admin.

Name	OID	Value Type	Value Example
IB-INFOCENTER-MIB::ibICLogbufferContDescription.53	.1.3.6.1.4.1.26138.2.119.1.2.1.2.53	STRING	%Mar 7 15:50:11:502 2025 INTELBRAS SHELL/6/SHELL_CMD: User=**-IPAddr=**-StartTime=Mar 7 15:50:11:502150 2025 -EndTime=Mar 7 15:50:11:502691 2025 -Ret=SUCCESS;Command is service-type telnet.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.54	.1.3.6.1.4.1.26138.2.119.1.2.1.2.54	STRING	%Mar 7 15:50:36:302 2025 INTELBRAS PWDCTL/6/PWDCTL_CHANGE_PASSWORD: admin changed the password because it was the first login of the account.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.55	.1.3.6.1.4.1.26138.2.119.1.2.1.2.55	STRING	%Mar 7 15:50:36:355 2025 INTELBRAS SHELL/5/SHELL_LOGIN: admin logged in from 10.100.65.122.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.56	.1.3.6.1.4.1.26138.2.119.1.2.1.2.56	STRING	%Mar 7 15:51:39:881 2025 INTELBRAS SSHS/6/SSHS_ALGORITHM_MISMATCH: SSH client 10.100.250.1 failed to log in because of public key mismatch.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.57	.1.3.6.1.4.1.26138.2.119.1.2.1.2.57	STRING	%Mar 7 15:51:39:881 2025 INTELBRAS SSHS/6/SSHS_DISCONNECT: SSH user (null) (IP: 10.100.250.1) disconnected from the server.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.58	.1.3.6.1.4.1.26138.2.119.1.2.1.2.58	STRING	%Mar 7 15:52:07:277 2025 INTELBRAS SSHS/6/SSHS_LOG: Accepted password for admin from 10.100.250.1 port 44968.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.59	.1.3.6.1.4.1.26138.2.119.1.2.1.2.59	STRING	%Mar 7 15:52:08:374 2025 INTELBRAS SSHS/6/SSHS_CONNECT: SSH user admin (IP: 10.100.250.1) connected to the server successfully.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.60	.1.3.6.1.4.1.26138.2.119.1.2.1.2.60	STRING	%Mar 7 15:52:08:453 2025 INTELBRAS SHELL/5/SHELL_LOGIN: admin logged in from 10.100.250.1.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.61	.1.3.6.1.4.1.26138.2.119.1.2.1.2.61	STRING	%Mar 7 15:52:19:659 2025 INTELBRAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 18:52:19:657205 2025 -EndTime=Mar 7 18:52:19:659303 2025 -Ret=SUCCESS;Command is sys.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.62	.1.3.6.1.4.1.26138.2.119.1.2.1.2.62	STRING	%Mar 7 15:52:55:431 2025 INTELBRAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 15:52:55:430366 2025 -EndTime=Mar 7 15:52:55:431291 2025 -Ret=SUCCESS;Command is snmp-agent.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.63	.1.3.6.1.4.1.26138.2.119.1.2.1.2.63	STRING	%Mar 7 15:52:55:434 2025 INTELBRAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 15:52:55:433105 2025 -EndTime=Mar 7 15:52:55:434172 2025 -Ret=SUCCESS;Command is snmp-agent community intelbras123 user-role network-admin.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.64	.1.3.6.1.4.1.26138.2.119.1.2.1.2.64	STRING	%Mar 7 15:52:55:437 2025 INTELBRAS SHELL/6/SHELL_CMD: User=admi

Name	OID	Value Type	Value Example
			n-IPAddr=10.100.250.1-StartTime=Mar 7 15:52:55:436670 2025 -EndTime=Mar 7 15:52:55:437559 2025 -Ret=SUCCESS;Command is snmp-agent sys-info version all.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.65	.1.3.6.1.4.1.26138.2.119.1.2.1.2.65	STRING	%Mar 7 15:52:56:010 2025 INTELBRAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 15:52:56:9520 2025 -EndTime=Mar 7 15:52:56:10504 2025 -Ret=SUCCESS;Command is snmp-agent.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.66	.1.3.6.1.4.1.26138.2.119.1.2.1.2.66	STRING	%Mar 7 15:53:13:627 2025 INTELBRAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 15:53:13:626673 2025 -EndTime=Mar 7 15:53:13:627530 2025 -Ret=SUCCESS;Command is snmp-agent.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.67	.1.3.6.1.4.1.26138.2.119.1.2.1.2.67	STRING	%Mar 7 15:53:13:630 2025 INTELBRAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 15:53:13:629212 2025 -EndTime=Mar 7 15:53:13:630067 2025 -Ret=SUCCESS;Command is snmp-agent community intelbras123 user-role network-admin.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.68	.1.3.6.1.4.1.26138.2.119.1.2.1.2.68	STRING	%Mar 7 15:53:13:633 2025 INTELBRAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 15:53:13:632256 2025 -EndTime=Mar 7 15:53:13:633138 2025 -Ret=SUCCESS;Command is snmp-agent sys-info version all.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.69	.1.3.6.1.4.1.26138.2.119.1.2.1.2.69	STRING	%Mar 7 15:53:13:635 2025 INTELBRAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 15:53:13:634524 2025 -EndTime=Mar 7 15:53:13:635269 2025 -Ret=SUCCESS;Command is snmp-agent.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.70	.1.3.6.1.4.1.26138.2.119.1.2.1.2.70	STRING	%Mar 7 15:53:13:637 2025 INTELBRAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 15:53:13:636662 2025 -EndTime=Mar 7 15:53:13:637736 2025 -Ret=SUCCESS;Command is local-user ped class manage.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.71	.1.3.6.1.4.1.26138.2.119.1.2.1.2.71	STRING	%Mar 7 15:53:13:668 2025 INTELBRAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 15:53:13:666940 2025 -EndTime=Mar 7 15:53:13:668942 2025 -Ret=SUCCESS;Command is password simple ******.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.72	.1.3.6.1.4.1.26138.2.119.1.2.1.2.72	STRING	%Mar 7 15:53:13:682 2025 INTELBRAS LS/5/LS_PWD_CHGPWD: The password of local device-management user ped was modified.

Name	OID	Value Type	Value Example
IB-INFOCENTER-MIB::ibICLogbufferContDescription.73	.1.3.6.1.4.1.26138.2.119.1.2.1.2.73	STRING	%Mar 7 15:53:13:686 2025 INTELBRAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 15:53:13:686264 2025 -EndTime=Mar 7 15:53:13:686729 2025 -Ret=SUCCESS;Command is authorization-attribute user-role network-admin.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.74	.1.3.6.1.4.1.26138.2.119.1.2.1.2.74	STRING	%Mar 7 15:53:13:692 2025 INTELBRAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 15:53:13:692265 2025 -EndTime=Mar 7 15:53:13:692736 2025 -Ret=SUCCESS;Command is service-type telnet http https pad ssh terminal.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.75	.1.3.6.1.4.1.26138.2.119.1.2.1.2.75	STRING	%Mar 7 15:53:13:695 2025 INTELBRAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 15:53:13:694960 2025 -EndTime=Mar 7 15:53:13:695888 2025 -Ret=SUCCESS;Command is quit.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.76	.1.3.6.1.4.1.26138.2.119.1.2.1.2.76	STRING	%Mar 7 15:53:13:699 2025 INTELBRAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 15:53:13:697963 2025 -EndTime=Mar 7 15:53:13:699418 2025 -Ret=SUCCESS;Command is ssh server enable.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.77	.1.3.6.1.4.1.26138.2.119.1.2.1.2.77	STRING	%Mar 7 15:53:13:705 2025 INTELBRAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 15:53:13:704151 2025 -EndTime=Mar 7 15:53:13:705343 2025 -Ret=SUCCESS;Command is ssh user ped service-type all authentication-type password.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.78	.1.3.6.1.4.1.26138.2.119.1.2.1.2.78	STRING	%Mar 7 15:53:13:710 2025 INTELBRAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 15:53:13:709498 2025 -EndTime=Mar 7 15:53:13:710579 2025 -Ret=SUCCESS;Command is telnet server enable.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.79	.1.3.6.1.4.1.26138.2.119.1.2.1.2.79	STRING	%Mar 7 15:53:13:715 2025 INTELBRAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 15:53:13:713849 2025 -EndTime=Mar 7 15:53:13:715686 2025 -Ret=SUCCESS;Command is netconf ssh server enable.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.80	.1.3.6.1.4.1.26138.2.119.1.2.1.2.80	STRING	%Mar 7 15:53:13:721 2025 INTELBRAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 15:53:13:718533 2025 -EndTime=Mar 7 15:53:13:721237 2025 -Ret=SUCCESS;Command is line vty 0 63.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.81	.1.3.6.1.4.1.26138.2.119.1.2.1.2.81	STRING	%Mar 7 15:53:13:724 2025 INTELBRAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=

Name	OID	Value Type	Value Example
			Mar 7 15:53:13:724278 2025 -End Time=Mar 7 15:53:13:724649 2025 -Ret=SUCCESS;Command is authentication-mode scheme.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.82	.1.3.6.1.4.1.26138.2.119.1.2.1.2.82	STRING	%Mar 7 15:53:13:759 2025 INTELB RAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 15:53:13:759644 2025 -End Time=Mar 7 15:53:13:759953 2025 -Ret=SUCCESS;Command is user-role network-admin.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.83	.1.3.6.1.4.1.26138.2.119.1.2.1.2.83	STRING	%Mar 7 15:53:13:805 2025 INTELB RAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 15:53:13:804020 2025 -End Time=Mar 7 15:53:13:805009 2025 -Ret=SUCCESS;Command is quit.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.84	.1.3.6.1.4.1.26138.2.119.1.2.1.2.84	STRING	%Mar 7 15:53:13:808 2025 INTELB RAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 15:53:13:807130 2025 -End Time=Mar 7 15:53:13:808058 2025 -Ret=SUCCESS;Command is ip http enable.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.85	.1.3.6.1.4.1.26138.2.119.1.2.1.2.85	STRING	%Mar 7 15:53:13:811 2025 INTELB RAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 15:53:13:810022 2025 -End Time=Mar 7 15:53:13:811103 2025 -Ret=SUCCESS;Command is ntp-service enable.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.86	.1.3.6.1.4.1.26138.2.119.1.2.1.2.86	STRING	%Mar 7 15:53:13:866 2025 INTELB RAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 15:53:13:865207 2025 -End Time=Mar 7 15:53:13:866320 2025 -Ret=SUCCESS;Command is ntp-service unicast-server 200.160.7.186.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.87	.1.3.6.1.4.1.26138.2.119.1.2.1.2.87	STRING	%Mar 7 15:53:13:869 2025 INTELB RAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 15:53:13:868259 2025 -End Time=Mar 7 15:53:13:869174 2025 -Ret=SUCCESS;Command is clock timezone Brazil minus 03:00:00.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.88	.1.3.6.1.4.1.26138.2.119.1.2.1.2.88	STRING	%Mar 7 15:53:13:873 2025 INTELB RAS DEV/5/DEV_CLOCK_CHANGE: --User=admin-IPAddr=10.100.250.1; System clock changed from 15:53:13 Brazil Fri 03/07/2025 to 15:53:13 Brazil Fri 03/07/2025.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.89	.1.3.6.1.4.1.26138.2.119.1.2.1.2.89	STRING	%Mar 7 15:53:13:876 2025 INTELB RAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 15:53:13:874844 2025 -End Time=Mar 7 15:53:13:876046 2025 -Ret=SUCCESS;Command is info-center loghost 10.100.73.8.

Name	OID	Value Type	Value Example
IB-INFOCENTER-MIB::ibICLogbufferContDescription.90	.1.3.6.1.4.1.26138.2.119.1.2.1.2.90	STRING	%Mar 7 15:53:13:886 2025 INTELBRAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 15:53:13:885655 2025 -EndTime=Mar 7 15:53:13:886719 2025 -Ret=SUCCESS;Command is scp server enable.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.91	.1.3.6.1.4.1.26138.2.119.1.2.1.2.91	STRING	%Mar 7 15:53:13:894 2025 INTELBRAS SHELL/4/SHELL_CMD_MATCHFAIL: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 15:53:13:893462 2025 -EndTime=Mar 7 15:53:13:894648 2025 -Ret=FAILED;Command undo stp mode pvst in view system failed to be matched.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.92	.1.3.6.1.4.1.26138.2.119.1.2.1.2.92	STRING	%Mar 7 15:53:13:896 2025 INTELBRAS SHELL/4/SHELL_CMD_MATCHFAIL: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 15:53:13:894812 2025 -EndTime=Mar 7 15:53:13:896675 2025 -Ret=FAILED;Command no stp mode pvst in view system failed to be matched.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.93	.1.3.6.1.4.1.26138.2.119.1.2.1.2.93	STRING	%Mar 7 15:53:17:000 2025 INTELBRAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 15:53:16:999461 2025 -EndTime=Mar 7 15:53:17:476 2025 -Ret=SUCCESS;Command is save force.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.94	.1.3.6.1.4.1.26138.2.119.1.2.1.2.94	STRING	%Mar 7 15:53:18:787 2025 INTELBRAS OPENSRC/6/SYSLOG: Mar 7 15:53:18 sudo: pam_unix(sudo:session): session opened for user root by (uid=0)
IB-INFOCENTER-MIB::ibICLogbufferContDescription.95	.1.3.6.1.4.1.26138.2.119.1.2.1.2.95	STRING	%Mar 7 15:53:18:815 2025 INTELBRAS OPENSRC/6/SYSLOG: Mar 7 15:53:18 sudo: pam_unix(sudo:session): session closed for user root
IB-INFOCENTER-MIB::ibICLogbufferContDescription.96	.1.3.6.1.4.1.26138.2.119.1.2.1.2.96	STRING	%Mar 7 15:53:18:874 2025 INTELBRAS OPENSRC/6/SYSLOG: Mar 7 15:53:18 sudo: pam_unix(sudo:session): session opened for user root by (uid=0)
IB-INFOCENTER-MIB::ibICLogbufferContDescription.97	.1.3.6.1.4.1.26138.2.119.1.2.1.2.97	STRING	%Mar 7 15:53:18:923 2025 INTELBRAS OPENSRC/6/SYSLOG: Mar 7 15:53:18 sudo: pam_unix(sudo:session): session closed for user root
IB-INFOCENTER-MIB::ibICLogbufferContDescription.98	.1.3.6.1.4.1.26138.2.119.1.2.1.2.98	STRING	%Mar 7 15:53:18:974 2025 INTELBRAS OPENSRC/6/SYSLOG: Mar 7 15:53:18 sudo: pam_unix(sudo:session): session opened for user root by (uid=0)
IB-INFOCENTER-MIB::ibICLogbufferContDescription.99	.1.3.6.1.4.1.26138.2.119.1.2.1.2.99	STRING	%Mar 7 15:53:19:021 2025 INTELBRAS OPENSRC/6/SYSLOG: Mar 7 15:53:19 sudo: pam_unix(sudo:session): session closed for user root

Name	OID	Value Type	Value Example
IB-INFOCENTER-MIB::ibICLogbufferContDescription.100	.1.3.6.1.4.1.26138.2.119.1.2.1.2.100	STRING	%Mar 7 15:53:33:633 2025 INTELBRAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 15:53:33:632052 2025 -EndTime=Mar 7 15:53:33:633617 2025 -Ret=SUCCESS;Command is quit.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.101	.1.3.6.1.4.1.26138.2.119.1.2.1.2.101	STRING	%Mar 7 15:53:35:063 2025 INTELBRAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 15:53:35:61855 2025 -EndTime=Mar 7 15:53:35:63233 2025 -Ret=SUCCESS;Command is quit.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.102	.1.3.6.1.4.1.26138.2.119.1.2.1.2.102	STRING	%Mar 7 15:53:35:064 2025 INTELBRAS SHELL/5/SHELL_LOGOUT: admin logged out from 10.100.250.1.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.103	.1.3.6.1.4.1.26138.2.119.1.2.1.2.103	STRING	%Mar 7 15:53:35:111 2025 INTELBRAS SSHS/6/SSHS_DISCONNECT: SSH user admin (IP: 10.100.250.1) disconnected from the server.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.104	.1.3.6.1.4.1.26138.2.119.1.2.1.2.104	STRING	%Mar 7 15:53:39:944 2025 INTELBRAS PWDCTL/6/PWDCTL_ADD_BLACKLIST: User admin from 10.100.250.1 was added to the blacklist for failed login attempts.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.105	.1.3.6.1.4.1.26138.2.119.1.2.1.2.105	STRING	%Mar 7 15:53:39:945 2025 INTELBRAS SSHS/6/SSHS_LOG: Authentication failed for user admin from 10.100.250.1 port 59250 because of invalid username or wrong password.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.106	.1.3.6.1.4.1.26138.2.119.1.2.1.2.106	STRING	%Mar 7 15:53:42:848 2025 INTELBRAS PWDCTL/6/PWDCTL_DELETE_BLACKLIST: User admin was deleted from the blacklist.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.107	.1.3.6.1.4.1.26138.2.119.1.2.1.2.107	STRING	%Mar 7 15:53:42:855 2025 INTELBRAS SSHS/6/SSHS_LOG: Accepted password for admin from 10.100.250.1 port 59250.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.108	.1.3.6.1.4.1.26138.2.119.1.2.1.2.108	STRING	%Mar 7 15:53:43:950 2025 INTELBRAS SSHS/6/SSHS_CONNECT: SSH user admin (IP: 10.100.250.1) connected to the server successfully.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.109	.1.3.6.1.4.1.26138.2.119.1.2.1.2.109	STRING	%Mar 7 15:53:44:027 2025 INTELBRAS SHELL/5/SHELL_LOGIN: admin logged in from 10.100.250.1.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.110	.1.3.6.1.4.1.26138.2.119.1.2.1.2.110	STRING	%Mar 7 15:53:45:529 2025 INTELBRAS SHELL/6/SHELL_CMD: User=admin-IPAddr=10.100.250.1-StartTime=Mar 7 18:53:45:526981 2025 -EndTime=Mar 7 18:53:45:529134 2025 -Ret=SUCCESS;Command is quit.
IB-INFOCENTER-MIB::ibICLogbufferContDescription.111	.1.3.6.1.4.1.26138.2.119.1.2.1.2.111	STRING	%Mar 7 15:53:45:530 2025 INTELBRAS SHELL/5/SHELL_LOGOUT: admin logged out from 10.100.250.1.

Name	OID	Value Type	Value Example
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.112	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .112	STRING	%Mar 7 15:53:45:598 2025 INTELB RAS SSHS/6/SSHS_DISCONNECT: SSH user admin (IP: 10.100.250.1) di sconnected from the server.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.113	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .113	STRING	%Mar 7 16:05:11:982 2025 INTELB RAS NTP/5/NTP_CLOCK_CHANGE: Syst em clock changed from 15:54:20:8 66 03/07/2025 to 16:05:11:974 03 /07/2025, the NTP server's IP ad dress is 200.160.7.186.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.114	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .114	STRING	%Mar 7 16:05:11:997 2025 INTELB RAS NTP/5/NTP_LEAP_CHANGE: Syste m Leap Indicator changed from 3 to 0 after clock update.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.115	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .115	STRING	%Mar 7 16:05:11:997 2025 INTELB RAS NTP/5/ NTP_STRATUM_CHANGE: Sy stem stratum changed from 16 to 2 after clock update.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.116	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .116	STRING	%Mar 7 16:10:16:000 2025 INTELB RAS CFGMAN/5/ CFGMAN_CFGCHANGED: -EventIndex=2-CommandSource=snmp -ConfigSource=startup-ConfigDest ination=running; Configuration c hanged.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.117	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .117	STRING	%Mar 7 16:11:08:077 2025 INTELB RAS SHELL/5/SHELL_LOGOUT: TTY lo gged out from aux0.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.118	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .118	STRING	%Mar 7 16:11:34:622 2025 INTELB RAS SHELL/5/SHELL_LOGOUT: ad- min logged out from 10.100.65.122.
IB-INFOCENTER-MIB::ibICLogbuffer ContDescription.119	.1.3.6.1.4.1.26138.2.119.1.2.1.2 .119	STRING	%Mar 7 17:00:16:000 2025 INTELB RAS CFGMAN/5/ CFGMAN_CFGCHANGED: -EventIndex=3-CommandSource=snmp -ConfigSource=startup-ConfigDest ination=running; Configuration c hanged.
IB-INFOCENTER-MIB::ibICMaxLoghos t.0	.1.3.6.1.4.1.26138.2.119.2.1.1.0	Gauge32	20
IB-INFOCENTER-MIB::ibICLoghostSo urceInterface.0	.1.3.6.1.4.1.26138.2.119.2.1.2.0	INTEGER	0
IB-INFOCENTER-MIB::ibICLoghostTi mestampType.0	.1.3.6.1.4.1.26138.2.119.2.1.3.0	INTEGER	date(0)
IB-INFOCENTER-MIB::ibICLoghostIp addressType.1	.1.3.6.1.4.1.26138.2.119.2.2.1.2 .1	INTEGER	ipv4(1)
IB-INFOCENTER-MIB::ibICLoghostIp address.1	.1.3.6.1.4.1.26138.2.119.2.2.1.3 .1	Hex-STRING	0A 64 49 08
IB-INFOCENTER-MIB::ibICLoghostVP NName.1	.1.3.6.1.4.1.26138.2.119.2.2.1.4 .1	STRING	
IB-INFOCENTER-MIB::ibICLoghostFa cility.1	.1.3.6.1.4.1.26138.2.119.2.2.1.5 .1	INTEGER	local7(23)

Name	OID	Value Type	Value Example
IB-INFOCENTER-MIB::ibICLoghostOperateRowStatus.1	.1.3.6.1.4.1.26138.2.119.2.2.1.6.1	INTEGER	active(1)
IB-INFOCENTER-MIB::ibICLoghostIpaddressPort.1	.1.3.6.1.4.1.26138.2.119.2.2.1.7.1	Gauge32	514
IB-INFOCENTER-MIB::ibICLoghostTAddress.1	.1.3.6.1.4.1.26138.2.119.2.2.1.8.1	Hex-STRING	0A 64 49 08 02 02
IB-INFOCENTER-MIB::ibICDirectionName.1	.1.3.6.1.4.1.26138.2.119.3.1.1.2.1	STRING	Console
IB-INFOCENTER-MIB::ibICDirectionName.2	.1.3.6.1.4.1.26138.2.119.3.1.1.2.2	STRING	Monitor
IB-INFOCENTER-MIB::ibICDirectionName.3	.1.3.6.1.4.1.26138.2.119.3.1.1.2.3	STRING	Log buffer
IB-INFOCENTER-MIB::ibICDirectionName.4	.1.3.6.1.4.1.26138.2.119.3.1.1.2.4	STRING	Log host
IB-INFOCENTER-MIB::ibICDirectionName.5	.1.3.6.1.4.1.26138.2.119.3.1.1.2.5	STRING	Log file
IB-INFOCENTER-MIB::ibICDirectionName.6	.1.3.6.1.4.1.26138.2.119.3.1.1.2.6	STRING	Diagnostic log file
IB-INFOCENTER-MIB::ibICDirectionName.7	.1.3.6.1.4.1.26138.2.119.3.1.1.2.7	STRING	Security log file
IB-INFOCENTER-MIB::ibICDirectionName.8	.1.3.6.1.4.1.26138.2.119.3.1.1.2.8	STRING	Trace file
IB-INFOCENTER-MIB::ibICDirectionName.9	.1.3.6.1.4.1.26138.2.119.3.1.1.2.9	STRING	Trap
IB-INFOCENTER-MIB::ibICDirectionName.11	.1.3.6.1.4.1.26138.2.119.3.1.1.2.11	STRING	Mail
IB-INFOCENTER-MIB::ibICDirectionState.1	.1.3.6.1.4.1.26138.2.119.3.1.1.3.1	INTEGER	true(1)
IB-INFOCENTER-MIB::ibICDirectionState.2	.1.3.6.1.4.1.26138.2.119.3.1.1.3.2	INTEGER	true(1)
IB-INFOCENTER-MIB::ibICDirectionState.3	.1.3.6.1.4.1.26138.2.119.3.1.1.3.3	INTEGER	true(1)
IB-INFOCENTER-MIB::ibICDirectionState.4	.1.3.6.1.4.1.26138.2.119.3.1.1.3.4	INTEGER	true(1)
IB-INFOCENTER-MIB::ibICDirectionState.5	.1.3.6.1.4.1.26138.2.119.3.1.1.3.5	INTEGER	true(1)
IB-INFOCENTER-MIB::ibICDirectionState.6	.1.3.6.1.4.1.26138.2.119.3.1.1.3.6	INTEGER	true(1)
IB-INFOCENTER-MIB::ibICDirectionState.7	.1.3.6.1.4.1.26138.2.119.3.1.1.3.7	INTEGER	false(2)
IB-INFOCENTER-MIB::ibICDirectionState.8	.1.3.6.1.4.1.26138.2.119.3.1.1.3.8	INTEGER	true(1)
IB-INFOCENTER-MIB::ibICDirectionState.9	.1.3.6.1.4.1.26138.2.119.3.1.1.3.9	INTEGER	true(1)
IB-INFOCENTER-MIB::ibICDirectionState.11	.1.3.6.1.4.1.26138.2.119.3.1.1.3.11	INTEGER	true(1)
IB-INFOCENTER-MIB::ibICModule-Name.'ACL'	.1.3.6.1.4.1.26138.2.119.3.1.1.3.11	STRING	ACL
IB-INFOCENTER-MIB::ibICModule-Name.'ACLFW'	.1.3.6.1.4.1.26138.2.119.3.1.1.3.11	STRING	ACLFW

Name	OID	Value Type	Value Example
IB-INFOCENTER-MIB::ibICModule-Nam e.'ADJ4'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	ADJ4
IB-INFOCENTER-MIB::ibICModule-Nam e.'ADJ6'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	ADJ6
IB-INFOCENTER-MIB::ibICModule-Nam e.'APMGR'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	APMGR
IB-INFOCENTER-MIB::ibICModule-Nam e.'APMGRFW'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	APMGRFW
IB-INFOCENTER-MIB::ibICModule-Nam e.'ARP'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	ARP
IB-INFOCENTER-MIB::ibICModule-Nam e.'ASPF'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	ASPF
IB-INFOCENTER-MIB::ibICModule-Nam e.'CCF'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	CCF
IB-INFOCENTER-MIB::ibICModule-Nam e.'CFGMAN'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	CFGMAN
IB-INFOCENTER-MIB::ibICModule-Nam e.'CLCP'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	CLCP
IB-INFOCENTER-MIB::ibICModule-Nam e.'CLOUDAGE'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	CLOUDAGE
IB-INFOCENTER-MIB::ibICModule-Nam e.'CMTNLMGR'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	CMTNLMGR
IB-INFOCENTER-MIB::ibICModule-Nam e.'CONNLMT'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	CONNLMT
IB-INFOCENTER-MIB::ibICModule-Nam e.'CPFAGENT'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	CPFAGENT
IB-INFOCENTER-MIB::ibICModule-Nam e.'CWS'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	CWS
IB-INFOCENTER-MIB::ibICModule-Nam e.'DBM'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	DBM
IB-INFOCENTER-MIB::ibICModule-Nam e.'DCBX'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	DCBX
IB-INFOCENTER-MIB::ibICModule-Nam e.'DEV'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	DEV
IB-INFOCENTER-MIB::ibICModule-Nam e.'DHCP'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	DHCP

Name	OID	Value Type	Value Example
IB-INFOCENTER-MIB::ibICModule-Nam e.'DHCPC'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	DHCPC
IB-INFOCENTER-MIB::ibICModule-Nam e.'DHCPLIB'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	DHCPLIB
IB-INFOCENTER-MIB::ibICModule-Nam e.'DHCPSP4'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	DHCPSP4
IB-INFOCENTER-MIB::ibICModule-Nam e.'DHCPSP6'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	DHCPSP6
IB-INFOCENTER-MIB::ibICModule-Nam e.'DIM'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	DIM
IB-INFOCENTER-MIB::ibICModule-Nam e.'DNS'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	DNS
IB-INFOCENTER-MIB::ibICModule-Nam e.'DOT11'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	DOT11
IB-INFOCENTER-MIB::ibICModule-Nam e.'DRV-DBG'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	DRV-DBG
IB-INFOCENTER-MIB::ibICModule-Nam e.'DW_INFO'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	DW_INFO
IB-INFOCENTER-MIB::ibICModule-Nam e.'ETH'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	ETH
IB-INFOCENTER-MIB::ibICModule-Nam e.'ETHDRNI'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	ETHDRNI
IB-INFOCENTER-MIB::ibICModule-Nam e.'FIB'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	FIB
IB-INFOCENTER-MIB::ibICModule-Nam e.'FILTER'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	FILTER
IB-INFOCENTER-MIB::ibICModule-Nam e.'FNOTIFY'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	FNOTIFY
IB-INFOCENTER-MIB::ibICModule-Nam e.'FWDUTILI'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	FWDUTILI
IB-INFOCENTER-MIB::ibICModule-Nam e.'HTTP'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	HTTP
IB-INFOCENTER-MIB::ibICModule-Nam e.'IFNET'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	IFNET
IB-INFOCENTER-MIB::ibICModule-Nam e.'INET'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	INET

Name	OID	Value Type	Value Example
IB-INFOCENTER-MIB::ibICModule-Nam e.'IP6FW'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	IP6FW
IB-INFOCENTER-MIB::ibICModule-Nam e.'IPADDR'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	IPADDR
IB-INFOCENTER-MIB::ibICModule-Nam e.'IPFW'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	IPFW
IB-INFOCENTER-MIB::ibICModule-Nam e.'IPSG'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	IPSG
IB-INFOCENTER-MIB::ibICModule-Nam e.'IPVFR'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	IPVFR
IB-INFOCENTER-MIB::ibICModule-Nam e.'IRDP'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	IRDP
IB-INFOCENTER-MIB::ibICModule-Nam e.'LIC'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	LIC
IB-INFOCENTER-MIB::ibICModule-Nam e.'LICSYN'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	LICSYN
IB-INFOCENTER-MIB::ibICModule-Nam e.'LLDP'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	LLDP
IB-INFOCENTER-MIB::ibICModule-Nam e.'MAC'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	MAC
IB-INFOCENTER-MIB::ibICModule-Nam e.'MACFW'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	MACFW
IB-INFOCENTER-MIB::ibICModule-Nam e.'MACFWD'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	MACFWD
IB-INFOCENTER-MIB::ibICModule-Nam e.'MAINTAIN'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	MAINTAIN
IB-INFOCENTER-MIB::ibICModule-Nam e.'MDPROXY'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	MDPROXY
IB-INFOCENTER-MIB::ibICModule-Nam e.'MUBM'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	MUBM
IB-INFOCENTER-MIB::ibICModule-Nam e.'NETCONF'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	NETCONF
IB-INFOCENTER-MIB::ibICModule-Nam e.'NTP'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	NTP
IB-INFOCENTER-MIB::ibICModule-Nam e.'OFC'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	OFC

Name	OID	Value Type	Value Example
IB-INFOCENTER-MIB::ibICModule-Nam e.'OSI'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	OSI
IB-INFOCENTER-MIB::ibICModule-Nam e.'OVERLAYM'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	OVERLAYM
IB-INFOCENTER-MIB::ibICModule-Nam e.'PDTMGRDB'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	PDTMGRDB
IB-INFOCENTER-MIB::ibICModule-Nam e.'PFILTER'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	PFILTER
IB-INFOCENTER-MIB::ibICModule-Nam e.'PKG'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	PKG
IB-INFOCENTER-MIB::ibICModule-Nam e.'QOS'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	QOS
IB-INFOCENTER-MIB::ibICModule-Nam e.'RADIUS'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	RADIUS
IB-INFOCENTER-MIB::ibICModule-Nam e.'RBAC'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	RBAC
IB-INFOCENTER-MIB::ibICModule-Nam e.'RLINK'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	RLINK
IB-INFOCENTER-MIB::ibICModule-Nam e.'RM'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	RM
IB-INFOCENTER-MIB::ibICModule-Nam e.'SCMD'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	SCMD
IB-INFOCENTER-MIB::ibICModule-Nam e.'SESSION'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	SESSION
IB-INFOCENTER-MIB::ibICModule-Nam e.'SHELL'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	SHELL
IB-INFOCENTER-MIB::ibICModule-Nam e.'SNMP'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	SNMP
IB-INFOCENTER-MIB::ibICModule-Nam e.'SOAP'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	SOAP
IB-INFOCENTER-MIB::ibICModule-Nam e.'SOCKFRM'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	SOCKFRM
IB-INFOCENTER-MIB::ibICModule-Nam e.'SSHS'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	SSHS
IB-INFOCENTER-MIB::ibICModule-Nam e.'STAMGR'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	STAMGR

Name	OID	Value Type	Value Example
IB-INFOCENTER-MIB::ibICModule-Nam e.'STG_FW'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	STG_FW
IB-INFOCENTER-MIB::ibICModule-Nam e.'STI'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	STI
IB-INFOCENTER-MIB::ibICModule-Nam e.'STP'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	STP
IB-INFOCENTER-MIB::ibICModule-Nam e.'SYSLOG'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	SYSLOG
IB-INFOCENTER-MIB::ibICModule-Nam e.'TELNETD'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	TELNETD
IB-INFOCENTER-MIB::ibICModule-Nam e.'TPCMD'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	TPCMD
IB-INFOCENTER-MIB::ibICModule-Nam e.'TRACK'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	TRACK
IB-INFOCENTER-MIB::ibICModule-Nam e.'TRANGE'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	TRANGE
IB-INFOCENTER-MIB::ibICModule-Nam e.'VLAN'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	VLAN
IB-INFOCENTER-MIB::ibICModule-Nam e.'VRRP'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	VRRP
IB-INFOCENTER-MIB::ibICModule-Nam e.'WADJ'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	WADJ
IB-INFOCENTER-MIB::ibICModule-Nam e.'WEB'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	WEB
IB-INFOCENTER-MIB::ibICModule-Nam e.'WLANAUD'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	WLANAUD
IB-INFOCENTER-MIB::ibICModule-Nam e.'WLANFW'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	WLANFW
IB-INFOCENTER-MIB::ibICModule-Nam e.'WLOC'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	WLOC
IB-INFOCENTER-MIB::ibICModule-Nam e.'WSAL'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	WSAL
IB-INFOCENTER-MIB::ibICModule-Nam e.'XCMP'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	XCMP
IB-INFOCENTER-MIB::ibICModule-Nam e.'XMLAGENT'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	XMLAGENT

Name	OID	Value Type	Value Example
IB-INFOCENTER-MIB::ibICModule-Nam e.'XMLCFG'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	XMLCFG
IB-INFOCENTER-MIB::ibICModule-Nam e.'XMLSOAP'	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .11	STRING	XMLSOAP
IB-INFOCENTER-MIB::ibICLogGlobal State.0	.1.3.6.1.4.1.26138.2.119.5.1.1.0	INTEGER	true(1)
IB-INFOCENTER-MIB::ibICLogTimest ampType.0	.1.3.6.1.4.1.26138.2.119.5.1.2.0	INTEGER	date(0)
IB-INFOCENTER-MIB::ibICLogLevel. 1.'default'	.1.3.6.1.4.1.26138.2.119.5.1.2.0	INTEGER	debug(7)
IB-INFOCENTER-MIB::ibICLogLevel. 2.'default'	.1.3.6.1.4.1.26138.2.119.5.1.2.0	INTEGER	debug(7)
IB-INFOCENTER-MIB::ibICLogLevel. 3.'default'	.1.3.6.1.4.1.26138.2.119.5.1.2.0	INTEGER	informational(6)
IB-INFOCENTER-MIB::ibICLogLevel. 4.'default'	.1.3.6.1.4.1.26138.2.119.5.1.2.0	INTEGER	informational(6)
IB-INFOCENTER-MIB::ibICLogLevel. 5.'default'	.1.3.6.1.4.1.26138.2.119.5.1.2.0	INTEGER	informational(6)
IB-INFOCENTER-MIB::ibICLogLevel. 9.'default'	.1.3.6.1.4.1.26138.2.119.5.1.2.0	INTEGER	debug(7)
IB-INFOCENTER-MIB::ibICLogLevel. 11.'default'	.1.3.6.1.4.1.26138.2.119.5.1.2.0	INTEGER	debug(7)
IB-INFOCENTER-MIB::ibICLogRowSta tus.1.'default'	.1.3.6.1.4.1.26138.2.119.5.1.2.0	INTEGER	active(1)
IB-INFOCENTER-MIB::ibICLogRowSta tus.2.'default'	.1.3.6.1.4.1.26138.2.119.5.1.2.0	INTEGER	active(1)
IB-INFOCENTER-MIB::ibICLogRowSta tus.3.'default'	.1.3.6.1.4.1.26138.2.119.5.1.2.0	INTEGER	active(1)
IB-INFOCENTER-MIB::ibICLogRowSta tus.4.'default'	.1.3.6.1.4.1.26138.2.119.5.1.2.0	INTEGER	active(1)
IB-INFOCENTER-MIB::ibICLogRowSta tus.5.'default'	.1.3.6.1.4.1.26138.2.119.5.1.2.0	INTEGER	active(1)
IB-INFOCENTER-MIB::ibICLogRowSta tus.9.'default'	.1.3.6.1.4.1.26138.2.119.5.1.2.0	INTEGER	active(1)
IB-INFOCENTER-MIB::ibICLogRowSta tus.11.'default'	.1.3.6.1.4.1.26138.2.119.5.1.2.0	INTEGER	active(1)
IB-LICENSE-MIB::ibLicenseNotifyE nable.0	.1.3.6.1.4.1.26138.2.145.1.1.0	INTEGER	true(1)
IB-LICENSE-MIB::ibLicenseOpEntry MaxNum.0	.1.3.6.1.4.1.26138.2.145.1.2.0	Gauge32	10
IB-LICENSE-MIB::ibLicenseNextFre eOpIndex.0	.1.3.6.1.4.1.26138.2.145.1.3.0	Gauge32	1
IB-LICENSE-MIB::ibLicenseSN.97	.1.3.6.1.4.1.26138.2.145.2.1.1.2 .97	STRING	210235A52DAAAAA00002
IB-LICENSE-MIB::ibLicenseDeviceI DType.97	.1.3.6.1.4.1.26138.2.145.2.1.1.3 .97	INTEGER	file(3)
IB-LICENSE-MIB::ibLicenseDeviceI D.97	.1.3.6.1.4.1.26138.2.145.2.1.1.4 .97	STRING	flash:/license/210235A52DAAAAA00 002.did
IB-LICENSE-MIB::ibLicenseHardwar eInfo.97	.1.3.6.1.4.1.26138.2.145.2.1.1.5 .97	STRING	

Name	OID	Value Type	Value Example
IB-LICENSE-MIB::ibLicenseMaxNum.97	.1.3.6.1.4.1.26138.2.145.2.1.1.6.97	Gauge32	360
IB-LICENSE-MIB::ibLicenseUsedNum.97	.1.3.6.1.4.1.26138.2.145.2.1.1.7.97	Gauge32	2
IB-LICENSE-MIB::ibLicenseRecyclableNum.97	.1.3.6.1.4.1.26138.2.145.2.1.1.8.97	Gauge32	0
IB-LICENSE-MIB::ibLicenseInstallType.97	.1.3.6.1.4.1.26138.2.145.2.1.1.9.97	INTEGER	installInSlot(3)
IB-LICENSE-MIB::ibLicenseFileStoragePath.97	.1.3.6.1.4.1.26138.2.145.2.1.1.10.97	STRING	flash:/license/
IB-LICENSE-MIB::ibLicenseFeature.97.1	.1.3.6.1.4.1.26138.2.145.2.2.1.2.97.1	STRING	APMGR
IB-LICENSE-MIB::ibLicenseFeature.97.2	.1.3.6.1.4.1.26138.2.145.2.2.1.2.97.2	STRING	APMGR
IB-LICENSE-MIB::ibLicenseProductDescr.97.1	.1.3.6.1.4.1.26138.2.145.2.2.1.3.97.1	STRING	"Intelbras,Access Controller 16-AP License (for Brazil Only)"
IB-LICENSE-MIB::ibLicenseProductDescr.97.2	.1.3.6.1.4.1.26138.2.145.2.2.1.3.97.2	STRING	"Intelbras,Access Controller 64-AP License (for Brazil Only)"
IB-LICENSE-MIB::ibLicenseFileDescr.97.1	.1.3.6.1.4.1.26138.2.145.2.2.1.4.97.1	STRING	WC Access Controller,EWPXMWXWC16 ,Access Controller License (for Brazil Only),Overseas Version
IB-LICENSE-MIB::ibLicenseFileDescr.97.2	.1.3.6.1.4.1.26138.2.145.2.2.1.4.97.2	STRING	WC Access Controller,EWPXMWXWC64 ,Access Controller License (for Brazil Only),Overseas Version
IB-LICENSE-MIB::ibLicenseState.97.1	.1.3.6.1.4.1.26138.2.145.2.2.1.5.97.1	INTEGER	inuse(2)
IB-LICENSE-MIB::ibLicenseState.97.2	.1.3.6.1.4.1.26138.2.145.2.2.1.5.97.2	INTEGER	inuse(2)
IB-LICENSE-MIB::ibLicenseActivationFile.97.1	.1.3.6.1.4.1.26138.2.145.2.2.1.6.97.1	STRING	flash:/license/210235A52DAAAAA000022024090222470533922.ak
IB-LICENSE-MIB::ibLicenseActivationFile.97.2	.1.3.6.1.4.1.26138.2.145.2.2.1.6.97.2	STRING	flash:/license/210235A52DAAAAA000022024110820430129047.ak
IB-LICENSE-MIB::ibLicenseActivationKey.97.1	.1.3.6.1.4.1.26138.2.145.2.2.1.7.97.1	STRING	
IB-LICENSE-MIB::ibLicenseActivationKey.97.2	.1.3.6.1.4.1.26138.2.145.2.2.1.7.97.2	STRING	
IB-LICENSE-MIB::ibLicenseLicenseKey.97.1	.1.3.6.1.4.1.26138.2.145.2.2.1.8.97.1	STRING	
IB-LICENSE-MIB::ibLicenseLicenseKey.97.2	.1.3.6.1.4.1.26138.2.145.2.2.1.8.97.2	STRING	
IB-LICENSE-MIB::ibLicenseUninstActivationFile.97.1	.1.3.6.1.4.1.26138.2.145.2.2.1.9.97.1	STRING	
IB-LICENSE-MIB::ibLicenseUninstActivationFile.97.2	.1.3.6.1.4.1.26138.2.145.2.2.1.9.97.2	STRING	
IB-LICENSE-MIB::ibLicenseUninstActivationKey.97.1	.1.3.6.1.4.1.26138.2.145.2.2.1.10.97.1	STRING	
IB-LICENSE-MIB::ibLicenseUninstActivationKey.97.2	.1.3.6.1.4.1.26138.2.145.2.2.1.10.97.2	STRING	
IB-LICENSE-MIB::ibLicenseType.97.1	.1.3.6.1.4.1.26138.2.145.2.2.1.11.97.1	INTEGER	trialDaysRestricted(4)

Name	OID	Value Type	Value Example
IB-LICENSE-MIB::ibLicenseType.97.2	.1.3.6.1.4.1.26138.2.145.2.2.1.11.97.2	INTEGER	trialDaysRestricted(4)
IB-LICENSE-MIB::ibLicenseInstalledTime.97.1	.1.3.6.1.4.1.26138.2.145.2.2.1.12.97.1	STRING	2024-9-2,14:45:29.0
IB-LICENSE-MIB::ibLicenseInstalledTime.97.2	.1.3.6.1.4.1.26138.2.145.2.2.1.12.97.2	STRING	2024-11-8,12:39:54.0
IB-LICENSE-MIB::ibLicenseUninstalledTime.97.1	.1.3.6.1.4.1.26138.2.145.2.2.1.13.97.1	STRING	0-0-0,0:0:0.0
IB-LICENSE-MIB::ibLicenseUninstalledTime.97.2	.1.3.6.1.4.1.26138.2.145.2.2.1.13.97.2	STRING	0-0-0,0:0:0.0
IB-LICENSE-MIB::ibLicenseDaysLeft.97.1	.1.3.6.1.4.1.26138.2.145.2.2.1.14.97.1	Gauge32	59
IB-LICENSE-MIB::ibLicenseDaysLeft.97.2	.1.3.6.1.4.1.26138.2.145.2.2.1.14.97.2	Gauge32	63
IB-LICENSE-MIB::ibLicenseValidityStart.97.1	.1.3.6.1.4.1.26138.2.145.2.2.1.15.97.1	STRING	0-0-0,0:0:0.0
IB-LICENSE-MIB::ibLicenseValidityStart.97.2	.1.3.6.1.4.1.26138.2.145.2.2.1.15.97.2	STRING	0-0-0,0:0:0.0
IB-LICENSE-MIB::ibLicenseValidityEnd.97.1	.1.3.6.1.4.1.26138.2.145.2.2.1.16.97.1	STRING	0-0-0,0:0:0.0
IB-LICENSE-MIB::ibLicenseValidityEnd.97.2	.1.3.6.1.4.1.26138.2.145.2.2.1.16.97.2	STRING	0-0-0,0:0:0.0
IB-LICENSE-MIB::ibLicenseExpiredDays.97.1	.1.3.6.1.4.1.26138.2.145.2.2.1.17.97.1	Gauge32	0
IB-LICENSE-MIB::ibLicenseExpiredDays.97.2	.1.3.6.1.4.1.26138.2.145.2.2.1.17.97.2	Gauge32	0
IB-LICENSE-MIB::ibLicenseCount.97.1	.1.3.6.1.4.1.26138.2.145.2.2.1.18.97.1	Gauge32	0
IB-LICENSE-MIB::ibLicenseCount.97.2	.1.3.6.1.4.1.26138.2.145.2.2.1.18.97.2	Gauge32	0
IB-LICENSE-MIB::ibLicenseFeatureName.97.'APMGR'	.1.3.6.1.4.1.26138.2.145.2.2.1.18.97.2	STRING	APMGR
IB-LICENSE-MIB::ibLicenseFeatureState.97.'APMGR'	.1.3.6.1.4.1.26138.2.145.2.2.1.18.97.2	INTEGER	trialLicense(2)
IB-SESSION-MIB::ibSessionEntCount.1	.1.3.6.1.4.1.26138.2.149.1.2.1.2.1	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.2	.1.3.6.1.4.1.26138.2.149.1.2.1.2.2	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.4	.1.3.6.1.4.1.26138.2.149.1.2.1.2.4	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.5	.1.3.6.1.4.1.26138.2.149.1.2.1.2.5	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.6	.1.3.6.1.4.1.26138.2.149.1.2.1.2.6	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.7	.1.3.6.1.4.1.26138.2.149.1.2.1.2.7	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.8	.1.3.6.1.4.1.26138.2.149.1.2.1.2.8	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.9	.1.3.6.1.4.1.26138.2.149.1.2.1.2.9	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.10	.1.3.6.1.4.1.26138.2.149.1.2.1.2.10	Gauge32	0

Name	OID	Value Type	Value Example
IB-SESSION-MIB::ibSessionEntCount.11	.1.3.6.1.4.1.26138.2.149.1.2.1.2.11	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.97	.1.3.6.1.4.1.26138.2.149.1.2.1.2.97	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.98	.1.3.6.1.4.1.26138.2.149.1.2.1.2.98	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.99	.1.3.6.1.4.1.26138.2.149.1.2.1.2.99	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.100	.1.3.6.1.4.1.26138.2.149.1.2.1.2.100	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.101	.1.3.6.1.4.1.26138.2.149.1.2.1.2.101	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.102	.1.3.6.1.4.1.26138.2.149.1.2.1.2.102	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.103	.1.3.6.1.4.1.26138.2.149.1.2.1.2.103	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.104	.1.3.6.1.4.1.26138.2.149.1.2.1.2.104	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.117	.1.3.6.1.4.1.26138.2.149.1.2.1.2.117	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.118	.1.3.6.1.4.1.26138.2.149.1.2.1.2.118	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.119	.1.3.6.1.4.1.26138.2.149.1.2.1.2.119	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.120	.1.3.6.1.4.1.26138.2.149.1.2.1.2.120	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.122	.1.3.6.1.4.1.26138.2.149.1.2.1.2.122	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.123	.1.3.6.1.4.1.26138.2.149.1.2.1.2.123	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.124	.1.3.6.1.4.1.26138.2.149.1.2.1.2.124	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.125	.1.3.6.1.4.1.26138.2.149.1.2.1.2.125	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.137	.1.3.6.1.4.1.26138.2.149.1.2.1.2.137	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.177	.1.3.6.1.4.1.26138.2.149.1.2.1.2.177	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.178	.1.3.6.1.4.1.26138.2.149.1.2.1.2.178	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.179	.1.3.6.1.4.1.26138.2.149.1.2.1.2.179	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.180	.1.3.6.1.4.1.26138.2.149.1.2.1.2.180	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.182	.1.3.6.1.4.1.26138.2.149.1.2.1.2.182	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.183	.1.3.6.1.4.1.26138.2.149.1.2.1.2.183	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.184	.1.3.6.1.4.1.26138.2.149.1.2.1.2.184	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.185	.1.3.6.1.4.1.26138.2.149.1.2.1.2.185	Gauge32	0

Name	OID	Value Type	Value Example
IB-SESSION-MIB::ibSessionEntCount.197	.1.3.6.1.4.1.26138.2.149.1.2.1.2.197	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.237	.1.3.6.1.4.1.26138.2.149.1.2.1.2.237	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.238	.1.3.6.1.4.1.26138.2.149.1.2.1.2.238	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.239	.1.3.6.1.4.1.26138.2.149.1.2.1.2.239	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.240	.1.3.6.1.4.1.26138.2.149.1.2.1.2.240	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.241	.1.3.6.1.4.1.26138.2.149.1.2.1.2.241	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.242	.1.3.6.1.4.1.26138.2.149.1.2.1.2.242	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.243	.1.3.6.1.4.1.26138.2.149.1.2.1.2.243	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.244	.1.3.6.1.4.1.26138.2.149.1.2.1.2.244	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.245	.1.3.6.1.4.1.26138.2.149.1.2.1.2.245	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.246	.1.3.6.1.4.1.26138.2.149.1.2.1.2.246	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.247	.1.3.6.1.4.1.26138.2.149.1.2.1.2.247	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.248	.1.3.6.1.4.1.26138.2.149.1.2.1.2.248	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.249	.1.3.6.1.4.1.26138.2.149.1.2.1.2.249	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.250	.1.3.6.1.4.1.26138.2.149.1.2.1.2.250	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.251	.1.3.6.1.4.1.26138.2.149.1.2.1.2.251	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.252	.1.3.6.1.4.1.26138.2.149.1.2.1.2.252	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.253	.1.3.6.1.4.1.26138.2.149.1.2.1.2.253	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.254	.1.3.6.1.4.1.26138.2.149.1.2.1.2.254	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.255	.1.3.6.1.4.1.26138.2.149.1.2.1.2.255	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.257	.1.3.6.1.4.1.26138.2.149.1.2.1.2.257	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.258	.1.3.6.1.4.1.26138.2.149.1.2.1.2.258	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.259	.1.3.6.1.4.1.26138.2.149.1.2.1.2.259	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.260	.1.3.6.1.4.1.26138.2.149.1.2.1.2.260	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.261	.1.3.6.1.4.1.26138.2.149.1.2.1.2.261	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.262	.1.3.6.1.4.1.26138.2.149.1.2.1.2.262	Gauge32	0

Name	OID	Value Type	Value Example
IB-SESSION-MIB::ibSessionEntCount.263	.1.3.6.1.4.1.26138.2.149.1.2.1.2.263	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.264	.1.3.6.1.4.1.26138.2.149.1.2.1.2.264	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.265	.1.3.6.1.4.1.26138.2.149.1.2.1.2.265	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.266	.1.3.6.1.4.1.26138.2.149.1.2.1.2.266	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.267	.1.3.6.1.4.1.26138.2.149.1.2.1.2.267	Gauge32	0
IB-SESSION-MIB::ibSessionEntCount.268	.1.3.6.1.4.1.26138.2.149.1.2.1.2.268	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.1	.1.3.6.1.4.1.26138.2.149.1.2.1.3.1	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.2	.1.3.6.1.4.1.26138.2.149.1.2.1.3.2	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.4	.1.3.6.1.4.1.26138.2.149.1.2.1.3.4	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.5	.1.3.6.1.4.1.26138.2.149.1.2.1.3.5	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.6	.1.3.6.1.4.1.26138.2.149.1.2.1.3.6	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.7	.1.3.6.1.4.1.26138.2.149.1.2.1.3.7	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.8	.1.3.6.1.4.1.26138.2.149.1.2.1.3.8	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.9	.1.3.6.1.4.1.26138.2.149.1.2.1.3.9	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.10	.1.3.6.1.4.1.26138.2.149.1.2.1.3.10	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.11	.1.3.6.1.4.1.26138.2.149.1.2.1.3.11	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.97	.1.3.6.1.4.1.26138.2.149.1.2.1.3.97	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.98	.1.3.6.1.4.1.26138.2.149.1.2.1.3.98	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.99	.1.3.6.1.4.1.26138.2.149.1.2.1.3.99	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.100	.1.3.6.1.4.1.26138.2.149.1.2.1.3.100	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.101	.1.3.6.1.4.1.26138.2.149.1.2.1.3.101	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.102	.1.3.6.1.4.1.26138.2.149.1.2.1.3.102	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.103	.1.3.6.1.4.1.26138.2.149.1.2.1.3.103	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.104	.1.3.6.1.4.1.26138.2.149.1.2.1.3.104	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.117	.1.3.6.1.4.1.26138.2.149.1.2.1.3.117	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.118	.1.3.6.1.4.1.26138.2.149.1.2.1.3.118	Gauge32	0

Name	OID	Value Type	Value Example
IB-SESSION-MIB::ibSessionEntCreateRate.119	.1.3.6.1.4.1.26138.2.149.1.2.1.3.119	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.120	.1.3.6.1.4.1.26138.2.149.1.2.1.3.120	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.122	.1.3.6.1.4.1.26138.2.149.1.2.1.3.122	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.123	.1.3.6.1.4.1.26138.2.149.1.2.1.3.123	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.124	.1.3.6.1.4.1.26138.2.149.1.2.1.3.124	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.125	.1.3.6.1.4.1.26138.2.149.1.2.1.3.125	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.137	.1.3.6.1.4.1.26138.2.149.1.2.1.3.137	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.177	.1.3.6.1.4.1.26138.2.149.1.2.1.3.177	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.178	.1.3.6.1.4.1.26138.2.149.1.2.1.3.178	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.179	.1.3.6.1.4.1.26138.2.149.1.2.1.3.179	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.180	.1.3.6.1.4.1.26138.2.149.1.2.1.3.180	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.182	.1.3.6.1.4.1.26138.2.149.1.2.1.3.182	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.183	.1.3.6.1.4.1.26138.2.149.1.2.1.3.183	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.184	.1.3.6.1.4.1.26138.2.149.1.2.1.3.184	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.185	.1.3.6.1.4.1.26138.2.149.1.2.1.3.185	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.197	.1.3.6.1.4.1.26138.2.149.1.2.1.3.197	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.237	.1.3.6.1.4.1.26138.2.149.1.2.1.3.237	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.238	.1.3.6.1.4.1.26138.2.149.1.2.1.3.238	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.239	.1.3.6.1.4.1.26138.2.149.1.2.1.3.239	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.240	.1.3.6.1.4.1.26138.2.149.1.2.1.3.240	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.241	.1.3.6.1.4.1.26138.2.149.1.2.1.3.241	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.242	.1.3.6.1.4.1.26138.2.149.1.2.1.3.242	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.243	.1.3.6.1.4.1.26138.2.149.1.2.1.3.243	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.244	.1.3.6.1.4.1.26138.2.149.1.2.1.3.244	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.245	.1.3.6.1.4.1.26138.2.149.1.2.1.3.245	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.246	.1.3.6.1.4.1.26138.2.149.1.2.1.3.246	Gauge32	0

Name	OID	Value Type	Value Example
IB-SESSION-MIB::ibSessionEntCreateRate.247	.1.3.6.1.4.1.26138.2.149.1.2.1.3.247	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.248	.1.3.6.1.4.1.26138.2.149.1.2.1.3.248	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.249	.1.3.6.1.4.1.26138.2.149.1.2.1.3.249	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.250	.1.3.6.1.4.1.26138.2.149.1.2.1.3.250	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.251	.1.3.6.1.4.1.26138.2.149.1.2.1.3.251	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.252	.1.3.6.1.4.1.26138.2.149.1.2.1.3.252	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.253	.1.3.6.1.4.1.26138.2.149.1.2.1.3.253	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.254	.1.3.6.1.4.1.26138.2.149.1.2.1.3.254	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.255	.1.3.6.1.4.1.26138.2.149.1.2.1.3.255	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.257	.1.3.6.1.4.1.26138.2.149.1.2.1.3.257	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.258	.1.3.6.1.4.1.26138.2.149.1.2.1.3.258	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.259	.1.3.6.1.4.1.26138.2.149.1.2.1.3.259	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.260	.1.3.6.1.4.1.26138.2.149.1.2.1.3.260	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.261	.1.3.6.1.4.1.26138.2.149.1.2.1.3.261	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.262	.1.3.6.1.4.1.26138.2.149.1.2.1.3.262	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.263	.1.3.6.1.4.1.26138.2.149.1.2.1.3.263	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.264	.1.3.6.1.4.1.26138.2.149.1.2.1.3.264	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.265	.1.3.6.1.4.1.26138.2.149.1.2.1.3.265	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.266	.1.3.6.1.4.1.26138.2.149.1.2.1.3.266	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.267	.1.3.6.1.4.1.26138.2.149.1.2.1.3.267	Gauge32	0
IB-SESSION-MIB::ibSessionEntCreateRate.268	.1.3.6.1.4.1.26138.2.149.1.2.1.3.268	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.1	.1.3.6.1.4.1.26138.2.149.1.2.1.4.1	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.2	.1.3.6.1.4.1.26138.2.149.1.2.1.4.2	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.4	.1.3.6.1.4.1.26138.2.149.1.2.1.4.4	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.5	.1.3.6.1.4.1.26138.2.149.1.2.1.4.5	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.6	.1.3.6.1.4.1.26138.2.149.1.2.1.4.6	Gauge32	0

Name	OID	Value Type	Value Example
IB-SESSION-MIB::ibSessionEntTCPCount.7	.1.3.6.1.4.1.26138.2.149.1.2.1.4.7	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.8	.1.3.6.1.4.1.26138.2.149.1.2.1.4.8	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.9	.1.3.6.1.4.1.26138.2.149.1.2.1.4.9	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.10	.1.3.6.1.4.1.26138.2.149.1.2.1.4.10	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.11	.1.3.6.1.4.1.26138.2.149.1.2.1.4.11	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.97	.1.3.6.1.4.1.26138.2.149.1.2.1.4.97	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.98	.1.3.6.1.4.1.26138.2.149.1.2.1.4.98	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.99	.1.3.6.1.4.1.26138.2.149.1.2.1.4.99	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.100	.1.3.6.1.4.1.26138.2.149.1.2.1.4.100	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.101	.1.3.6.1.4.1.26138.2.149.1.2.1.4.101	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.102	.1.3.6.1.4.1.26138.2.149.1.2.1.4.102	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.103	.1.3.6.1.4.1.26138.2.149.1.2.1.4.103	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.104	.1.3.6.1.4.1.26138.2.149.1.2.1.4.104	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.117	.1.3.6.1.4.1.26138.2.149.1.2.1.4.117	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.118	.1.3.6.1.4.1.26138.2.149.1.2.1.4.118	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.119	.1.3.6.1.4.1.26138.2.149.1.2.1.4.119	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.120	.1.3.6.1.4.1.26138.2.149.1.2.1.4.120	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.122	.1.3.6.1.4.1.26138.2.149.1.2.1.4.122	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.123	.1.3.6.1.4.1.26138.2.149.1.2.1.4.123	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.124	.1.3.6.1.4.1.26138.2.149.1.2.1.4.124	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.125	.1.3.6.1.4.1.26138.2.149.1.2.1.4.125	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.137	.1.3.6.1.4.1.26138.2.149.1.2.1.4.137	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.177	.1.3.6.1.4.1.26138.2.149.1.2.1.4.177	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.178	.1.3.6.1.4.1.26138.2.149.1.2.1.4.178	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.179	.1.3.6.1.4.1.26138.2.149.1.2.1.4.179	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.180	.1.3.6.1.4.1.26138.2.149.1.2.1.4.180	Gauge32	0

Name	OID	Value Type	Value Example
IB-SESSION-MIB::ibSessionEntTCPCount.182	.1.3.6.1.4.1.26138.2.149.1.2.1.4.182	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.183	.1.3.6.1.4.1.26138.2.149.1.2.1.4.183	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.184	.1.3.6.1.4.1.26138.2.149.1.2.1.4.184	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.185	.1.3.6.1.4.1.26138.2.149.1.2.1.4.185	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.197	.1.3.6.1.4.1.26138.2.149.1.2.1.4.197	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.237	.1.3.6.1.4.1.26138.2.149.1.2.1.4.237	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.238	.1.3.6.1.4.1.26138.2.149.1.2.1.4.238	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.239	.1.3.6.1.4.1.26138.2.149.1.2.1.4.239	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.240	.1.3.6.1.4.1.26138.2.149.1.2.1.4.240	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.241	.1.3.6.1.4.1.26138.2.149.1.2.1.4.241	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.242	.1.3.6.1.4.1.26138.2.149.1.2.1.4.242	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.243	.1.3.6.1.4.1.26138.2.149.1.2.1.4.243	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.244	.1.3.6.1.4.1.26138.2.149.1.2.1.4.244	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.245	.1.3.6.1.4.1.26138.2.149.1.2.1.4.245	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.246	.1.3.6.1.4.1.26138.2.149.1.2.1.4.246	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.247	.1.3.6.1.4.1.26138.2.149.1.2.1.4.247	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.248	.1.3.6.1.4.1.26138.2.149.1.2.1.4.248	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.249	.1.3.6.1.4.1.26138.2.149.1.2.1.4.249	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.250	.1.3.6.1.4.1.26138.2.149.1.2.1.4.250	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.251	.1.3.6.1.4.1.26138.2.149.1.2.1.4.251	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.252	.1.3.6.1.4.1.26138.2.149.1.2.1.4.252	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.253	.1.3.6.1.4.1.26138.2.149.1.2.1.4.253	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.254	.1.3.6.1.4.1.26138.2.149.1.2.1.4.254	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.255	.1.3.6.1.4.1.26138.2.149.1.2.1.4.255	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.257	.1.3.6.1.4.1.26138.2.149.1.2.1.4.257	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.258	.1.3.6.1.4.1.26138.2.149.1.2.1.4.258	Gauge32	0

Name	OID	Value Type	Value Example
IB-SESSION-MIB::ibSessionEntTCPCount.259	.1.3.6.1.4.1.26138.2.149.1.2.1.4.259	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.260	.1.3.6.1.4.1.26138.2.149.1.2.1.4.260	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.261	.1.3.6.1.4.1.26138.2.149.1.2.1.4.261	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.262	.1.3.6.1.4.1.26138.2.149.1.2.1.4.262	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.263	.1.3.6.1.4.1.26138.2.149.1.2.1.4.263	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.264	.1.3.6.1.4.1.26138.2.149.1.2.1.4.264	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.265	.1.3.6.1.4.1.26138.2.149.1.2.1.4.265	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.266	.1.3.6.1.4.1.26138.2.149.1.2.1.4.266	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.267	.1.3.6.1.4.1.26138.2.149.1.2.1.4.267	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCount.268	.1.3.6.1.4.1.26138.2.149.1.2.1.4.268	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.1	.1.3.6.1.4.1.26138.2.149.1.2.1.5.1	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.2	.1.3.6.1.4.1.26138.2.149.1.2.1.5.2	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.4	.1.3.6.1.4.1.26138.2.149.1.2.1.5.4	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.5	.1.3.6.1.4.1.26138.2.149.1.2.1.5.5	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.6	.1.3.6.1.4.1.26138.2.149.1.2.1.5.6	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.7	.1.3.6.1.4.1.26138.2.149.1.2.1.5.7	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.8	.1.3.6.1.4.1.26138.2.149.1.2.1.5.8	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.9	.1.3.6.1.4.1.26138.2.149.1.2.1.5.9	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.10	.1.3.6.1.4.1.26138.2.149.1.2.1.5.10	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.11	.1.3.6.1.4.1.26138.2.149.1.2.1.5.11	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.97	.1.3.6.1.4.1.26138.2.149.1.2.1.5.97	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.98	.1.3.6.1.4.1.26138.2.149.1.2.1.5.98	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.99	.1.3.6.1.4.1.26138.2.149.1.2.1.5.99	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.100	.1.3.6.1.4.1.26138.2.149.1.2.1.5.100	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.101	.1.3.6.1.4.1.26138.2.149.1.2.1.5.101	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.102	.1.3.6.1.4.1.26138.2.149.1.2.1.5.102	Gauge32	0

Name	OID	Value Type	Value Example
IB-SESSION-MIB::ibSessionEntUDPCount.103	.1.3.6.1.4.1.26138.2.149.1.2.1.5.103	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.104	.1.3.6.1.4.1.26138.2.149.1.2.1.5.104	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.117	.1.3.6.1.4.1.26138.2.149.1.2.1.5.117	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.118	.1.3.6.1.4.1.26138.2.149.1.2.1.5.118	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.119	.1.3.6.1.4.1.26138.2.149.1.2.1.5.119	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.120	.1.3.6.1.4.1.26138.2.149.1.2.1.5.120	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.122	.1.3.6.1.4.1.26138.2.149.1.2.1.5.122	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.123	.1.3.6.1.4.1.26138.2.149.1.2.1.5.123	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.124	.1.3.6.1.4.1.26138.2.149.1.2.1.5.124	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.125	.1.3.6.1.4.1.26138.2.149.1.2.1.5.125	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.137	.1.3.6.1.4.1.26138.2.149.1.2.1.5.137	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.177	.1.3.6.1.4.1.26138.2.149.1.2.1.5.177	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.178	.1.3.6.1.4.1.26138.2.149.1.2.1.5.178	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.179	.1.3.6.1.4.1.26138.2.149.1.2.1.5.179	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.180	.1.3.6.1.4.1.26138.2.149.1.2.1.5.180	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.182	.1.3.6.1.4.1.26138.2.149.1.2.1.5.182	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.183	.1.3.6.1.4.1.26138.2.149.1.2.1.5.183	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.184	.1.3.6.1.4.1.26138.2.149.1.2.1.5.184	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.185	.1.3.6.1.4.1.26138.2.149.1.2.1.5.185	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.197	.1.3.6.1.4.1.26138.2.149.1.2.1.5.197	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.237	.1.3.6.1.4.1.26138.2.149.1.2.1.5.237	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.238	.1.3.6.1.4.1.26138.2.149.1.2.1.5.238	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.239	.1.3.6.1.4.1.26138.2.149.1.2.1.5.239	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.240	.1.3.6.1.4.1.26138.2.149.1.2.1.5.240	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.241	.1.3.6.1.4.1.26138.2.149.1.2.1.5.241	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.242	.1.3.6.1.4.1.26138.2.149.1.2.1.5.242	Gauge32	0

Name	OID	Value Type	Value Example
IB-SESSION-MIB::ibSessionEntUDPCount.243	.1.3.6.1.4.1.26138.2.149.1.2.1.5.243	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.244	.1.3.6.1.4.1.26138.2.149.1.2.1.5.244	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.245	.1.3.6.1.4.1.26138.2.149.1.2.1.5.245	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.246	.1.3.6.1.4.1.26138.2.149.1.2.1.5.246	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.247	.1.3.6.1.4.1.26138.2.149.1.2.1.5.247	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.248	.1.3.6.1.4.1.26138.2.149.1.2.1.5.248	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.249	.1.3.6.1.4.1.26138.2.149.1.2.1.5.249	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.250	.1.3.6.1.4.1.26138.2.149.1.2.1.5.250	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.251	.1.3.6.1.4.1.26138.2.149.1.2.1.5.251	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.252	.1.3.6.1.4.1.26138.2.149.1.2.1.5.252	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.253	.1.3.6.1.4.1.26138.2.149.1.2.1.5.253	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.254	.1.3.6.1.4.1.26138.2.149.1.2.1.5.254	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.255	.1.3.6.1.4.1.26138.2.149.1.2.1.5.255	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.257	.1.3.6.1.4.1.26138.2.149.1.2.1.5.257	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.258	.1.3.6.1.4.1.26138.2.149.1.2.1.5.258	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.259	.1.3.6.1.4.1.26138.2.149.1.2.1.5.259	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.260	.1.3.6.1.4.1.26138.2.149.1.2.1.5.260	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.261	.1.3.6.1.4.1.26138.2.149.1.2.1.5.261	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.262	.1.3.6.1.4.1.26138.2.149.1.2.1.5.262	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.263	.1.3.6.1.4.1.26138.2.149.1.2.1.5.263	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.264	.1.3.6.1.4.1.26138.2.149.1.2.1.5.264	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.265	.1.3.6.1.4.1.26138.2.149.1.2.1.5.265	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.266	.1.3.6.1.4.1.26138.2.149.1.2.1.5.266	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.267	.1.3.6.1.4.1.26138.2.149.1.2.1.5.267	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCount.268	.1.3.6.1.4.1.26138.2.149.1.2.1.5.268	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.1	.1.3.6.1.4.1.26138.2.149.1.2.1.6.1	Gauge32	0

Name	OID	Value Type	Value Example
IB-SESSION-MIB::ibSessionEntOtherCount.2	.1.3.6.1.4.1.26138.2.149.1.2.1.6.2	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.4	.1.3.6.1.4.1.26138.2.149.1.2.1.6.4	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.5	.1.3.6.1.4.1.26138.2.149.1.2.1.6.5	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.6	.1.3.6.1.4.1.26138.2.149.1.2.1.6.6	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.7	.1.3.6.1.4.1.26138.2.149.1.2.1.6.7	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.8	.1.3.6.1.4.1.26138.2.149.1.2.1.6.8	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.9	.1.3.6.1.4.1.26138.2.149.1.2.1.6.9	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.10	.1.3.6.1.4.1.26138.2.149.1.2.1.6.10	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.11	.1.3.6.1.4.1.26138.2.149.1.2.1.6.11	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.97	.1.3.6.1.4.1.26138.2.149.1.2.1.6.97	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.98	.1.3.6.1.4.1.26138.2.149.1.2.1.6.98	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.99	.1.3.6.1.4.1.26138.2.149.1.2.1.6.99	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.100	.1.3.6.1.4.1.26138.2.149.1.2.1.6.100	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.101	.1.3.6.1.4.1.26138.2.149.1.2.1.6.101	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.102	.1.3.6.1.4.1.26138.2.149.1.2.1.6.102	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.103	.1.3.6.1.4.1.26138.2.149.1.2.1.6.103	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.104	.1.3.6.1.4.1.26138.2.149.1.2.1.6.104	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.117	.1.3.6.1.4.1.26138.2.149.1.2.1.6.117	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.118	.1.3.6.1.4.1.26138.2.149.1.2.1.6.118	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.119	.1.3.6.1.4.1.26138.2.149.1.2.1.6.119	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.120	.1.3.6.1.4.1.26138.2.149.1.2.1.6.120	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.122	.1.3.6.1.4.1.26138.2.149.1.2.1.6.122	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.123	.1.3.6.1.4.1.26138.2.149.1.2.1.6.123	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.124	.1.3.6.1.4.1.26138.2.149.1.2.1.6.124	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.125	.1.3.6.1.4.1.26138.2.149.1.2.1.6.125	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.137	.1.3.6.1.4.1.26138.2.149.1.2.1.6.137	Gauge32	0

Name	OID	Value Type	Value Example
IB-SESSION-MIB::ibSessionEntOtherCount.177	.1.3.6.1.4.1.26138.2.149.1.2.1.6.177	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.178	.1.3.6.1.4.1.26138.2.149.1.2.1.6.178	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.179	.1.3.6.1.4.1.26138.2.149.1.2.1.6.179	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.180	.1.3.6.1.4.1.26138.2.149.1.2.1.6.180	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.182	.1.3.6.1.4.1.26138.2.149.1.2.1.6.182	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.183	.1.3.6.1.4.1.26138.2.149.1.2.1.6.183	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.184	.1.3.6.1.4.1.26138.2.149.1.2.1.6.184	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.185	.1.3.6.1.4.1.26138.2.149.1.2.1.6.185	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.197	.1.3.6.1.4.1.26138.2.149.1.2.1.6.197	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.237	.1.3.6.1.4.1.26138.2.149.1.2.1.6.237	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.238	.1.3.6.1.4.1.26138.2.149.1.2.1.6.238	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.239	.1.3.6.1.4.1.26138.2.149.1.2.1.6.239	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.240	.1.3.6.1.4.1.26138.2.149.1.2.1.6.240	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.241	.1.3.6.1.4.1.26138.2.149.1.2.1.6.241	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.242	.1.3.6.1.4.1.26138.2.149.1.2.1.6.242	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.243	.1.3.6.1.4.1.26138.2.149.1.2.1.6.243	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.244	.1.3.6.1.4.1.26138.2.149.1.2.1.6.244	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.245	.1.3.6.1.4.1.26138.2.149.1.2.1.6.245	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.246	.1.3.6.1.4.1.26138.2.149.1.2.1.6.246	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.247	.1.3.6.1.4.1.26138.2.149.1.2.1.6.247	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.248	.1.3.6.1.4.1.26138.2.149.1.2.1.6.248	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.249	.1.3.6.1.4.1.26138.2.149.1.2.1.6.249	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.250	.1.3.6.1.4.1.26138.2.149.1.2.1.6.250	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.251	.1.3.6.1.4.1.26138.2.149.1.2.1.6.251	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.252	.1.3.6.1.4.1.26138.2.149.1.2.1.6.252	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.253	.1.3.6.1.4.1.26138.2.149.1.2.1.6.253	Gauge32	0

Name	OID	Value Type	Value Example
IB-SESSION-MIB::ibSessionEntOtherCount.254	.1.3.6.1.4.1.26138.2.149.1.2.1.6.254	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.255	.1.3.6.1.4.1.26138.2.149.1.2.1.6.255	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.257	.1.3.6.1.4.1.26138.2.149.1.2.1.6.257	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.258	.1.3.6.1.4.1.26138.2.149.1.2.1.6.258	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.259	.1.3.6.1.4.1.26138.2.149.1.2.1.6.259	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.260	.1.3.6.1.4.1.26138.2.149.1.2.1.6.260	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.261	.1.3.6.1.4.1.26138.2.149.1.2.1.6.261	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.262	.1.3.6.1.4.1.26138.2.149.1.2.1.6.262	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.263	.1.3.6.1.4.1.26138.2.149.1.2.1.6.263	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.264	.1.3.6.1.4.1.26138.2.149.1.2.1.6.264	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.265	.1.3.6.1.4.1.26138.2.149.1.2.1.6.265	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.266	.1.3.6.1.4.1.26138.2.149.1.2.1.6.266	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.267	.1.3.6.1.4.1.26138.2.149.1.2.1.6.267	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCount.268	.1.3.6.1.4.1.26138.2.149.1.2.1.6.268	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.1	.1.3.6.1.4.1.26138.2.149.1.2.1.7.1	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.2	.1.3.6.1.4.1.26138.2.149.1.2.1.7.2	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.4	.1.3.6.1.4.1.26138.2.149.1.2.1.7.4	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.5	.1.3.6.1.4.1.26138.2.149.1.2.1.7.5	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.6	.1.3.6.1.4.1.26138.2.149.1.2.1.7.6	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.7	.1.3.6.1.4.1.26138.2.149.1.2.1.7.7	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.8	.1.3.6.1.4.1.26138.2.149.1.2.1.7.8	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.9	.1.3.6.1.4.1.26138.2.149.1.2.1.7.9	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.10	.1.3.6.1.4.1.26138.2.149.1.2.1.7.10	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.11	.1.3.6.1.4.1.26138.2.149.1.2.1.7.11	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.97	.1.3.6.1.4.1.26138.2.149.1.2.1.7.97	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.98	.1.3.6.1.4.1.26138.2.149.1.2.1.7.98	Gauge32	0

Name	OID	Value Type	Value Example
IB-SESSION-MIB::ibSessionEntTCPCreateRate.99	.1.3.6.1.4.1.26138.2.149.1.2.1.7.99	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.100	.1.3.6.1.4.1.26138.2.149.1.2.1.7.100	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.101	.1.3.6.1.4.1.26138.2.149.1.2.1.7.101	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.102	.1.3.6.1.4.1.26138.2.149.1.2.1.7.102	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.103	.1.3.6.1.4.1.26138.2.149.1.2.1.7.103	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.104	.1.3.6.1.4.1.26138.2.149.1.2.1.7.104	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.117	.1.3.6.1.4.1.26138.2.149.1.2.1.7.117	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.118	.1.3.6.1.4.1.26138.2.149.1.2.1.7.118	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.119	.1.3.6.1.4.1.26138.2.149.1.2.1.7.119	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.120	.1.3.6.1.4.1.26138.2.149.1.2.1.7.120	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.122	.1.3.6.1.4.1.26138.2.149.1.2.1.7.122	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.123	.1.3.6.1.4.1.26138.2.149.1.2.1.7.123	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.124	.1.3.6.1.4.1.26138.2.149.1.2.1.7.124	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.125	.1.3.6.1.4.1.26138.2.149.1.2.1.7.125	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.137	.1.3.6.1.4.1.26138.2.149.1.2.1.7.137	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.177	.1.3.6.1.4.1.26138.2.149.1.2.1.7.177	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.178	.1.3.6.1.4.1.26138.2.149.1.2.1.7.178	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.179	.1.3.6.1.4.1.26138.2.149.1.2.1.7.179	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.180	.1.3.6.1.4.1.26138.2.149.1.2.1.7.180	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.182	.1.3.6.1.4.1.26138.2.149.1.2.1.7.182	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.183	.1.3.6.1.4.1.26138.2.149.1.2.1.7.183	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.184	.1.3.6.1.4.1.26138.2.149.1.2.1.7.184	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.185	.1.3.6.1.4.1.26138.2.149.1.2.1.7.185	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.197	.1.3.6.1.4.1.26138.2.149.1.2.1.7.197	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.237	.1.3.6.1.4.1.26138.2.149.1.2.1.7.237	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.238	.1.3.6.1.4.1.26138.2.149.1.2.1.7.238	Gauge32	0

Name	OID	Value Type	Value Example
IB-SESSION-MIB::ibSessionEntTCPCreateRate.239	.1.3.6.1.4.1.26138.2.149.1.2.1.7.239	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.240	.1.3.6.1.4.1.26138.2.149.1.2.1.7.240	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.241	.1.3.6.1.4.1.26138.2.149.1.2.1.7.241	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.242	.1.3.6.1.4.1.26138.2.149.1.2.1.7.242	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.243	.1.3.6.1.4.1.26138.2.149.1.2.1.7.243	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.244	.1.3.6.1.4.1.26138.2.149.1.2.1.7.244	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.245	.1.3.6.1.4.1.26138.2.149.1.2.1.7.245	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.246	.1.3.6.1.4.1.26138.2.149.1.2.1.7.246	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.247	.1.3.6.1.4.1.26138.2.149.1.2.1.7.247	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.248	.1.3.6.1.4.1.26138.2.149.1.2.1.7.248	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.249	.1.3.6.1.4.1.26138.2.149.1.2.1.7.249	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.250	.1.3.6.1.4.1.26138.2.149.1.2.1.7.250	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.251	.1.3.6.1.4.1.26138.2.149.1.2.1.7.251	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.252	.1.3.6.1.4.1.26138.2.149.1.2.1.7.252	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.253	.1.3.6.1.4.1.26138.2.149.1.2.1.7.253	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.254	.1.3.6.1.4.1.26138.2.149.1.2.1.7.254	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.255	.1.3.6.1.4.1.26138.2.149.1.2.1.7.255	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.257	.1.3.6.1.4.1.26138.2.149.1.2.1.7.257	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.258	.1.3.6.1.4.1.26138.2.149.1.2.1.7.258	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.259	.1.3.6.1.4.1.26138.2.149.1.2.1.7.259	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.260	.1.3.6.1.4.1.26138.2.149.1.2.1.7.260	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.261	.1.3.6.1.4.1.26138.2.149.1.2.1.7.261	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.262	.1.3.6.1.4.1.26138.2.149.1.2.1.7.262	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.263	.1.3.6.1.4.1.26138.2.149.1.2.1.7.263	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.264	.1.3.6.1.4.1.26138.2.149.1.2.1.7.264	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.265	.1.3.6.1.4.1.26138.2.149.1.2.1.7.265	Gauge32	0

Name	OID	Value Type	Value Example
IB-SESSION-MIB::ibSessionEntTCPCreateRate.266	.1.3.6.1.4.1.26138.2.149.1.2.1.7.266	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.267	.1.3.6.1.4.1.26138.2.149.1.2.1.7.267	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPCreateRate.268	.1.3.6.1.4.1.26138.2.149.1.2.1.7.268	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.1	.1.3.6.1.4.1.26138.2.149.1.2.1.8.1	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.2	.1.3.6.1.4.1.26138.2.149.1.2.1.8.2	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.4	.1.3.6.1.4.1.26138.2.149.1.2.1.8.4	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.5	.1.3.6.1.4.1.26138.2.149.1.2.1.8.5	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.6	.1.3.6.1.4.1.26138.2.149.1.2.1.8.6	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.7	.1.3.6.1.4.1.26138.2.149.1.2.1.8.7	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.8	.1.3.6.1.4.1.26138.2.149.1.2.1.8.8	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.9	.1.3.6.1.4.1.26138.2.149.1.2.1.8.9	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.10	.1.3.6.1.4.1.26138.2.149.1.2.1.8.10	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.11	.1.3.6.1.4.1.26138.2.149.1.2.1.8.11	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.97	.1.3.6.1.4.1.26138.2.149.1.2.1.8.97	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.98	.1.3.6.1.4.1.26138.2.149.1.2.1.8.98	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.99	.1.3.6.1.4.1.26138.2.149.1.2.1.8.99	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.100	.1.3.6.1.4.1.26138.2.149.1.2.1.8.100	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.101	.1.3.6.1.4.1.26138.2.149.1.2.1.8.101	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.102	.1.3.6.1.4.1.26138.2.149.1.2.1.8.102	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.103	.1.3.6.1.4.1.26138.2.149.1.2.1.8.103	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.104	.1.3.6.1.4.1.26138.2.149.1.2.1.8.104	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.117	.1.3.6.1.4.1.26138.2.149.1.2.1.8.117	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.118	.1.3.6.1.4.1.26138.2.149.1.2.1.8.118	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.119	.1.3.6.1.4.1.26138.2.149.1.2.1.8.119	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.120	.1.3.6.1.4.1.26138.2.149.1.2.1.8.120	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.122	.1.3.6.1.4.1.26138.2.149.1.2.1.8.122	Gauge32	0

Name	OID	Value Type	Value Example
IB-SESSION-MIB::ibSessionEntUDPCreateRate.123	.1.3.6.1.4.1.26138.2.149.1.2.1.8.123	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.124	.1.3.6.1.4.1.26138.2.149.1.2.1.8.124	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.125	.1.3.6.1.4.1.26138.2.149.1.2.1.8.125	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.137	.1.3.6.1.4.1.26138.2.149.1.2.1.8.137	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.177	.1.3.6.1.4.1.26138.2.149.1.2.1.8.177	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.178	.1.3.6.1.4.1.26138.2.149.1.2.1.8.178	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.179	.1.3.6.1.4.1.26138.2.149.1.2.1.8.179	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.180	.1.3.6.1.4.1.26138.2.149.1.2.1.8.180	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.182	.1.3.6.1.4.1.26138.2.149.1.2.1.8.182	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.183	.1.3.6.1.4.1.26138.2.149.1.2.1.8.183	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.184	.1.3.6.1.4.1.26138.2.149.1.2.1.8.184	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.185	.1.3.6.1.4.1.26138.2.149.1.2.1.8.185	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.197	.1.3.6.1.4.1.26138.2.149.1.2.1.8.197	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.237	.1.3.6.1.4.1.26138.2.149.1.2.1.8.237	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.238	.1.3.6.1.4.1.26138.2.149.1.2.1.8.238	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.239	.1.3.6.1.4.1.26138.2.149.1.2.1.8.239	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.240	.1.3.6.1.4.1.26138.2.149.1.2.1.8.240	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.241	.1.3.6.1.4.1.26138.2.149.1.2.1.8.241	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.242	.1.3.6.1.4.1.26138.2.149.1.2.1.8.242	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.243	.1.3.6.1.4.1.26138.2.149.1.2.1.8.243	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.244	.1.3.6.1.4.1.26138.2.149.1.2.1.8.244	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.245	.1.3.6.1.4.1.26138.2.149.1.2.1.8.245	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.246	.1.3.6.1.4.1.26138.2.149.1.2.1.8.246	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.247	.1.3.6.1.4.1.26138.2.149.1.2.1.8.247	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.248	.1.3.6.1.4.1.26138.2.149.1.2.1.8.248	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.249	.1.3.6.1.4.1.26138.2.149.1.2.1.8.249	Gauge32	0

Name	OID	Value Type	Value Example
IB-SESSION-MIB::ibSessionEntUDPCreateRate.250	.1.3.6.1.4.1.26138.2.149.1.2.1.8.250	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.251	.1.3.6.1.4.1.26138.2.149.1.2.1.8.251	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.252	.1.3.6.1.4.1.26138.2.149.1.2.1.8.252	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.253	.1.3.6.1.4.1.26138.2.149.1.2.1.8.253	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.254	.1.3.6.1.4.1.26138.2.149.1.2.1.8.254	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.255	.1.3.6.1.4.1.26138.2.149.1.2.1.8.255	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.257	.1.3.6.1.4.1.26138.2.149.1.2.1.8.257	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.258	.1.3.6.1.4.1.26138.2.149.1.2.1.8.258	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.259	.1.3.6.1.4.1.26138.2.149.1.2.1.8.259	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.260	.1.3.6.1.4.1.26138.2.149.1.2.1.8.260	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.261	.1.3.6.1.4.1.26138.2.149.1.2.1.8.261	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.262	.1.3.6.1.4.1.26138.2.149.1.2.1.8.262	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.263	.1.3.6.1.4.1.26138.2.149.1.2.1.8.263	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.264	.1.3.6.1.4.1.26138.2.149.1.2.1.8.264	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.265	.1.3.6.1.4.1.26138.2.149.1.2.1.8.265	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.266	.1.3.6.1.4.1.26138.2.149.1.2.1.8.266	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.267	.1.3.6.1.4.1.26138.2.149.1.2.1.8.267	Gauge32	0
IB-SESSION-MIB::ibSessionEntUDPCreateRate.268	.1.3.6.1.4.1.26138.2.149.1.2.1.8.268	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.1	.1.3.6.1.4.1.26138.2.149.1.2.1.9.1	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.2	.1.3.6.1.4.1.26138.2.149.1.2.1.9.2	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.4	.1.3.6.1.4.1.26138.2.149.1.2.1.9.4	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.5	.1.3.6.1.4.1.26138.2.149.1.2.1.9.5	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.6	.1.3.6.1.4.1.26138.2.149.1.2.1.9.6	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.7	.1.3.6.1.4.1.26138.2.149.1.2.1.9.7	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.8	.1.3.6.1.4.1.26138.2.149.1.2.1.9.8	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.9	.1.3.6.1.4.1.26138.2.149.1.2.1.9.9	Gauge32	0

Name	OID	Value Type	Value Example
IB-SESSION-MIB::ibSessionEntOtherCreateRate.10	.1.3.6.1.4.1.26138.2.149.1.2.1.9.10	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.11	.1.3.6.1.4.1.26138.2.149.1.2.1.9.11	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.97	.1.3.6.1.4.1.26138.2.149.1.2.1.9.97	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.98	.1.3.6.1.4.1.26138.2.149.1.2.1.9.98	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.99	.1.3.6.1.4.1.26138.2.149.1.2.1.9.99	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.100	.1.3.6.1.4.1.26138.2.149.1.2.1.9.100	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.101	.1.3.6.1.4.1.26138.2.149.1.2.1.9.101	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.102	.1.3.6.1.4.1.26138.2.149.1.2.1.9.102	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.103	.1.3.6.1.4.1.26138.2.149.1.2.1.9.103	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.104	.1.3.6.1.4.1.26138.2.149.1.2.1.9.104	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.117	.1.3.6.1.4.1.26138.2.149.1.2.1.9.117	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.118	.1.3.6.1.4.1.26138.2.149.1.2.1.9.118	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.119	.1.3.6.1.4.1.26138.2.149.1.2.1.9.119	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.120	.1.3.6.1.4.1.26138.2.149.1.2.1.9.120	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.122	.1.3.6.1.4.1.26138.2.149.1.2.1.9.122	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.123	.1.3.6.1.4.1.26138.2.149.1.2.1.9.123	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.124	.1.3.6.1.4.1.26138.2.149.1.2.1.9.124	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.125	.1.3.6.1.4.1.26138.2.149.1.2.1.9.125	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.137	.1.3.6.1.4.1.26138.2.149.1.2.1.9.137	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.177	.1.3.6.1.4.1.26138.2.149.1.2.1.9.177	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.178	.1.3.6.1.4.1.26138.2.149.1.2.1.9.178	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.179	.1.3.6.1.4.1.26138.2.149.1.2.1.9.179	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.180	.1.3.6.1.4.1.26138.2.149.1.2.1.9.180	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.182	.1.3.6.1.4.1.26138.2.149.1.2.1.9.182	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.183	.1.3.6.1.4.1.26138.2.149.1.2.1.9.183	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.184	.1.3.6.1.4.1.26138.2.149.1.2.1.9.184	Gauge32	0

Name	OID	Value Type	Value Example
IB-SESSION-MIB::ibSessionEntOtherCreateRate.185	.1.3.6.1.4.1.26138.2.149.1.2.1.9.185	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.197	.1.3.6.1.4.1.26138.2.149.1.2.1.9.197	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.237	.1.3.6.1.4.1.26138.2.149.1.2.1.9.237	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.238	.1.3.6.1.4.1.26138.2.149.1.2.1.9.238	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.239	.1.3.6.1.4.1.26138.2.149.1.2.1.9.239	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.240	.1.3.6.1.4.1.26138.2.149.1.2.1.9.240	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.241	.1.3.6.1.4.1.26138.2.149.1.2.1.9.241	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.242	.1.3.6.1.4.1.26138.2.149.1.2.1.9.242	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.243	.1.3.6.1.4.1.26138.2.149.1.2.1.9.243	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.244	.1.3.6.1.4.1.26138.2.149.1.2.1.9.244	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.245	.1.3.6.1.4.1.26138.2.149.1.2.1.9.245	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.246	.1.3.6.1.4.1.26138.2.149.1.2.1.9.246	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.247	.1.3.6.1.4.1.26138.2.149.1.2.1.9.247	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.248	.1.3.6.1.4.1.26138.2.149.1.2.1.9.248	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.249	.1.3.6.1.4.1.26138.2.149.1.2.1.9.249	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.250	.1.3.6.1.4.1.26138.2.149.1.2.1.9.250	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.251	.1.3.6.1.4.1.26138.2.149.1.2.1.9.251	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.252	.1.3.6.1.4.1.26138.2.149.1.2.1.9.252	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.253	.1.3.6.1.4.1.26138.2.149.1.2.1.9.253	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.254	.1.3.6.1.4.1.26138.2.149.1.2.1.9.254	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.255	.1.3.6.1.4.1.26138.2.149.1.2.1.9.255	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.257	.1.3.6.1.4.1.26138.2.149.1.2.1.9.257	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.258	.1.3.6.1.4.1.26138.2.149.1.2.1.9.258	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.259	.1.3.6.1.4.1.26138.2.149.1.2.1.9.259	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.260	.1.3.6.1.4.1.26138.2.149.1.2.1.9.260	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.261	.1.3.6.1.4.1.26138.2.149.1.2.1.9.261	Gauge32	0

Name	OID	Value Type	Value Example
IB-SESSION-MIB::ibSessionEntOtherCreateRate.262	.1.3.6.1.4.1.26138.2.149.1.2.1.9.262	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.263	.1.3.6.1.4.1.26138.2.149.1.2.1.9.263	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.264	.1.3.6.1.4.1.26138.2.149.1.2.1.9.264	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.265	.1.3.6.1.4.1.26138.2.149.1.2.1.9.265	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.266	.1.3.6.1.4.1.26138.2.149.1.2.1.9.266	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.267	.1.3.6.1.4.1.26138.2.149.1.2.1.9.267	Gauge32	0
IB-SESSION-MIB::ibSessionEntOtherCreateRate.268	.1.3.6.1.4.1.26138.2.149.1.2.1.9.268	Gauge32	0
IB-SESSION-MIB::ibSessionEntTCPTotal.1	.1.3.6.1.4.1.26138.2.149.1.2.1.10.1	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.2	.1.3.6.1.4.1.26138.2.149.1.2.1.10.2	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.4	.1.3.6.1.4.1.26138.2.149.1.2.1.10.4	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.5	.1.3.6.1.4.1.26138.2.149.1.2.1.10.5	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.6	.1.3.6.1.4.1.26138.2.149.1.2.1.10.6	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.7	.1.3.6.1.4.1.26138.2.149.1.2.1.10.7	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.8	.1.3.6.1.4.1.26138.2.149.1.2.1.10.8	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.9	.1.3.6.1.4.1.26138.2.149.1.2.1.10.9	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.10	.1.3.6.1.4.1.26138.2.149.1.2.1.10.10	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.11	.1.3.6.1.4.1.26138.2.149.1.2.1.10.11	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.97	.1.3.6.1.4.1.26138.2.149.1.2.1.10.97	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.98	.1.3.6.1.4.1.26138.2.149.1.2.1.10.98	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.99	.1.3.6.1.4.1.26138.2.149.1.2.1.10.99	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.100	.1.3.6.1.4.1.26138.2.149.1.2.1.10.100	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.101	.1.3.6.1.4.1.26138.2.149.1.2.1.10.101	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.102	.1.3.6.1.4.1.26138.2.149.1.2.1.10.102	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.103	.1.3.6.1.4.1.26138.2.149.1.2.1.10.103	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.104	.1.3.6.1.4.1.26138.2.149.1.2.1.10.104	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.117	.1.3.6.1.4.1.26138.2.149.1.2.1.10.117	Counter64	0

Name	OID	Value Type	Value Example
IB-SESSION-MIB::ibSessionEntTCPTotal.118	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.118	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.119	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.119	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.120	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.120	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.122	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.122	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.123	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.123	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.124	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.124	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.125	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.125	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.137	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.137	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.177	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.177	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.178	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.178	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.179	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.179	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.180	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.180	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.182	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.182	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.183	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.183	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.184	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.184	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.185	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.185	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.197	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.197	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.237	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.237	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.238	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.238	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.239	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.239	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.240	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.240	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.241	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.241	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.242	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.242	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.243	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.243	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.244	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.244	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.245	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.245	Counter64	0

Name	OID	Value Type	Value Example
IB-SESSION-MIB::ibSessionEntTCPTotal.246	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.246	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.247	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.247	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.248	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.248	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.249	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.249	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.250	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.250	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.251	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.251	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.252	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.252	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.253	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.253	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.254	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.254	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.255	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.255	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.257	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.257	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.258	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.258	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.259	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.259	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.260	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.260	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.261	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.261	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.262	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.262	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.263	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.263	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.264	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.264	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.265	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.265	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.266	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.266	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.267	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.267	Counter64	0
IB-SESSION-MIB::ibSessionEntTCPTotal.268	.1.3.6.1.4.1.26138.2.149.1.2.1.1.0.268	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.1	.1.3.6.1.4.1.26138.2.149.1.2.1.1.1.1	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.2	.1.3.6.1.4.1.26138.2.149.1.2.1.1.1.2	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.4	.1.3.6.1.4.1.26138.2.149.1.2.1.1.1.4	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.5	.1.3.6.1.4.1.26138.2.149.1.2.1.1.1.5	Counter64	0

Name	OID	Value Type	Value Example
IB-SESSION-MIB::ibSessionEntUDPTotal.6	.1.3.6.1.4.1.26138.2.149.1.2.1.1.1.6	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.7	.1.3.6.1.4.1.26138.2.149.1.2.1.1.1.7	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.8	.1.3.6.1.4.1.26138.2.149.1.2.1.1.1.8	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.9	.1.3.6.1.4.1.26138.2.149.1.2.1.1.1.9	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.10	.1.3.6.1.4.1.26138.2.149.1.2.1.1.1.10	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.11	.1.3.6.1.4.1.26138.2.149.1.2.1.1.1.11	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.97	.1.3.6.1.4.1.26138.2.149.1.2.1.1.1.97	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.98	.1.3.6.1.4.1.26138.2.149.1.2.1.1.1.98	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.99	.1.3.6.1.4.1.26138.2.149.1.2.1.1.1.99	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.100	.1.3.6.1.4.1.26138.2.149.1.2.1.1.1.100	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.101	.1.3.6.1.4.1.26138.2.149.1.2.1.1.1.101	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.102	.1.3.6.1.4.1.26138.2.149.1.2.1.1.1.102	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.103	.1.3.6.1.4.1.26138.2.149.1.2.1.1.1.103	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.104	.1.3.6.1.4.1.26138.2.149.1.2.1.1.1.104	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.117	.1.3.6.1.4.1.26138.2.149.1.2.1.1.1.117	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.118	.1.3.6.1.4.1.26138.2.149.1.2.1.1.1.118	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.119	.1.3.6.1.4.1.26138.2.149.1.2.1.1.1.119	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.120	.1.3.6.1.4.1.26138.2.149.1.2.1.1.1.120	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.122	.1.3.6.1.4.1.26138.2.149.1.2.1.1.1.122	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.123	.1.3.6.1.4.1.26138.2.149.1.2.1.1.1.123	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.124	.1.3.6.1.4.1.26138.2.149.1.2.1.1.1.124	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.125	.1.3.6.1.4.1.26138.2.149.1.2.1.1.1.125	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.137	.1.3.6.1.4.1.26138.2.149.1.2.1.1.1.137	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.177	.1.3.6.1.4.1.26138.2.149.1.2.1.1.1.177	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.178	.1.3.6.1.4.1.26138.2.149.1.2.1.1.1.178	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.179	.1.3.6.1.4.1.26138.2.149.1.2.1.1.1.179	Counter64	0

Name	OID	Value Type	Value Example
IB-SESSION-MIB::ibSessionEntUDPTotal.180	.1.3.6.1.4.1.26138.2.149.1.2.1.1.180	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.182	.1.3.6.1.4.1.26138.2.149.1.2.1.1.182	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.183	.1.3.6.1.4.1.26138.2.149.1.2.1.1.183	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.184	.1.3.6.1.4.1.26138.2.149.1.2.1.1.184	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.185	.1.3.6.1.4.1.26138.2.149.1.2.1.1.185	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.197	.1.3.6.1.4.1.26138.2.149.1.2.1.1.197	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.237	.1.3.6.1.4.1.26138.2.149.1.2.1.1.237	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.238	.1.3.6.1.4.1.26138.2.149.1.2.1.1.238	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.239	.1.3.6.1.4.1.26138.2.149.1.2.1.1.239	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.240	.1.3.6.1.4.1.26138.2.149.1.2.1.1.240	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.241	.1.3.6.1.4.1.26138.2.149.1.2.1.1.241	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.242	.1.3.6.1.4.1.26138.2.149.1.2.1.1.242	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.243	.1.3.6.1.4.1.26138.2.149.1.2.1.1.243	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.244	.1.3.6.1.4.1.26138.2.149.1.2.1.1.244	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.245	.1.3.6.1.4.1.26138.2.149.1.2.1.1.245	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.246	.1.3.6.1.4.1.26138.2.149.1.2.1.1.246	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.247	.1.3.6.1.4.1.26138.2.149.1.2.1.1.247	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.248	.1.3.6.1.4.1.26138.2.149.1.2.1.1.248	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.249	.1.3.6.1.4.1.26138.2.149.1.2.1.1.249	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.250	.1.3.6.1.4.1.26138.2.149.1.2.1.1.250	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.251	.1.3.6.1.4.1.26138.2.149.1.2.1.1.251	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.252	.1.3.6.1.4.1.26138.2.149.1.2.1.1.252	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.253	.1.3.6.1.4.1.26138.2.149.1.2.1.1.253	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.254	.1.3.6.1.4.1.26138.2.149.1.2.1.1.254	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.255	.1.3.6.1.4.1.26138.2.149.1.2.1.1.255	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.257	.1.3.6.1.4.1.26138.2.149.1.2.1.1.257	Counter64	0

Name	OID	Value Type	Value Example
IB-SESSION-MIB::ibSessionEntUDPTotal.258	.1.3.6.1.4.1.26138.2.149.1.2.1.11.258	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.259	.1.3.6.1.4.1.26138.2.149.1.2.1.11.259	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.260	.1.3.6.1.4.1.26138.2.149.1.2.1.11.260	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.261	.1.3.6.1.4.1.26138.2.149.1.2.1.11.261	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.262	.1.3.6.1.4.1.26138.2.149.1.2.1.11.262	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.263	.1.3.6.1.4.1.26138.2.149.1.2.1.11.263	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.264	.1.3.6.1.4.1.26138.2.149.1.2.1.11.264	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.265	.1.3.6.1.4.1.26138.2.149.1.2.1.11.265	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.266	.1.3.6.1.4.1.26138.2.149.1.2.1.11.266	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.267	.1.3.6.1.4.1.26138.2.149.1.2.1.11.267	Counter64	0
IB-SESSION-MIB::ibSessionEntUDPTotal.268	.1.3.6.1.4.1.26138.2.149.1.2.1.11.268	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.1	.1.3.6.1.4.1.26138.2.149.1.2.1.12.1	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.2	.1.3.6.1.4.1.26138.2.149.1.2.1.12.2	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.4	.1.3.6.1.4.1.26138.2.149.1.2.1.12.4	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.5	.1.3.6.1.4.1.26138.2.149.1.2.1.12.5	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.6	.1.3.6.1.4.1.26138.2.149.1.2.1.12.6	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.7	.1.3.6.1.4.1.26138.2.149.1.2.1.12.7	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.8	.1.3.6.1.4.1.26138.2.149.1.2.1.12.8	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.9	.1.3.6.1.4.1.26138.2.149.1.2.1.12.9	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.10	.1.3.6.1.4.1.26138.2.149.1.2.1.12.10	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.11	.1.3.6.1.4.1.26138.2.149.1.2.1.12.11	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.97	.1.3.6.1.4.1.26138.2.149.1.2.1.12.97	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.98	.1.3.6.1.4.1.26138.2.149.1.2.1.12.98	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.99	.1.3.6.1.4.1.26138.2.149.1.2.1.12.99	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.100	.1.3.6.1.4.1.26138.2.149.1.2.1.12.100	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.101	.1.3.6.1.4.1.26138.2.149.1.2.1.12.101	Counter64	0

Name	OID	Value Type	Value Example
IB-SESSION-MIB::ibSessionEntOtherTotal.102	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.102	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.103	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.103	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.104	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.104	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.117	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.117	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.118	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.118	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.119	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.119	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.120	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.120	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.122	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.122	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.123	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.123	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.124	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.124	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.125	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.125	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.137	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.137	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.177	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.177	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.178	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.178	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.179	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.179	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.180	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.180	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.182	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.182	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.183	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.183	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.184	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.184	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.185	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.185	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.197	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.197	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.237	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.237	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.238	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.238	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.239	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.239	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.240	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.240	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.241	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.241	Counter64	0

Name	OID	Value Type	Value Example
IB-SESSION-MIB::ibSessionEntOtherTotal.242	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.242	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.243	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.243	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.244	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.244	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.245	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.245	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.246	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.246	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.247	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.247	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.248	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.248	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.249	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.249	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.250	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.250	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.251	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.251	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.252	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.252	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.253	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.253	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.254	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.254	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.255	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.255	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.257	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.257	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.258	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.258	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.259	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.259	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.260	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.260	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.261	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.261	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.262	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.262	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.263	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.263	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.264	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.264	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.265	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.265	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.266	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.266	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.267	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.267	Counter64	0
IB-SESSION-MIB::ibSessionEntOtherTotal.268	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.268	Counter64	0

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacFeatureDescription."nd"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"ND protocol related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."aaa"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"AAA related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."acl"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"ACL related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."apr"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"Application Recognization related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."arp"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"ARP related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."atk"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"Attack Defence related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."avc"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"Application Visual Control commands"
IB-RBAC-MIB::ibRbacFeatureDescription."ccf"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"CCF related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."ddr"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"DDR related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."ike"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"IKE related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."ips"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"IPS related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."irf"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"IRF related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."nat"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"NAT related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."nqa"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"NQA related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."ntp"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"NTP related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."ofc"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"OFC related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."oms"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"OMS related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."pbr"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"PBR related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."ppp"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"PPP related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."qos"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"QoS related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."rrm"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"RRM related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."ssh"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"SSH related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."stp"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"STP related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."ucc"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"UCC related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."web"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"Web related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."wsa"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"WSA related commands"

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacFeatureDescription."aspf"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"ASPF related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."byod"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"BYOD related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."clcp"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"License related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."dhcp"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"DHCPv4 & DHCPv6 protocol stack related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."fips"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"FIPS related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."hlth"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"HLTH related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."ilog"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"ILOG related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."lacp"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"LACP related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."ldap"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"LDAP related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."lisp"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"LISP protocol related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."lldp"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"LLDP related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."mail"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"mail related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."mubm"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"MUBM related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."nbar"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"Network Based Application Recognization related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."ospf"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"Open Shortest Path First protocol related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."ping"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"PING related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."rmon"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"Rmon related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."secp"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"SECP related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."snmp"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"SNMP related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."sntp"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"SNTP related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."vlan"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"Virtual LAN related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."wclt"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"WCLT related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."wips"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"Wireless Intrusion Prevention System related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."wloc"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"WLOC related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."wm2u"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"Wlan Multicast-optimization Conversion related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."wsal"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"WSAL related commands"

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacFeatureDescription."apmgr"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"APMGR related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."audit"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"Application Audit commands"
IB-RBAC-MIB::ibRbacFeatureDescription."bnjgw"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"BNJGW related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."dot11"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"DOT11 related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."httpd"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"HTTPD related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."ipfib"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"IP Forwarding Information Base related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."ipsec"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"IPsec related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."ipvfr"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"IPVFR related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."macfw"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"Macfw related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."probe"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"Wireless Probe System related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."proen"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"PROEN related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."route"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"Route management related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."shell"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"Shell setting related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."track"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"TRACK related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."wmesh"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"WLAN MESH related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."crypto"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"Crypto related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."device"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"Device configuration related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."driver"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"Driver related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."l2tpv2"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"Layer Two Tunneling Protocol related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."mirror"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"Mirror related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."portal"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"Portal related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."radius"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"RADIUS related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."sslvpn"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"SSLVPN related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."stamgr"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"STAMGR related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."syslog"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"Syslog related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."tacacs"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"TACACS related commands"

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacFeatureDescription."telnet"	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.268	STRING	"Telnet related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."tunnel"	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.268	STRING	"Tunnel related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."wlanfw"	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.268	STRING	"WLANFW related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."antibmc"	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.268	STRING	"ANTIBMC related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."fnotify"	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.268	STRING	"FNOTIFY related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."inspect"	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.268	STRING	"Inspect profile related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."install"	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.268	STRING	"Software install related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."ipstack"	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.268	STRING	"IPv4 & IPv6 protocol stack related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."isovlan"	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.268	STRING	"ISOVLAN related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."license"	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.268	STRING	"License related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."netconf"	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.268	STRING	"NETCONF related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."process"	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.268	STRING	"Process related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."restful"	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.268	STRING	"RESTful related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."session"	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.268	STRING	"SESSION related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."aplicsyn"	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.268	STRING	"APLICSYN related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."cellular"	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.268	STRING	"CELLULAR related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."cmtnlmgr"	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.268	STRING	"cmtnlmgr related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."httpredr"	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.268	STRING	"httpredr related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."keychain"	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.268	STRING	"Keychain related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."maintain"	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.268	STRING	"MAINTAIN related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."staticrt"	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.268	STRING	"Unicast static route related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."terminal"	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.268	STRING	"Terminal setting related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."customlog"	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.268	STRING	"Custom log related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."interface"	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.268	STRING	"Interface related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."multicast"	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.268	STRING	"Multicast related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."rdssrvmgt"	.1.3.6.1.4.1.26138.2.149.1.2.1.1.2.268	STRING	"RADIUS-server-management related commands"

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacFeatureDescription."scheduler"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"Scheduler related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."urcu_qsbr"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"URCU_QSBR related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."cloudagent"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"CLOUDAGENT related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."ewc-driver"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"EWC-driver related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."filesystem"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"File system related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."ipbindings"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"IPCIM related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."time-range"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"Time range related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."app-profile"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"App profile related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."mac-address"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"MAC-Address related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."mld-snooping"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"MLD-Snooping related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."radius-proxy"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"RADIUS proxy related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."user-profile"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"User profile related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."igmp-snooping"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"IGMP-Snooping related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."interface-eth"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"ETH related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."loopbk-detect"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"Loopback-detection related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."packet-filter"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"PFILTER related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."port-security"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"Port-security related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."packet-capture"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"Packet-capture related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."driver-platform"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"Driver-platform related commands"
IB-RBAC-MIB::ibRbacFeatureDescription."router-renumber"	.1.3.6.1.4.1.26138.2.149.1.2.1.12.268	STRING	"RR related commands"
IB-RBAC-MIB::ibRbacRoleDefaultEnable.0	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	false(2)
IB-RBAC-MIB::ibRbacRoleDescription."level-0"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"Predefined level-0 role"
IB-RBAC-MIB::ibRbacRoleDescription."level-1"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"Predefined level-1 role"
IB-RBAC-MIB::ibRbacRoleDescription."level-2"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"Predefined level-2 role"
IB-RBAC-MIB::ibRbacRoleDescription."level-3"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"Predefined level-3 role"
IB-RBAC-MIB::ibRbacRoleDescription."level-4"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"Predefined level-4 role"

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacRoleDescription."level-5"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"Predefined level-5 role"
IB-RBAC-MIB::ibRbacRoleDescription."level-6"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"Predefined level-6 role"
IB-RBAC-MIB::ibRbacRoleDescription."level-7"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"Predefined level-7 role"
IB-RBAC-MIB::ibRbacRoleDescription."level-8"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"Predefined level-8 role"
IB-RBAC-MIB::ibRbacRoleDescription."level-9"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"Predefined level-9 role"
IB-RBAC-MIB::ibRbacRoleDescription."level-10"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"Predefined level-10 role"
IB-RBAC-MIB::ibRbacRoleDescription."level-11"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"Predefined level-11 role"
IB-RBAC-MIB::ibRbacRoleDescription."level-12"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"Predefined level-12 role"
IB-RBAC-MIB::ibRbacRoleDescription."level-13"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"Predefined level-13 role"
IB-RBAC-MIB::ibRbacRoleDescription."level-14"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"Predefined level-14 role"
IB-RBAC-MIB::ibRbacRoleDescription."level-15"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"Predefined level-15 role"
IB-RBAC-MIB::ibRbacRoleDescription."guest-manager"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"Predefined guest manager role can't access to commands"
IB-RBAC-MIB::ibRbacRoleDescription."network-admin"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"Predefined network admin role has access to all commands on the device"
IB-RBAC-MIB::ibRbacRoleDescription."security-audit"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"Predefined security audit role only has access to commands for the security log administrator"
IB-RBAC-MIB::ibRbacRoleDescription."network-operator"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"Predefined network operator role has access to all read commands on the device"
IB-RBAC-MIB::ibRbacRoleResourceAccess."level-0"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	F0 vlan(0) interface(1) vrf(2) seczone(3)
IB-RBAC-MIB::ibRbacRoleResourceAccess."level-1"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	F0 vlan(0) interface(1) vrf(2) seczone(3)
IB-RBAC-MIB::ibRbacRoleResourceAccess."level-2"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	F0 vlan(0) interface(1) vrf(2) seczone(3)
IB-RBAC-MIB::ibRbacRoleResourceAccess."level-3"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	F0 vlan(0) interface(1) vrf(2) seczone(3)
IB-RBAC-MIB::ibRbacRoleResourceAccess."level-4"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	F0 vlan(0) interface(1) vrf(2) seczone(3)
IB-RBAC-MIB::ibRbacRoleResourceAccess."level-5"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	F0 vlan(0) interface(1) vrf(2) seczone(3)
IB-RBAC-MIB::ibRbacRoleResourceAccess."level-6"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	F0 vlan(0) interface(1) vrf(2) seczone(3)
IB-RBAC-MIB::ibRbacRoleResourceAccess."level-7"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	F0 vlan(0) interface(1) vrf(2) seczone(3)
IB-RBAC-MIB::ibRbacRoleResourceAccess."level-8"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	F0 vlan(0) interface(1) vrf(2) seczone(3)
IB-RBAC-MIB::ibRbacRoleResourceAccess."level-9"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	F0 vlan(0) interface(1) vrf(2) seczone(3)

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacRoleResourceAccess."level-10"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	F0 vlan(0) interface(1) vrf(2) seczone(3)
IB-RBAC-MIB::ibRbacRoleResourceAccess."level-11"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	F0 vlan(0) interface(1) vrf(2) seczone(3)
IB-RBAC-MIB::ibRbacRoleResourceAccess."level-12"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	F0 vlan(0) interface(1) vrf(2) seczone(3)
IB-RBAC-MIB::ibRbacRoleResourceAccess."level-13"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	F0 vlan(0) interface(1) vrf(2) seczone(3)
IB-RBAC-MIB::ibRbacRoleResourceAccess."level-14"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	F0 vlan(0) interface(1) vrf(2) seczone(3)
IB-RBAC-MIB::ibRbacRoleResourceAccess."level-15"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	F0 vlan(0) interface(1) vrf(2) seczone(3)
IB-RBAC-MIB::ibRbacRoleResourceAccess."guest-manager"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	F0 vlan(0) interface(1) vrf(2) seczone(3)
IB-RBAC-MIB::ibRbacRoleResourceAccess."network-admin"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	F0 vlan(0) interface(1) vrf(2) seczone(3)
IB-RBAC-MIB::ibRbacRoleResourceAccess."security-audit"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	F0 vlan(0) interface(1) vrf(2) seczone(3)
IB-RBAC-MIB::ibRbacRoleResourceAccess."network-operator"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	F0 vlan(0) interface(1) vrf(2) seczone(3)
IB-RBAC-MIB::ibRbacRoleStorageType."level-0"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permanent(4)
IB-RBAC-MIB::ibRbacRoleStorageType."level-1"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permanent(4)
IB-RBAC-MIB::ibRbacRoleStorageType."level-2"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permanent(4)
IB-RBAC-MIB::ibRbacRoleStorageType."level-3"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permanent(4)
IB-RBAC-MIB::ibRbacRoleStorageType."level-4"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permanent(4)
IB-RBAC-MIB::ibRbacRoleStorageType."level-5"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permanent(4)
IB-RBAC-MIB::ibRbacRoleStorageType."level-6"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permanent(4)
IB-RBAC-MIB::ibRbacRoleStorageType."level-7"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permanent(4)
IB-RBAC-MIB::ibRbacRoleStorageType."level-8"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permanent(4)
IB-RBAC-MIB::ibRbacRoleStorageType."level-9"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permanent(4)
IB-RBAC-MIB::ibRbacRoleStorageType."level-10"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permanent(4)
IB-RBAC-MIB::ibRbacRoleStorageType."level-11"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permanent(4)
IB-RBAC-MIB::ibRbacRoleStorageType."level-12"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permanent(4)
IB-RBAC-MIB::ibRbacRoleStorageType."level-13"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permanent(4)
IB-RBAC-MIB::ibRbacRoleStorageType."level-14"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permanent(4)
IB-RBAC-MIB::ibRbacRoleStorageType."level-15"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	readOnly(5)

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacRoleStorageType."guest-manager"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	readOnly(5)
IB-RBAC-MIB::ibRbacRoleStorageType."network-admin"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	readOnly(5)
IB-RBAC-MIB::ibRbacRoleStorageType."security-audit"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	readOnly(5)
IB-RBAC-MIB::ibRbacRoleStorageType."network-operator"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	readOnly(5)
IB-RBAC-MIB::ibRbacRoleRowStatus."level-0"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRoleRowStatus."level-1"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRoleRowStatus."level-2"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRoleRowStatus."level-3"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRoleRowStatus."level-4"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRoleRowStatus."level-5"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRoleRowStatus."level-6"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRoleRowStatus."level-7"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRoleRowStatus."level-8"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRoleRowStatus."level-9"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRoleRowStatus."level-10"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRoleRowStatus."level-11"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRoleRowStatus."level-12"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRoleRowStatus."level-13"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRoleRowStatus."level-14"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRoleRowStatus."level-15"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRoleRowStatus."guest-manager"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRoleRowStatus."network-admin"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRoleRowStatus."security-audit"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRoleRowStatus."network-operator"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleAction."level-0".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."level-0".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacRuleAction."level-0".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."level-0".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."level-0".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."level-0".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."level-1".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."level-1".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."level-1".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."level-1".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."level-1".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."level-1".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."level-1".system.7	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	deny(2)
IB-RBAC-MIB::ibRbacRuleAction."level-1".system.8	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."level-9".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."level-9".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	deny(2)
IB-RBAC-MIB::ibRbacRuleAction."level-9".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	deny(2)
IB-RBAC-MIB::ibRbacRuleAction."level-9".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."level-9".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	deny(2)
IB-RBAC-MIB::ibRbacRuleAction."level-9".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."level-15".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."level-15".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."level-15".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."level-15".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	deny(2)
IB-RBAC-MIB::ibRbacRuleAction."level-15".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	deny(2)
IB-RBAC-MIB::ibRbacRuleAction."level-15".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	deny(2)
IB-RBAC-MIB::ibRbacRuleAction."level-15".system.7	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	deny(2)
IB-RBAC-MIB::ibRbacRuleAction."level-15".system.8	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacRuleAction."level-15".system.9	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."guest-manager".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."guest-manager".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."guest-manager".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."guest-manager".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."guest-manager".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."guest-manager".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."guest-manager".system.7	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."guest-manager".system.8	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."guest-manager".system.9	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."guest-manager".system.10	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."guest-manager".system.11	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."guest-manager".system.12	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."guest-manager".system.13	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."guest-manager".system.14	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."guest-manager".system.15	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	deny(2)
IB-RBAC-MIB::ibRbacRuleAction."guest-manager".system.16	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."network-admin".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."network-admin".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."network-admin".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."network-admin".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	deny(2)
IB-RBAC-MIB::ibRbacRuleAction."network-admin".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	deny(2)
IB-RBAC-MIB::ibRbacRuleAction."network-admin".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	deny(2)
IB-RBAC-MIB::ibRbacRuleAction."network-admin".system.7	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	deny(2)
IB-RBAC-MIB::ibRbacRuleAction."network-admin".system.8	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."network-admin".system.9	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	deny(2)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.7	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.8	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.9	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.10	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.11	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.12	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.13	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.14	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.15	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.16	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.17	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.18	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.19	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.20	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.21	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.22	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.23	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.24	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.25	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.26	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.27	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.28	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.29	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.30	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.31	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.32	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.33	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.34	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.35	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.36	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.37	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.38	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.39	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.40	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.41	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.42	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.43	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.44	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.45	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.46	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.47	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.48	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.49	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.50	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.51	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.52	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.53	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."security-audit".system.54	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."network-operator".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."network-operator".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."network-operator".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."network-operator".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	deny(2)
IB-RBAC-MIB::ibRbacRuleAction."network-operator".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	deny(2)
IB-RBAC-MIB::ibRbacRuleAction."network-operator".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	deny(2)
IB-RBAC-MIB::ibRbacRuleAction."network-operator".system.7	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	deny(2)
IB-RBAC-MIB::ibRbacRuleAction."network-operator".system.8	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	deny(2)
IB-RBAC-MIB::ibRbacRuleAction."network-operator".system.9	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	deny(2)
IB-RBAC-MIB::ibRbacRuleAction."network-operator".system.10	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	deny(2)
IB-RBAC-MIB::ibRbacRuleAction."network-operator".system.11	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	deny(2)
IB-RBAC-MIB::ibRbacRuleAction."network-operator".system.12	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	deny(2)
IB-RBAC-MIB::ibRbacRuleAction."network-operator".system.13	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."network-operator".system.14	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."network-operator".system.15	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."network-operator".system.16	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."network-operator".system.17	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."network-operator".system.18	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."network-operator".system.19	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	deny(2)
IB-RBAC-MIB::ibRbacRuleAction."network-operator".system.20	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	deny(2)
IB-RBAC-MIB::ibRbacRuleAction."network-operator".system.21	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	deny(2)
IB-RBAC-MIB::ibRbacRuleAction."network-operator".system.22	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	deny(2)
IB-RBAC-MIB::ibRbacRuleAction."network-operator".system.23	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	deny(2)
IB-RBAC-MIB::ibRbacRuleAction."network-operator".system.24	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	deny(2)

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacRuleAction."network-operator".system.25	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleAction."network-operator".system.26	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	permit(1)
IB-RBAC-MIB::ibRbacRuleOperation."level-0".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."level-0".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."level-0".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."level-0".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."level-0".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."level-0".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."level-1".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."level-1".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."level-1".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."level-1".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."level-1".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."level-1".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."level-1".system.7	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."level-1".system.8	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."level-9".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	E0 exec(0) read(1) write(2)
IB-RBAC-MIB::ibRbacRuleOperation."level-9".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	E0 exec(0) read(1) write(2)
IB-RBAC-MIB::ibRbacRuleOperation."level-9".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	E0 exec(0) read(1) write(2)
IB-RBAC-MIB::ibRbacRuleOperation."level-9".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."level-9".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."level-9".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	40 read(1)
IB-RBAC-MIB::ibRbacRuleOperation."level-15".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."level-15".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	E0 exec(0) read(1) write(2)
IB-RBAC-MIB::ibRbacRuleOperation."level-15".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	E0 exec(0) read(1) write(2)
IB-RBAC-MIB::ibRbacRuleOperation."level-15".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacRuleOperation."level-15".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."level-15".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."level-15".system.7	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."level-15".system.8	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	60 read(1) write(2)
IB-RBAC-MIB::ibRbacRuleOperation."level-15".system.9	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	E0 exec(0) read(1) write(2)
IB-RBAC-MIB::ibRbacRuleOperation."guest-manager".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	E0 exec(0) read(1) write(2)
IB-RBAC-MIB::ibRbacRuleOperation."guest-manager".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	E0 exec(0) read(1) write(2)
IB-RBAC-MIB::ibRbacRuleOperation."guest-manager".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	E0 exec(0) read(1) write(2)
IB-RBAC-MIB::ibRbacRuleOperation."guest-manager".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	E0 exec(0) read(1) write(2)
IB-RBAC-MIB::ibRbacRuleOperation."guest-manager".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	E0 exec(0) read(1) write(2)
IB-RBAC-MIB::ibRbacRuleOperation."guest-manager".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	E0 exec(0) read(1) write(2)
IB-RBAC-MIB::ibRbacRuleOperation."guest-manager".system.7	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	E0 exec(0) read(1) write(2)
IB-RBAC-MIB::ibRbacRuleOperation."guest-manager".system.8	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	80 exec(0)
IB-RBAC-MIB::ibRbacRuleOperation."guest-manager".system.9	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	E0 exec(0) read(1) write(2)
IB-RBAC-MIB::ibRbacRuleOperation."guest-manager".system.10	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	E0 exec(0) read(1) write(2)
IB-RBAC-MIB::ibRbacRuleOperation."guest-manager".system.11	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	E0 exec(0) read(1) write(2)
IB-RBAC-MIB::ibRbacRuleOperation."guest-manager".system.12	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	E0 exec(0) read(1) write(2)
IB-RBAC-MIB::ibRbacRuleOperation."guest-manager".system.13	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	E0 exec(0) read(1) write(2)
IB-RBAC-MIB::ibRbacRuleOperation."guest-manager".system.14	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	E0 exec(0) read(1) write(2)
IB-RBAC-MIB::ibRbacRuleOperation."guest-manager".system.15	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."guest-manager".system.16	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	40 read(1)
IB-RBAC-MIB::ibRbacRuleOperation."network-admin".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."network-admin".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	E0 exec(0) read(1) write(2)
IB-RBAC-MIB::ibRbacRuleOperation."network-admin".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	E0 exec(0) read(1) write(2)
IB-RBAC-MIB::ibRbacRuleOperation."network-admin".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."network-admin".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacRuleOperation ."network-admin".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation ."network-admin".system.7	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation ."network-admin".system.8	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	60 read(1) write(2)
IB-RBAC-MIB::ibRbacRuleOperation ."network-admin".system.9	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	E0 exec(0) read(1) write(2)
IB-RBAC-MIB::ibRbacRuleOperation ."security-audit".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation ."security-audit".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation ."security-audit".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation ."security-audit".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation ."security-audit".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation ."security-audit".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation ."security-audit".system.7	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation ."security-audit".system.8	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation ."security-audit".system.9	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation ."security-audit".system.10	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation ."security-audit".system.11	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation ."security-audit".system.12	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation ."security-audit".system.13	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation ."security-audit".system.14	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation ."security-audit".system.15	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation ."security-audit".system.16	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation ."security-audit".system.17	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation ."security-audit".system.18	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation ."security-audit".system.19	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation ."security-audit".system.20	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation ."security-audit".system.21	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation ."security-audit".system.22	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.23	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.24	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.25	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.26	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.27	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.28	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.29	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.30	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.31	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.32	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.33	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.34	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.35	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.36	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.37	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.38	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.39	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.40	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.41	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.42	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.43	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.44	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.45	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.46	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.47	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.48	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.49	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.50	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.51	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.52	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.53	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."security-audit".system.54	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	E0 exec(0) read(1) write(2)
IB-RBAC-MIB::ibRbacRuleOperation."network-operator".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."network-operator".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."network-operator".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."network-operator".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."network-operator".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."network-operator".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."network-operator".system.7	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."network-operator".system.8	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."network-operator".system.9	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."network-operator".system.10	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."network-operator".system.11	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."network-operator".system.12	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."network-operator".system.13	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."network-operator".system.14	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."network-operator".system.15	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	40 read(1)
IB-RBAC-MIB::ibRbacRuleOperation."network-operator".system.16	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	40 read(1)
IB-RBAC-MIB::ibRbacRuleOperation."network-operator".system.17	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	80 exec(0)
IB-RBAC-MIB::ibRbacRuleOperation."network-operator".system.18	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	80 exec(0)
IB-RBAC-MIB::ibRbacRuleOperation."network-operator".system.19	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."network-operator".system.20	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacRuleOperation."network-operator".system.21	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."network-operator".system.22	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."network-operator".system.23	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."network-operator".system.24	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	00
IB-RBAC-MIB::ibRbacRuleOperation."network-operator".system.25	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	40 read(1)
IB-RBAC-MIB::ibRbacRuleOperation."network-operator".system.26	.1.3.6.1.4.1.26138.2.158.1.2.1.0	BITS	40 read(1)
IB-RBAC-MIB::ibRbacRuleEntityType."level-0".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."level-0".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."level-0".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."level-0".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."level-0".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."level-0".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."level-1".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."level-1".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."level-1".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."level-1".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."level-1".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."level-1".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."level-1".system.7	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."level-1".system.8	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."level-9".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	feature(3)
IB-RBAC-MIB::ibRbacRuleEntityType."level-9".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	feature(3)
IB-RBAC-MIB::ibRbacRuleEntityType."level-9".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	feature(3)
IB-RBAC-MIB::ibRbacRuleEntityType."level-9".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."level-9".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."level-15".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacRuleEntityType."level-15".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	webmenu(5)
IB-RBAC-MIB::ibRbacRuleEntityType."level-15".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	xmlelement(6)
IB-RBAC-MIB::ibRbacRuleEntityType."level-15".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."level-15".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."level-15".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."level-15".system.7	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."level-15".system.8	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	oid(7)
IB-RBAC-MIB::ibRbacRuleEntityType."guest-manager".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	xmlelement(6)
IB-RBAC-MIB::ibRbacRuleEntityType."guest-manager".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	xmlelement(6)
IB-RBAC-MIB::ibRbacRuleEntityType."guest-manager".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	xmlelement(6)
IB-RBAC-MIB::ibRbacRuleEntityType."guest-manager".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	xmlelement(6)
IB-RBAC-MIB::ibRbacRuleEntityType."guest-manager".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	xmlelement(6)
IB-RBAC-MIB::ibRbacRuleEntityType."guest-manager".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	xmlelement(6)
IB-RBAC-MIB::ibRbacRuleEntityType."guest-manager".system.7	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	xmlelement(6)
IB-RBAC-MIB::ibRbacRuleEntityType."guest-manager".system.8	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	xmlelement(6)
IB-RBAC-MIB::ibRbacRuleEntityType."guest-manager".system.9	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	xmlelement(6)
IB-RBAC-MIB::ibRbacRuleEntityType."guest-manager".system.10	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	webmenu(5)
IB-RBAC-MIB::ibRbacRuleEntityType."guest-manager".system.11	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	webmenu(5)
IB-RBAC-MIB::ibRbacRuleEntityType."guest-manager".system.12	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	webmenu(5)
IB-RBAC-MIB::ibRbacRuleEntityType."guest-manager".system.13	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	webmenu(5)
IB-RBAC-MIB::ibRbacRuleEntityType."guest-manager".system.14	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	webmenu(5)
IB-RBAC-MIB::ibRbacRuleEntityType."guest-manager".system.15	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."network-admin".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."network-admin".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	webmenu(5)
IB-RBAC-MIB::ibRbacRuleEntityType."network-admin".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	xmlelement(6)
IB-RBAC-MIB::ibRbacRuleEntityType."network-admin".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacRuleEntityType."network-admin".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."network-admin".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."network-admin".system.7	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."network-admin".system.8	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	oid(7)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.7	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.8	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.9	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.10	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.11	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.12	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.13	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.14	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.15	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.16	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.17	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.18	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.19	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.20	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.21	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.22	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.23	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.24	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.25	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.26	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.27	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.28	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.29	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.30	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.31	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.32	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.33	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.34	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.35	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.36	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.37	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.38	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.39	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.40	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.41	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.42	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.43	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.44	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.45	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.46	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.47	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.48	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.49	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.50	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.51	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.52	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."security-audit".system.53	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."network-operator".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."network-operator".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."network-operator".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."network-operator".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."network-operator".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."network-operator".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."network-operator".system.7	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."network-operator".system.8	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."network-operator".system.9	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."network-operator".system.10	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."network-operator".system.11	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."network-operator".system.12	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."network-operator".system.13	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."network-operator".system.14	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."network-operator".system.15	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	webmenu(5)
IB-RBAC-MIB::ibRbacRuleEntityType."network-operator".system.16	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	xmlelement(6)
IB-RBAC-MIB::ibRbacRuleEntityType."network-operator".system.17	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	xmlelement(6)
IB-RBAC-MIB::ibRbacRuleEntityType."network-operator".system.18	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	xmlelement(6)
IB-RBAC-MIB::ibRbacRuleEntityType."network-operator".system.19	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."network-operator".system.20	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."network-operator".system.21	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacRuleEntityType."network-operator".system.22	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."network-operator".system.23	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."network-operator".system.24	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	command(2)
IB-RBAC-MIB::ibRbacRuleEntityType."network-operator".system.25	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	oid(7)
IB-RBAC-MIB::ibRbacRuleEntity."level-0".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"tracert *"
IB-RBAC-MIB::ibRbacRuleEntity."level-0".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"telnet *"
IB-RBAC-MIB::ibRbacRuleEntity."level-0".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"ping *"
IB-RBAC-MIB::ibRbacRuleEntity."level-0".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"ssh2 *"
IB-RBAC-MIB::ibRbacRuleEntity."level-0".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"super *"
IB-RBAC-MIB::ibRbacRuleEntity."level-0".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"mtrace *"
IB-RBAC-MIB::ibRbacRuleEntity."level-1".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"tracert *"
IB-RBAC-MIB::ibRbacRuleEntity."level-1".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"telnet *"
IB-RBAC-MIB::ibRbacRuleEntity."level-1".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"ping *"
IB-RBAC-MIB::ibRbacRuleEntity."level-1".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"ssh2 *"
IB-RBAC-MIB::ibRbacRuleEntity."level-1".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"display *"
IB-RBAC-MIB::ibRbacRuleEntity."level-1".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"super *"
IB-RBAC-MIB::ibRbacRuleEntity."level-1".system.7	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"display history-command all"
IB-RBAC-MIB::ibRbacRuleEntity."level-1".system.8	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"mtrace *"
IB-RBAC-MIB::ibRbacRuleEntity."level-9".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"device"
IB-RBAC-MIB::ibRbacRuleEntity."level-9".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"filesystem"
IB-RBAC-MIB::ibRbacRuleEntity."level-9".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"display *"
IB-RBAC-MIB::ibRbacRuleEntity."level-9".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"display history-command all"
IB-RBAC-MIB::ibRbacRuleEntity."level-15".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"*"
IB-RBAC-MIB::ibRbacRuleEntity."level-15".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"display security-logfile summary"
IB-RBAC-MIB::ibRbacRuleEntity."level-15".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"display security-logfile buffer "
IB-RBAC-MIB::ibRbacRuleEntity."level-15".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"system-view ; info-center security-logfile directory *"

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacRuleEntity."level-15".system.7	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"security-logfile save"
IB-RBAC-MIB::ibRbacRuleEntity."level-15".system.8	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"1"
IB-RBAC-MIB::ibRbacRuleEntity."guest-manager".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"useraccounts/approveguest/"
IB-RBAC-MIB::ibRbacRuleEntity."guest-manager".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"useraccounts/exportguestaccount/"
IB-RBAC-MIB::ibRbacRuleEntity."guest-manager".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"useraccounts/generateguestaccount/"
IB-RBAC-MIB::ibRbacRuleEntity."guest-manager".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"useraccounts/guest/"
IB-RBAC-MIB::ibRbacRuleEntity."guest-manager".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"useraccounts/guestconfigure/"
IB-RBAC-MIB::ibRbacRuleEntity."guest-manager".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"useraccounts/importguestaccount/"
IB-RBAC-MIB::ibRbacRuleEntity."guest-manager".system.7	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"useraccounts/exportguesttemplet/"
IB-RBAC-MIB::ibRbacRuleEntity."guest-manager".system.8	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"useraccounts/changemypassword"
IB-RBAC-MIB::ibRbacRuleEntity."guest-manager".system.9	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"rpc/"
IB-RBAC-MIB::ibRbacRuleEntity."guest-manager".system.10	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"m_networksecurity/m_guestmanage/"
IB-RBAC-MIB::ibRbacRuleEntity."guest-manager".system.11	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"m_networksecurity/m_guestmanage/m_guestlist/"
IB-RBAC-MIB::ibRbacRuleEntity."guest-manager".system.12	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"m_networksecurity/m_guestmanage/m_importguest/"
IB-RBAC-MIB::ibRbacRuleEntity."guest-manager".system.13	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"m_networksecurity/m_guestmanage/m_generateguest/"
IB-RBAC-MIB::ibRbacRuleEntity."guest-manager".system.14	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"m_networksecurity/m_guestmanage/m_approveguest/"
IB-RBAC-MIB::ibRbacRuleEntity."guest-manager".system.15	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"*"
IB-RBAC-MIB::ibRbacRuleEntity."network-admin".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"*"
IB-RBAC-MIB::ibRbacRuleEntity."network-admin".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"display security-logfile summary"
IB-RBAC-MIB::ibRbacRuleEntity."network-admin".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"display security-logfile buffer"
IB-RBAC-MIB::ibRbacRuleEntity."network-admin".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"system-view ; info-center security-logfile directory *"
IB-RBAC-MIB::ibRbacRuleEntity."network-admin".system.7	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"security-logfile save"
IB-RBAC-MIB::ibRbacRuleEntity."network-admin".system.8	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"1"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"*"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"display security-logfile summary"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"display security-logfile buffer"

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"system-view ; info-center security-logfile directory *"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"security-logfile save"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"cd *"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.7	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"copy *"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.8	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"delete *"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.9	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"dir *"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.10	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"mkdir *"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.11	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"more *"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.12	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"move *"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.13	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"rmdir *"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.14	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"pwd"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.15	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"rename *"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.16	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"undelete *"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.17	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"ftp *"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.18	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"sftp *"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.19	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-append"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.20	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-ascii"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.21	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-binary"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.22	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-bye"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.23	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-cd"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.24	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-cdup"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.25	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-close"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.26	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-delete"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.27	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-debug"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.28	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-dir"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.29	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-disconnect"

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.30	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-get"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.31	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-help"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.32	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-lcd"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.33	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-ls"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.34	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-mkdir"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.35	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-newer"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.36	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-open"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.37	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-passive"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.38	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-put"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.39	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-pwd"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.40	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-quit"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.41	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-reget"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.42	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-rstatus"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.43	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-rhelp"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.44	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-rename"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.45	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-reset"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.46	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-restart"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.47	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-rmdir"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.48	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-status"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.49	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-system"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.50	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-user"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.51	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-verbose"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.52	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-remove"
IB-RBAC-MIB::ibRbacRuleEntity."security-audit".system.53	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"virtual-ftp-exit"
IB-RBAC-MIB::ibRbacRuleEntity."network-operator".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"display *"
IB-RBAC-MIB::ibRbacRuleEntity."network-operator".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"xml"

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacRuleEntity."network-operator".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"system-view ; probe ; display *"
IB-RBAC-MIB::ibRbacRuleEntity."network-operator".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"display history-command all"
IB-RBAC-MIB::ibRbacRuleEntity."network-operator".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"display exception *"
IB-RBAC-MIB::ibRbacRuleEntity."network-operator".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"display cpu-usage configuration *"
IB-RBAC-MIB::ibRbacRuleEntity."network-operator".system.7	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"display kernel exception *"
IB-RBAC-MIB::ibRbacRuleEntity."network-operator".system.8	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"display kernel deadloop *"
IB-RBAC-MIB::ibRbacRuleEntity."network-operator".system.9	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"display kernel starvation *"
IB-RBAC-MIB::ibRbacRuleEntity."network-operator".system.10	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"display kernel reboot *"
IB-RBAC-MIB::ibRbacRuleEntity."network-operator".system.11	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"display memory trace *"
IB-RBAC-MIB::ibRbacRuleEntity."network-operator".system.12	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"display kernel memory *"
IB-RBAC-MIB::ibRbacRuleEntity."network-operator".system.13	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"system-view ; local-user *"
IB-RBAC-MIB::ibRbacRuleEntity."network-operator".system.14	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"system-view ; switchto *"
IB-RBAC-MIB::ibRbacRuleEntity."network-operator".system.17	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"useraccounts/changemypassword"
IB-RBAC-MIB::ibRbacRuleEntity."network-operator".system.18	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"rpc"
IB-RBAC-MIB::ibRbacRuleEntity."network-operator".system.19	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"display security-logfile summary"
IB-RBAC-MIB::ibRbacRuleEntity."network-operator".system.20	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"display security-logfile buffer"
IB-RBAC-MIB::ibRbacRuleEntity."network-operator".system.21	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"system-view ; info-center security-logfile directory *"
IB-RBAC-MIB::ibRbacRuleEntity."network-operator".system.22	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"security-logfile save"
IB-RBAC-MIB::ibRbacRuleEntity."network-operator".system.23	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"system-view ; local-user-import *"
IB-RBAC-MIB::ibRbacRuleEntity."network-operator".system.24	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"system-view ; local-user-export *"
IB-RBAC-MIB::ibRbacRuleEntity."network-operator".system.25	.1.3.6.1.4.1.26138.2.158.1.2.1.0	STRING	"1"
IB-RBAC-MIB::ibRbacRuleRowStatus."level-0".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."level-0".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."level-0".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."level-0".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."level-0".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacRuleRowStatus."level-0".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."level-1".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."level-1".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."level-1".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."level-1".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."level-1".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."level-1".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."level-1".system.7	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."level-1".system.8	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."level-9".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."level-9".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."level-9".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."level-9".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."level-9".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."level-9".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."level-15".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."level-15".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."level-15".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."level-15".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."level-15".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."level-15".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."level-15".system.7	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."level-15".system.8	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."level-15".system.9	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."guest-manager".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."guest-manager".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacRuleRowStatus."guest-manager".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."guest-manager".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."guest-manager".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."guest-manager".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."guest-manager".system.7	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."guest-manager".system.8	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."guest-manager".system.9	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."guest-manager".system.10	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."guest-manager".system.11	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."guest-manager".system.12	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."guest-manager".system.13	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."guest-manager".system.14	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."guest-manager".system.15	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."guest-manager".system.16	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-admin".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-admin".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-admin".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-admin".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-admin".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-admin".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-admin".system.7	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-admin".system.8	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-admin".system.9	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.7	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.8	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.9	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.10	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.11	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.12	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.13	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.14	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.15	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.16	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.17	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.18	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.19	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.20	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.21	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.22	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.23	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.24	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.25	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.26	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.27	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.28	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.29	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.30	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.31	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.32	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.33	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.34	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.35	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.36	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.37	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.38	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.39	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.40	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.41	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.42	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.43	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.44	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.45	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.46	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.47	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.48	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.49	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.50	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.51	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.52	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.53	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."security-audit".system.54	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-operator".system.1	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacRuleRowStatus."network-operator".system.2	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-operator".system.3	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-operator".system.4	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-operator".system.5	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-operator".system.6	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-operator".system.7	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-operator".system.8	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-operator".system.9	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-operator".system.10	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-operator".system.11	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-operator".system.12	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-operator".system.13	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-operator".system.14	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-operator".system.15	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-operator".system.16	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-operator".system.17	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-operator".system.18	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-operator".system.19	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-operator".system.20	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-operator".system.21	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-operator".system.22	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-operator".system.23	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-operator".system.24	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-operator".system.25	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacRuleRowStatus."network-operator".system.26	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacFeatureGroupRowStatus."L2"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)

Name	OID	Value Type	Value Example
IB-RBAC-MIB::ibRbacFeatureGroupRowStatus."L3"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacFeatureInGroupRowStatus."L2"."stp"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacFeatureInGroupRowStatus."L2"."lacp"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacFeatureInGroupRowStatus."L2"."lldp"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacFeatureInGroupRowStatus."L2"."vlan"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacFeatureInGroupRowStatus."L2"."mld-snooping"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacFeatureInGroupRowStatus."L2"."igmp-snooping"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacFeatureInGroupRowStatus."L2"."loopbk-detect"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacFeatureInGroupRowStatus."L2"."port-security"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacFeatureInGroupRowStatus."L3"."lisp"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacFeatureInGroupRowStatus."L3"."ospf"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacFeatureInGroupRowStatus."L3"."route"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacFeatureInGroupRowStatus."L3"."staticrt"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-RBAC-MIB::ibRbacFeatureInGroupRowStatus."L3"."multicast"	.1.3.6.1.4.1.26138.2.158.1.2.1.0	INTEGER	active(1)
IB-ARP-ENTRY-MIB::ibARPEntryOpenFlowCount.0	.1.3.6.1.4.1.26138.2.168.1.1.0	Counter32	0
IB-CCLUSTER-MIB::ibCClusterServiceDomainID.0	.1.3.6.1.4.1.26138.2.265.1.1.0	Gauge32	0
IB-CCLUSTER-MIB::ibCClusterCHelloTimeout.0	.1.3.6.1.4.1.26138.2.265.1.2.0	INTEGER	7 second
IB-CCLUSTER-MIB::ibCClusterSHelloTimeout.0	.1.3.6.1.4.1.26138.2.265.1.3.0	INTEGER	10 second
IB-CCLUSTER-MIB::ibCClusterLinkDelayInterval.0	.1.3.6.1.4.1.26138.2.265.1.4.0	INTEGER	0 millisecond
IB-CCLUSTER-MIB::ibCClusterMacPersistence.0	.1.3.6.1.4.1.26138.2.265.1.5.0	INTEGER	persistForever(3)
IB-CCLUSTER-MIB::ibCClusterBridgeMacAddress.0	.1.3.6.1.4.1.26138.2.265.1.7.0	STRING	10:90:fa:51:57:8
IB-CCLUSTER-MIB::ibCClusterMode.0	.1.3.6.1.4.1.26138.2.265.1.8.0	INTEGER	true(1)
IB-CCLUSTER-MIB::ibCClusterMemberNum.0	.1.3.6.1.4.1.26138.2.265.1.9.0	INTEGER	1
IB-CCLUSTER-MIB::ibCClusterMaxMember.0	.1.3.6.1.4.1.26138.2.265.1.10.0	INTEGER	2
IB-CCLUSTER-MIB::ibCClusterAutoUpdate.0	.1.3.6.1.4.1.26138.2.265.1.11.0	INTEGER	false(2)
IB-CCLUSTER-MIB::ibCClusterConfigActivate.0	.1.3.6.1.4.1.26138.2.265.1.12.0	INTEGER	none(2)

Name	OID	Value Type	Value Example
IB-CCLUSTER-MIB::ibCClusterMemberID.2	.1.3.6.1.4.1.26138.2.265.2.1.1.2	INTEGER	1
IB-CCLUSTER-MIB::ibCClusterNewMemberID.2	.1.3.6.1.4.1.26138.2.265.2.1.2.2	INTEGER	1
IB-CCLUSTER-MIB::ibCClusterMemberIPType.2	.1.3.6.1.4.1.26138.2.265.2.1.3.2	INTEGER	ipv4(1)
IB-CCLUSTER-MIB::ibCClusterMemberIP.2	.1.3.6.1.4.1.26138.2.265.2.1.4.2	Hex-STRING	00 00 00 00
IB-CCLUSTER-MIB::ibCClusterJoinIP.2	.1.3.6.1.4.1.26138.2.265.2.1.6.2	Hex-STRING	30 2E 30 2E 30 2E 30 00
IB-CCLUSTER-MIB::ibCClusterRole.2	.1.3.6.1.4.1.26138.2.265.2.1.7.2	INTEGER	managerworker(1)
IB-CCLUSTER-MIB::ibCClusterCPUMacAddress.2	.1.3.6.1.4.1.26138.2.265.2.1.8.2	STRING	10:90:fa:51:57:8
IB-CCLUSTER-MIB::ibCClusterDeviceStatus.2	.1.3.6.1.4.1.26138.2.265.2.1.9.2	Hex-STRING	4F 6E 6C 69 6E 65 00
IB-CCLUSTER-MIB::ibCClusterBoardRole.1	.1.3.6.1.4.1.26138.2.265.3.1.1.1	INTEGER	master(1)
IB-CCLUSTER-MIB::ibCClusterBoardBelongtoMember.1	.1.3.6.1.4.1.26138.2.265.3.1.2.1	INTEGER	1
IB-COMMON-SYSTEM-MIB::ibReboot.0	.1.3.6.1.4.1.26138.6.7.0	INTEGER	normal(0)
IB-COMMON-SYSTEM-MIB::ibSysBootType.0	.1.3.6.1.4.1.26138.6.10.0	INTEGER	coldStart(1)
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.1	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.2	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.2	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.3	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.3	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.4	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.4	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.5	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.5	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.6	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.6	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.7	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.7	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.8	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.9	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.9	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.10	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.10	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.11	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.11	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.12	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.12	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.13	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.13	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.14	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.14	Gauge32	0

Name	OID	Value Type	Value Example
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.15	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.15	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.16	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.16	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.17	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.17	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.18	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.18	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.19	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.19	Gauge32	8
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.20	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.20	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.21	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.21	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.22	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.22	Gauge32	8
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.23	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.23	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.24	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.24	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.25	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.25	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.26	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.26	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.27	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.27	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.28	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.28	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.29	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.29	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.30	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.30	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.31	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.31	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.32	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.32	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.33	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.33	Gauge32	3
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.34	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.34	Gauge32	3
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.35	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.35	Gauge32	3
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.36	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.36	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.37	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.37	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.38	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.38	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.39	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.39	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.40	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.40	Gauge32	0

Name	OID	Value Type	Value Example
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.41	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.41	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.42	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.42	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.43	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.43	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.44	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.44	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.1.45	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.1.45	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.2.1	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.2.1	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.2.2	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.2.2	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.2.3	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.2.3	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.2.4	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.2.4	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.2.5	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.2.5	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.2.6	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.2.6	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.2.7	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.2.7	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.2.8	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.2.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.2.9	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.2.9	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.2.10	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.2.10	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.2.11	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.2.11	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.2.12	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.2.12	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.2.13	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.2.13	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.2.14	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.2.14	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.2.15	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.2.15	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.2.16	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.2.16	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.2.17	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.2.17	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.2.18	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.2.18	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.2.19	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.2.19	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.2.20	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.2.20	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.2.21	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.2.21	Gauge32	0

Name	OID	Value Type	Value Example
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.2.22	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.2.22	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.2.23	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.2.23	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.2.24	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.2.24	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.2.25	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.2.25	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.2.26	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.2.26	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.2.27	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.2.27	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.2.28	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.2.28	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.3.1	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.3.2	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.3.2	Gauge32	3
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.3.3	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.3.3	Gauge32	2
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.3.4	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.3.4	Gauge32	3
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.3.5	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.3.5	Gauge32	3
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.3.6	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.3.6	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.3.7	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.3.7	Gauge32	16
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.4.1	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.4.1	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.4.2	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.4.2	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.4.3	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.4.3	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.4.4	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.4.4	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.4.5	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.4.5	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.4.6	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.4.6	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.4.7	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.4.7	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.4.8	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.4.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.4.9	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.4.9	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.4.10	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.4.10	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.4.11	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.4.11	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.4.12	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.4.12	Gauge32	0

Name	OID	Value Type	Value Example
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.4.13	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.4.13	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.4.14	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.4.14	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.4.15	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.4.15	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.4.16	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.4.16	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.4.17	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.4.17	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.4.18	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.4.18	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.4.19	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.4.19	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.4.20	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.4.20	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.4.21	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.4.21	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.4.22	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.4.22	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.4.23	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.4.23	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.4.24	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.4.24	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.4.25	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.4.25	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.4.26	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.4.26	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.4.27	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.4.27	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.4.28	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.4.28	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.5.1	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.5.1	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.5.2	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.5.2	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.5.3	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.5.3	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.5.4	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.5.4	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.5.5	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.5.5	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.5.6	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.5.6	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.5.7	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.5.7	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.5.8	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.5.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.5.9	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.5.9	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.5.10	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.5.10	Gauge32	0

Name	OID	Value Type	Value Example
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.5.11	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.5.11	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.5.12	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.5.12	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.5.13	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.5.13	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.5.14	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.5.14	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.5.15	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.5.15	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.5.16	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.5.16	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.5.17	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.5.17	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.5.18	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.5.18	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.5.19	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.5.19	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.5.20	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.5.20	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.5.21	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.5.21	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.5.22	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.5.22	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.5.23	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.5.23	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.6.1	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.6.1	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.6.2	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.6.2	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.6.3	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.6.3	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.6.4	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.6.4	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.6.5	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.6.5	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.6.6	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.6.6	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.6.7	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.6.7	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.6.8	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.6.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.6.9	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.6.9	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.6.10	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.6.10	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.6.11	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.6.11	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.6.12	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.6.12	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.6.13	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.6.13	Gauge32	0

Name	OID	Value Type	Value Example
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.6.14	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.6.14	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.6.15	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.6.15	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.6.16	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.6.16	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.6.17	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.6.17	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.1	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.2	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.2	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.3	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.3	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.4	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.4	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.5	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.5	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.6	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.6	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.7	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.7	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.8	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.9	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.9	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.10	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.10	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.11	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.11	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.12	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.12	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.13	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.13	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.14	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.14	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.15	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.15	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.16	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.16	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.17	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.17	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.18	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.18	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.19	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.19	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.20	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.20	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.21	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.21	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.22	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.22	Gauge32	0

Name	OID	Value Type	Value Example
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.23	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.23	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.24	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.24	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.25	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.25	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.26	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.26	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.27	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.27	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.28	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.28	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.29	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.29	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.30	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.30	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.31	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.31	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.32	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.32	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.33	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.33	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.34	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.34	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.35	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.35	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.36	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.36	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.37	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.37	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.38	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.38	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.39	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.39	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.40	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.40	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.41	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.41	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.42	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.42	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.43	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.43	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.44	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.44	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.45	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.45	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.46	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.46	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.47	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.47	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.48	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.48	Gauge32	0

Name	OID	Value Type	Value Example
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.49	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.49	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.50	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.50	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.51	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.51	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.52	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.52	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.53	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.53	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.54	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.54	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.55	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.55	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.56	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.56	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.57	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.57	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.58	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.58	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.59	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.59	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.60	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.60	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.61	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.61	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.62	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.62	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.63	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.63	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.64	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.64	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.65	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.65	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.66	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.66	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.67	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.67	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.68	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.68	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.69	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.69	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.70	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.70	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.71	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.71	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.7.72	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.7.72	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.8.1	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.8.2	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.8.2	Gauge32	1

Name	OID	Value Type	Value Example
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.8.3	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.8.3	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.8.4	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.8.4	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.8.5	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.8.5	Gauge32	1027
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.9.1	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.9.1	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.9.2	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.9.2	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.9.3	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.9.3	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.9.4	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.9.4	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.9.5	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.9.5	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.9.6	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.9.6	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.9.7	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.9.7	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.9.8	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.9.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.9.9	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.9.9	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.1	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.2	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.2	Gauge32	3
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.3	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.3	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.4	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.4	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.5	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.5	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.6	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.6	Gauge32	48
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.7	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.7	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.8	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.8	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.9	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.9	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.10	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.10	Gauge32	10
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.11	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.11	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.12	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.12	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.13	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.13	Gauge32	55
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.14	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.14	Gauge32	1

Name	OID	Value Type	Value Example
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.15	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.15	Gauge32	3
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.16	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.16	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.17	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.17	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.18	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.18	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.19	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.19	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.20	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.20	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.21	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.21	Gauge32	15
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.22	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.22	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.23	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.23	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.24	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.24	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.25	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.25	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.26	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.26	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.27	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.27	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.28	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.28	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.29	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.29	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.30	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.30	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.31	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.31	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.32	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.32	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.33	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.33	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.34	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.34	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.35	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.35	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.36	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.36	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.37	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.37	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.38	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.38	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.39	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.39	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.40	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.40	Gauge32	32801

Name	OID	Value Type	Value Example
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.41	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.41	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.42	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.42	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.43	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.43	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.44	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.44	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.45	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.45	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.10.46	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.10.46	Gauge32	3
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.11.1	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.11.1	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.11.2	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.11.2	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.11.3	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.11.3	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.11.4	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.11.4	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSSysCapCharacteristicsValue.11.5	.1.3.6.1.4.1.26138.7.1.1.1.2.1.3.11.5	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.3.3.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.3.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.3.3.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.3.3.2	Gauge32	8
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.3.3.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.3.3.3	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.3.3.4	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.3.3.4	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.3.3.5	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.3.3.5	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.3.3.6	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.3.3.6	Gauge32	19375000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.3.3.7	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.3.3.7	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.3.3.8	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.3.3.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.3.3.9	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.3.3.9	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.3.3.10	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.3.3.10	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.3.8.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.3.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.3.8.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.3.8.2	Gauge32	11
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.3.8.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.3.8.3	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.4.3.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.4.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.4.3.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.4.3.2	Gauge32	8

Name	OID	Value Type	Value Example
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.4.3.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.4.3.3	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.4.3.4	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.4.3.4	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.4.3.5	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.4.3.5	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.4.3.6	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.4.3.6	Gauge32	19375000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.4.3.7	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.4.3.7	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.4.3.8	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.4.3.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.4.3.9	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.4.3.9	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.4.3.10	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.4.3.10	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.4.8.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.4.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.4.8.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.4.8.2	Gauge32	11
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.4.8.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.4.8.3	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.5.3.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.5.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.5.3.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.5.3.2	Gauge32	8
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.5.3.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.5.3.3	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.5.3.4	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.5.3.4	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.5.3.5	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.5.3.5	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.5.3.6	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.5.3.6	Gauge32	19375000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.5.3.7	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.5.3.7	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.5.3.8	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.5.3.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.5.3.9	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.5.3.9	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.5.3.10	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.5.3.10	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.5.8.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.5.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.5.8.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.5.8.2	Gauge32	11
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.5.8.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.5.8.3	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.6.3.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.6.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.6.3.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.6.3.2	Gauge32	8

Name	OID	Value Type	Value Example
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.6.3.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.6.3.3	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.6.3.4	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.6.3.4	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.6.3.5	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.6.3.5	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.6.3.6	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.6.3.6	Gauge32	19375000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.6.3.7	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.6.3.7	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.6.3.8	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.6.3.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.6.3.9	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.6.3.9	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.6.3.10	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.6.3.10	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.6.8.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.6.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.6.8.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.6.8.2	Gauge32	11
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.6.8.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.6.8.3	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.7.3.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.7.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.7.3.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.7.3.2	Gauge32	8
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.7.3.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.7.3.3	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.7.3.4	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.7.3.4	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.7.3.5	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.7.3.5	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.7.3.6	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.7.3.6	Gauge32	19375000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.7.3.7	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.7.3.7	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.7.3.8	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.7.3.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.7.3.9	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.7.3.9	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.7.3.10	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.7.3.10	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.7.8.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.7.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.7.8.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.7.8.2	Gauge32	11
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.7.8.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.7.8.3	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.8.3.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.8.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.8.3.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.8.3.2	Gauge32	8

Name	OID	Value Type	Value Example
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.8.3.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.8.3.3	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.8.3.4	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.8.3.4	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.8.3.5	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.8.3.5	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.8.3.6	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.8.3.6	Gauge32	19375000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.8.3.7	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.8.3.7	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.8.3.8	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.8.3.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.8.3.9	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.8.3.9	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.8.3.10	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.8.3.10	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.8.8.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.8.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.8.8.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.8.8.2	Gauge32	11
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.8.8.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.8.8.3	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.9.3.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.9.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.9.3.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.9.3.2	Gauge32	8
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.9.3.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.9.3.3	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.9.3.4	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.9.3.4	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.9.3.5	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.9.3.5	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.9.3.6	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.9.3.6	Gauge32	19375000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.9.3.7	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.9.3.7	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.9.3.8	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.9.3.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.9.3.9	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.9.3.9	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.9.3.10	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.9.3.10	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.9.8.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.9.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.9.8.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.9.8.2	Gauge32	11
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.9.8.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.9.8.3	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.10.3.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.10.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.10.3.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.10.3.2	Gauge32	8

Name	OID	Value Type	Value Example
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.10.3.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.10.3.3	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.10.3.4	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.10.3.4	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.10.3.5	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.10.3.5	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.10.3.6	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.10.3.6	Gauge32	19375000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.10.3.7	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.10.3.7	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.10.3.8	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.10.3.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.10.3.9	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.10.3.9	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.10.3.10	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.10.3.10	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.10.8.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.10.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.10.8.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.10.8.2	Gauge32	11
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.10.8.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.10.8.3	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.11.3.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.11.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.11.3.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.11.3.2	Gauge32	8
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.11.3.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.11.3.3	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.11.3.4	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.11.3.4	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.11.3.5	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.11.3.5	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.11.3.6	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.11.3.6	Gauge32	19375000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.11.3.7	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.11.3.7	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.11.3.8	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.11.3.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.11.3.9	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.11.3.9	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.11.3.10	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.11.3.10	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.11.8.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.11.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.11.8.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.11.8.2	Gauge32	11
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.11.8.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.11.8.3	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.12.3.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.12.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.12.3.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.12.3.2	Gauge32	8

Name	OID	Value Type	Value Example
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.12.3.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.12.3.3	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.12.3.4	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.12.3.4	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.12.3.5	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.12.3.5	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.12.3.6	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.12.3.6	Gauge32	19375000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.12.3.7	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.12.3.7	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.12.3.8	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.12.3.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.12.3.9	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.12.3.9	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.12.3.10	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.12.3.10	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.12.8.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.12.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.12.8.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.12.8.2	Gauge32	11
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.12.8.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.12.8.3	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.13.3.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.13.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.13.3.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.13.3.2	Gauge32	8
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.13.3.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.13.3.3	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.13.3.4	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.13.3.4	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.13.3.5	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.13.3.5	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.13.3.6	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.13.3.6	Gauge32	19375000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.13.3.7	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.13.3.7	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.13.3.8	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.13.3.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.13.3.9	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.13.3.9	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.13.3.10	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.13.3.10	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.13.8.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.13.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.13.8.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.13.8.2	Gauge32	11
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.13.8.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.13.8.3	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.14.3.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.14.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.14.3.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.14.3.2	Gauge32	8

Name	OID	Value Type	Value Example
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.14.3.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.14.3.3	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.14.3.4	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.14.3.4	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.14.3.5	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.14.3.5	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.14.3.6	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.14.3.6	Gauge32	19375000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.14.3.7	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.14.3.7	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.14.3.8	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.14.3.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.14.3.9	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.14.3.9	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.14.3.10	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.14.3.10	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.14.8.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.14.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.14.8.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.14.8.2	Gauge32	11
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.14.8.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.14.8.3	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.15.3.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.15.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.15.3.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.15.3.2	Gauge32	8
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.15.3.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.15.3.3	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.15.3.4	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.15.3.4	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.15.3.5	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.15.3.5	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.15.3.6	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.15.3.6	Gauge32	19375000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.15.3.7	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.15.3.7	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.15.3.8	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.15.3.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.15.3.9	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.15.3.9	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.15.3.10	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.15.3.10	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.15.8.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.15.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.15.8.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.15.8.2	Gauge32	11
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.15.8.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.15.8.3	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.16.3.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.16.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.16.3.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.16.3.2	Gauge32	8

Name	OID	Value Type	Value Example
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.16.3.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.16.3.3	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.16.3.4	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.16.3.4	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.16.3.5	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.16.3.5	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.16.3.6	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.16.3.6	Gauge32	19375000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.16.3.7	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.16.3.7	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.16.3.8	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.16.3.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.16.3.9	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.16.3.9	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.16.3.10	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.16.3.10	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.16.8.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.16.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.16.8.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.16.8.2	Gauge32	11
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.16.8.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.16.8.3	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.17.3.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.17.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.17.3.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.17.3.2	Gauge32	8
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.17.3.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.17.3.3	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.17.3.4	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.17.3.4	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.17.3.5	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.17.3.5	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.17.3.6	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.17.3.6	Gauge32	19375000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.17.3.7	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.17.3.7	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.17.3.8	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.17.3.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.17.3.9	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.17.3.9	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.17.3.10	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.17.3.10	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.17.8.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.17.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.17.8.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.17.8.2	Gauge32	11
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.17.8.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.17.8.3	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.18.3.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.18.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.18.3.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.18.3.2	Gauge32	8

Name	OID	Value Type	Value Example
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.18.3.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.18.3.3	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.18.3.4	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.18.3.4	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.18.3.5	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.18.3.5	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.18.3.6	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.18.3.6	Gauge32	19375000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.18.3.7	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.18.3.7	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.18.3.8	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.18.3.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.18.3.9	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.18.3.9	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.18.3.10	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.18.3.10	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.18.8.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.18.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.18.8.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.18.8.2	Gauge32	11
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.18.8.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.18.8.3	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.19.3.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.19.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.19.3.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.19.3.2	Gauge32	8
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.19.3.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.19.3.3	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.19.3.4	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.19.3.4	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.19.3.5	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.19.3.5	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.19.3.6	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.19.3.6	Gauge32	19375000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.19.3.7	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.19.3.7	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.19.3.8	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.19.3.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.19.3.9	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.19.3.9	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.19.3.10	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.19.3.10	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.19.8.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.19.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.19.8.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.19.8.2	Gauge32	11
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.19.8.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.19.8.3	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.20.3.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.20.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.20.3.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.20.3.2	Gauge32	8

Name	OID	Value Type	Value Example
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.20.3.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.20.3.3	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.20.3.4	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.20.3.4	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.20.3.5	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.20.3.5	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.20.3.6	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.20.3.6	Gauge32	19375000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.20.3.7	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.20.3.7	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.20.3.8	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.20.3.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.20.3.9	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.20.3.9	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.20.3.10	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.20.3.10	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.20.8.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.20.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.20.8.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.20.8.2	Gauge32	11
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.20.8.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.20.8.3	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.21.3.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.21.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.21.3.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.21.3.2	Gauge32	8
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.21.3.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.21.3.3	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.21.3.4	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.21.3.4	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.21.3.5	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.21.3.5	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.21.3.6	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.21.3.6	Gauge32	19375000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.21.3.7	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.21.3.7	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.21.3.8	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.21.3.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.21.3.9	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.21.3.9	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.21.3.10	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.21.3.10	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.21.8.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.21.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.21.8.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.21.8.2	Gauge32	11
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.21.8.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.21.8.3	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.22.3.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.22.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.22.3.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.22.3.2	Gauge32	8

Name	OID	Value Type	Value Example
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.22.3.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.22.3.3	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.22.3.4	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.22.3.4	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.22.3.5	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.22.3.5	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.22.3.6	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.22.3.6	Gauge32	19375000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.22.3.7	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.22.3.7	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.22.3.8	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.22.3.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.22.3.9	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.22.3.9	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.22.3.10	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.22.3.10	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.22.8.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.22.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.22.8.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.22.8.2	Gauge32	11
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.22.8.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.22.8.3	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.23.3.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.23.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.23.3.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.23.3.2	Gauge32	8
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.23.3.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.23.3.3	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.23.3.4	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.23.3.4	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.23.3.5	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.23.3.5	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.23.3.6	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.23.3.6	Gauge32	19375000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.23.3.7	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.23.3.7	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.23.3.8	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.23.3.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.23.3.9	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.23.3.9	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.23.3.10	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.23.3.10	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.23.8.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.23.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.23.8.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.23.8.2	Gauge32	11
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.23.8.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.23.8.3	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.24.3.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.24.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.24.3.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.24.3.2	Gauge32	8

Name	OID	Value Type	Value Example
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.24.3.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.24.3.3	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.24.3.4	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.24.3.4	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.24.3.5	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.24.3.5	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.24.3.6	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.24.3.6	Gauge32	19375000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.24.3.7	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.24.3.7	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.24.3.8	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.24.3.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.24.3.9	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.24.3.9	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.24.3.10	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.24.3.10	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.24.8.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.24.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.24.8.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.24.8.2	Gauge32	11
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.24.8.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.24.8.3	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.25.3.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.25.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.25.3.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.25.3.2	Gauge32	8
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.25.3.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.25.3.3	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.25.3.4	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.25.3.4	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.25.3.5	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.25.3.5	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.25.3.6	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.25.3.6	Gauge32	19375000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.25.3.7	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.25.3.7	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.25.3.8	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.25.3.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.25.3.9	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.25.3.9	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.25.3.10	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.25.3.10	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.25.8.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.25.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.25.8.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.25.8.2	Gauge32	11
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.25.8.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.25.8.3	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.26.3.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.26.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.26.3.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.26.3.2	Gauge32	8

Name	OID	Value Type	Value Example
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.26.3.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.26.3.3	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.26.3.4	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.26.3.4	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.26.3.5	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.26.3.5	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.26.3.6	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.26.3.6	Gauge32	19375000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.26.3.7	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.26.3.7	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.26.3.8	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.26.3.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.26.3.9	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.26.3.9	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.26.3.10	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.26.3.10	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.26.8.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.26.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.26.8.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.26.8.2	Gauge32	11
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.26.8.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.26.8.3	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.27.3.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.27.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.27.3.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.27.3.2	Gauge32	8
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.27.3.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.27.3.3	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.27.3.4	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.27.3.4	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.27.3.5	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.27.3.5	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.27.3.6	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.27.3.6	Gauge32	19375000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.27.3.7	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.27.3.7	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.27.3.8	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.27.3.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.27.3.9	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.27.3.9	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.27.3.10	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.27.3.10	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.27.8.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.27.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.27.8.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.27.8.2	Gauge32	11
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.27.8.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.27.8.3	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.28.3.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.28.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.28.3.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.28.3.2	Gauge32	8

Name	OID	Value Type	Value Example
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.28.3.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.28.3.3	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.28.3.4	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.28.3.4	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.28.3.5	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.28.3.5	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.28.3.6	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.28.3.6	Gauge32	19375000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.28.3.7	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.28.3.7	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.28.3.8	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.28.3.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.28.3.9	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.28.3.9	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.28.3.10	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.28.3.10	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.28.8.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.28.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.28.8.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.28.8.2	Gauge32	11
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.28.8.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.28.8.3	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.29.3.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.29.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.29.3.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.29.3.2	Gauge32	8
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.29.3.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.29.3.3	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.29.3.4	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.29.3.4	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.29.3.5	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.29.3.5	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.29.3.6	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.29.3.6	Gauge32	19375000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.29.3.7	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.29.3.7	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.29.3.8	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.29.3.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.29.3.9	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.29.3.9	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.29.3.10	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.29.3.10	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.29.8.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.29.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.29.8.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.29.8.2	Gauge32	11
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.29.8.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.29.8.3	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.30.3.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.30.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.30.3.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.30.3.2	Gauge32	8

Name	OID	Value Type	Value Example
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.30.3.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.30.3.3	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.30.3.4	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.30.3.4	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.30.3.5	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.30.3.5	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.30.3.6	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.30.3.6	Gauge32	19375000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.30.3.7	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.30.3.7	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.30.3.8	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.30.3.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.30.3.9	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.30.3.9	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.30.3.10	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.30.3.10	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.30.8.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.30.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.30.8.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.30.8.2	Gauge32	11
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.30.8.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.30.8.3	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.31.3.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.31.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.31.3.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.31.3.2	Gauge32	8
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.31.3.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.31.3.3	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.31.3.4	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.31.3.4	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.31.3.5	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.31.3.5	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.31.3.6	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.31.3.6	Gauge32	19375000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.31.3.7	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.31.3.7	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.31.3.8	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.31.3.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.31.3.9	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.31.3.9	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.31.3.10	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.31.3.10	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.31.8.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.31.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.31.8.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.31.8.2	Gauge32	11
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.31.8.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.31.8.3	Gauge32	6
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.32.3.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.32.3.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.32.3.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.32.3.2	Gauge32	8

Name	OID	Value Type	Value Example
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.32.3.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.32.3.3	Gauge32	10000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.32.3.4	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.32.3.4	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.32.3.5	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.32.3.5	Gauge32	1000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.32.3.6	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.32.3.6	Gauge32	19375000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.32.3.7	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.32.3.7	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.32.3.8	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.32.3.8	Gauge32	0
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.32.3.9	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.32.3.9	Gauge32	1000000000
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.32.3.10	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.32.3.10	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.32.8.1	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.32.8.1	Gauge32	1
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.32.8.2	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.32.8.2	Gauge32	11
IB-QOS-CAPABILITY-MIB::ibQoSIfCapCharacteristicsValue.32.8.3	.1.3.6.1.4.1.26138.7.1.1.1.3.1.4.32.8.3	Gauge32	6
IB-NQA-MIB::ibNqaMIBVersion.0	.1.3.6.1.4.1.26138.8.3.1.1.0	STRING	1.0.0: Initial Ping MIB
IB-NQA-MIB::ibNqaStatsMaxGroupNumber.0	.1.3.6.1.4.1.26138.8.3.1.9.0	INTEGER	100
IB-NTP-MIB::ibNTPSysLeap.0	.1.3.6.1.4.1.26138.8.22.1.1.1.0	INTEGER	noWarning(0)
IB-NTP-MIB::ibNTPSysStratum.0	.1.3.6.1.4.1.26138.8.22.1.1.2.0	INTEGER	2
IB-NTP-MIB::ibNTPSysPrecision.0	.1.3.6.1.4.1.26138.8.22.1.1.3.0	INTEGER	-20
IB-NTP-MIB::ibNTPSysRootdelay.0	.1.3.6.1.4.1.26138.8.22.1.1.4.0	STRING	"18.35632 ms"
IB-NTP-MIB::ibNTPSysRootdispersion.0	.1.3.6.1.4.1.26138.8.22.1.1.5.0	STRING	"8.28552 ms"
IB-NTP-MIB::ibNTPSysRefid.0	.1.3.6.1.4.1.26138.8.22.1.1.6.0	STRING	"200.160.7.186"
IB-NTP-MIB::ibNTPSysReftime.0	.1.3.6.1.4.1.26138.8.22.1.1.7.0	STRING	"eb76f349.009d0945 Sat, Mar 8 2025 13:48:09.002"
IB-NTP-MIB::ibNTPSysPoll.0	.1.3.6.1.4.1.26138.8.22.1.1.8.0	INTEGER	6
IB-NTP-MIB::ibNTPSysPeer.0	.1.3.6.1.4.1.26138.8.22.1.1.9.0	INTEGER	1330528850
IB-NTP-MIB::ibNTPSysState.0	.1.3.6.1.4.1.26138.8.22.1.1.10.0	INTEGER	clockBySyns(4)
IB-NTP-MIB::ibNTPSysOffset.0	.1.3.6.1.4.1.26138.8.22.1.1.11.0	STRING	"0.57983 ms"
IB-NTP-MIB::ibNTPSysDrift.0	.1.3.6.1.4.1.26138.8.22.1.1.12.0	STRING	"15.25879"
IB-NTP-MIB::ibNTPSysCompliance.0	.1.3.6.1.4.1.26138.8.22.1.1.13.0	STRING	"0.10681 ms"
IB-NTP-MIB::ibNTPSysClock.0	.1.3.6.1.4.1.26138.8.22.1.1.14.0	STRING	"eb76f387.675560f4 Sat, Mar 8 2025 13:49:11.403"
IB-NTP-MIB::ibNTPSysStabil.0	.1.3.6.1.4.1.26138.8.22.1.1.15.0	STRING	"0.000 pps"
IB-NTP-MIB::ibNTPSysAuthenticate.0	.1.3.6.1.4.1.26138.8.22.1.1.16.0	INTEGER	noAuthenticate(0)
IB-NTP-MIB::ibNTPSysPollSec.0	.1.3.6.1.4.1.26138.8.22.1.1.17.0	INTEGER	64
IB-NTP-MIB::ibNTPSysClockSec.0	.1.3.6.1.4.1.26138.8.22.1.1.18.0	INTEGER	1741452551
IB-NTP-MIB::ibNTPServerIP.0	.1.3.6.1.4.1.26138.8.22.1.1.19.0	IpAddress	200.160.7.186
IB-NTP-MIB::ibNTPSysSrcPeer.0	.1.3.6.1.4.1.26138.8.22.1.1.20.0	Gauge32	1330528850

Name	OID	Value Type	Value Example
IB-NTP-MIB::ibNTPPeerConfig.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.1.200.160.7.186.3	INTEGER	true(1)
IB-NTP-MIB::ibNTPPeerAuthenable.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.2.200.160.7.186.3	INTEGER	false(2)
IB-NTP-MIB::ibNTPPeerAuthentic.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.3.200.160.7.186.3	INTEGER	false(2)
IB-NTP-MIB::ibNTPPeerRemPort.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.5.200.160.7.186.3	INTEGER	123
IB-NTP-MIB::ibNTPPeerLocAdr.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.6.200.160.7.186.3	IpAddress	0.0.0.0
IB-NTP-MIB::ibNTPPeerLocPort.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.7.200.160.7.186.3	INTEGER	123
IB-NTP-MIB::ibNTPPeerLeap.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.8.200.160.7.186.3	INTEGER	noWarning(0)
IB-NTP-MIB::ibNTPPeerStratum.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.10.200.160.7.186.3	INTEGER	1
IB-NTP-MIB::ibNTPPeerPPoll.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.11.200.160.7.186.3	INTEGER	6
IB-NTP-MIB::ibNTPPeerHPoll.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.12.200.160.7.186.3	INTEGER	6
IB-NTP-MIB::ibNTPPeerPrecision.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.13.200.160.7.186.3	INTEGER	-20
IB-NTP-MIB::ibNTPPeerRootDelay.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.14.200.160.7.186.3	STRING	"0.00000 ms"
IB-NTP-MIB::ibNTPPeerRootDispersion.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.15.200.160.7.186.3	STRING	"1.09863 ms"
IB-NTP-MIB::ibNTPPeerRefId.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.16.200.160.7.186.3	STRING	"ONBR"
IB-NTP-MIB::ibNTPPeerRefTime.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.17.200.160.7.186.3	STRING	"eb76f341.2c157676 Sat, Mar 8 2025 13:48:01.172"
IB-NTP-MIB::ibNTPPeerOrg.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.18.200.160.7.186.3	STRING	"eb76f348.fba3da48 Sat, Mar 8 2025 13:48:08.982"
IB-NTP-MIB::ibNTPPeerRec.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.19.200.160.7.186.3	STRING	"eb76f348.fe6a4c29 Sat, Mar 8 2025 13:48:08.993"
IB-NTP-MIB::ibNTPPeerXmt.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.20.200.160.7.186.3	STRING	"eb76f348.fe6a4c29 Sat, Mar 8 2025 13:48:08.993"
IB-NTP-MIB::ibNTPPeerReach.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.21.200.160.7.186.3	INTEGER	255
IB-NTP-MIB::ibNTPPeerValid.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.22.200.160.7.186.3	INTEGER	7
IB-NTP-MIB::ibNTPPeerTimer.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.23.200.160.7.186.3	INTEGER	2
IB-NTP-MIB::ibNTPPeerDelay.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.24.200.160.7.186.3	STRING	"18.35632 ms"
IB-NTP-MIB::ibNTPPeerOffset.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.25.200.160.7.186.3	STRING	"0.592682 ms"
IB-NTP-MIB::ibNTPPeerJitter.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.26.200.160.7.186.3	STRING	"1.93787"
IB-NTP-MIB::ibNTPPeerDispersion.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.27.200.160.7.186.3	STRING	"3.82996 ms"
IB-NTP-MIB::ibNTPPeerKeyId.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.28.200.160.7.186.3	Gauge32	0

Name	OID	Value Type	Value Example
IB-NTP-MIB::ibNTPPeerFiltDelay.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.29.200.160.7.186.3	STRING	"19.39ms 28.33ms 18.70ms 18.61ms 18.35ms 18.50ms 19.68ms 20.33ms "
IB-NTP-MIB::ibNTPPeerFiltOffset.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.30.200.160.7.186.3	STRING	"1.11 ms 5.57 ms 0.80 ms 0.75 ms 0.59 ms 0.61 ms 1.25 ms 1.57 ms "
IB-NTP-MIB::ibNTPPeerFiltError.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.31.200.160.7.186.3	STRING	"0.000ms 0.961ms 1.937ms 2.929ms 3.921ms 4.928ms 5.935ms 6.912ms "
IB-NTP-MIB::ibNTPPeerPMode.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.32.200.160.7.186.3	INTEGER	server(4)
IB-NTP-MIB::ibNTPPeerReceived.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.33.200.160.7.186.3	Counter32	1193
IB-NTP-MIB::ibNTPPeerSent.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.34.200.160.7.186.3	Counter32	1199
IB-NTP-MIB::ibNTPPeerFlash.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.35.200.160.7.186.3	BITS	00 00
IB-NTP-MIB::ibNTPPeerRowStatus.200.160.7.186.client	.1.3.6.1.4.1.26138.8.22.2.1.1.1.36.200.160.7.186.3	INTEGER	active(1)
IB-LAG-MIB::ibAggPortNotAttachedReason.3	.1.3.6.1.4.1.26138.8.25.1.2.1.2.3	INTEGER	7
IB-LAG-MIB::ibAggPortNotAttachedReason.4	.1.3.6.1.4.1.26138.8.25.1.2.1.2.4	INTEGER	7
IB-LAG-MIB::ibAggPortNotAttachedReason.5	.1.3.6.1.4.1.26138.8.25.1.2.1.2.5	INTEGER	7
IB-LAG-MIB::ibAggPortNotAttachedReason.6	.1.3.6.1.4.1.26138.8.25.1.2.1.2.6	INTEGER	7
IB-LAG-MIB::ibAggPortNotAttachedReason.7	.1.3.6.1.4.1.26138.8.25.1.2.1.2.7	INTEGER	7
IB-LAG-MIB::ibAggPortNotAttachedReason.8	.1.3.6.1.4.1.26138.8.25.1.2.1.2.8	INTEGER	7
IB-LAG-MIB::ibAggPortNotAttachedReason.9	.1.3.6.1.4.1.26138.8.25.1.2.1.2.9	INTEGER	7
IB-LAG-MIB::ibAggPortNotAttachedReason.10	.1.3.6.1.4.1.26138.8.25.1.2.1.2.10	INTEGER	7
IB-LAG-MIB::ibAggPortNotAttachedReason.11	.1.3.6.1.4.1.26138.8.25.1.2.1.2.11	INTEGER	7
IB-LAG-MIB::ibAggPortNotAttachedReason.12	.1.3.6.1.4.1.26138.8.25.1.2.1.2.12	INTEGER	7
IB-LAG-MIB::ibAggPortNotAttachedReason.13	.1.3.6.1.4.1.26138.8.25.1.2.1.2.13	INTEGER	7
IB-LAG-MIB::ibAggPortNotAttachedReason.14	.1.3.6.1.4.1.26138.8.25.1.2.1.2.14	INTEGER	7
IB-LAG-MIB::ibAggPortNotAttachedReason.15	.1.3.6.1.4.1.26138.8.25.1.2.1.2.15	INTEGER	7
IB-LAG-MIB::ibAggPortNotAttachedReason.16	.1.3.6.1.4.1.26138.8.25.1.2.1.2.16	INTEGER	7
IB-LAG-MIB::ibAggPortNotAttachedReason.17	.1.3.6.1.4.1.26138.8.25.1.2.1.2.17	INTEGER	7
IB-LAG-MIB::ibAggPortNotAttachedReason.18	.1.3.6.1.4.1.26138.8.25.1.2.1.2.18	INTEGER	7
IB-LAG-MIB::ibAggPortNotAttachedReason.19	.1.3.6.1.4.1.26138.8.25.1.2.1.2.19	INTEGER	7

Name	OID	Value Type	Value Example
IB-LAG-MIB::ibAggPortNotAttachedReason.20	.1.3.6.1.4.1.26138.8.25.1.2.1.2.20	INTEGER	7
IB-LAG-MIB::ibAggPortNotAttachedReason.21	.1.3.6.1.4.1.26138.8.25.1.2.1.2.21	INTEGER	7
IB-LAG-MIB::ibAggPortNotAttachedReason.22	.1.3.6.1.4.1.26138.8.25.1.2.1.2.22	INTEGER	7
IB-LAG-MIB::ibAggPortNotAttachedReason.23	.1.3.6.1.4.1.26138.8.25.1.2.1.2.23	INTEGER	7
IB-LAG-MIB::ibAggPortNotAttachedReason.24	.1.3.6.1.4.1.26138.8.25.1.2.1.2.24	INTEGER	7
IB-LAG-MIB::ibAggPortNotAttachedReason.25	.1.3.6.1.4.1.26138.8.25.1.2.1.2.25	INTEGER	7
IB-LAG-MIB::ibAggPortNotAttachedReason.26	.1.3.6.1.4.1.26138.8.25.1.2.1.2.26	INTEGER	7
IB-LAG-MIB::ibAggPortNotAttachedReason.27	.1.3.6.1.4.1.26138.8.25.1.2.1.2.27	INTEGER	7
IB-LAG-MIB::ibAggPortNotAttachedReason.28	.1.3.6.1.4.1.26138.8.25.1.2.1.2.28	INTEGER	7
IB-LAG-MIB::ibAggPortNotAttachedReason.29	.1.3.6.1.4.1.26138.8.25.1.2.1.2.29	INTEGER	7
IB-LAG-MIB::ibAggPortNotAttachedReason.30	.1.3.6.1.4.1.26138.8.25.1.2.1.2.30	INTEGER	7
IB-LAG-MIB::ibAggPortNotAttachedReason.31	.1.3.6.1.4.1.26138.8.25.1.2.1.2.31	INTEGER	7
IB-LAG-MIB::ibAggPortNotAttachedReason.32	.1.3.6.1.4.1.26138.8.25.1.2.1.2.32	INTEGER	7
IB-LAG-MIB::ibAggPortLacpState.3	.1.3.6.1.4.1.26138.8.25.1.2.1.3.3	INTEGER	false(2)
IB-LAG-MIB::ibAggPortLacpState.4	.1.3.6.1.4.1.26138.8.25.1.2.1.3.4	INTEGER	false(2)
IB-LAG-MIB::ibAggPortLacpState.5	.1.3.6.1.4.1.26138.8.25.1.2.1.3.5	INTEGER	false(2)
IB-LAG-MIB::ibAggPortLacpState.6	.1.3.6.1.4.1.26138.8.25.1.2.1.3.6	INTEGER	false(2)
IB-LAG-MIB::ibAggPortLacpState.7	.1.3.6.1.4.1.26138.8.25.1.2.1.3.7	INTEGER	false(2)
IB-LAG-MIB::ibAggPortLacpState.8	.1.3.6.1.4.1.26138.8.25.1.2.1.3.8	INTEGER	false(2)
IB-LAG-MIB::ibAggPortLacpState.9	.1.3.6.1.4.1.26138.8.25.1.2.1.3.9	INTEGER	false(2)
IB-LAG-MIB::ibAggPortLacpState.10	.1.3.6.1.4.1.26138.8.25.1.2.1.3.10	INTEGER	false(2)
IB-LAG-MIB::ibAggPortLacpState.11	.1.3.6.1.4.1.26138.8.25.1.2.1.3.11	INTEGER	false(2)
IB-LAG-MIB::ibAggPortLacpState.12	.1.3.6.1.4.1.26138.8.25.1.2.1.3.12	INTEGER	false(2)
IB-LAG-MIB::ibAggPortLacpState.13	.1.3.6.1.4.1.26138.8.25.1.2.1.3.13	INTEGER	false(2)
IB-LAG-MIB::ibAggPortLacpState.14	.1.3.6.1.4.1.26138.8.25.1.2.1.3.14	INTEGER	false(2)
IB-LAG-MIB::ibAggPortLacpState.15	.1.3.6.1.4.1.26138.8.25.1.2.1.3.15	INTEGER	false(2)

Name	OID	Value Type	Value Example
IB-LAG-MIB::ibAggPortLacpState.16	.1.3.6.1.4.1.26138.8.25.1.2.1.3.16	INTEGER	false(2)
IB-LAG-MIB::ibAggPortLacpState.17	.1.3.6.1.4.1.26138.8.25.1.2.1.3.17	INTEGER	false(2)
IB-LAG-MIB::ibAggPortLacpState.18	.1.3.6.1.4.1.26138.8.25.1.2.1.3.18	INTEGER	false(2)
IB-LAG-MIB::ibAggPortLacpState.19	.1.3.6.1.4.1.26138.8.25.1.2.1.3.19	INTEGER	false(2)
IB-LAG-MIB::ibAggPortLacpState.20	.1.3.6.1.4.1.26138.8.25.1.2.1.3.20	INTEGER	false(2)
IB-LAG-MIB::ibAggPortLacpState.21	.1.3.6.1.4.1.26138.8.25.1.2.1.3.21	INTEGER	false(2)
IB-LAG-MIB::ibAggPortLacpState.22	.1.3.6.1.4.1.26138.8.25.1.2.1.3.22	INTEGER	false(2)
IB-LAG-MIB::ibAggPortLacpState.23	.1.3.6.1.4.1.26138.8.25.1.2.1.3.23	INTEGER	false(2)
IB-LAG-MIB::ibAggPortLacpState.24	.1.3.6.1.4.1.26138.8.25.1.2.1.3.24	INTEGER	false(2)
IB-LAG-MIB::ibAggPortLacpState.25	.1.3.6.1.4.1.26138.8.25.1.2.1.3.25	INTEGER	false(2)
IB-LAG-MIB::ibAggPortLacpState.26	.1.3.6.1.4.1.26138.8.25.1.2.1.3.26	INTEGER	false(2)
IB-LAG-MIB::ibAggPortLacpState.27	.1.3.6.1.4.1.26138.8.25.1.2.1.3.27	INTEGER	false(2)
IB-LAG-MIB::ibAggPortLacpState.28	.1.3.6.1.4.1.26138.8.25.1.2.1.3.28	INTEGER	false(2)
IB-LAG-MIB::ibAggPortLacpState.29	.1.3.6.1.4.1.26138.8.25.1.2.1.3.29	INTEGER	false(2)
IB-LAG-MIB::ibAggPortLacpState.30	.1.3.6.1.4.1.26138.8.25.1.2.1.3.30	INTEGER	false(2)
IB-LAG-MIB::ibAggPortLacpState.31	.1.3.6.1.4.1.26138.8.25.1.2.1.3.31	INTEGER	false(2)
IB-LAG-MIB::ibAggPortLacpState.32	.1.3.6.1.4.1.26138.8.25.1.2.1.3.32	INTEGER	false(2)
IB-LAG-MIB::ibAggPortNotAttachedString.3	.1.3.6.1.4.1.26138.8.25.1.2.1.4.3	STRING	The port is not selected for an aggregator.
IB-LAG-MIB::ibAggPortNotAttachedString.4	.1.3.6.1.4.1.26138.8.25.1.2.1.4.4	STRING	The port is not selected for an aggregator.
IB-LAG-MIB::ibAggPortNotAttachedString.5	.1.3.6.1.4.1.26138.8.25.1.2.1.4.5	STRING	The port is not selected for an aggregator.
IB-LAG-MIB::ibAggPortNotAttachedString.6	.1.3.6.1.4.1.26138.8.25.1.2.1.4.6	STRING	The port is not selected for an aggregator.
IB-LAG-MIB::ibAggPortNotAttachedString.7	.1.3.6.1.4.1.26138.8.25.1.2.1.4.7	STRING	The port is not selected for an aggregator.
IB-LAG-MIB::ibAggPortNotAttachedString.8	.1.3.6.1.4.1.26138.8.25.1.2.1.4.8	STRING	The port is not selected for an aggregator.
IB-LAG-MIB::ibAggPortNotAttachedString.9	.1.3.6.1.4.1.26138.8.25.1.2.1.4.9	STRING	The port is not selected for an aggregator.
IB-LAG-MIB::ibAggPortNotAttachedString.10	.1.3.6.1.4.1.26138.8.25.1.2.1.4.10	STRING	The port is not selected for an aggregator.
IB-LAG-MIB::ibAggPortNotAttachedString.11	.1.3.6.1.4.1.26138.8.25.1.2.1.4.11	STRING	The port is not selected for an aggregator.

Name	OID	Value Type	Value Example
IB-LAG-MIB::ibAggPortNotAttachedString.12	.1.3.6.1.4.1.26138.8.25.1.2.1.4.12	STRING	The port is not selected for an aggregator.
IB-LAG-MIB::ibAggPortNotAttachedString.13	.1.3.6.1.4.1.26138.8.25.1.2.1.4.13	STRING	The port is not selected for an aggregator.
IB-LAG-MIB::ibAggPortNotAttachedString.14	.1.3.6.1.4.1.26138.8.25.1.2.1.4.14	STRING	The port is not selected for an aggregator.
IB-LAG-MIB::ibAggPortNotAttachedString.15	.1.3.6.1.4.1.26138.8.25.1.2.1.4.15	STRING	The port is not selected for an aggregator.
IB-LAG-MIB::ibAggPortNotAttachedString.16	.1.3.6.1.4.1.26138.8.25.1.2.1.4.16	STRING	The port is not selected for an aggregator.
IB-LAG-MIB::ibAggPortNotAttachedString.17	.1.3.6.1.4.1.26138.8.25.1.2.1.4.17	STRING	The port is not selected for an aggregator.
IB-LAG-MIB::ibAggPortNotAttachedString.18	.1.3.6.1.4.1.26138.8.25.1.2.1.4.18	STRING	The port is not selected for an aggregator.
IB-LAG-MIB::ibAggPortNotAttachedString.19	.1.3.6.1.4.1.26138.8.25.1.2.1.4.19	STRING	The port is not selected for an aggregator.
IB-LAG-MIB::ibAggPortNotAttachedString.20	.1.3.6.1.4.1.26138.8.25.1.2.1.4.20	STRING	The port is not selected for an aggregator.
IB-LAG-MIB::ibAggPortNotAttachedString.21	.1.3.6.1.4.1.26138.8.25.1.2.1.4.21	STRING	The port is not selected for an aggregator.
IB-LAG-MIB::ibAggPortNotAttachedString.22	.1.3.6.1.4.1.26138.8.25.1.2.1.4.22	STRING	The port is not selected for an aggregator.
IB-LAG-MIB::ibAggPortNotAttachedString.23	.1.3.6.1.4.1.26138.8.25.1.2.1.4.23	STRING	The port is not selected for an aggregator.
IB-LAG-MIB::ibAggPortNotAttachedString.24	.1.3.6.1.4.1.26138.8.25.1.2.1.4.24	STRING	The port is not selected for an aggregator.
IB-LAG-MIB::ibAggPortNotAttachedString.25	.1.3.6.1.4.1.26138.8.25.1.2.1.4.25	STRING	The port is not selected for an aggregator.
IB-LAG-MIB::ibAggPortNotAttachedString.26	.1.3.6.1.4.1.26138.8.25.1.2.1.4.26	STRING	The port is not selected for an aggregator.
IB-LAG-MIB::ibAggPortNotAttachedString.27	.1.3.6.1.4.1.26138.8.25.1.2.1.4.27	STRING	The port is not selected for an aggregator.
IB-LAG-MIB::ibAggPortNotAttachedString.28	.1.3.6.1.4.1.26138.8.25.1.2.1.4.28	STRING	The port is not selected for an aggregator.
IB-LAG-MIB::ibAggPortNotAttachedString.29	.1.3.6.1.4.1.26138.8.25.1.2.1.4.29	STRING	The port is not selected for an aggregator.
IB-LAG-MIB::ibAggPortNotAttachedString.30	.1.3.6.1.4.1.26138.8.25.1.2.1.4.30	STRING	The port is not selected for an aggregator.
IB-LAG-MIB::ibAggPortNotAttachedString.31	.1.3.6.1.4.1.26138.8.25.1.2.1.4.31	STRING	The port is not selected for an aggregator.
IB-LAG-MIB::ibAggPortNotAttachedString.32	.1.3.6.1.4.1.26138.8.25.1.2.1.4.32	STRING	The port is not selected for an aggregator.
IB-LAG-MIB::ibAggResourceAllocationValue.0	.1.3.6.1.4.1.26138.8.25.1.3.0	Hex-STRING	01 03 00 00
IB-LswINF-MIB::ibifMirrorPort.3	.1.3.6.1.4.1.26138.8.35.1.1.1.4.3	INTEGER	false(2)
IB-LswINF-MIB::ibifMirrorPort.4	.1.3.6.1.4.1.26138.8.35.1.1.1.4.4	INTEGER	false(2)
IB-LswINF-MIB::ibifMirrorPort.5	.1.3.6.1.4.1.26138.8.35.1.1.1.4.5	INTEGER	false(2)
IB-LswINF-MIB::ibifMirrorPort.6	.1.3.6.1.4.1.26138.8.35.1.1.1.4.6	INTEGER	false(2)

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifMirrorPort.7	.1.3.6.1.4.1.26138.8.35.1.1.1.4.7	INTEGER	false(2)
IB-LswINF-MIB::ibifMirrorPort.8	.1.3.6.1.4.1.26138.8.35.1.1.1.4.8	INTEGER	false(2)
IB-LswINF-MIB::ibifMirrorPort.9	.1.3.6.1.4.1.26138.8.35.1.1.1.4.9	INTEGER	false(2)
IB-LswINF-MIB::ibifMirrorPort.10	.1.3.6.1.4.1.26138.8.35.1.1.1.4.10	INTEGER	false(2)
IB-LswINF-MIB::ibifMirrorPort.11	.1.3.6.1.4.1.26138.8.35.1.1.1.4.11	INTEGER	false(2)
IB-LswINF-MIB::ibifMirrorPort.12	.1.3.6.1.4.1.26138.8.35.1.1.1.4.12	INTEGER	false(2)
IB-LswINF-MIB::ibifMirrorPort.13	.1.3.6.1.4.1.26138.8.35.1.1.1.4.13	INTEGER	false(2)
IB-LswINF-MIB::ibifMirrorPort.14	.1.3.6.1.4.1.26138.8.35.1.1.1.4.14	INTEGER	false(2)
IB-LswINF-MIB::ibifMirrorPort.15	.1.3.6.1.4.1.26138.8.35.1.1.1.4.15	INTEGER	false(2)
IB-LswINF-MIB::ibifMirrorPort.16	.1.3.6.1.4.1.26138.8.35.1.1.1.4.16	INTEGER	false(2)
IB-LswINF-MIB::ibifMirrorPort.17	.1.3.6.1.4.1.26138.8.35.1.1.1.4.17	INTEGER	false(2)
IB-LswINF-MIB::ibifMirrorPort.18	.1.3.6.1.4.1.26138.8.35.1.1.1.4.18	INTEGER	false(2)
IB-LswINF-MIB::ibifMirrorPort.19	.1.3.6.1.4.1.26138.8.35.1.1.1.4.19	INTEGER	false(2)
IB-LswINF-MIB::ibifMirrorPort.20	.1.3.6.1.4.1.26138.8.35.1.1.1.4.20	INTEGER	false(2)
IB-LswINF-MIB::ibifMirrorPort.21	.1.3.6.1.4.1.26138.8.35.1.1.1.4.21	INTEGER	false(2)
IB-LswINF-MIB::ibifMirrorPort.22	.1.3.6.1.4.1.26138.8.35.1.1.1.4.22	INTEGER	false(2)
IB-LswINF-MIB::ibifMirrorPort.23	.1.3.6.1.4.1.26138.8.35.1.1.1.4.23	INTEGER	false(2)
IB-LswINF-MIB::ibifMirrorPort.24	.1.3.6.1.4.1.26138.8.35.1.1.1.4.24	INTEGER	false(2)
IB-LswINF-MIB::ibifMirrorPort.25	.1.3.6.1.4.1.26138.8.35.1.1.1.4.25	INTEGER	false(2)
IB-LswINF-MIB::ibifMirrorPort.26	.1.3.6.1.4.1.26138.8.35.1.1.1.4.26	INTEGER	false(2)
IB-LswINF-MIB::ibifMirrorPort.27	.1.3.6.1.4.1.26138.8.35.1.1.1.4.27	INTEGER	false(2)
IB-LswINF-MIB::ibifMirrorPort.28	.1.3.6.1.4.1.26138.8.35.1.1.1.4.28	INTEGER	false(2)
IB-LswINF-MIB::ibifMirrorPort.29	.1.3.6.1.4.1.26138.8.35.1.1.1.4.29	INTEGER	false(2)
IB-LswINF-MIB::ibifMirrorPort.30	.1.3.6.1.4.1.26138.8.35.1.1.1.4.30	INTEGER	false(2)
IB-LswINF-MIB::ibifMirrorPort.31	.1.3.6.1.4.1.26138.8.35.1.1.1.4.31	INTEGER	false(2)
IB-LswINF-MIB::ibifMirrorPort.32	.1.3.6.1.4.1.26138.8.35.1.1.1.4.32	INTEGER	false(2)

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifVLANType.3	.1.3.6.1.4.1.26138.8.35.1.1.1.5.3	INTEGER	access(2)
IB-LswINF-MIB::ibifVLANType.4	.1.3.6.1.4.1.26138.8.35.1.1.1.5.4	INTEGER	access(2)
IB-LswINF-MIB::ibifVLANType.5	.1.3.6.1.4.1.26138.8.35.1.1.1.5.5	INTEGER	access(2)
IB-LswINF-MIB::ibifVLANType.6	.1.3.6.1.4.1.26138.8.35.1.1.1.5.6	INTEGER	access(2)
IB-LswINF-MIB::ibifVLANType.7	.1.3.6.1.4.1.26138.8.35.1.1.1.5.7	INTEGER	access(2)
IB-LswINF-MIB::ibifVLANType.8	.1.3.6.1.4.1.26138.8.35.1.1.1.5.8	INTEGER	access(2)
IB-LswINF-MIB::ibifVLANType.9	.1.3.6.1.4.1.26138.8.35.1.1.1.5.9	INTEGER	access(2)
IB-LswINF-MIB::ibifVLANType.10	.1.3.6.1.4.1.26138.8.35.1.1.1.5.10	INTEGER	access(2)
IB-LswINF-MIB::ibifVLANType.11	.1.3.6.1.4.1.26138.8.35.1.1.1.5.11	INTEGER	access(2)
IB-LswINF-MIB::ibifVLANType.12	.1.3.6.1.4.1.26138.8.35.1.1.1.5.12	INTEGER	access(2)
IB-LswINF-MIB::ibifVLANType.13	.1.3.6.1.4.1.26138.8.35.1.1.1.5.13	INTEGER	access(2)
IB-LswINF-MIB::ibifVLANType.14	.1.3.6.1.4.1.26138.8.35.1.1.1.5.14	INTEGER	access(2)
IB-LswINF-MIB::ibifVLANType.15	.1.3.6.1.4.1.26138.8.35.1.1.1.5.15	INTEGER	access(2)
IB-LswINF-MIB::ibifVLANType.16	.1.3.6.1.4.1.26138.8.35.1.1.1.5.16	INTEGER	access(2)
IB-LswINF-MIB::ibifVLANType.17	.1.3.6.1.4.1.26138.8.35.1.1.1.5.17	INTEGER	access(2)
IB-LswINF-MIB::ibifVLANType.18	.1.3.6.1.4.1.26138.8.35.1.1.1.5.18	INTEGER	access(2)
IB-LswINF-MIB::ibifVLANType.19	.1.3.6.1.4.1.26138.8.35.1.1.1.5.19	INTEGER	access(2)
IB-LswINF-MIB::ibifVLANType.20	.1.3.6.1.4.1.26138.8.35.1.1.1.5.20	INTEGER	access(2)
IB-LswINF-MIB::ibifVLANType.21	.1.3.6.1.4.1.26138.8.35.1.1.1.5.21	INTEGER	access(2)
IB-LswINF-MIB::ibifVLANType.22	.1.3.6.1.4.1.26138.8.35.1.1.1.5.22	INTEGER	access(2)
IB-LswINF-MIB::ibifVLANType.23	.1.3.6.1.4.1.26138.8.35.1.1.1.5.23	INTEGER	access(2)
IB-LswINF-MIB::ibifVLANType.24	.1.3.6.1.4.1.26138.8.35.1.1.1.5.24	INTEGER	access(2)
IB-LswINF-MIB::ibifVLANType.25	.1.3.6.1.4.1.26138.8.35.1.1.1.5.25	INTEGER	access(2)
IB-LswINF-MIB::ibifVLANType.26	.1.3.6.1.4.1.26138.8.35.1.1.1.5.26	INTEGER	access(2)
IB-LswINF-MIB::ibifVLANType.27	.1.3.6.1.4.1.26138.8.35.1.1.1.5.27	INTEGER	access(2)
IB-LswINF-MIB::ibifVLANType.28	.1.3.6.1.4.1.26138.8.35.1.1.1.5.28	INTEGER	access(2)

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifVLANType.29	.1.3.6.1.4.1.26138.8.35.1.1.1.5.29	INTEGER	access(2)
IB-LswINF-MIB::ibifVLANType.30	.1.3.6.1.4.1.26138.8.35.1.1.1.5.30	INTEGER	access(2)
IB-LswINF-MIB::ibifVLANType.31	.1.3.6.1.4.1.26138.8.35.1.1.1.5.31	INTEGER	access(2)
IB-LswINF-MIB::ibifVLANType.32	.1.3.6.1.4.1.26138.8.35.1.1.1.5.32	INTEGER	access(2)
IB-LswINF-MIB::ibifMcastControl.3	.1.3.6.1.4.1.26138.8.35.1.1.1.6.3	INTEGER	100
IB-LswINF-MIB::ibifMcastControl.4	.1.3.6.1.4.1.26138.8.35.1.1.1.6.4	INTEGER	100
IB-LswINF-MIB::ibifMcastControl.5	.1.3.6.1.4.1.26138.8.35.1.1.1.6.5	INTEGER	100
IB-LswINF-MIB::ibifMcastControl.6	.1.3.6.1.4.1.26138.8.35.1.1.1.6.6	INTEGER	100
IB-LswINF-MIB::ibifMcastControl.7	.1.3.6.1.4.1.26138.8.35.1.1.1.6.7	INTEGER	100
IB-LswINF-MIB::ibifMcastControl.8	.1.3.6.1.4.1.26138.8.35.1.1.1.6.8	INTEGER	100
IB-LswINF-MIB::ibifMcastControl.9	.1.3.6.1.4.1.26138.8.35.1.1.1.6.9	INTEGER	100
IB-LswINF-MIB::ibifMcastControl.10	.1.3.6.1.4.1.26138.8.35.1.1.1.6.10	INTEGER	100
IB-LswINF-MIB::ibifMcastControl.11	.1.3.6.1.4.1.26138.8.35.1.1.1.6.11	INTEGER	100
IB-LswINF-MIB::ibifMcastControl.12	.1.3.6.1.4.1.26138.8.35.1.1.1.6.12	INTEGER	100
IB-LswINF-MIB::ibifMcastControl.13	.1.3.6.1.4.1.26138.8.35.1.1.1.6.13	INTEGER	100
IB-LswINF-MIB::ibifMcastControl.14	.1.3.6.1.4.1.26138.8.35.1.1.1.6.14	INTEGER	100
IB-LswINF-MIB::ibifMcastControl.15	.1.3.6.1.4.1.26138.8.35.1.1.1.6.15	INTEGER	100
IB-LswINF-MIB::ibifMcastControl.16	.1.3.6.1.4.1.26138.8.35.1.1.1.6.16	INTEGER	100
IB-LswINF-MIB::ibifMcastControl.17	.1.3.6.1.4.1.26138.8.35.1.1.1.6.17	INTEGER	100
IB-LswINF-MIB::ibifMcastControl.18	.1.3.6.1.4.1.26138.8.35.1.1.1.6.18	INTEGER	100
IB-LswINF-MIB::ibifMcastControl.19	.1.3.6.1.4.1.26138.8.35.1.1.1.6.19	INTEGER	100
IB-LswINF-MIB::ibifMcastControl.20	.1.3.6.1.4.1.26138.8.35.1.1.1.6.20	INTEGER	100
IB-LswINF-MIB::ibifMcastControl.21	.1.3.6.1.4.1.26138.8.35.1.1.1.6.21	INTEGER	100
IB-LswINF-MIB::ibifMcastControl.22	.1.3.6.1.4.1.26138.8.35.1.1.1.6.22	INTEGER	100
IB-LswINF-MIB::ibifMcastControl.23	.1.3.6.1.4.1.26138.8.35.1.1.1.6.23	INTEGER	100
IB-LswINF-MIB::ibifMcastControl.24	.1.3.6.1.4.1.26138.8.35.1.1.1.6.24	INTEGER	100

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifMcastControl.25	.1.3.6.1.4.1.26138.8.35.1.1.1.6.25	INTEGER	100
IB-LswINF-MIB::ibifMcastControl.26	.1.3.6.1.4.1.26138.8.35.1.1.1.6.26	INTEGER	100
IB-LswINF-MIB::ibifMcastControl.27	.1.3.6.1.4.1.26138.8.35.1.1.1.6.27	INTEGER	100
IB-LswINF-MIB::ibifMcastControl.28	.1.3.6.1.4.1.26138.8.35.1.1.1.6.28	INTEGER	100
IB-LswINF-MIB::ibifMcastControl.29	.1.3.6.1.4.1.26138.8.35.1.1.1.6.29	INTEGER	100
IB-LswINF-MIB::ibifMcastControl.30	.1.3.6.1.4.1.26138.8.35.1.1.1.6.30	INTEGER	100
IB-LswINF-MIB::ibifMcastControl.31	.1.3.6.1.4.1.26138.8.35.1.1.1.6.31	INTEGER	100
IB-LswINF-MIB::ibifMcastControl.32	.1.3.6.1.4.1.26138.8.35.1.1.1.6.32	INTEGER	100
IB-LswINF-MIB::ibifFlowControl.3	.1.3.6.1.4.1.26138.8.35.1.1.1.7.3	INTEGER	false(2)
IB-LswINF-MIB::ibifFlowControl.4	.1.3.6.1.4.1.26138.8.35.1.1.1.7.4	INTEGER	false(2)
IB-LswINF-MIB::ibifFlowControl.5	.1.3.6.1.4.1.26138.8.35.1.1.1.7.5	INTEGER	false(2)
IB-LswINF-MIB::ibifFlowControl.6	.1.3.6.1.4.1.26138.8.35.1.1.1.7.6	INTEGER	false(2)
IB-LswINF-MIB::ibifFlowControl.7	.1.3.6.1.4.1.26138.8.35.1.1.1.7.7	INTEGER	false(2)
IB-LswINF-MIB::ibifFlowControl.8	.1.3.6.1.4.1.26138.8.35.1.1.1.7.8	INTEGER	false(2)
IB-LswINF-MIB::ibifFlowControl.9	.1.3.6.1.4.1.26138.8.35.1.1.1.7.9	INTEGER	false(2)
IB-LswINF-MIB::ibifFlowControl.10	.1.3.6.1.4.1.26138.8.35.1.1.1.7.10	INTEGER	false(2)
IB-LswINF-MIB::ibifFlowControl.11	.1.3.6.1.4.1.26138.8.35.1.1.1.7.11	INTEGER	false(2)
IB-LswINF-MIB::ibifFlowControl.12	.1.3.6.1.4.1.26138.8.35.1.1.1.7.12	INTEGER	false(2)
IB-LswINF-MIB::ibifFlowControl.13	.1.3.6.1.4.1.26138.8.35.1.1.1.7.13	INTEGER	false(2)
IB-LswINF-MIB::ibifFlowControl.14	.1.3.6.1.4.1.26138.8.35.1.1.1.7.14	INTEGER	false(2)
IB-LswINF-MIB::ibifFlowControl.15	.1.3.6.1.4.1.26138.8.35.1.1.1.7.15	INTEGER	false(2)
IB-LswINF-MIB::ibifFlowControl.16	.1.3.6.1.4.1.26138.8.35.1.1.1.7.16	INTEGER	false(2)
IB-LswINF-MIB::ibifFlowControl.17	.1.3.6.1.4.1.26138.8.35.1.1.1.7.17	INTEGER	false(2)
IB-LswINF-MIB::ibifFlowControl.18	.1.3.6.1.4.1.26138.8.35.1.1.1.7.18	INTEGER	false(2)
IB-LswINF-MIB::ibifFlowControl.19	.1.3.6.1.4.1.26138.8.35.1.1.1.7.19	INTEGER	false(2)
IB-LswINF-MIB::ibifFlowControl.20	.1.3.6.1.4.1.26138.8.35.1.1.1.7.20	INTEGER	false(2)

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifFlowControl.21	.1.3.6.1.4.1.26138.8.35.1.1.1.7.21	INTEGER	false(2)
IB-LswINF-MIB::ibifFlowControl.22	.1.3.6.1.4.1.26138.8.35.1.1.1.7.22	INTEGER	false(2)
IB-LswINF-MIB::ibifFlowControl.23	.1.3.6.1.4.1.26138.8.35.1.1.1.7.23	INTEGER	false(2)
IB-LswINF-MIB::ibifFlowControl.24	.1.3.6.1.4.1.26138.8.35.1.1.1.7.24	INTEGER	false(2)
IB-LswINF-MIB::ibifFlowControl.25	.1.3.6.1.4.1.26138.8.35.1.1.1.7.25	INTEGER	false(2)
IB-LswINF-MIB::ibifFlowControl.26	.1.3.6.1.4.1.26138.8.35.1.1.1.7.26	INTEGER	false(2)
IB-LswINF-MIB::ibifFlowControl.27	.1.3.6.1.4.1.26138.8.35.1.1.1.7.27	INTEGER	false(2)
IB-LswINF-MIB::ibifFlowControl.28	.1.3.6.1.4.1.26138.8.35.1.1.1.7.28	INTEGER	false(2)
IB-LswINF-MIB::ibifFlowControl.29	.1.3.6.1.4.1.26138.8.35.1.1.1.7.29	INTEGER	false(2)
IB-LswINF-MIB::ibifFlowControl.30	.1.3.6.1.4.1.26138.8.35.1.1.1.7.30	INTEGER	false(2)
IB-LswINF-MIB::ibifFlowControl.31	.1.3.6.1.4.1.26138.8.35.1.1.1.7.31	INTEGER	false(2)
IB-LswINF-MIB::ibifFlowControl.32	.1.3.6.1.4.1.26138.8.35.1.1.1.7.32	INTEGER	false(2)
IB-LswINF-MIB::ibifXXBasePortIndex.3	.1.3.6.1.4.1.26138.8.35.1.1.1.10.3	INTEGER	3
IB-LswINF-MIB::ibifXXBasePortIndex.4	.1.3.6.1.4.1.26138.8.35.1.1.1.10.4	INTEGER	4
IB-LswINF-MIB::ibifXXBasePortIndex.5	.1.3.6.1.4.1.26138.8.35.1.1.1.10.5	INTEGER	5
IB-LswINF-MIB::ibifXXBasePortIndex.6	.1.3.6.1.4.1.26138.8.35.1.1.1.10.6	INTEGER	6
IB-LswINF-MIB::ibifXXBasePortIndex.7	.1.3.6.1.4.1.26138.8.35.1.1.1.10.7	INTEGER	7
IB-LswINF-MIB::ibifXXBasePortIndex.8	.1.3.6.1.4.1.26138.8.35.1.1.1.10.8	INTEGER	8
IB-LswINF-MIB::ibifXXBasePortIndex.9	.1.3.6.1.4.1.26138.8.35.1.1.1.10.9	INTEGER	9
IB-LswINF-MIB::ibifXXBasePortIndex.10	.1.3.6.1.4.1.26138.8.35.1.1.1.10.10	INTEGER	10
IB-LswINF-MIB::ibifXXBasePortIndex.11	.1.3.6.1.4.1.26138.8.35.1.1.1.10.11	INTEGER	11
IB-LswINF-MIB::ibifXXBasePortIndex.12	.1.3.6.1.4.1.26138.8.35.1.1.1.10.12	INTEGER	12
IB-LswINF-MIB::ibifXXBasePortIndex.13	.1.3.6.1.4.1.26138.8.35.1.1.1.10.13	INTEGER	13
IB-LswINF-MIB::ibifXXBasePortIndex.14	.1.3.6.1.4.1.26138.8.35.1.1.1.10.14	INTEGER	14
IB-LswINF-MIB::ibifXXBasePortIndex.15	.1.3.6.1.4.1.26138.8.35.1.1.1.10.15	INTEGER	15
IB-LswINF-MIB::ibifXXBasePortIndex.16	.1.3.6.1.4.1.26138.8.35.1.1.1.10.16	INTEGER	16

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifXXBasePortIndex.17	.1.3.6.1.4.1.26138.8.35.1.1.1.10.17	INTEGER	17
IB-LswINF-MIB::ibifXXBasePortIndex.18	.1.3.6.1.4.1.26138.8.35.1.1.1.10.18	INTEGER	18
IB-LswINF-MIB::ibifXXBasePortIndex.19	.1.3.6.1.4.1.26138.8.35.1.1.1.10.19	INTEGER	19
IB-LswINF-MIB::ibifXXBasePortIndex.20	.1.3.6.1.4.1.26138.8.35.1.1.1.10.20	INTEGER	20
IB-LswINF-MIB::ibifXXBasePortIndex.21	.1.3.6.1.4.1.26138.8.35.1.1.1.10.21	INTEGER	21
IB-LswINF-MIB::ibifXXBasePortIndex.22	.1.3.6.1.4.1.26138.8.35.1.1.1.10.22	INTEGER	22
IB-LswINF-MIB::ibifXXBasePortIndex.23	.1.3.6.1.4.1.26138.8.35.1.1.1.10.23	INTEGER	23
IB-LswINF-MIB::ibifXXBasePortIndex.24	.1.3.6.1.4.1.26138.8.35.1.1.1.10.24	INTEGER	24
IB-LswINF-MIB::ibifXXBasePortIndex.25	.1.3.6.1.4.1.26138.8.35.1.1.1.10.25	INTEGER	25
IB-LswINF-MIB::ibifXXBasePortIndex.26	.1.3.6.1.4.1.26138.8.35.1.1.1.10.26	INTEGER	26
IB-LswINF-MIB::ibifXXBasePortIndex.27	.1.3.6.1.4.1.26138.8.35.1.1.1.10.27	INTEGER	27
IB-LswINF-MIB::ibifXXBasePortIndex.28	.1.3.6.1.4.1.26138.8.35.1.1.1.10.28	INTEGER	28
IB-LswINF-MIB::ibifXXBasePortIndex.29	.1.3.6.1.4.1.26138.8.35.1.1.1.10.29	INTEGER	29
IB-LswINF-MIB::ibifXXBasePortIndex.30	.1.3.6.1.4.1.26138.8.35.1.1.1.10.30	INTEGER	30
IB-LswINF-MIB::ibifXXBasePortIndex.31	.1.3.6.1.4.1.26138.8.35.1.1.1.10.31	INTEGER	31
IB-LswINF-MIB::ibifXXBasePortIndex.32	.1.3.6.1.4.1.26138.8.35.1.1.1.10.32	INTEGER	32
IB-LswINF-MIB::ibifXXDevPortIndex.3	.1.3.6.1.4.1.26138.8.35.1.1.1.11.3	INTEGER	3
IB-LswINF-MIB::ibifXXDevPortIndex.4	.1.3.6.1.4.1.26138.8.35.1.1.1.11.4	INTEGER	4
IB-LswINF-MIB::ibifXXDevPortIndex.5	.1.3.6.1.4.1.26138.8.35.1.1.1.11.5	INTEGER	5
IB-LswINF-MIB::ibifXXDevPortIndex.6	.1.3.6.1.4.1.26138.8.35.1.1.1.11.6	INTEGER	6
IB-LswINF-MIB::ibifXXDevPortIndex.7	.1.3.6.1.4.1.26138.8.35.1.1.1.11.7	INTEGER	7
IB-LswINF-MIB::ibifXXDevPortIndex.8	.1.3.6.1.4.1.26138.8.35.1.1.1.11.8	INTEGER	8
IB-LswINF-MIB::ibifXXDevPortIndex.9	.1.3.6.1.4.1.26138.8.35.1.1.1.11.9	INTEGER	9
IB-LswINF-MIB::ibifXXDevPortIndex.10	.1.3.6.1.4.1.26138.8.35.1.1.1.11.10	INTEGER	10
IB-LswINF-MIB::ibifXXDevPortIndex.11	.1.3.6.1.4.1.26138.8.35.1.1.1.11.11	INTEGER	11
IB-LswINF-MIB::ibifXXDevPortIndex.12	.1.3.6.1.4.1.26138.8.35.1.1.1.11.12	INTEGER	12

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifXXDevPortIndex.13	.1.3.6.1.4.1.26138.8.35.1.1.1.11.13	INTEGER	13
IB-LswINF-MIB::ibifXXDevPortIndex.14	.1.3.6.1.4.1.26138.8.35.1.1.1.11.14	INTEGER	14
IB-LswINF-MIB::ibifXXDevPortIndex.15	.1.3.6.1.4.1.26138.8.35.1.1.1.11.15	INTEGER	15
IB-LswINF-MIB::ibifXXDevPortIndex.16	.1.3.6.1.4.1.26138.8.35.1.1.1.11.16	INTEGER	16
IB-LswINF-MIB::ibifXXDevPortIndex.17	.1.3.6.1.4.1.26138.8.35.1.1.1.11.17	INTEGER	17
IB-LswINF-MIB::ibifXXDevPortIndex.18	.1.3.6.1.4.1.26138.8.35.1.1.1.11.18	INTEGER	18
IB-LswINF-MIB::ibifXXDevPortIndex.19	.1.3.6.1.4.1.26138.8.35.1.1.1.11.19	INTEGER	19
IB-LswINF-MIB::ibifXXDevPortIndex.20	.1.3.6.1.4.1.26138.8.35.1.1.1.11.20	INTEGER	20
IB-LswINF-MIB::ibifXXDevPortIndex.21	.1.3.6.1.4.1.26138.8.35.1.1.1.11.21	INTEGER	21
IB-LswINF-MIB::ibifXXDevPortIndex.22	.1.3.6.1.4.1.26138.8.35.1.1.1.11.22	INTEGER	22
IB-LswINF-MIB::ibifXXDevPortIndex.23	.1.3.6.1.4.1.26138.8.35.1.1.1.11.23	INTEGER	23
IB-LswINF-MIB::ibifXXDevPortIndex.24	.1.3.6.1.4.1.26138.8.35.1.1.1.11.24	INTEGER	24
IB-LswINF-MIB::ibifXXDevPortIndex.25	.1.3.6.1.4.1.26138.8.35.1.1.1.11.25	INTEGER	25
IB-LswINF-MIB::ibifXXDevPortIndex.26	.1.3.6.1.4.1.26138.8.35.1.1.1.11.26	INTEGER	26
IB-LswINF-MIB::ibifXXDevPortIndex.27	.1.3.6.1.4.1.26138.8.35.1.1.1.11.27	INTEGER	27
IB-LswINF-MIB::ibifXXDevPortIndex.28	.1.3.6.1.4.1.26138.8.35.1.1.1.11.28	INTEGER	28
IB-LswINF-MIB::ibifXXDevPortIndex.29	.1.3.6.1.4.1.26138.8.35.1.1.1.11.29	INTEGER	29
IB-LswINF-MIB::ibifXXDevPortIndex.30	.1.3.6.1.4.1.26138.8.35.1.1.1.11.30	INTEGER	30
IB-LswINF-MIB::ibifXXDevPortIndex.31	.1.3.6.1.4.1.26138.8.35.1.1.1.11.31	INTEGER	31
IB-LswINF-MIB::ibifXXDevPortIndex.32	.1.3.6.1.4.1.26138.8.35.1.1.1.11.32	INTEGER	32
IB-LswINF-MIB::ibifPpsMcastControl.3	.1.3.6.1.4.1.26138.8.35.1.1.1.12.3	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMcastControl.4	.1.3.6.1.4.1.26138.8.35.1.1.1.12.4	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMcastControl.5	.1.3.6.1.4.1.26138.8.35.1.1.1.12.5	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMcastControl.6	.1.3.6.1.4.1.26138.8.35.1.1.1.12.6	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMcastControl.7	.1.3.6.1.4.1.26138.8.35.1.1.1.12.7	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMcastControl.8	.1.3.6.1.4.1.26138.8.35.1.1.1.12.8	INTEGER	1488100

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifPpsMcastControl.9	.1.3.6.1.4.1.26138.8.35.1.1.1.12.9	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMcastControl.10	.1.3.6.1.4.1.26138.8.35.1.1.1.12.10	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMcastControl.11	.1.3.6.1.4.1.26138.8.35.1.1.1.12.11	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMcastControl.12	.1.3.6.1.4.1.26138.8.35.1.1.1.12.12	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMcastControl.13	.1.3.6.1.4.1.26138.8.35.1.1.1.12.13	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMcastControl.14	.1.3.6.1.4.1.26138.8.35.1.1.1.12.14	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMcastControl.15	.1.3.6.1.4.1.26138.8.35.1.1.1.12.15	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMcastControl.16	.1.3.6.1.4.1.26138.8.35.1.1.1.12.16	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMcastControl.17	.1.3.6.1.4.1.26138.8.35.1.1.1.12.17	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMcastControl.18	.1.3.6.1.4.1.26138.8.35.1.1.1.12.18	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMcastControl.19	.1.3.6.1.4.1.26138.8.35.1.1.1.12.19	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMcastControl.20	.1.3.6.1.4.1.26138.8.35.1.1.1.12.20	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMcastControl.21	.1.3.6.1.4.1.26138.8.35.1.1.1.12.21	INTEGER	14881000
IB-LswINF-MIB::ibifPpsMcastControl.22	.1.3.6.1.4.1.26138.8.35.1.1.1.12.22	INTEGER	14881000
IB-LswINF-MIB::ibifPpsMcastControl.23	.1.3.6.1.4.1.26138.8.35.1.1.1.12.23	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMcastControl.24	.1.3.6.1.4.1.26138.8.35.1.1.1.12.24	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMcastControl.25	.1.3.6.1.4.1.26138.8.35.1.1.1.12.25	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMcastControl.26	.1.3.6.1.4.1.26138.8.35.1.1.1.12.26	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMcastControl.27	.1.3.6.1.4.1.26138.8.35.1.1.1.12.27	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMcastControl.28	.1.3.6.1.4.1.26138.8.35.1.1.1.12.28	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMcastControl.29	.1.3.6.1.4.1.26138.8.35.1.1.1.12.29	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMcastControl.30	.1.3.6.1.4.1.26138.8.35.1.1.1.12.30	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMcastControl.31	.1.3.6.1.4.1.26138.8.35.1.1.1.12.31	INTEGER	14881000
IB-LswINF-MIB::ibifPpsMcastControl.32	.1.3.6.1.4.1.26138.8.35.1.1.1.12.32	INTEGER	14881000
IB-LswINF-MIB::ibifUniSuppression.3	.1.3.6.1.4.1.26138.8.35.1.1.1.18.3	INTEGER	100
IB-LswINF-MIB::ibifUniSuppression.4	.1.3.6.1.4.1.26138.8.35.1.1.1.18.4	INTEGER	100

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifUniSuppression.5	.1.3.6.1.4.1.26138.8.35.1.1.1.18.5	INTEGER	100
IB-LswINF-MIB::ibifUniSuppression.6	.1.3.6.1.4.1.26138.8.35.1.1.1.18.6	INTEGER	100
IB-LswINF-MIB::ibifUniSuppression.7	.1.3.6.1.4.1.26138.8.35.1.1.1.18.7	INTEGER	100
IB-LswINF-MIB::ibifUniSuppression.8	.1.3.6.1.4.1.26138.8.35.1.1.1.18.8	INTEGER	100
IB-LswINF-MIB::ibifUniSuppression.9	.1.3.6.1.4.1.26138.8.35.1.1.1.18.9	INTEGER	100
IB-LswINF-MIB::ibifUniSuppression.10	.1.3.6.1.4.1.26138.8.35.1.1.1.18.10	INTEGER	100
IB-LswINF-MIB::ibifUniSuppression.11	.1.3.6.1.4.1.26138.8.35.1.1.1.18.11	INTEGER	100
IB-LswINF-MIB::ibifUniSuppression.12	.1.3.6.1.4.1.26138.8.35.1.1.1.18.12	INTEGER	100
IB-LswINF-MIB::ibifUniSuppression.13	.1.3.6.1.4.1.26138.8.35.1.1.1.18.13	INTEGER	100
IB-LswINF-MIB::ibifUniSuppression.14	.1.3.6.1.4.1.26138.8.35.1.1.1.18.14	INTEGER	100
IB-LswINF-MIB::ibifUniSuppression.15	.1.3.6.1.4.1.26138.8.35.1.1.1.18.15	INTEGER	100
IB-LswINF-MIB::ibifUniSuppression.16	.1.3.6.1.4.1.26138.8.35.1.1.1.18.16	INTEGER	100
IB-LswINF-MIB::ibifUniSuppression.17	.1.3.6.1.4.1.26138.8.35.1.1.1.18.17	INTEGER	100
IB-LswINF-MIB::ibifUniSuppression.18	.1.3.6.1.4.1.26138.8.35.1.1.1.18.18	INTEGER	100
IB-LswINF-MIB::ibifUniSuppression.19	.1.3.6.1.4.1.26138.8.35.1.1.1.18.19	INTEGER	100
IB-LswINF-MIB::ibifUniSuppression.20	.1.3.6.1.4.1.26138.8.35.1.1.1.18.20	INTEGER	100
IB-LswINF-MIB::ibifUniSuppression.21	.1.3.6.1.4.1.26138.8.35.1.1.1.18.21	INTEGER	100
IB-LswINF-MIB::ibifUniSuppression.22	.1.3.6.1.4.1.26138.8.35.1.1.1.18.22	INTEGER	100
IB-LswINF-MIB::ibifUniSuppression.23	.1.3.6.1.4.1.26138.8.35.1.1.1.18.23	INTEGER	100
IB-LswINF-MIB::ibifUniSuppression.24	.1.3.6.1.4.1.26138.8.35.1.1.1.18.24	INTEGER	100
IB-LswINF-MIB::ibifUniSuppression.25	.1.3.6.1.4.1.26138.8.35.1.1.1.18.25	INTEGER	100
IB-LswINF-MIB::ibifUniSuppression.26	.1.3.6.1.4.1.26138.8.35.1.1.1.18.26	INTEGER	100
IB-LswINF-MIB::ibifUniSuppression.27	.1.3.6.1.4.1.26138.8.35.1.1.1.18.27	INTEGER	100
IB-LswINF-MIB::ibifUniSuppression.28	.1.3.6.1.4.1.26138.8.35.1.1.1.18.28	INTEGER	100
IB-LswINF-MIB::ibifUniSuppression.29	.1.3.6.1.4.1.26138.8.35.1.1.1.18.29	INTEGER	100
IB-LswINF-MIB::ibifUniSuppression.30	.1.3.6.1.4.1.26138.8.35.1.1.1.18.30	INTEGER	100

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifUniSuppression.31	.1.3.6.1.4.1.26138.8.35.1.1.1.18.31	INTEGER	100
IB-LswINF-MIB::ibifUniSuppression.32	.1.3.6.1.4.1.26138.8.35.1.1.1.18.32	INTEGER	100
IB-LswINF-MIB::ibifPpsUniSuppression.3	.1.3.6.1.4.1.26138.8.35.1.1.1.19.3	INTEGER	1488100
IB-LswINF-MIB::ibifPpsUniSuppression.4	.1.3.6.1.4.1.26138.8.35.1.1.1.19.4	INTEGER	1488100
IB-LswINF-MIB::ibifPpsUniSuppression.5	.1.3.6.1.4.1.26138.8.35.1.1.1.19.5	INTEGER	1488100
IB-LswINF-MIB::ibifPpsUniSuppression.6	.1.3.6.1.4.1.26138.8.35.1.1.1.19.6	INTEGER	1488100
IB-LswINF-MIB::ibifPpsUniSuppression.7	.1.3.6.1.4.1.26138.8.35.1.1.1.19.7	INTEGER	1488100
IB-LswINF-MIB::ibifPpsUniSuppression.8	.1.3.6.1.4.1.26138.8.35.1.1.1.19.8	INTEGER	1488100
IB-LswINF-MIB::ibifPpsUniSuppression.9	.1.3.6.1.4.1.26138.8.35.1.1.1.19.9	INTEGER	1488100
IB-LswINF-MIB::ibifPpsUniSuppression.10	.1.3.6.1.4.1.26138.8.35.1.1.1.19.10	INTEGER	1488100
IB-LswINF-MIB::ibifPpsUniSuppression.11	.1.3.6.1.4.1.26138.8.35.1.1.1.19.11	INTEGER	1488100
IB-LswINF-MIB::ibifPpsUniSuppression.12	.1.3.6.1.4.1.26138.8.35.1.1.1.19.12	INTEGER	1488100
IB-LswINF-MIB::ibifPpsUniSuppression.13	.1.3.6.1.4.1.26138.8.35.1.1.1.19.13	INTEGER	1488100
IB-LswINF-MIB::ibifPpsUniSuppression.14	.1.3.6.1.4.1.26138.8.35.1.1.1.19.14	INTEGER	1488100
IB-LswINF-MIB::ibifPpsUniSuppression.15	.1.3.6.1.4.1.26138.8.35.1.1.1.19.15	INTEGER	1488100
IB-LswINF-MIB::ibifPpsUniSuppression.16	.1.3.6.1.4.1.26138.8.35.1.1.1.19.16	INTEGER	1488100
IB-LswINF-MIB::ibifPpsUniSuppression.17	.1.3.6.1.4.1.26138.8.35.1.1.1.19.17	INTEGER	1488100
IB-LswINF-MIB::ibifPpsUniSuppression.18	.1.3.6.1.4.1.26138.8.35.1.1.1.19.18	INTEGER	1488100
IB-LswINF-MIB::ibifPpsUniSuppression.19	.1.3.6.1.4.1.26138.8.35.1.1.1.19.19	INTEGER	1488100
IB-LswINF-MIB::ibifPpsUniSuppression.20	.1.3.6.1.4.1.26138.8.35.1.1.1.19.20	INTEGER	1488100
IB-LswINF-MIB::ibifPpsUniSuppression.21	.1.3.6.1.4.1.26138.8.35.1.1.1.19.21	INTEGER	14881000
IB-LswINF-MIB::ibifPpsUniSuppression.22	.1.3.6.1.4.1.26138.8.35.1.1.1.19.22	INTEGER	14881000
IB-LswINF-MIB::ibifPpsUniSuppression.23	.1.3.6.1.4.1.26138.8.35.1.1.1.19.23	INTEGER	1488100
IB-LswINF-MIB::ibifPpsUniSuppression.24	.1.3.6.1.4.1.26138.8.35.1.1.1.19.24	INTEGER	1488100
IB-LswINF-MIB::ibifPpsUniSuppression.25	.1.3.6.1.4.1.26138.8.35.1.1.1.19.25	INTEGER	1488100
IB-LswINF-MIB::ibifPpsUniSuppression.26	.1.3.6.1.4.1.26138.8.35.1.1.1.19.26	INTEGER	1488100

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifPpsUniSuppression.27	.1.3.6.1.4.1.26138.8.35.1.1.1.19.27	INTEGER	1488100
IB-LswINF-MIB::ibifPpsUniSuppression.28	.1.3.6.1.4.1.26138.8.35.1.1.1.19.28	INTEGER	1488100
IB-LswINF-MIB::ibifPpsUniSuppression.29	.1.3.6.1.4.1.26138.8.35.1.1.1.19.29	INTEGER	1488100
IB-LswINF-MIB::ibifPpsUniSuppression.30	.1.3.6.1.4.1.26138.8.35.1.1.1.19.30	INTEGER	1488100
IB-LswINF-MIB::ibifPpsUniSuppression.31	.1.3.6.1.4.1.26138.8.35.1.1.1.19.31	INTEGER	14881000
IB-LswINF-MIB::ibifPpsUniSuppression.32	.1.3.6.1.4.1.26138.8.35.1.1.1.19.32	INTEGER	14881000
IB-LswINF-MIB::ibifMulSuppression.3	.1.3.6.1.4.1.26138.8.35.1.1.1.20.3	INTEGER	100
IB-LswINF-MIB::ibifMulSuppression.4	.1.3.6.1.4.1.26138.8.35.1.1.1.20.4	INTEGER	100
IB-LswINF-MIB::ibifMulSuppression.5	.1.3.6.1.4.1.26138.8.35.1.1.1.20.5	INTEGER	100
IB-LswINF-MIB::ibifMulSuppression.6	.1.3.6.1.4.1.26138.8.35.1.1.1.20.6	INTEGER	100
IB-LswINF-MIB::ibifMulSuppression.7	.1.3.6.1.4.1.26138.8.35.1.1.1.20.7	INTEGER	100
IB-LswINF-MIB::ibifMulSuppression.8	.1.3.6.1.4.1.26138.8.35.1.1.1.20.8	INTEGER	100
IB-LswINF-MIB::ibifMulSuppression.9	.1.3.6.1.4.1.26138.8.35.1.1.1.20.9	INTEGER	100
IB-LswINF-MIB::ibifMulSuppression.10	.1.3.6.1.4.1.26138.8.35.1.1.1.20.10	INTEGER	100
IB-LswINF-MIB::ibifMulSuppression.11	.1.3.6.1.4.1.26138.8.35.1.1.1.20.11	INTEGER	100
IB-LswINF-MIB::ibifMulSuppression.12	.1.3.6.1.4.1.26138.8.35.1.1.1.20.12	INTEGER	100
IB-LswINF-MIB::ibifMulSuppression.13	.1.3.6.1.4.1.26138.8.35.1.1.1.20.13	INTEGER	100
IB-LswINF-MIB::ibifMulSuppression.14	.1.3.6.1.4.1.26138.8.35.1.1.1.20.14	INTEGER	100
IB-LswINF-MIB::ibifMulSuppression.15	.1.3.6.1.4.1.26138.8.35.1.1.1.20.15	INTEGER	100
IB-LswINF-MIB::ibifMulSuppression.16	.1.3.6.1.4.1.26138.8.35.1.1.1.20.16	INTEGER	100
IB-LswINF-MIB::ibifMulSuppression.17	.1.3.6.1.4.1.26138.8.35.1.1.1.20.17	INTEGER	100
IB-LswINF-MIB::ibifMulSuppression.18	.1.3.6.1.4.1.26138.8.35.1.1.1.20.18	INTEGER	100
IB-LswINF-MIB::ibifMulSuppression.19	.1.3.6.1.4.1.26138.8.35.1.1.1.20.19	INTEGER	100
IB-LswINF-MIB::ibifMulSuppression.20	.1.3.6.1.4.1.26138.8.35.1.1.1.20.20	INTEGER	100
IB-LswINF-MIB::ibifMulSuppression.21	.1.3.6.1.4.1.26138.8.35.1.1.1.20.21	INTEGER	100
IB-LswINF-MIB::ibifMulSuppression.22	.1.3.6.1.4.1.26138.8.35.1.1.1.20.22	INTEGER	100

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifMulSuppressio n.23	.1.3.6.1.4.1.26138.8.35.1.1.1.20 .23	INTEGER	100
IB-LswINF-MIB::ibifMulSuppressio n.24	.1.3.6.1.4.1.26138.8.35.1.1.1.20 .24	INTEGER	100
IB-LswINF-MIB::ibifMulSuppressio n.25	.1.3.6.1.4.1.26138.8.35.1.1.1.20 .25	INTEGER	100
IB-LswINF-MIB::ibifMulSuppressio n.26	.1.3.6.1.4.1.26138.8.35.1.1.1.20 .26	INTEGER	100
IB-LswINF-MIB::ibifMulSuppressio n.27	.1.3.6.1.4.1.26138.8.35.1.1.1.20 .27	INTEGER	100
IB-LswINF-MIB::ibifMulSuppressio n.28	.1.3.6.1.4.1.26138.8.35.1.1.1.20 .28	INTEGER	100
IB-LswINF-MIB::ibifMulSuppressio n.29	.1.3.6.1.4.1.26138.8.35.1.1.1.20 .29	INTEGER	100
IB-LswINF-MIB::ibifMulSuppressio n.30	.1.3.6.1.4.1.26138.8.35.1.1.1.20 .30	INTEGER	100
IB-LswINF-MIB::ibifMulSuppressio n.31	.1.3.6.1.4.1.26138.8.35.1.1.1.20 .31	INTEGER	100
IB-LswINF-MIB::ibifMulSuppressio n.32	.1.3.6.1.4.1.26138.8.35.1.1.1.20 .32	INTEGER	100
IB-LswINF-MIB::ibifPpsMulSuppres sion.3	.1.3.6.1.4.1.26138.8.35.1.1.1.21 .3	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMulSuppres sion.4	.1.3.6.1.4.1.26138.8.35.1.1.1.21 .4	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMulSuppres sion.5	.1.3.6.1.4.1.26138.8.35.1.1.1.21 .5	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMulSuppres sion.6	.1.3.6.1.4.1.26138.8.35.1.1.1.21 .6	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMulSuppres sion.7	.1.3.6.1.4.1.26138.8.35.1.1.1.21 .7	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMulSuppres sion.8	.1.3.6.1.4.1.26138.8.35.1.1.1.21 .8	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMulSuppres sion.9	.1.3.6.1.4.1.26138.8.35.1.1.1.21 .9	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMulSuppres sion.10	.1.3.6.1.4.1.26138.8.35.1.1.1.21 .10	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMulSuppres sion.11	.1.3.6.1.4.1.26138.8.35.1.1.1.21 .11	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMulSuppres sion.12	.1.3.6.1.4.1.26138.8.35.1.1.1.21 .12	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMulSuppres sion.13	.1.3.6.1.4.1.26138.8.35.1.1.1.21 .13	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMulSuppres sion.14	.1.3.6.1.4.1.26138.8.35.1.1.1.21 .14	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMulSuppres sion.15	.1.3.6.1.4.1.26138.8.35.1.1.1.21 .15	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMulSuppres sion.16	.1.3.6.1.4.1.26138.8.35.1.1.1.21 .16	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMulSuppres sion.17	.1.3.6.1.4.1.26138.8.35.1.1.1.21 .17	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMulSuppres sion.18	.1.3.6.1.4.1.26138.8.35.1.1.1.21 .18	INTEGER	1488100

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifPpsMulSuppression.19	.1.3.6.1.4.1.26138.8.35.1.1.1.21.19	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMulSuppression.20	.1.3.6.1.4.1.26138.8.35.1.1.1.21.20	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMulSuppression.21	.1.3.6.1.4.1.26138.8.35.1.1.1.21.21	INTEGER	14881000
IB-LswINF-MIB::ibifPpsMulSuppression.22	.1.3.6.1.4.1.26138.8.35.1.1.1.21.22	INTEGER	14881000
IB-LswINF-MIB::ibifPpsMulSuppression.23	.1.3.6.1.4.1.26138.8.35.1.1.1.21.23	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMulSuppression.24	.1.3.6.1.4.1.26138.8.35.1.1.1.21.24	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMulSuppression.25	.1.3.6.1.4.1.26138.8.35.1.1.1.21.25	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMulSuppression.26	.1.3.6.1.4.1.26138.8.35.1.1.1.21.26	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMulSuppression.27	.1.3.6.1.4.1.26138.8.35.1.1.1.21.27	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMulSuppression.28	.1.3.6.1.4.1.26138.8.35.1.1.1.21.28	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMulSuppression.29	.1.3.6.1.4.1.26138.8.35.1.1.1.21.29	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMulSuppression.30	.1.3.6.1.4.1.26138.8.35.1.1.1.21.30	INTEGER	1488100
IB-LswINF-MIB::ibifPpsMulSuppression.31	.1.3.6.1.4.1.26138.8.35.1.1.1.21.31	INTEGER	14881000
IB-LswINF-MIB::ibifPpsMulSuppression.32	.1.3.6.1.4.1.26138.8.35.1.1.1.21.32	INTEGER	14881000
IB-LswINF-MIB::ibifMulSuppressionFlag.3	.1.3.6.1.4.1.26138.8.35.1.1.1.41.3	INTEGER	unknown(2)
IB-LswINF-MIB::ibifMulSuppressionFlag.4	.1.3.6.1.4.1.26138.8.35.1.1.1.41.4	INTEGER	unknown(2)
IB-LswINF-MIB::ibifMulSuppressionFlag.5	.1.3.6.1.4.1.26138.8.35.1.1.1.41.5	INTEGER	unknown(2)
IB-LswINF-MIB::ibifMulSuppressionFlag.6	.1.3.6.1.4.1.26138.8.35.1.1.1.41.6	INTEGER	unknown(2)
IB-LswINF-MIB::ibifMulSuppressionFlag.7	.1.3.6.1.4.1.26138.8.35.1.1.1.41.7	INTEGER	unknown(2)
IB-LswINF-MIB::ibifMulSuppressionFlag.8	.1.3.6.1.4.1.26138.8.35.1.1.1.41.8	INTEGER	unknown(2)
IB-LswINF-MIB::ibifMulSuppressionFlag.9	.1.3.6.1.4.1.26138.8.35.1.1.1.41.9	INTEGER	unknown(2)
IB-LswINF-MIB::ibifMulSuppressionFlag.10	.1.3.6.1.4.1.26138.8.35.1.1.1.41.10	INTEGER	unknown(2)
IB-LswINF-MIB::ibifMulSuppressionFlag.11	.1.3.6.1.4.1.26138.8.35.1.1.1.41.11	INTEGER	unknown(2)
IB-LswINF-MIB::ibifMulSuppressionFlag.12	.1.3.6.1.4.1.26138.8.35.1.1.1.41.12	INTEGER	unknown(2)
IB-LswINF-MIB::ibifMulSuppressionFlag.13	.1.3.6.1.4.1.26138.8.35.1.1.1.41.13	INTEGER	unknown(2)
IB-LswINF-MIB::ibifMulSuppressionFlag.14	.1.3.6.1.4.1.26138.8.35.1.1.1.41.14	INTEGER	unknown(2)

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifMulSuppressionFlag.15	.1.3.6.1.4.1.26138.8.35.1.1.1.41.15	INTEGER	unknown(2)
IB-LswINF-MIB::ibifMulSuppressionFlag.16	.1.3.6.1.4.1.26138.8.35.1.1.1.41.16	INTEGER	unknown(2)
IB-LswINF-MIB::ibifMulSuppressionFlag.17	.1.3.6.1.4.1.26138.8.35.1.1.1.41.17	INTEGER	unknown(2)
IB-LswINF-MIB::ibifMulSuppressionFlag.18	.1.3.6.1.4.1.26138.8.35.1.1.1.41.18	INTEGER	unknown(2)
IB-LswINF-MIB::ibifMulSuppressionFlag.19	.1.3.6.1.4.1.26138.8.35.1.1.1.41.19	INTEGER	unknown(2)
IB-LswINF-MIB::ibifMulSuppressionFlag.20	.1.3.6.1.4.1.26138.8.35.1.1.1.41.20	INTEGER	unknown(2)
IB-LswINF-MIB::ibifMulSuppressionFlag.21	.1.3.6.1.4.1.26138.8.35.1.1.1.41.21	INTEGER	unknown(2)
IB-LswINF-MIB::ibifMulSuppressionFlag.22	.1.3.6.1.4.1.26138.8.35.1.1.1.41.22	INTEGER	unknown(2)
IB-LswINF-MIB::ibifMulSuppressionFlag.23	.1.3.6.1.4.1.26138.8.35.1.1.1.41.23	INTEGER	unknown(2)
IB-LswINF-MIB::ibifMulSuppressionFlag.24	.1.3.6.1.4.1.26138.8.35.1.1.1.41.24	INTEGER	unknown(2)
IB-LswINF-MIB::ibifMulSuppressionFlag.25	.1.3.6.1.4.1.26138.8.35.1.1.1.41.25	INTEGER	unknown(2)
IB-LswINF-MIB::ibifMulSuppressionFlag.26	.1.3.6.1.4.1.26138.8.35.1.1.1.41.26	INTEGER	unknown(2)
IB-LswINF-MIB::ibifMulSuppressionFlag.27	.1.3.6.1.4.1.26138.8.35.1.1.1.41.27	INTEGER	unknown(2)
IB-LswINF-MIB::ibifMulSuppressionFlag.28	.1.3.6.1.4.1.26138.8.35.1.1.1.41.28	INTEGER	unknown(2)
IB-LswINF-MIB::ibifMulSuppressionFlag.29	.1.3.6.1.4.1.26138.8.35.1.1.1.41.29	INTEGER	unknown(2)
IB-LswINF-MIB::ibifMulSuppressionFlag.30	.1.3.6.1.4.1.26138.8.35.1.1.1.41.30	INTEGER	unknown(2)
IB-LswINF-MIB::ibifMulSuppressionFlag.31	.1.3.6.1.4.1.26138.8.35.1.1.1.41.31	INTEGER	unknown(2)
IB-LswINF-MIB::ibifMulSuppressionFlag.32	.1.3.6.1.4.1.26138.8.35.1.1.1.41.32	INTEGER	unknown(2)
IB-LswVLAN-MIB::ibdot1qVlanIndex.1	.1.3.6.1.4.1.26138.8.35.2.1.1.1.1.1	INTEGER	1
IB-LswVLAN-MIB::ibdot1qVlanName.1	.1.3.6.1.4.1.26138.8.35.2.1.1.1.2.1	STRING	VLAN 0001
IB-LswVLAN-MIB::ibdot1qVlanPorts.1	.1.3.6.1.4.1.26138.8.35.2.1.1.1.3.1	Hex-STRING	FC FF FF FF 00 00 00 00 00 00 00 00 00 00 00 00
IB-LswVLAN-MIB::ibdot1qVlanType.1	.1.3.6.1.4.1.26138.8.35.2.1.1.1.4.1	INTEGER	common-vlan(2)
IB-LswVLAN-MIB::ibdot1qVlanMacFilter.1	.1.3.6.1.4.1.26138.8.35.2.1.1.1.5.1	INTEGER	false(2)
IB-LswVLAN-MIB::ibdot1qVlanMcastUnknownProtos.1	.1.3.6.1.4.1.26138.8.35.2.1.1.1.6.1	INTEGER	false(2)
IB-LswVLAN-MIB::ibExistInterface.1	.1.3.6.1.4.1.26138.8.35.2.1.1.1.7.1	INTEGER	true(1)
IB-LswVLAN-MIB::ibVlanInterfaceIndex.1	.1.3.6.1.4.1.26138.8.35.2.1.1.1.8.1	INTEGER	1

Name	OID	Value Type	Value Example
IB-LswVLAN-MIB::ibdot1qVlanMacLearn.1	.1.3.6.1.4.1.26138.8.35.2.1.1.1.9.1	INTEGER	false(2)
IB-LswVLAN-MIB::ibdot1qVlanStatus.1	.1.3.6.1.4.1.26138.8.35.2.1.1.1.10.1	INTEGER	static(2)
IB-LswVLAN-MIB::ibdot1qVlanCreationTime.1	.1.3.6.1.4.1.26138.8.35.2.1.1.1.11.1	Timeticks	(237) 0:00:02.37
IB-LswVLAN-MIB::ibdot1qVlanPriority.1	.1.3.6.1.4.1.26138.8.35.2.1.1.1.12.1	INTEGER	0
IB-LswVLAN-MIB::ibdot1qVlanRowStatus.1	.1.3.6.1.4.1.26138.8.35.2.1.1.1.13.1	INTEGER	active(1)
IB-LswVLAN-MIB::ibdot1qVlanBroadcastSuppression.1	.1.3.6.1.4.1.26138.8.35.2.1.1.1.14.1	INTEGER	100
IB-LswVLAN-MIB::ibdot1qVlanTaggedPorts.1	.1.3.6.1.4.1.26138.8.35.2.1.1.1.17.1	Hex-STRING	00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
IB-LswVLAN-MIB::ibdot1qVlanUntaggedPorts.1	.1.3.6.1.4.1.26138.8.35.2.1.1.1.18.1	Hex-STRING	FC FF FF FF 00 00 00 00 00 00 00 00 00 00 00 00
IB-LswVLAN-MIB::ibdot1qVlanPortIndexs.1	.1.3.6.1.4.1.26138.8.35.2.1.1.1.19.1	STRING	"3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,23,24,25,26,27,28,29,30,21,22,31,32,"
IB-LswVLAN-MIB::ibVlanInterfaceID.1	.1.3.6.1.4.1.26138.8.35.2.1.2.1.1.1	INTEGER	1
IB-LswVLAN-MIB::ibdot1qVlanID.1	.1.3.6.1.4.1.26138.8.35.2.1.2.1.2.1	INTEGER	1
IB-LswVLAN-MIB::ibdot1qVlanIpAddress.1	.1.3.6.1.4.1.26138.8.35.2.1.2.1.3.1	IpAddress	10.100.73.249
IB-LswVLAN-MIB::ibdot1qVlanIpAddressMask.1	.1.3.6.1.4.1.26138.8.35.2.1.2.1.4.1	IpAddress	255.255.255.0
IB-LswVLAN-MIB::ibVlanInterfaceAdminStatus.1	.1.3.6.1.4.1.26138.8.35.2.1.2.1.5.1	INTEGER	up(1)
IB-LswVLAN-MIB::ibVlanInterfaceFrameType.1	.1.3.6.1.4.1.26138.8.35.2.1.2.1.6.1	INTEGER	ethernet-ii(1)
IB-LswVLAN-MIB::ibInterfaceRowStatus.1	.1.3.6.1.4.1.26138.8.35.2.1.2.1.7.1	INTEGER	active(1)
IB-LswVLAN-MIB::ibVlanInterfaceIpMethod.1	.1.3.6.1.4.1.26138.8.35.2.1.2.1.8.1	INTEGER	dhcp-ip(2)
IB-LswVLAN-MIB::ibVlanInterfaceIfIndex.1	.1.3.6.1.4.1.26138.8.35.2.1.2.1.9.1	INTEGER	65539
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'.....'	.1.3.6.1.4.1.26138.8.35.2.1.2.1.9.1	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'.....'	.1.3.6.1.4.1.26138.8.35.2.1.2.1.9.1	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'...f.('	.1.3.6.1.4.1.26138.8.35.2.1.2.1.9.1	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'..w..s'	.1.3.6.1.4.1.26138.8.35.2.1.2.1.9.1	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'..w...'	.1.3.6.1.4.1.26138.8.35.2.1.2.1.9.1	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'..wA..'	.1.3.6.1.4.1.26138.8.35.2.1.2.1.9.1	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'..wA.Q'	.1.3.6.1.4.1.26138.8.35.2.1.2.1.9.1	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'..wA.Y'	.1.3.6.1.4.1.26138.8.35.2.1.2.1.9.1	INTEGER	9

Name	OID	Value Type	Value Example
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'..wG.,'	.1.3.6.1.4.1.26138.8.35.2.1.2.1.9.1	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'..wG..'	.1.3.6.1.4.1.26138.8.35.2.1.2.1.9.1	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'..w...'	.1.3.6.1.4.1.26138.8.35.2.1.2.1.9.1	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'..w..k'	.1.3.6.1.4.1.26138.8.35.2.1.2.1.9.1	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'..w...'	.1.3.6.1.4.1.26138.8.35.2.1.2.1.9.1	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'..w..s'	.1.3.6.1.4.1.26138.8.35.2.1.2.1.9.1	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'..w.y.'	.1.3.6.1.4.1.26138.8.35.2.1.2.1.9.1	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'..w...'	.1.3.6.1.4.1.26138.8.35.2.1.2.1.9.1	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'..w..}'	.1.3.6.1.4.1.26138.8.35.2.1.2.1.9.1	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'..w..{'	.1.3.6.1.4.1.26138.8.35.2.1.2.1.9.1	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'..w...'	.1.3.6.1.4.1.26138.8.35.2.1.2.1.9.1	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'..w...'	.1.3.6.1.4.1.26138.8.35.2.1.2.1.9.1	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'..w.AI'	.1.3.6.1.4.1.26138.8.35.2.1.2.1.9.1	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'..w...'	.1.3.6.1.4.1.26138.8.35.2.1.2.1.9.1	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'..--b.'	.1.3.6.1.4.1.26138.8.35.2.1.2.1.9.1	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'(.$...'	.1.3.6.1.4.1.26138.8.35.2.1.2.1.9.1	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'0..0..'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'T....f'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'l...c;'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'|z<5..'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'|z<S..'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'|z<S.O'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'|z<T..'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'|z<T..'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'|z<U..'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1'|z<b.['	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	9

Name	OID	Value Type	Value Example
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1.'|z<..P'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1.'|z<...'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1.'|.x...'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1.'.....'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1.'.../..'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1.'.....'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1.'.....+'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1.'.....'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1.'.$...?'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1.'.$.ty.'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1.'.$....'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1.'.$....'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1.'....X.'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1.'.x.$..'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1.'.x.%.]'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1.'.x....'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1.'.x..{.'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1.'..u..f'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetPort.1.'..u...'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	9
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1.'.....'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1.'.....'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1.'...f.('	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1.'..w..s'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1.'..w...'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1.'..wA..'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1.'..wA.Q'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	learned(3)

Name	OID	Value Type	Value Example
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1'..wA.Y'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1'..wG.,'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1'..wG..'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1'..w...'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1'..w..k'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1'..w...'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1'..w..s'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1'..w.y.'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1'..w...'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1'..w..}'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1'..w..{'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1'..w...'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1'..w...'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1'..w.AI'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1'..w...'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1'..--b.'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1'(.$...'	.1.3.6.1.4.1.26138.8.35.3.2.1.2.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1'0..0..'	.1.3.6.1.4.1.26138.8.35.3.2.1.3.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1'T....f'	.1.3.6.1.4.1.26138.8.35.3.2.1.3.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1'l...c;'	.1.3.6.1.4.1.26138.8.35.3.2.1.3.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1'|z<5..'	.1.3.6.1.4.1.26138.8.35.3.2.1.3.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1'|z<S..'	.1.3.6.1.4.1.26138.8.35.3.2.1.3.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1'|z<S.O'	.1.3.6.1.4.1.26138.8.35.3.2.1.3.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1'|z<T..'	.1.3.6.1.4.1.26138.8.35.3.2.1.3.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1'|z<T..'	.1.3.6.1.4.1.26138.8.35.3.2.1.3.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1'|z<U..'	.1.3.6.1.4.1.26138.8.35.3.2.1.3.1.0.0.0.0.0	INTEGER	learned(3)

Name	OID	Value Type	Value Example
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1.'|z<b.['	.1.3.6.1.4.1.26138.8.35.3.2.1.3.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1.'|z<..P'	.1.3.6.1.4.1.26138.8.35.3.2.1.3.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1.'|z<...'	.1.3.6.1.4.1.26138.8.35.3.2.1.3.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1.'|.x...'	.1.3.6.1.4.1.26138.8.35.3.2.1.3.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1.'.....'	.1.3.6.1.4.1.26138.8.35.3.2.1.3.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1.'.../..'	.1.3.6.1.4.1.26138.8.35.3.2.1.3.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1.'.....'	.1.3.6.1.4.1.26138.8.35.3.2.1.3.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1.'.....+'	.1.3.6.1.4.1.26138.8.35.3.2.1.3.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1.'.....'	.1.3.6.1.4.1.26138.8.35.3.2.1.3.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1.'.$...?'	.1.3.6.1.4.1.26138.8.35.3.2.1.3.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1.'.$.ty.'	.1.3.6.1.4.1.26138.8.35.3.2.1.3.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1.'.$....'	.1.3.6.1.4.1.26138.8.35.3.2.1.3.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1.'.$....'	.1.3.6.1.4.1.26138.8.35.3.2.1.3.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1.'....X.'	.1.3.6.1.4.1.26138.8.35.3.2.1.3.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1.'.x.$..'	.1.3.6.1.4.1.26138.8.35.3.2.1.3.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1.'.x.%.]'	.1.3.6.1.4.1.26138.8.35.3.2.1.3.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1.'.x....'	.1.3.6.1.4.1.26138.8.35.3.2.1.3.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1.'.x..{.'	.1.3.6.1.4.1.26138.8.35.3.2.1.3.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1.'..u..f'	.1.3.6.1.4.1.26138.8.35.3.2.1.3.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswMAM-MIB::ibdot1qTpFdbSetStatus.1.'..u...'	.1.3.6.1.4.1.26138.8.35.3.2.1.3.1.0.0.0.0.0	INTEGER	learned(3)
IB-LswINF-MIB::ibSlotPortMax.0	.1.3.6.1.4.1.26138.8.35.5.1.1.0	INTEGER	50
IB-LswINF-MIB::ibSwitchPortMax.0	.1.3.6.1.4.1.26138.8.35.5.1.2.0	INTEGER	56
IB-LswINF-MIB::ibifEthernetDuplex.3	.1.3.6.1.4.1.26138.8.35.5.1.4.1.3.3	INTEGER	auto(3)
IB-LswINF-MIB::ibifEthernetDuplex.4	.1.3.6.1.4.1.26138.8.35.5.1.4.1.3.4	INTEGER	auto(3)
IB-LswINF-MIB::ibifEthernetDuplex.5	.1.3.6.1.4.1.26138.8.35.5.1.4.1.3.5	INTEGER	auto(3)
IB-LswINF-MIB::ibifEthernetDuplex.6	.1.3.6.1.4.1.26138.8.35.5.1.4.1.3.6	INTEGER	auto(3)
IB-LswINF-MIB::ibifEthernetDuplex.7	.1.3.6.1.4.1.26138.8.35.5.1.4.1.3.7	INTEGER	auto(3)

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifEthernetDuplex.8	.1.3.6.1.4.1.26138.8.35.5.1.4.1.3.8	INTEGER	auto(3)
IB-LswINF-MIB::ibifEthernetDuplex.9	.1.3.6.1.4.1.26138.8.35.5.1.4.1.3.9	INTEGER	auto(3)
IB-LswINF-MIB::ibifEthernetDuplex.10	.1.3.6.1.4.1.26138.8.35.5.1.4.1.3.10	INTEGER	auto(3)
IB-LswINF-MIB::ibifEthernetDuplex.11	.1.3.6.1.4.1.26138.8.35.5.1.4.1.3.11	INTEGER	auto(3)
IB-LswINF-MIB::ibifEthernetDuplex.12	.1.3.6.1.4.1.26138.8.35.5.1.4.1.3.12	INTEGER	auto(3)
IB-LswINF-MIB::ibifEthernetDuplex.13	.1.3.6.1.4.1.26138.8.35.5.1.4.1.3.13	INTEGER	auto(3)
IB-LswINF-MIB::ibifEthernetDuplex.14	.1.3.6.1.4.1.26138.8.35.5.1.4.1.3.14	INTEGER	auto(3)
IB-LswINF-MIB::ibifEthernetDuplex.15	.1.3.6.1.4.1.26138.8.35.5.1.4.1.3.15	INTEGER	auto(3)
IB-LswINF-MIB::ibifEthernetDuplex.16	.1.3.6.1.4.1.26138.8.35.5.1.4.1.3.16	INTEGER	auto(3)
IB-LswINF-MIB::ibifEthernetDuplex.17	.1.3.6.1.4.1.26138.8.35.5.1.4.1.3.17	INTEGER	auto(3)
IB-LswINF-MIB::ibifEthernetDuplex.18	.1.3.6.1.4.1.26138.8.35.5.1.4.1.3.18	INTEGER	auto(3)
IB-LswINF-MIB::ibifEthernetDuplex.19	.1.3.6.1.4.1.26138.8.35.5.1.4.1.3.19	INTEGER	auto(3)
IB-LswINF-MIB::ibifEthernetDuplex.20	.1.3.6.1.4.1.26138.8.35.5.1.4.1.3.20	INTEGER	auto(3)
IB-LswINF-MIB::ibifEthernetDuplex.21	.1.3.6.1.4.1.26138.8.35.5.1.4.1.3.21	INTEGER	auto(3)
IB-LswINF-MIB::ibifEthernetDuplex.22	.1.3.6.1.4.1.26138.8.35.5.1.4.1.3.22	INTEGER	auto(3)
IB-LswINF-MIB::ibifEthernetDuplex.23	.1.3.6.1.4.1.26138.8.35.5.1.4.1.3.23	INTEGER	auto(3)
IB-LswINF-MIB::ibifEthernetDuplex.24	.1.3.6.1.4.1.26138.8.35.5.1.4.1.3.24	INTEGER	auto(3)
IB-LswINF-MIB::ibifEthernetDuplex.25	.1.3.6.1.4.1.26138.8.35.5.1.4.1.3.25	INTEGER	auto(3)
IB-LswINF-MIB::ibifEthernetDuplex.26	.1.3.6.1.4.1.26138.8.35.5.1.4.1.3.26	INTEGER	auto(3)
IB-LswINF-MIB::ibifEthernetDuplex.27	.1.3.6.1.4.1.26138.8.35.5.1.4.1.3.27	INTEGER	auto(3)
IB-LswINF-MIB::ibifEthernetDuplex.28	.1.3.6.1.4.1.26138.8.35.5.1.4.1.3.28	INTEGER	auto(3)
IB-LswINF-MIB::ibifEthernetDuplex.29	.1.3.6.1.4.1.26138.8.35.5.1.4.1.3.29	INTEGER	auto(3)
IB-LswINF-MIB::ibifEthernetDuplex.30	.1.3.6.1.4.1.26138.8.35.5.1.4.1.3.30	INTEGER	auto(3)
IB-LswINF-MIB::ibifEthernetDuplex.31	.1.3.6.1.4.1.26138.8.35.5.1.4.1.3.31	INTEGER	auto(3)
IB-LswINF-MIB::ibifEthernetDuplex.32	.1.3.6.1.4.1.26138.8.35.5.1.4.1.3.32	INTEGER	auto(3)
IB-LswINF-MIB::ibifEthernetMTU.3	.1.3.6.1.4.1.26138.8.35.5.1.4.1.4.3	INTEGER	4000

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifEthernetMTU.4	.1.3.6.1.4.1.26138.8.35.5.1.4.1.4.4	INTEGER	4000
IB-LswINF-MIB::ibifEthernetMTU.5	.1.3.6.1.4.1.26138.8.35.5.1.4.1.4.5	INTEGER	4000
IB-LswINF-MIB::ibifEthernetMTU.6	.1.3.6.1.4.1.26138.8.35.5.1.4.1.4.6	INTEGER	4000
IB-LswINF-MIB::ibifEthernetMTU.7	.1.3.6.1.4.1.26138.8.35.5.1.4.1.4.7	INTEGER	4000
IB-LswINF-MIB::ibifEthernetMTU.8	.1.3.6.1.4.1.26138.8.35.5.1.4.1.4.8	INTEGER	4000
IB-LswINF-MIB::ibifEthernetMTU.9	.1.3.6.1.4.1.26138.8.35.5.1.4.1.4.9	INTEGER	4000
IB-LswINF-MIB::ibifEthernetMTU.10	.1.3.6.1.4.1.26138.8.35.5.1.4.1.4.10	INTEGER	4000
IB-LswINF-MIB::ibifEthernetMTU.11	.1.3.6.1.4.1.26138.8.35.5.1.4.1.4.11	INTEGER	4000
IB-LswINF-MIB::ibifEthernetMTU.12	.1.3.6.1.4.1.26138.8.35.5.1.4.1.4.12	INTEGER	4000
IB-LswINF-MIB::ibifEthernetMTU.13	.1.3.6.1.4.1.26138.8.35.5.1.4.1.4.13	INTEGER	4000
IB-LswINF-MIB::ibifEthernetMTU.14	.1.3.6.1.4.1.26138.8.35.5.1.4.1.4.14	INTEGER	4000
IB-LswINF-MIB::ibifEthernetMTU.15	.1.3.6.1.4.1.26138.8.35.5.1.4.1.4.15	INTEGER	4000
IB-LswINF-MIB::ibifEthernetMTU.16	.1.3.6.1.4.1.26138.8.35.5.1.4.1.4.16	INTEGER	4000
IB-LswINF-MIB::ibifEthernetMTU.17	.1.3.6.1.4.1.26138.8.35.5.1.4.1.4.17	INTEGER	4000
IB-LswINF-MIB::ibifEthernetMTU.18	.1.3.6.1.4.1.26138.8.35.5.1.4.1.4.18	INTEGER	4000
IB-LswINF-MIB::ibifEthernetMTU.19	.1.3.6.1.4.1.26138.8.35.5.1.4.1.4.19	INTEGER	4000
IB-LswINF-MIB::ibifEthernetMTU.20	.1.3.6.1.4.1.26138.8.35.5.1.4.1.4.20	INTEGER	4000
IB-LswINF-MIB::ibifEthernetMTU.21	.1.3.6.1.4.1.26138.8.35.5.1.4.1.4.21	INTEGER	4000
IB-LswINF-MIB::ibifEthernetMTU.22	.1.3.6.1.4.1.26138.8.35.5.1.4.1.4.22	INTEGER	4000
IB-LswINF-MIB::ibifEthernetMTU.23	.1.3.6.1.4.1.26138.8.35.5.1.4.1.4.23	INTEGER	4000
IB-LswINF-MIB::ibifEthernetMTU.24	.1.3.6.1.4.1.26138.8.35.5.1.4.1.4.24	INTEGER	4000
IB-LswINF-MIB::ibifEthernetMTU.25	.1.3.6.1.4.1.26138.8.35.5.1.4.1.4.25	INTEGER	4000
IB-LswINF-MIB::ibifEthernetMTU.26	.1.3.6.1.4.1.26138.8.35.5.1.4.1.4.26	INTEGER	4000
IB-LswINF-MIB::ibifEthernetMTU.27	.1.3.6.1.4.1.26138.8.35.5.1.4.1.4.27	INTEGER	4000
IB-LswINF-MIB::ibifEthernetMTU.28	.1.3.6.1.4.1.26138.8.35.5.1.4.1.4.28	INTEGER	4000
IB-LswINF-MIB::ibifEthernetMTU.29	.1.3.6.1.4.1.26138.8.35.5.1.4.1.4.29	INTEGER	4000

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifEthernetMTU.30	.1.3.6.1.4.1.26138.8.35.5.1.4.1.4.30	INTEGER	4000
IB-LswINF-MIB::ibifEthernetMTU.31	.1.3.6.1.4.1.26138.8.35.5.1.4.1.4.31	INTEGER	4000
IB-LswINF-MIB::ibifEthernetMTU.32	.1.3.6.1.4.1.26138.8.35.5.1.4.1.4.32	INTEGER	4000
IB-LswINF-MIB::ibifEthernetSpeed.3	.1.3.6.1.4.1.26138.8.35.5.1.4.1.5.3	INTEGER	auto(0)
IB-LswINF-MIB::ibifEthernetSpeed.4	.1.3.6.1.4.1.26138.8.35.5.1.4.1.5.4	INTEGER	auto(0)
IB-LswINF-MIB::ibifEthernetSpeed.5	.1.3.6.1.4.1.26138.8.35.5.1.4.1.5.5	INTEGER	auto(0)
IB-LswINF-MIB::ibifEthernetSpeed.6	.1.3.6.1.4.1.26138.8.35.5.1.4.1.5.6	INTEGER	auto(0)
IB-LswINF-MIB::ibifEthernetSpeed.7	.1.3.6.1.4.1.26138.8.35.5.1.4.1.5.7	INTEGER	auto(0)
IB-LswINF-MIB::ibifEthernetSpeed.8	.1.3.6.1.4.1.26138.8.35.5.1.4.1.5.8	INTEGER	auto(0)
IB-LswINF-MIB::ibifEthernetSpeed.9	.1.3.6.1.4.1.26138.8.35.5.1.4.1.5.9	INTEGER	auto(0)
IB-LswINF-MIB::ibifEthernetSpeed.10	.1.3.6.1.4.1.26138.8.35.5.1.4.1.5.10	INTEGER	auto(0)
IB-LswINF-MIB::ibifEthernetSpeed.11	.1.3.6.1.4.1.26138.8.35.5.1.4.1.5.11	INTEGER	auto(0)
IB-LswINF-MIB::ibifEthernetSpeed.12	.1.3.6.1.4.1.26138.8.35.5.1.4.1.5.12	INTEGER	auto(0)
IB-LswINF-MIB::ibifEthernetSpeed.13	.1.3.6.1.4.1.26138.8.35.5.1.4.1.5.13	INTEGER	auto(0)
IB-LswINF-MIB::ibifEthernetSpeed.14	.1.3.6.1.4.1.26138.8.35.5.1.4.1.5.14	INTEGER	auto(0)
IB-LswINF-MIB::ibifEthernetSpeed.15	.1.3.6.1.4.1.26138.8.35.5.1.4.1.5.15	INTEGER	auto(0)
IB-LswINF-MIB::ibifEthernetSpeed.16	.1.3.6.1.4.1.26138.8.35.5.1.4.1.5.16	INTEGER	auto(0)
IB-LswINF-MIB::ibifEthernetSpeed.17	.1.3.6.1.4.1.26138.8.35.5.1.4.1.5.17	INTEGER	auto(0)
IB-LswINF-MIB::ibifEthernetSpeed.18	.1.3.6.1.4.1.26138.8.35.5.1.4.1.5.18	INTEGER	auto(0)
IB-LswINF-MIB::ibifEthernetSpeed.19	.1.3.6.1.4.1.26138.8.35.5.1.4.1.5.19	INTEGER	auto(0)
IB-LswINF-MIB::ibifEthernetSpeed.20	.1.3.6.1.4.1.26138.8.35.5.1.4.1.5.20	INTEGER	auto(0)
IB-LswINF-MIB::ibifEthernetSpeed.21	.1.3.6.1.4.1.26138.8.35.5.1.4.1.5.21	INTEGER	auto(0)
IB-LswINF-MIB::ibifEthernetSpeed.22	.1.3.6.1.4.1.26138.8.35.5.1.4.1.5.22	INTEGER	auto(0)
IB-LswINF-MIB::ibifEthernetSpeed.23	.1.3.6.1.4.1.26138.8.35.5.1.4.1.5.23	INTEGER	auto(0)
IB-LswINF-MIB::ibifEthernetSpeed.24	.1.3.6.1.4.1.26138.8.35.5.1.4.1.5.24	INTEGER	auto(0)
IB-LswINF-MIB::ibifEthernetSpeed.25	.1.3.6.1.4.1.26138.8.35.5.1.4.1.5.25	INTEGER	auto(0)

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifEthernetSpeed.26	.1.3.6.1.4.1.26138.8.35.5.1.4.1.5.26	INTEGER	auto(0)
IB-LswINF-MIB::ibifEthernetSpeed.27	.1.3.6.1.4.1.26138.8.35.5.1.4.1.5.27	INTEGER	auto(0)
IB-LswINF-MIB::ibifEthernetSpeed.28	.1.3.6.1.4.1.26138.8.35.5.1.4.1.5.28	INTEGER	auto(0)
IB-LswINF-MIB::ibifEthernetSpeed.29	.1.3.6.1.4.1.26138.8.35.5.1.4.1.5.29	INTEGER	auto(0)
IB-LswINF-MIB::ibifEthernetSpeed.30	.1.3.6.1.4.1.26138.8.35.5.1.4.1.5.30	INTEGER	auto(0)
IB-LswINF-MIB::ibifEthernetSpeed.31	.1.3.6.1.4.1.26138.8.35.5.1.4.1.5.31	INTEGER	auto(0)
IB-LswINF-MIB::ibifEthernetSpeed.32	.1.3.6.1.4.1.26138.8.35.5.1.4.1.5.32	INTEGER	auto(0)
IB-LswINF-MIB::ibifEthernetMdi.3	.1.3.6.1.4.1.26138.8.35.5.1.4.1.7.3	INTEGER	mdi-ii(1)
IB-LswINF-MIB::ibifEthernetMdi.4	.1.3.6.1.4.1.26138.8.35.5.1.4.1.7.4	INTEGER	mdi-ii(1)
IB-LswINF-MIB::ibifEthernetMdi.5	.1.3.6.1.4.1.26138.8.35.5.1.4.1.7.5	INTEGER	mdi-ii(1)
IB-LswINF-MIB::ibifEthernetMdi.6	.1.3.6.1.4.1.26138.8.35.5.1.4.1.7.6	INTEGER	mdi-ii(1)
IB-LswINF-MIB::ibifEthernetMdi.7	.1.3.6.1.4.1.26138.8.35.5.1.4.1.7.7	INTEGER	mdi-ii(1)
IB-LswINF-MIB::ibifEthernetMdi.8	.1.3.6.1.4.1.26138.8.35.5.1.4.1.7.8	INTEGER	mdi-ii(1)
IB-LswINF-MIB::ibifEthernetMdi.9	.1.3.6.1.4.1.26138.8.35.5.1.4.1.7.9	INTEGER	mdi-ii(1)
IB-LswINF-MIB::ibifEthernetMdi.10	.1.3.6.1.4.1.26138.8.35.5.1.4.1.7.10	INTEGER	mdi-ii(1)
IB-LswINF-MIB::ibifEthernetMdi.11	.1.3.6.1.4.1.26138.8.35.5.1.4.1.7.11	INTEGER	mdi-ii(1)
IB-LswINF-MIB::ibifEthernetMdi.12	.1.3.6.1.4.1.26138.8.35.5.1.4.1.7.12	INTEGER	mdi-ii(1)
IB-LswINF-MIB::ibifEthernetMdi.13	.1.3.6.1.4.1.26138.8.35.5.1.4.1.7.13	INTEGER	mdi-ii(1)
IB-LswINF-MIB::ibifEthernetMdi.14	.1.3.6.1.4.1.26138.8.35.5.1.4.1.7.14	INTEGER	mdi-ii(1)
IB-LswINF-MIB::ibifEthernetMdi.15	.1.3.6.1.4.1.26138.8.35.5.1.4.1.7.15	INTEGER	mdi-ii(1)
IB-LswINF-MIB::ibifEthernetMdi.16	.1.3.6.1.4.1.26138.8.35.5.1.4.1.7.16	INTEGER	mdi-ii(1)
IB-LswINF-MIB::ibifEthernetMdi.17	.1.3.6.1.4.1.26138.8.35.5.1.4.1.7.17	INTEGER	mdi-ii(1)
IB-LswINF-MIB::ibifEthernetMdi.18	.1.3.6.1.4.1.26138.8.35.5.1.4.1.7.18	INTEGER	mdi-ii(1)
IB-LswINF-MIB::ibifEthernetMdi.19	.1.3.6.1.4.1.26138.8.35.5.1.4.1.7.19	INTEGER	mdi-ii(1)
IB-LswINF-MIB::ibifEthernetMdi.20	.1.3.6.1.4.1.26138.8.35.5.1.4.1.7.20	INTEGER	mdi-ii(1)
IB-LswINF-MIB::ibifEthernetMdi.21	.1.3.6.1.4.1.26138.8.35.5.1.4.1.7.21	INTEGER	mdi-ii(1)

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifEthernetMdi.22	.1.3.6.1.4.1.26138.8.35.5.1.4.1.7.22	INTEGER	mdi-ii(1)
IB-LswINF-MIB::ibifEthernetMdi.23	.1.3.6.1.4.1.26138.8.35.5.1.4.1.7.23	INTEGER	mdi-ii(1)
IB-LswINF-MIB::ibifEthernetMdi.24	.1.3.6.1.4.1.26138.8.35.5.1.4.1.7.24	INTEGER	mdi-ii(1)
IB-LswINF-MIB::ibifEthernetMdi.25	.1.3.6.1.4.1.26138.8.35.5.1.4.1.7.25	INTEGER	mdi-ii(1)
IB-LswINF-MIB::ibifEthernetMdi.26	.1.3.6.1.4.1.26138.8.35.5.1.4.1.7.26	INTEGER	mdi-ii(1)
IB-LswINF-MIB::ibifEthernetMdi.27	.1.3.6.1.4.1.26138.8.35.5.1.4.1.7.27	INTEGER	mdi-ii(1)
IB-LswINF-MIB::ibifEthernetMdi.28	.1.3.6.1.4.1.26138.8.35.5.1.4.1.7.28	INTEGER	mdi-ii(1)
IB-LswINF-MIB::ibifEthernetMdi.29	.1.3.6.1.4.1.26138.8.35.5.1.4.1.7.29	INTEGER	mdi-ii(1)
IB-LswINF-MIB::ibifEthernetMdi.30	.1.3.6.1.4.1.26138.8.35.5.1.4.1.7.30	INTEGER	mdi-ii(1)
IB-LswINF-MIB::ibifEthernetMdi.31	.1.3.6.1.4.1.26138.8.35.5.1.4.1.7.31	INTEGER	mdi-ii(1)
IB-LswINF-MIB::ibifEthernetMdi.32	.1.3.6.1.4.1.26138.8.35.5.1.4.1.7.32	INTEGER	mdi-ii(1)
IB-LswINF-MIB::ibMaxMacLearn.3	.1.3.6.1.4.1.26138.8.35.5.1.4.1.8.3	INTEGER	-1
IB-LswINF-MIB::ibMaxMacLearn.4	.1.3.6.1.4.1.26138.8.35.5.1.4.1.8.4	INTEGER	-1
IB-LswINF-MIB::ibMaxMacLearn.5	.1.3.6.1.4.1.26138.8.35.5.1.4.1.8.5	INTEGER	-1
IB-LswINF-MIB::ibMaxMacLearn.6	.1.3.6.1.4.1.26138.8.35.5.1.4.1.8.6	INTEGER	-1
IB-LswINF-MIB::ibMaxMacLearn.7	.1.3.6.1.4.1.26138.8.35.5.1.4.1.8.7	INTEGER	-1
IB-LswINF-MIB::ibMaxMacLearn.8	.1.3.6.1.4.1.26138.8.35.5.1.4.1.8.8	INTEGER	-1
IB-LswINF-MIB::ibMaxMacLearn.9	.1.3.6.1.4.1.26138.8.35.5.1.4.1.8.9	INTEGER	-1
IB-LswINF-MIB::ibMaxMacLearn.10	.1.3.6.1.4.1.26138.8.35.5.1.4.1.8.10	INTEGER	-1
IB-LswINF-MIB::ibMaxMacLearn.11	.1.3.6.1.4.1.26138.8.35.5.1.4.1.8.11	INTEGER	-1
IB-LswINF-MIB::ibMaxMacLearn.12	.1.3.6.1.4.1.26138.8.35.5.1.4.1.8.12	INTEGER	-1
IB-LswINF-MIB::ibMaxMacLearn.13	.1.3.6.1.4.1.26138.8.35.5.1.4.1.8.13	INTEGER	-1
IB-LswINF-MIB::ibMaxMacLearn.14	.1.3.6.1.4.1.26138.8.35.5.1.4.1.8.14	INTEGER	-1
IB-LswINF-MIB::ibMaxMacLearn.15	.1.3.6.1.4.1.26138.8.35.5.1.4.1.8.15	INTEGER	-1
IB-LswINF-MIB::ibMaxMacLearn.16	.1.3.6.1.4.1.26138.8.35.5.1.4.1.8.16	INTEGER	-1
IB-LswINF-MIB::ibMaxMacLearn.17	.1.3.6.1.4.1.26138.8.35.5.1.4.1.8.17	INTEGER	-1

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibMaxMacLearn.18	.1.3.6.1.4.1.26138.8.35.5.1.4.1.8.18	INTEGER	-1
IB-LswINF-MIB::ibMaxMacLearn.19	.1.3.6.1.4.1.26138.8.35.5.1.4.1.8.19	INTEGER	-1
IB-LswINF-MIB::ibMaxMacLearn.20	.1.3.6.1.4.1.26138.8.35.5.1.4.1.8.20	INTEGER	-1
IB-LswINF-MIB::ibMaxMacLearn.21	.1.3.6.1.4.1.26138.8.35.5.1.4.1.8.21	INTEGER	-1
IB-LswINF-MIB::ibMaxMacLearn.22	.1.3.6.1.4.1.26138.8.35.5.1.4.1.8.22	INTEGER	-1
IB-LswINF-MIB::ibMaxMacLearn.23	.1.3.6.1.4.1.26138.8.35.5.1.4.1.8.23	INTEGER	-1
IB-LswINF-MIB::ibMaxMacLearn.24	.1.3.6.1.4.1.26138.8.35.5.1.4.1.8.24	INTEGER	-1
IB-LswINF-MIB::ibMaxMacLearn.25	.1.3.6.1.4.1.26138.8.35.5.1.4.1.8.25	INTEGER	-1
IB-LswINF-MIB::ibMaxMacLearn.26	.1.3.6.1.4.1.26138.8.35.5.1.4.1.8.26	INTEGER	-1
IB-LswINF-MIB::ibMaxMacLearn.27	.1.3.6.1.4.1.26138.8.35.5.1.4.1.8.27	INTEGER	-1
IB-LswINF-MIB::ibMaxMacLearn.28	.1.3.6.1.4.1.26138.8.35.5.1.4.1.8.28	INTEGER	-1
IB-LswINF-MIB::ibMaxMacLearn.29	.1.3.6.1.4.1.26138.8.35.5.1.4.1.8.29	INTEGER	-1
IB-LswINF-MIB::ibMaxMacLearn.30	.1.3.6.1.4.1.26138.8.35.5.1.4.1.8.30	INTEGER	-1
IB-LswINF-MIB::ibMaxMacLearn.31	.1.3.6.1.4.1.26138.8.35.5.1.4.1.8.31	INTEGER	-1
IB-LswINF-MIB::ibMaxMacLearn.32	.1.3.6.1.4.1.26138.8.35.5.1.4.1.8.32	INTEGER	-1
IB-LswINF-MIB::ibifMacAddressLearn.3	.1.3.6.1.4.1.26138.8.35.5.1.4.1.9.3	INTEGER	enabled(1)
IB-LswINF-MIB::ibifMacAddressLearn.4	.1.3.6.1.4.1.26138.8.35.5.1.4.1.9.4	INTEGER	enabled(1)
IB-LswINF-MIB::ibifMacAddressLearn.5	.1.3.6.1.4.1.26138.8.35.5.1.4.1.9.5	INTEGER	enabled(1)
IB-LswINF-MIB::ibifMacAddressLearn.6	.1.3.6.1.4.1.26138.8.35.5.1.4.1.9.6	INTEGER	enabled(1)
IB-LswINF-MIB::ibifMacAddressLearn.7	.1.3.6.1.4.1.26138.8.35.5.1.4.1.9.7	INTEGER	enabled(1)
IB-LswINF-MIB::ibifMacAddressLearn.8	.1.3.6.1.4.1.26138.8.35.5.1.4.1.9.8	INTEGER	enabled(1)
IB-LswINF-MIB::ibifMacAddressLearn.9	.1.3.6.1.4.1.26138.8.35.5.1.4.1.9.9	INTEGER	enabled(1)
IB-LswINF-MIB::ibifMacAddressLearn.10	.1.3.6.1.4.1.26138.8.35.5.1.4.1.9.10	INTEGER	enabled(1)
IB-LswINF-MIB::ibifMacAddressLearn.11	.1.3.6.1.4.1.26138.8.35.5.1.4.1.9.11	INTEGER	enabled(1)
IB-LswINF-MIB::ibifMacAddressLearn.12	.1.3.6.1.4.1.26138.8.35.5.1.4.1.9.12	INTEGER	enabled(1)
IB-LswINF-MIB::ibifMacAddressLearn.13	.1.3.6.1.4.1.26138.8.35.5.1.4.1.9.13	INTEGER	enabled(1)

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifMacAddressLearn.14	.1.3.6.1.4.1.26138.8.35.5.1.4.1.9.14	INTEGER	enabled(1)
IB-LswINF-MIB::ibifMacAddressLearn.15	.1.3.6.1.4.1.26138.8.35.5.1.4.1.9.15	INTEGER	enabled(1)
IB-LswINF-MIB::ibifMacAddressLearn.16	.1.3.6.1.4.1.26138.8.35.5.1.4.1.9.16	INTEGER	enabled(1)
IB-LswINF-MIB::ibifMacAddressLearn.17	.1.3.6.1.4.1.26138.8.35.5.1.4.1.9.17	INTEGER	enabled(1)
IB-LswINF-MIB::ibifMacAddressLearn.18	.1.3.6.1.4.1.26138.8.35.5.1.4.1.9.18	INTEGER	enabled(1)
IB-LswINF-MIB::ibifMacAddressLearn.19	.1.3.6.1.4.1.26138.8.35.5.1.4.1.9.19	INTEGER	enabled(1)
IB-LswINF-MIB::ibifMacAddressLearn.20	.1.3.6.1.4.1.26138.8.35.5.1.4.1.9.20	INTEGER	enabled(1)
IB-LswINF-MIB::ibifMacAddressLearn.21	.1.3.6.1.4.1.26138.8.35.5.1.4.1.9.21	INTEGER	enabled(1)
IB-LswINF-MIB::ibifMacAddressLearn.22	.1.3.6.1.4.1.26138.8.35.5.1.4.1.9.22	INTEGER	enabled(1)
IB-LswINF-MIB::ibifMacAddressLearn.23	.1.3.6.1.4.1.26138.8.35.5.1.4.1.9.23	INTEGER	enabled(1)
IB-LswINF-MIB::ibifMacAddressLearn.24	.1.3.6.1.4.1.26138.8.35.5.1.4.1.9.24	INTEGER	enabled(1)
IB-LswINF-MIB::ibifMacAddressLearn.25	.1.3.6.1.4.1.26138.8.35.5.1.4.1.9.25	INTEGER	enabled(1)
IB-LswINF-MIB::ibifMacAddressLearn.26	.1.3.6.1.4.1.26138.8.35.5.1.4.1.9.26	INTEGER	enabled(1)
IB-LswINF-MIB::ibifMacAddressLearn.27	.1.3.6.1.4.1.26138.8.35.5.1.4.1.9.27	INTEGER	enabled(1)
IB-LswINF-MIB::ibifMacAddressLearn.28	.1.3.6.1.4.1.26138.8.35.5.1.4.1.9.28	INTEGER	enabled(1)
IB-LswINF-MIB::ibifMacAddressLearn.29	.1.3.6.1.4.1.26138.8.35.5.1.4.1.9.29	INTEGER	enabled(1)
IB-LswINF-MIB::ibifMacAddressLearn.30	.1.3.6.1.4.1.26138.8.35.5.1.4.1.9.30	INTEGER	enabled(1)
IB-LswINF-MIB::ibifMacAddressLearn.31	.1.3.6.1.4.1.26138.8.35.5.1.4.1.9.31	INTEGER	enabled(1)
IB-LswINF-MIB::ibifMacAddressLearn.32	.1.3.6.1.4.1.26138.8.35.5.1.4.1.9.32	INTEGER	enabled(1)
IB-LswINF-MIB::ibifEthernetFlowInterval.3	.1.3.6.1.4.1.26138.8.35.5.1.4.1.12.3	INTEGER	300
IB-LswINF-MIB::ibifEthernetFlowInterval.4	.1.3.6.1.4.1.26138.8.35.5.1.4.1.12.4	INTEGER	300
IB-LswINF-MIB::ibifEthernetFlowInterval.5	.1.3.6.1.4.1.26138.8.35.5.1.4.1.12.5	INTEGER	300
IB-LswINF-MIB::ibifEthernetFlowInterval.6	.1.3.6.1.4.1.26138.8.35.5.1.4.1.12.6	INTEGER	300
IB-LswINF-MIB::ibifEthernetFlowInterval.7	.1.3.6.1.4.1.26138.8.35.5.1.4.1.12.7	INTEGER	300
IB-LswINF-MIB::ibifEthernetFlowInterval.8	.1.3.6.1.4.1.26138.8.35.5.1.4.1.12.8	INTEGER	300
IB-LswINF-MIB::ibifEthernetFlowInterval.9	.1.3.6.1.4.1.26138.8.35.5.1.4.1.12.9	INTEGER	300

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifEthernetFlowInterval.10	.1.3.6.1.4.1.26138.8.35.5.1.4.1.12.10	INTEGER	300
IB-LswINF-MIB::ibifEthernetFlowInterval.11	.1.3.6.1.4.1.26138.8.35.5.1.4.1.12.11	INTEGER	300
IB-LswINF-MIB::ibifEthernetFlowInterval.12	.1.3.6.1.4.1.26138.8.35.5.1.4.1.12.12	INTEGER	300
IB-LswINF-MIB::ibifEthernetFlowInterval.13	.1.3.6.1.4.1.26138.8.35.5.1.4.1.12.13	INTEGER	300
IB-LswINF-MIB::ibifEthernetFlowInterval.14	.1.3.6.1.4.1.26138.8.35.5.1.4.1.12.14	INTEGER	300
IB-LswINF-MIB::ibifEthernetFlowInterval.15	.1.3.6.1.4.1.26138.8.35.5.1.4.1.12.15	INTEGER	300
IB-LswINF-MIB::ibifEthernetFlowInterval.16	.1.3.6.1.4.1.26138.8.35.5.1.4.1.12.16	INTEGER	300
IB-LswINF-MIB::ibifEthernetFlowInterval.17	.1.3.6.1.4.1.26138.8.35.5.1.4.1.12.17	INTEGER	300
IB-LswINF-MIB::ibifEthernetFlowInterval.18	.1.3.6.1.4.1.26138.8.35.5.1.4.1.12.18	INTEGER	300
IB-LswINF-MIB::ibifEthernetFlowInterval.19	.1.3.6.1.4.1.26138.8.35.5.1.4.1.12.19	INTEGER	300
IB-LswINF-MIB::ibifEthernetFlowInterval.20	.1.3.6.1.4.1.26138.8.35.5.1.4.1.12.20	INTEGER	300
IB-LswINF-MIB::ibifEthernetFlowInterval.21	.1.3.6.1.4.1.26138.8.35.5.1.4.1.12.21	INTEGER	300
IB-LswINF-MIB::ibifEthernetFlowInterval.22	.1.3.6.1.4.1.26138.8.35.5.1.4.1.12.22	INTEGER	300
IB-LswINF-MIB::ibifEthernetFlowInterval.23	.1.3.6.1.4.1.26138.8.35.5.1.4.1.12.23	INTEGER	300
IB-LswINF-MIB::ibifEthernetFlowInterval.24	.1.3.6.1.4.1.26138.8.35.5.1.4.1.12.24	INTEGER	300
IB-LswINF-MIB::ibifEthernetFlowInterval.25	.1.3.6.1.4.1.26138.8.35.5.1.4.1.12.25	INTEGER	300
IB-LswINF-MIB::ibifEthernetFlowInterval.26	.1.3.6.1.4.1.26138.8.35.5.1.4.1.12.26	INTEGER	300
IB-LswINF-MIB::ibifEthernetFlowInterval.27	.1.3.6.1.4.1.26138.8.35.5.1.4.1.12.27	INTEGER	300
IB-LswINF-MIB::ibifEthernetFlowInterval.28	.1.3.6.1.4.1.26138.8.35.5.1.4.1.12.28	INTEGER	300
IB-LswINF-MIB::ibifEthernetFlowInterval.29	.1.3.6.1.4.1.26138.8.35.5.1.4.1.12.29	INTEGER	300
IB-LswINF-MIB::ibifEthernetFlowInterval.30	.1.3.6.1.4.1.26138.8.35.5.1.4.1.12.30	INTEGER	300
IB-LswINF-MIB::ibifEthernetFlowInterval.31	.1.3.6.1.4.1.26138.8.35.5.1.4.1.12.31	INTEGER	300
IB-LswINF-MIB::ibifEthernetFlowInterval.32	.1.3.6.1.4.1.26138.8.35.5.1.4.1.12.32	INTEGER	300
IB-LswINF-MIB::ibifIsolateGroupID.3	.1.3.6.1.4.1.26138.8.35.5.1.4.1.17.3	INTEGER	0
IB-LswINF-MIB::ibifIsolateGroupID.4	.1.3.6.1.4.1.26138.8.35.5.1.4.1.17.4	INTEGER	0
IB-LswINF-MIB::ibifIsolateGroupID.5	.1.3.6.1.4.1.26138.8.35.5.1.4.1.17.5	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifIsolateGroupID.6	.1.3.6.1.4.1.26138.8.35.5.1.4.1.17.6	INTEGER	0
IB-LswINF-MIB::ibifIsolateGroupID.7	.1.3.6.1.4.1.26138.8.35.5.1.4.1.17.7	INTEGER	0
IB-LswINF-MIB::ibifIsolateGroupID.8	.1.3.6.1.4.1.26138.8.35.5.1.4.1.17.8	INTEGER	0
IB-LswINF-MIB::ibifIsolateGroupID.9	.1.3.6.1.4.1.26138.8.35.5.1.4.1.17.9	INTEGER	0
IB-LswINF-MIB::ibifIsolateGroupID.10	.1.3.6.1.4.1.26138.8.35.5.1.4.1.17.10	INTEGER	0
IB-LswINF-MIB::ibifIsolateGroupID.11	.1.3.6.1.4.1.26138.8.35.5.1.4.1.17.11	INTEGER	0
IB-LswINF-MIB::ibifIsolateGroupID.12	.1.3.6.1.4.1.26138.8.35.5.1.4.1.17.12	INTEGER	0
IB-LswINF-MIB::ibifIsolateGroupID.13	.1.3.6.1.4.1.26138.8.35.5.1.4.1.17.13	INTEGER	0
IB-LswINF-MIB::ibifIsolateGroupID.14	.1.3.6.1.4.1.26138.8.35.5.1.4.1.17.14	INTEGER	0
IB-LswINF-MIB::ibifIsolateGroupID.15	.1.3.6.1.4.1.26138.8.35.5.1.4.1.17.15	INTEGER	0
IB-LswINF-MIB::ibifIsolateGroupID.16	.1.3.6.1.4.1.26138.8.35.5.1.4.1.17.16	INTEGER	0
IB-LswINF-MIB::ibifIsolateGroupID.17	.1.3.6.1.4.1.26138.8.35.5.1.4.1.17.17	INTEGER	0
IB-LswINF-MIB::ibifIsolateGroupID.18	.1.3.6.1.4.1.26138.8.35.5.1.4.1.17.18	INTEGER	0
IB-LswINF-MIB::ibifIsolateGroupID.19	.1.3.6.1.4.1.26138.8.35.5.1.4.1.17.19	INTEGER	0
IB-LswINF-MIB::ibifIsolateGroupID.20	.1.3.6.1.4.1.26138.8.35.5.1.4.1.17.20	INTEGER	0
IB-LswINF-MIB::ibifIsolateGroupID.21	.1.3.6.1.4.1.26138.8.35.5.1.4.1.17.21	INTEGER	0
IB-LswINF-MIB::ibifIsolateGroupID.22	.1.3.6.1.4.1.26138.8.35.5.1.4.1.17.22	INTEGER	0
IB-LswINF-MIB::ibifIsolateGroupID.23	.1.3.6.1.4.1.26138.8.35.5.1.4.1.17.23	INTEGER	0
IB-LswINF-MIB::ibifIsolateGroupID.24	.1.3.6.1.4.1.26138.8.35.5.1.4.1.17.24	INTEGER	0
IB-LswINF-MIB::ibifIsolateGroupID.25	.1.3.6.1.4.1.26138.8.35.5.1.4.1.17.25	INTEGER	0
IB-LswINF-MIB::ibifIsolateGroupID.26	.1.3.6.1.4.1.26138.8.35.5.1.4.1.17.26	INTEGER	0
IB-LswINF-MIB::ibifIsolateGroupID.27	.1.3.6.1.4.1.26138.8.35.5.1.4.1.17.27	INTEGER	0
IB-LswINF-MIB::ibifIsolateGroupID.28	.1.3.6.1.4.1.26138.8.35.5.1.4.1.17.28	INTEGER	0
IB-LswINF-MIB::ibifIsolateGroupID.29	.1.3.6.1.4.1.26138.8.35.5.1.4.1.17.29	INTEGER	0
IB-LswINF-MIB::ibifIsolateGroupID.30	.1.3.6.1.4.1.26138.8.35.5.1.4.1.17.30	INTEGER	0
IB-LswINF-MIB::ibifIsolateGroupID.31	.1.3.6.1.4.1.26138.8.35.5.1.4.1.17.31	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifIsolateGroupID.32	.1.3.6.1.4.1.26138.8.35.5.1.4.1.17.32	INTEGER	0
IB-LswINF-MIB::ibifEthernetAutoSpeedMask.3	.1.3.6.1.4.1.26138.8.35.5.1.4.1.19.3	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeedMask.4	.1.3.6.1.4.1.26138.8.35.5.1.4.1.19.4	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeedMask.5	.1.3.6.1.4.1.26138.8.35.5.1.4.1.19.5	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeedMask.6	.1.3.6.1.4.1.26138.8.35.5.1.4.1.19.6	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeedMask.7	.1.3.6.1.4.1.26138.8.35.5.1.4.1.19.7	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeedMask.8	.1.3.6.1.4.1.26138.8.35.5.1.4.1.19.8	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeedMask.9	.1.3.6.1.4.1.26138.8.35.5.1.4.1.19.9	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeedMask.10	.1.3.6.1.4.1.26138.8.35.5.1.4.1.19.10	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeedMask.11	.1.3.6.1.4.1.26138.8.35.5.1.4.1.19.11	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeedMask.12	.1.3.6.1.4.1.26138.8.35.5.1.4.1.19.12	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeedMask.13	.1.3.6.1.4.1.26138.8.35.5.1.4.1.19.13	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeedMask.14	.1.3.6.1.4.1.26138.8.35.5.1.4.1.19.14	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeedMask.15	.1.3.6.1.4.1.26138.8.35.5.1.4.1.19.15	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeedMask.16	.1.3.6.1.4.1.26138.8.35.5.1.4.1.19.16	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeedMask.17	.1.3.6.1.4.1.26138.8.35.5.1.4.1.19.17	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeedMask.18	.1.3.6.1.4.1.26138.8.35.5.1.4.1.19.18	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeedMask.19	.1.3.6.1.4.1.26138.8.35.5.1.4.1.19.19	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeedMask.20	.1.3.6.1.4.1.26138.8.35.5.1.4.1.19.20	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeedMask.21	.1.3.6.1.4.1.26138.8.35.5.1.4.1.19.21	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeedMask.22	.1.3.6.1.4.1.26138.8.35.5.1.4.1.19.22	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeedMask.23	.1.3.6.1.4.1.26138.8.35.5.1.4.1.19.23	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeedMask.24	.1.3.6.1.4.1.26138.8.35.5.1.4.1.19.24	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeedMask.25	.1.3.6.1.4.1.26138.8.35.5.1.4.1.19.25	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeedMask.26	.1.3.6.1.4.1.26138.8.35.5.1.4.1.19.26	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeedMask.27	.1.3.6.1.4.1.26138.8.35.5.1.4.1.19.27	BITS	00

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifEthernetAutoSpeedMask.28	.1.3.6.1.4.1.26138.8.35.5.1.4.1.19.28	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeedMask.29	.1.3.6.1.4.1.26138.8.35.5.1.4.1.19.29	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeedMask.30	.1.3.6.1.4.1.26138.8.35.5.1.4.1.19.30	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeedMask.31	.1.3.6.1.4.1.26138.8.35.5.1.4.1.19.31	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeedMask.32	.1.3.6.1.4.1.26138.8.35.5.1.4.1.19.32	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeed.3	.1.3.6.1.4.1.26138.8.35.5.1.4.1.20.3	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeed.4	.1.3.6.1.4.1.26138.8.35.5.1.4.1.20.4	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeed.5	.1.3.6.1.4.1.26138.8.35.5.1.4.1.20.5	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeed.6	.1.3.6.1.4.1.26138.8.35.5.1.4.1.20.6	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeed.7	.1.3.6.1.4.1.26138.8.35.5.1.4.1.20.7	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeed.8	.1.3.6.1.4.1.26138.8.35.5.1.4.1.20.8	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeed.9	.1.3.6.1.4.1.26138.8.35.5.1.4.1.20.9	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeed.10	.1.3.6.1.4.1.26138.8.35.5.1.4.1.20.10	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeed.11	.1.3.6.1.4.1.26138.8.35.5.1.4.1.20.11	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeed.12	.1.3.6.1.4.1.26138.8.35.5.1.4.1.20.12	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeed.13	.1.3.6.1.4.1.26138.8.35.5.1.4.1.20.13	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeed.14	.1.3.6.1.4.1.26138.8.35.5.1.4.1.20.14	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeed.15	.1.3.6.1.4.1.26138.8.35.5.1.4.1.20.15	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeed.16	.1.3.6.1.4.1.26138.8.35.5.1.4.1.20.16	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeed.17	.1.3.6.1.4.1.26138.8.35.5.1.4.1.20.17	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeed.18	.1.3.6.1.4.1.26138.8.35.5.1.4.1.20.18	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeed.19	.1.3.6.1.4.1.26138.8.35.5.1.4.1.20.19	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeed.20	.1.3.6.1.4.1.26138.8.35.5.1.4.1.20.20	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeed.21	.1.3.6.1.4.1.26138.8.35.5.1.4.1.20.21	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeed.22	.1.3.6.1.4.1.26138.8.35.5.1.4.1.20.22	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeed.23	.1.3.6.1.4.1.26138.8.35.5.1.4.1.20.23	BITS	00

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifEthernetAutoSpeed.24	.1.3.6.1.4.1.26138.8.35.5.1.4.1.20.24	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeed.25	.1.3.6.1.4.1.26138.8.35.5.1.4.1.20.25	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeed.26	.1.3.6.1.4.1.26138.8.35.5.1.4.1.20.26	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeed.27	.1.3.6.1.4.1.26138.8.35.5.1.4.1.20.27	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeed.28	.1.3.6.1.4.1.26138.8.35.5.1.4.1.20.28	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeed.29	.1.3.6.1.4.1.26138.8.35.5.1.4.1.20.29	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeed.30	.1.3.6.1.4.1.26138.8.35.5.1.4.1.20.30	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeed.31	.1.3.6.1.4.1.26138.8.35.5.1.4.1.20.31	BITS	00
IB-LswINF-MIB::ibifEthernetAutoSpeed.32	.1.3.6.1.4.1.26138.8.35.5.1.4.1.20.32	BITS	00
IB-LswINF-MIB::ibIsolateGroupMax.0	.1.3.6.1.4.1.26138.8.35.5.1.5.0	INTEGER	1
IB-LswINF-MIB::ibPortIsolateGroupRowStatus.1	.1.3.6.1.4.1.26138.8.35.5.1.11.1.3.1	INTEGER	active(1)
IB-LswINF-MIB::ibMaxMacLearnRange.0	.1.3.6.1.4.1.26138.8.35.5.1.12.0	INTEGER	30720
IB-LswINF-MIB::ibifIPv4InOctets.3	.1.3.6.1.4.1.26138.8.35.5.1.13.1.1.3	Counter64	0
IB-LswINF-MIB::ibifIPv4InOctets.4	.1.3.6.1.4.1.26138.8.35.5.1.13.1.1.4	Counter64	0
IB-LswINF-MIB::ibifIPv4InOctets.5	.1.3.6.1.4.1.26138.8.35.5.1.13.1.1.5	Counter64	0
IB-LswINF-MIB::ibifIPv4InOctets.6	.1.3.6.1.4.1.26138.8.35.5.1.13.1.1.6	Counter64	0
IB-LswINF-MIB::ibifIPv4InOctets.7	.1.3.6.1.4.1.26138.8.35.5.1.13.1.1.7	Counter64	0
IB-LswINF-MIB::ibifIPv4InOctets.8	.1.3.6.1.4.1.26138.8.35.5.1.13.1.1.8	Counter64	0
IB-LswINF-MIB::ibifIPv4InOctets.9	.1.3.6.1.4.1.26138.8.35.5.1.13.1.1.9	Counter64	1311822
IB-LswINF-MIB::ibifIPv4InOctets.10	.1.3.6.1.4.1.26138.8.35.5.1.13.1.1.10	Counter64	0
IB-LswINF-MIB::ibifIPv4InOctets.11	.1.3.6.1.4.1.26138.8.35.5.1.13.1.1.11	Counter64	0
IB-LswINF-MIB::ibifIPv4InOctets.12	.1.3.6.1.4.1.26138.8.35.5.1.13.1.1.12	Counter64	0
IB-LswINF-MIB::ibifIPv4InOctets.13	.1.3.6.1.4.1.26138.8.35.5.1.13.1.1.13	Counter64	0
IB-LswINF-MIB::ibifIPv4InOctets.14	.1.3.6.1.4.1.26138.8.35.5.1.13.1.1.14	Counter64	0
IB-LswINF-MIB::ibifIPv4InOctets.15	.1.3.6.1.4.1.26138.8.35.5.1.13.1.1.15	Counter64	0
IB-LswINF-MIB::ibifIPv4InOctets.16	.1.3.6.1.4.1.26138.8.35.5.1.13.1.1.16	Counter64	0

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifIPv4InOctets.17	.1.3.6.1.4.1.26138.8.35.5.1.13.1.1.17	Counter64	0
IB-LswINF-MIB::ibifIPv4InOctets.18	.1.3.6.1.4.1.26138.8.35.5.1.13.1.1.18	Counter64	0
IB-LswINF-MIB::ibifIPv4InOctets.19	.1.3.6.1.4.1.26138.8.35.5.1.13.1.1.19	Counter64	0
IB-LswINF-MIB::ibifIPv4InOctets.20	.1.3.6.1.4.1.26138.8.35.5.1.13.1.1.20	Counter64	0
IB-LswINF-MIB::ibifIPv4InOctets.21	.1.3.6.1.4.1.26138.8.35.5.1.13.1.1.21	Counter64	0
IB-LswINF-MIB::ibifIPv4InOctets.22	.1.3.6.1.4.1.26138.8.35.5.1.13.1.1.22	Counter64	0
IB-LswINF-MIB::ibifIPv4InOctets.23	.1.3.6.1.4.1.26138.8.35.5.1.13.1.1.23	Counter64	0
IB-LswINF-MIB::ibifIPv4InOctets.24	.1.3.6.1.4.1.26138.8.35.5.1.13.1.1.24	Counter64	0
IB-LswINF-MIB::ibifIPv4InOctets.25	.1.3.6.1.4.1.26138.8.35.5.1.13.1.1.25	Counter64	0
IB-LswINF-MIB::ibifIPv4InOctets.26	.1.3.6.1.4.1.26138.8.35.5.1.13.1.1.26	Counter64	0
IB-LswINF-MIB::ibifIPv4InOctets.27	.1.3.6.1.4.1.26138.8.35.5.1.13.1.1.27	Counter64	0
IB-LswINF-MIB::ibifIPv4InOctets.28	.1.3.6.1.4.1.26138.8.35.5.1.13.1.1.28	Counter64	0
IB-LswINF-MIB::ibifIPv4InOctets.29	.1.3.6.1.4.1.26138.8.35.5.1.13.1.1.29	Counter64	0
IB-LswINF-MIB::ibifIPv4InOctets.30	.1.3.6.1.4.1.26138.8.35.5.1.13.1.1.30	Counter64	0
IB-LswINF-MIB::ibifIPv4InOctets.31	.1.3.6.1.4.1.26138.8.35.5.1.13.1.1.31	Counter64	0
IB-LswINF-MIB::ibifIPv4InOctets.32	.1.3.6.1.4.1.26138.8.35.5.1.13.1.1.32	Counter64	0
IB-LswINF-MIB::ibifIPv4InUcastPkts.3	.1.3.6.1.4.1.26138.8.35.5.1.13.1.2.3	Counter64	0
IB-LswINF-MIB::ibifIPv4InUcastPkts.4	.1.3.6.1.4.1.26138.8.35.5.1.13.1.2.4	Counter64	0
IB-LswINF-MIB::ibifIPv4InUcastPkts.5	.1.3.6.1.4.1.26138.8.35.5.1.13.1.2.5	Counter64	0
IB-LswINF-MIB::ibifIPv4InUcastPkts.6	.1.3.6.1.4.1.26138.8.35.5.1.13.1.2.6	Counter64	0
IB-LswINF-MIB::ibifIPv4InUcastPkts.7	.1.3.6.1.4.1.26138.8.35.5.1.13.1.2.7	Counter64	0
IB-LswINF-MIB::ibifIPv4InUcastPkts.8	.1.3.6.1.4.1.26138.8.35.5.1.13.1.2.8	Counter64	0
IB-LswINF-MIB::ibifIPv4InUcastPkts.9	.1.3.6.1.4.1.26138.8.35.5.1.13.1.2.9	Counter64	14909
IB-LswINF-MIB::ibifIPv4InUcastPkts.10	.1.3.6.1.4.1.26138.8.35.5.1.13.1.2.10	Counter64	0
IB-LswINF-MIB::ibifIPv4InUcastPkts.11	.1.3.6.1.4.1.26138.8.35.5.1.13.1.2.11	Counter64	0
IB-LswINF-MIB::ibifIPv4InUcastPkts.12	.1.3.6.1.4.1.26138.8.35.5.1.13.1.2.12	Counter64	0

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifIPv4InUcastPkts.13	.1.3.6.1.4.1.26138.8.35.5.1.13.1.2.13	Counter64	0
IB-LswINF-MIB::ibifIPv4InUcastPkts.14	.1.3.6.1.4.1.26138.8.35.5.1.13.1.2.14	Counter64	0
IB-LswINF-MIB::ibifIPv4InUcastPkts.15	.1.3.6.1.4.1.26138.8.35.5.1.13.1.2.15	Counter64	0
IB-LswINF-MIB::ibifIPv4InUcastPkts.16	.1.3.6.1.4.1.26138.8.35.5.1.13.1.2.16	Counter64	0
IB-LswINF-MIB::ibifIPv4InUcastPkts.17	.1.3.6.1.4.1.26138.8.35.5.1.13.1.2.17	Counter64	0
IB-LswINF-MIB::ibifIPv4InUcastPkts.18	.1.3.6.1.4.1.26138.8.35.5.1.13.1.2.18	Counter64	0
IB-LswINF-MIB::ibifIPv4InUcastPkts.19	.1.3.6.1.4.1.26138.8.35.5.1.13.1.2.19	Counter64	0
IB-LswINF-MIB::ibifIPv4InUcastPkts.20	.1.3.6.1.4.1.26138.8.35.5.1.13.1.2.20	Counter64	0
IB-LswINF-MIB::ibifIPv4InUcastPkts.21	.1.3.6.1.4.1.26138.8.35.5.1.13.1.2.21	Counter64	0
IB-LswINF-MIB::ibifIPv4InUcastPkts.22	.1.3.6.1.4.1.26138.8.35.5.1.13.1.2.22	Counter64	0
IB-LswINF-MIB::ibifIPv4InUcastPkts.23	.1.3.6.1.4.1.26138.8.35.5.1.13.1.2.23	Counter64	0
IB-LswINF-MIB::ibifIPv4InUcastPkts.24	.1.3.6.1.4.1.26138.8.35.5.1.13.1.2.24	Counter64	0
IB-LswINF-MIB::ibifIPv4InUcastPkts.25	.1.3.6.1.4.1.26138.8.35.5.1.13.1.2.25	Counter64	0
IB-LswINF-MIB::ibifIPv4InUcastPkts.26	.1.3.6.1.4.1.26138.8.35.5.1.13.1.2.26	Counter64	0
IB-LswINF-MIB::ibifIPv4InUcastPkts.27	.1.3.6.1.4.1.26138.8.35.5.1.13.1.2.27	Counter64	0
IB-LswINF-MIB::ibifIPv4InUcastPkts.28	.1.3.6.1.4.1.26138.8.35.5.1.13.1.2.28	Counter64	0
IB-LswINF-MIB::ibifIPv4InUcastPkts.29	.1.3.6.1.4.1.26138.8.35.5.1.13.1.2.29	Counter64	0
IB-LswINF-MIB::ibifIPv4InUcastPkts.30	.1.3.6.1.4.1.26138.8.35.5.1.13.1.2.30	Counter64	0
IB-LswINF-MIB::ibifIPv4InUcastPkts.31	.1.3.6.1.4.1.26138.8.35.5.1.13.1.2.31	Counter64	0
IB-LswINF-MIB::ibifIPv4InUcastPkts.32	.1.3.6.1.4.1.26138.8.35.5.1.13.1.2.32	Counter64	0
IB-LswINF-MIB::ibifIPv4InMultiPkts.3	.1.3.6.1.4.1.26138.8.35.5.1.13.1.3.3	Counter64	0
IB-LswINF-MIB::ibifIPv4InMultiPkts.4	.1.3.6.1.4.1.26138.8.35.5.1.13.1.3.4	Counter64	0
IB-LswINF-MIB::ibifIPv4InMultiPkts.5	.1.3.6.1.4.1.26138.8.35.5.1.13.1.3.5	Counter64	0
IB-LswINF-MIB::ibifIPv4InMultiPkts.6	.1.3.6.1.4.1.26138.8.35.5.1.13.1.3.6	Counter64	0
IB-LswINF-MIB::ibifIPv4InMultiPkts.7	.1.3.6.1.4.1.26138.8.35.5.1.13.1.3.7	Counter64	0
IB-LswINF-MIB::ibifIPv4InMultiPkts.8	.1.3.6.1.4.1.26138.8.35.5.1.13.1.3.8	Counter64	0

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifIPv4InMultiPkts.9	.1.3.6.1.4.1.26138.8.35.5.1.13.1.3.9	Counter64	0
IB-LswINF-MIB::ibifIPv4InMultiPkts.10	.1.3.6.1.4.1.26138.8.35.5.1.13.1.3.10	Counter64	0
IB-LswINF-MIB::ibifIPv4InMultiPkts.11	.1.3.6.1.4.1.26138.8.35.5.1.13.1.3.11	Counter64	0
IB-LswINF-MIB::ibifIPv4InMultiPkts.12	.1.3.6.1.4.1.26138.8.35.5.1.13.1.3.12	Counter64	0
IB-LswINF-MIB::ibifIPv4InMultiPkts.13	.1.3.6.1.4.1.26138.8.35.5.1.13.1.3.13	Counter64	0
IB-LswINF-MIB::ibifIPv4InMultiPkts.14	.1.3.6.1.4.1.26138.8.35.5.1.13.1.3.14	Counter64	0
IB-LswINF-MIB::ibifIPv4InMultiPkts.15	.1.3.6.1.4.1.26138.8.35.5.1.13.1.3.15	Counter64	0
IB-LswINF-MIB::ibifIPv4InMultiPkts.16	.1.3.6.1.4.1.26138.8.35.5.1.13.1.3.16	Counter64	0
IB-LswINF-MIB::ibifIPv4InMultiPkts.17	.1.3.6.1.4.1.26138.8.35.5.1.13.1.3.17	Counter64	0
IB-LswINF-MIB::ibifIPv4InMultiPkts.18	.1.3.6.1.4.1.26138.8.35.5.1.13.1.3.18	Counter64	0
IB-LswINF-MIB::ibifIPv4InMultiPkts.19	.1.3.6.1.4.1.26138.8.35.5.1.13.1.3.19	Counter64	0
IB-LswINF-MIB::ibifIPv4InMultiPkts.20	.1.3.6.1.4.1.26138.8.35.5.1.13.1.3.20	Counter64	0
IB-LswINF-MIB::ibifIPv4InMultiPkts.21	.1.3.6.1.4.1.26138.8.35.5.1.13.1.3.21	Counter64	0
IB-LswINF-MIB::ibifIPv4InMultiPkts.22	.1.3.6.1.4.1.26138.8.35.5.1.13.1.3.22	Counter64	0
IB-LswINF-MIB::ibifIPv4InMultiPkts.23	.1.3.6.1.4.1.26138.8.35.5.1.13.1.3.23	Counter64	0
IB-LswINF-MIB::ibifIPv4InMultiPkts.24	.1.3.6.1.4.1.26138.8.35.5.1.13.1.3.24	Counter64	0
IB-LswINF-MIB::ibifIPv4InMultiPkts.25	.1.3.6.1.4.1.26138.8.35.5.1.13.1.3.25	Counter64	0
IB-LswINF-MIB::ibifIPv4InMultiPkts.26	.1.3.6.1.4.1.26138.8.35.5.1.13.1.3.26	Counter64	0
IB-LswINF-MIB::ibifIPv4InMultiPkts.27	.1.3.6.1.4.1.26138.8.35.5.1.13.1.3.27	Counter64	0
IB-LswINF-MIB::ibifIPv4InMultiPkts.28	.1.3.6.1.4.1.26138.8.35.5.1.13.1.3.28	Counter64	0
IB-LswINF-MIB::ibifIPv4InMultiPkts.29	.1.3.6.1.4.1.26138.8.35.5.1.13.1.3.29	Counter64	0
IB-LswINF-MIB::ibifIPv4InMultiPkts.30	.1.3.6.1.4.1.26138.8.35.5.1.13.1.3.30	Counter64	0
IB-LswINF-MIB::ibifIPv4InMultiPkts.31	.1.3.6.1.4.1.26138.8.35.5.1.13.1.3.31	Counter64	0
IB-LswINF-MIB::ibifIPv4InMultiPkts.32	.1.3.6.1.4.1.26138.8.35.5.1.13.1.3.32	Counter64	0
IB-LswINF-MIB::ibifIPv4InBroadcastPkts.3	.1.3.6.1.4.1.26138.8.35.5.1.13.1.4.3	Counter64	0
IB-LswINF-MIB::ibifIPv4InBroadcastPkts.4	.1.3.6.1.4.1.26138.8.35.5.1.13.1.4.4	Counter64	0

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifIPv4InBroadcastPkts.5	.1.3.6.1.4.1.26138.8.35.5.1.13.1.4.5	Counter64	0
IB-LswINF-MIB::ibifIPv4InBroadcastPkts.6	.1.3.6.1.4.1.26138.8.35.5.1.13.1.4.6	Counter64	0
IB-LswINF-MIB::ibifIPv4InBroadcastPkts.7	.1.3.6.1.4.1.26138.8.35.5.1.13.1.4.7	Counter64	0
IB-LswINF-MIB::ibifIPv4InBroadcastPkts.8	.1.3.6.1.4.1.26138.8.35.5.1.13.1.4.8	Counter64	0
IB-LswINF-MIB::ibifIPv4InBroadcastPkts.9	.1.3.6.1.4.1.26138.8.35.5.1.13.1.4.9	Counter64	0
IB-LswINF-MIB::ibifIPv4InBroadcastPkts.10	.1.3.6.1.4.1.26138.8.35.5.1.13.1.4.10	Counter64	0
IB-LswINF-MIB::ibifIPv4InBroadcastPkts.11	.1.3.6.1.4.1.26138.8.35.5.1.13.1.4.11	Counter64	0
IB-LswINF-MIB::ibifIPv4InBroadcastPkts.12	.1.3.6.1.4.1.26138.8.35.5.1.13.1.4.12	Counter64	0
IB-LswINF-MIB::ibifIPv4InBroadcastPkts.13	.1.3.6.1.4.1.26138.8.35.5.1.13.1.4.13	Counter64	0
IB-LswINF-MIB::ibifIPv4InBroadcastPkts.14	.1.3.6.1.4.1.26138.8.35.5.1.13.1.4.14	Counter64	0
IB-LswINF-MIB::ibifIPv4InBroadcastPkts.15	.1.3.6.1.4.1.26138.8.35.5.1.13.1.4.15	Counter64	0
IB-LswINF-MIB::ibifIPv4InBroadcastPkts.16	.1.3.6.1.4.1.26138.8.35.5.1.13.1.4.16	Counter64	0
IB-LswINF-MIB::ibifIPv4InBroadcastPkts.17	.1.3.6.1.4.1.26138.8.35.5.1.13.1.4.17	Counter64	0
IB-LswINF-MIB::ibifIPv4InBroadcastPkts.18	.1.3.6.1.4.1.26138.8.35.5.1.13.1.4.18	Counter64	0
IB-LswINF-MIB::ibifIPv4InBroadcastPkts.19	.1.3.6.1.4.1.26138.8.35.5.1.13.1.4.19	Counter64	0
IB-LswINF-MIB::ibifIPv4InBroadcastPkts.20	.1.3.6.1.4.1.26138.8.35.5.1.13.1.4.20	Counter64	0
IB-LswINF-MIB::ibifIPv4InBroadcastPkts.21	.1.3.6.1.4.1.26138.8.35.5.1.13.1.4.21	Counter64	0
IB-LswINF-MIB::ibifIPv4InBroadcastPkts.22	.1.3.6.1.4.1.26138.8.35.5.1.13.1.4.22	Counter64	0
IB-LswINF-MIB::ibifIPv4InBroadcastPkts.23	.1.3.6.1.4.1.26138.8.35.5.1.13.1.4.23	Counter64	0
IB-LswINF-MIB::ibifIPv4InBroadcastPkts.24	.1.3.6.1.4.1.26138.8.35.5.1.13.1.4.24	Counter64	0
IB-LswINF-MIB::ibifIPv4InBroadcastPkts.25	.1.3.6.1.4.1.26138.8.35.5.1.13.1.4.25	Counter64	0
IB-LswINF-MIB::ibifIPv4InBroadcastPkts.26	.1.3.6.1.4.1.26138.8.35.5.1.13.1.4.26	Counter64	0
IB-LswINF-MIB::ibifIPv4InBroadcastPkts.27	.1.3.6.1.4.1.26138.8.35.5.1.13.1.4.27	Counter64	0
IB-LswINF-MIB::ibifIPv4InBroadcastPkts.28	.1.3.6.1.4.1.26138.8.35.5.1.13.1.4.28	Counter64	0
IB-LswINF-MIB::ibifIPv4InBroadcastPkts.29	.1.3.6.1.4.1.26138.8.35.5.1.13.1.4.29	Counter64	0
IB-LswINF-MIB::ibifIPv4InBroadcastPkts.30	.1.3.6.1.4.1.26138.8.35.5.1.13.1.4.30	Counter64	0

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifIPv4InBroadcastPkts.31	.1.3.6.1.4.1.26138.8.35.5.1.13.1.4.31	Counter64	0
IB-LswINF-MIB::ibifIPv4InBroadcastPkts.32	.1.3.6.1.4.1.26138.8.35.5.1.13.1.4.32	Counter64	0
IB-LswINF-MIB::ibifIPv4InDiscards.3	.1.3.6.1.4.1.26138.8.35.5.1.13.1.5.3	Counter64	0
IB-LswINF-MIB::ibifIPv4InDiscards.4	.1.3.6.1.4.1.26138.8.35.5.1.13.1.5.4	Counter64	0
IB-LswINF-MIB::ibifIPv4InDiscards.5	.1.3.6.1.4.1.26138.8.35.5.1.13.1.5.5	Counter64	0
IB-LswINF-MIB::ibifIPv4InDiscards.6	.1.3.6.1.4.1.26138.8.35.5.1.13.1.5.6	Counter64	0
IB-LswINF-MIB::ibifIPv4InDiscards.7	.1.3.6.1.4.1.26138.8.35.5.1.13.1.5.7	Counter64	0
IB-LswINF-MIB::ibifIPv4InDiscards.8	.1.3.6.1.4.1.26138.8.35.5.1.13.1.5.8	Counter64	0
IB-LswINF-MIB::ibifIPv4InDiscards.9	.1.3.6.1.4.1.26138.8.35.5.1.13.1.5.9	Counter64	0
IB-LswINF-MIB::ibifIPv4InDiscards.10	.1.3.6.1.4.1.26138.8.35.5.1.13.1.5.10	Counter64	0
IB-LswINF-MIB::ibifIPv4InDiscards.11	.1.3.6.1.4.1.26138.8.35.5.1.13.1.5.11	Counter64	0
IB-LswINF-MIB::ibifIPv4InDiscards.12	.1.3.6.1.4.1.26138.8.35.5.1.13.1.5.12	Counter64	0
IB-LswINF-MIB::ibifIPv4InDiscards.13	.1.3.6.1.4.1.26138.8.35.5.1.13.1.5.13	Counter64	0
IB-LswINF-MIB::ibifIPv4InDiscards.14	.1.3.6.1.4.1.26138.8.35.5.1.13.1.5.14	Counter64	0
IB-LswINF-MIB::ibifIPv4InDiscards.15	.1.3.6.1.4.1.26138.8.35.5.1.13.1.5.15	Counter64	0
IB-LswINF-MIB::ibifIPv4InDiscards.16	.1.3.6.1.4.1.26138.8.35.5.1.13.1.5.16	Counter64	0
IB-LswINF-MIB::ibifIPv4InDiscards.17	.1.3.6.1.4.1.26138.8.35.5.1.13.1.5.17	Counter64	0
IB-LswINF-MIB::ibifIPv4InDiscards.18	.1.3.6.1.4.1.26138.8.35.5.1.13.1.5.18	Counter64	0
IB-LswINF-MIB::ibifIPv4InDiscards.19	.1.3.6.1.4.1.26138.8.35.5.1.13.1.5.19	Counter64	0
IB-LswINF-MIB::ibifIPv4InDiscards.20	.1.3.6.1.4.1.26138.8.35.5.1.13.1.5.20	Counter64	0
IB-LswINF-MIB::ibifIPv4InDiscards.21	.1.3.6.1.4.1.26138.8.35.5.1.13.1.5.21	Counter64	0
IB-LswINF-MIB::ibifIPv4InDiscards.22	.1.3.6.1.4.1.26138.8.35.5.1.13.1.5.22	Counter64	0
IB-LswINF-MIB::ibifIPv4InDiscards.23	.1.3.6.1.4.1.26138.8.35.5.1.13.1.5.23	Counter64	0
IB-LswINF-MIB::ibifIPv4InDiscards.24	.1.3.6.1.4.1.26138.8.35.5.1.13.1.5.24	Counter64	0
IB-LswINF-MIB::ibifIPv4InDiscards.25	.1.3.6.1.4.1.26138.8.35.5.1.13.1.5.25	Counter64	0
IB-LswINF-MIB::ibifIPv4InDiscards.26	.1.3.6.1.4.1.26138.8.35.5.1.13.1.5.26	Counter64	0

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifIPv4InDiscards.27	.1.3.6.1.4.1.26138.8.35.5.1.13.1.5.27	Counter64	0
IB-LswINF-MIB::ibifIPv4InDiscards.28	.1.3.6.1.4.1.26138.8.35.5.1.13.1.5.28	Counter64	0
IB-LswINF-MIB::ibifIPv4InDiscards.29	.1.3.6.1.4.1.26138.8.35.5.1.13.1.5.29	Counter64	0
IB-LswINF-MIB::ibifIPv4InDiscards.30	.1.3.6.1.4.1.26138.8.35.5.1.13.1.5.30	Counter64	0
IB-LswINF-MIB::ibifIPv4InDiscards.31	.1.3.6.1.4.1.26138.8.35.5.1.13.1.5.31	Counter64	0
IB-LswINF-MIB::ibifIPv4InDiscards.32	.1.3.6.1.4.1.26138.8.35.5.1.13.1.5.32	Counter64	0
IB-LswINF-MIB::ibifIPv4InErrors.3	.1.3.6.1.4.1.26138.8.35.5.1.13.1.6.3	Counter64	0
IB-LswINF-MIB::ibifIPv4InErrors.4	.1.3.6.1.4.1.26138.8.35.5.1.13.1.6.4	Counter64	0
IB-LswINF-MIB::ibifIPv4InErrors.5	.1.3.6.1.4.1.26138.8.35.5.1.13.1.6.5	Counter64	0
IB-LswINF-MIB::ibifIPv4InErrors.6	.1.3.6.1.4.1.26138.8.35.5.1.13.1.6.6	Counter64	0
IB-LswINF-MIB::ibifIPv4InErrors.7	.1.3.6.1.4.1.26138.8.35.5.1.13.1.6.7	Counter64	0
IB-LswINF-MIB::ibifIPv4InErrors.8	.1.3.6.1.4.1.26138.8.35.5.1.13.1.6.8	Counter64	0
IB-LswINF-MIB::ibifIPv4InErrors.9	.1.3.6.1.4.1.26138.8.35.5.1.13.1.6.9	Counter64	0
IB-LswINF-MIB::ibifIPv4InErrors.10	.1.3.6.1.4.1.26138.8.35.5.1.13.1.6.10	Counter64	0
IB-LswINF-MIB::ibifIPv4InErrors.11	.1.3.6.1.4.1.26138.8.35.5.1.13.1.6.11	Counter64	0
IB-LswINF-MIB::ibifIPv4InErrors.12	.1.3.6.1.4.1.26138.8.35.5.1.13.1.6.12	Counter64	0
IB-LswINF-MIB::ibifIPv4InErrors.13	.1.3.6.1.4.1.26138.8.35.5.1.13.1.6.13	Counter64	0
IB-LswINF-MIB::ibifIPv4InErrors.14	.1.3.6.1.4.1.26138.8.35.5.1.13.1.6.14	Counter64	0
IB-LswINF-MIB::ibifIPv4InErrors.15	.1.3.6.1.4.1.26138.8.35.5.1.13.1.6.15	Counter64	0
IB-LswINF-MIB::ibifIPv4InErrors.16	.1.3.6.1.4.1.26138.8.35.5.1.13.1.6.16	Counter64	0
IB-LswINF-MIB::ibifIPv4InErrors.17	.1.3.6.1.4.1.26138.8.35.5.1.13.1.6.17	Counter64	0
IB-LswINF-MIB::ibifIPv4InErrors.18	.1.3.6.1.4.1.26138.8.35.5.1.13.1.6.18	Counter64	0
IB-LswINF-MIB::ibifIPv4InErrors.19	.1.3.6.1.4.1.26138.8.35.5.1.13.1.6.19	Counter64	0
IB-LswINF-MIB::ibifIPv4InErrors.20	.1.3.6.1.4.1.26138.8.35.5.1.13.1.6.20	Counter64	0
IB-LswINF-MIB::ibifIPv4InErrors.21	.1.3.6.1.4.1.26138.8.35.5.1.13.1.6.21	Counter64	0
IB-LswINF-MIB::ibifIPv4InErrors.22	.1.3.6.1.4.1.26138.8.35.5.1.13.1.6.22	Counter64	0

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifIPv4InErrors.23	.1.3.6.1.4.1.26138.8.35.5.1.13.1.6.23	Counter64	0
IB-LswINF-MIB::ibifIPv4InErrors.24	.1.3.6.1.4.1.26138.8.35.5.1.13.1.6.24	Counter64	0
IB-LswINF-MIB::ibifIPv4InErrors.25	.1.3.6.1.4.1.26138.8.35.5.1.13.1.6.25	Counter64	0
IB-LswINF-MIB::ibifIPv4InErrors.26	.1.3.6.1.4.1.26138.8.35.5.1.13.1.6.26	Counter64	0
IB-LswINF-MIB::ibifIPv4InErrors.27	.1.3.6.1.4.1.26138.8.35.5.1.13.1.6.27	Counter64	0
IB-LswINF-MIB::ibifIPv4InErrors.28	.1.3.6.1.4.1.26138.8.35.5.1.13.1.6.28	Counter64	0
IB-LswINF-MIB::ibifIPv4InErrors.29	.1.3.6.1.4.1.26138.8.35.5.1.13.1.6.29	Counter64	0
IB-LswINF-MIB::ibifIPv4InErrors.30	.1.3.6.1.4.1.26138.8.35.5.1.13.1.6.30	Counter64	0
IB-LswINF-MIB::ibifIPv4InErrors.31	.1.3.6.1.4.1.26138.8.35.5.1.13.1.6.31	Counter64	0
IB-LswINF-MIB::ibifIPv4InErrors.32	.1.3.6.1.4.1.26138.8.35.5.1.13.1.6.32	Counter64	0
IB-LswINF-MIB::ibifIPv4OutOctets.3	.1.3.6.1.4.1.26138.8.35.5.1.13.1.7.3	Counter64	0
IB-LswINF-MIB::ibifIPv4OutOctets.4	.1.3.6.1.4.1.26138.8.35.5.1.13.1.7.4	Counter64	0
IB-LswINF-MIB::ibifIPv4OutOctets.5	.1.3.6.1.4.1.26138.8.35.5.1.13.1.7.5	Counter64	0
IB-LswINF-MIB::ibifIPv4OutOctets.6	.1.3.6.1.4.1.26138.8.35.5.1.13.1.7.6	Counter64	0
IB-LswINF-MIB::ibifIPv4OutOctets.7	.1.3.6.1.4.1.26138.8.35.5.1.13.1.7.7	Counter64	0
IB-LswINF-MIB::ibifIPv4OutOctets.8	.1.3.6.1.4.1.26138.8.35.5.1.13.1.7.8	Counter64	0
IB-LswINF-MIB::ibifIPv4OutOctets.9	.1.3.6.1.4.1.26138.8.35.5.1.13.1.7.9	Counter64	722
IB-LswINF-MIB::ibifIPv4OutOctets.10	.1.3.6.1.4.1.26138.8.35.5.1.13.1.7.10	Counter64	0
IB-LswINF-MIB::ibifIPv4OutOctets.11	.1.3.6.1.4.1.26138.8.35.5.1.13.1.7.11	Counter64	0
IB-LswINF-MIB::ibifIPv4OutOctets.12	.1.3.6.1.4.1.26138.8.35.5.1.13.1.7.12	Counter64	0
IB-LswINF-MIB::ibifIPv4OutOctets.13	.1.3.6.1.4.1.26138.8.35.5.1.13.1.7.13	Counter64	0
IB-LswINF-MIB::ibifIPv4OutOctets.14	.1.3.6.1.4.1.26138.8.35.5.1.13.1.7.14	Counter64	0
IB-LswINF-MIB::ibifIPv4OutOctets.15	.1.3.6.1.4.1.26138.8.35.5.1.13.1.7.15	Counter64	0
IB-LswINF-MIB::ibifIPv4OutOctets.16	.1.3.6.1.4.1.26138.8.35.5.1.13.1.7.16	Counter64	0
IB-LswINF-MIB::ibifIPv4OutOctets.17	.1.3.6.1.4.1.26138.8.35.5.1.13.1.7.17	Counter64	0
IB-LswINF-MIB::ibifIPv4OutOctets.18	.1.3.6.1.4.1.26138.8.35.5.1.13.1.7.18	Counter64	0

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifIPv4OutOctets.19	.1.3.6.1.4.1.26138.8.35.5.1.13.1.7.19	Counter64	0
IB-LswINF-MIB::ibifIPv4OutOctets.20	.1.3.6.1.4.1.26138.8.35.5.1.13.1.7.20	Counter64	0
IB-LswINF-MIB::ibifIPv4OutOctets.21	.1.3.6.1.4.1.26138.8.35.5.1.13.1.7.21	Counter64	0
IB-LswINF-MIB::ibifIPv4OutOctets.22	.1.3.6.1.4.1.26138.8.35.5.1.13.1.7.22	Counter64	0
IB-LswINF-MIB::ibifIPv4OutOctets.23	.1.3.6.1.4.1.26138.8.35.5.1.13.1.7.23	Counter64	0
IB-LswINF-MIB::ibifIPv4OutOctets.24	.1.3.6.1.4.1.26138.8.35.5.1.13.1.7.24	Counter64	0
IB-LswINF-MIB::ibifIPv4OutOctets.25	.1.3.6.1.4.1.26138.8.35.5.1.13.1.7.25	Counter64	0
IB-LswINF-MIB::ibifIPv4OutOctets.26	.1.3.6.1.4.1.26138.8.35.5.1.13.1.7.26	Counter64	0
IB-LswINF-MIB::ibifIPv4OutOctets.27	.1.3.6.1.4.1.26138.8.35.5.1.13.1.7.27	Counter64	0
IB-LswINF-MIB::ibifIPv4OutOctets.28	.1.3.6.1.4.1.26138.8.35.5.1.13.1.7.28	Counter64	0
IB-LswINF-MIB::ibifIPv4OutOctets.29	.1.3.6.1.4.1.26138.8.35.5.1.13.1.7.29	Counter64	0
IB-LswINF-MIB::ibifIPv4OutOctets.30	.1.3.6.1.4.1.26138.8.35.5.1.13.1.7.30	Counter64	0
IB-LswINF-MIB::ibifIPv4OutOctets.31	.1.3.6.1.4.1.26138.8.35.5.1.13.1.7.31	Counter64	0
IB-LswINF-MIB::ibifIPv4OutOctets.32	.1.3.6.1.4.1.26138.8.35.5.1.13.1.7.32	Counter64	0
IB-LswINF-MIB::ibifIPv4OutUcastPkts.3	.1.3.6.1.4.1.26138.8.35.5.1.13.1.8.3	Counter64	0
IB-LswINF-MIB::ibifIPv4OutUcastPkts.4	.1.3.6.1.4.1.26138.8.35.5.1.13.1.8.4	Counter64	0
IB-LswINF-MIB::ibifIPv4OutUcastPkts.5	.1.3.6.1.4.1.26138.8.35.5.1.13.1.8.5	Counter64	0
IB-LswINF-MIB::ibifIPv4OutUcastPkts.6	.1.3.6.1.4.1.26138.8.35.5.1.13.1.8.6	Counter64	0
IB-LswINF-MIB::ibifIPv4OutUcastPkts.7	.1.3.6.1.4.1.26138.8.35.5.1.13.1.8.7	Counter64	0
IB-LswINF-MIB::ibifIPv4OutUcastPkts.8	.1.3.6.1.4.1.26138.8.35.5.1.13.1.8.8	Counter64	0
IB-LswINF-MIB::ibifIPv4OutUcastPkts.9	.1.3.6.1.4.1.26138.8.35.5.1.13.1.8.9	Counter64	2
IB-LswINF-MIB::ibifIPv4OutUcastPkts.10	.1.3.6.1.4.1.26138.8.35.5.1.13.1.8.10	Counter64	0
IB-LswINF-MIB::ibifIPv4OutUcastPkts.11	.1.3.6.1.4.1.26138.8.35.5.1.13.1.8.11	Counter64	0
IB-LswINF-MIB::ibifIPv4OutUcastPkts.12	.1.3.6.1.4.1.26138.8.35.5.1.13.1.8.12	Counter64	0
IB-LswINF-MIB::ibifIPv4OutUcastPkts.13	.1.3.6.1.4.1.26138.8.35.5.1.13.1.8.13	Counter64	0
IB-LswINF-MIB::ibifIPv4OutUcastPkts.14	.1.3.6.1.4.1.26138.8.35.5.1.13.1.8.14	Counter64	0

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifIPv4OutUcastPkts.15	.1.3.6.1.4.1.26138.8.35.5.1.13.1.8.15	Counter64	0
IB-LswINF-MIB::ibifIPv4OutUcastPkts.16	.1.3.6.1.4.1.26138.8.35.5.1.13.1.8.16	Counter64	0
IB-LswINF-MIB::ibifIPv4OutUcastPkts.17	.1.3.6.1.4.1.26138.8.35.5.1.13.1.8.17	Counter64	0
IB-LswINF-MIB::ibifIPv4OutUcastPkts.18	.1.3.6.1.4.1.26138.8.35.5.1.13.1.8.18	Counter64	0
IB-LswINF-MIB::ibifIPv4OutUcastPkts.19	.1.3.6.1.4.1.26138.8.35.5.1.13.1.8.19	Counter64	0
IB-LswINF-MIB::ibifIPv4OutUcastPkts.20	.1.3.6.1.4.1.26138.8.35.5.1.13.1.8.20	Counter64	0
IB-LswINF-MIB::ibifIPv4OutUcastPkts.21	.1.3.6.1.4.1.26138.8.35.5.1.13.1.8.21	Counter64	0
IB-LswINF-MIB::ibifIPv4OutUcastPkts.22	.1.3.6.1.4.1.26138.8.35.5.1.13.1.8.22	Counter64	0
IB-LswINF-MIB::ibifIPv4OutUcastPkts.23	.1.3.6.1.4.1.26138.8.35.5.1.13.1.8.23	Counter64	0
IB-LswINF-MIB::ibifIPv4OutUcastPkts.24	.1.3.6.1.4.1.26138.8.35.5.1.13.1.8.24	Counter64	0
IB-LswINF-MIB::ibifIPv4OutUcastPkts.25	.1.3.6.1.4.1.26138.8.35.5.1.13.1.8.25	Counter64	0
IB-LswINF-MIB::ibifIPv4OutUcastPkts.26	.1.3.6.1.4.1.26138.8.35.5.1.13.1.8.26	Counter64	0
IB-LswINF-MIB::ibifIPv4OutUcastPkts.27	.1.3.6.1.4.1.26138.8.35.5.1.13.1.8.27	Counter64	0
IB-LswINF-MIB::ibifIPv4OutUcastPkts.28	.1.3.6.1.4.1.26138.8.35.5.1.13.1.8.28	Counter64	0
IB-LswINF-MIB::ibifIPv4OutUcastPkts.29	.1.3.6.1.4.1.26138.8.35.5.1.13.1.8.29	Counter64	0
IB-LswINF-MIB::ibifIPv4OutUcastPkts.30	.1.3.6.1.4.1.26138.8.35.5.1.13.1.8.30	Counter64	0
IB-LswINF-MIB::ibifIPv4OutUcastPkts.31	.1.3.6.1.4.1.26138.8.35.5.1.13.1.8.31	Counter64	0
IB-LswINF-MIB::ibifIPv4OutUcastPkts.32	.1.3.6.1.4.1.26138.8.35.5.1.13.1.8.32	Counter64	0
IB-LswINF-MIB::ibifIPv4OutMultiPkts.3	.1.3.6.1.4.1.26138.8.35.5.1.13.1.9.3	Counter64	0
IB-LswINF-MIB::ibifIPv4OutMultiPkts.4	.1.3.6.1.4.1.26138.8.35.5.1.13.1.9.4	Counter64	0
IB-LswINF-MIB::ibifIPv4OutMultiPkts.5	.1.3.6.1.4.1.26138.8.35.5.1.13.1.9.5	Counter64	0
IB-LswINF-MIB::ibifIPv4OutMultiPkts.6	.1.3.6.1.4.1.26138.8.35.5.1.13.1.9.6	Counter64	0
IB-LswINF-MIB::ibifIPv4OutMultiPkts.7	.1.3.6.1.4.1.26138.8.35.5.1.13.1.9.7	Counter64	0
IB-LswINF-MIB::ibifIPv4OutMultiPkts.8	.1.3.6.1.4.1.26138.8.35.5.1.13.1.9.8	Counter64	0
IB-LswINF-MIB::ibifIPv4OutMultiPkts.9	.1.3.6.1.4.1.26138.8.35.5.1.13.1.9.9	Counter64	0
IB-LswINF-MIB::ibifIPv4OutMultiPkts.10	.1.3.6.1.4.1.26138.8.35.5.1.13.1.9.10	Counter64	0

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifIPv4OutMultiPkts.11	.1.3.6.1.4.1.26138.8.35.5.1.13.1.9.11	Counter64	0
IB-LswINF-MIB::ibifIPv4OutMultiPkts.12	.1.3.6.1.4.1.26138.8.35.5.1.13.1.9.12	Counter64	0
IB-LswINF-MIB::ibifIPv4OutMultiPkts.13	.1.3.6.1.4.1.26138.8.35.5.1.13.1.9.13	Counter64	0
IB-LswINF-MIB::ibifIPv4OutMultiPkts.14	.1.3.6.1.4.1.26138.8.35.5.1.13.1.9.14	Counter64	0
IB-LswINF-MIB::ibifIPv4OutMultiPkts.15	.1.3.6.1.4.1.26138.8.35.5.1.13.1.9.15	Counter64	0
IB-LswINF-MIB::ibifIPv4OutMultiPkts.16	.1.3.6.1.4.1.26138.8.35.5.1.13.1.9.16	Counter64	0
IB-LswINF-MIB::ibifIPv4OutMultiPkts.17	.1.3.6.1.4.1.26138.8.35.5.1.13.1.9.17	Counter64	0
IB-LswINF-MIB::ibifIPv4OutMultiPkts.18	.1.3.6.1.4.1.26138.8.35.5.1.13.1.9.18	Counter64	0
IB-LswINF-MIB::ibifIPv4OutMultiPkts.19	.1.3.6.1.4.1.26138.8.35.5.1.13.1.9.19	Counter64	0
IB-LswINF-MIB::ibifIPv4OutMultiPkts.20	.1.3.6.1.4.1.26138.8.35.5.1.13.1.9.20	Counter64	0
IB-LswINF-MIB::ibifIPv4OutMultiPkts.21	.1.3.6.1.4.1.26138.8.35.5.1.13.1.9.21	Counter64	0
IB-LswINF-MIB::ibifIPv4OutMultiPkts.22	.1.3.6.1.4.1.26138.8.35.5.1.13.1.9.22	Counter64	0
IB-LswINF-MIB::ibifIPv4OutMultiPkts.23	.1.3.6.1.4.1.26138.8.35.5.1.13.1.9.23	Counter64	0
IB-LswINF-MIB::ibifIPv4OutMultiPkts.24	.1.3.6.1.4.1.26138.8.35.5.1.13.1.9.24	Counter64	0
IB-LswINF-MIB::ibifIPv4OutMultiPkts.25	.1.3.6.1.4.1.26138.8.35.5.1.13.1.9.25	Counter64	0
IB-LswINF-MIB::ibifIPv4OutMultiPkts.26	.1.3.6.1.4.1.26138.8.35.5.1.13.1.9.26	Counter64	0
IB-LswINF-MIB::ibifIPv4OutMultiPkts.27	.1.3.6.1.4.1.26138.8.35.5.1.13.1.9.27	Counter64	0
IB-LswINF-MIB::ibifIPv4OutMultiPkts.28	.1.3.6.1.4.1.26138.8.35.5.1.13.1.9.28	Counter64	0
IB-LswINF-MIB::ibifIPv4OutMultiPkts.29	.1.3.6.1.4.1.26138.8.35.5.1.13.1.9.29	Counter64	0
IB-LswINF-MIB::ibifIPv4OutMultiPkts.30	.1.3.6.1.4.1.26138.8.35.5.1.13.1.9.30	Counter64	0
IB-LswINF-MIB::ibifIPv4OutMultiPkts.31	.1.3.6.1.4.1.26138.8.35.5.1.13.1.9.31	Counter64	0
IB-LswINF-MIB::ibifIPv4OutMultiPkts.32	.1.3.6.1.4.1.26138.8.35.5.1.13.1.9.32	Counter64	0
IB-LswINF-MIB::ibifIPv4OutBroadcastPkts.3	.1.3.6.1.4.1.26138.8.35.5.1.13.1.10.3	Counter64	0
IB-LswINF-MIB::ibifIPv4OutBroadcastPkts.4	.1.3.6.1.4.1.26138.8.35.5.1.13.1.10.4	Counter64	0
IB-LswINF-MIB::ibifIPv4OutBroadcastPkts.5	.1.3.6.1.4.1.26138.8.35.5.1.13.1.10.5	Counter64	0
IB-LswINF-MIB::ibifIPv4OutBroadcastPkts.6	.1.3.6.1.4.1.26138.8.35.5.1.13.1.10.6	Counter64	0

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifIPv4OutBroadcastPkts.7	.1.3.6.1.4.1.26138.8.35.5.1.13.1.10.7	Counter64	0
IB-LswINF-MIB::ibifIPv4OutBroadcastPkts.8	.1.3.6.1.4.1.26138.8.35.5.1.13.1.10.8	Counter64	0
IB-LswINF-MIB::ibifIPv4OutBroadcastPkts.9	.1.3.6.1.4.1.26138.8.35.5.1.13.1.10.9	Counter64	0
IB-LswINF-MIB::ibifIPv4OutBroadcastPkts.10	.1.3.6.1.4.1.26138.8.35.5.1.13.1.10.10	Counter64	0
IB-LswINF-MIB::ibifIPv4OutBroadcastPkts.11	.1.3.6.1.4.1.26138.8.35.5.1.13.1.10.11	Counter64	0
IB-LswINF-MIB::ibifIPv4OutBroadcastPkts.12	.1.3.6.1.4.1.26138.8.35.5.1.13.1.10.12	Counter64	0
IB-LswINF-MIB::ibifIPv4OutBroadcastPkts.13	.1.3.6.1.4.1.26138.8.35.5.1.13.1.10.13	Counter64	0
IB-LswINF-MIB::ibifIPv4OutBroadcastPkts.14	.1.3.6.1.4.1.26138.8.35.5.1.13.1.10.14	Counter64	0
IB-LswINF-MIB::ibifIPv4OutBroadcastPkts.15	.1.3.6.1.4.1.26138.8.35.5.1.13.1.10.15	Counter64	0
IB-LswINF-MIB::ibifIPv4OutBroadcastPkts.16	.1.3.6.1.4.1.26138.8.35.5.1.13.1.10.16	Counter64	0
IB-LswINF-MIB::ibifIPv4OutBroadcastPkts.17	.1.3.6.1.4.1.26138.8.35.5.1.13.1.10.17	Counter64	0
IB-LswINF-MIB::ibifIPv4OutBroadcastPkts.18	.1.3.6.1.4.1.26138.8.35.5.1.13.1.10.18	Counter64	0
IB-LswINF-MIB::ibifIPv4OutBroadcastPkts.19	.1.3.6.1.4.1.26138.8.35.5.1.13.1.10.19	Counter64	0
IB-LswINF-MIB::ibifIPv4OutBroadcastPkts.20	.1.3.6.1.4.1.26138.8.35.5.1.13.1.10.20	Counter64	0
IB-LswINF-MIB::ibifIPv4OutBroadcastPkts.21	.1.3.6.1.4.1.26138.8.35.5.1.13.1.10.21	Counter64	0
IB-LswINF-MIB::ibifIPv4OutBroadcastPkts.22	.1.3.6.1.4.1.26138.8.35.5.1.13.1.10.22	Counter64	0
IB-LswINF-MIB::ibifIPv4OutBroadcastPkts.23	.1.3.6.1.4.1.26138.8.35.5.1.13.1.10.23	Counter64	0
IB-LswINF-MIB::ibifIPv4OutBroadcastPkts.24	.1.3.6.1.4.1.26138.8.35.5.1.13.1.10.24	Counter64	0
IB-LswINF-MIB::ibifIPv4OutBroadcastPkts.25	.1.3.6.1.4.1.26138.8.35.5.1.13.1.10.25	Counter64	0
IB-LswINF-MIB::ibifIPv4OutBroadcastPkts.26	.1.3.6.1.4.1.26138.8.35.5.1.13.1.10.26	Counter64	0
IB-LswINF-MIB::ibifIPv4OutBroadcastPkts.27	.1.3.6.1.4.1.26138.8.35.5.1.13.1.10.27	Counter64	0
IB-LswINF-MIB::ibifIPv4OutBroadcastPkts.28	.1.3.6.1.4.1.26138.8.35.5.1.13.1.10.28	Counter64	0
IB-LswINF-MIB::ibifIPv4OutBroadcastPkts.29	.1.3.6.1.4.1.26138.8.35.5.1.13.1.10.29	Counter64	0
IB-LswINF-MIB::ibifIPv4OutBroadcastPkts.30	.1.3.6.1.4.1.26138.8.35.5.1.13.1.10.30	Counter64	0
IB-LswINF-MIB::ibifIPv4OutBroadcastPkts.31	.1.3.6.1.4.1.26138.8.35.5.1.13.1.10.31	Counter64	0
IB-LswINF-MIB::ibifIPv4OutBroadcastPkts.32	.1.3.6.1.4.1.26138.8.35.5.1.13.1.10.32	Counter64	0

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifIPv4OutDiscards.3	.1.3.6.1.4.1.26138.8.35.5.1.13.1.11.3	Counter64	0
IB-LswINF-MIB::ibifIPv4OutDiscards.4	.1.3.6.1.4.1.26138.8.35.5.1.13.1.11.4	Counter64	0
IB-LswINF-MIB::ibifIPv4OutDiscards.5	.1.3.6.1.4.1.26138.8.35.5.1.13.1.11.5	Counter64	0
IB-LswINF-MIB::ibifIPv4OutDiscards.6	.1.3.6.1.4.1.26138.8.35.5.1.13.1.11.6	Counter64	0
IB-LswINF-MIB::ibifIPv4OutDiscards.7	.1.3.6.1.4.1.26138.8.35.5.1.13.1.11.7	Counter64	0
IB-LswINF-MIB::ibifIPv4OutDiscards.8	.1.3.6.1.4.1.26138.8.35.5.1.13.1.11.8	Counter64	0
IB-LswINF-MIB::ibifIPv4OutDiscards.9	.1.3.6.1.4.1.26138.8.35.5.1.13.1.11.9	Counter64	0
IB-LswINF-MIB::ibifIPv4OutDiscards.10	.1.3.6.1.4.1.26138.8.35.5.1.13.1.11.10	Counter64	0
IB-LswINF-MIB::ibifIPv4OutDiscards.11	.1.3.6.1.4.1.26138.8.35.5.1.13.1.11.11	Counter64	0
IB-LswINF-MIB::ibifIPv4OutDiscards.12	.1.3.6.1.4.1.26138.8.35.5.1.13.1.11.12	Counter64	0
IB-LswINF-MIB::ibifIPv4OutDiscards.13	.1.3.6.1.4.1.26138.8.35.5.1.13.1.11.13	Counter64	0
IB-LswINF-MIB::ibifIPv4OutDiscards.14	.1.3.6.1.4.1.26138.8.35.5.1.13.1.11.14	Counter64	0
IB-LswINF-MIB::ibifIPv4OutDiscards.15	.1.3.6.1.4.1.26138.8.35.5.1.13.1.11.15	Counter64	0
IB-LswINF-MIB::ibifIPv4OutDiscards.16	.1.3.6.1.4.1.26138.8.35.5.1.13.1.11.16	Counter64	0
IB-LswINF-MIB::ibifIPv4OutDiscards.17	.1.3.6.1.4.1.26138.8.35.5.1.13.1.11.17	Counter64	0
IB-LswINF-MIB::ibifIPv4OutDiscards.18	.1.3.6.1.4.1.26138.8.35.5.1.13.1.11.18	Counter64	0
IB-LswINF-MIB::ibifIPv4OutDiscards.19	.1.3.6.1.4.1.26138.8.35.5.1.13.1.11.19	Counter64	0
IB-LswINF-MIB::ibifIPv4OutDiscards.20	.1.3.6.1.4.1.26138.8.35.5.1.13.1.11.20	Counter64	0
IB-LswINF-MIB::ibifIPv4OutDiscards.21	.1.3.6.1.4.1.26138.8.35.5.1.13.1.11.21	Counter64	0
IB-LswINF-MIB::ibifIPv4OutDiscards.22	.1.3.6.1.4.1.26138.8.35.5.1.13.1.11.22	Counter64	0
IB-LswINF-MIB::ibifIPv4OutDiscards.23	.1.3.6.1.4.1.26138.8.35.5.1.13.1.11.23	Counter64	0
IB-LswINF-MIB::ibifIPv4OutDiscards.24	.1.3.6.1.4.1.26138.8.35.5.1.13.1.11.24	Counter64	0
IB-LswINF-MIB::ibifIPv4OutDiscards.25	.1.3.6.1.4.1.26138.8.35.5.1.13.1.11.25	Counter64	0
IB-LswINF-MIB::ibifIPv4OutDiscards.26	.1.3.6.1.4.1.26138.8.35.5.1.13.1.11.26	Counter64	0
IB-LswINF-MIB::ibifIPv4OutDiscards.27	.1.3.6.1.4.1.26138.8.35.5.1.13.1.11.27	Counter64	0
IB-LswINF-MIB::ibifIPv4OutDiscards.28	.1.3.6.1.4.1.26138.8.35.5.1.13.1.11.28	Counter64	0

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifIPv4OutDiscards.29	.1.3.6.1.4.1.26138.8.35.5.1.13.1.11.29	Counter64	0
IB-LswINF-MIB::ibifIPv4OutDiscards.30	.1.3.6.1.4.1.26138.8.35.5.1.13.1.11.30	Counter64	0
IB-LswINF-MIB::ibifIPv4OutDiscards.31	.1.3.6.1.4.1.26138.8.35.5.1.13.1.11.31	Counter64	0
IB-LswINF-MIB::ibifIPv4OutDiscards.32	.1.3.6.1.4.1.26138.8.35.5.1.13.1.11.32	Counter64	0
IB-LswINF-MIB::ibifIPv4OutErrors.3	.1.3.6.1.4.1.26138.8.35.5.1.13.1.12.3	Counter64	0
IB-LswINF-MIB::ibifIPv4OutErrors.4	.1.3.6.1.4.1.26138.8.35.5.1.13.1.12.4	Counter64	0
IB-LswINF-MIB::ibifIPv4OutErrors.5	.1.3.6.1.4.1.26138.8.35.5.1.13.1.12.5	Counter64	0
IB-LswINF-MIB::ibifIPv4OutErrors.6	.1.3.6.1.4.1.26138.8.35.5.1.13.1.12.6	Counter64	0
IB-LswINF-MIB::ibifIPv4OutErrors.7	.1.3.6.1.4.1.26138.8.35.5.1.13.1.12.7	Counter64	0
IB-LswINF-MIB::ibifIPv4OutErrors.8	.1.3.6.1.4.1.26138.8.35.5.1.13.1.12.8	Counter64	0
IB-LswINF-MIB::ibifIPv4OutErrors.9	.1.3.6.1.4.1.26138.8.35.5.1.13.1.12.9	Counter64	0
IB-LswINF-MIB::ibifIPv4OutErrors.10	.1.3.6.1.4.1.26138.8.35.5.1.13.1.12.10	Counter64	0
IB-LswINF-MIB::ibifIPv4OutErrors.11	.1.3.6.1.4.1.26138.8.35.5.1.13.1.12.11	Counter64	0
IB-LswINF-MIB::ibifIPv4OutErrors.12	.1.3.6.1.4.1.26138.8.35.5.1.13.1.12.12	Counter64	0
IB-LswINF-MIB::ibifIPv4OutErrors.13	.1.3.6.1.4.1.26138.8.35.5.1.13.1.12.13	Counter64	0
IB-LswINF-MIB::ibifIPv4OutErrors.14	.1.3.6.1.4.1.26138.8.35.5.1.13.1.12.14	Counter64	0
IB-LswINF-MIB::ibifIPv4OutErrors.15	.1.3.6.1.4.1.26138.8.35.5.1.13.1.12.15	Counter64	0
IB-LswINF-MIB::ibifIPv4OutErrors.16	.1.3.6.1.4.1.26138.8.35.5.1.13.1.12.16	Counter64	0
IB-LswINF-MIB::ibifIPv4OutErrors.17	.1.3.6.1.4.1.26138.8.35.5.1.13.1.12.17	Counter64	0
IB-LswINF-MIB::ibifIPv4OutErrors.18	.1.3.6.1.4.1.26138.8.35.5.1.13.1.12.18	Counter64	0
IB-LswINF-MIB::ibifIPv4OutErrors.19	.1.3.6.1.4.1.26138.8.35.5.1.13.1.12.19	Counter64	0
IB-LswINF-MIB::ibifIPv4OutErrors.20	.1.3.6.1.4.1.26138.8.35.5.1.13.1.12.20	Counter64	0
IB-LswINF-MIB::ibifIPv4OutErrors.21	.1.3.6.1.4.1.26138.8.35.5.1.13.1.12.21	Counter64	0
IB-LswINF-MIB::ibifIPv4OutErrors.22	.1.3.6.1.4.1.26138.8.35.5.1.13.1.12.22	Counter64	0
IB-LswINF-MIB::ibifIPv4OutErrors.23	.1.3.6.1.4.1.26138.8.35.5.1.13.1.12.23	Counter64	0
IB-LswINF-MIB::ibifIPv4OutErrors.24	.1.3.6.1.4.1.26138.8.35.5.1.13.1.12.24	Counter64	0

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifIPv4OutErrors.25	.1.3.6.1.4.1.26138.8.35.5.1.13.1.12.25	Counter64	0
IB-LswINF-MIB::ibifIPv4OutErrors.26	.1.3.6.1.4.1.26138.8.35.5.1.13.1.12.26	Counter64	0
IB-LswINF-MIB::ibifIPv4OutErrors.27	.1.3.6.1.4.1.26138.8.35.5.1.13.1.12.27	Counter64	0
IB-LswINF-MIB::ibifIPv4OutErrors.28	.1.3.6.1.4.1.26138.8.35.5.1.13.1.12.28	Counter64	0
IB-LswINF-MIB::ibifIPv4OutErrors.29	.1.3.6.1.4.1.26138.8.35.5.1.13.1.12.29	Counter64	0
IB-LswINF-MIB::ibifIPv4OutErrors.30	.1.3.6.1.4.1.26138.8.35.5.1.13.1.12.30	Counter64	0
IB-LswINF-MIB::ibifIPv4OutErrors.31	.1.3.6.1.4.1.26138.8.35.5.1.13.1.12.31	Counter64	0
IB-LswINF-MIB::ibifIPv4OutErrors.32	.1.3.6.1.4.1.26138.8.35.5.1.13.1.12.32	Counter64	0
IB-LswINF-MIB::ibifIPv6InOctets.3	.1.3.6.1.4.1.26138.8.35.5.1.13.1.13.3	Counter64	0
IB-LswINF-MIB::ibifIPv6InOctets.4	.1.3.6.1.4.1.26138.8.35.5.1.13.1.13.4	Counter64	0
IB-LswINF-MIB::ibifIPv6InOctets.5	.1.3.6.1.4.1.26138.8.35.5.1.13.1.13.5	Counter64	0
IB-LswINF-MIB::ibifIPv6InOctets.6	.1.3.6.1.4.1.26138.8.35.5.1.13.1.13.6	Counter64	0
IB-LswINF-MIB::ibifIPv6InOctets.7	.1.3.6.1.4.1.26138.8.35.5.1.13.1.13.7	Counter64	0
IB-LswINF-MIB::ibifIPv6InOctets.8	.1.3.6.1.4.1.26138.8.35.5.1.13.1.13.8	Counter64	0
IB-LswINF-MIB::ibifIPv6InOctets.9	.1.3.6.1.4.1.26138.8.35.5.1.13.1.13.9	Counter64	1355202
IB-LswINF-MIB::ibifIPv6InOctets.10	.1.3.6.1.4.1.26138.8.35.5.1.13.1.13.10	Counter64	0
IB-LswINF-MIB::ibifIPv6InOctets.11	.1.3.6.1.4.1.26138.8.35.5.1.13.1.13.11	Counter64	0
IB-LswINF-MIB::ibifIPv6InOctets.12	.1.3.6.1.4.1.26138.8.35.5.1.13.1.13.12	Counter64	0
IB-LswINF-MIB::ibifIPv6InOctets.13	.1.3.6.1.4.1.26138.8.35.5.1.13.1.13.13	Counter64	0
IB-LswINF-MIB::ibifIPv6InOctets.14	.1.3.6.1.4.1.26138.8.35.5.1.13.1.13.14	Counter64	0
IB-LswINF-MIB::ibifIPv6InOctets.15	.1.3.6.1.4.1.26138.8.35.5.1.13.1.13.15	Counter64	0
IB-LswINF-MIB::ibifIPv6InOctets.16	.1.3.6.1.4.1.26138.8.35.5.1.13.1.13.16	Counter64	0
IB-LswINF-MIB::ibifIPv6InOctets.17	.1.3.6.1.4.1.26138.8.35.5.1.13.1.13.17	Counter64	0
IB-LswINF-MIB::ibifIPv6InOctets.18	.1.3.6.1.4.1.26138.8.35.5.1.13.1.13.18	Counter64	0
IB-LswINF-MIB::ibifIPv6InOctets.19	.1.3.6.1.4.1.26138.8.35.5.1.13.1.13.19	Counter64	0
IB-LswINF-MIB::ibifIPv6InOctets.20	.1.3.6.1.4.1.26138.8.35.5.1.13.1.13.20	Counter64	0

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifIPv6InOctets.21	.1.3.6.1.4.1.26138.8.35.5.1.13.1.13.21	Counter64	0
IB-LswINF-MIB::ibifIPv6InOctets.22	.1.3.6.1.4.1.26138.8.35.5.1.13.1.13.22	Counter64	0
IB-LswINF-MIB::ibifIPv6InOctets.23	.1.3.6.1.4.1.26138.8.35.5.1.13.1.13.23	Counter64	0
IB-LswINF-MIB::ibifIPv6InOctets.24	.1.3.6.1.4.1.26138.8.35.5.1.13.1.13.24	Counter64	0
IB-LswINF-MIB::ibifIPv6InOctets.25	.1.3.6.1.4.1.26138.8.35.5.1.13.1.13.25	Counter64	0
IB-LswINF-MIB::ibifIPv6InOctets.26	.1.3.6.1.4.1.26138.8.35.5.1.13.1.13.26	Counter64	0
IB-LswINF-MIB::ibifIPv6InOctets.27	.1.3.6.1.4.1.26138.8.35.5.1.13.1.13.27	Counter64	0
IB-LswINF-MIB::ibifIPv6InOctets.28	.1.3.6.1.4.1.26138.8.35.5.1.13.1.13.28	Counter64	0
IB-LswINF-MIB::ibifIPv6InOctets.29	.1.3.6.1.4.1.26138.8.35.5.1.13.1.13.29	Counter64	0
IB-LswINF-MIB::ibifIPv6InOctets.30	.1.3.6.1.4.1.26138.8.35.5.1.13.1.13.30	Counter64	0
IB-LswINF-MIB::ibifIPv6InOctets.31	.1.3.6.1.4.1.26138.8.35.5.1.13.1.13.31	Counter64	0
IB-LswINF-MIB::ibifIPv6InOctets.32	.1.3.6.1.4.1.26138.8.35.5.1.13.1.13.32	Counter64	0
IB-LswINF-MIB::ibifIPv6InUcastPkts.3	.1.3.6.1.4.1.26138.8.35.5.1.13.1.14.3	Counter64	0
IB-LswINF-MIB::ibifIPv6InUcastPkts.4	.1.3.6.1.4.1.26138.8.35.5.1.13.1.14.4	Counter64	0
IB-LswINF-MIB::ibifIPv6InUcastPkts.5	.1.3.6.1.4.1.26138.8.35.5.1.13.1.14.5	Counter64	0
IB-LswINF-MIB::ibifIPv6InUcastPkts.6	.1.3.6.1.4.1.26138.8.35.5.1.13.1.14.6	Counter64	0
IB-LswINF-MIB::ibifIPv6InUcastPkts.7	.1.3.6.1.4.1.26138.8.35.5.1.13.1.14.7	Counter64	0
IB-LswINF-MIB::ibifIPv6InUcastPkts.8	.1.3.6.1.4.1.26138.8.35.5.1.13.1.14.8	Counter64	0
IB-LswINF-MIB::ibifIPv6InUcastPkts.9	.1.3.6.1.4.1.26138.8.35.5.1.13.1.14.9	Counter64	12966
IB-LswINF-MIB::ibifIPv6InUcastPkts.10	.1.3.6.1.4.1.26138.8.35.5.1.13.1.14.10	Counter64	0
IB-LswINF-MIB::ibifIPv6InUcastPkts.11	.1.3.6.1.4.1.26138.8.35.5.1.13.1.14.11	Counter64	0
IB-LswINF-MIB::ibifIPv6InUcastPkts.12	.1.3.6.1.4.1.26138.8.35.5.1.13.1.14.12	Counter64	0
IB-LswINF-MIB::ibifIPv6InUcastPkts.13	.1.3.6.1.4.1.26138.8.35.5.1.13.1.14.13	Counter64	0
IB-LswINF-MIB::ibifIPv6InUcastPkts.14	.1.3.6.1.4.1.26138.8.35.5.1.13.1.14.14	Counter64	0
IB-LswINF-MIB::ibifIPv6InUcastPkts.15	.1.3.6.1.4.1.26138.8.35.5.1.13.1.14.15	Counter64	0
IB-LswINF-MIB::ibifIPv6InUcastPkts.16	.1.3.6.1.4.1.26138.8.35.5.1.13.1.14.16	Counter64	0

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifIPv6InUcastPkts.17	.1.3.6.1.4.1.26138.8.35.5.1.13.1.14.17	Counter64	0
IB-LswINF-MIB::ibifIPv6InUcastPkts.18	.1.3.6.1.4.1.26138.8.35.5.1.13.1.14.18	Counter64	0
IB-LswINF-MIB::ibifIPv6InUcastPkts.19	.1.3.6.1.4.1.26138.8.35.5.1.13.1.14.19	Counter64	0
IB-LswINF-MIB::ibifIPv6InUcastPkts.20	.1.3.6.1.4.1.26138.8.35.5.1.13.1.14.20	Counter64	0
IB-LswINF-MIB::ibifIPv6InUcastPkts.21	.1.3.6.1.4.1.26138.8.35.5.1.13.1.14.21	Counter64	0
IB-LswINF-MIB::ibifIPv6InUcastPkts.22	.1.3.6.1.4.1.26138.8.35.5.1.13.1.14.22	Counter64	0
IB-LswINF-MIB::ibifIPv6InUcastPkts.23	.1.3.6.1.4.1.26138.8.35.5.1.13.1.14.23	Counter64	0
IB-LswINF-MIB::ibifIPv6InUcastPkts.24	.1.3.6.1.4.1.26138.8.35.5.1.13.1.14.24	Counter64	0
IB-LswINF-MIB::ibifIPv6InUcastPkts.25	.1.3.6.1.4.1.26138.8.35.5.1.13.1.14.25	Counter64	0
IB-LswINF-MIB::ibifIPv6InUcastPkts.26	.1.3.6.1.4.1.26138.8.35.5.1.13.1.14.26	Counter64	0
IB-LswINF-MIB::ibifIPv6InUcastPkts.27	.1.3.6.1.4.1.26138.8.35.5.1.13.1.14.27	Counter64	0
IB-LswINF-MIB::ibifIPv6InUcastPkts.28	.1.3.6.1.4.1.26138.8.35.5.1.13.1.14.28	Counter64	0
IB-LswINF-MIB::ibifIPv6InUcastPkts.29	.1.3.6.1.4.1.26138.8.35.5.1.13.1.14.29	Counter64	0
IB-LswINF-MIB::ibifIPv6InUcastPkts.30	.1.3.6.1.4.1.26138.8.35.5.1.13.1.14.30	Counter64	0
IB-LswINF-MIB::ibifIPv6InUcastPkts.31	.1.3.6.1.4.1.26138.8.35.5.1.13.1.14.31	Counter64	0
IB-LswINF-MIB::ibifIPv6InUcastPkts.32	.1.3.6.1.4.1.26138.8.35.5.1.13.1.14.32	Counter64	0
IB-LswINF-MIB::ibifIPv6InMultiPkts.3	.1.3.6.1.4.1.26138.8.35.5.1.13.1.15.3	Counter64	0
IB-LswINF-MIB::ibifIPv6InMultiPkts.4	.1.3.6.1.4.1.26138.8.35.5.1.13.1.15.4	Counter64	0
IB-LswINF-MIB::ibifIPv6InMultiPkts.5	.1.3.6.1.4.1.26138.8.35.5.1.13.1.15.5	Counter64	0
IB-LswINF-MIB::ibifIPv6InMultiPkts.6	.1.3.6.1.4.1.26138.8.35.5.1.13.1.15.6	Counter64	0
IB-LswINF-MIB::ibifIPv6InMultiPkts.7	.1.3.6.1.4.1.26138.8.35.5.1.13.1.15.7	Counter64	0
IB-LswINF-MIB::ibifIPv6InMultiPkts.8	.1.3.6.1.4.1.26138.8.35.5.1.13.1.15.8	Counter64	0
IB-LswINF-MIB::ibifIPv6InMultiPkts.9	.1.3.6.1.4.1.26138.8.35.5.1.13.1.15.9	Counter64	0
IB-LswINF-MIB::ibifIPv6InMultiPkts.10	.1.3.6.1.4.1.26138.8.35.5.1.13.1.15.10	Counter64	0
IB-LswINF-MIB::ibifIPv6InMultiPkts.11	.1.3.6.1.4.1.26138.8.35.5.1.13.1.15.11	Counter64	0
IB-LswINF-MIB::ibifIPv6InMultiPkts.12	.1.3.6.1.4.1.26138.8.35.5.1.13.1.15.12	Counter64	0

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifIPv6InMultiPkts.13	.1.3.6.1.4.1.26138.8.35.5.1.13.1.15.13	Counter64	0
IB-LswINF-MIB::ibifIPv6InMultiPkts.14	.1.3.6.1.4.1.26138.8.35.5.1.13.1.15.14	Counter64	0
IB-LswINF-MIB::ibifIPv6InMultiPkts.15	.1.3.6.1.4.1.26138.8.35.5.1.13.1.15.15	Counter64	0
IB-LswINF-MIB::ibifIPv6InMultiPkts.16	.1.3.6.1.4.1.26138.8.35.5.1.13.1.15.16	Counter64	0
IB-LswINF-MIB::ibifIPv6InMultiPkts.17	.1.3.6.1.4.1.26138.8.35.5.1.13.1.15.17	Counter64	0
IB-LswINF-MIB::ibifIPv6InMultiPkts.18	.1.3.6.1.4.1.26138.8.35.5.1.13.1.15.18	Counter64	0
IB-LswINF-MIB::ibifIPv6InMultiPkts.19	.1.3.6.1.4.1.26138.8.35.5.1.13.1.15.19	Counter64	0
IB-LswINF-MIB::ibifIPv6InMultiPkts.20	.1.3.6.1.4.1.26138.8.35.5.1.13.1.15.20	Counter64	0
IB-LswINF-MIB::ibifIPv6InMultiPkts.21	.1.3.6.1.4.1.26138.8.35.5.1.13.1.15.21	Counter64	0
IB-LswINF-MIB::ibifIPv6InMultiPkts.22	.1.3.6.1.4.1.26138.8.35.5.1.13.1.15.22	Counter64	0
IB-LswINF-MIB::ibifIPv6InMultiPkts.23	.1.3.6.1.4.1.26138.8.35.5.1.13.1.15.23	Counter64	0
IB-LswINF-MIB::ibifIPv6InMultiPkts.24	.1.3.6.1.4.1.26138.8.35.5.1.13.1.15.24	Counter64	0
IB-LswINF-MIB::ibifIPv6InMultiPkts.25	.1.3.6.1.4.1.26138.8.35.5.1.13.1.15.25	Counter64	0
IB-LswINF-MIB::ibifIPv6InMultiPkts.26	.1.3.6.1.4.1.26138.8.35.5.1.13.1.15.26	Counter64	0
IB-LswINF-MIB::ibifIPv6InMultiPkts.27	.1.3.6.1.4.1.26138.8.35.5.1.13.1.15.27	Counter64	0
IB-LswINF-MIB::ibifIPv6InMultiPkts.28	.1.3.6.1.4.1.26138.8.35.5.1.13.1.15.28	Counter64	0
IB-LswINF-MIB::ibifIPv6InMultiPkts.29	.1.3.6.1.4.1.26138.8.35.5.1.13.1.15.29	Counter64	0
IB-LswINF-MIB::ibifIPv6InMultiPkts.30	.1.3.6.1.4.1.26138.8.35.5.1.13.1.15.30	Counter64	0
IB-LswINF-MIB::ibifIPv6InMultiPkts.31	.1.3.6.1.4.1.26138.8.35.5.1.13.1.15.31	Counter64	0
IB-LswINF-MIB::ibifIPv6InMultiPkts.32	.1.3.6.1.4.1.26138.8.35.5.1.13.1.15.32	Counter64	0
IB-LswINF-MIB::ibifIPv6InAnycastPkts.3	.1.3.6.1.4.1.26138.8.35.5.1.13.1.16.3	Counter64	0
IB-LswINF-MIB::ibifIPv6InAnycastPkts.4	.1.3.6.1.4.1.26138.8.35.5.1.13.1.16.4	Counter64	0
IB-LswINF-MIB::ibifIPv6InAnycastPkts.5	.1.3.6.1.4.1.26138.8.35.5.1.13.1.16.5	Counter64	0
IB-LswINF-MIB::ibifIPv6InAnycastPkts.6	.1.3.6.1.4.1.26138.8.35.5.1.13.1.16.6	Counter64	0
IB-LswINF-MIB::ibifIPv6InAnycastPkts.7	.1.3.6.1.4.1.26138.8.35.5.1.13.1.16.7	Counter64	0
IB-LswINF-MIB::ibifIPv6InAnycastPkts.8	.1.3.6.1.4.1.26138.8.35.5.1.13.1.16.8	Counter64	0

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifIPv6InAnycast Pkts.9	.1.3.6.1.4.1.26138.8.35.5.1.13.1 .16.9	Counter64	0
IB-LswINF-MIB::ibifIPv6InAnycast Pkts.10	.1.3.6.1.4.1.26138.8.35.5.1.13.1 .16.10	Counter64	0
IB-LswINF-MIB::ibifIPv6InAnycast Pkts.11	.1.3.6.1.4.1.26138.8.35.5.1.13.1 .16.11	Counter64	0
IB-LswINF-MIB::ibifIPv6InAnycast Pkts.12	.1.3.6.1.4.1.26138.8.35.5.1.13.1 .16.12	Counter64	0
IB-LswINF-MIB::ibifIPv6InAnycast Pkts.13	.1.3.6.1.4.1.26138.8.35.5.1.13.1 .16.13	Counter64	0
IB-LswINF-MIB::ibifIPv6InAnycast Pkts.14	.1.3.6.1.4.1.26138.8.35.5.1.13.1 .16.14	Counter64	0
IB-LswINF-MIB::ibifIPv6InAnycast Pkts.15	.1.3.6.1.4.1.26138.8.35.5.1.13.1 .16.15	Counter64	0
IB-LswINF-MIB::ibifIPv6InAnycast Pkts.16	.1.3.6.1.4.1.26138.8.35.5.1.13.1 .16.16	Counter64	0
IB-LswINF-MIB::ibifIPv6InAnycast Pkts.17	.1.3.6.1.4.1.26138.8.35.5.1.13.1 .16.17	Counter64	0
IB-LswINF-MIB::ibifIPv6InAnycast Pkts.18	.1.3.6.1.4.1.26138.8.35.5.1.13.1 .16.18	Counter64	0
IB-LswINF-MIB::ibifIPv6InAnycast Pkts.19	.1.3.6.1.4.1.26138.8.35.5.1.13.1 .16.19	Counter64	0
IB-LswINF-MIB::ibifIPv6InAnycast Pkts.20	.1.3.6.1.4.1.26138.8.35.5.1.13.1 .16.20	Counter64	0
IB-LswINF-MIB::ibifIPv6InAnycast Pkts.21	.1.3.6.1.4.1.26138.8.35.5.1.13.1 .16.21	Counter64	0
IB-LswINF-MIB::ibifIPv6InAnycast Pkts.22	.1.3.6.1.4.1.26138.8.35.5.1.13.1 .16.22	Counter64	0
IB-LswINF-MIB::ibifIPv6InAnycast Pkts.23	.1.3.6.1.4.1.26138.8.35.5.1.13.1 .16.23	Counter64	0
IB-LswINF-MIB::ibifIPv6InAnycast Pkts.24	.1.3.6.1.4.1.26138.8.35.5.1.13.1 .16.24	Counter64	0
IB-LswINF-MIB::ibifIPv6InAnycast Pkts.25	.1.3.6.1.4.1.26138.8.35.5.1.13.1 .16.25	Counter64	0
IB-LswINF-MIB::ibifIPv6InAnycast Pkts.26	.1.3.6.1.4.1.26138.8.35.5.1.13.1 .16.26	Counter64	0
IB-LswINF-MIB::ibifIPv6InAnycast Pkts.27	.1.3.6.1.4.1.26138.8.35.5.1.13.1 .16.27	Counter64	0
IB-LswINF-MIB::ibifIPv6InAnycast Pkts.28	.1.3.6.1.4.1.26138.8.35.5.1.13.1 .16.28	Counter64	0
IB-LswINF-MIB::ibifIPv6InAnycast Pkts.29	.1.3.6.1.4.1.26138.8.35.5.1.13.1 .16.29	Counter64	0
IB-LswINF-MIB::ibifIPv6InAnycast Pkts.30	.1.3.6.1.4.1.26138.8.35.5.1.13.1 .16.30	Counter64	0
IB-LswINF-MIB::ibifIPv6InAnycast Pkts.31	.1.3.6.1.4.1.26138.8.35.5.1.13.1 .16.31	Counter64	0
IB-LswINF-MIB::ibifIPv6InAnycast Pkts.32	.1.3.6.1.4.1.26138.8.35.5.1.13.1 .16.32	Counter64	0
IB-LswINF-MIB::ibifIPv6InDiscard s.3	.1.3.6.1.4.1.26138.8.35.5.1.13.1 .17.3	Counter64	0
IB-LswINF-MIB::ibifIPv6InDiscard s.4	.1.3.6.1.4.1.26138.8.35.5.1.13.1 .17.4	Counter64	0

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifIPv6InDiscards.5	.1.3.6.1.4.1.26138.8.35.5.1.13.1.17.5	Counter64	0
IB-LswINF-MIB::ibifIPv6InDiscards.6	.1.3.6.1.4.1.26138.8.35.5.1.13.1.17.6	Counter64	0
IB-LswINF-MIB::ibifIPv6InDiscards.7	.1.3.6.1.4.1.26138.8.35.5.1.13.1.17.7	Counter64	0
IB-LswINF-MIB::ibifIPv6InDiscards.8	.1.3.6.1.4.1.26138.8.35.5.1.13.1.17.8	Counter64	0
IB-LswINF-MIB::ibifIPv6InDiscards.9	.1.3.6.1.4.1.26138.8.35.5.1.13.1.17.9	Counter64	0
IB-LswINF-MIB::ibifIPv6InDiscards.10	.1.3.6.1.4.1.26138.8.35.5.1.13.1.17.10	Counter64	0
IB-LswINF-MIB::ibifIPv6InDiscards.11	.1.3.6.1.4.1.26138.8.35.5.1.13.1.17.11	Counter64	0
IB-LswINF-MIB::ibifIPv6InDiscards.12	.1.3.6.1.4.1.26138.8.35.5.1.13.1.17.12	Counter64	0
IB-LswINF-MIB::ibifIPv6InDiscards.13	.1.3.6.1.4.1.26138.8.35.5.1.13.1.17.13	Counter64	0
IB-LswINF-MIB::ibifIPv6InDiscards.14	.1.3.6.1.4.1.26138.8.35.5.1.13.1.17.14	Counter64	0
IB-LswINF-MIB::ibifIPv6InDiscards.15	.1.3.6.1.4.1.26138.8.35.5.1.13.1.17.15	Counter64	0
IB-LswINF-MIB::ibifIPv6InDiscards.16	.1.3.6.1.4.1.26138.8.35.5.1.13.1.17.16	Counter64	0
IB-LswINF-MIB::ibifIPv6InDiscards.17	.1.3.6.1.4.1.26138.8.35.5.1.13.1.17.17	Counter64	0
IB-LswINF-MIB::ibifIPv6InDiscards.18	.1.3.6.1.4.1.26138.8.35.5.1.13.1.17.18	Counter64	0
IB-LswINF-MIB::ibifIPv6InDiscards.19	.1.3.6.1.4.1.26138.8.35.5.1.13.1.17.19	Counter64	0
IB-LswINF-MIB::ibifIPv6InDiscards.20	.1.3.6.1.4.1.26138.8.35.5.1.13.1.17.20	Counter64	0
IB-LswINF-MIB::ibifIPv6InDiscards.21	.1.3.6.1.4.1.26138.8.35.5.1.13.1.17.21	Counter64	0
IB-LswINF-MIB::ibifIPv6InDiscards.22	.1.3.6.1.4.1.26138.8.35.5.1.13.1.17.22	Counter64	0
IB-LswINF-MIB::ibifIPv6InDiscards.23	.1.3.6.1.4.1.26138.8.35.5.1.13.1.17.23	Counter64	0
IB-LswINF-MIB::ibifIPv6InDiscards.24	.1.3.6.1.4.1.26138.8.35.5.1.13.1.17.24	Counter64	0
IB-LswINF-MIB::ibifIPv6InDiscards.25	.1.3.6.1.4.1.26138.8.35.5.1.13.1.17.25	Counter64	0
IB-LswINF-MIB::ibifIPv6InDiscards.26	.1.3.6.1.4.1.26138.8.35.5.1.13.1.17.26	Counter64	0
IB-LswINF-MIB::ibifIPv6InDiscards.27	.1.3.6.1.4.1.26138.8.35.5.1.13.1.17.27	Counter64	0
IB-LswINF-MIB::ibifIPv6InDiscards.28	.1.3.6.1.4.1.26138.8.35.5.1.13.1.17.28	Counter64	0
IB-LswINF-MIB::ibifIPv6InDiscards.29	.1.3.6.1.4.1.26138.8.35.5.1.13.1.17.29	Counter64	0
IB-LswINF-MIB::ibifIPv6InDiscards.30	.1.3.6.1.4.1.26138.8.35.5.1.13.1.17.30	Counter64	0

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifIPv6InDiscards.31	.1.3.6.1.4.1.26138.8.35.5.1.13.1.17.31	Counter64	0
IB-LswINF-MIB::ibifIPv6InDiscards.32	.1.3.6.1.4.1.26138.8.35.5.1.13.1.17.32	Counter64	0
IB-LswINF-MIB::ibifIPv6InErrors.3	.1.3.6.1.4.1.26138.8.35.5.1.13.1.18.3	Counter64	0
IB-LswINF-MIB::ibifIPv6InErrors.4	.1.3.6.1.4.1.26138.8.35.5.1.13.1.18.4	Counter64	0
IB-LswINF-MIB::ibifIPv6InErrors.5	.1.3.6.1.4.1.26138.8.35.5.1.13.1.18.5	Counter64	0
IB-LswINF-MIB::ibifIPv6InErrors.6	.1.3.6.1.4.1.26138.8.35.5.1.13.1.18.6	Counter64	0
IB-LswINF-MIB::ibifIPv6InErrors.7	.1.3.6.1.4.1.26138.8.35.5.1.13.1.18.7	Counter64	0
IB-LswINF-MIB::ibifIPv6InErrors.8	.1.3.6.1.4.1.26138.8.35.5.1.13.1.18.8	Counter64	0
IB-LswINF-MIB::ibifIPv6InErrors.9	.1.3.6.1.4.1.26138.8.35.5.1.13.1.18.9	Counter64	0
IB-LswINF-MIB::ibifIPv6InErrors.10	.1.3.6.1.4.1.26138.8.35.5.1.13.1.18.10	Counter64	0
IB-LswINF-MIB::ibifIPv6InErrors.11	.1.3.6.1.4.1.26138.8.35.5.1.13.1.18.11	Counter64	0
IB-LswINF-MIB::ibifIPv6InErrors.12	.1.3.6.1.4.1.26138.8.35.5.1.13.1.18.12	Counter64	0
IB-LswINF-MIB::ibifIPv6InErrors.13	.1.3.6.1.4.1.26138.8.35.5.1.13.1.18.13	Counter64	0
IB-LswINF-MIB::ibifIPv6InErrors.14	.1.3.6.1.4.1.26138.8.35.5.1.13.1.18.14	Counter64	0
IB-LswINF-MIB::ibifIPv6InErrors.15	.1.3.6.1.4.1.26138.8.35.5.1.13.1.18.15	Counter64	0
IB-LswINF-MIB::ibifIPv6InErrors.16	.1.3.6.1.4.1.26138.8.35.5.1.13.1.18.16	Counter64	0
IB-LswINF-MIB::ibifIPv6InErrors.17	.1.3.6.1.4.1.26138.8.35.5.1.13.1.18.17	Counter64	0
IB-LswINF-MIB::ibifIPv6InErrors.18	.1.3.6.1.4.1.26138.8.35.5.1.13.1.18.18	Counter64	0
IB-LswINF-MIB::ibifIPv6InErrors.19	.1.3.6.1.4.1.26138.8.35.5.1.13.1.18.19	Counter64	0
IB-LswINF-MIB::ibifIPv6InErrors.20	.1.3.6.1.4.1.26138.8.35.5.1.13.1.18.20	Counter64	0
IB-LswINF-MIB::ibifIPv6InErrors.21	.1.3.6.1.4.1.26138.8.35.5.1.13.1.18.21	Counter64	0
IB-LswINF-MIB::ibifIPv6InErrors.22	.1.3.6.1.4.1.26138.8.35.5.1.13.1.18.22	Counter64	0
IB-LswINF-MIB::ibifIPv6InErrors.23	.1.3.6.1.4.1.26138.8.35.5.1.13.1.18.23	Counter64	0
IB-LswINF-MIB::ibifIPv6InErrors.24	.1.3.6.1.4.1.26138.8.35.5.1.13.1.18.24	Counter64	0
IB-LswINF-MIB::ibifIPv6InErrors.25	.1.3.6.1.4.1.26138.8.35.5.1.13.1.18.25	Counter64	0
IB-LswINF-MIB::ibifIPv6InErrors.26	.1.3.6.1.4.1.26138.8.35.5.1.13.1.18.26	Counter64	0

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifIPv6InErrors.27	.1.3.6.1.4.1.26138.8.35.5.1.13.1.18.27	Counter64	0
IB-LswINF-MIB::ibifIPv6InErrors.28	.1.3.6.1.4.1.26138.8.35.5.1.13.1.18.28	Counter64	0
IB-LswINF-MIB::ibifIPv6InErrors.29	.1.3.6.1.4.1.26138.8.35.5.1.13.1.18.29	Counter64	0
IB-LswINF-MIB::ibifIPv6InErrors.30	.1.3.6.1.4.1.26138.8.35.5.1.13.1.18.30	Counter64	0
IB-LswINF-MIB::ibifIPv6InErrors.31	.1.3.6.1.4.1.26138.8.35.5.1.13.1.18.31	Counter64	0
IB-LswINF-MIB::ibifIPv6InErrors.32	.1.3.6.1.4.1.26138.8.35.5.1.13.1.18.32	Counter64	0
IB-LswINF-MIB::ibifIPv6OutOctets.3	.1.3.6.1.4.1.26138.8.35.5.1.13.1.19.3	Counter64	0
IB-LswINF-MIB::ibifIPv6OutOctets.4	.1.3.6.1.4.1.26138.8.35.5.1.13.1.19.4	Counter64	0
IB-LswINF-MIB::ibifIPv6OutOctets.5	.1.3.6.1.4.1.26138.8.35.5.1.13.1.19.5	Counter64	0
IB-LswINF-MIB::ibifIPv6OutOctets.6	.1.3.6.1.4.1.26138.8.35.5.1.13.1.19.6	Counter64	0
IB-LswINF-MIB::ibifIPv6OutOctets.7	.1.3.6.1.4.1.26138.8.35.5.1.13.1.19.7	Counter64	0
IB-LswINF-MIB::ibifIPv6OutOctets.8	.1.3.6.1.4.1.26138.8.35.5.1.13.1.19.8	Counter64	0
IB-LswINF-MIB::ibifIPv6OutOctets.9	.1.3.6.1.4.1.26138.8.35.5.1.13.1.19.9	Counter64	0
IB-LswINF-MIB::ibifIPv6OutOctets.10	.1.3.6.1.4.1.26138.8.35.5.1.13.1.19.10	Counter64	0
IB-LswINF-MIB::ibifIPv6OutOctets.11	.1.3.6.1.4.1.26138.8.35.5.1.13.1.19.11	Counter64	0
IB-LswINF-MIB::ibifIPv6OutOctets.12	.1.3.6.1.4.1.26138.8.35.5.1.13.1.19.12	Counter64	0
IB-LswINF-MIB::ibifIPv6OutOctets.13	.1.3.6.1.4.1.26138.8.35.5.1.13.1.19.13	Counter64	0
IB-LswINF-MIB::ibifIPv6OutOctets.14	.1.3.6.1.4.1.26138.8.35.5.1.13.1.19.14	Counter64	0
IB-LswINF-MIB::ibifIPv6OutOctets.15	.1.3.6.1.4.1.26138.8.35.5.1.13.1.19.15	Counter64	0
IB-LswINF-MIB::ibifIPv6OutOctets.16	.1.3.6.1.4.1.26138.8.35.5.1.13.1.19.16	Counter64	0
IB-LswINF-MIB::ibifIPv6OutOctets.17	.1.3.6.1.4.1.26138.8.35.5.1.13.1.19.17	Counter64	0
IB-LswINF-MIB::ibifIPv6OutOctets.18	.1.3.6.1.4.1.26138.8.35.5.1.13.1.19.18	Counter64	0
IB-LswINF-MIB::ibifIPv6OutOctets.19	.1.3.6.1.4.1.26138.8.35.5.1.13.1.19.19	Counter64	0
IB-LswINF-MIB::ibifIPv6OutOctets.20	.1.3.6.1.4.1.26138.8.35.5.1.13.1.19.20	Counter64	0
IB-LswINF-MIB::ibifIPv6OutOctets.21	.1.3.6.1.4.1.26138.8.35.5.1.13.1.19.21	Counter64	0
IB-LswINF-MIB::ibifIPv6OutOctets.22	.1.3.6.1.4.1.26138.8.35.5.1.13.1.19.22	Counter64	0

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifIPv6OutOctets.23	.1.3.6.1.4.1.26138.8.35.5.1.13.1.19.23	Counter64	0
IB-LswINF-MIB::ibifIPv6OutOctets.24	.1.3.6.1.4.1.26138.8.35.5.1.13.1.19.24	Counter64	0
IB-LswINF-MIB::ibifIPv6OutOctets.25	.1.3.6.1.4.1.26138.8.35.5.1.13.1.19.25	Counter64	0
IB-LswINF-MIB::ibifIPv6OutOctets.26	.1.3.6.1.4.1.26138.8.35.5.1.13.1.19.26	Counter64	0
IB-LswINF-MIB::ibifIPv6OutOctets.27	.1.3.6.1.4.1.26138.8.35.5.1.13.1.19.27	Counter64	0
IB-LswINF-MIB::ibifIPv6OutOctets.28	.1.3.6.1.4.1.26138.8.35.5.1.13.1.19.28	Counter64	0
IB-LswINF-MIB::ibifIPv6OutOctets.29	.1.3.6.1.4.1.26138.8.35.5.1.13.1.19.29	Counter64	0
IB-LswINF-MIB::ibifIPv6OutOctets.30	.1.3.6.1.4.1.26138.8.35.5.1.13.1.19.30	Counter64	0
IB-LswINF-MIB::ibifIPv6OutOctets.31	.1.3.6.1.4.1.26138.8.35.5.1.13.1.19.31	Counter64	0
IB-LswINF-MIB::ibifIPv6OutOctets.32	.1.3.6.1.4.1.26138.8.35.5.1.13.1.19.32	Counter64	0
IB-LswINF-MIB::ibifIPv6OutUcastPkts.3	.1.3.6.1.4.1.26138.8.35.5.1.13.1.20.3	Counter64	0
IB-LswINF-MIB::ibifIPv6OutUcastPkts.4	.1.3.6.1.4.1.26138.8.35.5.1.13.1.20.4	Counter64	0
IB-LswINF-MIB::ibifIPv6OutUcastPkts.5	.1.3.6.1.4.1.26138.8.35.5.1.13.1.20.5	Counter64	0
IB-LswINF-MIB::ibifIPv6OutUcastPkts.6	.1.3.6.1.4.1.26138.8.35.5.1.13.1.20.6	Counter64	0
IB-LswINF-MIB::ibifIPv6OutUcastPkts.7	.1.3.6.1.4.1.26138.8.35.5.1.13.1.20.7	Counter64	0
IB-LswINF-MIB::ibifIPv6OutUcastPkts.8	.1.3.6.1.4.1.26138.8.35.5.1.13.1.20.8	Counter64	0
IB-LswINF-MIB::ibifIPv6OutUcastPkts.9	.1.3.6.1.4.1.26138.8.35.5.1.13.1.20.9	Counter64	0
IB-LswINF-MIB::ibifIPv6OutUcastPkts.10	.1.3.6.1.4.1.26138.8.35.5.1.13.1.20.10	Counter64	0
IB-LswINF-MIB::ibifIPv6OutUcastPkts.11	.1.3.6.1.4.1.26138.8.35.5.1.13.1.20.11	Counter64	0
IB-LswINF-MIB::ibifIPv6OutUcastPkts.12	.1.3.6.1.4.1.26138.8.35.5.1.13.1.20.12	Counter64	0
IB-LswINF-MIB::ibifIPv6OutUcastPkts.13	.1.3.6.1.4.1.26138.8.35.5.1.13.1.20.13	Counter64	0
IB-LswINF-MIB::ibifIPv6OutUcastPkts.14	.1.3.6.1.4.1.26138.8.35.5.1.13.1.20.14	Counter64	0
IB-LswINF-MIB::ibifIPv6OutUcastPkts.15	.1.3.6.1.4.1.26138.8.35.5.1.13.1.20.15	Counter64	0
IB-LswINF-MIB::ibifIPv6OutUcastPkts.16	.1.3.6.1.4.1.26138.8.35.5.1.13.1.20.16	Counter64	0
IB-LswINF-MIB::ibifIPv6OutUcastPkts.17	.1.3.6.1.4.1.26138.8.35.5.1.13.1.20.17	Counter64	0
IB-LswINF-MIB::ibifIPv6OutUcastPkts.18	.1.3.6.1.4.1.26138.8.35.5.1.13.1.20.18	Counter64	0

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifIPv6OutUcastPkts.19	.1.3.6.1.4.1.26138.8.35.5.1.13.1.20.19	Counter64	0
IB-LswINF-MIB::ibifIPv6OutUcastPkts.20	.1.3.6.1.4.1.26138.8.35.5.1.13.1.20.20	Counter64	0
IB-LswINF-MIB::ibifIPv6OutUcastPkts.21	.1.3.6.1.4.1.26138.8.35.5.1.13.1.20.21	Counter64	0
IB-LswINF-MIB::ibifIPv6OutUcastPkts.22	.1.3.6.1.4.1.26138.8.35.5.1.13.1.20.22	Counter64	0
IB-LswINF-MIB::ibifIPv6OutUcastPkts.23	.1.3.6.1.4.1.26138.8.35.5.1.13.1.20.23	Counter64	0
IB-LswINF-MIB::ibifIPv6OutUcastPkts.24	.1.3.6.1.4.1.26138.8.35.5.1.13.1.20.24	Counter64	0
IB-LswINF-MIB::ibifIPv6OutUcastPkts.25	.1.3.6.1.4.1.26138.8.35.5.1.13.1.20.25	Counter64	0
IB-LswINF-MIB::ibifIPv6OutUcastPkts.26	.1.3.6.1.4.1.26138.8.35.5.1.13.1.20.26	Counter64	0
IB-LswINF-MIB::ibifIPv6OutUcastPkts.27	.1.3.6.1.4.1.26138.8.35.5.1.13.1.20.27	Counter64	0
IB-LswINF-MIB::ibifIPv6OutUcastPkts.28	.1.3.6.1.4.1.26138.8.35.5.1.13.1.20.28	Counter64	0
IB-LswINF-MIB::ibifIPv6OutUcastPkts.29	.1.3.6.1.4.1.26138.8.35.5.1.13.1.20.29	Counter64	0
IB-LswINF-MIB::ibifIPv6OutUcastPkts.30	.1.3.6.1.4.1.26138.8.35.5.1.13.1.20.30	Counter64	0
IB-LswINF-MIB::ibifIPv6OutUcastPkts.31	.1.3.6.1.4.1.26138.8.35.5.1.13.1.20.31	Counter64	0
IB-LswINF-MIB::ibifIPv6OutUcastPkts.32	.1.3.6.1.4.1.26138.8.35.5.1.13.1.20.32	Counter64	0
IB-LswINF-MIB::ibifIPv6OutMultiPkts.3	.1.3.6.1.4.1.26138.8.35.5.1.13.1.21.3	Counter64	0
IB-LswINF-MIB::ibifIPv6OutMultiPkts.4	.1.3.6.1.4.1.26138.8.35.5.1.13.1.21.4	Counter64	0
IB-LswINF-MIB::ibifIPv6OutMultiPkts.5	.1.3.6.1.4.1.26138.8.35.5.1.13.1.21.5	Counter64	0
IB-LswINF-MIB::ibifIPv6OutMultiPkts.6	.1.3.6.1.4.1.26138.8.35.5.1.13.1.21.6	Counter64	0
IB-LswINF-MIB::ibifIPv6OutMultiPkts.7	.1.3.6.1.4.1.26138.8.35.5.1.13.1.21.7	Counter64	0
IB-LswINF-MIB::ibifIPv6OutMultiPkts.8	.1.3.6.1.4.1.26138.8.35.5.1.13.1.21.8	Counter64	0
IB-LswINF-MIB::ibifIPv6OutMultiPkts.9	.1.3.6.1.4.1.26138.8.35.5.1.13.1.21.9	Counter64	0
IB-LswINF-MIB::ibifIPv6OutMultiPkts.10	.1.3.6.1.4.1.26138.8.35.5.1.13.1.21.10	Counter64	0
IB-LswINF-MIB::ibifIPv6OutMultiPkts.11	.1.3.6.1.4.1.26138.8.35.5.1.13.1.21.11	Counter64	0
IB-LswINF-MIB::ibifIPv6OutMultiPkts.12	.1.3.6.1.4.1.26138.8.35.5.1.13.1.21.12	Counter64	0
IB-LswINF-MIB::ibifIPv6OutMultiPkts.13	.1.3.6.1.4.1.26138.8.35.5.1.13.1.21.13	Counter64	0
IB-LswINF-MIB::ibifIPv6OutMultiPkts.14	.1.3.6.1.4.1.26138.8.35.5.1.13.1.21.14	Counter64	0

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifIPv6OutMultiPkts.15	.1.3.6.1.4.1.26138.8.35.5.1.13.1.21.15	Counter64	0
IB-LswINF-MIB::ibifIPv6OutMultiPkts.16	.1.3.6.1.4.1.26138.8.35.5.1.13.1.21.16	Counter64	0
IB-LswINF-MIB::ibifIPv6OutMultiPkts.17	.1.3.6.1.4.1.26138.8.35.5.1.13.1.21.17	Counter64	0
IB-LswINF-MIB::ibifIPv6OutMultiPkts.18	.1.3.6.1.4.1.26138.8.35.5.1.13.1.21.18	Counter64	0
IB-LswINF-MIB::ibifIPv6OutMultiPkts.19	.1.3.6.1.4.1.26138.8.35.5.1.13.1.21.19	Counter64	0
IB-LswINF-MIB::ibifIPv6OutMultiPkts.20	.1.3.6.1.4.1.26138.8.35.5.1.13.1.21.20	Counter64	0
IB-LswINF-MIB::ibifIPv6OutMultiPkts.21	.1.3.6.1.4.1.26138.8.35.5.1.13.1.21.21	Counter64	0
IB-LswINF-MIB::ibifIPv6OutMultiPkts.22	.1.3.6.1.4.1.26138.8.35.5.1.13.1.21.22	Counter64	0
IB-LswINF-MIB::ibifIPv6OutMultiPkts.23	.1.3.6.1.4.1.26138.8.35.5.1.13.1.21.23	Counter64	0
IB-LswINF-MIB::ibifIPv6OutMultiPkts.24	.1.3.6.1.4.1.26138.8.35.5.1.13.1.21.24	Counter64	0
IB-LswINF-MIB::ibifIPv6OutMultiPkts.25	.1.3.6.1.4.1.26138.8.35.5.1.13.1.21.25	Counter64	0
IB-LswINF-MIB::ibifIPv6OutMultiPkts.26	.1.3.6.1.4.1.26138.8.35.5.1.13.1.21.26	Counter64	0
IB-LswINF-MIB::ibifIPv6OutMultiPkts.27	.1.3.6.1.4.1.26138.8.35.5.1.13.1.21.27	Counter64	0
IB-LswINF-MIB::ibifIPv6OutMultiPkts.28	.1.3.6.1.4.1.26138.8.35.5.1.13.1.21.28	Counter64	0
IB-LswINF-MIB::ibifIPv6OutMultiPkts.29	.1.3.6.1.4.1.26138.8.35.5.1.13.1.21.29	Counter64	0
IB-LswINF-MIB::ibifIPv6OutMultiPkts.30	.1.3.6.1.4.1.26138.8.35.5.1.13.1.21.30	Counter64	0
IB-LswINF-MIB::ibifIPv6OutMultiPkts.31	.1.3.6.1.4.1.26138.8.35.5.1.13.1.21.31	Counter64	0
IB-LswINF-MIB::ibifIPv6OutMultiPkts.32	.1.3.6.1.4.1.26138.8.35.5.1.13.1.21.32	Counter64	0
IB-LswINF-MIB::ibifIPv6OutAnycastPkts.3	.1.3.6.1.4.1.26138.8.35.5.1.13.1.22.3	Counter64	0
IB-LswINF-MIB::ibifIPv6OutAnycastPkts.4	.1.3.6.1.4.1.26138.8.35.5.1.13.1.22.4	Counter64	0
IB-LswINF-MIB::ibifIPv6OutAnycastPkts.5	.1.3.6.1.4.1.26138.8.35.5.1.13.1.22.5	Counter64	0
IB-LswINF-MIB::ibifIPv6OutAnycastPkts.6	.1.3.6.1.4.1.26138.8.35.5.1.13.1.22.6	Counter64	0
IB-LswINF-MIB::ibifIPv6OutAnycastPkts.7	.1.3.6.1.4.1.26138.8.35.5.1.13.1.22.7	Counter64	0
IB-LswINF-MIB::ibifIPv6OutAnycastPkts.8	.1.3.6.1.4.1.26138.8.35.5.1.13.1.22.8	Counter64	0
IB-LswINF-MIB::ibifIPv6OutAnycastPkts.9	.1.3.6.1.4.1.26138.8.35.5.1.13.1.22.9	Counter64	0
IB-LswINF-MIB::ibifIPv6OutAnycastPkts.10	.1.3.6.1.4.1.26138.8.35.5.1.13.1.22.10	Counter64	0

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifIPv6OutAnycastPkts.11	.1.3.6.1.4.1.26138.8.35.5.1.13.1.22.11	Counter64	0
IB-LswINF-MIB::ibifIPv6OutAnycastPkts.12	.1.3.6.1.4.1.26138.8.35.5.1.13.1.22.12	Counter64	0
IB-LswINF-MIB::ibifIPv6OutAnycastPkts.13	.1.3.6.1.4.1.26138.8.35.5.1.13.1.22.13	Counter64	0
IB-LswINF-MIB::ibifIPv6OutAnycastPkts.14	.1.3.6.1.4.1.26138.8.35.5.1.13.1.22.14	Counter64	0
IB-LswINF-MIB::ibifIPv6OutAnycastPkts.15	.1.3.6.1.4.1.26138.8.35.5.1.13.1.22.15	Counter64	0
IB-LswINF-MIB::ibifIPv6OutAnycastPkts.16	.1.3.6.1.4.1.26138.8.35.5.1.13.1.22.16	Counter64	0
IB-LswINF-MIB::ibifIPv6OutAnycastPkts.17	.1.3.6.1.4.1.26138.8.35.5.1.13.1.22.17	Counter64	0
IB-LswINF-MIB::ibifIPv6OutAnycastPkts.18	.1.3.6.1.4.1.26138.8.35.5.1.13.1.22.18	Counter64	0
IB-LswINF-MIB::ibifIPv6OutAnycastPkts.19	.1.3.6.1.4.1.26138.8.35.5.1.13.1.22.19	Counter64	0
IB-LswINF-MIB::ibifIPv6OutAnycastPkts.20	.1.3.6.1.4.1.26138.8.35.5.1.13.1.22.20	Counter64	0
IB-LswINF-MIB::ibifIPv6OutAnycastPkts.21	.1.3.6.1.4.1.26138.8.35.5.1.13.1.22.21	Counter64	0
IB-LswINF-MIB::ibifIPv6OutAnycastPkts.22	.1.3.6.1.4.1.26138.8.35.5.1.13.1.22.22	Counter64	0
IB-LswINF-MIB::ibifIPv6OutAnycastPkts.23	.1.3.6.1.4.1.26138.8.35.5.1.13.1.22.23	Counter64	0
IB-LswINF-MIB::ibifIPv6OutAnycastPkts.24	.1.3.6.1.4.1.26138.8.35.5.1.13.1.22.24	Counter64	0
IB-LswINF-MIB::ibifIPv6OutAnycastPkts.25	.1.3.6.1.4.1.26138.8.35.5.1.13.1.22.25	Counter64	0
IB-LswINF-MIB::ibifIPv6OutAnycastPkts.26	.1.3.6.1.4.1.26138.8.35.5.1.13.1.22.26	Counter64	0
IB-LswINF-MIB::ibifIPv6OutAnycastPkts.27	.1.3.6.1.4.1.26138.8.35.5.1.13.1.22.27	Counter64	0
IB-LswINF-MIB::ibifIPv6OutAnycastPkts.28	.1.3.6.1.4.1.26138.8.35.5.1.13.1.22.28	Counter64	0
IB-LswINF-MIB::ibifIPv6OutAnycastPkts.29	.1.3.6.1.4.1.26138.8.35.5.1.13.1.22.29	Counter64	0
IB-LswINF-MIB::ibifIPv6OutAnycastPkts.30	.1.3.6.1.4.1.26138.8.35.5.1.13.1.22.30	Counter64	0
IB-LswINF-MIB::ibifIPv6OutAnycastPkts.31	.1.3.6.1.4.1.26138.8.35.5.1.13.1.22.31	Counter64	0
IB-LswINF-MIB::ibifIPv6OutAnycastPkts.32	.1.3.6.1.4.1.26138.8.35.5.1.13.1.22.32	Counter64	0
IB-LswINF-MIB::ibifIPv6OutDiscards.3	.1.3.6.1.4.1.26138.8.35.5.1.13.1.23.3	Counter64	0
IB-LswINF-MIB::ibifIPv6OutDiscards.4	.1.3.6.1.4.1.26138.8.35.5.1.13.1.23.4	Counter64	0
IB-LswINF-MIB::ibifIPv6OutDiscards.5	.1.3.6.1.4.1.26138.8.35.5.1.13.1.23.5	Counter64	0
IB-LswINF-MIB::ibifIPv6OutDiscards.6	.1.3.6.1.4.1.26138.8.35.5.1.13.1.23.6	Counter64	0

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifIPv6OutDiscards.7	.1.3.6.1.4.1.26138.8.35.5.1.13.1.23.7	Counter64	0
IB-LswINF-MIB::ibifIPv6OutDiscards.8	.1.3.6.1.4.1.26138.8.35.5.1.13.1.23.8	Counter64	0
IB-LswINF-MIB::ibifIPv6OutDiscards.9	.1.3.6.1.4.1.26138.8.35.5.1.13.1.23.9	Counter64	0
IB-LswINF-MIB::ibifIPv6OutDiscards.10	.1.3.6.1.4.1.26138.8.35.5.1.13.1.23.10	Counter64	0
IB-LswINF-MIB::ibifIPv6OutDiscards.11	.1.3.6.1.4.1.26138.8.35.5.1.13.1.23.11	Counter64	0
IB-LswINF-MIB::ibifIPv6OutDiscards.12	.1.3.6.1.4.1.26138.8.35.5.1.13.1.23.12	Counter64	0
IB-LswINF-MIB::ibifIPv6OutDiscards.13	.1.3.6.1.4.1.26138.8.35.5.1.13.1.23.13	Counter64	0
IB-LswINF-MIB::ibifIPv6OutDiscards.14	.1.3.6.1.4.1.26138.8.35.5.1.13.1.23.14	Counter64	0
IB-LswINF-MIB::ibifIPv6OutDiscards.15	.1.3.6.1.4.1.26138.8.35.5.1.13.1.23.15	Counter64	0
IB-LswINF-MIB::ibifIPv6OutDiscards.16	.1.3.6.1.4.1.26138.8.35.5.1.13.1.23.16	Counter64	0
IB-LswINF-MIB::ibifIPv6OutDiscards.17	.1.3.6.1.4.1.26138.8.35.5.1.13.1.23.17	Counter64	0
IB-LswINF-MIB::ibifIPv6OutDiscards.18	.1.3.6.1.4.1.26138.8.35.5.1.13.1.23.18	Counter64	0
IB-LswINF-MIB::ibifIPv6OutDiscards.19	.1.3.6.1.4.1.26138.8.35.5.1.13.1.23.19	Counter64	0
IB-LswINF-MIB::ibifIPv6OutDiscards.20	.1.3.6.1.4.1.26138.8.35.5.1.13.1.23.20	Counter64	0
IB-LswINF-MIB::ibifIPv6OutDiscards.21	.1.3.6.1.4.1.26138.8.35.5.1.13.1.23.21	Counter64	0
IB-LswINF-MIB::ibifIPv6OutDiscards.22	.1.3.6.1.4.1.26138.8.35.5.1.13.1.23.22	Counter64	0
IB-LswINF-MIB::ibifIPv6OutDiscards.23	.1.3.6.1.4.1.26138.8.35.5.1.13.1.23.23	Counter64	0
IB-LswINF-MIB::ibifIPv6OutDiscards.24	.1.3.6.1.4.1.26138.8.35.5.1.13.1.23.24	Counter64	0
IB-LswINF-MIB::ibifIPv6OutDiscards.25	.1.3.6.1.4.1.26138.8.35.5.1.13.1.23.25	Counter64	0
IB-LswINF-MIB::ibifIPv6OutDiscards.26	.1.3.6.1.4.1.26138.8.35.5.1.13.1.23.26	Counter64	0
IB-LswINF-MIB::ibifIPv6OutDiscards.27	.1.3.6.1.4.1.26138.8.35.5.1.13.1.23.27	Counter64	0
IB-LswINF-MIB::ibifIPv6OutDiscards.28	.1.3.6.1.4.1.26138.8.35.5.1.13.1.23.28	Counter64	0
IB-LswINF-MIB::ibifIPv6OutDiscards.29	.1.3.6.1.4.1.26138.8.35.5.1.13.1.23.29	Counter64	0
IB-LswINF-MIB::ibifIPv6OutDiscards.30	.1.3.6.1.4.1.26138.8.35.5.1.13.1.23.30	Counter64	0
IB-LswINF-MIB::ibifIPv6OutDiscards.31	.1.3.6.1.4.1.26138.8.35.5.1.13.1.23.31	Counter64	0
IB-LswINF-MIB::ibifIPv6OutDiscards.32	.1.3.6.1.4.1.26138.8.35.5.1.13.1.23.32	Counter64	0

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifIPv6OutErrors.3	.1.3.6.1.4.1.26138.8.35.5.1.13.1.24.3	Counter64	0
IB-LswINF-MIB::ibifIPv6OutErrors.4	.1.3.6.1.4.1.26138.8.35.5.1.13.1.24.4	Counter64	0
IB-LswINF-MIB::ibifIPv6OutErrors.5	.1.3.6.1.4.1.26138.8.35.5.1.13.1.24.5	Counter64	0
IB-LswINF-MIB::ibifIPv6OutErrors.6	.1.3.6.1.4.1.26138.8.35.5.1.13.1.24.6	Counter64	0
IB-LswINF-MIB::ibifIPv6OutErrors.7	.1.3.6.1.4.1.26138.8.35.5.1.13.1.24.7	Counter64	0
IB-LswINF-MIB::ibifIPv6OutErrors.8	.1.3.6.1.4.1.26138.8.35.5.1.13.1.24.8	Counter64	0
IB-LswINF-MIB::ibifIPv6OutErrors.9	.1.3.6.1.4.1.26138.8.35.5.1.13.1.24.9	Counter64	0
IB-LswINF-MIB::ibifIPv6OutErrors.10	.1.3.6.1.4.1.26138.8.35.5.1.13.1.24.10	Counter64	0
IB-LswINF-MIB::ibifIPv6OutErrors.11	.1.3.6.1.4.1.26138.8.35.5.1.13.1.24.11	Counter64	0
IB-LswINF-MIB::ibifIPv6OutErrors.12	.1.3.6.1.4.1.26138.8.35.5.1.13.1.24.12	Counter64	0
IB-LswINF-MIB::ibifIPv6OutErrors.13	.1.3.6.1.4.1.26138.8.35.5.1.13.1.24.13	Counter64	0
IB-LswINF-MIB::ibifIPv6OutErrors.14	.1.3.6.1.4.1.26138.8.35.5.1.13.1.24.14	Counter64	0
IB-LswINF-MIB::ibifIPv6OutErrors.15	.1.3.6.1.4.1.26138.8.35.5.1.13.1.24.15	Counter64	0
IB-LswINF-MIB::ibifIPv6OutErrors.16	.1.3.6.1.4.1.26138.8.35.5.1.13.1.24.16	Counter64	0
IB-LswINF-MIB::ibifIPv6OutErrors.17	.1.3.6.1.4.1.26138.8.35.5.1.13.1.24.17	Counter64	0
IB-LswINF-MIB::ibifIPv6OutErrors.18	.1.3.6.1.4.1.26138.8.35.5.1.13.1.24.18	Counter64	0
IB-LswINF-MIB::ibifIPv6OutErrors.19	.1.3.6.1.4.1.26138.8.35.5.1.13.1.24.19	Counter64	0
IB-LswINF-MIB::ibifIPv6OutErrors.20	.1.3.6.1.4.1.26138.8.35.5.1.13.1.24.20	Counter64	0
IB-LswINF-MIB::ibifIPv6OutErrors.21	.1.3.6.1.4.1.26138.8.35.5.1.13.1.24.21	Counter64	0
IB-LswINF-MIB::ibifIPv6OutErrors.22	.1.3.6.1.4.1.26138.8.35.5.1.13.1.24.22	Counter64	0
IB-LswINF-MIB::ibifIPv6OutErrors.23	.1.3.6.1.4.1.26138.8.35.5.1.13.1.24.23	Counter64	0
IB-LswINF-MIB::ibifIPv6OutErrors.24	.1.3.6.1.4.1.26138.8.35.5.1.13.1.24.24	Counter64	0
IB-LswINF-MIB::ibifIPv6OutErrors.25	.1.3.6.1.4.1.26138.8.35.5.1.13.1.24.25	Counter64	0
IB-LswINF-MIB::ibifIPv6OutErrors.26	.1.3.6.1.4.1.26138.8.35.5.1.13.1.24.26	Counter64	0
IB-LswINF-MIB::ibifIPv6OutErrors.27	.1.3.6.1.4.1.26138.8.35.5.1.13.1.24.27	Counter64	0
IB-LswINF-MIB::ibifIPv6OutErrors.28	.1.3.6.1.4.1.26138.8.35.5.1.13.1.24.28	Counter64	0

Name	OID	Value Type	Value Example
IB-LswINF-MIB::ibifIPv6OutErrors.29	.1.3.6.1.4.1.26138.8.35.5.1.13.1.24.29	Counter64	0
IB-LswINF-MIB::ibifIPv6OutErrors.30	.1.3.6.1.4.1.26138.8.35.5.1.13.1.24.30	Counter64	0
IB-LswINF-MIB::ibifIPv6OutErrors.31	.1.3.6.1.4.1.26138.8.35.5.1.13.1.24.31	Counter64	0
IB-LswINF-MIB::ibifIPv6OutErrors.32	.1.3.6.1.4.1.26138.8.35.5.1.13.1.24.32	Counter64	0
IB-LswDEVM-MIB::ibDevMFanNum.1	.1.3.6.1.4.1.26138.8.35.9.1.1.1.1.1	INTEGER	1
IB-LswDEVM-MIB::ibDevMFanNum.2	.1.3.6.1.4.1.26138.8.35.9.1.1.1.1.2	INTEGER	2
IB-LswDEVM-MIB::ibDevMFanNum.3	.1.3.6.1.4.1.26138.8.35.9.1.1.1.1.3	INTEGER	3
IB-LswDEVM-MIB::ibDevMFanNum.4	.1.3.6.1.4.1.26138.8.35.9.1.1.1.1.4	INTEGER	4
IB-LswDEVM-MIB::ibDevMFanNum.5	.1.3.6.1.4.1.26138.8.35.9.1.1.1.1.5	INTEGER	5
IB-LswDEVM-MIB::ibDevMFanStatus.1	.1.3.6.1.4.1.26138.8.35.9.1.1.1.2.1	INTEGER	active(1)
IB-LswDEVM-MIB::ibDevMFanStatus.2	.1.3.6.1.4.1.26138.8.35.9.1.1.1.2.2	INTEGER	active(1)
IB-LswDEVM-MIB::ibDevMFanStatus.3	.1.3.6.1.4.1.26138.8.35.9.1.1.1.2.3	INTEGER	active(1)
IB-LswDEVM-MIB::ibDevMFanStatus.4	.1.3.6.1.4.1.26138.8.35.9.1.1.1.2.4	INTEGER	active(1)
IB-LswDEVM-MIB::ibDevMFanStatus.5	.1.3.6.1.4.1.26138.8.35.9.1.1.1.2.5	INTEGER	active(1)
IB-LswDEVM-MIB::ibDevMFanPos-Frame.1	.1.3.6.1.4.1.26138.8.35.9.1.1.1.3.1	INTEGER	0
IB-LswDEVM-MIB::ibDevMFanPos-Frame.2	.1.3.6.1.4.1.26138.8.35.9.1.1.1.3.2	INTEGER	0
IB-LswDEVM-MIB::ibDevMFanPos-Frame.3	.1.3.6.1.4.1.26138.8.35.9.1.1.1.3.3	INTEGER	0
IB-LswDEVM-MIB::ibDevMFanPos-Frame.4	.1.3.6.1.4.1.26138.8.35.9.1.1.1.3.4	INTEGER	0
IB-LswDEVM-MIB::ibDevMFanPos-Frame.5	.1.3.6.1.4.1.26138.8.35.9.1.1.1.3.5	INTEGER	0
IB-LswDEVM-MIB::ibDevMFanPosSlot.1	.1.3.6.1.4.1.26138.8.35.9.1.1.1.4.1	INTEGER	1
IB-LswDEVM-MIB::ibDevMFanPosSlot.2	.1.3.6.1.4.1.26138.8.35.9.1.1.1.4.2	INTEGER	1
IB-LswDEVM-MIB::ibDevMFanPosSlot.3	.1.3.6.1.4.1.26138.8.35.9.1.1.1.4.3	INTEGER	1
IB-LswDEVM-MIB::ibDevMFanPosSlot.4	.1.3.6.1.4.1.26138.8.35.9.1.1.1.4.4	INTEGER	1
IB-LswDEVM-MIB::ibDevMFanPosSlot.5	.1.3.6.1.4.1.26138.8.35.9.1.1.1.4.5	INTEGER	1

Name	OID	Value Type	Value Example
IB-LswDEVM-MIB::ibDevMFanPosIndex.1	.1.3.6.1.4.1.26138.8.35.9.1.1.1.5.1	INTEGER	1
IB-LswDEVM-MIB::ibDevMFanPosIndex.2	.1.3.6.1.4.1.26138.8.35.9.1.1.1.5.2	INTEGER	2
IB-LswDEVM-MIB::ibDevMFanPosIndex.3	.1.3.6.1.4.1.26138.8.35.9.1.1.1.5.3	INTEGER	3
IB-LswDEVM-MIB::ibDevMFanPosIndex.4	.1.3.6.1.4.1.26138.8.35.9.1.1.1.5.4	INTEGER	4
IB-LswDEVM-MIB::ibDevMFanPosIndex.5	.1.3.6.1.4.1.26138.8.35.9.1.1.1.5.5	INTEGER	5
IB-LswDEVM-MIB::ibDevMFanMaxSpeed.1	.1.3.6.1.4.1.26138.8.35.9.1.1.1.6.1	INTEGER	0
IB-LswDEVM-MIB::ibDevMFanMaxSpeed.2	.1.3.6.1.4.1.26138.8.35.9.1.1.1.6.2	INTEGER	0
IB-LswDEVM-MIB::ibDevMFanMaxSpeed.3	.1.3.6.1.4.1.26138.8.35.9.1.1.1.6.3	INTEGER	0
IB-LswDEVM-MIB::ibDevMFanMaxSpeed.4	.1.3.6.1.4.1.26138.8.35.9.1.1.1.6.4	INTEGER	0
IB-LswDEVM-MIB::ibDevMFanMaxSpeed.5	.1.3.6.1.4.1.26138.8.35.9.1.1.1.6.5	INTEGER	0
IB-LswDEVM-MIB::ibDevMFanCurrentSpeed.1	.1.3.6.1.4.1.26138.8.35.9.1.1.1.7.1	INTEGER	12
IB-LswDEVM-MIB::ibDevMFanCurrentSpeed.2	.1.3.6.1.4.1.26138.8.35.9.1.1.1.7.2	INTEGER	12
IB-LswDEVM-MIB::ibDevMFanCurrentSpeed.3	.1.3.6.1.4.1.26138.8.35.9.1.1.1.7.3	INTEGER	12
IB-LswDEVM-MIB::ibDevMFanCurrentSpeed.4	.1.3.6.1.4.1.26138.8.35.9.1.1.1.7.4	INTEGER	12
IB-LswDEVM-MIB::ibDevMFanCurrentSpeed.5	.1.3.6.1.4.1.26138.8.35.9.1.1.1.7.5	INTEGER	12
IB-LswDEVM-MIB::ibDevMPowerNum.1	.1.3.6.1.4.1.26138.8.35.9.1.2.1.1.1	INTEGER	1
IB-LswDEVM-MIB::ibDevMPowerNum.2	.1.3.6.1.4.1.26138.8.35.9.1.2.1.1.2	INTEGER	2
IB-LswDEVM-MIB::ibDevMPowerStatus.1	.1.3.6.1.4.1.26138.8.35.9.1.2.1.2.1	INTEGER	deactive(2)
IB-LswDEVM-MIB::ibDevMPowerStatus.2	.1.3.6.1.4.1.26138.8.35.9.1.2.1.2.2	INTEGER	active(1)
IB-LswDEVM-MIB::ibDevMPowerEntIndex.1	.1.3.6.1.4.1.26138.8.35.9.1.2.1.3.1	INTEGER	98
IB-LswDEVM-MIB::ibDevMPowerEntIndex.2	.1.3.6.1.4.1.26138.8.35.9.1.2.1.3.2	INTEGER	99
IB-LswDEVM-MIB::ibDevMSlotEnvironmentValue.0.1.temperature	.1.3.6.1.4.1.26138.8.35.9.1.3.1.3.0.1.1	INTEGER	33
IB-LswDEVM-MIB::ibdot1qTpFdbLearnStatus.0	.1.3.6.1.4.1.26138.8.35.9.1.10.0	INTEGER	enabled(1)

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sStpStatus.0	.1.3.6.1.4.1.26138.8.35.14.1.0	INTEGER	enabled(1)
IB-LswMSTP-MIB::ibdot1sStpForceVersion.0	.1.3.6.1.4.1.26138.8.35.14.2.0	INTEGER	mstp(3)
IB-LswMSTP-MIB::ibdot1sStpDiameter.0	.1.3.6.1.4.1.26138.8.35.14.3.0	INTEGER	7
IB-LswMSTP-MIB::ibdot1sMstBridgeMaxHops.0	.1.3.6.1.4.1.26138.8.35.14.4.0	INTEGER	20
IB-LswMSTP-MIB::ibdot1sMstMasterBridgeID.0	.1.3.6.1.4.1.26138.8.35.14.5.0	Hex-STRING	80 00 10 90 FA 51 57 08
IB-LswMSTP-MIB::ibdot1sMstMasterPathCost.0	.1.3.6.1.4.1.26138.8.35.14.6.0	INTEGER	0
IB-LswMSTP-MIB::ibdot1sMstBpduGuard.0	.1.3.6.1.4.1.26138.8.35.14.7.0	INTEGER	disabled(2)
IB-LswMSTP-MIB::ibdot1sMstAdminFormatSelector.0	.1.3.6.1.4.1.26138.8.35.14.8.0	INTEGER	0
IB-LswMSTP-MIB::ibdot1sMstAdminRegionName.0	.1.3.6.1.4.1.26138.8.35.14.9.0	STRING	"1090fa515708"
IB-LswMSTP-MIB::ibdot1sMstAdminRevisionLevel.0	.1.3.6.1.4.1.26138.8.35.14.10.0	INTEGER	0
IB-LswMSTP-MIB::ibdot1sMstOperFormatSelector.0	.1.3.6.1.4.1.26138.8.35.14.11.0	INTEGER	0
IB-LswMSTP-MIB::ibdot1sMstOperRegionName.0	.1.3.6.1.4.1.26138.8.35.14.12.0	STRING	"1090fa515708"
IB-LswMSTP-MIB::ibdot1sMstOperRevisionLevel.0	.1.3.6.1.4.1.26138.8.35.14.13.0	INTEGER	0
IB-LswMSTP-MIB::ibdot1sMstOperConfigDigest.0	.1.3.6.1.4.1.26138.8.35.14.14.0	Hex-STRING	AC 36 17 7F 50 28 3C D4 B8 38 21 D8 AB 26 DE 62
IB-LswMSTP-MIB::ibdot1sMstRegionConfActive.0	.1.3.6.1.4.1.26138.8.35.14.15.0	INTEGER	enable(1)
IB-LswMSTP-MIB::ibdot1sMstDefaultVlanAllo.0	.1.3.6.1.4.1.26138.8.35.14.16.0	INTEGER	unused(65535)
IB-LswMSTP-MIB::ibdot1sMstDefaultRegionName.0	.1.3.6.1.4.1.26138.8.35.14.17.0	INTEGER	unused(65535)
IB-LswMSTP-MIB::ibdot1sMstVID.1	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1	INTEGER	1
IB-LswMSTP-MIB::ibdot1sMstVID.2	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2	INTEGER	2
IB-LswMSTP-MIB::ibdot1sMstVID.3	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3	INTEGER	3
IB-LswMSTP-MIB::ibdot1sMstVID.4	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4	INTEGER	4
IB-LswMSTP-MIB::ibdot1sMstVID.5	.1.3.6.1.4.1.26138.8.35.14.18.1.1.5	INTEGER	5
IB-LswMSTP-MIB::ibdot1sMstVID.6	.1.3.6.1.4.1.26138.8.35.14.18.1.1.6	INTEGER	6
IB-LswMSTP-MIB::ibdot1sMstVID.7	.1.3.6.1.4.1.26138.8.35.14.18.1.1.7	INTEGER	7
IB-LswMSTP-MIB::ibdot1sMstVID.8	.1.3.6.1.4.1.26138.8.35.14.18.1.1.8	INTEGER	8
IB-LswMSTP-MIB::ibdot1sMstVID.9	.1.3.6.1.4.1.26138.8.35.14.18.1.1.9	INTEGER	9

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.10	.1.3.6.1.4.1.26138.8.35.14.18.1.1.10	INTEGER	10
IB-LswMSTP-MIB::ibdot1sMstVID.11	.1.3.6.1.4.1.26138.8.35.14.18.1.1.11	INTEGER	11
IB-LswMSTP-MIB::ibdot1sMstVID.12	.1.3.6.1.4.1.26138.8.35.14.18.1.1.12	INTEGER	12
IB-LswMSTP-MIB::ibdot1sMstVID.13	.1.3.6.1.4.1.26138.8.35.14.18.1.1.13	INTEGER	13
IB-LswMSTP-MIB::ibdot1sMstVID.14	.1.3.6.1.4.1.26138.8.35.14.18.1.1.14	INTEGER	14
IB-LswMSTP-MIB::ibdot1sMstVID.15	.1.3.6.1.4.1.26138.8.35.14.18.1.1.15	INTEGER	15
IB-LswMSTP-MIB::ibdot1sMstVID.16	.1.3.6.1.4.1.26138.8.35.14.18.1.1.16	INTEGER	16
IB-LswMSTP-MIB::ibdot1sMstVID.17	.1.3.6.1.4.1.26138.8.35.14.18.1.1.17	INTEGER	17
IB-LswMSTP-MIB::ibdot1sMstVID.18	.1.3.6.1.4.1.26138.8.35.14.18.1.1.18	INTEGER	18
IB-LswMSTP-MIB::ibdot1sMstVID.19	.1.3.6.1.4.1.26138.8.35.14.18.1.1.19	INTEGER	19
IB-LswMSTP-MIB::ibdot1sMstVID.20	.1.3.6.1.4.1.26138.8.35.14.18.1.1.20	INTEGER	20
IB-LswMSTP-MIB::ibdot1sMstVID.21	.1.3.6.1.4.1.26138.8.35.14.18.1.1.21	INTEGER	21
IB-LswMSTP-MIB::ibdot1sMstVID.22	.1.3.6.1.4.1.26138.8.35.14.18.1.1.22	INTEGER	22
IB-LswMSTP-MIB::ibdot1sMstVID.23	.1.3.6.1.4.1.26138.8.35.14.18.1.1.23	INTEGER	23
IB-LswMSTP-MIB::ibdot1sMstVID.24	.1.3.6.1.4.1.26138.8.35.14.18.1.1.24	INTEGER	24
IB-LswMSTP-MIB::ibdot1sMstVID.25	.1.3.6.1.4.1.26138.8.35.14.18.1.1.25	INTEGER	25
IB-LswMSTP-MIB::ibdot1sMstVID.26	.1.3.6.1.4.1.26138.8.35.14.18.1.1.26	INTEGER	26
IB-LswMSTP-MIB::ibdot1sMstVID.27	.1.3.6.1.4.1.26138.8.35.14.18.1.1.27	INTEGER	27
IB-LswMSTP-MIB::ibdot1sMstVID.28	.1.3.6.1.4.1.26138.8.35.14.18.1.1.28	INTEGER	28
IB-LswMSTP-MIB::ibdot1sMstVID.29	.1.3.6.1.4.1.26138.8.35.14.18.1.1.29	INTEGER	29
IB-LswMSTP-MIB::ibdot1sMstVID.30	.1.3.6.1.4.1.26138.8.35.14.18.1.1.30	INTEGER	30
IB-LswMSTP-MIB::ibdot1sMstVID.31	.1.3.6.1.4.1.26138.8.35.14.18.1.1.31	INTEGER	31
IB-LswMSTP-MIB::ibdot1sMstVID.32	.1.3.6.1.4.1.26138.8.35.14.18.1.1.32	INTEGER	32
IB-LswMSTP-MIB::ibdot1sMstVID.33	.1.3.6.1.4.1.26138.8.35.14.18.1.1.33	INTEGER	33
IB-LswMSTP-MIB::ibdot1sMstVID.34	.1.3.6.1.4.1.26138.8.35.14.18.1.1.34	INTEGER	34
IB-LswMSTP-MIB::ibdot1sMstVID.35	.1.3.6.1.4.1.26138.8.35.14.18.1.1.35	INTEGER	35

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.36	.1.3.6.1.4.1.26138.8.35.14.18.1.1.36	INTEGER	36
IB-LswMSTP-MIB::ibdot1sMstVID.37	.1.3.6.1.4.1.26138.8.35.14.18.1.1.37	INTEGER	37
IB-LswMSTP-MIB::ibdot1sMstVID.38	.1.3.6.1.4.1.26138.8.35.14.18.1.1.38	INTEGER	38
IB-LswMSTP-MIB::ibdot1sMstVID.39	.1.3.6.1.4.1.26138.8.35.14.18.1.1.39	INTEGER	39
IB-LswMSTP-MIB::ibdot1sMstVID.40	.1.3.6.1.4.1.26138.8.35.14.18.1.1.40	INTEGER	40
IB-LswMSTP-MIB::ibdot1sMstVID.41	.1.3.6.1.4.1.26138.8.35.14.18.1.1.41	INTEGER	41
IB-LswMSTP-MIB::ibdot1sMstVID.42	.1.3.6.1.4.1.26138.8.35.14.18.1.1.42	INTEGER	42
IB-LswMSTP-MIB::ibdot1sMstVID.43	.1.3.6.1.4.1.26138.8.35.14.18.1.1.43	INTEGER	43
IB-LswMSTP-MIB::ibdot1sMstVID.44	.1.3.6.1.4.1.26138.8.35.14.18.1.1.44	INTEGER	44
IB-LswMSTP-MIB::ibdot1sMstVID.45	.1.3.6.1.4.1.26138.8.35.14.18.1.1.45	INTEGER	45
IB-LswMSTP-MIB::ibdot1sMstVID.46	.1.3.6.1.4.1.26138.8.35.14.18.1.1.46	INTEGER	46
IB-LswMSTP-MIB::ibdot1sMstVID.47	.1.3.6.1.4.1.26138.8.35.14.18.1.1.47	INTEGER	47
IB-LswMSTP-MIB::ibdot1sMstVID.48	.1.3.6.1.4.1.26138.8.35.14.18.1.1.48	INTEGER	48
IB-LswMSTP-MIB::ibdot1sMstVID.49	.1.3.6.1.4.1.26138.8.35.14.18.1.1.49	INTEGER	49
IB-LswMSTP-MIB::ibdot1sMstVID.50	.1.3.6.1.4.1.26138.8.35.14.18.1.1.50	INTEGER	50
IB-LswMSTP-MIB::ibdot1sMstVID.51	.1.3.6.1.4.1.26138.8.35.14.18.1.1.51	INTEGER	51
IB-LswMSTP-MIB::ibdot1sMstVID.52	.1.3.6.1.4.1.26138.8.35.14.18.1.1.52	INTEGER	52
IB-LswMSTP-MIB::ibdot1sMstVID.53	.1.3.6.1.4.1.26138.8.35.14.18.1.1.53	INTEGER	53
IB-LswMSTP-MIB::ibdot1sMstVID.54	.1.3.6.1.4.1.26138.8.35.14.18.1.1.54	INTEGER	54
IB-LswMSTP-MIB::ibdot1sMstVID.55	.1.3.6.1.4.1.26138.8.35.14.18.1.1.55	INTEGER	55
IB-LswMSTP-MIB::ibdot1sMstVID.56	.1.3.6.1.4.1.26138.8.35.14.18.1.1.56	INTEGER	56
IB-LswMSTP-MIB::ibdot1sMstVID.57	.1.3.6.1.4.1.26138.8.35.14.18.1.1.57	INTEGER	57
IB-LswMSTP-MIB::ibdot1sMstVID.58	.1.3.6.1.4.1.26138.8.35.14.18.1.1.58	INTEGER	58
IB-LswMSTP-MIB::ibdot1sMstVID.59	.1.3.6.1.4.1.26138.8.35.14.18.1.1.59	INTEGER	59
IB-LswMSTP-MIB::ibdot1sMstVID.60	.1.3.6.1.4.1.26138.8.35.14.18.1.1.60	INTEGER	60
IB-LswMSTP-MIB::ibdot1sMstVID.61	.1.3.6.1.4.1.26138.8.35.14.18.1.1.61	INTEGER	61

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.62	.1.3.6.1.4.1.26138.8.35.14.18.1.1.62	INTEGER	62
IB-LswMSTP-MIB::ibdot1sMstVID.63	.1.3.6.1.4.1.26138.8.35.14.18.1.1.63	INTEGER	63
IB-LswMSTP-MIB::ibdot1sMstVID.64	.1.3.6.1.4.1.26138.8.35.14.18.1.1.64	INTEGER	64
IB-LswMSTP-MIB::ibdot1sMstVID.65	.1.3.6.1.4.1.26138.8.35.14.18.1.1.65	INTEGER	65
IB-LswMSTP-MIB::ibdot1sMstVID.66	.1.3.6.1.4.1.26138.8.35.14.18.1.1.66	INTEGER	66
IB-LswMSTP-MIB::ibdot1sMstVID.67	.1.3.6.1.4.1.26138.8.35.14.18.1.1.67	INTEGER	67
IB-LswMSTP-MIB::ibdot1sMstVID.68	.1.3.6.1.4.1.26138.8.35.14.18.1.1.68	INTEGER	68
IB-LswMSTP-MIB::ibdot1sMstVID.69	.1.3.6.1.4.1.26138.8.35.14.18.1.1.69	INTEGER	69
IB-LswMSTP-MIB::ibdot1sMstVID.70	.1.3.6.1.4.1.26138.8.35.14.18.1.1.70	INTEGER	70
IB-LswMSTP-MIB::ibdot1sMstVID.71	.1.3.6.1.4.1.26138.8.35.14.18.1.1.71	INTEGER	71
IB-LswMSTP-MIB::ibdot1sMstVID.72	.1.3.6.1.4.1.26138.8.35.14.18.1.1.72	INTEGER	72
IB-LswMSTP-MIB::ibdot1sMstVID.73	.1.3.6.1.4.1.26138.8.35.14.18.1.1.73	INTEGER	73
IB-LswMSTP-MIB::ibdot1sMstVID.74	.1.3.6.1.4.1.26138.8.35.14.18.1.1.74	INTEGER	74
IB-LswMSTP-MIB::ibdot1sMstVID.75	.1.3.6.1.4.1.26138.8.35.14.18.1.1.75	INTEGER	75
IB-LswMSTP-MIB::ibdot1sMstVID.76	.1.3.6.1.4.1.26138.8.35.14.18.1.1.76	INTEGER	76
IB-LswMSTP-MIB::ibdot1sMstVID.77	.1.3.6.1.4.1.26138.8.35.14.18.1.1.77	INTEGER	77
IB-LswMSTP-MIB::ibdot1sMstVID.78	.1.3.6.1.4.1.26138.8.35.14.18.1.1.78	INTEGER	78
IB-LswMSTP-MIB::ibdot1sMstVID.79	.1.3.6.1.4.1.26138.8.35.14.18.1.1.79	INTEGER	79
IB-LswMSTP-MIB::ibdot1sMstVID.80	.1.3.6.1.4.1.26138.8.35.14.18.1.1.80	INTEGER	80
IB-LswMSTP-MIB::ibdot1sMstVID.81	.1.3.6.1.4.1.26138.8.35.14.18.1.1.81	INTEGER	81
IB-LswMSTP-MIB::ibdot1sMstVID.82	.1.3.6.1.4.1.26138.8.35.14.18.1.1.82	INTEGER	82
IB-LswMSTP-MIB::ibdot1sMstVID.83	.1.3.6.1.4.1.26138.8.35.14.18.1.1.83	INTEGER	83
IB-LswMSTP-MIB::ibdot1sMstVID.84	.1.3.6.1.4.1.26138.8.35.14.18.1.1.84	INTEGER	84
IB-LswMSTP-MIB::ibdot1sMstVID.85	.1.3.6.1.4.1.26138.8.35.14.18.1.1.85	INTEGER	85
IB-LswMSTP-MIB::ibdot1sMstVID.86	.1.3.6.1.4.1.26138.8.35.14.18.1.1.86	INTEGER	86
IB-LswMSTP-MIB::ibdot1sMstVID.87	.1.3.6.1.4.1.26138.8.35.14.18.1.1.87	INTEGER	87

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.88	.1.3.6.1.4.1.26138.8.35.14.18.1.1.88	INTEGER	88
IB-LswMSTP-MIB::ibdot1sMstVID.89	.1.3.6.1.4.1.26138.8.35.14.18.1.1.89	INTEGER	89
IB-LswMSTP-MIB::ibdot1sMstVID.90	.1.3.6.1.4.1.26138.8.35.14.18.1.1.90	INTEGER	90
IB-LswMSTP-MIB::ibdot1sMstVID.91	.1.3.6.1.4.1.26138.8.35.14.18.1.1.91	INTEGER	91
IB-LswMSTP-MIB::ibdot1sMstVID.92	.1.3.6.1.4.1.26138.8.35.14.18.1.1.92	INTEGER	92
IB-LswMSTP-MIB::ibdot1sMstVID.93	.1.3.6.1.4.1.26138.8.35.14.18.1.1.93	INTEGER	93
IB-LswMSTP-MIB::ibdot1sMstVID.94	.1.3.6.1.4.1.26138.8.35.14.18.1.1.94	INTEGER	94
IB-LswMSTP-MIB::ibdot1sMstVID.95	.1.3.6.1.4.1.26138.8.35.14.18.1.1.95	INTEGER	95
IB-LswMSTP-MIB::ibdot1sMstVID.96	.1.3.6.1.4.1.26138.8.35.14.18.1.1.96	INTEGER	96
IB-LswMSTP-MIB::ibdot1sMstVID.97	.1.3.6.1.4.1.26138.8.35.14.18.1.1.97	INTEGER	97
IB-LswMSTP-MIB::ibdot1sMstVID.98	.1.3.6.1.4.1.26138.8.35.14.18.1.1.98	INTEGER	98
IB-LswMSTP-MIB::ibdot1sMstVID.99	.1.3.6.1.4.1.26138.8.35.14.18.1.1.99	INTEGER	99
IB-LswMSTP-MIB::ibdot1sMstVID.100	.1.3.6.1.4.1.26138.8.35.14.18.1.1.100	INTEGER	100
IB-LswMSTP-MIB::ibdot1sMstVID.101	.1.3.6.1.4.1.26138.8.35.14.18.1.1.101	INTEGER	101
IB-LswMSTP-MIB::ibdot1sMstVID.102	.1.3.6.1.4.1.26138.8.35.14.18.1.1.102	INTEGER	102
IB-LswMSTP-MIB::ibdot1sMstVID.103	.1.3.6.1.4.1.26138.8.35.14.18.1.1.103	INTEGER	103
IB-LswMSTP-MIB::ibdot1sMstVID.104	.1.3.6.1.4.1.26138.8.35.14.18.1.1.104	INTEGER	104
IB-LswMSTP-MIB::ibdot1sMstVID.105	.1.3.6.1.4.1.26138.8.35.14.18.1.1.105	INTEGER	105
IB-LswMSTP-MIB::ibdot1sMstVID.106	.1.3.6.1.4.1.26138.8.35.14.18.1.1.106	INTEGER	106
IB-LswMSTP-MIB::ibdot1sMstVID.107	.1.3.6.1.4.1.26138.8.35.14.18.1.1.107	INTEGER	107
IB-LswMSTP-MIB::ibdot1sMstVID.108	.1.3.6.1.4.1.26138.8.35.14.18.1.1.108	INTEGER	108
IB-LswMSTP-MIB::ibdot1sMstVID.109	.1.3.6.1.4.1.26138.8.35.14.18.1.1.109	INTEGER	109
IB-LswMSTP-MIB::ibdot1sMstVID.110	.1.3.6.1.4.1.26138.8.35.14.18.1.1.110	INTEGER	110
IB-LswMSTP-MIB::ibdot1sMstVID.111	.1.3.6.1.4.1.26138.8.35.14.18.1.1.111	INTEGER	111
IB-LswMSTP-MIB::ibdot1sMstVID.112	.1.3.6.1.4.1.26138.8.35.14.18.1.1.112	INTEGER	112
IB-LswMSTP-MIB::ibdot1sMstVID.113	.1.3.6.1.4.1.26138.8.35.14.18.1.1.113	INTEGER	113

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.114	.1.3.6.1.4.1.26138.8.35.14.18.1.1.114	INTEGER	114
IB-LswMSTP-MIB::ibdot1sMstVID.115	.1.3.6.1.4.1.26138.8.35.14.18.1.1.115	INTEGER	115
IB-LswMSTP-MIB::ibdot1sMstVID.116	.1.3.6.1.4.1.26138.8.35.14.18.1.1.116	INTEGER	116
IB-LswMSTP-MIB::ibdot1sMstVID.117	.1.3.6.1.4.1.26138.8.35.14.18.1.1.117	INTEGER	117
IB-LswMSTP-MIB::ibdot1sMstVID.118	.1.3.6.1.4.1.26138.8.35.14.18.1.1.118	INTEGER	118
IB-LswMSTP-MIB::ibdot1sMstVID.119	.1.3.6.1.4.1.26138.8.35.14.18.1.1.119	INTEGER	119
IB-LswMSTP-MIB::ibdot1sMstVID.120	.1.3.6.1.4.1.26138.8.35.14.18.1.1.120	INTEGER	120
IB-LswMSTP-MIB::ibdot1sMstVID.121	.1.3.6.1.4.1.26138.8.35.14.18.1.1.121	INTEGER	121
IB-LswMSTP-MIB::ibdot1sMstVID.122	.1.3.6.1.4.1.26138.8.35.14.18.1.1.122	INTEGER	122
IB-LswMSTP-MIB::ibdot1sMstVID.123	.1.3.6.1.4.1.26138.8.35.14.18.1.1.123	INTEGER	123
IB-LswMSTP-MIB::ibdot1sMstVID.124	.1.3.6.1.4.1.26138.8.35.14.18.1.1.124	INTEGER	124
IB-LswMSTP-MIB::ibdot1sMstVID.125	.1.3.6.1.4.1.26138.8.35.14.18.1.1.125	INTEGER	125
IB-LswMSTP-MIB::ibdot1sMstVID.126	.1.3.6.1.4.1.26138.8.35.14.18.1.1.126	INTEGER	126
IB-LswMSTP-MIB::ibdot1sMstVID.127	.1.3.6.1.4.1.26138.8.35.14.18.1.1.127	INTEGER	127
IB-LswMSTP-MIB::ibdot1sMstVID.128	.1.3.6.1.4.1.26138.8.35.14.18.1.1.128	INTEGER	128
IB-LswMSTP-MIB::ibdot1sMstVID.129	.1.3.6.1.4.1.26138.8.35.14.18.1.1.129	INTEGER	129
IB-LswMSTP-MIB::ibdot1sMstVID.130	.1.3.6.1.4.1.26138.8.35.14.18.1.1.130	INTEGER	130
IB-LswMSTP-MIB::ibdot1sMstVID.131	.1.3.6.1.4.1.26138.8.35.14.18.1.1.131	INTEGER	131
IB-LswMSTP-MIB::ibdot1sMstVID.132	.1.3.6.1.4.1.26138.8.35.14.18.1.1.132	INTEGER	132
IB-LswMSTP-MIB::ibdot1sMstVID.133	.1.3.6.1.4.1.26138.8.35.14.18.1.1.133	INTEGER	133
IB-LswMSTP-MIB::ibdot1sMstVID.134	.1.3.6.1.4.1.26138.8.35.14.18.1.1.134	INTEGER	134
IB-LswMSTP-MIB::ibdot1sMstVID.135	.1.3.6.1.4.1.26138.8.35.14.18.1.1.135	INTEGER	135
IB-LswMSTP-MIB::ibdot1sMstVID.136	.1.3.6.1.4.1.26138.8.35.14.18.1.1.136	INTEGER	136
IB-LswMSTP-MIB::ibdot1sMstVID.137	.1.3.6.1.4.1.26138.8.35.14.18.1.1.137	INTEGER	137
IB-LswMSTP-MIB::ibdot1sMstVID.138	.1.3.6.1.4.1.26138.8.35.14.18.1.1.138	INTEGER	138
IB-LswMSTP-MIB::ibdot1sMstVID.139	.1.3.6.1.4.1.26138.8.35.14.18.1.1.139	INTEGER	139

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.140	.1.3.6.1.4.1.26138.8.35.14.18.1.1.140	INTEGER	140
IB-LswMSTP-MIB::ibdot1sMstVID.141	.1.3.6.1.4.1.26138.8.35.14.18.1.1.141	INTEGER	141
IB-LswMSTP-MIB::ibdot1sMstVID.142	.1.3.6.1.4.1.26138.8.35.14.18.1.1.142	INTEGER	142
IB-LswMSTP-MIB::ibdot1sMstVID.143	.1.3.6.1.4.1.26138.8.35.14.18.1.1.143	INTEGER	143
IB-LswMSTP-MIB::ibdot1sMstVID.144	.1.3.6.1.4.1.26138.8.35.14.18.1.1.144	INTEGER	144
IB-LswMSTP-MIB::ibdot1sMstVID.145	.1.3.6.1.4.1.26138.8.35.14.18.1.1.145	INTEGER	145
IB-LswMSTP-MIB::ibdot1sMstVID.146	.1.3.6.1.4.1.26138.8.35.14.18.1.1.146	INTEGER	146
IB-LswMSTP-MIB::ibdot1sMstVID.147	.1.3.6.1.4.1.26138.8.35.14.18.1.1.147	INTEGER	147
IB-LswMSTP-MIB::ibdot1sMstVID.148	.1.3.6.1.4.1.26138.8.35.14.18.1.1.148	INTEGER	148
IB-LswMSTP-MIB::ibdot1sMstVID.149	.1.3.6.1.4.1.26138.8.35.14.18.1.1.149	INTEGER	149
IB-LswMSTP-MIB::ibdot1sMstVID.150	.1.3.6.1.4.1.26138.8.35.14.18.1.1.150	INTEGER	150
IB-LswMSTP-MIB::ibdot1sMstVID.151	.1.3.6.1.4.1.26138.8.35.14.18.1.1.151	INTEGER	151
IB-LswMSTP-MIB::ibdot1sMstVID.152	.1.3.6.1.4.1.26138.8.35.14.18.1.1.152	INTEGER	152
IB-LswMSTP-MIB::ibdot1sMstVID.153	.1.3.6.1.4.1.26138.8.35.14.18.1.1.153	INTEGER	153
IB-LswMSTP-MIB::ibdot1sMstVID.154	.1.3.6.1.4.1.26138.8.35.14.18.1.1.154	INTEGER	154
IB-LswMSTP-MIB::ibdot1sMstVID.155	.1.3.6.1.4.1.26138.8.35.14.18.1.1.155	INTEGER	155
IB-LswMSTP-MIB::ibdot1sMstVID.156	.1.3.6.1.4.1.26138.8.35.14.18.1.1.156	INTEGER	156
IB-LswMSTP-MIB::ibdot1sMstVID.157	.1.3.6.1.4.1.26138.8.35.14.18.1.1.157	INTEGER	157
IB-LswMSTP-MIB::ibdot1sMstVID.158	.1.3.6.1.4.1.26138.8.35.14.18.1.1.158	INTEGER	158
IB-LswMSTP-MIB::ibdot1sMstVID.159	.1.3.6.1.4.1.26138.8.35.14.18.1.1.159	INTEGER	159
IB-LswMSTP-MIB::ibdot1sMstVID.160	.1.3.6.1.4.1.26138.8.35.14.18.1.1.160	INTEGER	160
IB-LswMSTP-MIB::ibdot1sMstVID.161	.1.3.6.1.4.1.26138.8.35.14.18.1.1.161	INTEGER	161
IB-LswMSTP-MIB::ibdot1sMstVID.162	.1.3.6.1.4.1.26138.8.35.14.18.1.1.162	INTEGER	162
IB-LswMSTP-MIB::ibdot1sMstVID.163	.1.3.6.1.4.1.26138.8.35.14.18.1.1.163	INTEGER	163
IB-LswMSTP-MIB::ibdot1sMstVID.164	.1.3.6.1.4.1.26138.8.35.14.18.1.1.164	INTEGER	164
IB-LswMSTP-MIB::ibdot1sMstVID.165	.1.3.6.1.4.1.26138.8.35.14.18.1.1.165	INTEGER	165

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.166	.1.3.6.1.4.1.26138.8.35.14.18.1.1.166	INTEGER	166
IB-LswMSTP-MIB::ibdot1sMstVID.167	.1.3.6.1.4.1.26138.8.35.14.18.1.1.167	INTEGER	167
IB-LswMSTP-MIB::ibdot1sMstVID.168	.1.3.6.1.4.1.26138.8.35.14.18.1.1.168	INTEGER	168
IB-LswMSTP-MIB::ibdot1sMstVID.169	.1.3.6.1.4.1.26138.8.35.14.18.1.1.169	INTEGER	169
IB-LswMSTP-MIB::ibdot1sMstVID.170	.1.3.6.1.4.1.26138.8.35.14.18.1.1.170	INTEGER	170
IB-LswMSTP-MIB::ibdot1sMstVID.171	.1.3.6.1.4.1.26138.8.35.14.18.1.1.171	INTEGER	171
IB-LswMSTP-MIB::ibdot1sMstVID.172	.1.3.6.1.4.1.26138.8.35.14.18.1.1.172	INTEGER	172
IB-LswMSTP-MIB::ibdot1sMstVID.173	.1.3.6.1.4.1.26138.8.35.14.18.1.1.173	INTEGER	173
IB-LswMSTP-MIB::ibdot1sMstVID.174	.1.3.6.1.4.1.26138.8.35.14.18.1.1.174	INTEGER	174
IB-LswMSTP-MIB::ibdot1sMstVID.175	.1.3.6.1.4.1.26138.8.35.14.18.1.1.175	INTEGER	175
IB-LswMSTP-MIB::ibdot1sMstVID.176	.1.3.6.1.4.1.26138.8.35.14.18.1.1.176	INTEGER	176
IB-LswMSTP-MIB::ibdot1sMstVID.177	.1.3.6.1.4.1.26138.8.35.14.18.1.1.177	INTEGER	177
IB-LswMSTP-MIB::ibdot1sMstVID.178	.1.3.6.1.4.1.26138.8.35.14.18.1.1.178	INTEGER	178
IB-LswMSTP-MIB::ibdot1sMstVID.179	.1.3.6.1.4.1.26138.8.35.14.18.1.1.179	INTEGER	179
IB-LswMSTP-MIB::ibdot1sMstVID.180	.1.3.6.1.4.1.26138.8.35.14.18.1.1.180	INTEGER	180
IB-LswMSTP-MIB::ibdot1sMstVID.181	.1.3.6.1.4.1.26138.8.35.14.18.1.1.181	INTEGER	181
IB-LswMSTP-MIB::ibdot1sMstVID.182	.1.3.6.1.4.1.26138.8.35.14.18.1.1.182	INTEGER	182
IB-LswMSTP-MIB::ibdot1sMstVID.183	.1.3.6.1.4.1.26138.8.35.14.18.1.1.183	INTEGER	183
IB-LswMSTP-MIB::ibdot1sMstVID.184	.1.3.6.1.4.1.26138.8.35.14.18.1.1.184	INTEGER	184
IB-LswMSTP-MIB::ibdot1sMstVID.185	.1.3.6.1.4.1.26138.8.35.14.18.1.1.185	INTEGER	185
IB-LswMSTP-MIB::ibdot1sMstVID.186	.1.3.6.1.4.1.26138.8.35.14.18.1.1.186	INTEGER	186
IB-LswMSTP-MIB::ibdot1sMstVID.187	.1.3.6.1.4.1.26138.8.35.14.18.1.1.187	INTEGER	187
IB-LswMSTP-MIB::ibdot1sMstVID.188	.1.3.6.1.4.1.26138.8.35.14.18.1.1.188	INTEGER	188
IB-LswMSTP-MIB::ibdot1sMstVID.189	.1.3.6.1.4.1.26138.8.35.14.18.1.1.189	INTEGER	189
IB-LswMSTP-MIB::ibdot1sMstVID.190	.1.3.6.1.4.1.26138.8.35.14.18.1.1.190	INTEGER	190
IB-LswMSTP-MIB::ibdot1sMstVID.191	.1.3.6.1.4.1.26138.8.35.14.18.1.1.191	INTEGER	191

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.192	.1.3.6.1.4.1.26138.8.35.14.18.1.1.192	INTEGER	192
IB-LswMSTP-MIB::ibdot1sMstVID.193	.1.3.6.1.4.1.26138.8.35.14.18.1.1.193	INTEGER	193
IB-LswMSTP-MIB::ibdot1sMstVID.194	.1.3.6.1.4.1.26138.8.35.14.18.1.1.194	INTEGER	194
IB-LswMSTP-MIB::ibdot1sMstVID.195	.1.3.6.1.4.1.26138.8.35.14.18.1.1.195	INTEGER	195
IB-LswMSTP-MIB::ibdot1sMstVID.196	.1.3.6.1.4.1.26138.8.35.14.18.1.1.196	INTEGER	196
IB-LswMSTP-MIB::ibdot1sMstVID.197	.1.3.6.1.4.1.26138.8.35.14.18.1.1.197	INTEGER	197
IB-LswMSTP-MIB::ibdot1sMstVID.198	.1.3.6.1.4.1.26138.8.35.14.18.1.1.198	INTEGER	198
IB-LswMSTP-MIB::ibdot1sMstVID.199	.1.3.6.1.4.1.26138.8.35.14.18.1.1.199	INTEGER	199
IB-LswMSTP-MIB::ibdot1sMstVID.200	.1.3.6.1.4.1.26138.8.35.14.18.1.1.200	INTEGER	200
IB-LswMSTP-MIB::ibdot1sMstVID.201	.1.3.6.1.4.1.26138.8.35.14.18.1.1.201	INTEGER	201
IB-LswMSTP-MIB::ibdot1sMstVID.202	.1.3.6.1.4.1.26138.8.35.14.18.1.1.202	INTEGER	202
IB-LswMSTP-MIB::ibdot1sMstVID.203	.1.3.6.1.4.1.26138.8.35.14.18.1.1.203	INTEGER	203
IB-LswMSTP-MIB::ibdot1sMstVID.204	.1.3.6.1.4.1.26138.8.35.14.18.1.1.204	INTEGER	204
IB-LswMSTP-MIB::ibdot1sMstVID.205	.1.3.6.1.4.1.26138.8.35.14.18.1.1.205	INTEGER	205
IB-LswMSTP-MIB::ibdot1sMstVID.206	.1.3.6.1.4.1.26138.8.35.14.18.1.1.206	INTEGER	206
IB-LswMSTP-MIB::ibdot1sMstVID.207	.1.3.6.1.4.1.26138.8.35.14.18.1.1.207	INTEGER	207
IB-LswMSTP-MIB::ibdot1sMstVID.208	.1.3.6.1.4.1.26138.8.35.14.18.1.1.208	INTEGER	208
IB-LswMSTP-MIB::ibdot1sMstVID.209	.1.3.6.1.4.1.26138.8.35.14.18.1.1.209	INTEGER	209
IB-LswMSTP-MIB::ibdot1sMstVID.210	.1.3.6.1.4.1.26138.8.35.14.18.1.1.210	INTEGER	210
IB-LswMSTP-MIB::ibdot1sMstVID.211	.1.3.6.1.4.1.26138.8.35.14.18.1.1.211	INTEGER	211
IB-LswMSTP-MIB::ibdot1sMstVID.212	.1.3.6.1.4.1.26138.8.35.14.18.1.1.212	INTEGER	212
IB-LswMSTP-MIB::ibdot1sMstVID.213	.1.3.6.1.4.1.26138.8.35.14.18.1.1.213	INTEGER	213
IB-LswMSTP-MIB::ibdot1sMstVID.214	.1.3.6.1.4.1.26138.8.35.14.18.1.1.214	INTEGER	214
IB-LswMSTP-MIB::ibdot1sMstVID.215	.1.3.6.1.4.1.26138.8.35.14.18.1.1.215	INTEGER	215
IB-LswMSTP-MIB::ibdot1sMstVID.216	.1.3.6.1.4.1.26138.8.35.14.18.1.1.216	INTEGER	216
IB-LswMSTP-MIB::ibdot1sMstVID.217	.1.3.6.1.4.1.26138.8.35.14.18.1.1.217	INTEGER	217

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.218	.1.3.6.1.4.1.26138.8.35.14.18.1.1.218	INTEGER	218
IB-LswMSTP-MIB::ibdot1sMstVID.219	.1.3.6.1.4.1.26138.8.35.14.18.1.1.219	INTEGER	219
IB-LswMSTP-MIB::ibdot1sMstVID.220	.1.3.6.1.4.1.26138.8.35.14.18.1.1.220	INTEGER	220
IB-LswMSTP-MIB::ibdot1sMstVID.221	.1.3.6.1.4.1.26138.8.35.14.18.1.1.221	INTEGER	221
IB-LswMSTP-MIB::ibdot1sMstVID.222	.1.3.6.1.4.1.26138.8.35.14.18.1.1.222	INTEGER	222
IB-LswMSTP-MIB::ibdot1sMstVID.223	.1.3.6.1.4.1.26138.8.35.14.18.1.1.223	INTEGER	223
IB-LswMSTP-MIB::ibdot1sMstVID.224	.1.3.6.1.4.1.26138.8.35.14.18.1.1.224	INTEGER	224
IB-LswMSTP-MIB::ibdot1sMstVID.225	.1.3.6.1.4.1.26138.8.35.14.18.1.1.225	INTEGER	225
IB-LswMSTP-MIB::ibdot1sMstVID.226	.1.3.6.1.4.1.26138.8.35.14.18.1.1.226	INTEGER	226
IB-LswMSTP-MIB::ibdot1sMstVID.227	.1.3.6.1.4.1.26138.8.35.14.18.1.1.227	INTEGER	227
IB-LswMSTP-MIB::ibdot1sMstVID.228	.1.3.6.1.4.1.26138.8.35.14.18.1.1.228	INTEGER	228
IB-LswMSTP-MIB::ibdot1sMstVID.229	.1.3.6.1.4.1.26138.8.35.14.18.1.1.229	INTEGER	229
IB-LswMSTP-MIB::ibdot1sMstVID.230	.1.3.6.1.4.1.26138.8.35.14.18.1.1.230	INTEGER	230
IB-LswMSTP-MIB::ibdot1sMstVID.231	.1.3.6.1.4.1.26138.8.35.14.18.1.1.231	INTEGER	231
IB-LswMSTP-MIB::ibdot1sMstVID.232	.1.3.6.1.4.1.26138.8.35.14.18.1.1.232	INTEGER	232
IB-LswMSTP-MIB::ibdot1sMstVID.233	.1.3.6.1.4.1.26138.8.35.14.18.1.1.233	INTEGER	233
IB-LswMSTP-MIB::ibdot1sMstVID.234	.1.3.6.1.4.1.26138.8.35.14.18.1.1.234	INTEGER	234
IB-LswMSTP-MIB::ibdot1sMstVID.235	.1.3.6.1.4.1.26138.8.35.14.18.1.1.235	INTEGER	235
IB-LswMSTP-MIB::ibdot1sMstVID.236	.1.3.6.1.4.1.26138.8.35.14.18.1.1.236	INTEGER	236
IB-LswMSTP-MIB::ibdot1sMstVID.237	.1.3.6.1.4.1.26138.8.35.14.18.1.1.237	INTEGER	237
IB-LswMSTP-MIB::ibdot1sMstVID.238	.1.3.6.1.4.1.26138.8.35.14.18.1.1.238	INTEGER	238
IB-LswMSTP-MIB::ibdot1sMstVID.239	.1.3.6.1.4.1.26138.8.35.14.18.1.1.239	INTEGER	239
IB-LswMSTP-MIB::ibdot1sMstVID.240	.1.3.6.1.4.1.26138.8.35.14.18.1.1.240	INTEGER	240
IB-LswMSTP-MIB::ibdot1sMstVID.241	.1.3.6.1.4.1.26138.8.35.14.18.1.1.241	INTEGER	241
IB-LswMSTP-MIB::ibdot1sMstVID.242	.1.3.6.1.4.1.26138.8.35.14.18.1.1.242	INTEGER	242
IB-LswMSTP-MIB::ibdot1sMstVID.243	.1.3.6.1.4.1.26138.8.35.14.18.1.1.243	INTEGER	243

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.244	.1.3.6.1.4.1.26138.8.35.14.18.1.1.244	INTEGER	244
IB-LswMSTP-MIB::ibdot1sMstVID.245	.1.3.6.1.4.1.26138.8.35.14.18.1.1.245	INTEGER	245
IB-LswMSTP-MIB::ibdot1sMstVID.246	.1.3.6.1.4.1.26138.8.35.14.18.1.1.246	INTEGER	246
IB-LswMSTP-MIB::ibdot1sMstVID.247	.1.3.6.1.4.1.26138.8.35.14.18.1.1.247	INTEGER	247
IB-LswMSTP-MIB::ibdot1sMstVID.248	.1.3.6.1.4.1.26138.8.35.14.18.1.1.248	INTEGER	248
IB-LswMSTP-MIB::ibdot1sMstVID.249	.1.3.6.1.4.1.26138.8.35.14.18.1.1.249	INTEGER	249
IB-LswMSTP-MIB::ibdot1sMstVID.250	.1.3.6.1.4.1.26138.8.35.14.18.1.1.250	INTEGER	250
IB-LswMSTP-MIB::ibdot1sMstVID.251	.1.3.6.1.4.1.26138.8.35.14.18.1.1.251	INTEGER	251
IB-LswMSTP-MIB::ibdot1sMstVID.252	.1.3.6.1.4.1.26138.8.35.14.18.1.1.252	INTEGER	252
IB-LswMSTP-MIB::ibdot1sMstVID.253	.1.3.6.1.4.1.26138.8.35.14.18.1.1.253	INTEGER	253
IB-LswMSTP-MIB::ibdot1sMstVID.254	.1.3.6.1.4.1.26138.8.35.14.18.1.1.254	INTEGER	254
IB-LswMSTP-MIB::ibdot1sMstVID.255	.1.3.6.1.4.1.26138.8.35.14.18.1.1.255	INTEGER	255
IB-LswMSTP-MIB::ibdot1sMstVID.256	.1.3.6.1.4.1.26138.8.35.14.18.1.1.256	INTEGER	256
IB-LswMSTP-MIB::ibdot1sMstVID.257	.1.3.6.1.4.1.26138.8.35.14.18.1.1.257	INTEGER	257
IB-LswMSTP-MIB::ibdot1sMstVID.258	.1.3.6.1.4.1.26138.8.35.14.18.1.1.258	INTEGER	258
IB-LswMSTP-MIB::ibdot1sMstVID.259	.1.3.6.1.4.1.26138.8.35.14.18.1.1.259	INTEGER	259
IB-LswMSTP-MIB::ibdot1sMstVID.260	.1.3.6.1.4.1.26138.8.35.14.18.1.1.260	INTEGER	260
IB-LswMSTP-MIB::ibdot1sMstVID.261	.1.3.6.1.4.1.26138.8.35.14.18.1.1.261	INTEGER	261
IB-LswMSTP-MIB::ibdot1sMstVID.262	.1.3.6.1.4.1.26138.8.35.14.18.1.1.262	INTEGER	262
IB-LswMSTP-MIB::ibdot1sMstVID.263	.1.3.6.1.4.1.26138.8.35.14.18.1.1.263	INTEGER	263
IB-LswMSTP-MIB::ibdot1sMstVID.264	.1.3.6.1.4.1.26138.8.35.14.18.1.1.264	INTEGER	264
IB-LswMSTP-MIB::ibdot1sMstVID.265	.1.3.6.1.4.1.26138.8.35.14.18.1.1.265	INTEGER	265
IB-LswMSTP-MIB::ibdot1sMstVID.266	.1.3.6.1.4.1.26138.8.35.14.18.1.1.266	INTEGER	266
IB-LswMSTP-MIB::ibdot1sMstVID.267	.1.3.6.1.4.1.26138.8.35.14.18.1.1.267	INTEGER	267
IB-LswMSTP-MIB::ibdot1sMstVID.268	.1.3.6.1.4.1.26138.8.35.14.18.1.1.268	INTEGER	268
IB-LswMSTP-MIB::ibdot1sMstVID.269	.1.3.6.1.4.1.26138.8.35.14.18.1.1.269	INTEGER	269

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.270	.1.3.6.1.4.1.26138.8.35.14.18.1.1.270	INTEGER	270
IB-LswMSTP-MIB::ibdot1sMstVID.271	.1.3.6.1.4.1.26138.8.35.14.18.1.1.271	INTEGER	271
IB-LswMSTP-MIB::ibdot1sMstVID.272	.1.3.6.1.4.1.26138.8.35.14.18.1.1.272	INTEGER	272
IB-LswMSTP-MIB::ibdot1sMstVID.273	.1.3.6.1.4.1.26138.8.35.14.18.1.1.273	INTEGER	273
IB-LswMSTP-MIB::ibdot1sMstVID.274	.1.3.6.1.4.1.26138.8.35.14.18.1.1.274	INTEGER	274
IB-LswMSTP-MIB::ibdot1sMstVID.275	.1.3.6.1.4.1.26138.8.35.14.18.1.1.275	INTEGER	275
IB-LswMSTP-MIB::ibdot1sMstVID.276	.1.3.6.1.4.1.26138.8.35.14.18.1.1.276	INTEGER	276
IB-LswMSTP-MIB::ibdot1sMstVID.277	.1.3.6.1.4.1.26138.8.35.14.18.1.1.277	INTEGER	277
IB-LswMSTP-MIB::ibdot1sMstVID.278	.1.3.6.1.4.1.26138.8.35.14.18.1.1.278	INTEGER	278
IB-LswMSTP-MIB::ibdot1sMstVID.279	.1.3.6.1.4.1.26138.8.35.14.18.1.1.279	INTEGER	279
IB-LswMSTP-MIB::ibdot1sMstVID.280	.1.3.6.1.4.1.26138.8.35.14.18.1.1.280	INTEGER	280
IB-LswMSTP-MIB::ibdot1sMstVID.281	.1.3.6.1.4.1.26138.8.35.14.18.1.1.281	INTEGER	281
IB-LswMSTP-MIB::ibdot1sMstVID.282	.1.3.6.1.4.1.26138.8.35.14.18.1.1.282	INTEGER	282
IB-LswMSTP-MIB::ibdot1sMstVID.283	.1.3.6.1.4.1.26138.8.35.14.18.1.1.283	INTEGER	283
IB-LswMSTP-MIB::ibdot1sMstVID.284	.1.3.6.1.4.1.26138.8.35.14.18.1.1.284	INTEGER	284
IB-LswMSTP-MIB::ibdot1sMstVID.285	.1.3.6.1.4.1.26138.8.35.14.18.1.1.285	INTEGER	285
IB-LswMSTP-MIB::ibdot1sMstVID.286	.1.3.6.1.4.1.26138.8.35.14.18.1.1.286	INTEGER	286
IB-LswMSTP-MIB::ibdot1sMstVID.287	.1.3.6.1.4.1.26138.8.35.14.18.1.1.287	INTEGER	287
IB-LswMSTP-MIB::ibdot1sMstVID.288	.1.3.6.1.4.1.26138.8.35.14.18.1.1.288	INTEGER	288
IB-LswMSTP-MIB::ibdot1sMstVID.289	.1.3.6.1.4.1.26138.8.35.14.18.1.1.289	INTEGER	289
IB-LswMSTP-MIB::ibdot1sMstVID.290	.1.3.6.1.4.1.26138.8.35.14.18.1.1.290	INTEGER	290
IB-LswMSTP-MIB::ibdot1sMstVID.291	.1.3.6.1.4.1.26138.8.35.14.18.1.1.291	INTEGER	291
IB-LswMSTP-MIB::ibdot1sMstVID.292	.1.3.6.1.4.1.26138.8.35.14.18.1.1.292	INTEGER	292
IB-LswMSTP-MIB::ibdot1sMstVID.293	.1.3.6.1.4.1.26138.8.35.14.18.1.1.293	INTEGER	293
IB-LswMSTP-MIB::ibdot1sMstVID.294	.1.3.6.1.4.1.26138.8.35.14.18.1.1.294	INTEGER	294
IB-LswMSTP-MIB::ibdot1sMstVID.295	.1.3.6.1.4.1.26138.8.35.14.18.1.1.295	INTEGER	295

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.296	.1.3.6.1.4.1.26138.8.35.14.18.1.1.296	INTEGER	296
IB-LswMSTP-MIB::ibdot1sMstVID.297	.1.3.6.1.4.1.26138.8.35.14.18.1.1.297	INTEGER	297
IB-LswMSTP-MIB::ibdot1sMstVID.298	.1.3.6.1.4.1.26138.8.35.14.18.1.1.298	INTEGER	298
IB-LswMSTP-MIB::ibdot1sMstVID.299	.1.3.6.1.4.1.26138.8.35.14.18.1.1.299	INTEGER	299
IB-LswMSTP-MIB::ibdot1sMstVID.300	.1.3.6.1.4.1.26138.8.35.14.18.1.1.300	INTEGER	300
IB-LswMSTP-MIB::ibdot1sMstVID.301	.1.3.6.1.4.1.26138.8.35.14.18.1.1.301	INTEGER	301
IB-LswMSTP-MIB::ibdot1sMstVID.302	.1.3.6.1.4.1.26138.8.35.14.18.1.1.302	INTEGER	302
IB-LswMSTP-MIB::ibdot1sMstVID.303	.1.3.6.1.4.1.26138.8.35.14.18.1.1.303	INTEGER	303
IB-LswMSTP-MIB::ibdot1sMstVID.304	.1.3.6.1.4.1.26138.8.35.14.18.1.1.304	INTEGER	304
IB-LswMSTP-MIB::ibdot1sMstVID.305	.1.3.6.1.4.1.26138.8.35.14.18.1.1.305	INTEGER	305
IB-LswMSTP-MIB::ibdot1sMstVID.306	.1.3.6.1.4.1.26138.8.35.14.18.1.1.306	INTEGER	306
IB-LswMSTP-MIB::ibdot1sMstVID.307	.1.3.6.1.4.1.26138.8.35.14.18.1.1.307	INTEGER	307
IB-LswMSTP-MIB::ibdot1sMstVID.308	.1.3.6.1.4.1.26138.8.35.14.18.1.1.308	INTEGER	308
IB-LswMSTP-MIB::ibdot1sMstVID.309	.1.3.6.1.4.1.26138.8.35.14.18.1.1.309	INTEGER	309
IB-LswMSTP-MIB::ibdot1sMstVID.310	.1.3.6.1.4.1.26138.8.35.14.18.1.1.310	INTEGER	310
IB-LswMSTP-MIB::ibdot1sMstVID.311	.1.3.6.1.4.1.26138.8.35.14.18.1.1.311	INTEGER	311
IB-LswMSTP-MIB::ibdot1sMstVID.312	.1.3.6.1.4.1.26138.8.35.14.18.1.1.312	INTEGER	312
IB-LswMSTP-MIB::ibdot1sMstVID.313	.1.3.6.1.4.1.26138.8.35.14.18.1.1.313	INTEGER	313
IB-LswMSTP-MIB::ibdot1sMstVID.314	.1.3.6.1.4.1.26138.8.35.14.18.1.1.314	INTEGER	314
IB-LswMSTP-MIB::ibdot1sMstVID.315	.1.3.6.1.4.1.26138.8.35.14.18.1.1.315	INTEGER	315
IB-LswMSTP-MIB::ibdot1sMstVID.316	.1.3.6.1.4.1.26138.8.35.14.18.1.1.316	INTEGER	316
IB-LswMSTP-MIB::ibdot1sMstVID.317	.1.3.6.1.4.1.26138.8.35.14.18.1.1.317	INTEGER	317
IB-LswMSTP-MIB::ibdot1sMstVID.318	.1.3.6.1.4.1.26138.8.35.14.18.1.1.318	INTEGER	318
IB-LswMSTP-MIB::ibdot1sMstVID.319	.1.3.6.1.4.1.26138.8.35.14.18.1.1.319	INTEGER	319
IB-LswMSTP-MIB::ibdot1sMstVID.320	.1.3.6.1.4.1.26138.8.35.14.18.1.1.320	INTEGER	320
IB-LswMSTP-MIB::ibdot1sMstVID.321	.1.3.6.1.4.1.26138.8.35.14.18.1.1.321	INTEGER	321

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.322	.1.3.6.1.4.1.26138.8.35.14.18.1.1.322	INTEGER	322
IB-LswMSTP-MIB::ibdot1sMstVID.323	.1.3.6.1.4.1.26138.8.35.14.18.1.1.323	INTEGER	323
IB-LswMSTP-MIB::ibdot1sMstVID.324	.1.3.6.1.4.1.26138.8.35.14.18.1.1.324	INTEGER	324
IB-LswMSTP-MIB::ibdot1sMstVID.325	.1.3.6.1.4.1.26138.8.35.14.18.1.1.325	INTEGER	325
IB-LswMSTP-MIB::ibdot1sMstVID.326	.1.3.6.1.4.1.26138.8.35.14.18.1.1.326	INTEGER	326
IB-LswMSTP-MIB::ibdot1sMstVID.327	.1.3.6.1.4.1.26138.8.35.14.18.1.1.327	INTEGER	327
IB-LswMSTP-MIB::ibdot1sMstVID.328	.1.3.6.1.4.1.26138.8.35.14.18.1.1.328	INTEGER	328
IB-LswMSTP-MIB::ibdot1sMstVID.329	.1.3.6.1.4.1.26138.8.35.14.18.1.1.329	INTEGER	329
IB-LswMSTP-MIB::ibdot1sMstVID.330	.1.3.6.1.4.1.26138.8.35.14.18.1.1.330	INTEGER	330
IB-LswMSTP-MIB::ibdot1sMstVID.331	.1.3.6.1.4.1.26138.8.35.14.18.1.1.331	INTEGER	331
IB-LswMSTP-MIB::ibdot1sMstVID.332	.1.3.6.1.4.1.26138.8.35.14.18.1.1.332	INTEGER	332
IB-LswMSTP-MIB::ibdot1sMstVID.333	.1.3.6.1.4.1.26138.8.35.14.18.1.1.333	INTEGER	333
IB-LswMSTP-MIB::ibdot1sMstVID.334	.1.3.6.1.4.1.26138.8.35.14.18.1.1.334	INTEGER	334
IB-LswMSTP-MIB::ibdot1sMstVID.335	.1.3.6.1.4.1.26138.8.35.14.18.1.1.335	INTEGER	335
IB-LswMSTP-MIB::ibdot1sMstVID.336	.1.3.6.1.4.1.26138.8.35.14.18.1.1.336	INTEGER	336
IB-LswMSTP-MIB::ibdot1sMstVID.337	.1.3.6.1.4.1.26138.8.35.14.18.1.1.337	INTEGER	337
IB-LswMSTP-MIB::ibdot1sMstVID.338	.1.3.6.1.4.1.26138.8.35.14.18.1.1.338	INTEGER	338
IB-LswMSTP-MIB::ibdot1sMstVID.339	.1.3.6.1.4.1.26138.8.35.14.18.1.1.339	INTEGER	339
IB-LswMSTP-MIB::ibdot1sMstVID.340	.1.3.6.1.4.1.26138.8.35.14.18.1.1.340	INTEGER	340
IB-LswMSTP-MIB::ibdot1sMstVID.341	.1.3.6.1.4.1.26138.8.35.14.18.1.1.341	INTEGER	341
IB-LswMSTP-MIB::ibdot1sMstVID.342	.1.3.6.1.4.1.26138.8.35.14.18.1.1.342	INTEGER	342
IB-LswMSTP-MIB::ibdot1sMstVID.343	.1.3.6.1.4.1.26138.8.35.14.18.1.1.343	INTEGER	343
IB-LswMSTP-MIB::ibdot1sMstVID.344	.1.3.6.1.4.1.26138.8.35.14.18.1.1.344	INTEGER	344
IB-LswMSTP-MIB::ibdot1sMstVID.345	.1.3.6.1.4.1.26138.8.35.14.18.1.1.345	INTEGER	345
IB-LswMSTP-MIB::ibdot1sMstVID.346	.1.3.6.1.4.1.26138.8.35.14.18.1.1.346	INTEGER	346
IB-LswMSTP-MIB::ibdot1sMstVID.347	.1.3.6.1.4.1.26138.8.35.14.18.1.1.347	INTEGER	347

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.348	.1.3.6.1.4.1.26138.8.35.14.18.1.1.348	INTEGER	348
IB-LswMSTP-MIB::ibdot1sMstVID.349	.1.3.6.1.4.1.26138.8.35.14.18.1.1.349	INTEGER	349
IB-LswMSTP-MIB::ibdot1sMstVID.350	.1.3.6.1.4.1.26138.8.35.14.18.1.1.350	INTEGER	350
IB-LswMSTP-MIB::ibdot1sMstVID.351	.1.3.6.1.4.1.26138.8.35.14.18.1.1.351	INTEGER	351
IB-LswMSTP-MIB::ibdot1sMstVID.352	.1.3.6.1.4.1.26138.8.35.14.18.1.1.352	INTEGER	352
IB-LswMSTP-MIB::ibdot1sMstVID.353	.1.3.6.1.4.1.26138.8.35.14.18.1.1.353	INTEGER	353
IB-LswMSTP-MIB::ibdot1sMstVID.354	.1.3.6.1.4.1.26138.8.35.14.18.1.1.354	INTEGER	354
IB-LswMSTP-MIB::ibdot1sMstVID.355	.1.3.6.1.4.1.26138.8.35.14.18.1.1.355	INTEGER	355
IB-LswMSTP-MIB::ibdot1sMstVID.356	.1.3.6.1.4.1.26138.8.35.14.18.1.1.356	INTEGER	356
IB-LswMSTP-MIB::ibdot1sMstVID.357	.1.3.6.1.4.1.26138.8.35.14.18.1.1.357	INTEGER	357
IB-LswMSTP-MIB::ibdot1sMstVID.358	.1.3.6.1.4.1.26138.8.35.14.18.1.1.358	INTEGER	358
IB-LswMSTP-MIB::ibdot1sMstVID.359	.1.3.6.1.4.1.26138.8.35.14.18.1.1.359	INTEGER	359
IB-LswMSTP-MIB::ibdot1sMstVID.360	.1.3.6.1.4.1.26138.8.35.14.18.1.1.360	INTEGER	360
IB-LswMSTP-MIB::ibdot1sMstVID.361	.1.3.6.1.4.1.26138.8.35.14.18.1.1.361	INTEGER	361
IB-LswMSTP-MIB::ibdot1sMstVID.362	.1.3.6.1.4.1.26138.8.35.14.18.1.1.362	INTEGER	362
IB-LswMSTP-MIB::ibdot1sMstVID.363	.1.3.6.1.4.1.26138.8.35.14.18.1.1.363	INTEGER	363
IB-LswMSTP-MIB::ibdot1sMstVID.364	.1.3.6.1.4.1.26138.8.35.14.18.1.1.364	INTEGER	364
IB-LswMSTP-MIB::ibdot1sMstVID.365	.1.3.6.1.4.1.26138.8.35.14.18.1.1.365	INTEGER	365
IB-LswMSTP-MIB::ibdot1sMstVID.366	.1.3.6.1.4.1.26138.8.35.14.18.1.1.366	INTEGER	366
IB-LswMSTP-MIB::ibdot1sMstVID.367	.1.3.6.1.4.1.26138.8.35.14.18.1.1.367	INTEGER	367
IB-LswMSTP-MIB::ibdot1sMstVID.368	.1.3.6.1.4.1.26138.8.35.14.18.1.1.368	INTEGER	368
IB-LswMSTP-MIB::ibdot1sMstVID.369	.1.3.6.1.4.1.26138.8.35.14.18.1.1.369	INTEGER	369
IB-LswMSTP-MIB::ibdot1sMstVID.370	.1.3.6.1.4.1.26138.8.35.14.18.1.1.370	INTEGER	370
IB-LswMSTP-MIB::ibdot1sMstVID.371	.1.3.6.1.4.1.26138.8.35.14.18.1.1.371	INTEGER	371
IB-LswMSTP-MIB::ibdot1sMstVID.372	.1.3.6.1.4.1.26138.8.35.14.18.1.1.372	INTEGER	372
IB-LswMSTP-MIB::ibdot1sMstVID.373	.1.3.6.1.4.1.26138.8.35.14.18.1.1.373	INTEGER	373

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.374	.1.3.6.1.4.1.26138.8.35.14.18.1.1.374	INTEGER	374
IB-LswMSTP-MIB::ibdot1sMstVID.375	.1.3.6.1.4.1.26138.8.35.14.18.1.1.375	INTEGER	375
IB-LswMSTP-MIB::ibdot1sMstVID.376	.1.3.6.1.4.1.26138.8.35.14.18.1.1.376	INTEGER	376
IB-LswMSTP-MIB::ibdot1sMstVID.377	.1.3.6.1.4.1.26138.8.35.14.18.1.1.377	INTEGER	377
IB-LswMSTP-MIB::ibdot1sMstVID.378	.1.3.6.1.4.1.26138.8.35.14.18.1.1.378	INTEGER	378
IB-LswMSTP-MIB::ibdot1sMstVID.379	.1.3.6.1.4.1.26138.8.35.14.18.1.1.379	INTEGER	379
IB-LswMSTP-MIB::ibdot1sMstVID.380	.1.3.6.1.4.1.26138.8.35.14.18.1.1.380	INTEGER	380
IB-LswMSTP-MIB::ibdot1sMstVID.381	.1.3.6.1.4.1.26138.8.35.14.18.1.1.381	INTEGER	381
IB-LswMSTP-MIB::ibdot1sMstVID.382	.1.3.6.1.4.1.26138.8.35.14.18.1.1.382	INTEGER	382
IB-LswMSTP-MIB::ibdot1sMstVID.383	.1.3.6.1.4.1.26138.8.35.14.18.1.1.383	INTEGER	383
IB-LswMSTP-MIB::ibdot1sMstVID.384	.1.3.6.1.4.1.26138.8.35.14.18.1.1.384	INTEGER	384
IB-LswMSTP-MIB::ibdot1sMstVID.385	.1.3.6.1.4.1.26138.8.35.14.18.1.1.385	INTEGER	385
IB-LswMSTP-MIB::ibdot1sMstVID.386	.1.3.6.1.4.1.26138.8.35.14.18.1.1.386	INTEGER	386
IB-LswMSTP-MIB::ibdot1sMstVID.387	.1.3.6.1.4.1.26138.8.35.14.18.1.1.387	INTEGER	387
IB-LswMSTP-MIB::ibdot1sMstVID.388	.1.3.6.1.4.1.26138.8.35.14.18.1.1.388	INTEGER	388
IB-LswMSTP-MIB::ibdot1sMstVID.389	.1.3.6.1.4.1.26138.8.35.14.18.1.1.389	INTEGER	389
IB-LswMSTP-MIB::ibdot1sMstVID.390	.1.3.6.1.4.1.26138.8.35.14.18.1.1.390	INTEGER	390
IB-LswMSTP-MIB::ibdot1sMstVID.391	.1.3.6.1.4.1.26138.8.35.14.18.1.1.391	INTEGER	391
IB-LswMSTP-MIB::ibdot1sMstVID.392	.1.3.6.1.4.1.26138.8.35.14.18.1.1.392	INTEGER	392
IB-LswMSTP-MIB::ibdot1sMstVID.393	.1.3.6.1.4.1.26138.8.35.14.18.1.1.393	INTEGER	393
IB-LswMSTP-MIB::ibdot1sMstVID.394	.1.3.6.1.4.1.26138.8.35.14.18.1.1.394	INTEGER	394
IB-LswMSTP-MIB::ibdot1sMstVID.395	.1.3.6.1.4.1.26138.8.35.14.18.1.1.395	INTEGER	395
IB-LswMSTP-MIB::ibdot1sMstVID.396	.1.3.6.1.4.1.26138.8.35.14.18.1.1.396	INTEGER	396
IB-LswMSTP-MIB::ibdot1sMstVID.397	.1.3.6.1.4.1.26138.8.35.14.18.1.1.397	INTEGER	397
IB-LswMSTP-MIB::ibdot1sMstVID.398	.1.3.6.1.4.1.26138.8.35.14.18.1.1.398	INTEGER	398
IB-LswMSTP-MIB::ibdot1sMstVID.399	.1.3.6.1.4.1.26138.8.35.14.18.1.1.399	INTEGER	399

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.400	.1.3.6.1.4.1.26138.8.35.14.18.1.1.400	INTEGER	400
IB-LswMSTP-MIB::ibdot1sMstVID.401	.1.3.6.1.4.1.26138.8.35.14.18.1.1.401	INTEGER	401
IB-LswMSTP-MIB::ibdot1sMstVID.402	.1.3.6.1.4.1.26138.8.35.14.18.1.1.402	INTEGER	402
IB-LswMSTP-MIB::ibdot1sMstVID.403	.1.3.6.1.4.1.26138.8.35.14.18.1.1.403	INTEGER	403
IB-LswMSTP-MIB::ibdot1sMstVID.404	.1.3.6.1.4.1.26138.8.35.14.18.1.1.404	INTEGER	404
IB-LswMSTP-MIB::ibdot1sMstVID.405	.1.3.6.1.4.1.26138.8.35.14.18.1.1.405	INTEGER	405
IB-LswMSTP-MIB::ibdot1sMstVID.406	.1.3.6.1.4.1.26138.8.35.14.18.1.1.406	INTEGER	406
IB-LswMSTP-MIB::ibdot1sMstVID.407	.1.3.6.1.4.1.26138.8.35.14.18.1.1.407	INTEGER	407
IB-LswMSTP-MIB::ibdot1sMstVID.408	.1.3.6.1.4.1.26138.8.35.14.18.1.1.408	INTEGER	408
IB-LswMSTP-MIB::ibdot1sMstVID.409	.1.3.6.1.4.1.26138.8.35.14.18.1.1.409	INTEGER	409
IB-LswMSTP-MIB::ibdot1sMstVID.410	.1.3.6.1.4.1.26138.8.35.14.18.1.1.410	INTEGER	410
IB-LswMSTP-MIB::ibdot1sMstVID.411	.1.3.6.1.4.1.26138.8.35.14.18.1.1.411	INTEGER	411
IB-LswMSTP-MIB::ibdot1sMstVID.412	.1.3.6.1.4.1.26138.8.35.14.18.1.1.412	INTEGER	412
IB-LswMSTP-MIB::ibdot1sMstVID.413	.1.3.6.1.4.1.26138.8.35.14.18.1.1.413	INTEGER	413
IB-LswMSTP-MIB::ibdot1sMstVID.414	.1.3.6.1.4.1.26138.8.35.14.18.1.1.414	INTEGER	414
IB-LswMSTP-MIB::ibdot1sMstVID.415	.1.3.6.1.4.1.26138.8.35.14.18.1.1.415	INTEGER	415
IB-LswMSTP-MIB::ibdot1sMstVID.416	.1.3.6.1.4.1.26138.8.35.14.18.1.1.416	INTEGER	416
IB-LswMSTP-MIB::ibdot1sMstVID.417	.1.3.6.1.4.1.26138.8.35.14.18.1.1.417	INTEGER	417
IB-LswMSTP-MIB::ibdot1sMstVID.418	.1.3.6.1.4.1.26138.8.35.14.18.1.1.418	INTEGER	418
IB-LswMSTP-MIB::ibdot1sMstVID.419	.1.3.6.1.4.1.26138.8.35.14.18.1.1.419	INTEGER	419
IB-LswMSTP-MIB::ibdot1sMstVID.420	.1.3.6.1.4.1.26138.8.35.14.18.1.1.420	INTEGER	420
IB-LswMSTP-MIB::ibdot1sMstVID.421	.1.3.6.1.4.1.26138.8.35.14.18.1.1.421	INTEGER	421
IB-LswMSTP-MIB::ibdot1sMstVID.422	.1.3.6.1.4.1.26138.8.35.14.18.1.1.422	INTEGER	422
IB-LswMSTP-MIB::ibdot1sMstVID.423	.1.3.6.1.4.1.26138.8.35.14.18.1.1.423	INTEGER	423
IB-LswMSTP-MIB::ibdot1sMstVID.424	.1.3.6.1.4.1.26138.8.35.14.18.1.1.424	INTEGER	424
IB-LswMSTP-MIB::ibdot1sMstVID.425	.1.3.6.1.4.1.26138.8.35.14.18.1.1.425	INTEGER	425

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.426	.1.3.6.1.4.1.26138.8.35.14.18.1.1.426	INTEGER	426
IB-LswMSTP-MIB::ibdot1sMstVID.427	.1.3.6.1.4.1.26138.8.35.14.18.1.1.427	INTEGER	427
IB-LswMSTP-MIB::ibdot1sMstVID.428	.1.3.6.1.4.1.26138.8.35.14.18.1.1.428	INTEGER	428
IB-LswMSTP-MIB::ibdot1sMstVID.429	.1.3.6.1.4.1.26138.8.35.14.18.1.1.429	INTEGER	429
IB-LswMSTP-MIB::ibdot1sMstVID.430	.1.3.6.1.4.1.26138.8.35.14.18.1.1.430	INTEGER	430
IB-LswMSTP-MIB::ibdot1sMstVID.431	.1.3.6.1.4.1.26138.8.35.14.18.1.1.431	INTEGER	431
IB-LswMSTP-MIB::ibdot1sMstVID.432	.1.3.6.1.4.1.26138.8.35.14.18.1.1.432	INTEGER	432
IB-LswMSTP-MIB::ibdot1sMstVID.433	.1.3.6.1.4.1.26138.8.35.14.18.1.1.433	INTEGER	433
IB-LswMSTP-MIB::ibdot1sMstVID.434	.1.3.6.1.4.1.26138.8.35.14.18.1.1.434	INTEGER	434
IB-LswMSTP-MIB::ibdot1sMstVID.435	.1.3.6.1.4.1.26138.8.35.14.18.1.1.435	INTEGER	435
IB-LswMSTP-MIB::ibdot1sMstVID.436	.1.3.6.1.4.1.26138.8.35.14.18.1.1.436	INTEGER	436
IB-LswMSTP-MIB::ibdot1sMstVID.437	.1.3.6.1.4.1.26138.8.35.14.18.1.1.437	INTEGER	437
IB-LswMSTP-MIB::ibdot1sMstVID.438	.1.3.6.1.4.1.26138.8.35.14.18.1.1.438	INTEGER	438
IB-LswMSTP-MIB::ibdot1sMstVID.439	.1.3.6.1.4.1.26138.8.35.14.18.1.1.439	INTEGER	439
IB-LswMSTP-MIB::ibdot1sMstVID.440	.1.3.6.1.4.1.26138.8.35.14.18.1.1.440	INTEGER	440
IB-LswMSTP-MIB::ibdot1sMstVID.441	.1.3.6.1.4.1.26138.8.35.14.18.1.1.441	INTEGER	441
IB-LswMSTP-MIB::ibdot1sMstVID.442	.1.3.6.1.4.1.26138.8.35.14.18.1.1.442	INTEGER	442
IB-LswMSTP-MIB::ibdot1sMstVID.443	.1.3.6.1.4.1.26138.8.35.14.18.1.1.443	INTEGER	443
IB-LswMSTP-MIB::ibdot1sMstVID.444	.1.3.6.1.4.1.26138.8.35.14.18.1.1.444	INTEGER	444
IB-LswMSTP-MIB::ibdot1sMstVID.445	.1.3.6.1.4.1.26138.8.35.14.18.1.1.445	INTEGER	445
IB-LswMSTP-MIB::ibdot1sMstVID.446	.1.3.6.1.4.1.26138.8.35.14.18.1.1.446	INTEGER	446
IB-LswMSTP-MIB::ibdot1sMstVID.447	.1.3.6.1.4.1.26138.8.35.14.18.1.1.447	INTEGER	447
IB-LswMSTP-MIB::ibdot1sMstVID.448	.1.3.6.1.4.1.26138.8.35.14.18.1.1.448	INTEGER	448
IB-LswMSTP-MIB::ibdot1sMstVID.449	.1.3.6.1.4.1.26138.8.35.14.18.1.1.449	INTEGER	449
IB-LswMSTP-MIB::ibdot1sMstVID.450	.1.3.6.1.4.1.26138.8.35.14.18.1.1.450	INTEGER	450
IB-LswMSTP-MIB::ibdot1sMstVID.451	.1.3.6.1.4.1.26138.8.35.14.18.1.1.451	INTEGER	451

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.452	.1.3.6.1.4.1.26138.8.35.14.18.1.1.452	INTEGER	452
IB-LswMSTP-MIB::ibdot1sMstVID.453	.1.3.6.1.4.1.26138.8.35.14.18.1.1.453	INTEGER	453
IB-LswMSTP-MIB::ibdot1sMstVID.454	.1.3.6.1.4.1.26138.8.35.14.18.1.1.454	INTEGER	454
IB-LswMSTP-MIB::ibdot1sMstVID.455	.1.3.6.1.4.1.26138.8.35.14.18.1.1.455	INTEGER	455
IB-LswMSTP-MIB::ibdot1sMstVID.456	.1.3.6.1.4.1.26138.8.35.14.18.1.1.456	INTEGER	456
IB-LswMSTP-MIB::ibdot1sMstVID.457	.1.3.6.1.4.1.26138.8.35.14.18.1.1.457	INTEGER	457
IB-LswMSTP-MIB::ibdot1sMstVID.458	.1.3.6.1.4.1.26138.8.35.14.18.1.1.458	INTEGER	458
IB-LswMSTP-MIB::ibdot1sMstVID.459	.1.3.6.1.4.1.26138.8.35.14.18.1.1.459	INTEGER	459
IB-LswMSTP-MIB::ibdot1sMstVID.460	.1.3.6.1.4.1.26138.8.35.14.18.1.1.460	INTEGER	460
IB-LswMSTP-MIB::ibdot1sMstVID.461	.1.3.6.1.4.1.26138.8.35.14.18.1.1.461	INTEGER	461
IB-LswMSTP-MIB::ibdot1sMstVID.462	.1.3.6.1.4.1.26138.8.35.14.18.1.1.462	INTEGER	462
IB-LswMSTP-MIB::ibdot1sMstVID.463	.1.3.6.1.4.1.26138.8.35.14.18.1.1.463	INTEGER	463
IB-LswMSTP-MIB::ibdot1sMstVID.464	.1.3.6.1.4.1.26138.8.35.14.18.1.1.464	INTEGER	464
IB-LswMSTP-MIB::ibdot1sMstVID.465	.1.3.6.1.4.1.26138.8.35.14.18.1.1.465	INTEGER	465
IB-LswMSTP-MIB::ibdot1sMstVID.466	.1.3.6.1.4.1.26138.8.35.14.18.1.1.466	INTEGER	466
IB-LswMSTP-MIB::ibdot1sMstVID.467	.1.3.6.1.4.1.26138.8.35.14.18.1.1.467	INTEGER	467
IB-LswMSTP-MIB::ibdot1sMstVID.468	.1.3.6.1.4.1.26138.8.35.14.18.1.1.468	INTEGER	468
IB-LswMSTP-MIB::ibdot1sMstVID.469	.1.3.6.1.4.1.26138.8.35.14.18.1.1.469	INTEGER	469
IB-LswMSTP-MIB::ibdot1sMstVID.470	.1.3.6.1.4.1.26138.8.35.14.18.1.1.470	INTEGER	470
IB-LswMSTP-MIB::ibdot1sMstVID.471	.1.3.6.1.4.1.26138.8.35.14.18.1.1.471	INTEGER	471
IB-LswMSTP-MIB::ibdot1sMstVID.472	.1.3.6.1.4.1.26138.8.35.14.18.1.1.472	INTEGER	472
IB-LswMSTP-MIB::ibdot1sMstVID.473	.1.3.6.1.4.1.26138.8.35.14.18.1.1.473	INTEGER	473
IB-LswMSTP-MIB::ibdot1sMstVID.474	.1.3.6.1.4.1.26138.8.35.14.18.1.1.474	INTEGER	474
IB-LswMSTP-MIB::ibdot1sMstVID.475	.1.3.6.1.4.1.26138.8.35.14.18.1.1.475	INTEGER	475
IB-LswMSTP-MIB::ibdot1sMstVID.476	.1.3.6.1.4.1.26138.8.35.14.18.1.1.476	INTEGER	476
IB-LswMSTP-MIB::ibdot1sMstVID.477	.1.3.6.1.4.1.26138.8.35.14.18.1.1.477	INTEGER	477

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.478	.1.3.6.1.4.1.26138.8.35.14.18.1.1.478	INTEGER	478
IB-LswMSTP-MIB::ibdot1sMstVID.479	.1.3.6.1.4.1.26138.8.35.14.18.1.1.479	INTEGER	479
IB-LswMSTP-MIB::ibdot1sMstVID.480	.1.3.6.1.4.1.26138.8.35.14.18.1.1.480	INTEGER	480
IB-LswMSTP-MIB::ibdot1sMstVID.481	.1.3.6.1.4.1.26138.8.35.14.18.1.1.481	INTEGER	481
IB-LswMSTP-MIB::ibdot1sMstVID.482	.1.3.6.1.4.1.26138.8.35.14.18.1.1.482	INTEGER	482
IB-LswMSTP-MIB::ibdot1sMstVID.483	.1.3.6.1.4.1.26138.8.35.14.18.1.1.483	INTEGER	483
IB-LswMSTP-MIB::ibdot1sMstVID.484	.1.3.6.1.4.1.26138.8.35.14.18.1.1.484	INTEGER	484
IB-LswMSTP-MIB::ibdot1sMstVID.485	.1.3.6.1.4.1.26138.8.35.14.18.1.1.485	INTEGER	485
IB-LswMSTP-MIB::ibdot1sMstVID.486	.1.3.6.1.4.1.26138.8.35.14.18.1.1.486	INTEGER	486
IB-LswMSTP-MIB::ibdot1sMstVID.487	.1.3.6.1.4.1.26138.8.35.14.18.1.1.487	INTEGER	487
IB-LswMSTP-MIB::ibdot1sMstVID.488	.1.3.6.1.4.1.26138.8.35.14.18.1.1.488	INTEGER	488
IB-LswMSTP-MIB::ibdot1sMstVID.489	.1.3.6.1.4.1.26138.8.35.14.18.1.1.489	INTEGER	489
IB-LswMSTP-MIB::ibdot1sMstVID.490	.1.3.6.1.4.1.26138.8.35.14.18.1.1.490	INTEGER	490
IB-LswMSTP-MIB::ibdot1sMstVID.491	.1.3.6.1.4.1.26138.8.35.14.18.1.1.491	INTEGER	491
IB-LswMSTP-MIB::ibdot1sMstVID.492	.1.3.6.1.4.1.26138.8.35.14.18.1.1.492	INTEGER	492
IB-LswMSTP-MIB::ibdot1sMstVID.493	.1.3.6.1.4.1.26138.8.35.14.18.1.1.493	INTEGER	493
IB-LswMSTP-MIB::ibdot1sMstVID.494	.1.3.6.1.4.1.26138.8.35.14.18.1.1.494	INTEGER	494
IB-LswMSTP-MIB::ibdot1sMstVID.495	.1.3.6.1.4.1.26138.8.35.14.18.1.1.495	INTEGER	495
IB-LswMSTP-MIB::ibdot1sMstVID.496	.1.3.6.1.4.1.26138.8.35.14.18.1.1.496	INTEGER	496
IB-LswMSTP-MIB::ibdot1sMstVID.497	.1.3.6.1.4.1.26138.8.35.14.18.1.1.497	INTEGER	497
IB-LswMSTP-MIB::ibdot1sMstVID.498	.1.3.6.1.4.1.26138.8.35.14.18.1.1.498	INTEGER	498
IB-LswMSTP-MIB::ibdot1sMstVID.499	.1.3.6.1.4.1.26138.8.35.14.18.1.1.499	INTEGER	499
IB-LswMSTP-MIB::ibdot1sMstVID.500	.1.3.6.1.4.1.26138.8.35.14.18.1.1.500	INTEGER	500
IB-LswMSTP-MIB::ibdot1sMstVID.501	.1.3.6.1.4.1.26138.8.35.14.18.1.1.501	INTEGER	501
IB-LswMSTP-MIB::ibdot1sMstVID.502	.1.3.6.1.4.1.26138.8.35.14.18.1.1.502	INTEGER	502
IB-LswMSTP-MIB::ibdot1sMstVID.503	.1.3.6.1.4.1.26138.8.35.14.18.1.1.503	INTEGER	503

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.504	.1.3.6.1.4.1.26138.8.35.14.18.1.1.504	INTEGER	504
IB-LswMSTP-MIB::ibdot1sMstVID.505	.1.3.6.1.4.1.26138.8.35.14.18.1.1.505	INTEGER	505
IB-LswMSTP-MIB::ibdot1sMstVID.506	.1.3.6.1.4.1.26138.8.35.14.18.1.1.506	INTEGER	506
IB-LswMSTP-MIB::ibdot1sMstVID.507	.1.3.6.1.4.1.26138.8.35.14.18.1.1.507	INTEGER	507
IB-LswMSTP-MIB::ibdot1sMstVID.508	.1.3.6.1.4.1.26138.8.35.14.18.1.1.508	INTEGER	508
IB-LswMSTP-MIB::ibdot1sMstVID.509	.1.3.6.1.4.1.26138.8.35.14.18.1.1.509	INTEGER	509
IB-LswMSTP-MIB::ibdot1sMstVID.510	.1.3.6.1.4.1.26138.8.35.14.18.1.1.510	INTEGER	510
IB-LswMSTP-MIB::ibdot1sMstVID.511	.1.3.6.1.4.1.26138.8.35.14.18.1.1.511	INTEGER	511
IB-LswMSTP-MIB::ibdot1sMstVID.512	.1.3.6.1.4.1.26138.8.35.14.18.1.1.512	INTEGER	512
IB-LswMSTP-MIB::ibdot1sMstVID.513	.1.3.6.1.4.1.26138.8.35.14.18.1.1.513	INTEGER	513
IB-LswMSTP-MIB::ibdot1sMstVID.514	.1.3.6.1.4.1.26138.8.35.14.18.1.1.514	INTEGER	514
IB-LswMSTP-MIB::ibdot1sMstVID.515	.1.3.6.1.4.1.26138.8.35.14.18.1.1.515	INTEGER	515
IB-LswMSTP-MIB::ibdot1sMstVID.516	.1.3.6.1.4.1.26138.8.35.14.18.1.1.516	INTEGER	516
IB-LswMSTP-MIB::ibdot1sMstVID.517	.1.3.6.1.4.1.26138.8.35.14.18.1.1.517	INTEGER	517
IB-LswMSTP-MIB::ibdot1sMstVID.518	.1.3.6.1.4.1.26138.8.35.14.18.1.1.518	INTEGER	518
IB-LswMSTP-MIB::ibdot1sMstVID.519	.1.3.6.1.4.1.26138.8.35.14.18.1.1.519	INTEGER	519
IB-LswMSTP-MIB::ibdot1sMstVID.520	.1.3.6.1.4.1.26138.8.35.14.18.1.1.520	INTEGER	520
IB-LswMSTP-MIB::ibdot1sMstVID.521	.1.3.6.1.4.1.26138.8.35.14.18.1.1.521	INTEGER	521
IB-LswMSTP-MIB::ibdot1sMstVID.522	.1.3.6.1.4.1.26138.8.35.14.18.1.1.522	INTEGER	522
IB-LswMSTP-MIB::ibdot1sMstVID.523	.1.3.6.1.4.1.26138.8.35.14.18.1.1.523	INTEGER	523
IB-LswMSTP-MIB::ibdot1sMstVID.524	.1.3.6.1.4.1.26138.8.35.14.18.1.1.524	INTEGER	524
IB-LswMSTP-MIB::ibdot1sMstVID.525	.1.3.6.1.4.1.26138.8.35.14.18.1.1.525	INTEGER	525
IB-LswMSTP-MIB::ibdot1sMstVID.526	.1.3.6.1.4.1.26138.8.35.14.18.1.1.526	INTEGER	526
IB-LswMSTP-MIB::ibdot1sMstVID.527	.1.3.6.1.4.1.26138.8.35.14.18.1.1.527	INTEGER	527
IB-LswMSTP-MIB::ibdot1sMstVID.528	.1.3.6.1.4.1.26138.8.35.14.18.1.1.528	INTEGER	528
IB-LswMSTP-MIB::ibdot1sMstVID.529	.1.3.6.1.4.1.26138.8.35.14.18.1.1.529	INTEGER	529

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.530	.1.3.6.1.4.1.26138.8.35.14.18.1.1.530	INTEGER	530
IB-LswMSTP-MIB::ibdot1sMstVID.531	.1.3.6.1.4.1.26138.8.35.14.18.1.1.531	INTEGER	531
IB-LswMSTP-MIB::ibdot1sMstVID.532	.1.3.6.1.4.1.26138.8.35.14.18.1.1.532	INTEGER	532
IB-LswMSTP-MIB::ibdot1sMstVID.533	.1.3.6.1.4.1.26138.8.35.14.18.1.1.533	INTEGER	533
IB-LswMSTP-MIB::ibdot1sMstVID.534	.1.3.6.1.4.1.26138.8.35.14.18.1.1.534	INTEGER	534
IB-LswMSTP-MIB::ibdot1sMstVID.535	.1.3.6.1.4.1.26138.8.35.14.18.1.1.535	INTEGER	535
IB-LswMSTP-MIB::ibdot1sMstVID.536	.1.3.6.1.4.1.26138.8.35.14.18.1.1.536	INTEGER	536
IB-LswMSTP-MIB::ibdot1sMstVID.537	.1.3.6.1.4.1.26138.8.35.14.18.1.1.537	INTEGER	537
IB-LswMSTP-MIB::ibdot1sMstVID.538	.1.3.6.1.4.1.26138.8.35.14.18.1.1.538	INTEGER	538
IB-LswMSTP-MIB::ibdot1sMstVID.539	.1.3.6.1.4.1.26138.8.35.14.18.1.1.539	INTEGER	539
IB-LswMSTP-MIB::ibdot1sMstVID.540	.1.3.6.1.4.1.26138.8.35.14.18.1.1.540	INTEGER	540
IB-LswMSTP-MIB::ibdot1sMstVID.541	.1.3.6.1.4.1.26138.8.35.14.18.1.1.541	INTEGER	541
IB-LswMSTP-MIB::ibdot1sMstVID.542	.1.3.6.1.4.1.26138.8.35.14.18.1.1.542	INTEGER	542
IB-LswMSTP-MIB::ibdot1sMstVID.543	.1.3.6.1.4.1.26138.8.35.14.18.1.1.543	INTEGER	543
IB-LswMSTP-MIB::ibdot1sMstVID.544	.1.3.6.1.4.1.26138.8.35.14.18.1.1.544	INTEGER	544
IB-LswMSTP-MIB::ibdot1sMstVID.545	.1.3.6.1.4.1.26138.8.35.14.18.1.1.545	INTEGER	545
IB-LswMSTP-MIB::ibdot1sMstVID.546	.1.3.6.1.4.1.26138.8.35.14.18.1.1.546	INTEGER	546
IB-LswMSTP-MIB::ibdot1sMstVID.547	.1.3.6.1.4.1.26138.8.35.14.18.1.1.547	INTEGER	547
IB-LswMSTP-MIB::ibdot1sMstVID.548	.1.3.6.1.4.1.26138.8.35.14.18.1.1.548	INTEGER	548
IB-LswMSTP-MIB::ibdot1sMstVID.549	.1.3.6.1.4.1.26138.8.35.14.18.1.1.549	INTEGER	549
IB-LswMSTP-MIB::ibdot1sMstVID.550	.1.3.6.1.4.1.26138.8.35.14.18.1.1.550	INTEGER	550
IB-LswMSTP-MIB::ibdot1sMstVID.551	.1.3.6.1.4.1.26138.8.35.14.18.1.1.551	INTEGER	551
IB-LswMSTP-MIB::ibdot1sMstVID.552	.1.3.6.1.4.1.26138.8.35.14.18.1.1.552	INTEGER	552
IB-LswMSTP-MIB::ibdot1sMstVID.553	.1.3.6.1.4.1.26138.8.35.14.18.1.1.553	INTEGER	553
IB-LswMSTP-MIB::ibdot1sMstVID.554	.1.3.6.1.4.1.26138.8.35.14.18.1.1.554	INTEGER	554
IB-LswMSTP-MIB::ibdot1sMstVID.555	.1.3.6.1.4.1.26138.8.35.14.18.1.1.555	INTEGER	555

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.556	.1.3.6.1.4.1.26138.8.35.14.18.1.1.556	INTEGER	556
IB-LswMSTP-MIB::ibdot1sMstVID.557	.1.3.6.1.4.1.26138.8.35.14.18.1.1.557	INTEGER	557
IB-LswMSTP-MIB::ibdot1sMstVID.558	.1.3.6.1.4.1.26138.8.35.14.18.1.1.558	INTEGER	558
IB-LswMSTP-MIB::ibdot1sMstVID.559	.1.3.6.1.4.1.26138.8.35.14.18.1.1.559	INTEGER	559
IB-LswMSTP-MIB::ibdot1sMstVID.560	.1.3.6.1.4.1.26138.8.35.14.18.1.1.560	INTEGER	560
IB-LswMSTP-MIB::ibdot1sMstVID.561	.1.3.6.1.4.1.26138.8.35.14.18.1.1.561	INTEGER	561
IB-LswMSTP-MIB::ibdot1sMstVID.562	.1.3.6.1.4.1.26138.8.35.14.18.1.1.562	INTEGER	562
IB-LswMSTP-MIB::ibdot1sMstVID.563	.1.3.6.1.4.1.26138.8.35.14.18.1.1.563	INTEGER	563
IB-LswMSTP-MIB::ibdot1sMstVID.564	.1.3.6.1.4.1.26138.8.35.14.18.1.1.564	INTEGER	564
IB-LswMSTP-MIB::ibdot1sMstVID.565	.1.3.6.1.4.1.26138.8.35.14.18.1.1.565	INTEGER	565
IB-LswMSTP-MIB::ibdot1sMstVID.566	.1.3.6.1.4.1.26138.8.35.14.18.1.1.566	INTEGER	566
IB-LswMSTP-MIB::ibdot1sMstVID.567	.1.3.6.1.4.1.26138.8.35.14.18.1.1.567	INTEGER	567
IB-LswMSTP-MIB::ibdot1sMstVID.568	.1.3.6.1.4.1.26138.8.35.14.18.1.1.568	INTEGER	568
IB-LswMSTP-MIB::ibdot1sMstVID.569	.1.3.6.1.4.1.26138.8.35.14.18.1.1.569	INTEGER	569
IB-LswMSTP-MIB::ibdot1sMstVID.570	.1.3.6.1.4.1.26138.8.35.14.18.1.1.570	INTEGER	570
IB-LswMSTP-MIB::ibdot1sMstVID.571	.1.3.6.1.4.1.26138.8.35.14.18.1.1.571	INTEGER	571
IB-LswMSTP-MIB::ibdot1sMstVID.572	.1.3.6.1.4.1.26138.8.35.14.18.1.1.572	INTEGER	572
IB-LswMSTP-MIB::ibdot1sMstVID.573	.1.3.6.1.4.1.26138.8.35.14.18.1.1.573	INTEGER	573
IB-LswMSTP-MIB::ibdot1sMstVID.574	.1.3.6.1.4.1.26138.8.35.14.18.1.1.574	INTEGER	574
IB-LswMSTP-MIB::ibdot1sMstVID.575	.1.3.6.1.4.1.26138.8.35.14.18.1.1.575	INTEGER	575
IB-LswMSTP-MIB::ibdot1sMstVID.576	.1.3.6.1.4.1.26138.8.35.14.18.1.1.576	INTEGER	576
IB-LswMSTP-MIB::ibdot1sMstVID.577	.1.3.6.1.4.1.26138.8.35.14.18.1.1.577	INTEGER	577
IB-LswMSTP-MIB::ibdot1sMstVID.578	.1.3.6.1.4.1.26138.8.35.14.18.1.1.578	INTEGER	578
IB-LswMSTP-MIB::ibdot1sMstVID.579	.1.3.6.1.4.1.26138.8.35.14.18.1.1.579	INTEGER	579
IB-LswMSTP-MIB::ibdot1sMstVID.580	.1.3.6.1.4.1.26138.8.35.14.18.1.1.580	INTEGER	580
IB-LswMSTP-MIB::ibdot1sMstVID.581	.1.3.6.1.4.1.26138.8.35.14.18.1.1.581	INTEGER	581

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.582	.1.3.6.1.4.1.26138.8.35.14.18.1.1.582	INTEGER	582
IB-LswMSTP-MIB::ibdot1sMstVID.583	.1.3.6.1.4.1.26138.8.35.14.18.1.1.583	INTEGER	583
IB-LswMSTP-MIB::ibdot1sMstVID.584	.1.3.6.1.4.1.26138.8.35.14.18.1.1.584	INTEGER	584
IB-LswMSTP-MIB::ibdot1sMstVID.585	.1.3.6.1.4.1.26138.8.35.14.18.1.1.585	INTEGER	585
IB-LswMSTP-MIB::ibdot1sMstVID.586	.1.3.6.1.4.1.26138.8.35.14.18.1.1.586	INTEGER	586
IB-LswMSTP-MIB::ibdot1sMstVID.587	.1.3.6.1.4.1.26138.8.35.14.18.1.1.587	INTEGER	587
IB-LswMSTP-MIB::ibdot1sMstVID.588	.1.3.6.1.4.1.26138.8.35.14.18.1.1.588	INTEGER	588
IB-LswMSTP-MIB::ibdot1sMstVID.589	.1.3.6.1.4.1.26138.8.35.14.18.1.1.589	INTEGER	589
IB-LswMSTP-MIB::ibdot1sMstVID.590	.1.3.6.1.4.1.26138.8.35.14.18.1.1.590	INTEGER	590
IB-LswMSTP-MIB::ibdot1sMstVID.591	.1.3.6.1.4.1.26138.8.35.14.18.1.1.591	INTEGER	591
IB-LswMSTP-MIB::ibdot1sMstVID.592	.1.3.6.1.4.1.26138.8.35.14.18.1.1.592	INTEGER	592
IB-LswMSTP-MIB::ibdot1sMstVID.593	.1.3.6.1.4.1.26138.8.35.14.18.1.1.593	INTEGER	593
IB-LswMSTP-MIB::ibdot1sMstVID.594	.1.3.6.1.4.1.26138.8.35.14.18.1.1.594	INTEGER	594
IB-LswMSTP-MIB::ibdot1sMstVID.595	.1.3.6.1.4.1.26138.8.35.14.18.1.1.595	INTEGER	595
IB-LswMSTP-MIB::ibdot1sMstVID.596	.1.3.6.1.4.1.26138.8.35.14.18.1.1.596	INTEGER	596
IB-LswMSTP-MIB::ibdot1sMstVID.597	.1.3.6.1.4.1.26138.8.35.14.18.1.1.597	INTEGER	597
IB-LswMSTP-MIB::ibdot1sMstVID.598	.1.3.6.1.4.1.26138.8.35.14.18.1.1.598	INTEGER	598
IB-LswMSTP-MIB::ibdot1sMstVID.599	.1.3.6.1.4.1.26138.8.35.14.18.1.1.599	INTEGER	599
IB-LswMSTP-MIB::ibdot1sMstVID.600	.1.3.6.1.4.1.26138.8.35.14.18.1.1.600	INTEGER	600
IB-LswMSTP-MIB::ibdot1sMstVID.601	.1.3.6.1.4.1.26138.8.35.14.18.1.1.601	INTEGER	601
IB-LswMSTP-MIB::ibdot1sMstVID.602	.1.3.6.1.4.1.26138.8.35.14.18.1.1.602	INTEGER	602
IB-LswMSTP-MIB::ibdot1sMstVID.603	.1.3.6.1.4.1.26138.8.35.14.18.1.1.603	INTEGER	603
IB-LswMSTP-MIB::ibdot1sMstVID.604	.1.3.6.1.4.1.26138.8.35.14.18.1.1.604	INTEGER	604
IB-LswMSTP-MIB::ibdot1sMstVID.605	.1.3.6.1.4.1.26138.8.35.14.18.1.1.605	INTEGER	605
IB-LswMSTP-MIB::ibdot1sMstVID.606	.1.3.6.1.4.1.26138.8.35.14.18.1.1.606	INTEGER	606
IB-LswMSTP-MIB::ibdot1sMstVID.607	.1.3.6.1.4.1.26138.8.35.14.18.1.1.607	INTEGER	607

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.608	.1.3.6.1.4.1.26138.8.35.14.18.1.1.608	INTEGER	608
IB-LswMSTP-MIB::ibdot1sMstVID.609	.1.3.6.1.4.1.26138.8.35.14.18.1.1.609	INTEGER	609
IB-LswMSTP-MIB::ibdot1sMstVID.610	.1.3.6.1.4.1.26138.8.35.14.18.1.1.610	INTEGER	610
IB-LswMSTP-MIB::ibdot1sMstVID.611	.1.3.6.1.4.1.26138.8.35.14.18.1.1.611	INTEGER	611
IB-LswMSTP-MIB::ibdot1sMstVID.612	.1.3.6.1.4.1.26138.8.35.14.18.1.1.612	INTEGER	612
IB-LswMSTP-MIB::ibdot1sMstVID.613	.1.3.6.1.4.1.26138.8.35.14.18.1.1.613	INTEGER	613
IB-LswMSTP-MIB::ibdot1sMstVID.614	.1.3.6.1.4.1.26138.8.35.14.18.1.1.614	INTEGER	614
IB-LswMSTP-MIB::ibdot1sMstVID.615	.1.3.6.1.4.1.26138.8.35.14.18.1.1.615	INTEGER	615
IB-LswMSTP-MIB::ibdot1sMstVID.616	.1.3.6.1.4.1.26138.8.35.14.18.1.1.616	INTEGER	616
IB-LswMSTP-MIB::ibdot1sMstVID.617	.1.3.6.1.4.1.26138.8.35.14.18.1.1.617	INTEGER	617
IB-LswMSTP-MIB::ibdot1sMstVID.618	.1.3.6.1.4.1.26138.8.35.14.18.1.1.618	INTEGER	618
IB-LswMSTP-MIB::ibdot1sMstVID.619	.1.3.6.1.4.1.26138.8.35.14.18.1.1.619	INTEGER	619
IB-LswMSTP-MIB::ibdot1sMstVID.620	.1.3.6.1.4.1.26138.8.35.14.18.1.1.620	INTEGER	620
IB-LswMSTP-MIB::ibdot1sMstVID.621	.1.3.6.1.4.1.26138.8.35.14.18.1.1.621	INTEGER	621
IB-LswMSTP-MIB::ibdot1sMstVID.622	.1.3.6.1.4.1.26138.8.35.14.18.1.1.622	INTEGER	622
IB-LswMSTP-MIB::ibdot1sMstVID.623	.1.3.6.1.4.1.26138.8.35.14.18.1.1.623	INTEGER	623
IB-LswMSTP-MIB::ibdot1sMstVID.624	.1.3.6.1.4.1.26138.8.35.14.18.1.1.624	INTEGER	624
IB-LswMSTP-MIB::ibdot1sMstVID.625	.1.3.6.1.4.1.26138.8.35.14.18.1.1.625	INTEGER	625
IB-LswMSTP-MIB::ibdot1sMstVID.626	.1.3.6.1.4.1.26138.8.35.14.18.1.1.626	INTEGER	626
IB-LswMSTP-MIB::ibdot1sMstVID.627	.1.3.6.1.4.1.26138.8.35.14.18.1.1.627	INTEGER	627
IB-LswMSTP-MIB::ibdot1sMstVID.628	.1.3.6.1.4.1.26138.8.35.14.18.1.1.628	INTEGER	628
IB-LswMSTP-MIB::ibdot1sMstVID.629	.1.3.6.1.4.1.26138.8.35.14.18.1.1.629	INTEGER	629
IB-LswMSTP-MIB::ibdot1sMstVID.630	.1.3.6.1.4.1.26138.8.35.14.18.1.1.630	INTEGER	630
IB-LswMSTP-MIB::ibdot1sMstVID.631	.1.3.6.1.4.1.26138.8.35.14.18.1.1.631	INTEGER	631
IB-LswMSTP-MIB::ibdot1sMstVID.632	.1.3.6.1.4.1.26138.8.35.14.18.1.1.632	INTEGER	632
IB-LswMSTP-MIB::ibdot1sMstVID.633	.1.3.6.1.4.1.26138.8.35.14.18.1.1.633	INTEGER	633

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.634	.1.3.6.1.4.1.26138.8.35.14.18.1.1.634	INTEGER	634
IB-LswMSTP-MIB::ibdot1sMstVID.635	.1.3.6.1.4.1.26138.8.35.14.18.1.1.635	INTEGER	635
IB-LswMSTP-MIB::ibdot1sMstVID.636	.1.3.6.1.4.1.26138.8.35.14.18.1.1.636	INTEGER	636
IB-LswMSTP-MIB::ibdot1sMstVID.637	.1.3.6.1.4.1.26138.8.35.14.18.1.1.637	INTEGER	637
IB-LswMSTP-MIB::ibdot1sMstVID.638	.1.3.6.1.4.1.26138.8.35.14.18.1.1.638	INTEGER	638
IB-LswMSTP-MIB::ibdot1sMstVID.639	.1.3.6.1.4.1.26138.8.35.14.18.1.1.639	INTEGER	639
IB-LswMSTP-MIB::ibdot1sMstVID.640	.1.3.6.1.4.1.26138.8.35.14.18.1.1.640	INTEGER	640
IB-LswMSTP-MIB::ibdot1sMstVID.641	.1.3.6.1.4.1.26138.8.35.14.18.1.1.641	INTEGER	641
IB-LswMSTP-MIB::ibdot1sMstVID.642	.1.3.6.1.4.1.26138.8.35.14.18.1.1.642	INTEGER	642
IB-LswMSTP-MIB::ibdot1sMstVID.643	.1.3.6.1.4.1.26138.8.35.14.18.1.1.643	INTEGER	643
IB-LswMSTP-MIB::ibdot1sMstVID.644	.1.3.6.1.4.1.26138.8.35.14.18.1.1.644	INTEGER	644
IB-LswMSTP-MIB::ibdot1sMstVID.645	.1.3.6.1.4.1.26138.8.35.14.18.1.1.645	INTEGER	645
IB-LswMSTP-MIB::ibdot1sMstVID.646	.1.3.6.1.4.1.26138.8.35.14.18.1.1.646	INTEGER	646
IB-LswMSTP-MIB::ibdot1sMstVID.647	.1.3.6.1.4.1.26138.8.35.14.18.1.1.647	INTEGER	647
IB-LswMSTP-MIB::ibdot1sMstVID.648	.1.3.6.1.4.1.26138.8.35.14.18.1.1.648	INTEGER	648
IB-LswMSTP-MIB::ibdot1sMstVID.649	.1.3.6.1.4.1.26138.8.35.14.18.1.1.649	INTEGER	649
IB-LswMSTP-MIB::ibdot1sMstVID.650	.1.3.6.1.4.1.26138.8.35.14.18.1.1.650	INTEGER	650
IB-LswMSTP-MIB::ibdot1sMstVID.651	.1.3.6.1.4.1.26138.8.35.14.18.1.1.651	INTEGER	651
IB-LswMSTP-MIB::ibdot1sMstVID.652	.1.3.6.1.4.1.26138.8.35.14.18.1.1.652	INTEGER	652
IB-LswMSTP-MIB::ibdot1sMstVID.653	.1.3.6.1.4.1.26138.8.35.14.18.1.1.653	INTEGER	653
IB-LswMSTP-MIB::ibdot1sMstVID.654	.1.3.6.1.4.1.26138.8.35.14.18.1.1.654	INTEGER	654
IB-LswMSTP-MIB::ibdot1sMstVID.655	.1.3.6.1.4.1.26138.8.35.14.18.1.1.655	INTEGER	655
IB-LswMSTP-MIB::ibdot1sMstVID.656	.1.3.6.1.4.1.26138.8.35.14.18.1.1.656	INTEGER	656
IB-LswMSTP-MIB::ibdot1sMstVID.657	.1.3.6.1.4.1.26138.8.35.14.18.1.1.657	INTEGER	657
IB-LswMSTP-MIB::ibdot1sMstVID.658	.1.3.6.1.4.1.26138.8.35.14.18.1.1.658	INTEGER	658
IB-LswMSTP-MIB::ibdot1sMstVID.659	.1.3.6.1.4.1.26138.8.35.14.18.1.1.659	INTEGER	659

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.660	.1.3.6.1.4.1.26138.8.35.14.18.1.1.660	INTEGER	660
IB-LswMSTP-MIB::ibdot1sMstVID.661	.1.3.6.1.4.1.26138.8.35.14.18.1.1.661	INTEGER	661
IB-LswMSTP-MIB::ibdot1sMstVID.662	.1.3.6.1.4.1.26138.8.35.14.18.1.1.662	INTEGER	662
IB-LswMSTP-MIB::ibdot1sMstVID.663	.1.3.6.1.4.1.26138.8.35.14.18.1.1.663	INTEGER	663
IB-LswMSTP-MIB::ibdot1sMstVID.664	.1.3.6.1.4.1.26138.8.35.14.18.1.1.664	INTEGER	664
IB-LswMSTP-MIB::ibdot1sMstVID.665	.1.3.6.1.4.1.26138.8.35.14.18.1.1.665	INTEGER	665
IB-LswMSTP-MIB::ibdot1sMstVID.666	.1.3.6.1.4.1.26138.8.35.14.18.1.1.666	INTEGER	666
IB-LswMSTP-MIB::ibdot1sMstVID.667	.1.3.6.1.4.1.26138.8.35.14.18.1.1.667	INTEGER	667
IB-LswMSTP-MIB::ibdot1sMstVID.668	.1.3.6.1.4.1.26138.8.35.14.18.1.1.668	INTEGER	668
IB-LswMSTP-MIB::ibdot1sMstVID.669	.1.3.6.1.4.1.26138.8.35.14.18.1.1.669	INTEGER	669
IB-LswMSTP-MIB::ibdot1sMstVID.670	.1.3.6.1.4.1.26138.8.35.14.18.1.1.670	INTEGER	670
IB-LswMSTP-MIB::ibdot1sMstVID.671	.1.3.6.1.4.1.26138.8.35.14.18.1.1.671	INTEGER	671
IB-LswMSTP-MIB::ibdot1sMstVID.672	.1.3.6.1.4.1.26138.8.35.14.18.1.1.672	INTEGER	672
IB-LswMSTP-MIB::ibdot1sMstVID.673	.1.3.6.1.4.1.26138.8.35.14.18.1.1.673	INTEGER	673
IB-LswMSTP-MIB::ibdot1sMstVID.674	.1.3.6.1.4.1.26138.8.35.14.18.1.1.674	INTEGER	674
IB-LswMSTP-MIB::ibdot1sMstVID.675	.1.3.6.1.4.1.26138.8.35.14.18.1.1.675	INTEGER	675
IB-LswMSTP-MIB::ibdot1sMstVID.676	.1.3.6.1.4.1.26138.8.35.14.18.1.1.676	INTEGER	676
IB-LswMSTP-MIB::ibdot1sMstVID.677	.1.3.6.1.4.1.26138.8.35.14.18.1.1.677	INTEGER	677
IB-LswMSTP-MIB::ibdot1sMstVID.678	.1.3.6.1.4.1.26138.8.35.14.18.1.1.678	INTEGER	678
IB-LswMSTP-MIB::ibdot1sMstVID.679	.1.3.6.1.4.1.26138.8.35.14.18.1.1.679	INTEGER	679
IB-LswMSTP-MIB::ibdot1sMstVID.680	.1.3.6.1.4.1.26138.8.35.14.18.1.1.680	INTEGER	680
IB-LswMSTP-MIB::ibdot1sMstVID.681	.1.3.6.1.4.1.26138.8.35.14.18.1.1.681	INTEGER	681
IB-LswMSTP-MIB::ibdot1sMstVID.682	.1.3.6.1.4.1.26138.8.35.14.18.1.1.682	INTEGER	682
IB-LswMSTP-MIB::ibdot1sMstVID.683	.1.3.6.1.4.1.26138.8.35.14.18.1.1.683	INTEGER	683
IB-LswMSTP-MIB::ibdot1sMstVID.684	.1.3.6.1.4.1.26138.8.35.14.18.1.1.684	INTEGER	684
IB-LswMSTP-MIB::ibdot1sMstVID.685	.1.3.6.1.4.1.26138.8.35.14.18.1.1.685	INTEGER	685

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.686	.1.3.6.1.4.1.26138.8.35.14.18.1.1.686	INTEGER	686
IB-LswMSTP-MIB::ibdot1sMstVID.687	.1.3.6.1.4.1.26138.8.35.14.18.1.1.687	INTEGER	687
IB-LswMSTP-MIB::ibdot1sMstVID.688	.1.3.6.1.4.1.26138.8.35.14.18.1.1.688	INTEGER	688
IB-LswMSTP-MIB::ibdot1sMstVID.689	.1.3.6.1.4.1.26138.8.35.14.18.1.1.689	INTEGER	689
IB-LswMSTP-MIB::ibdot1sMstVID.690	.1.3.6.1.4.1.26138.8.35.14.18.1.1.690	INTEGER	690
IB-LswMSTP-MIB::ibdot1sMstVID.691	.1.3.6.1.4.1.26138.8.35.14.18.1.1.691	INTEGER	691
IB-LswMSTP-MIB::ibdot1sMstVID.692	.1.3.6.1.4.1.26138.8.35.14.18.1.1.692	INTEGER	692
IB-LswMSTP-MIB::ibdot1sMstVID.693	.1.3.6.1.4.1.26138.8.35.14.18.1.1.693	INTEGER	693
IB-LswMSTP-MIB::ibdot1sMstVID.694	.1.3.6.1.4.1.26138.8.35.14.18.1.1.694	INTEGER	694
IB-LswMSTP-MIB::ibdot1sMstVID.695	.1.3.6.1.4.1.26138.8.35.14.18.1.1.695	INTEGER	695
IB-LswMSTP-MIB::ibdot1sMstVID.696	.1.3.6.1.4.1.26138.8.35.14.18.1.1.696	INTEGER	696
IB-LswMSTP-MIB::ibdot1sMstVID.697	.1.3.6.1.4.1.26138.8.35.14.18.1.1.697	INTEGER	697
IB-LswMSTP-MIB::ibdot1sMstVID.698	.1.3.6.1.4.1.26138.8.35.14.18.1.1.698	INTEGER	698
IB-LswMSTP-MIB::ibdot1sMstVID.699	.1.3.6.1.4.1.26138.8.35.14.18.1.1.699	INTEGER	699
IB-LswMSTP-MIB::ibdot1sMstVID.700	.1.3.6.1.4.1.26138.8.35.14.18.1.1.700	INTEGER	700
IB-LswMSTP-MIB::ibdot1sMstVID.701	.1.3.6.1.4.1.26138.8.35.14.18.1.1.701	INTEGER	701
IB-LswMSTP-MIB::ibdot1sMstVID.702	.1.3.6.1.4.1.26138.8.35.14.18.1.1.702	INTEGER	702
IB-LswMSTP-MIB::ibdot1sMstVID.703	.1.3.6.1.4.1.26138.8.35.14.18.1.1.703	INTEGER	703
IB-LswMSTP-MIB::ibdot1sMstVID.704	.1.3.6.1.4.1.26138.8.35.14.18.1.1.704	INTEGER	704
IB-LswMSTP-MIB::ibdot1sMstVID.705	.1.3.6.1.4.1.26138.8.35.14.18.1.1.705	INTEGER	705
IB-LswMSTP-MIB::ibdot1sMstVID.706	.1.3.6.1.4.1.26138.8.35.14.18.1.1.706	INTEGER	706
IB-LswMSTP-MIB::ibdot1sMstVID.707	.1.3.6.1.4.1.26138.8.35.14.18.1.1.707	INTEGER	707
IB-LswMSTP-MIB::ibdot1sMstVID.708	.1.3.6.1.4.1.26138.8.35.14.18.1.1.708	INTEGER	708
IB-LswMSTP-MIB::ibdot1sMstVID.709	.1.3.6.1.4.1.26138.8.35.14.18.1.1.709	INTEGER	709
IB-LswMSTP-MIB::ibdot1sMstVID.710	.1.3.6.1.4.1.26138.8.35.14.18.1.1.710	INTEGER	710
IB-LswMSTP-MIB::ibdot1sMstVID.711	.1.3.6.1.4.1.26138.8.35.14.18.1.1.711	INTEGER	711

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.712	.1.3.6.1.4.1.26138.8.35.14.18.1.1.712	INTEGER	712
IB-LswMSTP-MIB::ibdot1sMstVID.713	.1.3.6.1.4.1.26138.8.35.14.18.1.1.713	INTEGER	713
IB-LswMSTP-MIB::ibdot1sMstVID.714	.1.3.6.1.4.1.26138.8.35.14.18.1.1.714	INTEGER	714
IB-LswMSTP-MIB::ibdot1sMstVID.715	.1.3.6.1.4.1.26138.8.35.14.18.1.1.715	INTEGER	715
IB-LswMSTP-MIB::ibdot1sMstVID.716	.1.3.6.1.4.1.26138.8.35.14.18.1.1.716	INTEGER	716
IB-LswMSTP-MIB::ibdot1sMstVID.717	.1.3.6.1.4.1.26138.8.35.14.18.1.1.717	INTEGER	717
IB-LswMSTP-MIB::ibdot1sMstVID.718	.1.3.6.1.4.1.26138.8.35.14.18.1.1.718	INTEGER	718
IB-LswMSTP-MIB::ibdot1sMstVID.719	.1.3.6.1.4.1.26138.8.35.14.18.1.1.719	INTEGER	719
IB-LswMSTP-MIB::ibdot1sMstVID.720	.1.3.6.1.4.1.26138.8.35.14.18.1.1.720	INTEGER	720
IB-LswMSTP-MIB::ibdot1sMstVID.721	.1.3.6.1.4.1.26138.8.35.14.18.1.1.721	INTEGER	721
IB-LswMSTP-MIB::ibdot1sMstVID.722	.1.3.6.1.4.1.26138.8.35.14.18.1.1.722	INTEGER	722
IB-LswMSTP-MIB::ibdot1sMstVID.723	.1.3.6.1.4.1.26138.8.35.14.18.1.1.723	INTEGER	723
IB-LswMSTP-MIB::ibdot1sMstVID.724	.1.3.6.1.4.1.26138.8.35.14.18.1.1.724	INTEGER	724
IB-LswMSTP-MIB::ibdot1sMstVID.725	.1.3.6.1.4.1.26138.8.35.14.18.1.1.725	INTEGER	725
IB-LswMSTP-MIB::ibdot1sMstVID.726	.1.3.6.1.4.1.26138.8.35.14.18.1.1.726	INTEGER	726
IB-LswMSTP-MIB::ibdot1sMstVID.727	.1.3.6.1.4.1.26138.8.35.14.18.1.1.727	INTEGER	727
IB-LswMSTP-MIB::ibdot1sMstVID.728	.1.3.6.1.4.1.26138.8.35.14.18.1.1.728	INTEGER	728
IB-LswMSTP-MIB::ibdot1sMstVID.729	.1.3.6.1.4.1.26138.8.35.14.18.1.1.729	INTEGER	729
IB-LswMSTP-MIB::ibdot1sMstVID.730	.1.3.6.1.4.1.26138.8.35.14.18.1.1.730	INTEGER	730
IB-LswMSTP-MIB::ibdot1sMstVID.731	.1.3.6.1.4.1.26138.8.35.14.18.1.1.731	INTEGER	731
IB-LswMSTP-MIB::ibdot1sMstVID.732	.1.3.6.1.4.1.26138.8.35.14.18.1.1.732	INTEGER	732
IB-LswMSTP-MIB::ibdot1sMstVID.733	.1.3.6.1.4.1.26138.8.35.14.18.1.1.733	INTEGER	733
IB-LswMSTP-MIB::ibdot1sMstVID.734	.1.3.6.1.4.1.26138.8.35.14.18.1.1.734	INTEGER	734
IB-LswMSTP-MIB::ibdot1sMstVID.735	.1.3.6.1.4.1.26138.8.35.14.18.1.1.735	INTEGER	735
IB-LswMSTP-MIB::ibdot1sMstVID.736	.1.3.6.1.4.1.26138.8.35.14.18.1.1.736	INTEGER	736
IB-LswMSTP-MIB::ibdot1sMstVID.737	.1.3.6.1.4.1.26138.8.35.14.18.1.1.737	INTEGER	737

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.738	.1.3.6.1.4.1.26138.8.35.14.18.1.1.738	INTEGER	738
IB-LswMSTP-MIB::ibdot1sMstVID.739	.1.3.6.1.4.1.26138.8.35.14.18.1.1.739	INTEGER	739
IB-LswMSTP-MIB::ibdot1sMstVID.740	.1.3.6.1.4.1.26138.8.35.14.18.1.1.740	INTEGER	740
IB-LswMSTP-MIB::ibdot1sMstVID.741	.1.3.6.1.4.1.26138.8.35.14.18.1.1.741	INTEGER	741
IB-LswMSTP-MIB::ibdot1sMstVID.742	.1.3.6.1.4.1.26138.8.35.14.18.1.1.742	INTEGER	742
IB-LswMSTP-MIB::ibdot1sMstVID.743	.1.3.6.1.4.1.26138.8.35.14.18.1.1.743	INTEGER	743
IB-LswMSTP-MIB::ibdot1sMstVID.744	.1.3.6.1.4.1.26138.8.35.14.18.1.1.744	INTEGER	744
IB-LswMSTP-MIB::ibdot1sMstVID.745	.1.3.6.1.4.1.26138.8.35.14.18.1.1.745	INTEGER	745
IB-LswMSTP-MIB::ibdot1sMstVID.746	.1.3.6.1.4.1.26138.8.35.14.18.1.1.746	INTEGER	746
IB-LswMSTP-MIB::ibdot1sMstVID.747	.1.3.6.1.4.1.26138.8.35.14.18.1.1.747	INTEGER	747
IB-LswMSTP-MIB::ibdot1sMstVID.748	.1.3.6.1.4.1.26138.8.35.14.18.1.1.748	INTEGER	748
IB-LswMSTP-MIB::ibdot1sMstVID.749	.1.3.6.1.4.1.26138.8.35.14.18.1.1.749	INTEGER	749
IB-LswMSTP-MIB::ibdot1sMstVID.750	.1.3.6.1.4.1.26138.8.35.14.18.1.1.750	INTEGER	750
IB-LswMSTP-MIB::ibdot1sMstVID.751	.1.3.6.1.4.1.26138.8.35.14.18.1.1.751	INTEGER	751
IB-LswMSTP-MIB::ibdot1sMstVID.752	.1.3.6.1.4.1.26138.8.35.14.18.1.1.752	INTEGER	752
IB-LswMSTP-MIB::ibdot1sMstVID.753	.1.3.6.1.4.1.26138.8.35.14.18.1.1.753	INTEGER	753
IB-LswMSTP-MIB::ibdot1sMstVID.754	.1.3.6.1.4.1.26138.8.35.14.18.1.1.754	INTEGER	754
IB-LswMSTP-MIB::ibdot1sMstVID.755	.1.3.6.1.4.1.26138.8.35.14.18.1.1.755	INTEGER	755
IB-LswMSTP-MIB::ibdot1sMstVID.756	.1.3.6.1.4.1.26138.8.35.14.18.1.1.756	INTEGER	756
IB-LswMSTP-MIB::ibdot1sMstVID.757	.1.3.6.1.4.1.26138.8.35.14.18.1.1.757	INTEGER	757
IB-LswMSTP-MIB::ibdot1sMstVID.758	.1.3.6.1.4.1.26138.8.35.14.18.1.1.758	INTEGER	758
IB-LswMSTP-MIB::ibdot1sMstVID.759	.1.3.6.1.4.1.26138.8.35.14.18.1.1.759	INTEGER	759
IB-LswMSTP-MIB::ibdot1sMstVID.760	.1.3.6.1.4.1.26138.8.35.14.18.1.1.760	INTEGER	760
IB-LswMSTP-MIB::ibdot1sMstVID.761	.1.3.6.1.4.1.26138.8.35.14.18.1.1.761	INTEGER	761
IB-LswMSTP-MIB::ibdot1sMstVID.762	.1.3.6.1.4.1.26138.8.35.14.18.1.1.762	INTEGER	762
IB-LswMSTP-MIB::ibdot1sMstVID.763	.1.3.6.1.4.1.26138.8.35.14.18.1.1.763	INTEGER	763

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.764	.1.3.6.1.4.1.26138.8.35.14.18.1.1.764	INTEGER	764
IB-LswMSTP-MIB::ibdot1sMstVID.765	.1.3.6.1.4.1.26138.8.35.14.18.1.1.765	INTEGER	765
IB-LswMSTP-MIB::ibdot1sMstVID.766	.1.3.6.1.4.1.26138.8.35.14.18.1.1.766	INTEGER	766
IB-LswMSTP-MIB::ibdot1sMstVID.767	.1.3.6.1.4.1.26138.8.35.14.18.1.1.767	INTEGER	767
IB-LswMSTP-MIB::ibdot1sMstVID.768	.1.3.6.1.4.1.26138.8.35.14.18.1.1.768	INTEGER	768
IB-LswMSTP-MIB::ibdot1sMstVID.769	.1.3.6.1.4.1.26138.8.35.14.18.1.1.769	INTEGER	769
IB-LswMSTP-MIB::ibdot1sMstVID.770	.1.3.6.1.4.1.26138.8.35.14.18.1.1.770	INTEGER	770
IB-LswMSTP-MIB::ibdot1sMstVID.771	.1.3.6.1.4.1.26138.8.35.14.18.1.1.771	INTEGER	771
IB-LswMSTP-MIB::ibdot1sMstVID.772	.1.3.6.1.4.1.26138.8.35.14.18.1.1.772	INTEGER	772
IB-LswMSTP-MIB::ibdot1sMstVID.773	.1.3.6.1.4.1.26138.8.35.14.18.1.1.773	INTEGER	773
IB-LswMSTP-MIB::ibdot1sMstVID.774	.1.3.6.1.4.1.26138.8.35.14.18.1.1.774	INTEGER	774
IB-LswMSTP-MIB::ibdot1sMstVID.775	.1.3.6.1.4.1.26138.8.35.14.18.1.1.775	INTEGER	775
IB-LswMSTP-MIB::ibdot1sMstVID.776	.1.3.6.1.4.1.26138.8.35.14.18.1.1.776	INTEGER	776
IB-LswMSTP-MIB::ibdot1sMstVID.777	.1.3.6.1.4.1.26138.8.35.14.18.1.1.777	INTEGER	777
IB-LswMSTP-MIB::ibdot1sMstVID.778	.1.3.6.1.4.1.26138.8.35.14.18.1.1.778	INTEGER	778
IB-LswMSTP-MIB::ibdot1sMstVID.779	.1.3.6.1.4.1.26138.8.35.14.18.1.1.779	INTEGER	779
IB-LswMSTP-MIB::ibdot1sMstVID.780	.1.3.6.1.4.1.26138.8.35.14.18.1.1.780	INTEGER	780
IB-LswMSTP-MIB::ibdot1sMstVID.781	.1.3.6.1.4.1.26138.8.35.14.18.1.1.781	INTEGER	781
IB-LswMSTP-MIB::ibdot1sMstVID.782	.1.3.6.1.4.1.26138.8.35.14.18.1.1.782	INTEGER	782
IB-LswMSTP-MIB::ibdot1sMstVID.783	.1.3.6.1.4.1.26138.8.35.14.18.1.1.783	INTEGER	783
IB-LswMSTP-MIB::ibdot1sMstVID.784	.1.3.6.1.4.1.26138.8.35.14.18.1.1.784	INTEGER	784
IB-LswMSTP-MIB::ibdot1sMstVID.785	.1.3.6.1.4.1.26138.8.35.14.18.1.1.785	INTEGER	785
IB-LswMSTP-MIB::ibdot1sMstVID.786	.1.3.6.1.4.1.26138.8.35.14.18.1.1.786	INTEGER	786
IB-LswMSTP-MIB::ibdot1sMstVID.787	.1.3.6.1.4.1.26138.8.35.14.18.1.1.787	INTEGER	787
IB-LswMSTP-MIB::ibdot1sMstVID.788	.1.3.6.1.4.1.26138.8.35.14.18.1.1.788	INTEGER	788
IB-LswMSTP-MIB::ibdot1sMstVID.789	.1.3.6.1.4.1.26138.8.35.14.18.1.1.789	INTEGER	789

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.790	.1.3.6.1.4.1.26138.8.35.14.18.1.1.790	INTEGER	790
IB-LswMSTP-MIB::ibdot1sMstVID.791	.1.3.6.1.4.1.26138.8.35.14.18.1.1.791	INTEGER	791
IB-LswMSTP-MIB::ibdot1sMstVID.792	.1.3.6.1.4.1.26138.8.35.14.18.1.1.792	INTEGER	792
IB-LswMSTP-MIB::ibdot1sMstVID.793	.1.3.6.1.4.1.26138.8.35.14.18.1.1.793	INTEGER	793
IB-LswMSTP-MIB::ibdot1sMstVID.794	.1.3.6.1.4.1.26138.8.35.14.18.1.1.794	INTEGER	794
IB-LswMSTP-MIB::ibdot1sMstVID.795	.1.3.6.1.4.1.26138.8.35.14.18.1.1.795	INTEGER	795
IB-LswMSTP-MIB::ibdot1sMstVID.796	.1.3.6.1.4.1.26138.8.35.14.18.1.1.796	INTEGER	796
IB-LswMSTP-MIB::ibdot1sMstVID.797	.1.3.6.1.4.1.26138.8.35.14.18.1.1.797	INTEGER	797
IB-LswMSTP-MIB::ibdot1sMstVID.798	.1.3.6.1.4.1.26138.8.35.14.18.1.1.798	INTEGER	798
IB-LswMSTP-MIB::ibdot1sMstVID.799	.1.3.6.1.4.1.26138.8.35.14.18.1.1.799	INTEGER	799
IB-LswMSTP-MIB::ibdot1sMstVID.800	.1.3.6.1.4.1.26138.8.35.14.18.1.1.800	INTEGER	800
IB-LswMSTP-MIB::ibdot1sMstVID.801	.1.3.6.1.4.1.26138.8.35.14.18.1.1.801	INTEGER	801
IB-LswMSTP-MIB::ibdot1sMstVID.802	.1.3.6.1.4.1.26138.8.35.14.18.1.1.802	INTEGER	802
IB-LswMSTP-MIB::ibdot1sMstVID.803	.1.3.6.1.4.1.26138.8.35.14.18.1.1.803	INTEGER	803
IB-LswMSTP-MIB::ibdot1sMstVID.804	.1.3.6.1.4.1.26138.8.35.14.18.1.1.804	INTEGER	804
IB-LswMSTP-MIB::ibdot1sMstVID.805	.1.3.6.1.4.1.26138.8.35.14.18.1.1.805	INTEGER	805
IB-LswMSTP-MIB::ibdot1sMstVID.806	.1.3.6.1.4.1.26138.8.35.14.18.1.1.806	INTEGER	806
IB-LswMSTP-MIB::ibdot1sMstVID.807	.1.3.6.1.4.1.26138.8.35.14.18.1.1.807	INTEGER	807
IB-LswMSTP-MIB::ibdot1sMstVID.808	.1.3.6.1.4.1.26138.8.35.14.18.1.1.808	INTEGER	808
IB-LswMSTP-MIB::ibdot1sMstVID.809	.1.3.6.1.4.1.26138.8.35.14.18.1.1.809	INTEGER	809
IB-LswMSTP-MIB::ibdot1sMstVID.810	.1.3.6.1.4.1.26138.8.35.14.18.1.1.810	INTEGER	810
IB-LswMSTP-MIB::ibdot1sMstVID.811	.1.3.6.1.4.1.26138.8.35.14.18.1.1.811	INTEGER	811
IB-LswMSTP-MIB::ibdot1sMstVID.812	.1.3.6.1.4.1.26138.8.35.14.18.1.1.812	INTEGER	812
IB-LswMSTP-MIB::ibdot1sMstVID.813	.1.3.6.1.4.1.26138.8.35.14.18.1.1.813	INTEGER	813
IB-LswMSTP-MIB::ibdot1sMstVID.814	.1.3.6.1.4.1.26138.8.35.14.18.1.1.814	INTEGER	814
IB-LswMSTP-MIB::ibdot1sMstVID.815	.1.3.6.1.4.1.26138.8.35.14.18.1.1.815	INTEGER	815

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.816	.1.3.6.1.4.1.26138.8.35.14.18.1.1.816	INTEGER	816
IB-LswMSTP-MIB::ibdot1sMstVID.817	.1.3.6.1.4.1.26138.8.35.14.18.1.1.817	INTEGER	817
IB-LswMSTP-MIB::ibdot1sMstVID.818	.1.3.6.1.4.1.26138.8.35.14.18.1.1.818	INTEGER	818
IB-LswMSTP-MIB::ibdot1sMstVID.819	.1.3.6.1.4.1.26138.8.35.14.18.1.1.819	INTEGER	819
IB-LswMSTP-MIB::ibdot1sMstVID.820	.1.3.6.1.4.1.26138.8.35.14.18.1.1.820	INTEGER	820
IB-LswMSTP-MIB::ibdot1sMstVID.821	.1.3.6.1.4.1.26138.8.35.14.18.1.1.821	INTEGER	821
IB-LswMSTP-MIB::ibdot1sMstVID.822	.1.3.6.1.4.1.26138.8.35.14.18.1.1.822	INTEGER	822
IB-LswMSTP-MIB::ibdot1sMstVID.823	.1.3.6.1.4.1.26138.8.35.14.18.1.1.823	INTEGER	823
IB-LswMSTP-MIB::ibdot1sMstVID.824	.1.3.6.1.4.1.26138.8.35.14.18.1.1.824	INTEGER	824
IB-LswMSTP-MIB::ibdot1sMstVID.825	.1.3.6.1.4.1.26138.8.35.14.18.1.1.825	INTEGER	825
IB-LswMSTP-MIB::ibdot1sMstVID.826	.1.3.6.1.4.1.26138.8.35.14.18.1.1.826	INTEGER	826
IB-LswMSTP-MIB::ibdot1sMstVID.827	.1.3.6.1.4.1.26138.8.35.14.18.1.1.827	INTEGER	827
IB-LswMSTP-MIB::ibdot1sMstVID.828	.1.3.6.1.4.1.26138.8.35.14.18.1.1.828	INTEGER	828
IB-LswMSTP-MIB::ibdot1sMstVID.829	.1.3.6.1.4.1.26138.8.35.14.18.1.1.829	INTEGER	829
IB-LswMSTP-MIB::ibdot1sMstVID.830	.1.3.6.1.4.1.26138.8.35.14.18.1.1.830	INTEGER	830
IB-LswMSTP-MIB::ibdot1sMstVID.831	.1.3.6.1.4.1.26138.8.35.14.18.1.1.831	INTEGER	831
IB-LswMSTP-MIB::ibdot1sMstVID.832	.1.3.6.1.4.1.26138.8.35.14.18.1.1.832	INTEGER	832
IB-LswMSTP-MIB::ibdot1sMstVID.833	.1.3.6.1.4.1.26138.8.35.14.18.1.1.833	INTEGER	833
IB-LswMSTP-MIB::ibdot1sMstVID.834	.1.3.6.1.4.1.26138.8.35.14.18.1.1.834	INTEGER	834
IB-LswMSTP-MIB::ibdot1sMstVID.835	.1.3.6.1.4.1.26138.8.35.14.18.1.1.835	INTEGER	835
IB-LswMSTP-MIB::ibdot1sMstVID.836	.1.3.6.1.4.1.26138.8.35.14.18.1.1.836	INTEGER	836
IB-LswMSTP-MIB::ibdot1sMstVID.837	.1.3.6.1.4.1.26138.8.35.14.18.1.1.837	INTEGER	837
IB-LswMSTP-MIB::ibdot1sMstVID.838	.1.3.6.1.4.1.26138.8.35.14.18.1.1.838	INTEGER	838
IB-LswMSTP-MIB::ibdot1sMstVID.839	.1.3.6.1.4.1.26138.8.35.14.18.1.1.839	INTEGER	839
IB-LswMSTP-MIB::ibdot1sMstVID.840	.1.3.6.1.4.1.26138.8.35.14.18.1.1.840	INTEGER	840
IB-LswMSTP-MIB::ibdot1sMstVID.841	.1.3.6.1.4.1.26138.8.35.14.18.1.1.841	INTEGER	841

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.842	.1.3.6.1.4.1.26138.8.35.14.18.1.1.842	INTEGER	842
IB-LswMSTP-MIB::ibdot1sMstVID.843	.1.3.6.1.4.1.26138.8.35.14.18.1.1.843	INTEGER	843
IB-LswMSTP-MIB::ibdot1sMstVID.844	.1.3.6.1.4.1.26138.8.35.14.18.1.1.844	INTEGER	844
IB-LswMSTP-MIB::ibdot1sMstVID.845	.1.3.6.1.4.1.26138.8.35.14.18.1.1.845	INTEGER	845
IB-LswMSTP-MIB::ibdot1sMstVID.846	.1.3.6.1.4.1.26138.8.35.14.18.1.1.846	INTEGER	846
IB-LswMSTP-MIB::ibdot1sMstVID.847	.1.3.6.1.4.1.26138.8.35.14.18.1.1.847	INTEGER	847
IB-LswMSTP-MIB::ibdot1sMstVID.848	.1.3.6.1.4.1.26138.8.35.14.18.1.1.848	INTEGER	848
IB-LswMSTP-MIB::ibdot1sMstVID.849	.1.3.6.1.4.1.26138.8.35.14.18.1.1.849	INTEGER	849
IB-LswMSTP-MIB::ibdot1sMstVID.850	.1.3.6.1.4.1.26138.8.35.14.18.1.1.850	INTEGER	850
IB-LswMSTP-MIB::ibdot1sMstVID.851	.1.3.6.1.4.1.26138.8.35.14.18.1.1.851	INTEGER	851
IB-LswMSTP-MIB::ibdot1sMstVID.852	.1.3.6.1.4.1.26138.8.35.14.18.1.1.852	INTEGER	852
IB-LswMSTP-MIB::ibdot1sMstVID.853	.1.3.6.1.4.1.26138.8.35.14.18.1.1.853	INTEGER	853
IB-LswMSTP-MIB::ibdot1sMstVID.854	.1.3.6.1.4.1.26138.8.35.14.18.1.1.854	INTEGER	854
IB-LswMSTP-MIB::ibdot1sMstVID.855	.1.3.6.1.4.1.26138.8.35.14.18.1.1.855	INTEGER	855
IB-LswMSTP-MIB::ibdot1sMstVID.856	.1.3.6.1.4.1.26138.8.35.14.18.1.1.856	INTEGER	856
IB-LswMSTP-MIB::ibdot1sMstVID.857	.1.3.6.1.4.1.26138.8.35.14.18.1.1.857	INTEGER	857
IB-LswMSTP-MIB::ibdot1sMstVID.858	.1.3.6.1.4.1.26138.8.35.14.18.1.1.858	INTEGER	858
IB-LswMSTP-MIB::ibdot1sMstVID.859	.1.3.6.1.4.1.26138.8.35.14.18.1.1.859	INTEGER	859
IB-LswMSTP-MIB::ibdot1sMstVID.860	.1.3.6.1.4.1.26138.8.35.14.18.1.1.860	INTEGER	860
IB-LswMSTP-MIB::ibdot1sMstVID.861	.1.3.6.1.4.1.26138.8.35.14.18.1.1.861	INTEGER	861
IB-LswMSTP-MIB::ibdot1sMstVID.862	.1.3.6.1.4.1.26138.8.35.14.18.1.1.862	INTEGER	862
IB-LswMSTP-MIB::ibdot1sMstVID.863	.1.3.6.1.4.1.26138.8.35.14.18.1.1.863	INTEGER	863
IB-LswMSTP-MIB::ibdot1sMstVID.864	.1.3.6.1.4.1.26138.8.35.14.18.1.1.864	INTEGER	864
IB-LswMSTP-MIB::ibdot1sMstVID.865	.1.3.6.1.4.1.26138.8.35.14.18.1.1.865	INTEGER	865
IB-LswMSTP-MIB::ibdot1sMstVID.866	.1.3.6.1.4.1.26138.8.35.14.18.1.1.866	INTEGER	866
IB-LswMSTP-MIB::ibdot1sMstVID.867	.1.3.6.1.4.1.26138.8.35.14.18.1.1.867	INTEGER	867

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.868	.1.3.6.1.4.1.26138.8.35.14.18.1.1.868	INTEGER	868
IB-LswMSTP-MIB::ibdot1sMstVID.869	.1.3.6.1.4.1.26138.8.35.14.18.1.1.869	INTEGER	869
IB-LswMSTP-MIB::ibdot1sMstVID.870	.1.3.6.1.4.1.26138.8.35.14.18.1.1.870	INTEGER	870
IB-LswMSTP-MIB::ibdot1sMstVID.871	.1.3.6.1.4.1.26138.8.35.14.18.1.1.871	INTEGER	871
IB-LswMSTP-MIB::ibdot1sMstVID.872	.1.3.6.1.4.1.26138.8.35.14.18.1.1.872	INTEGER	872
IB-LswMSTP-MIB::ibdot1sMstVID.873	.1.3.6.1.4.1.26138.8.35.14.18.1.1.873	INTEGER	873
IB-LswMSTP-MIB::ibdot1sMstVID.874	.1.3.6.1.4.1.26138.8.35.14.18.1.1.874	INTEGER	874
IB-LswMSTP-MIB::ibdot1sMstVID.875	.1.3.6.1.4.1.26138.8.35.14.18.1.1.875	INTEGER	875
IB-LswMSTP-MIB::ibdot1sMstVID.876	.1.3.6.1.4.1.26138.8.35.14.18.1.1.876	INTEGER	876
IB-LswMSTP-MIB::ibdot1sMstVID.877	.1.3.6.1.4.1.26138.8.35.14.18.1.1.877	INTEGER	877
IB-LswMSTP-MIB::ibdot1sMstVID.878	.1.3.6.1.4.1.26138.8.35.14.18.1.1.878	INTEGER	878
IB-LswMSTP-MIB::ibdot1sMstVID.879	.1.3.6.1.4.1.26138.8.35.14.18.1.1.879	INTEGER	879
IB-LswMSTP-MIB::ibdot1sMstVID.880	.1.3.6.1.4.1.26138.8.35.14.18.1.1.880	INTEGER	880
IB-LswMSTP-MIB::ibdot1sMstVID.881	.1.3.6.1.4.1.26138.8.35.14.18.1.1.881	INTEGER	881
IB-LswMSTP-MIB::ibdot1sMstVID.882	.1.3.6.1.4.1.26138.8.35.14.18.1.1.882	INTEGER	882
IB-LswMSTP-MIB::ibdot1sMstVID.883	.1.3.6.1.4.1.26138.8.35.14.18.1.1.883	INTEGER	883
IB-LswMSTP-MIB::ibdot1sMstVID.884	.1.3.6.1.4.1.26138.8.35.14.18.1.1.884	INTEGER	884
IB-LswMSTP-MIB::ibdot1sMstVID.885	.1.3.6.1.4.1.26138.8.35.14.18.1.1.885	INTEGER	885
IB-LswMSTP-MIB::ibdot1sMstVID.886	.1.3.6.1.4.1.26138.8.35.14.18.1.1.886	INTEGER	886
IB-LswMSTP-MIB::ibdot1sMstVID.887	.1.3.6.1.4.1.26138.8.35.14.18.1.1.887	INTEGER	887
IB-LswMSTP-MIB::ibdot1sMstVID.888	.1.3.6.1.4.1.26138.8.35.14.18.1.1.888	INTEGER	888
IB-LswMSTP-MIB::ibdot1sMstVID.889	.1.3.6.1.4.1.26138.8.35.14.18.1.1.889	INTEGER	889
IB-LswMSTP-MIB::ibdot1sMstVID.890	.1.3.6.1.4.1.26138.8.35.14.18.1.1.890	INTEGER	890
IB-LswMSTP-MIB::ibdot1sMstVID.891	.1.3.6.1.4.1.26138.8.35.14.18.1.1.891	INTEGER	891
IB-LswMSTP-MIB::ibdot1sMstVID.892	.1.3.6.1.4.1.26138.8.35.14.18.1.1.892	INTEGER	892
IB-LswMSTP-MIB::ibdot1sMstVID.893	.1.3.6.1.4.1.26138.8.35.14.18.1.1.893	INTEGER	893

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.894	.1.3.6.1.4.1.26138.8.35.14.18.1.1.894	INTEGER	894
IB-LswMSTP-MIB::ibdot1sMstVID.895	.1.3.6.1.4.1.26138.8.35.14.18.1.1.895	INTEGER	895
IB-LswMSTP-MIB::ibdot1sMstVID.896	.1.3.6.1.4.1.26138.8.35.14.18.1.1.896	INTEGER	896
IB-LswMSTP-MIB::ibdot1sMstVID.897	.1.3.6.1.4.1.26138.8.35.14.18.1.1.897	INTEGER	897
IB-LswMSTP-MIB::ibdot1sMstVID.898	.1.3.6.1.4.1.26138.8.35.14.18.1.1.898	INTEGER	898
IB-LswMSTP-MIB::ibdot1sMstVID.899	.1.3.6.1.4.1.26138.8.35.14.18.1.1.899	INTEGER	899
IB-LswMSTP-MIB::ibdot1sMstVID.900	.1.3.6.1.4.1.26138.8.35.14.18.1.1.900	INTEGER	900
IB-LswMSTP-MIB::ibdot1sMstVID.901	.1.3.6.1.4.1.26138.8.35.14.18.1.1.901	INTEGER	901
IB-LswMSTP-MIB::ibdot1sMstVID.902	.1.3.6.1.4.1.26138.8.35.14.18.1.1.902	INTEGER	902
IB-LswMSTP-MIB::ibdot1sMstVID.903	.1.3.6.1.4.1.26138.8.35.14.18.1.1.903	INTEGER	903
IB-LswMSTP-MIB::ibdot1sMstVID.904	.1.3.6.1.4.1.26138.8.35.14.18.1.1.904	INTEGER	904
IB-LswMSTP-MIB::ibdot1sMstVID.905	.1.3.6.1.4.1.26138.8.35.14.18.1.1.905	INTEGER	905
IB-LswMSTP-MIB::ibdot1sMstVID.906	.1.3.6.1.4.1.26138.8.35.14.18.1.1.906	INTEGER	906
IB-LswMSTP-MIB::ibdot1sMstVID.907	.1.3.6.1.4.1.26138.8.35.14.18.1.1.907	INTEGER	907
IB-LswMSTP-MIB::ibdot1sMstVID.908	.1.3.6.1.4.1.26138.8.35.14.18.1.1.908	INTEGER	908
IB-LswMSTP-MIB::ibdot1sMstVID.909	.1.3.6.1.4.1.26138.8.35.14.18.1.1.909	INTEGER	909
IB-LswMSTP-MIB::ibdot1sMstVID.910	.1.3.6.1.4.1.26138.8.35.14.18.1.1.910	INTEGER	910
IB-LswMSTP-MIB::ibdot1sMstVID.911	.1.3.6.1.4.1.26138.8.35.14.18.1.1.911	INTEGER	911
IB-LswMSTP-MIB::ibdot1sMstVID.912	.1.3.6.1.4.1.26138.8.35.14.18.1.1.912	INTEGER	912
IB-LswMSTP-MIB::ibdot1sMstVID.913	.1.3.6.1.4.1.26138.8.35.14.18.1.1.913	INTEGER	913
IB-LswMSTP-MIB::ibdot1sMstVID.914	.1.3.6.1.4.1.26138.8.35.14.18.1.1.914	INTEGER	914
IB-LswMSTP-MIB::ibdot1sMstVID.915	.1.3.6.1.4.1.26138.8.35.14.18.1.1.915	INTEGER	915
IB-LswMSTP-MIB::ibdot1sMstVID.916	.1.3.6.1.4.1.26138.8.35.14.18.1.1.916	INTEGER	916
IB-LswMSTP-MIB::ibdot1sMstVID.917	.1.3.6.1.4.1.26138.8.35.14.18.1.1.917	INTEGER	917
IB-LswMSTP-MIB::ibdot1sMstVID.918	.1.3.6.1.4.1.26138.8.35.14.18.1.1.918	INTEGER	918
IB-LswMSTP-MIB::ibdot1sMstVID.919	.1.3.6.1.4.1.26138.8.35.14.18.1.1.919	INTEGER	919

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.920	.1.3.6.1.4.1.26138.8.35.14.18.1.1.920	INTEGER	920
IB-LswMSTP-MIB::ibdot1sMstVID.921	.1.3.6.1.4.1.26138.8.35.14.18.1.1.921	INTEGER	921
IB-LswMSTP-MIB::ibdot1sMstVID.922	.1.3.6.1.4.1.26138.8.35.14.18.1.1.922	INTEGER	922
IB-LswMSTP-MIB::ibdot1sMstVID.923	.1.3.6.1.4.1.26138.8.35.14.18.1.1.923	INTEGER	923
IB-LswMSTP-MIB::ibdot1sMstVID.924	.1.3.6.1.4.1.26138.8.35.14.18.1.1.924	INTEGER	924
IB-LswMSTP-MIB::ibdot1sMstVID.925	.1.3.6.1.4.1.26138.8.35.14.18.1.1.925	INTEGER	925
IB-LswMSTP-MIB::ibdot1sMstVID.926	.1.3.6.1.4.1.26138.8.35.14.18.1.1.926	INTEGER	926
IB-LswMSTP-MIB::ibdot1sMstVID.927	.1.3.6.1.4.1.26138.8.35.14.18.1.1.927	INTEGER	927
IB-LswMSTP-MIB::ibdot1sMstVID.928	.1.3.6.1.4.1.26138.8.35.14.18.1.1.928	INTEGER	928
IB-LswMSTP-MIB::ibdot1sMstVID.929	.1.3.6.1.4.1.26138.8.35.14.18.1.1.929	INTEGER	929
IB-LswMSTP-MIB::ibdot1sMstVID.930	.1.3.6.1.4.1.26138.8.35.14.18.1.1.930	INTEGER	930
IB-LswMSTP-MIB::ibdot1sMstVID.931	.1.3.6.1.4.1.26138.8.35.14.18.1.1.931	INTEGER	931
IB-LswMSTP-MIB::ibdot1sMstVID.932	.1.3.6.1.4.1.26138.8.35.14.18.1.1.932	INTEGER	932
IB-LswMSTP-MIB::ibdot1sMstVID.933	.1.3.6.1.4.1.26138.8.35.14.18.1.1.933	INTEGER	933
IB-LswMSTP-MIB::ibdot1sMstVID.934	.1.3.6.1.4.1.26138.8.35.14.18.1.1.934	INTEGER	934
IB-LswMSTP-MIB::ibdot1sMstVID.935	.1.3.6.1.4.1.26138.8.35.14.18.1.1.935	INTEGER	935
IB-LswMSTP-MIB::ibdot1sMstVID.936	.1.3.6.1.4.1.26138.8.35.14.18.1.1.936	INTEGER	936
IB-LswMSTP-MIB::ibdot1sMstVID.937	.1.3.6.1.4.1.26138.8.35.14.18.1.1.937	INTEGER	937
IB-LswMSTP-MIB::ibdot1sMstVID.938	.1.3.6.1.4.1.26138.8.35.14.18.1.1.938	INTEGER	938
IB-LswMSTP-MIB::ibdot1sMstVID.939	.1.3.6.1.4.1.26138.8.35.14.18.1.1.939	INTEGER	939
IB-LswMSTP-MIB::ibdot1sMstVID.940	.1.3.6.1.4.1.26138.8.35.14.18.1.1.940	INTEGER	940
IB-LswMSTP-MIB::ibdot1sMstVID.941	.1.3.6.1.4.1.26138.8.35.14.18.1.1.941	INTEGER	941
IB-LswMSTP-MIB::ibdot1sMstVID.942	.1.3.6.1.4.1.26138.8.35.14.18.1.1.942	INTEGER	942
IB-LswMSTP-MIB::ibdot1sMstVID.943	.1.3.6.1.4.1.26138.8.35.14.18.1.1.943	INTEGER	943
IB-LswMSTP-MIB::ibdot1sMstVID.944	.1.3.6.1.4.1.26138.8.35.14.18.1.1.944	INTEGER	944
IB-LswMSTP-MIB::ibdot1sMstVID.945	.1.3.6.1.4.1.26138.8.35.14.18.1.1.945	INTEGER	945

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.946	.1.3.6.1.4.1.26138.8.35.14.18.1.1.946	INTEGER	946
IB-LswMSTP-MIB::ibdot1sMstVID.947	.1.3.6.1.4.1.26138.8.35.14.18.1.1.947	INTEGER	947
IB-LswMSTP-MIB::ibdot1sMstVID.948	.1.3.6.1.4.1.26138.8.35.14.18.1.1.948	INTEGER	948
IB-LswMSTP-MIB::ibdot1sMstVID.949	.1.3.6.1.4.1.26138.8.35.14.18.1.1.949	INTEGER	949
IB-LswMSTP-MIB::ibdot1sMstVID.950	.1.3.6.1.4.1.26138.8.35.14.18.1.1.950	INTEGER	950
IB-LswMSTP-MIB::ibdot1sMstVID.951	.1.3.6.1.4.1.26138.8.35.14.18.1.1.951	INTEGER	951
IB-LswMSTP-MIB::ibdot1sMstVID.952	.1.3.6.1.4.1.26138.8.35.14.18.1.1.952	INTEGER	952
IB-LswMSTP-MIB::ibdot1sMstVID.953	.1.3.6.1.4.1.26138.8.35.14.18.1.1.953	INTEGER	953
IB-LswMSTP-MIB::ibdot1sMstVID.954	.1.3.6.1.4.1.26138.8.35.14.18.1.1.954	INTEGER	954
IB-LswMSTP-MIB::ibdot1sMstVID.955	.1.3.6.1.4.1.26138.8.35.14.18.1.1.955	INTEGER	955
IB-LswMSTP-MIB::ibdot1sMstVID.956	.1.3.6.1.4.1.26138.8.35.14.18.1.1.956	INTEGER	956
IB-LswMSTP-MIB::ibdot1sMstVID.957	.1.3.6.1.4.1.26138.8.35.14.18.1.1.957	INTEGER	957
IB-LswMSTP-MIB::ibdot1sMstVID.958	.1.3.6.1.4.1.26138.8.35.14.18.1.1.958	INTEGER	958
IB-LswMSTP-MIB::ibdot1sMstVID.959	.1.3.6.1.4.1.26138.8.35.14.18.1.1.959	INTEGER	959
IB-LswMSTP-MIB::ibdot1sMstVID.960	.1.3.6.1.4.1.26138.8.35.14.18.1.1.960	INTEGER	960
IB-LswMSTP-MIB::ibdot1sMstVID.961	.1.3.6.1.4.1.26138.8.35.14.18.1.1.961	INTEGER	961
IB-LswMSTP-MIB::ibdot1sMstVID.962	.1.3.6.1.4.1.26138.8.35.14.18.1.1.962	INTEGER	962
IB-LswMSTP-MIB::ibdot1sMstVID.963	.1.3.6.1.4.1.26138.8.35.14.18.1.1.963	INTEGER	963
IB-LswMSTP-MIB::ibdot1sMstVID.964	.1.3.6.1.4.1.26138.8.35.14.18.1.1.964	INTEGER	964
IB-LswMSTP-MIB::ibdot1sMstVID.965	.1.3.6.1.4.1.26138.8.35.14.18.1.1.965	INTEGER	965
IB-LswMSTP-MIB::ibdot1sMstVID.966	.1.3.6.1.4.1.26138.8.35.14.18.1.1.966	INTEGER	966
IB-LswMSTP-MIB::ibdot1sMstVID.967	.1.3.6.1.4.1.26138.8.35.14.18.1.1.967	INTEGER	967
IB-LswMSTP-MIB::ibdot1sMstVID.968	.1.3.6.1.4.1.26138.8.35.14.18.1.1.968	INTEGER	968
IB-LswMSTP-MIB::ibdot1sMstVID.969	.1.3.6.1.4.1.26138.8.35.14.18.1.1.969	INTEGER	969
IB-LswMSTP-MIB::ibdot1sMstVID.970	.1.3.6.1.4.1.26138.8.35.14.18.1.1.970	INTEGER	970
IB-LswMSTP-MIB::ibdot1sMstVID.971	.1.3.6.1.4.1.26138.8.35.14.18.1.1.971	INTEGER	971

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.972	.1.3.6.1.4.1.26138.8.35.14.18.1.1.972	INTEGER	972
IB-LswMSTP-MIB::ibdot1sMstVID.973	.1.3.6.1.4.1.26138.8.35.14.18.1.1.973	INTEGER	973
IB-LswMSTP-MIB::ibdot1sMstVID.974	.1.3.6.1.4.1.26138.8.35.14.18.1.1.974	INTEGER	974
IB-LswMSTP-MIB::ibdot1sMstVID.975	.1.3.6.1.4.1.26138.8.35.14.18.1.1.975	INTEGER	975
IB-LswMSTP-MIB::ibdot1sMstVID.976	.1.3.6.1.4.1.26138.8.35.14.18.1.1.976	INTEGER	976
IB-LswMSTP-MIB::ibdot1sMstVID.977	.1.3.6.1.4.1.26138.8.35.14.18.1.1.977	INTEGER	977
IB-LswMSTP-MIB::ibdot1sMstVID.978	.1.3.6.1.4.1.26138.8.35.14.18.1.1.978	INTEGER	978
IB-LswMSTP-MIB::ibdot1sMstVID.979	.1.3.6.1.4.1.26138.8.35.14.18.1.1.979	INTEGER	979
IB-LswMSTP-MIB::ibdot1sMstVID.980	.1.3.6.1.4.1.26138.8.35.14.18.1.1.980	INTEGER	980
IB-LswMSTP-MIB::ibdot1sMstVID.981	.1.3.6.1.4.1.26138.8.35.14.18.1.1.981	INTEGER	981
IB-LswMSTP-MIB::ibdot1sMstVID.982	.1.3.6.1.4.1.26138.8.35.14.18.1.1.982	INTEGER	982
IB-LswMSTP-MIB::ibdot1sMstVID.983	.1.3.6.1.4.1.26138.8.35.14.18.1.1.983	INTEGER	983
IB-LswMSTP-MIB::ibdot1sMstVID.984	.1.3.6.1.4.1.26138.8.35.14.18.1.1.984	INTEGER	984
IB-LswMSTP-MIB::ibdot1sMstVID.985	.1.3.6.1.4.1.26138.8.35.14.18.1.1.985	INTEGER	985
IB-LswMSTP-MIB::ibdot1sMstVID.986	.1.3.6.1.4.1.26138.8.35.14.18.1.1.986	INTEGER	986
IB-LswMSTP-MIB::ibdot1sMstVID.987	.1.3.6.1.4.1.26138.8.35.14.18.1.1.987	INTEGER	987
IB-LswMSTP-MIB::ibdot1sMstVID.988	.1.3.6.1.4.1.26138.8.35.14.18.1.1.988	INTEGER	988
IB-LswMSTP-MIB::ibdot1sMstVID.989	.1.3.6.1.4.1.26138.8.35.14.18.1.1.989	INTEGER	989
IB-LswMSTP-MIB::ibdot1sMstVID.990	.1.3.6.1.4.1.26138.8.35.14.18.1.1.990	INTEGER	990
IB-LswMSTP-MIB::ibdot1sMstVID.991	.1.3.6.1.4.1.26138.8.35.14.18.1.1.991	INTEGER	991
IB-LswMSTP-MIB::ibdot1sMstVID.992	.1.3.6.1.4.1.26138.8.35.14.18.1.1.992	INTEGER	992
IB-LswMSTP-MIB::ibdot1sMstVID.993	.1.3.6.1.4.1.26138.8.35.14.18.1.1.993	INTEGER	993
IB-LswMSTP-MIB::ibdot1sMstVID.994	.1.3.6.1.4.1.26138.8.35.14.18.1.1.994	INTEGER	994
IB-LswMSTP-MIB::ibdot1sMstVID.995	.1.3.6.1.4.1.26138.8.35.14.18.1.1.995	INTEGER	995
IB-LswMSTP-MIB::ibdot1sMstVID.996	.1.3.6.1.4.1.26138.8.35.14.18.1.1.996	INTEGER	996
IB-LswMSTP-MIB::ibdot1sMstVID.997	.1.3.6.1.4.1.26138.8.35.14.18.1.1.997	INTEGER	997

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.998	.1.3.6.1.4.1.26138.8.35.14.18.1.1.998	INTEGER	998
IB-LswMSTP-MIB::ibdot1sMstVID.999	.1.3.6.1.4.1.26138.8.35.14.18.1.1.999	INTEGER	999
IB-LswMSTP-MIB::ibdot1sMstVID.1000	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1000	INTEGER	1000
IB-LswMSTP-MIB::ibdot1sMstVID.1001	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1001	INTEGER	1001
IB-LswMSTP-MIB::ibdot1sMstVID.1002	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1002	INTEGER	1002
IB-LswMSTP-MIB::ibdot1sMstVID.1003	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1003	INTEGER	1003
IB-LswMSTP-MIB::ibdot1sMstVID.1004	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1004	INTEGER	1004
IB-LswMSTP-MIB::ibdot1sMstVID.1005	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1005	INTEGER	1005
IB-LswMSTP-MIB::ibdot1sMstVID.1006	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1006	INTEGER	1006
IB-LswMSTP-MIB::ibdot1sMstVID.1007	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1007	INTEGER	1007
IB-LswMSTP-MIB::ibdot1sMstVID.1008	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1008	INTEGER	1008
IB-LswMSTP-MIB::ibdot1sMstVID.1009	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1009	INTEGER	1009
IB-LswMSTP-MIB::ibdot1sMstVID.1010	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1010	INTEGER	1010
IB-LswMSTP-MIB::ibdot1sMstVID.1011	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1011	INTEGER	1011
IB-LswMSTP-MIB::ibdot1sMstVID.1012	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1012	INTEGER	1012
IB-LswMSTP-MIB::ibdot1sMstVID.1013	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1013	INTEGER	1013
IB-LswMSTP-MIB::ibdot1sMstVID.1014	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1014	INTEGER	1014
IB-LswMSTP-MIB::ibdot1sMstVID.1015	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1015	INTEGER	1015
IB-LswMSTP-MIB::ibdot1sMstVID.1016	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1016	INTEGER	1016
IB-LswMSTP-MIB::ibdot1sMstVID.1017	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1017	INTEGER	1017
IB-LswMSTP-MIB::ibdot1sMstVID.1018	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1018	INTEGER	1018
IB-LswMSTP-MIB::ibdot1sMstVID.1019	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1019	INTEGER	1019
IB-LswMSTP-MIB::ibdot1sMstVID.1020	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1020	INTEGER	1020
IB-LswMSTP-MIB::ibdot1sMstVID.1021	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1021	INTEGER	1021
IB-LswMSTP-MIB::ibdot1sMstVID.1022	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1022	INTEGER	1022
IB-LswMSTP-MIB::ibdot1sMstVID.1023	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1023	INTEGER	1023

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1024	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1024	INTEGER	1024
IB-LswMSTP-MIB::ibdot1sMstVID.1025	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1025	INTEGER	1025
IB-LswMSTP-MIB::ibdot1sMstVID.1026	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1026	INTEGER	1026
IB-LswMSTP-MIB::ibdot1sMstVID.1027	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1027	INTEGER	1027
IB-LswMSTP-MIB::ibdot1sMstVID.1028	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1028	INTEGER	1028
IB-LswMSTP-MIB::ibdot1sMstVID.1029	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1029	INTEGER	1029
IB-LswMSTP-MIB::ibdot1sMstVID.1030	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1030	INTEGER	1030
IB-LswMSTP-MIB::ibdot1sMstVID.1031	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1031	INTEGER	1031
IB-LswMSTP-MIB::ibdot1sMstVID.1032	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1032	INTEGER	1032
IB-LswMSTP-MIB::ibdot1sMstVID.1033	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1033	INTEGER	1033
IB-LswMSTP-MIB::ibdot1sMstVID.1034	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1034	INTEGER	1034
IB-LswMSTP-MIB::ibdot1sMstVID.1035	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1035	INTEGER	1035
IB-LswMSTP-MIB::ibdot1sMstVID.1036	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1036	INTEGER	1036
IB-LswMSTP-MIB::ibdot1sMstVID.1037	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1037	INTEGER	1037
IB-LswMSTP-MIB::ibdot1sMstVID.1038	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1038	INTEGER	1038
IB-LswMSTP-MIB::ibdot1sMstVID.1039	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1039	INTEGER	1039
IB-LswMSTP-MIB::ibdot1sMstVID.1040	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1040	INTEGER	1040
IB-LswMSTP-MIB::ibdot1sMstVID.1041	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1041	INTEGER	1041
IB-LswMSTP-MIB::ibdot1sMstVID.1042	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1042	INTEGER	1042
IB-LswMSTP-MIB::ibdot1sMstVID.1043	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1043	INTEGER	1043
IB-LswMSTP-MIB::ibdot1sMstVID.1044	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1044	INTEGER	1044
IB-LswMSTP-MIB::ibdot1sMstVID.1045	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1045	INTEGER	1045
IB-LswMSTP-MIB::ibdot1sMstVID.1046	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1046	INTEGER	1046
IB-LswMSTP-MIB::ibdot1sMstVID.1047	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1047	INTEGER	1047
IB-LswMSTP-MIB::ibdot1sMstVID.1048	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1048	INTEGER	1048
IB-LswMSTP-MIB::ibdot1sMstVID.1049	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1049	INTEGER	1049

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1050	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1050	INTEGER	1050
IB-LswMSTP-MIB::ibdot1sMstVID.1051	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1051	INTEGER	1051
IB-LswMSTP-MIB::ibdot1sMstVID.1052	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1052	INTEGER	1052
IB-LswMSTP-MIB::ibdot1sMstVID.1053	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1053	INTEGER	1053
IB-LswMSTP-MIB::ibdot1sMstVID.1054	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1054	INTEGER	1054
IB-LswMSTP-MIB::ibdot1sMstVID.1055	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1055	INTEGER	1055
IB-LswMSTP-MIB::ibdot1sMstVID.1056	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1056	INTEGER	1056
IB-LswMSTP-MIB::ibdot1sMstVID.1057	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1057	INTEGER	1057
IB-LswMSTP-MIB::ibdot1sMstVID.1058	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1058	INTEGER	1058
IB-LswMSTP-MIB::ibdot1sMstVID.1059	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1059	INTEGER	1059
IB-LswMSTP-MIB::ibdot1sMstVID.1060	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1060	INTEGER	1060
IB-LswMSTP-MIB::ibdot1sMstVID.1061	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1061	INTEGER	1061
IB-LswMSTP-MIB::ibdot1sMstVID.1062	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1062	INTEGER	1062
IB-LswMSTP-MIB::ibdot1sMstVID.1063	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1063	INTEGER	1063
IB-LswMSTP-MIB::ibdot1sMstVID.1064	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1064	INTEGER	1064
IB-LswMSTP-MIB::ibdot1sMstVID.1065	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1065	INTEGER	1065
IB-LswMSTP-MIB::ibdot1sMstVID.1066	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1066	INTEGER	1066
IB-LswMSTP-MIB::ibdot1sMstVID.1067	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1067	INTEGER	1067
IB-LswMSTP-MIB::ibdot1sMstVID.1068	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1068	INTEGER	1068
IB-LswMSTP-MIB::ibdot1sMstVID.1069	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1069	INTEGER	1069
IB-LswMSTP-MIB::ibdot1sMstVID.1070	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1070	INTEGER	1070
IB-LswMSTP-MIB::ibdot1sMstVID.1071	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1071	INTEGER	1071
IB-LswMSTP-MIB::ibdot1sMstVID.1072	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1072	INTEGER	1072
IB-LswMSTP-MIB::ibdot1sMstVID.1073	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1073	INTEGER	1073
IB-LswMSTP-MIB::ibdot1sMstVID.1074	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1074	INTEGER	1074
IB-LswMSTP-MIB::ibdot1sMstVID.1075	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1075	INTEGER	1075

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1076	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1076	INTEGER	1076
IB-LswMSTP-MIB::ibdot1sMstVID.1077	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1077	INTEGER	1077
IB-LswMSTP-MIB::ibdot1sMstVID.1078	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1078	INTEGER	1078
IB-LswMSTP-MIB::ibdot1sMstVID.1079	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1079	INTEGER	1079
IB-LswMSTP-MIB::ibdot1sMstVID.1080	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1080	INTEGER	1080
IB-LswMSTP-MIB::ibdot1sMstVID.1081	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1081	INTEGER	1081
IB-LswMSTP-MIB::ibdot1sMstVID.1082	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1082	INTEGER	1082
IB-LswMSTP-MIB::ibdot1sMstVID.1083	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1083	INTEGER	1083
IB-LswMSTP-MIB::ibdot1sMstVID.1084	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1084	INTEGER	1084
IB-LswMSTP-MIB::ibdot1sMstVID.1085	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1085	INTEGER	1085
IB-LswMSTP-MIB::ibdot1sMstVID.1086	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1086	INTEGER	1086
IB-LswMSTP-MIB::ibdot1sMstVID.1087	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1087	INTEGER	1087
IB-LswMSTP-MIB::ibdot1sMstVID.1088	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1088	INTEGER	1088
IB-LswMSTP-MIB::ibdot1sMstVID.1089	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1089	INTEGER	1089
IB-LswMSTP-MIB::ibdot1sMstVID.1090	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1090	INTEGER	1090
IB-LswMSTP-MIB::ibdot1sMstVID.1091	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1091	INTEGER	1091
IB-LswMSTP-MIB::ibdot1sMstVID.1092	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1092	INTEGER	1092
IB-LswMSTP-MIB::ibdot1sMstVID.1093	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1093	INTEGER	1093
IB-LswMSTP-MIB::ibdot1sMstVID.1094	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1094	INTEGER	1094
IB-LswMSTP-MIB::ibdot1sMstVID.1095	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1095	INTEGER	1095
IB-LswMSTP-MIB::ibdot1sMstVID.1096	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1096	INTEGER	1096
IB-LswMSTP-MIB::ibdot1sMstVID.1097	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1097	INTEGER	1097
IB-LswMSTP-MIB::ibdot1sMstVID.1098	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1098	INTEGER	1098
IB-LswMSTP-MIB::ibdot1sMstVID.1099	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1099	INTEGER	1099
IB-LswMSTP-MIB::ibdot1sMstVID.1100	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1100	INTEGER	1100
IB-LswMSTP-MIB::ibdot1sMstVID.1101	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1101	INTEGER	1101

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1102	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1102	INTEGER	1102
IB-LswMSTP-MIB::ibdot1sMstVID.1103	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1103	INTEGER	1103
IB-LswMSTP-MIB::ibdot1sMstVID.1104	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1104	INTEGER	1104
IB-LswMSTP-MIB::ibdot1sMstVID.1105	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1105	INTEGER	1105
IB-LswMSTP-MIB::ibdot1sMstVID.1106	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1106	INTEGER	1106
IB-LswMSTP-MIB::ibdot1sMstVID.1107	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1107	INTEGER	1107
IB-LswMSTP-MIB::ibdot1sMstVID.1108	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1108	INTEGER	1108
IB-LswMSTP-MIB::ibdot1sMstVID.1109	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1109	INTEGER	1109
IB-LswMSTP-MIB::ibdot1sMstVID.1110	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1110	INTEGER	1110
IB-LswMSTP-MIB::ibdot1sMstVID.1111	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1111	INTEGER	1111
IB-LswMSTP-MIB::ibdot1sMstVID.1112	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1112	INTEGER	1112
IB-LswMSTP-MIB::ibdot1sMstVID.1113	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1113	INTEGER	1113
IB-LswMSTP-MIB::ibdot1sMstVID.1114	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1114	INTEGER	1114
IB-LswMSTP-MIB::ibdot1sMstVID.1115	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1115	INTEGER	1115
IB-LswMSTP-MIB::ibdot1sMstVID.1116	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1116	INTEGER	1116
IB-LswMSTP-MIB::ibdot1sMstVID.1117	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1117	INTEGER	1117
IB-LswMSTP-MIB::ibdot1sMstVID.1118	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1118	INTEGER	1118
IB-LswMSTP-MIB::ibdot1sMstVID.1119	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1119	INTEGER	1119
IB-LswMSTP-MIB::ibdot1sMstVID.1120	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1120	INTEGER	1120
IB-LswMSTP-MIB::ibdot1sMstVID.1121	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1121	INTEGER	1121
IB-LswMSTP-MIB::ibdot1sMstVID.1122	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1122	INTEGER	1122
IB-LswMSTP-MIB::ibdot1sMstVID.1123	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1123	INTEGER	1123
IB-LswMSTP-MIB::ibdot1sMstVID.1124	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1124	INTEGER	1124
IB-LswMSTP-MIB::ibdot1sMstVID.1125	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1125	INTEGER	1125
IB-LswMSTP-MIB::ibdot1sMstVID.1126	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1126	INTEGER	1126
IB-LswMSTP-MIB::ibdot1sMstVID.1127	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1127	INTEGER	1127

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1128	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1128	INTEGER	1128
IB-LswMSTP-MIB::ibdot1sMstVID.1129	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1129	INTEGER	1129
IB-LswMSTP-MIB::ibdot1sMstVID.1130	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1130	INTEGER	1130
IB-LswMSTP-MIB::ibdot1sMstVID.1131	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1131	INTEGER	1131
IB-LswMSTP-MIB::ibdot1sMstVID.1132	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1132	INTEGER	1132
IB-LswMSTP-MIB::ibdot1sMstVID.1133	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1133	INTEGER	1133
IB-LswMSTP-MIB::ibdot1sMstVID.1134	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1134	INTEGER	1134
IB-LswMSTP-MIB::ibdot1sMstVID.1135	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1135	INTEGER	1135
IB-LswMSTP-MIB::ibdot1sMstVID.1136	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1136	INTEGER	1136
IB-LswMSTP-MIB::ibdot1sMstVID.1137	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1137	INTEGER	1137
IB-LswMSTP-MIB::ibdot1sMstVID.1138	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1138	INTEGER	1138
IB-LswMSTP-MIB::ibdot1sMstVID.1139	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1139	INTEGER	1139
IB-LswMSTP-MIB::ibdot1sMstVID.1140	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1140	INTEGER	1140
IB-LswMSTP-MIB::ibdot1sMstVID.1141	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1141	INTEGER	1141
IB-LswMSTP-MIB::ibdot1sMstVID.1142	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1142	INTEGER	1142
IB-LswMSTP-MIB::ibdot1sMstVID.1143	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1143	INTEGER	1143
IB-LswMSTP-MIB::ibdot1sMstVID.1144	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1144	INTEGER	1144
IB-LswMSTP-MIB::ibdot1sMstVID.1145	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1145	INTEGER	1145
IB-LswMSTP-MIB::ibdot1sMstVID.1146	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1146	INTEGER	1146
IB-LswMSTP-MIB::ibdot1sMstVID.1147	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1147	INTEGER	1147
IB-LswMSTP-MIB::ibdot1sMstVID.1148	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1148	INTEGER	1148
IB-LswMSTP-MIB::ibdot1sMstVID.1149	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1149	INTEGER	1149
IB-LswMSTP-MIB::ibdot1sMstVID.1150	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1150	INTEGER	1150
IB-LswMSTP-MIB::ibdot1sMstVID.1151	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1151	INTEGER	1151
IB-LswMSTP-MIB::ibdot1sMstVID.1152	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1152	INTEGER	1152
IB-LswMSTP-MIB::ibdot1sMstVID.1153	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1153	INTEGER	1153

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1154	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1154	INTEGER	1154
IB-LswMSTP-MIB::ibdot1sMstVID.1155	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1155	INTEGER	1155
IB-LswMSTP-MIB::ibdot1sMstVID.1156	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1156	INTEGER	1156
IB-LswMSTP-MIB::ibdot1sMstVID.1157	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1157	INTEGER	1157
IB-LswMSTP-MIB::ibdot1sMstVID.1158	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1158	INTEGER	1158
IB-LswMSTP-MIB::ibdot1sMstVID.1159	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1159	INTEGER	1159
IB-LswMSTP-MIB::ibdot1sMstVID.1160	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1160	INTEGER	1160
IB-LswMSTP-MIB::ibdot1sMstVID.1161	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1161	INTEGER	1161
IB-LswMSTP-MIB::ibdot1sMstVID.1162	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1162	INTEGER	1162
IB-LswMSTP-MIB::ibdot1sMstVID.1163	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1163	INTEGER	1163
IB-LswMSTP-MIB::ibdot1sMstVID.1164	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1164	INTEGER	1164
IB-LswMSTP-MIB::ibdot1sMstVID.1165	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1165	INTEGER	1165
IB-LswMSTP-MIB::ibdot1sMstVID.1166	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1166	INTEGER	1166
IB-LswMSTP-MIB::ibdot1sMstVID.1167	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1167	INTEGER	1167
IB-LswMSTP-MIB::ibdot1sMstVID.1168	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1168	INTEGER	1168
IB-LswMSTP-MIB::ibdot1sMstVID.1169	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1169	INTEGER	1169
IB-LswMSTP-MIB::ibdot1sMstVID.1170	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1170	INTEGER	1170
IB-LswMSTP-MIB::ibdot1sMstVID.1171	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1171	INTEGER	1171
IB-LswMSTP-MIB::ibdot1sMstVID.1172	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1172	INTEGER	1172
IB-LswMSTP-MIB::ibdot1sMstVID.1173	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1173	INTEGER	1173
IB-LswMSTP-MIB::ibdot1sMstVID.1174	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1174	INTEGER	1174
IB-LswMSTP-MIB::ibdot1sMstVID.1175	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1175	INTEGER	1175
IB-LswMSTP-MIB::ibdot1sMstVID.1176	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1176	INTEGER	1176
IB-LswMSTP-MIB::ibdot1sMstVID.1177	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1177	INTEGER	1177
IB-LswMSTP-MIB::ibdot1sMstVID.1178	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1178	INTEGER	1178
IB-LswMSTP-MIB::ibdot1sMstVID.1179	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1179	INTEGER	1179

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1180	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1180	INTEGER	1180
IB-LswMSTP-MIB::ibdot1sMstVID.1181	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1181	INTEGER	1181
IB-LswMSTP-MIB::ibdot1sMstVID.1182	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1182	INTEGER	1182
IB-LswMSTP-MIB::ibdot1sMstVID.1183	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1183	INTEGER	1183
IB-LswMSTP-MIB::ibdot1sMstVID.1184	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1184	INTEGER	1184
IB-LswMSTP-MIB::ibdot1sMstVID.1185	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1185	INTEGER	1185
IB-LswMSTP-MIB::ibdot1sMstVID.1186	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1186	INTEGER	1186
IB-LswMSTP-MIB::ibdot1sMstVID.1187	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1187	INTEGER	1187
IB-LswMSTP-MIB::ibdot1sMstVID.1188	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1188	INTEGER	1188
IB-LswMSTP-MIB::ibdot1sMstVID.1189	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1189	INTEGER	1189
IB-LswMSTP-MIB::ibdot1sMstVID.1190	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1190	INTEGER	1190
IB-LswMSTP-MIB::ibdot1sMstVID.1191	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1191	INTEGER	1191
IB-LswMSTP-MIB::ibdot1sMstVID.1192	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1192	INTEGER	1192
IB-LswMSTP-MIB::ibdot1sMstVID.1193	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1193	INTEGER	1193
IB-LswMSTP-MIB::ibdot1sMstVID.1194	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1194	INTEGER	1194
IB-LswMSTP-MIB::ibdot1sMstVID.1195	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1195	INTEGER	1195
IB-LswMSTP-MIB::ibdot1sMstVID.1196	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1196	INTEGER	1196
IB-LswMSTP-MIB::ibdot1sMstVID.1197	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1197	INTEGER	1197
IB-LswMSTP-MIB::ibdot1sMstVID.1198	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1198	INTEGER	1198
IB-LswMSTP-MIB::ibdot1sMstVID.1199	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1199	INTEGER	1199
IB-LswMSTP-MIB::ibdot1sMstVID.1200	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1200	INTEGER	1200
IB-LswMSTP-MIB::ibdot1sMstVID.1201	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1201	INTEGER	1201
IB-LswMSTP-MIB::ibdot1sMstVID.1202	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1202	INTEGER	1202
IB-LswMSTP-MIB::ibdot1sMstVID.1203	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1203	INTEGER	1203
IB-LswMSTP-MIB::ibdot1sMstVID.1204	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1204	INTEGER	1204
IB-LswMSTP-MIB::ibdot1sMstVID.1205	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1205	INTEGER	1205

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1206	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1206	INTEGER	1206
IB-LswMSTP-MIB::ibdot1sMstVID.1207	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1207	INTEGER	1207
IB-LswMSTP-MIB::ibdot1sMstVID.1208	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1208	INTEGER	1208
IB-LswMSTP-MIB::ibdot1sMstVID.1209	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1209	INTEGER	1209
IB-LswMSTP-MIB::ibdot1sMstVID.1210	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1210	INTEGER	1210
IB-LswMSTP-MIB::ibdot1sMstVID.1211	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1211	INTEGER	1211
IB-LswMSTP-MIB::ibdot1sMstVID.1212	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1212	INTEGER	1212
IB-LswMSTP-MIB::ibdot1sMstVID.1213	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1213	INTEGER	1213
IB-LswMSTP-MIB::ibdot1sMstVID.1214	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1214	INTEGER	1214
IB-LswMSTP-MIB::ibdot1sMstVID.1215	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1215	INTEGER	1215
IB-LswMSTP-MIB::ibdot1sMstVID.1216	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1216	INTEGER	1216
IB-LswMSTP-MIB::ibdot1sMstVID.1217	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1217	INTEGER	1217
IB-LswMSTP-MIB::ibdot1sMstVID.1218	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1218	INTEGER	1218
IB-LswMSTP-MIB::ibdot1sMstVID.1219	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1219	INTEGER	1219
IB-LswMSTP-MIB::ibdot1sMstVID.1220	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1220	INTEGER	1220
IB-LswMSTP-MIB::ibdot1sMstVID.1221	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1221	INTEGER	1221
IB-LswMSTP-MIB::ibdot1sMstVID.1222	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1222	INTEGER	1222
IB-LswMSTP-MIB::ibdot1sMstVID.1223	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1223	INTEGER	1223
IB-LswMSTP-MIB::ibdot1sMstVID.1224	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1224	INTEGER	1224
IB-LswMSTP-MIB::ibdot1sMstVID.1225	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1225	INTEGER	1225
IB-LswMSTP-MIB::ibdot1sMstVID.1226	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1226	INTEGER	1226
IB-LswMSTP-MIB::ibdot1sMstVID.1227	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1227	INTEGER	1227
IB-LswMSTP-MIB::ibdot1sMstVID.1228	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1228	INTEGER	1228
IB-LswMSTP-MIB::ibdot1sMstVID.1229	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1229	INTEGER	1229
IB-LswMSTP-MIB::ibdot1sMstVID.1230	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1230	INTEGER	1230
IB-LswMSTP-MIB::ibdot1sMstVID.1231	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1231	INTEGER	1231

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1232	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1232	INTEGER	1232
IB-LswMSTP-MIB::ibdot1sMstVID.1233	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1233	INTEGER	1233
IB-LswMSTP-MIB::ibdot1sMstVID.1234	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1234	INTEGER	1234
IB-LswMSTP-MIB::ibdot1sMstVID.1235	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1235	INTEGER	1235
IB-LswMSTP-MIB::ibdot1sMstVID.1236	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1236	INTEGER	1236
IB-LswMSTP-MIB::ibdot1sMstVID.1237	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1237	INTEGER	1237
IB-LswMSTP-MIB::ibdot1sMstVID.1238	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1238	INTEGER	1238
IB-LswMSTP-MIB::ibdot1sMstVID.1239	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1239	INTEGER	1239
IB-LswMSTP-MIB::ibdot1sMstVID.1240	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1240	INTEGER	1240
IB-LswMSTP-MIB::ibdot1sMstVID.1241	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1241	INTEGER	1241
IB-LswMSTP-MIB::ibdot1sMstVID.1242	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1242	INTEGER	1242
IB-LswMSTP-MIB::ibdot1sMstVID.1243	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1243	INTEGER	1243
IB-LswMSTP-MIB::ibdot1sMstVID.1244	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1244	INTEGER	1244
IB-LswMSTP-MIB::ibdot1sMstVID.1245	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1245	INTEGER	1245
IB-LswMSTP-MIB::ibdot1sMstVID.1246	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1246	INTEGER	1246
IB-LswMSTP-MIB::ibdot1sMstVID.1247	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1247	INTEGER	1247
IB-LswMSTP-MIB::ibdot1sMstVID.1248	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1248	INTEGER	1248
IB-LswMSTP-MIB::ibdot1sMstVID.1249	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1249	INTEGER	1249
IB-LswMSTP-MIB::ibdot1sMstVID.1250	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1250	INTEGER	1250
IB-LswMSTP-MIB::ibdot1sMstVID.1251	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1251	INTEGER	1251
IB-LswMSTP-MIB::ibdot1sMstVID.1252	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1252	INTEGER	1252
IB-LswMSTP-MIB::ibdot1sMstVID.1253	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1253	INTEGER	1253
IB-LswMSTP-MIB::ibdot1sMstVID.1254	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1254	INTEGER	1254
IB-LswMSTP-MIB::ibdot1sMstVID.1255	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1255	INTEGER	1255
IB-LswMSTP-MIB::ibdot1sMstVID.1256	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1256	INTEGER	1256
IB-LswMSTP-MIB::ibdot1sMstVID.1257	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1257	INTEGER	1257

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1258	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1258	INTEGER	1258
IB-LswMSTP-MIB::ibdot1sMstVID.1259	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1259	INTEGER	1259
IB-LswMSTP-MIB::ibdot1sMstVID.1260	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1260	INTEGER	1260
IB-LswMSTP-MIB::ibdot1sMstVID.1261	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1261	INTEGER	1261
IB-LswMSTP-MIB::ibdot1sMstVID.1262	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1262	INTEGER	1262
IB-LswMSTP-MIB::ibdot1sMstVID.1263	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1263	INTEGER	1263
IB-LswMSTP-MIB::ibdot1sMstVID.1264	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1264	INTEGER	1264
IB-LswMSTP-MIB::ibdot1sMstVID.1265	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1265	INTEGER	1265
IB-LswMSTP-MIB::ibdot1sMstVID.1266	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1266	INTEGER	1266
IB-LswMSTP-MIB::ibdot1sMstVID.1267	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1267	INTEGER	1267
IB-LswMSTP-MIB::ibdot1sMstVID.1268	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1268	INTEGER	1268
IB-LswMSTP-MIB::ibdot1sMstVID.1269	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1269	INTEGER	1269
IB-LswMSTP-MIB::ibdot1sMstVID.1270	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1270	INTEGER	1270
IB-LswMSTP-MIB::ibdot1sMstVID.1271	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1271	INTEGER	1271
IB-LswMSTP-MIB::ibdot1sMstVID.1272	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1272	INTEGER	1272
IB-LswMSTP-MIB::ibdot1sMstVID.1273	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1273	INTEGER	1273
IB-LswMSTP-MIB::ibdot1sMstVID.1274	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1274	INTEGER	1274
IB-LswMSTP-MIB::ibdot1sMstVID.1275	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1275	INTEGER	1275
IB-LswMSTP-MIB::ibdot1sMstVID.1276	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1276	INTEGER	1276
IB-LswMSTP-MIB::ibdot1sMstVID.1277	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1277	INTEGER	1277
IB-LswMSTP-MIB::ibdot1sMstVID.1278	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1278	INTEGER	1278
IB-LswMSTP-MIB::ibdot1sMstVID.1279	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1279	INTEGER	1279
IB-LswMSTP-MIB::ibdot1sMstVID.1280	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1280	INTEGER	1280
IB-LswMSTP-MIB::ibdot1sMstVID.1281	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1281	INTEGER	1281
IB-LswMSTP-MIB::ibdot1sMstVID.1282	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1282	INTEGER	1282
IB-LswMSTP-MIB::ibdot1sMstVID.1283	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1283	INTEGER	1283

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1284	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1284	INTEGER	1284
IB-LswMSTP-MIB::ibdot1sMstVID.1285	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1285	INTEGER	1285
IB-LswMSTP-MIB::ibdot1sMstVID.1286	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1286	INTEGER	1286
IB-LswMSTP-MIB::ibdot1sMstVID.1287	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1287	INTEGER	1287
IB-LswMSTP-MIB::ibdot1sMstVID.1288	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1288	INTEGER	1288
IB-LswMSTP-MIB::ibdot1sMstVID.1289	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1289	INTEGER	1289
IB-LswMSTP-MIB::ibdot1sMstVID.1290	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1290	INTEGER	1290
IB-LswMSTP-MIB::ibdot1sMstVID.1291	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1291	INTEGER	1291
IB-LswMSTP-MIB::ibdot1sMstVID.1292	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1292	INTEGER	1292
IB-LswMSTP-MIB::ibdot1sMstVID.1293	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1293	INTEGER	1293
IB-LswMSTP-MIB::ibdot1sMstVID.1294	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1294	INTEGER	1294
IB-LswMSTP-MIB::ibdot1sMstVID.1295	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1295	INTEGER	1295
IB-LswMSTP-MIB::ibdot1sMstVID.1296	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1296	INTEGER	1296
IB-LswMSTP-MIB::ibdot1sMstVID.1297	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1297	INTEGER	1297
IB-LswMSTP-MIB::ibdot1sMstVID.1298	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1298	INTEGER	1298
IB-LswMSTP-MIB::ibdot1sMstVID.1299	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1299	INTEGER	1299
IB-LswMSTP-MIB::ibdot1sMstVID.1300	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1300	INTEGER	1300
IB-LswMSTP-MIB::ibdot1sMstVID.1301	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1301	INTEGER	1301
IB-LswMSTP-MIB::ibdot1sMstVID.1302	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1302	INTEGER	1302
IB-LswMSTP-MIB::ibdot1sMstVID.1303	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1303	INTEGER	1303
IB-LswMSTP-MIB::ibdot1sMstVID.1304	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1304	INTEGER	1304
IB-LswMSTP-MIB::ibdot1sMstVID.1305	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1305	INTEGER	1305
IB-LswMSTP-MIB::ibdot1sMstVID.1306	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1306	INTEGER	1306
IB-LswMSTP-MIB::ibdot1sMstVID.1307	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1307	INTEGER	1307
IB-LswMSTP-MIB::ibdot1sMstVID.1308	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1308	INTEGER	1308
IB-LswMSTP-MIB::ibdot1sMstVID.1309	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1309	INTEGER	1309

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1310	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1310	INTEGER	1310
IB-LswMSTP-MIB::ibdot1sMstVID.1311	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1311	INTEGER	1311
IB-LswMSTP-MIB::ibdot1sMstVID.1312	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1312	INTEGER	1312
IB-LswMSTP-MIB::ibdot1sMstVID.1313	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1313	INTEGER	1313
IB-LswMSTP-MIB::ibdot1sMstVID.1314	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1314	INTEGER	1314
IB-LswMSTP-MIB::ibdot1sMstVID.1315	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1315	INTEGER	1315
IB-LswMSTP-MIB::ibdot1sMstVID.1316	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1316	INTEGER	1316
IB-LswMSTP-MIB::ibdot1sMstVID.1317	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1317	INTEGER	1317
IB-LswMSTP-MIB::ibdot1sMstVID.1318	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1318	INTEGER	1318
IB-LswMSTP-MIB::ibdot1sMstVID.1319	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1319	INTEGER	1319
IB-LswMSTP-MIB::ibdot1sMstVID.1320	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1320	INTEGER	1320
IB-LswMSTP-MIB::ibdot1sMstVID.1321	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1321	INTEGER	1321
IB-LswMSTP-MIB::ibdot1sMstVID.1322	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1322	INTEGER	1322
IB-LswMSTP-MIB::ibdot1sMstVID.1323	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1323	INTEGER	1323
IB-LswMSTP-MIB::ibdot1sMstVID.1324	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1324	INTEGER	1324
IB-LswMSTP-MIB::ibdot1sMstVID.1325	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1325	INTEGER	1325
IB-LswMSTP-MIB::ibdot1sMstVID.1326	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1326	INTEGER	1326
IB-LswMSTP-MIB::ibdot1sMstVID.1327	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1327	INTEGER	1327
IB-LswMSTP-MIB::ibdot1sMstVID.1328	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1328	INTEGER	1328
IB-LswMSTP-MIB::ibdot1sMstVID.1329	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1329	INTEGER	1329
IB-LswMSTP-MIB::ibdot1sMstVID.1330	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1330	INTEGER	1330
IB-LswMSTP-MIB::ibdot1sMstVID.1331	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1331	INTEGER	1331
IB-LswMSTP-MIB::ibdot1sMstVID.1332	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1332	INTEGER	1332
IB-LswMSTP-MIB::ibdot1sMstVID.1333	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1333	INTEGER	1333
IB-LswMSTP-MIB::ibdot1sMstVID.1334	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1334	INTEGER	1334
IB-LswMSTP-MIB::ibdot1sMstVID.1335	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1335	INTEGER	1335

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1336	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1336	INTEGER	1336
IB-LswMSTP-MIB::ibdot1sMstVID.1337	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1337	INTEGER	1337
IB-LswMSTP-MIB::ibdot1sMstVID.1338	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1338	INTEGER	1338
IB-LswMSTP-MIB::ibdot1sMstVID.1339	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1339	INTEGER	1339
IB-LswMSTP-MIB::ibdot1sMstVID.1340	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1340	INTEGER	1340
IB-LswMSTP-MIB::ibdot1sMstVID.1341	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1341	INTEGER	1341
IB-LswMSTP-MIB::ibdot1sMstVID.1342	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1342	INTEGER	1342
IB-LswMSTP-MIB::ibdot1sMstVID.1343	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1343	INTEGER	1343
IB-LswMSTP-MIB::ibdot1sMstVID.1344	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1344	INTEGER	1344
IB-LswMSTP-MIB::ibdot1sMstVID.1345	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1345	INTEGER	1345
IB-LswMSTP-MIB::ibdot1sMstVID.1346	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1346	INTEGER	1346
IB-LswMSTP-MIB::ibdot1sMstVID.1347	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1347	INTEGER	1347
IB-LswMSTP-MIB::ibdot1sMstVID.1348	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1348	INTEGER	1348
IB-LswMSTP-MIB::ibdot1sMstVID.1349	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1349	INTEGER	1349
IB-LswMSTP-MIB::ibdot1sMstVID.1350	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1350	INTEGER	1350
IB-LswMSTP-MIB::ibdot1sMstVID.1351	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1351	INTEGER	1351
IB-LswMSTP-MIB::ibdot1sMstVID.1352	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1352	INTEGER	1352
IB-LswMSTP-MIB::ibdot1sMstVID.1353	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1353	INTEGER	1353
IB-LswMSTP-MIB::ibdot1sMstVID.1354	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1354	INTEGER	1354
IB-LswMSTP-MIB::ibdot1sMstVID.1355	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1355	INTEGER	1355
IB-LswMSTP-MIB::ibdot1sMstVID.1356	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1356	INTEGER	1356
IB-LswMSTP-MIB::ibdot1sMstVID.1357	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1357	INTEGER	1357
IB-LswMSTP-MIB::ibdot1sMstVID.1358	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1358	INTEGER	1358
IB-LswMSTP-MIB::ibdot1sMstVID.1359	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1359	INTEGER	1359
IB-LswMSTP-MIB::ibdot1sMstVID.1360	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1360	INTEGER	1360
IB-LswMSTP-MIB::ibdot1sMstVID.1361	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1361	INTEGER	1361

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1362	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1362	INTEGER	1362
IB-LswMSTP-MIB::ibdot1sMstVID.1363	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1363	INTEGER	1363
IB-LswMSTP-MIB::ibdot1sMstVID.1364	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1364	INTEGER	1364
IB-LswMSTP-MIB::ibdot1sMstVID.1365	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1365	INTEGER	1365
IB-LswMSTP-MIB::ibdot1sMstVID.1366	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1366	INTEGER	1366
IB-LswMSTP-MIB::ibdot1sMstVID.1367	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1367	INTEGER	1367
IB-LswMSTP-MIB::ibdot1sMstVID.1368	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1368	INTEGER	1368
IB-LswMSTP-MIB::ibdot1sMstVID.1369	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1369	INTEGER	1369
IB-LswMSTP-MIB::ibdot1sMstVID.1370	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1370	INTEGER	1370
IB-LswMSTP-MIB::ibdot1sMstVID.1371	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1371	INTEGER	1371
IB-LswMSTP-MIB::ibdot1sMstVID.1372	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1372	INTEGER	1372
IB-LswMSTP-MIB::ibdot1sMstVID.1373	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1373	INTEGER	1373
IB-LswMSTP-MIB::ibdot1sMstVID.1374	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1374	INTEGER	1374
IB-LswMSTP-MIB::ibdot1sMstVID.1375	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1375	INTEGER	1375
IB-LswMSTP-MIB::ibdot1sMstVID.1376	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1376	INTEGER	1376
IB-LswMSTP-MIB::ibdot1sMstVID.1377	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1377	INTEGER	1377
IB-LswMSTP-MIB::ibdot1sMstVID.1378	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1378	INTEGER	1378
IB-LswMSTP-MIB::ibdot1sMstVID.1379	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1379	INTEGER	1379
IB-LswMSTP-MIB::ibdot1sMstVID.1380	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1380	INTEGER	1380
IB-LswMSTP-MIB::ibdot1sMstVID.1381	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1381	INTEGER	1381
IB-LswMSTP-MIB::ibdot1sMstVID.1382	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1382	INTEGER	1382
IB-LswMSTP-MIB::ibdot1sMstVID.1383	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1383	INTEGER	1383
IB-LswMSTP-MIB::ibdot1sMstVID.1384	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1384	INTEGER	1384
IB-LswMSTP-MIB::ibdot1sMstVID.1385	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1385	INTEGER	1385
IB-LswMSTP-MIB::ibdot1sMstVID.1386	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1386	INTEGER	1386
IB-LswMSTP-MIB::ibdot1sMstVID.1387	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1387	INTEGER	1387

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1388	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1388	INTEGER	1388
IB-LswMSTP-MIB::ibdot1sMstVID.1389	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1389	INTEGER	1389
IB-LswMSTP-MIB::ibdot1sMstVID.1390	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1390	INTEGER	1390
IB-LswMSTP-MIB::ibdot1sMstVID.1391	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1391	INTEGER	1391
IB-LswMSTP-MIB::ibdot1sMstVID.1392	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1392	INTEGER	1392
IB-LswMSTP-MIB::ibdot1sMstVID.1393	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1393	INTEGER	1393
IB-LswMSTP-MIB::ibdot1sMstVID.1394	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1394	INTEGER	1394
IB-LswMSTP-MIB::ibdot1sMstVID.1395	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1395	INTEGER	1395
IB-LswMSTP-MIB::ibdot1sMstVID.1396	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1396	INTEGER	1396
IB-LswMSTP-MIB::ibdot1sMstVID.1397	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1397	INTEGER	1397
IB-LswMSTP-MIB::ibdot1sMstVID.1398	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1398	INTEGER	1398
IB-LswMSTP-MIB::ibdot1sMstVID.1399	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1399	INTEGER	1399
IB-LswMSTP-MIB::ibdot1sMstVID.1400	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1400	INTEGER	1400
IB-LswMSTP-MIB::ibdot1sMstVID.1401	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1401	INTEGER	1401
IB-LswMSTP-MIB::ibdot1sMstVID.1402	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1402	INTEGER	1402
IB-LswMSTP-MIB::ibdot1sMstVID.1403	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1403	INTEGER	1403
IB-LswMSTP-MIB::ibdot1sMstVID.1404	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1404	INTEGER	1404
IB-LswMSTP-MIB::ibdot1sMstVID.1405	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1405	INTEGER	1405
IB-LswMSTP-MIB::ibdot1sMstVID.1406	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1406	INTEGER	1406
IB-LswMSTP-MIB::ibdot1sMstVID.1407	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1407	INTEGER	1407
IB-LswMSTP-MIB::ibdot1sMstVID.1408	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1408	INTEGER	1408
IB-LswMSTP-MIB::ibdot1sMstVID.1409	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1409	INTEGER	1409
IB-LswMSTP-MIB::ibdot1sMstVID.1410	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1410	INTEGER	1410
IB-LswMSTP-MIB::ibdot1sMstVID.1411	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1411	INTEGER	1411
IB-LswMSTP-MIB::ibdot1sMstVID.1412	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1412	INTEGER	1412
IB-LswMSTP-MIB::ibdot1sMstVID.1413	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1413	INTEGER	1413

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1414	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1414	INTEGER	1414
IB-LswMSTP-MIB::ibdot1sMstVID.1415	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1415	INTEGER	1415
IB-LswMSTP-MIB::ibdot1sMstVID.1416	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1416	INTEGER	1416
IB-LswMSTP-MIB::ibdot1sMstVID.1417	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1417	INTEGER	1417
IB-LswMSTP-MIB::ibdot1sMstVID.1418	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1418	INTEGER	1418
IB-LswMSTP-MIB::ibdot1sMstVID.1419	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1419	INTEGER	1419
IB-LswMSTP-MIB::ibdot1sMstVID.1420	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1420	INTEGER	1420
IB-LswMSTP-MIB::ibdot1sMstVID.1421	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1421	INTEGER	1421
IB-LswMSTP-MIB::ibdot1sMstVID.1422	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1422	INTEGER	1422
IB-LswMSTP-MIB::ibdot1sMstVID.1423	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1423	INTEGER	1423
IB-LswMSTP-MIB::ibdot1sMstVID.1424	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1424	INTEGER	1424
IB-LswMSTP-MIB::ibdot1sMstVID.1425	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1425	INTEGER	1425
IB-LswMSTP-MIB::ibdot1sMstVID.1426	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1426	INTEGER	1426
IB-LswMSTP-MIB::ibdot1sMstVID.1427	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1427	INTEGER	1427
IB-LswMSTP-MIB::ibdot1sMstVID.1428	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1428	INTEGER	1428
IB-LswMSTP-MIB::ibdot1sMstVID.1429	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1429	INTEGER	1429
IB-LswMSTP-MIB::ibdot1sMstVID.1430	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1430	INTEGER	1430
IB-LswMSTP-MIB::ibdot1sMstVID.1431	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1431	INTEGER	1431
IB-LswMSTP-MIB::ibdot1sMstVID.1432	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1432	INTEGER	1432
IB-LswMSTP-MIB::ibdot1sMstVID.1433	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1433	INTEGER	1433
IB-LswMSTP-MIB::ibdot1sMstVID.1434	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1434	INTEGER	1434
IB-LswMSTP-MIB::ibdot1sMstVID.1435	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1435	INTEGER	1435
IB-LswMSTP-MIB::ibdot1sMstVID.1436	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1436	INTEGER	1436
IB-LswMSTP-MIB::ibdot1sMstVID.1437	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1437	INTEGER	1437
IB-LswMSTP-MIB::ibdot1sMstVID.1438	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1438	INTEGER	1438
IB-LswMSTP-MIB::ibdot1sMstVID.1439	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1439	INTEGER	1439

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1440	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1440	INTEGER	1440
IB-LswMSTP-MIB::ibdot1sMstVID.1441	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1441	INTEGER	1441
IB-LswMSTP-MIB::ibdot1sMstVID.1442	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1442	INTEGER	1442
IB-LswMSTP-MIB::ibdot1sMstVID.1443	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1443	INTEGER	1443
IB-LswMSTP-MIB::ibdot1sMstVID.1444	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1444	INTEGER	1444
IB-LswMSTP-MIB::ibdot1sMstVID.1445	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1445	INTEGER	1445
IB-LswMSTP-MIB::ibdot1sMstVID.1446	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1446	INTEGER	1446
IB-LswMSTP-MIB::ibdot1sMstVID.1447	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1447	INTEGER	1447
IB-LswMSTP-MIB::ibdot1sMstVID.1448	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1448	INTEGER	1448
IB-LswMSTP-MIB::ibdot1sMstVID.1449	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1449	INTEGER	1449
IB-LswMSTP-MIB::ibdot1sMstVID.1450	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1450	INTEGER	1450
IB-LswMSTP-MIB::ibdot1sMstVID.1451	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1451	INTEGER	1451
IB-LswMSTP-MIB::ibdot1sMstVID.1452	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1452	INTEGER	1452
IB-LswMSTP-MIB::ibdot1sMstVID.1453	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1453	INTEGER	1453
IB-LswMSTP-MIB::ibdot1sMstVID.1454	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1454	INTEGER	1454
IB-LswMSTP-MIB::ibdot1sMstVID.1455	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1455	INTEGER	1455
IB-LswMSTP-MIB::ibdot1sMstVID.1456	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1456	INTEGER	1456
IB-LswMSTP-MIB::ibdot1sMstVID.1457	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1457	INTEGER	1457
IB-LswMSTP-MIB::ibdot1sMstVID.1458	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1458	INTEGER	1458
IB-LswMSTP-MIB::ibdot1sMstVID.1459	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1459	INTEGER	1459
IB-LswMSTP-MIB::ibdot1sMstVID.1460	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1460	INTEGER	1460
IB-LswMSTP-MIB::ibdot1sMstVID.1461	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1461	INTEGER	1461
IB-LswMSTP-MIB::ibdot1sMstVID.1462	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1462	INTEGER	1462
IB-LswMSTP-MIB::ibdot1sMstVID.1463	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1463	INTEGER	1463
IB-LswMSTP-MIB::ibdot1sMstVID.1464	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1464	INTEGER	1464
IB-LswMSTP-MIB::ibdot1sMstVID.1465	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1465	INTEGER	1465

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1466	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1466	INTEGER	1466
IB-LswMSTP-MIB::ibdot1sMstVID.1467	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1467	INTEGER	1467
IB-LswMSTP-MIB::ibdot1sMstVID.1468	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1468	INTEGER	1468
IB-LswMSTP-MIB::ibdot1sMstVID.1469	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1469	INTEGER	1469
IB-LswMSTP-MIB::ibdot1sMstVID.1470	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1470	INTEGER	1470
IB-LswMSTP-MIB::ibdot1sMstVID.1471	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1471	INTEGER	1471
IB-LswMSTP-MIB::ibdot1sMstVID.1472	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1472	INTEGER	1472
IB-LswMSTP-MIB::ibdot1sMstVID.1473	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1473	INTEGER	1473
IB-LswMSTP-MIB::ibdot1sMstVID.1474	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1474	INTEGER	1474
IB-LswMSTP-MIB::ibdot1sMstVID.1475	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1475	INTEGER	1475
IB-LswMSTP-MIB::ibdot1sMstVID.1476	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1476	INTEGER	1476
IB-LswMSTP-MIB::ibdot1sMstVID.1477	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1477	INTEGER	1477
IB-LswMSTP-MIB::ibdot1sMstVID.1478	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1478	INTEGER	1478
IB-LswMSTP-MIB::ibdot1sMstVID.1479	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1479	INTEGER	1479
IB-LswMSTP-MIB::ibdot1sMstVID.1480	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1480	INTEGER	1480
IB-LswMSTP-MIB::ibdot1sMstVID.1481	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1481	INTEGER	1481
IB-LswMSTP-MIB::ibdot1sMstVID.1482	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1482	INTEGER	1482
IB-LswMSTP-MIB::ibdot1sMstVID.1483	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1483	INTEGER	1483
IB-LswMSTP-MIB::ibdot1sMstVID.1484	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1484	INTEGER	1484
IB-LswMSTP-MIB::ibdot1sMstVID.1485	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1485	INTEGER	1485
IB-LswMSTP-MIB::ibdot1sMstVID.1486	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1486	INTEGER	1486
IB-LswMSTP-MIB::ibdot1sMstVID.1487	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1487	INTEGER	1487
IB-LswMSTP-MIB::ibdot1sMstVID.1488	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1488	INTEGER	1488
IB-LswMSTP-MIB::ibdot1sMstVID.1489	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1489	INTEGER	1489
IB-LswMSTP-MIB::ibdot1sMstVID.1490	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1490	INTEGER	1490
IB-LswMSTP-MIB::ibdot1sMstVID.1491	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1491	INTEGER	1491

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1492	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1492	INTEGER	1492
IB-LswMSTP-MIB::ibdot1sMstVID.1493	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1493	INTEGER	1493
IB-LswMSTP-MIB::ibdot1sMstVID.1494	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1494	INTEGER	1494
IB-LswMSTP-MIB::ibdot1sMstVID.1495	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1495	INTEGER	1495
IB-LswMSTP-MIB::ibdot1sMstVID.1496	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1496	INTEGER	1496
IB-LswMSTP-MIB::ibdot1sMstVID.1497	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1497	INTEGER	1497
IB-LswMSTP-MIB::ibdot1sMstVID.1498	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1498	INTEGER	1498
IB-LswMSTP-MIB::ibdot1sMstVID.1499	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1499	INTEGER	1499
IB-LswMSTP-MIB::ibdot1sMstVID.1500	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1500	INTEGER	1500
IB-LswMSTP-MIB::ibdot1sMstVID.1501	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1501	INTEGER	1501
IB-LswMSTP-MIB::ibdot1sMstVID.1502	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1502	INTEGER	1502
IB-LswMSTP-MIB::ibdot1sMstVID.1503	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1503	INTEGER	1503
IB-LswMSTP-MIB::ibdot1sMstVID.1504	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1504	INTEGER	1504
IB-LswMSTP-MIB::ibdot1sMstVID.1505	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1505	INTEGER	1505
IB-LswMSTP-MIB::ibdot1sMstVID.1506	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1506	INTEGER	1506
IB-LswMSTP-MIB::ibdot1sMstVID.1507	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1507	INTEGER	1507
IB-LswMSTP-MIB::ibdot1sMstVID.1508	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1508	INTEGER	1508
IB-LswMSTP-MIB::ibdot1sMstVID.1509	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1509	INTEGER	1509
IB-LswMSTP-MIB::ibdot1sMstVID.1510	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1510	INTEGER	1510
IB-LswMSTP-MIB::ibdot1sMstVID.1511	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1511	INTEGER	1511
IB-LswMSTP-MIB::ibdot1sMstVID.1512	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1512	INTEGER	1512
IB-LswMSTP-MIB::ibdot1sMstVID.1513	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1513	INTEGER	1513
IB-LswMSTP-MIB::ibdot1sMstVID.1514	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1514	INTEGER	1514
IB-LswMSTP-MIB::ibdot1sMstVID.1515	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1515	INTEGER	1515
IB-LswMSTP-MIB::ibdot1sMstVID.1516	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1516	INTEGER	1516
IB-LswMSTP-MIB::ibdot1sMstVID.1517	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1517	INTEGER	1517

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1518	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1518	INTEGER	1518
IB-LswMSTP-MIB::ibdot1sMstVID.1519	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1519	INTEGER	1519
IB-LswMSTP-MIB::ibdot1sMstVID.1520	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1520	INTEGER	1520
IB-LswMSTP-MIB::ibdot1sMstVID.1521	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1521	INTEGER	1521
IB-LswMSTP-MIB::ibdot1sMstVID.1522	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1522	INTEGER	1522
IB-LswMSTP-MIB::ibdot1sMstVID.1523	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1523	INTEGER	1523
IB-LswMSTP-MIB::ibdot1sMstVID.1524	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1524	INTEGER	1524
IB-LswMSTP-MIB::ibdot1sMstVID.1525	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1525	INTEGER	1525
IB-LswMSTP-MIB::ibdot1sMstVID.1526	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1526	INTEGER	1526
IB-LswMSTP-MIB::ibdot1sMstVID.1527	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1527	INTEGER	1527
IB-LswMSTP-MIB::ibdot1sMstVID.1528	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1528	INTEGER	1528
IB-LswMSTP-MIB::ibdot1sMstVID.1529	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1529	INTEGER	1529
IB-LswMSTP-MIB::ibdot1sMstVID.1530	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1530	INTEGER	1530
IB-LswMSTP-MIB::ibdot1sMstVID.1531	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1531	INTEGER	1531
IB-LswMSTP-MIB::ibdot1sMstVID.1532	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1532	INTEGER	1532
IB-LswMSTP-MIB::ibdot1sMstVID.1533	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1533	INTEGER	1533
IB-LswMSTP-MIB::ibdot1sMstVID.1534	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1534	INTEGER	1534
IB-LswMSTP-MIB::ibdot1sMstVID.1535	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1535	INTEGER	1535
IB-LswMSTP-MIB::ibdot1sMstVID.1536	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1536	INTEGER	1536
IB-LswMSTP-MIB::ibdot1sMstVID.1537	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1537	INTEGER	1537
IB-LswMSTP-MIB::ibdot1sMstVID.1538	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1538	INTEGER	1538
IB-LswMSTP-MIB::ibdot1sMstVID.1539	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1539	INTEGER	1539
IB-LswMSTP-MIB::ibdot1sMstVID.1540	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1540	INTEGER	1540
IB-LswMSTP-MIB::ibdot1sMstVID.1541	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1541	INTEGER	1541
IB-LswMSTP-MIB::ibdot1sMstVID.1542	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1542	INTEGER	1542
IB-LswMSTP-MIB::ibdot1sMstVID.1543	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1543	INTEGER	1543

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1544	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1544	INTEGER	1544
IB-LswMSTP-MIB::ibdot1sMstVID.1545	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1545	INTEGER	1545
IB-LswMSTP-MIB::ibdot1sMstVID.1546	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1546	INTEGER	1546
IB-LswMSTP-MIB::ibdot1sMstVID.1547	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1547	INTEGER	1547
IB-LswMSTP-MIB::ibdot1sMstVID.1548	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1548	INTEGER	1548
IB-LswMSTP-MIB::ibdot1sMstVID.1549	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1549	INTEGER	1549
IB-LswMSTP-MIB::ibdot1sMstVID.1550	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1550	INTEGER	1550
IB-LswMSTP-MIB::ibdot1sMstVID.1551	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1551	INTEGER	1551
IB-LswMSTP-MIB::ibdot1sMstVID.1552	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1552	INTEGER	1552
IB-LswMSTP-MIB::ibdot1sMstVID.1553	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1553	INTEGER	1553
IB-LswMSTP-MIB::ibdot1sMstVID.1554	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1554	INTEGER	1554
IB-LswMSTP-MIB::ibdot1sMstVID.1555	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1555	INTEGER	1555
IB-LswMSTP-MIB::ibdot1sMstVID.1556	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1556	INTEGER	1556
IB-LswMSTP-MIB::ibdot1sMstVID.1557	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1557	INTEGER	1557
IB-LswMSTP-MIB::ibdot1sMstVID.1558	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1558	INTEGER	1558
IB-LswMSTP-MIB::ibdot1sMstVID.1559	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1559	INTEGER	1559
IB-LswMSTP-MIB::ibdot1sMstVID.1560	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1560	INTEGER	1560
IB-LswMSTP-MIB::ibdot1sMstVID.1561	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1561	INTEGER	1561
IB-LswMSTP-MIB::ibdot1sMstVID.1562	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1562	INTEGER	1562
IB-LswMSTP-MIB::ibdot1sMstVID.1563	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1563	INTEGER	1563
IB-LswMSTP-MIB::ibdot1sMstVID.1564	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1564	INTEGER	1564
IB-LswMSTP-MIB::ibdot1sMstVID.1565	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1565	INTEGER	1565
IB-LswMSTP-MIB::ibdot1sMstVID.1566	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1566	INTEGER	1566
IB-LswMSTP-MIB::ibdot1sMstVID.1567	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1567	INTEGER	1567
IB-LswMSTP-MIB::ibdot1sMstVID.1568	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1568	INTEGER	1568
IB-LswMSTP-MIB::ibdot1sMstVID.1569	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1569	INTEGER	1569

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1570	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1570	INTEGER	1570
IB-LswMSTP-MIB::ibdot1sMstVID.1571	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1571	INTEGER	1571
IB-LswMSTP-MIB::ibdot1sMstVID.1572	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1572	INTEGER	1572
IB-LswMSTP-MIB::ibdot1sMstVID.1573	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1573	INTEGER	1573
IB-LswMSTP-MIB::ibdot1sMstVID.1574	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1574	INTEGER	1574
IB-LswMSTP-MIB::ibdot1sMstVID.1575	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1575	INTEGER	1575
IB-LswMSTP-MIB::ibdot1sMstVID.1576	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1576	INTEGER	1576
IB-LswMSTP-MIB::ibdot1sMstVID.1577	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1577	INTEGER	1577
IB-LswMSTP-MIB::ibdot1sMstVID.1578	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1578	INTEGER	1578
IB-LswMSTP-MIB::ibdot1sMstVID.1579	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1579	INTEGER	1579
IB-LswMSTP-MIB::ibdot1sMstVID.1580	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1580	INTEGER	1580
IB-LswMSTP-MIB::ibdot1sMstVID.1581	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1581	INTEGER	1581
IB-LswMSTP-MIB::ibdot1sMstVID.1582	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1582	INTEGER	1582
IB-LswMSTP-MIB::ibdot1sMstVID.1583	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1583	INTEGER	1583
IB-LswMSTP-MIB::ibdot1sMstVID.1584	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1584	INTEGER	1584
IB-LswMSTP-MIB::ibdot1sMstVID.1585	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1585	INTEGER	1585
IB-LswMSTP-MIB::ibdot1sMstVID.1586	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1586	INTEGER	1586
IB-LswMSTP-MIB::ibdot1sMstVID.1587	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1587	INTEGER	1587
IB-LswMSTP-MIB::ibdot1sMstVID.1588	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1588	INTEGER	1588
IB-LswMSTP-MIB::ibdot1sMstVID.1589	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1589	INTEGER	1589
IB-LswMSTP-MIB::ibdot1sMstVID.1590	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1590	INTEGER	1590
IB-LswMSTP-MIB::ibdot1sMstVID.1591	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1591	INTEGER	1591
IB-LswMSTP-MIB::ibdot1sMstVID.1592	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1592	INTEGER	1592
IB-LswMSTP-MIB::ibdot1sMstVID.1593	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1593	INTEGER	1593
IB-LswMSTP-MIB::ibdot1sMstVID.1594	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1594	INTEGER	1594
IB-LswMSTP-MIB::ibdot1sMstVID.1595	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1595	INTEGER	1595

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1596	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1596	INTEGER	1596
IB-LswMSTP-MIB::ibdot1sMstVID.1597	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1597	INTEGER	1597
IB-LswMSTP-MIB::ibdot1sMstVID.1598	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1598	INTEGER	1598
IB-LswMSTP-MIB::ibdot1sMstVID.1599	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1599	INTEGER	1599
IB-LswMSTP-MIB::ibdot1sMstVID.1600	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1600	INTEGER	1600
IB-LswMSTP-MIB::ibdot1sMstVID.1601	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1601	INTEGER	1601
IB-LswMSTP-MIB::ibdot1sMstVID.1602	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1602	INTEGER	1602
IB-LswMSTP-MIB::ibdot1sMstVID.1603	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1603	INTEGER	1603
IB-LswMSTP-MIB::ibdot1sMstVID.1604	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1604	INTEGER	1604
IB-LswMSTP-MIB::ibdot1sMstVID.1605	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1605	INTEGER	1605
IB-LswMSTP-MIB::ibdot1sMstVID.1606	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1606	INTEGER	1606
IB-LswMSTP-MIB::ibdot1sMstVID.1607	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1607	INTEGER	1607
IB-LswMSTP-MIB::ibdot1sMstVID.1608	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1608	INTEGER	1608
IB-LswMSTP-MIB::ibdot1sMstVID.1609	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1609	INTEGER	1609
IB-LswMSTP-MIB::ibdot1sMstVID.1610	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1610	INTEGER	1610
IB-LswMSTP-MIB::ibdot1sMstVID.1611	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1611	INTEGER	1611
IB-LswMSTP-MIB::ibdot1sMstVID.1612	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1612	INTEGER	1612
IB-LswMSTP-MIB::ibdot1sMstVID.1613	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1613	INTEGER	1613
IB-LswMSTP-MIB::ibdot1sMstVID.1614	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1614	INTEGER	1614
IB-LswMSTP-MIB::ibdot1sMstVID.1615	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1615	INTEGER	1615
IB-LswMSTP-MIB::ibdot1sMstVID.1616	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1616	INTEGER	1616
IB-LswMSTP-MIB::ibdot1sMstVID.1617	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1617	INTEGER	1617
IB-LswMSTP-MIB::ibdot1sMstVID.1618	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1618	INTEGER	1618
IB-LswMSTP-MIB::ibdot1sMstVID.1619	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1619	INTEGER	1619
IB-LswMSTP-MIB::ibdot1sMstVID.1620	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1620	INTEGER	1620
IB-LswMSTP-MIB::ibdot1sMstVID.1621	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1621	INTEGER	1621

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1622	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1622	INTEGER	1622
IB-LswMSTP-MIB::ibdot1sMstVID.1623	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1623	INTEGER	1623
IB-LswMSTP-MIB::ibdot1sMstVID.1624	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1624	INTEGER	1624
IB-LswMSTP-MIB::ibdot1sMstVID.1625	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1625	INTEGER	1625
IB-LswMSTP-MIB::ibdot1sMstVID.1626	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1626	INTEGER	1626
IB-LswMSTP-MIB::ibdot1sMstVID.1627	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1627	INTEGER	1627
IB-LswMSTP-MIB::ibdot1sMstVID.1628	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1628	INTEGER	1628
IB-LswMSTP-MIB::ibdot1sMstVID.1629	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1629	INTEGER	1629
IB-LswMSTP-MIB::ibdot1sMstVID.1630	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1630	INTEGER	1630
IB-LswMSTP-MIB::ibdot1sMstVID.1631	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1631	INTEGER	1631
IB-LswMSTP-MIB::ibdot1sMstVID.1632	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1632	INTEGER	1632
IB-LswMSTP-MIB::ibdot1sMstVID.1633	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1633	INTEGER	1633
IB-LswMSTP-MIB::ibdot1sMstVID.1634	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1634	INTEGER	1634
IB-LswMSTP-MIB::ibdot1sMstVID.1635	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1635	INTEGER	1635
IB-LswMSTP-MIB::ibdot1sMstVID.1636	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1636	INTEGER	1636
IB-LswMSTP-MIB::ibdot1sMstVID.1637	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1637	INTEGER	1637
IB-LswMSTP-MIB::ibdot1sMstVID.1638	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1638	INTEGER	1638
IB-LswMSTP-MIB::ibdot1sMstVID.1639	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1639	INTEGER	1639
IB-LswMSTP-MIB::ibdot1sMstVID.1640	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1640	INTEGER	1640
IB-LswMSTP-MIB::ibdot1sMstVID.1641	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1641	INTEGER	1641
IB-LswMSTP-MIB::ibdot1sMstVID.1642	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1642	INTEGER	1642
IB-LswMSTP-MIB::ibdot1sMstVID.1643	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1643	INTEGER	1643
IB-LswMSTP-MIB::ibdot1sMstVID.1644	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1644	INTEGER	1644
IB-LswMSTP-MIB::ibdot1sMstVID.1645	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1645	INTEGER	1645
IB-LswMSTP-MIB::ibdot1sMstVID.1646	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1646	INTEGER	1646
IB-LswMSTP-MIB::ibdot1sMstVID.1647	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1647	INTEGER	1647

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1648	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1648	INTEGER	1648
IB-LswMSTP-MIB::ibdot1sMstVID.1649	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1649	INTEGER	1649
IB-LswMSTP-MIB::ibdot1sMstVID.1650	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1650	INTEGER	1650
IB-LswMSTP-MIB::ibdot1sMstVID.1651	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1651	INTEGER	1651
IB-LswMSTP-MIB::ibdot1sMstVID.1652	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1652	INTEGER	1652
IB-LswMSTP-MIB::ibdot1sMstVID.1653	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1653	INTEGER	1653
IB-LswMSTP-MIB::ibdot1sMstVID.1654	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1654	INTEGER	1654
IB-LswMSTP-MIB::ibdot1sMstVID.1655	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1655	INTEGER	1655
IB-LswMSTP-MIB::ibdot1sMstVID.1656	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1656	INTEGER	1656
IB-LswMSTP-MIB::ibdot1sMstVID.1657	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1657	INTEGER	1657
IB-LswMSTP-MIB::ibdot1sMstVID.1658	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1658	INTEGER	1658
IB-LswMSTP-MIB::ibdot1sMstVID.1659	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1659	INTEGER	1659
IB-LswMSTP-MIB::ibdot1sMstVID.1660	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1660	INTEGER	1660
IB-LswMSTP-MIB::ibdot1sMstVID.1661	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1661	INTEGER	1661
IB-LswMSTP-MIB::ibdot1sMstVID.1662	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1662	INTEGER	1662
IB-LswMSTP-MIB::ibdot1sMstVID.1663	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1663	INTEGER	1663
IB-LswMSTP-MIB::ibdot1sMstVID.1664	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1664	INTEGER	1664
IB-LswMSTP-MIB::ibdot1sMstVID.1665	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1665	INTEGER	1665
IB-LswMSTP-MIB::ibdot1sMstVID.1666	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1666	INTEGER	1666
IB-LswMSTP-MIB::ibdot1sMstVID.1667	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1667	INTEGER	1667
IB-LswMSTP-MIB::ibdot1sMstVID.1668	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1668	INTEGER	1668
IB-LswMSTP-MIB::ibdot1sMstVID.1669	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1669	INTEGER	1669
IB-LswMSTP-MIB::ibdot1sMstVID.1670	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1670	INTEGER	1670
IB-LswMSTP-MIB::ibdot1sMstVID.1671	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1671	INTEGER	1671
IB-LswMSTP-MIB::ibdot1sMstVID.1672	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1672	INTEGER	1672
IB-LswMSTP-MIB::ibdot1sMstVID.1673	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1673	INTEGER	1673

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1674	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1674	INTEGER	1674
IB-LswMSTP-MIB::ibdot1sMstVID.1675	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1675	INTEGER	1675
IB-LswMSTP-MIB::ibdot1sMstVID.1676	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1676	INTEGER	1676
IB-LswMSTP-MIB::ibdot1sMstVID.1677	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1677	INTEGER	1677
IB-LswMSTP-MIB::ibdot1sMstVID.1678	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1678	INTEGER	1678
IB-LswMSTP-MIB::ibdot1sMstVID.1679	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1679	INTEGER	1679
IB-LswMSTP-MIB::ibdot1sMstVID.1680	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1680	INTEGER	1680
IB-LswMSTP-MIB::ibdot1sMstVID.1681	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1681	INTEGER	1681
IB-LswMSTP-MIB::ibdot1sMstVID.1682	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1682	INTEGER	1682
IB-LswMSTP-MIB::ibdot1sMstVID.1683	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1683	INTEGER	1683
IB-LswMSTP-MIB::ibdot1sMstVID.1684	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1684	INTEGER	1684
IB-LswMSTP-MIB::ibdot1sMstVID.1685	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1685	INTEGER	1685
IB-LswMSTP-MIB::ibdot1sMstVID.1686	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1686	INTEGER	1686
IB-LswMSTP-MIB::ibdot1sMstVID.1687	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1687	INTEGER	1687
IB-LswMSTP-MIB::ibdot1sMstVID.1688	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1688	INTEGER	1688
IB-LswMSTP-MIB::ibdot1sMstVID.1689	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1689	INTEGER	1689
IB-LswMSTP-MIB::ibdot1sMstVID.1690	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1690	INTEGER	1690
IB-LswMSTP-MIB::ibdot1sMstVID.1691	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1691	INTEGER	1691
IB-LswMSTP-MIB::ibdot1sMstVID.1692	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1692	INTEGER	1692
IB-LswMSTP-MIB::ibdot1sMstVID.1693	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1693	INTEGER	1693
IB-LswMSTP-MIB::ibdot1sMstVID.1694	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1694	INTEGER	1694
IB-LswMSTP-MIB::ibdot1sMstVID.1695	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1695	INTEGER	1695
IB-LswMSTP-MIB::ibdot1sMstVID.1696	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1696	INTEGER	1696
IB-LswMSTP-MIB::ibdot1sMstVID.1697	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1697	INTEGER	1697
IB-LswMSTP-MIB::ibdot1sMstVID.1698	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1698	INTEGER	1698
IB-LswMSTP-MIB::ibdot1sMstVID.1699	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1699	INTEGER	1699

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1700	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1700	INTEGER	1700
IB-LswMSTP-MIB::ibdot1sMstVID.1701	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1701	INTEGER	1701
IB-LswMSTP-MIB::ibdot1sMstVID.1702	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1702	INTEGER	1702
IB-LswMSTP-MIB::ibdot1sMstVID.1703	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1703	INTEGER	1703
IB-LswMSTP-MIB::ibdot1sMstVID.1704	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1704	INTEGER	1704
IB-LswMSTP-MIB::ibdot1sMstVID.1705	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1705	INTEGER	1705
IB-LswMSTP-MIB::ibdot1sMstVID.1706	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1706	INTEGER	1706
IB-LswMSTP-MIB::ibdot1sMstVID.1707	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1707	INTEGER	1707
IB-LswMSTP-MIB::ibdot1sMstVID.1708	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1708	INTEGER	1708
IB-LswMSTP-MIB::ibdot1sMstVID.1709	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1709	INTEGER	1709
IB-LswMSTP-MIB::ibdot1sMstVID.1710	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1710	INTEGER	1710
IB-LswMSTP-MIB::ibdot1sMstVID.1711	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1711	INTEGER	1711
IB-LswMSTP-MIB::ibdot1sMstVID.1712	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1712	INTEGER	1712
IB-LswMSTP-MIB::ibdot1sMstVID.1713	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1713	INTEGER	1713
IB-LswMSTP-MIB::ibdot1sMstVID.1714	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1714	INTEGER	1714
IB-LswMSTP-MIB::ibdot1sMstVID.1715	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1715	INTEGER	1715
IB-LswMSTP-MIB::ibdot1sMstVID.1716	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1716	INTEGER	1716
IB-LswMSTP-MIB::ibdot1sMstVID.1717	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1717	INTEGER	1717
IB-LswMSTP-MIB::ibdot1sMstVID.1718	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1718	INTEGER	1718
IB-LswMSTP-MIB::ibdot1sMstVID.1719	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1719	INTEGER	1719
IB-LswMSTP-MIB::ibdot1sMstVID.1720	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1720	INTEGER	1720
IB-LswMSTP-MIB::ibdot1sMstVID.1721	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1721	INTEGER	1721
IB-LswMSTP-MIB::ibdot1sMstVID.1722	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1722	INTEGER	1722
IB-LswMSTP-MIB::ibdot1sMstVID.1723	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1723	INTEGER	1723
IB-LswMSTP-MIB::ibdot1sMstVID.1724	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1724	INTEGER	1724
IB-LswMSTP-MIB::ibdot1sMstVID.1725	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1725	INTEGER	1725

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1726	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1726	INTEGER	1726
IB-LswMSTP-MIB::ibdot1sMstVID.1727	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1727	INTEGER	1727
IB-LswMSTP-MIB::ibdot1sMstVID.1728	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1728	INTEGER	1728
IB-LswMSTP-MIB::ibdot1sMstVID.1729	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1729	INTEGER	1729
IB-LswMSTP-MIB::ibdot1sMstVID.1730	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1730	INTEGER	1730
IB-LswMSTP-MIB::ibdot1sMstVID.1731	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1731	INTEGER	1731
IB-LswMSTP-MIB::ibdot1sMstVID.1732	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1732	INTEGER	1732
IB-LswMSTP-MIB::ibdot1sMstVID.1733	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1733	INTEGER	1733
IB-LswMSTP-MIB::ibdot1sMstVID.1734	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1734	INTEGER	1734
IB-LswMSTP-MIB::ibdot1sMstVID.1735	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1735	INTEGER	1735
IB-LswMSTP-MIB::ibdot1sMstVID.1736	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1736	INTEGER	1736
IB-LswMSTP-MIB::ibdot1sMstVID.1737	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1737	INTEGER	1737
IB-LswMSTP-MIB::ibdot1sMstVID.1738	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1738	INTEGER	1738
IB-LswMSTP-MIB::ibdot1sMstVID.1739	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1739	INTEGER	1739
IB-LswMSTP-MIB::ibdot1sMstVID.1740	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1740	INTEGER	1740
IB-LswMSTP-MIB::ibdot1sMstVID.1741	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1741	INTEGER	1741
IB-LswMSTP-MIB::ibdot1sMstVID.1742	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1742	INTEGER	1742
IB-LswMSTP-MIB::ibdot1sMstVID.1743	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1743	INTEGER	1743
IB-LswMSTP-MIB::ibdot1sMstVID.1744	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1744	INTEGER	1744
IB-LswMSTP-MIB::ibdot1sMstVID.1745	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1745	INTEGER	1745
IB-LswMSTP-MIB::ibdot1sMstVID.1746	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1746	INTEGER	1746
IB-LswMSTP-MIB::ibdot1sMstVID.1747	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1747	INTEGER	1747
IB-LswMSTP-MIB::ibdot1sMstVID.1748	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1748	INTEGER	1748
IB-LswMSTP-MIB::ibdot1sMstVID.1749	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1749	INTEGER	1749
IB-LswMSTP-MIB::ibdot1sMstVID.1750	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1750	INTEGER	1750
IB-LswMSTP-MIB::ibdot1sMstVID.1751	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1751	INTEGER	1751

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1752	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1752	INTEGER	1752
IB-LswMSTP-MIB::ibdot1sMstVID.1753	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1753	INTEGER	1753
IB-LswMSTP-MIB::ibdot1sMstVID.1754	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1754	INTEGER	1754
IB-LswMSTP-MIB::ibdot1sMstVID.1755	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1755	INTEGER	1755
IB-LswMSTP-MIB::ibdot1sMstVID.1756	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1756	INTEGER	1756
IB-LswMSTP-MIB::ibdot1sMstVID.1757	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1757	INTEGER	1757
IB-LswMSTP-MIB::ibdot1sMstVID.1758	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1758	INTEGER	1758
IB-LswMSTP-MIB::ibdot1sMstVID.1759	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1759	INTEGER	1759
IB-LswMSTP-MIB::ibdot1sMstVID.1760	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1760	INTEGER	1760
IB-LswMSTP-MIB::ibdot1sMstVID.1761	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1761	INTEGER	1761
IB-LswMSTP-MIB::ibdot1sMstVID.1762	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1762	INTEGER	1762
IB-LswMSTP-MIB::ibdot1sMstVID.1763	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1763	INTEGER	1763
IB-LswMSTP-MIB::ibdot1sMstVID.1764	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1764	INTEGER	1764
IB-LswMSTP-MIB::ibdot1sMstVID.1765	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1765	INTEGER	1765
IB-LswMSTP-MIB::ibdot1sMstVID.1766	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1766	INTEGER	1766
IB-LswMSTP-MIB::ibdot1sMstVID.1767	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1767	INTEGER	1767
IB-LswMSTP-MIB::ibdot1sMstVID.1768	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1768	INTEGER	1768
IB-LswMSTP-MIB::ibdot1sMstVID.1769	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1769	INTEGER	1769
IB-LswMSTP-MIB::ibdot1sMstVID.1770	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1770	INTEGER	1770
IB-LswMSTP-MIB::ibdot1sMstVID.1771	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1771	INTEGER	1771
IB-LswMSTP-MIB::ibdot1sMstVID.1772	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1772	INTEGER	1772
IB-LswMSTP-MIB::ibdot1sMstVID.1773	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1773	INTEGER	1773
IB-LswMSTP-MIB::ibdot1sMstVID.1774	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1774	INTEGER	1774
IB-LswMSTP-MIB::ibdot1sMstVID.1775	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1775	INTEGER	1775
IB-LswMSTP-MIB::ibdot1sMstVID.1776	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1776	INTEGER	1776
IB-LswMSTP-MIB::ibdot1sMstVID.1777	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1777	INTEGER	1777

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1778	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1778	INTEGER	1778
IB-LswMSTP-MIB::ibdot1sMstVID.1779	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1779	INTEGER	1779
IB-LswMSTP-MIB::ibdot1sMstVID.1780	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1780	INTEGER	1780
IB-LswMSTP-MIB::ibdot1sMstVID.1781	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1781	INTEGER	1781
IB-LswMSTP-MIB::ibdot1sMstVID.1782	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1782	INTEGER	1782
IB-LswMSTP-MIB::ibdot1sMstVID.1783	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1783	INTEGER	1783
IB-LswMSTP-MIB::ibdot1sMstVID.1784	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1784	INTEGER	1784
IB-LswMSTP-MIB::ibdot1sMstVID.1785	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1785	INTEGER	1785
IB-LswMSTP-MIB::ibdot1sMstVID.1786	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1786	INTEGER	1786
IB-LswMSTP-MIB::ibdot1sMstVID.1787	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1787	INTEGER	1787
IB-LswMSTP-MIB::ibdot1sMstVID.1788	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1788	INTEGER	1788
IB-LswMSTP-MIB::ibdot1sMstVID.1789	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1789	INTEGER	1789
IB-LswMSTP-MIB::ibdot1sMstVID.1790	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1790	INTEGER	1790
IB-LswMSTP-MIB::ibdot1sMstVID.1791	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1791	INTEGER	1791
IB-LswMSTP-MIB::ibdot1sMstVID.1792	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1792	INTEGER	1792
IB-LswMSTP-MIB::ibdot1sMstVID.1793	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1793	INTEGER	1793
IB-LswMSTP-MIB::ibdot1sMstVID.1794	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1794	INTEGER	1794
IB-LswMSTP-MIB::ibdot1sMstVID.1795	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1795	INTEGER	1795
IB-LswMSTP-MIB::ibdot1sMstVID.1796	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1796	INTEGER	1796
IB-LswMSTP-MIB::ibdot1sMstVID.1797	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1797	INTEGER	1797
IB-LswMSTP-MIB::ibdot1sMstVID.1798	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1798	INTEGER	1798
IB-LswMSTP-MIB::ibdot1sMstVID.1799	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1799	INTEGER	1799
IB-LswMSTP-MIB::ibdot1sMstVID.1800	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1800	INTEGER	1800
IB-LswMSTP-MIB::ibdot1sMstVID.1801	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1801	INTEGER	1801
IB-LswMSTP-MIB::ibdot1sMstVID.1802	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1802	INTEGER	1802
IB-LswMSTP-MIB::ibdot1sMstVID.1803	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1803	INTEGER	1803

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1804	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1804	INTEGER	1804
IB-LswMSTP-MIB::ibdot1sMstVID.1805	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1805	INTEGER	1805
IB-LswMSTP-MIB::ibdot1sMstVID.1806	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1806	INTEGER	1806
IB-LswMSTP-MIB::ibdot1sMstVID.1807	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1807	INTEGER	1807
IB-LswMSTP-MIB::ibdot1sMstVID.1808	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1808	INTEGER	1808
IB-LswMSTP-MIB::ibdot1sMstVID.1809	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1809	INTEGER	1809
IB-LswMSTP-MIB::ibdot1sMstVID.1810	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1810	INTEGER	1810
IB-LswMSTP-MIB::ibdot1sMstVID.1811	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1811	INTEGER	1811
IB-LswMSTP-MIB::ibdot1sMstVID.1812	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1812	INTEGER	1812
IB-LswMSTP-MIB::ibdot1sMstVID.1813	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1813	INTEGER	1813
IB-LswMSTP-MIB::ibdot1sMstVID.1814	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1814	INTEGER	1814
IB-LswMSTP-MIB::ibdot1sMstVID.1815	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1815	INTEGER	1815
IB-LswMSTP-MIB::ibdot1sMstVID.1816	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1816	INTEGER	1816
IB-LswMSTP-MIB::ibdot1sMstVID.1817	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1817	INTEGER	1817
IB-LswMSTP-MIB::ibdot1sMstVID.1818	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1818	INTEGER	1818
IB-LswMSTP-MIB::ibdot1sMstVID.1819	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1819	INTEGER	1819
IB-LswMSTP-MIB::ibdot1sMstVID.1820	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1820	INTEGER	1820
IB-LswMSTP-MIB::ibdot1sMstVID.1821	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1821	INTEGER	1821
IB-LswMSTP-MIB::ibdot1sMstVID.1822	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1822	INTEGER	1822
IB-LswMSTP-MIB::ibdot1sMstVID.1823	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1823	INTEGER	1823
IB-LswMSTP-MIB::ibdot1sMstVID.1824	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1824	INTEGER	1824
IB-LswMSTP-MIB::ibdot1sMstVID.1825	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1825	INTEGER	1825
IB-LswMSTP-MIB::ibdot1sMstVID.1826	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1826	INTEGER	1826
IB-LswMSTP-MIB::ibdot1sMstVID.1827	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1827	INTEGER	1827
IB-LswMSTP-MIB::ibdot1sMstVID.1828	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1828	INTEGER	1828
IB-LswMSTP-MIB::ibdot1sMstVID.1829	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1829	INTEGER	1829

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1830	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1830	INTEGER	1830
IB-LswMSTP-MIB::ibdot1sMstVID.1831	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1831	INTEGER	1831
IB-LswMSTP-MIB::ibdot1sMstVID.1832	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1832	INTEGER	1832
IB-LswMSTP-MIB::ibdot1sMstVID.1833	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1833	INTEGER	1833
IB-LswMSTP-MIB::ibdot1sMstVID.1834	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1834	INTEGER	1834
IB-LswMSTP-MIB::ibdot1sMstVID.1835	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1835	INTEGER	1835
IB-LswMSTP-MIB::ibdot1sMstVID.1836	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1836	INTEGER	1836
IB-LswMSTP-MIB::ibdot1sMstVID.1837	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1837	INTEGER	1837
IB-LswMSTP-MIB::ibdot1sMstVID.1838	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1838	INTEGER	1838
IB-LswMSTP-MIB::ibdot1sMstVID.1839	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1839	INTEGER	1839
IB-LswMSTP-MIB::ibdot1sMstVID.1840	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1840	INTEGER	1840
IB-LswMSTP-MIB::ibdot1sMstVID.1841	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1841	INTEGER	1841
IB-LswMSTP-MIB::ibdot1sMstVID.1842	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1842	INTEGER	1842
IB-LswMSTP-MIB::ibdot1sMstVID.1843	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1843	INTEGER	1843
IB-LswMSTP-MIB::ibdot1sMstVID.1844	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1844	INTEGER	1844
IB-LswMSTP-MIB::ibdot1sMstVID.1845	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1845	INTEGER	1845
IB-LswMSTP-MIB::ibdot1sMstVID.1846	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1846	INTEGER	1846
IB-LswMSTP-MIB::ibdot1sMstVID.1847	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1847	INTEGER	1847
IB-LswMSTP-MIB::ibdot1sMstVID.1848	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1848	INTEGER	1848
IB-LswMSTP-MIB::ibdot1sMstVID.1849	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1849	INTEGER	1849
IB-LswMSTP-MIB::ibdot1sMstVID.1850	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1850	INTEGER	1850
IB-LswMSTP-MIB::ibdot1sMstVID.1851	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1851	INTEGER	1851
IB-LswMSTP-MIB::ibdot1sMstVID.1852	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1852	INTEGER	1852
IB-LswMSTP-MIB::ibdot1sMstVID.1853	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1853	INTEGER	1853
IB-LswMSTP-MIB::ibdot1sMstVID.1854	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1854	INTEGER	1854
IB-LswMSTP-MIB::ibdot1sMstVID.1855	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1855	INTEGER	1855

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1856	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1856	INTEGER	1856
IB-LswMSTP-MIB::ibdot1sMstVID.1857	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1857	INTEGER	1857
IB-LswMSTP-MIB::ibdot1sMstVID.1858	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1858	INTEGER	1858
IB-LswMSTP-MIB::ibdot1sMstVID.1859	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1859	INTEGER	1859
IB-LswMSTP-MIB::ibdot1sMstVID.1860	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1860	INTEGER	1860
IB-LswMSTP-MIB::ibdot1sMstVID.1861	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1861	INTEGER	1861
IB-LswMSTP-MIB::ibdot1sMstVID.1862	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1862	INTEGER	1862
IB-LswMSTP-MIB::ibdot1sMstVID.1863	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1863	INTEGER	1863
IB-LswMSTP-MIB::ibdot1sMstVID.1864	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1864	INTEGER	1864
IB-LswMSTP-MIB::ibdot1sMstVID.1865	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1865	INTEGER	1865
IB-LswMSTP-MIB::ibdot1sMstVID.1866	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1866	INTEGER	1866
IB-LswMSTP-MIB::ibdot1sMstVID.1867	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1867	INTEGER	1867
IB-LswMSTP-MIB::ibdot1sMstVID.1868	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1868	INTEGER	1868
IB-LswMSTP-MIB::ibdot1sMstVID.1869	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1869	INTEGER	1869
IB-LswMSTP-MIB::ibdot1sMstVID.1870	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1870	INTEGER	1870
IB-LswMSTP-MIB::ibdot1sMstVID.1871	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1871	INTEGER	1871
IB-LswMSTP-MIB::ibdot1sMstVID.1872	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1872	INTEGER	1872
IB-LswMSTP-MIB::ibdot1sMstVID.1873	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1873	INTEGER	1873
IB-LswMSTP-MIB::ibdot1sMstVID.1874	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1874	INTEGER	1874
IB-LswMSTP-MIB::ibdot1sMstVID.1875	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1875	INTEGER	1875
IB-LswMSTP-MIB::ibdot1sMstVID.1876	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1876	INTEGER	1876
IB-LswMSTP-MIB::ibdot1sMstVID.1877	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1877	INTEGER	1877
IB-LswMSTP-MIB::ibdot1sMstVID.1878	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1878	INTEGER	1878
IB-LswMSTP-MIB::ibdot1sMstVID.1879	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1879	INTEGER	1879
IB-LswMSTP-MIB::ibdot1sMstVID.1880	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1880	INTEGER	1880
IB-LswMSTP-MIB::ibdot1sMstVID.1881	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1881	INTEGER	1881

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1882	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1882	INTEGER	1882
IB-LswMSTP-MIB::ibdot1sMstVID.1883	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1883	INTEGER	1883
IB-LswMSTP-MIB::ibdot1sMstVID.1884	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1884	INTEGER	1884
IB-LswMSTP-MIB::ibdot1sMstVID.1885	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1885	INTEGER	1885
IB-LswMSTP-MIB::ibdot1sMstVID.1886	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1886	INTEGER	1886
IB-LswMSTP-MIB::ibdot1sMstVID.1887	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1887	INTEGER	1887
IB-LswMSTP-MIB::ibdot1sMstVID.1888	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1888	INTEGER	1888
IB-LswMSTP-MIB::ibdot1sMstVID.1889	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1889	INTEGER	1889
IB-LswMSTP-MIB::ibdot1sMstVID.1890	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1890	INTEGER	1890
IB-LswMSTP-MIB::ibdot1sMstVID.1891	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1891	INTEGER	1891
IB-LswMSTP-MIB::ibdot1sMstVID.1892	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1892	INTEGER	1892
IB-LswMSTP-MIB::ibdot1sMstVID.1893	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1893	INTEGER	1893
IB-LswMSTP-MIB::ibdot1sMstVID.1894	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1894	INTEGER	1894
IB-LswMSTP-MIB::ibdot1sMstVID.1895	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1895	INTEGER	1895
IB-LswMSTP-MIB::ibdot1sMstVID.1896	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1896	INTEGER	1896
IB-LswMSTP-MIB::ibdot1sMstVID.1897	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1897	INTEGER	1897
IB-LswMSTP-MIB::ibdot1sMstVID.1898	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1898	INTEGER	1898
IB-LswMSTP-MIB::ibdot1sMstVID.1899	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1899	INTEGER	1899
IB-LswMSTP-MIB::ibdot1sMstVID.1900	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1900	INTEGER	1900
IB-LswMSTP-MIB::ibdot1sMstVID.1901	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1901	INTEGER	1901
IB-LswMSTP-MIB::ibdot1sMstVID.1902	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1902	INTEGER	1902
IB-LswMSTP-MIB::ibdot1sMstVID.1903	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1903	INTEGER	1903
IB-LswMSTP-MIB::ibdot1sMstVID.1904	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1904	INTEGER	1904
IB-LswMSTP-MIB::ibdot1sMstVID.1905	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1905	INTEGER	1905
IB-LswMSTP-MIB::ibdot1sMstVID.1906	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1906	INTEGER	1906
IB-LswMSTP-MIB::ibdot1sMstVID.1907	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1907	INTEGER	1907

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1908	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1908	INTEGER	1908
IB-LswMSTP-MIB::ibdot1sMstVID.1909	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1909	INTEGER	1909
IB-LswMSTP-MIB::ibdot1sMstVID.1910	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1910	INTEGER	1910
IB-LswMSTP-MIB::ibdot1sMstVID.1911	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1911	INTEGER	1911
IB-LswMSTP-MIB::ibdot1sMstVID.1912	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1912	INTEGER	1912
IB-LswMSTP-MIB::ibdot1sMstVID.1913	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1913	INTEGER	1913
IB-LswMSTP-MIB::ibdot1sMstVID.1914	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1914	INTEGER	1914
IB-LswMSTP-MIB::ibdot1sMstVID.1915	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1915	INTEGER	1915
IB-LswMSTP-MIB::ibdot1sMstVID.1916	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1916	INTEGER	1916
IB-LswMSTP-MIB::ibdot1sMstVID.1917	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1917	INTEGER	1917
IB-LswMSTP-MIB::ibdot1sMstVID.1918	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1918	INTEGER	1918
IB-LswMSTP-MIB::ibdot1sMstVID.1919	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1919	INTEGER	1919
IB-LswMSTP-MIB::ibdot1sMstVID.1920	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1920	INTEGER	1920
IB-LswMSTP-MIB::ibdot1sMstVID.1921	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1921	INTEGER	1921
IB-LswMSTP-MIB::ibdot1sMstVID.1922	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1922	INTEGER	1922
IB-LswMSTP-MIB::ibdot1sMstVID.1923	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1923	INTEGER	1923
IB-LswMSTP-MIB::ibdot1sMstVID.1924	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1924	INTEGER	1924
IB-LswMSTP-MIB::ibdot1sMstVID.1925	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1925	INTEGER	1925
IB-LswMSTP-MIB::ibdot1sMstVID.1926	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1926	INTEGER	1926
IB-LswMSTP-MIB::ibdot1sMstVID.1927	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1927	INTEGER	1927
IB-LswMSTP-MIB::ibdot1sMstVID.1928	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1928	INTEGER	1928
IB-LswMSTP-MIB::ibdot1sMstVID.1929	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1929	INTEGER	1929
IB-LswMSTP-MIB::ibdot1sMstVID.1930	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1930	INTEGER	1930
IB-LswMSTP-MIB::ibdot1sMstVID.1931	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1931	INTEGER	1931
IB-LswMSTP-MIB::ibdot1sMstVID.1932	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1932	INTEGER	1932
IB-LswMSTP-MIB::ibdot1sMstVID.1933	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1933	INTEGER	1933

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1934	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1934	INTEGER	1934
IB-LswMSTP-MIB::ibdot1sMstVID.1935	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1935	INTEGER	1935
IB-LswMSTP-MIB::ibdot1sMstVID.1936	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1936	INTEGER	1936
IB-LswMSTP-MIB::ibdot1sMstVID.1937	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1937	INTEGER	1937
IB-LswMSTP-MIB::ibdot1sMstVID.1938	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1938	INTEGER	1938
IB-LswMSTP-MIB::ibdot1sMstVID.1939	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1939	INTEGER	1939
IB-LswMSTP-MIB::ibdot1sMstVID.1940	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1940	INTEGER	1940
IB-LswMSTP-MIB::ibdot1sMstVID.1941	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1941	INTEGER	1941
IB-LswMSTP-MIB::ibdot1sMstVID.1942	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1942	INTEGER	1942
IB-LswMSTP-MIB::ibdot1sMstVID.1943	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1943	INTEGER	1943
IB-LswMSTP-MIB::ibdot1sMstVID.1944	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1944	INTEGER	1944
IB-LswMSTP-MIB::ibdot1sMstVID.1945	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1945	INTEGER	1945
IB-LswMSTP-MIB::ibdot1sMstVID.1946	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1946	INTEGER	1946
IB-LswMSTP-MIB::ibdot1sMstVID.1947	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1947	INTEGER	1947
IB-LswMSTP-MIB::ibdot1sMstVID.1948	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1948	INTEGER	1948
IB-LswMSTP-MIB::ibdot1sMstVID.1949	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1949	INTEGER	1949
IB-LswMSTP-MIB::ibdot1sMstVID.1950	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1950	INTEGER	1950
IB-LswMSTP-MIB::ibdot1sMstVID.1951	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1951	INTEGER	1951
IB-LswMSTP-MIB::ibdot1sMstVID.1952	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1952	INTEGER	1952
IB-LswMSTP-MIB::ibdot1sMstVID.1953	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1953	INTEGER	1953
IB-LswMSTP-MIB::ibdot1sMstVID.1954	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1954	INTEGER	1954
IB-LswMSTP-MIB::ibdot1sMstVID.1955	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1955	INTEGER	1955
IB-LswMSTP-MIB::ibdot1sMstVID.1956	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1956	INTEGER	1956
IB-LswMSTP-MIB::ibdot1sMstVID.1957	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1957	INTEGER	1957
IB-LswMSTP-MIB::ibdot1sMstVID.1958	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1958	INTEGER	1958
IB-LswMSTP-MIB::ibdot1sMstVID.1959	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1959	INTEGER	1959

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1960	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1960	INTEGER	1960
IB-LswMSTP-MIB::ibdot1sMstVID.1961	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1961	INTEGER	1961
IB-LswMSTP-MIB::ibdot1sMstVID.1962	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1962	INTEGER	1962
IB-LswMSTP-MIB::ibdot1sMstVID.1963	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1963	INTEGER	1963
IB-LswMSTP-MIB::ibdot1sMstVID.1964	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1964	INTEGER	1964
IB-LswMSTP-MIB::ibdot1sMstVID.1965	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1965	INTEGER	1965
IB-LswMSTP-MIB::ibdot1sMstVID.1966	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1966	INTEGER	1966
IB-LswMSTP-MIB::ibdot1sMstVID.1967	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1967	INTEGER	1967
IB-LswMSTP-MIB::ibdot1sMstVID.1968	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1968	INTEGER	1968
IB-LswMSTP-MIB::ibdot1sMstVID.1969	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1969	INTEGER	1969
IB-LswMSTP-MIB::ibdot1sMstVID.1970	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1970	INTEGER	1970
IB-LswMSTP-MIB::ibdot1sMstVID.1971	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1971	INTEGER	1971
IB-LswMSTP-MIB::ibdot1sMstVID.1972	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1972	INTEGER	1972
IB-LswMSTP-MIB::ibdot1sMstVID.1973	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1973	INTEGER	1973
IB-LswMSTP-MIB::ibdot1sMstVID.1974	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1974	INTEGER	1974
IB-LswMSTP-MIB::ibdot1sMstVID.1975	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1975	INTEGER	1975
IB-LswMSTP-MIB::ibdot1sMstVID.1976	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1976	INTEGER	1976
IB-LswMSTP-MIB::ibdot1sMstVID.1977	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1977	INTEGER	1977
IB-LswMSTP-MIB::ibdot1sMstVID.1978	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1978	INTEGER	1978
IB-LswMSTP-MIB::ibdot1sMstVID.1979	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1979	INTEGER	1979
IB-LswMSTP-MIB::ibdot1sMstVID.1980	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1980	INTEGER	1980
IB-LswMSTP-MIB::ibdot1sMstVID.1981	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1981	INTEGER	1981
IB-LswMSTP-MIB::ibdot1sMstVID.1982	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1982	INTEGER	1982
IB-LswMSTP-MIB::ibdot1sMstVID.1983	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1983	INTEGER	1983
IB-LswMSTP-MIB::ibdot1sMstVID.1984	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1984	INTEGER	1984
IB-LswMSTP-MIB::ibdot1sMstVID.1985	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1985	INTEGER	1985

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.1986	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1986	INTEGER	1986
IB-LswMSTP-MIB::ibdot1sMstVID.1987	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1987	INTEGER	1987
IB-LswMSTP-MIB::ibdot1sMstVID.1988	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1988	INTEGER	1988
IB-LswMSTP-MIB::ibdot1sMstVID.1989	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1989	INTEGER	1989
IB-LswMSTP-MIB::ibdot1sMstVID.1990	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1990	INTEGER	1990
IB-LswMSTP-MIB::ibdot1sMstVID.1991	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1991	INTEGER	1991
IB-LswMSTP-MIB::ibdot1sMstVID.1992	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1992	INTEGER	1992
IB-LswMSTP-MIB::ibdot1sMstVID.1993	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1993	INTEGER	1993
IB-LswMSTP-MIB::ibdot1sMstVID.1994	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1994	INTEGER	1994
IB-LswMSTP-MIB::ibdot1sMstVID.1995	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1995	INTEGER	1995
IB-LswMSTP-MIB::ibdot1sMstVID.1996	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1996	INTEGER	1996
IB-LswMSTP-MIB::ibdot1sMstVID.1997	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1997	INTEGER	1997
IB-LswMSTP-MIB::ibdot1sMstVID.1998	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1998	INTEGER	1998
IB-LswMSTP-MIB::ibdot1sMstVID.1999	.1.3.6.1.4.1.26138.8.35.14.18.1.1.1999	INTEGER	1999
IB-LswMSTP-MIB::ibdot1sMstVID.2000	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2000	INTEGER	2000
IB-LswMSTP-MIB::ibdot1sMstVID.2001	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2001	INTEGER	2001
IB-LswMSTP-MIB::ibdot1sMstVID.2002	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2002	INTEGER	2002
IB-LswMSTP-MIB::ibdot1sMstVID.2003	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2003	INTEGER	2003
IB-LswMSTP-MIB::ibdot1sMstVID.2004	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2004	INTEGER	2004
IB-LswMSTP-MIB::ibdot1sMstVID.2005	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2005	INTEGER	2005
IB-LswMSTP-MIB::ibdot1sMstVID.2006	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2006	INTEGER	2006
IB-LswMSTP-MIB::ibdot1sMstVID.2007	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2007	INTEGER	2007
IB-LswMSTP-MIB::ibdot1sMstVID.2008	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2008	INTEGER	2008
IB-LswMSTP-MIB::ibdot1sMstVID.2009	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2009	INTEGER	2009
IB-LswMSTP-MIB::ibdot1sMstVID.2010	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2010	INTEGER	2010
IB-LswMSTP-MIB::ibdot1sMstVID.2011	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2011	INTEGER	2011

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2012	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2012	INTEGER	2012
IB-LswMSTP-MIB::ibdot1sMstVID.2013	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2013	INTEGER	2013
IB-LswMSTP-MIB::ibdot1sMstVID.2014	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2014	INTEGER	2014
IB-LswMSTP-MIB::ibdot1sMstVID.2015	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2015	INTEGER	2015
IB-LswMSTP-MIB::ibdot1sMstVID.2016	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2016	INTEGER	2016
IB-LswMSTP-MIB::ibdot1sMstVID.2017	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2017	INTEGER	2017
IB-LswMSTP-MIB::ibdot1sMstVID.2018	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2018	INTEGER	2018
IB-LswMSTP-MIB::ibdot1sMstVID.2019	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2019	INTEGER	2019
IB-LswMSTP-MIB::ibdot1sMstVID.2020	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2020	INTEGER	2020
IB-LswMSTP-MIB::ibdot1sMstVID.2021	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2021	INTEGER	2021
IB-LswMSTP-MIB::ibdot1sMstVID.2022	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2022	INTEGER	2022
IB-LswMSTP-MIB::ibdot1sMstVID.2023	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2023	INTEGER	2023
IB-LswMSTP-MIB::ibdot1sMstVID.2024	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2024	INTEGER	2024
IB-LswMSTP-MIB::ibdot1sMstVID.2025	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2025	INTEGER	2025
IB-LswMSTP-MIB::ibdot1sMstVID.2026	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2026	INTEGER	2026
IB-LswMSTP-MIB::ibdot1sMstVID.2027	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2027	INTEGER	2027
IB-LswMSTP-MIB::ibdot1sMstVID.2028	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2028	INTEGER	2028
IB-LswMSTP-MIB::ibdot1sMstVID.2029	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2029	INTEGER	2029
IB-LswMSTP-MIB::ibdot1sMstVID.2030	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2030	INTEGER	2030
IB-LswMSTP-MIB::ibdot1sMstVID.2031	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2031	INTEGER	2031
IB-LswMSTP-MIB::ibdot1sMstVID.2032	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2032	INTEGER	2032
IB-LswMSTP-MIB::ibdot1sMstVID.2033	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2033	INTEGER	2033
IB-LswMSTP-MIB::ibdot1sMstVID.2034	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2034	INTEGER	2034
IB-LswMSTP-MIB::ibdot1sMstVID.2035	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2035	INTEGER	2035
IB-LswMSTP-MIB::ibdot1sMstVID.2036	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2036	INTEGER	2036
IB-LswMSTP-MIB::ibdot1sMstVID.2037	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2037	INTEGER	2037

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2038	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2038	INTEGER	2038
IB-LswMSTP-MIB::ibdot1sMstVID.2039	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2039	INTEGER	2039
IB-LswMSTP-MIB::ibdot1sMstVID.2040	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2040	INTEGER	2040
IB-LswMSTP-MIB::ibdot1sMstVID.2041	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2041	INTEGER	2041
IB-LswMSTP-MIB::ibdot1sMstVID.2042	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2042	INTEGER	2042
IB-LswMSTP-MIB::ibdot1sMstVID.2043	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2043	INTEGER	2043
IB-LswMSTP-MIB::ibdot1sMstVID.2044	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2044	INTEGER	2044
IB-LswMSTP-MIB::ibdot1sMstVID.2045	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2045	INTEGER	2045
IB-LswMSTP-MIB::ibdot1sMstVID.2046	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2046	INTEGER	2046
IB-LswMSTP-MIB::ibdot1sMstVID.2047	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2047	INTEGER	2047
IB-LswMSTP-MIB::ibdot1sMstVID.2048	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2048	INTEGER	2048
IB-LswMSTP-MIB::ibdot1sMstVID.2049	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2049	INTEGER	2049
IB-LswMSTP-MIB::ibdot1sMstVID.2050	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2050	INTEGER	2050
IB-LswMSTP-MIB::ibdot1sMstVID.2051	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2051	INTEGER	2051
IB-LswMSTP-MIB::ibdot1sMstVID.2052	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2052	INTEGER	2052
IB-LswMSTP-MIB::ibdot1sMstVID.2053	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2053	INTEGER	2053
IB-LswMSTP-MIB::ibdot1sMstVID.2054	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2054	INTEGER	2054
IB-LswMSTP-MIB::ibdot1sMstVID.2055	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2055	INTEGER	2055
IB-LswMSTP-MIB::ibdot1sMstVID.2056	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2056	INTEGER	2056
IB-LswMSTP-MIB::ibdot1sMstVID.2057	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2057	INTEGER	2057
IB-LswMSTP-MIB::ibdot1sMstVID.2058	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2058	INTEGER	2058
IB-LswMSTP-MIB::ibdot1sMstVID.2059	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2059	INTEGER	2059
IB-LswMSTP-MIB::ibdot1sMstVID.2060	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2060	INTEGER	2060
IB-LswMSTP-MIB::ibdot1sMstVID.2061	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2061	INTEGER	2061
IB-LswMSTP-MIB::ibdot1sMstVID.2062	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2062	INTEGER	2062
IB-LswMSTP-MIB::ibdot1sMstVID.2063	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2063	INTEGER	2063

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2064	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2064	INTEGER	2064
IB-LswMSTP-MIB::ibdot1sMstVID.2065	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2065	INTEGER	2065
IB-LswMSTP-MIB::ibdot1sMstVID.2066	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2066	INTEGER	2066
IB-LswMSTP-MIB::ibdot1sMstVID.2067	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2067	INTEGER	2067
IB-LswMSTP-MIB::ibdot1sMstVID.2068	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2068	INTEGER	2068
IB-LswMSTP-MIB::ibdot1sMstVID.2069	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2069	INTEGER	2069
IB-LswMSTP-MIB::ibdot1sMstVID.2070	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2070	INTEGER	2070
IB-LswMSTP-MIB::ibdot1sMstVID.2071	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2071	INTEGER	2071
IB-LswMSTP-MIB::ibdot1sMstVID.2072	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2072	INTEGER	2072
IB-LswMSTP-MIB::ibdot1sMstVID.2073	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2073	INTEGER	2073
IB-LswMSTP-MIB::ibdot1sMstVID.2074	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2074	INTEGER	2074
IB-LswMSTP-MIB::ibdot1sMstVID.2075	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2075	INTEGER	2075
IB-LswMSTP-MIB::ibdot1sMstVID.2076	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2076	INTEGER	2076
IB-LswMSTP-MIB::ibdot1sMstVID.2077	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2077	INTEGER	2077
IB-LswMSTP-MIB::ibdot1sMstVID.2078	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2078	INTEGER	2078
IB-LswMSTP-MIB::ibdot1sMstVID.2079	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2079	INTEGER	2079
IB-LswMSTP-MIB::ibdot1sMstVID.2080	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2080	INTEGER	2080
IB-LswMSTP-MIB::ibdot1sMstVID.2081	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2081	INTEGER	2081
IB-LswMSTP-MIB::ibdot1sMstVID.2082	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2082	INTEGER	2082
IB-LswMSTP-MIB::ibdot1sMstVID.2083	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2083	INTEGER	2083
IB-LswMSTP-MIB::ibdot1sMstVID.2084	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2084	INTEGER	2084
IB-LswMSTP-MIB::ibdot1sMstVID.2085	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2085	INTEGER	2085
IB-LswMSTP-MIB::ibdot1sMstVID.2086	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2086	INTEGER	2086
IB-LswMSTP-MIB::ibdot1sMstVID.2087	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2087	INTEGER	2087
IB-LswMSTP-MIB::ibdot1sMstVID.2088	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2088	INTEGER	2088
IB-LswMSTP-MIB::ibdot1sMstVID.2089	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2089	INTEGER	2089

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2090	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2090	INTEGER	2090
IB-LswMSTP-MIB::ibdot1sMstVID.2091	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2091	INTEGER	2091
IB-LswMSTP-MIB::ibdot1sMstVID.2092	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2092	INTEGER	2092
IB-LswMSTP-MIB::ibdot1sMstVID.2093	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2093	INTEGER	2093
IB-LswMSTP-MIB::ibdot1sMstVID.2094	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2094	INTEGER	2094
IB-LswMSTP-MIB::ibdot1sMstVID.2095	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2095	INTEGER	2095
IB-LswMSTP-MIB::ibdot1sMstVID.2096	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2096	INTEGER	2096
IB-LswMSTP-MIB::ibdot1sMstVID.2097	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2097	INTEGER	2097
IB-LswMSTP-MIB::ibdot1sMstVID.2098	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2098	INTEGER	2098
IB-LswMSTP-MIB::ibdot1sMstVID.2099	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2099	INTEGER	2099
IB-LswMSTP-MIB::ibdot1sMstVID.2100	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2100	INTEGER	2100
IB-LswMSTP-MIB::ibdot1sMstVID.2101	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2101	INTEGER	2101
IB-LswMSTP-MIB::ibdot1sMstVID.2102	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2102	INTEGER	2102
IB-LswMSTP-MIB::ibdot1sMstVID.2103	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2103	INTEGER	2103
IB-LswMSTP-MIB::ibdot1sMstVID.2104	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2104	INTEGER	2104
IB-LswMSTP-MIB::ibdot1sMstVID.2105	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2105	INTEGER	2105
IB-LswMSTP-MIB::ibdot1sMstVID.2106	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2106	INTEGER	2106
IB-LswMSTP-MIB::ibdot1sMstVID.2107	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2107	INTEGER	2107
IB-LswMSTP-MIB::ibdot1sMstVID.2108	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2108	INTEGER	2108
IB-LswMSTP-MIB::ibdot1sMstVID.2109	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2109	INTEGER	2109
IB-LswMSTP-MIB::ibdot1sMstVID.2110	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2110	INTEGER	2110
IB-LswMSTP-MIB::ibdot1sMstVID.2111	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2111	INTEGER	2111
IB-LswMSTP-MIB::ibdot1sMstVID.2112	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2112	INTEGER	2112
IB-LswMSTP-MIB::ibdot1sMstVID.2113	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2113	INTEGER	2113
IB-LswMSTP-MIB::ibdot1sMstVID.2114	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2114	INTEGER	2114
IB-LswMSTP-MIB::ibdot1sMstVID.2115	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2115	INTEGER	2115

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2116	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2116	INTEGER	2116
IB-LswMSTP-MIB::ibdot1sMstVID.2117	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2117	INTEGER	2117
IB-LswMSTP-MIB::ibdot1sMstVID.2118	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2118	INTEGER	2118
IB-LswMSTP-MIB::ibdot1sMstVID.2119	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2119	INTEGER	2119
IB-LswMSTP-MIB::ibdot1sMstVID.2120	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2120	INTEGER	2120
IB-LswMSTP-MIB::ibdot1sMstVID.2121	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2121	INTEGER	2121
IB-LswMSTP-MIB::ibdot1sMstVID.2122	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2122	INTEGER	2122
IB-LswMSTP-MIB::ibdot1sMstVID.2123	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2123	INTEGER	2123
IB-LswMSTP-MIB::ibdot1sMstVID.2124	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2124	INTEGER	2124
IB-LswMSTP-MIB::ibdot1sMstVID.2125	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2125	INTEGER	2125
IB-LswMSTP-MIB::ibdot1sMstVID.2126	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2126	INTEGER	2126
IB-LswMSTP-MIB::ibdot1sMstVID.2127	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2127	INTEGER	2127
IB-LswMSTP-MIB::ibdot1sMstVID.2128	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2128	INTEGER	2128
IB-LswMSTP-MIB::ibdot1sMstVID.2129	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2129	INTEGER	2129
IB-LswMSTP-MIB::ibdot1sMstVID.2130	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2130	INTEGER	2130
IB-LswMSTP-MIB::ibdot1sMstVID.2131	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2131	INTEGER	2131
IB-LswMSTP-MIB::ibdot1sMstVID.2132	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2132	INTEGER	2132
IB-LswMSTP-MIB::ibdot1sMstVID.2133	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2133	INTEGER	2133
IB-LswMSTP-MIB::ibdot1sMstVID.2134	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2134	INTEGER	2134
IB-LswMSTP-MIB::ibdot1sMstVID.2135	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2135	INTEGER	2135
IB-LswMSTP-MIB::ibdot1sMstVID.2136	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2136	INTEGER	2136
IB-LswMSTP-MIB::ibdot1sMstVID.2137	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2137	INTEGER	2137
IB-LswMSTP-MIB::ibdot1sMstVID.2138	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2138	INTEGER	2138
IB-LswMSTP-MIB::ibdot1sMstVID.2139	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2139	INTEGER	2139
IB-LswMSTP-MIB::ibdot1sMstVID.2140	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2140	INTEGER	2140
IB-LswMSTP-MIB::ibdot1sMstVID.2141	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2141	INTEGER	2141

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2142	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2142	INTEGER	2142
IB-LswMSTP-MIB::ibdot1sMstVID.2143	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2143	INTEGER	2143
IB-LswMSTP-MIB::ibdot1sMstVID.2144	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2144	INTEGER	2144
IB-LswMSTP-MIB::ibdot1sMstVID.2145	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2145	INTEGER	2145
IB-LswMSTP-MIB::ibdot1sMstVID.2146	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2146	INTEGER	2146
IB-LswMSTP-MIB::ibdot1sMstVID.2147	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2147	INTEGER	2147
IB-LswMSTP-MIB::ibdot1sMstVID.2148	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2148	INTEGER	2148
IB-LswMSTP-MIB::ibdot1sMstVID.2149	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2149	INTEGER	2149
IB-LswMSTP-MIB::ibdot1sMstVID.2150	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2150	INTEGER	2150
IB-LswMSTP-MIB::ibdot1sMstVID.2151	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2151	INTEGER	2151
IB-LswMSTP-MIB::ibdot1sMstVID.2152	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2152	INTEGER	2152
IB-LswMSTP-MIB::ibdot1sMstVID.2153	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2153	INTEGER	2153
IB-LswMSTP-MIB::ibdot1sMstVID.2154	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2154	INTEGER	2154
IB-LswMSTP-MIB::ibdot1sMstVID.2155	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2155	INTEGER	2155
IB-LswMSTP-MIB::ibdot1sMstVID.2156	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2156	INTEGER	2156
IB-LswMSTP-MIB::ibdot1sMstVID.2157	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2157	INTEGER	2157
IB-LswMSTP-MIB::ibdot1sMstVID.2158	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2158	INTEGER	2158
IB-LswMSTP-MIB::ibdot1sMstVID.2159	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2159	INTEGER	2159
IB-LswMSTP-MIB::ibdot1sMstVID.2160	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2160	INTEGER	2160
IB-LswMSTP-MIB::ibdot1sMstVID.2161	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2161	INTEGER	2161
IB-LswMSTP-MIB::ibdot1sMstVID.2162	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2162	INTEGER	2162
IB-LswMSTP-MIB::ibdot1sMstVID.2163	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2163	INTEGER	2163
IB-LswMSTP-MIB::ibdot1sMstVID.2164	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2164	INTEGER	2164
IB-LswMSTP-MIB::ibdot1sMstVID.2165	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2165	INTEGER	2165
IB-LswMSTP-MIB::ibdot1sMstVID.2166	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2166	INTEGER	2166
IB-LswMSTP-MIB::ibdot1sMstVID.2167	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2167	INTEGER	2167

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2168	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2168	INTEGER	2168
IB-LswMSTP-MIB::ibdot1sMstVID.2169	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2169	INTEGER	2169
IB-LswMSTP-MIB::ibdot1sMstVID.2170	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2170	INTEGER	2170
IB-LswMSTP-MIB::ibdot1sMstVID.2171	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2171	INTEGER	2171
IB-LswMSTP-MIB::ibdot1sMstVID.2172	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2172	INTEGER	2172
IB-LswMSTP-MIB::ibdot1sMstVID.2173	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2173	INTEGER	2173
IB-LswMSTP-MIB::ibdot1sMstVID.2174	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2174	INTEGER	2174
IB-LswMSTP-MIB::ibdot1sMstVID.2175	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2175	INTEGER	2175
IB-LswMSTP-MIB::ibdot1sMstVID.2176	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2176	INTEGER	2176
IB-LswMSTP-MIB::ibdot1sMstVID.2177	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2177	INTEGER	2177
IB-LswMSTP-MIB::ibdot1sMstVID.2178	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2178	INTEGER	2178
IB-LswMSTP-MIB::ibdot1sMstVID.2179	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2179	INTEGER	2179
IB-LswMSTP-MIB::ibdot1sMstVID.2180	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2180	INTEGER	2180
IB-LswMSTP-MIB::ibdot1sMstVID.2181	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2181	INTEGER	2181
IB-LswMSTP-MIB::ibdot1sMstVID.2182	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2182	INTEGER	2182
IB-LswMSTP-MIB::ibdot1sMstVID.2183	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2183	INTEGER	2183
IB-LswMSTP-MIB::ibdot1sMstVID.2184	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2184	INTEGER	2184
IB-LswMSTP-MIB::ibdot1sMstVID.2185	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2185	INTEGER	2185
IB-LswMSTP-MIB::ibdot1sMstVID.2186	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2186	INTEGER	2186
IB-LswMSTP-MIB::ibdot1sMstVID.2187	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2187	INTEGER	2187
IB-LswMSTP-MIB::ibdot1sMstVID.2188	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2188	INTEGER	2188
IB-LswMSTP-MIB::ibdot1sMstVID.2189	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2189	INTEGER	2189
IB-LswMSTP-MIB::ibdot1sMstVID.2190	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2190	INTEGER	2190
IB-LswMSTP-MIB::ibdot1sMstVID.2191	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2191	INTEGER	2191
IB-LswMSTP-MIB::ibdot1sMstVID.2192	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2192	INTEGER	2192
IB-LswMSTP-MIB::ibdot1sMstVID.2193	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2193	INTEGER	2193

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2194	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2194	INTEGER	2194
IB-LswMSTP-MIB::ibdot1sMstVID.2195	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2195	INTEGER	2195
IB-LswMSTP-MIB::ibdot1sMstVID.2196	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2196	INTEGER	2196
IB-LswMSTP-MIB::ibdot1sMstVID.2197	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2197	INTEGER	2197
IB-LswMSTP-MIB::ibdot1sMstVID.2198	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2198	INTEGER	2198
IB-LswMSTP-MIB::ibdot1sMstVID.2199	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2199	INTEGER	2199
IB-LswMSTP-MIB::ibdot1sMstVID.2200	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2200	INTEGER	2200
IB-LswMSTP-MIB::ibdot1sMstVID.2201	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2201	INTEGER	2201
IB-LswMSTP-MIB::ibdot1sMstVID.2202	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2202	INTEGER	2202
IB-LswMSTP-MIB::ibdot1sMstVID.2203	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2203	INTEGER	2203
IB-LswMSTP-MIB::ibdot1sMstVID.2204	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2204	INTEGER	2204
IB-LswMSTP-MIB::ibdot1sMstVID.2205	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2205	INTEGER	2205
IB-LswMSTP-MIB::ibdot1sMstVID.2206	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2206	INTEGER	2206
IB-LswMSTP-MIB::ibdot1sMstVID.2207	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2207	INTEGER	2207
IB-LswMSTP-MIB::ibdot1sMstVID.2208	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2208	INTEGER	2208
IB-LswMSTP-MIB::ibdot1sMstVID.2209	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2209	INTEGER	2209
IB-LswMSTP-MIB::ibdot1sMstVID.2210	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2210	INTEGER	2210
IB-LswMSTP-MIB::ibdot1sMstVID.2211	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2211	INTEGER	2211
IB-LswMSTP-MIB::ibdot1sMstVID.2212	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2212	INTEGER	2212
IB-LswMSTP-MIB::ibdot1sMstVID.2213	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2213	INTEGER	2213
IB-LswMSTP-MIB::ibdot1sMstVID.2214	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2214	INTEGER	2214
IB-LswMSTP-MIB::ibdot1sMstVID.2215	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2215	INTEGER	2215
IB-LswMSTP-MIB::ibdot1sMstVID.2216	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2216	INTEGER	2216
IB-LswMSTP-MIB::ibdot1sMstVID.2217	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2217	INTEGER	2217
IB-LswMSTP-MIB::ibdot1sMstVID.2218	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2218	INTEGER	2218
IB-LswMSTP-MIB::ibdot1sMstVID.2219	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2219	INTEGER	2219

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2220	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2220	INTEGER	2220
IB-LswMSTP-MIB::ibdot1sMstVID.2221	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2221	INTEGER	2221
IB-LswMSTP-MIB::ibdot1sMstVID.2222	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2222	INTEGER	2222
IB-LswMSTP-MIB::ibdot1sMstVID.2223	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2223	INTEGER	2223
IB-LswMSTP-MIB::ibdot1sMstVID.2224	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2224	INTEGER	2224
IB-LswMSTP-MIB::ibdot1sMstVID.2225	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2225	INTEGER	2225
IB-LswMSTP-MIB::ibdot1sMstVID.2226	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2226	INTEGER	2226
IB-LswMSTP-MIB::ibdot1sMstVID.2227	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2227	INTEGER	2227
IB-LswMSTP-MIB::ibdot1sMstVID.2228	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2228	INTEGER	2228
IB-LswMSTP-MIB::ibdot1sMstVID.2229	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2229	INTEGER	2229
IB-LswMSTP-MIB::ibdot1sMstVID.2230	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2230	INTEGER	2230
IB-LswMSTP-MIB::ibdot1sMstVID.2231	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2231	INTEGER	2231
IB-LswMSTP-MIB::ibdot1sMstVID.2232	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2232	INTEGER	2232
IB-LswMSTP-MIB::ibdot1sMstVID.2233	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2233	INTEGER	2233
IB-LswMSTP-MIB::ibdot1sMstVID.2234	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2234	INTEGER	2234
IB-LswMSTP-MIB::ibdot1sMstVID.2235	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2235	INTEGER	2235
IB-LswMSTP-MIB::ibdot1sMstVID.2236	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2236	INTEGER	2236
IB-LswMSTP-MIB::ibdot1sMstVID.2237	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2237	INTEGER	2237
IB-LswMSTP-MIB::ibdot1sMstVID.2238	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2238	INTEGER	2238
IB-LswMSTP-MIB::ibdot1sMstVID.2239	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2239	INTEGER	2239
IB-LswMSTP-MIB::ibdot1sMstVID.2240	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2240	INTEGER	2240
IB-LswMSTP-MIB::ibdot1sMstVID.2241	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2241	INTEGER	2241
IB-LswMSTP-MIB::ibdot1sMstVID.2242	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2242	INTEGER	2242
IB-LswMSTP-MIB::ibdot1sMstVID.2243	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2243	INTEGER	2243
IB-LswMSTP-MIB::ibdot1sMstVID.2244	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2244	INTEGER	2244
IB-LswMSTP-MIB::ibdot1sMstVID.2245	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2245	INTEGER	2245

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2246	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2246	INTEGER	2246
IB-LswMSTP-MIB::ibdot1sMstVID.2247	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2247	INTEGER	2247
IB-LswMSTP-MIB::ibdot1sMstVID.2248	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2248	INTEGER	2248
IB-LswMSTP-MIB::ibdot1sMstVID.2249	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2249	INTEGER	2249
IB-LswMSTP-MIB::ibdot1sMstVID.2250	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2250	INTEGER	2250
IB-LswMSTP-MIB::ibdot1sMstVID.2251	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2251	INTEGER	2251
IB-LswMSTP-MIB::ibdot1sMstVID.2252	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2252	INTEGER	2252
IB-LswMSTP-MIB::ibdot1sMstVID.2253	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2253	INTEGER	2253
IB-LswMSTP-MIB::ibdot1sMstVID.2254	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2254	INTEGER	2254
IB-LswMSTP-MIB::ibdot1sMstVID.2255	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2255	INTEGER	2255
IB-LswMSTP-MIB::ibdot1sMstVID.2256	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2256	INTEGER	2256
IB-LswMSTP-MIB::ibdot1sMstVID.2257	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2257	INTEGER	2257
IB-LswMSTP-MIB::ibdot1sMstVID.2258	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2258	INTEGER	2258
IB-LswMSTP-MIB::ibdot1sMstVID.2259	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2259	INTEGER	2259
IB-LswMSTP-MIB::ibdot1sMstVID.2260	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2260	INTEGER	2260
IB-LswMSTP-MIB::ibdot1sMstVID.2261	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2261	INTEGER	2261
IB-LswMSTP-MIB::ibdot1sMstVID.2262	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2262	INTEGER	2262
IB-LswMSTP-MIB::ibdot1sMstVID.2263	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2263	INTEGER	2263
IB-LswMSTP-MIB::ibdot1sMstVID.2264	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2264	INTEGER	2264
IB-LswMSTP-MIB::ibdot1sMstVID.2265	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2265	INTEGER	2265
IB-LswMSTP-MIB::ibdot1sMstVID.2266	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2266	INTEGER	2266
IB-LswMSTP-MIB::ibdot1sMstVID.2267	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2267	INTEGER	2267
IB-LswMSTP-MIB::ibdot1sMstVID.2268	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2268	INTEGER	2268
IB-LswMSTP-MIB::ibdot1sMstVID.2269	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2269	INTEGER	2269
IB-LswMSTP-MIB::ibdot1sMstVID.2270	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2270	INTEGER	2270
IB-LswMSTP-MIB::ibdot1sMstVID.2271	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2271	INTEGER	2271

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2272	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2272	INTEGER	2272
IB-LswMSTP-MIB::ibdot1sMstVID.2273	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2273	INTEGER	2273
IB-LswMSTP-MIB::ibdot1sMstVID.2274	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2274	INTEGER	2274
IB-LswMSTP-MIB::ibdot1sMstVID.2275	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2275	INTEGER	2275
IB-LswMSTP-MIB::ibdot1sMstVID.2276	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2276	INTEGER	2276
IB-LswMSTP-MIB::ibdot1sMstVID.2277	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2277	INTEGER	2277
IB-LswMSTP-MIB::ibdot1sMstVID.2278	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2278	INTEGER	2278
IB-LswMSTP-MIB::ibdot1sMstVID.2279	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2279	INTEGER	2279
IB-LswMSTP-MIB::ibdot1sMstVID.2280	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2280	INTEGER	2280
IB-LswMSTP-MIB::ibdot1sMstVID.2281	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2281	INTEGER	2281
IB-LswMSTP-MIB::ibdot1sMstVID.2282	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2282	INTEGER	2282
IB-LswMSTP-MIB::ibdot1sMstVID.2283	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2283	INTEGER	2283
IB-LswMSTP-MIB::ibdot1sMstVID.2284	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2284	INTEGER	2284
IB-LswMSTP-MIB::ibdot1sMstVID.2285	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2285	INTEGER	2285
IB-LswMSTP-MIB::ibdot1sMstVID.2286	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2286	INTEGER	2286
IB-LswMSTP-MIB::ibdot1sMstVID.2287	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2287	INTEGER	2287
IB-LswMSTP-MIB::ibdot1sMstVID.2288	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2288	INTEGER	2288
IB-LswMSTP-MIB::ibdot1sMstVID.2289	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2289	INTEGER	2289
IB-LswMSTP-MIB::ibdot1sMstVID.2290	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2290	INTEGER	2290
IB-LswMSTP-MIB::ibdot1sMstVID.2291	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2291	INTEGER	2291
IB-LswMSTP-MIB::ibdot1sMstVID.2292	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2292	INTEGER	2292
IB-LswMSTP-MIB::ibdot1sMstVID.2293	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2293	INTEGER	2293
IB-LswMSTP-MIB::ibdot1sMstVID.2294	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2294	INTEGER	2294
IB-LswMSTP-MIB::ibdot1sMstVID.2295	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2295	INTEGER	2295
IB-LswMSTP-MIB::ibdot1sMstVID.2296	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2296	INTEGER	2296
IB-LswMSTP-MIB::ibdot1sMstVID.2297	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2297	INTEGER	2297

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2298	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2298	INTEGER	2298
IB-LswMSTP-MIB::ibdot1sMstVID.2299	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2299	INTEGER	2299
IB-LswMSTP-MIB::ibdot1sMstVID.2300	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2300	INTEGER	2300
IB-LswMSTP-MIB::ibdot1sMstVID.2301	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2301	INTEGER	2301
IB-LswMSTP-MIB::ibdot1sMstVID.2302	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2302	INTEGER	2302
IB-LswMSTP-MIB::ibdot1sMstVID.2303	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2303	INTEGER	2303
IB-LswMSTP-MIB::ibdot1sMstVID.2304	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2304	INTEGER	2304
IB-LswMSTP-MIB::ibdot1sMstVID.2305	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2305	INTEGER	2305
IB-LswMSTP-MIB::ibdot1sMstVID.2306	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2306	INTEGER	2306
IB-LswMSTP-MIB::ibdot1sMstVID.2307	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2307	INTEGER	2307
IB-LswMSTP-MIB::ibdot1sMstVID.2308	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2308	INTEGER	2308
IB-LswMSTP-MIB::ibdot1sMstVID.2309	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2309	INTEGER	2309
IB-LswMSTP-MIB::ibdot1sMstVID.2310	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2310	INTEGER	2310
IB-LswMSTP-MIB::ibdot1sMstVID.2311	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2311	INTEGER	2311
IB-LswMSTP-MIB::ibdot1sMstVID.2312	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2312	INTEGER	2312
IB-LswMSTP-MIB::ibdot1sMstVID.2313	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2313	INTEGER	2313
IB-LswMSTP-MIB::ibdot1sMstVID.2314	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2314	INTEGER	2314
IB-LswMSTP-MIB::ibdot1sMstVID.2315	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2315	INTEGER	2315
IB-LswMSTP-MIB::ibdot1sMstVID.2316	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2316	INTEGER	2316
IB-LswMSTP-MIB::ibdot1sMstVID.2317	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2317	INTEGER	2317
IB-LswMSTP-MIB::ibdot1sMstVID.2318	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2318	INTEGER	2318
IB-LswMSTP-MIB::ibdot1sMstVID.2319	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2319	INTEGER	2319
IB-LswMSTP-MIB::ibdot1sMstVID.2320	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2320	INTEGER	2320
IB-LswMSTP-MIB::ibdot1sMstVID.2321	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2321	INTEGER	2321
IB-LswMSTP-MIB::ibdot1sMstVID.2322	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2322	INTEGER	2322
IB-LswMSTP-MIB::ibdot1sMstVID.2323	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2323	INTEGER	2323

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2324	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2324	INTEGER	2324
IB-LswMSTP-MIB::ibdot1sMstVID.2325	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2325	INTEGER	2325
IB-LswMSTP-MIB::ibdot1sMstVID.2326	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2326	INTEGER	2326
IB-LswMSTP-MIB::ibdot1sMstVID.2327	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2327	INTEGER	2327
IB-LswMSTP-MIB::ibdot1sMstVID.2328	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2328	INTEGER	2328
IB-LswMSTP-MIB::ibdot1sMstVID.2329	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2329	INTEGER	2329
IB-LswMSTP-MIB::ibdot1sMstVID.2330	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2330	INTEGER	2330
IB-LswMSTP-MIB::ibdot1sMstVID.2331	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2331	INTEGER	2331
IB-LswMSTP-MIB::ibdot1sMstVID.2332	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2332	INTEGER	2332
IB-LswMSTP-MIB::ibdot1sMstVID.2333	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2333	INTEGER	2333
IB-LswMSTP-MIB::ibdot1sMstVID.2334	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2334	INTEGER	2334
IB-LswMSTP-MIB::ibdot1sMstVID.2335	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2335	INTEGER	2335
IB-LswMSTP-MIB::ibdot1sMstVID.2336	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2336	INTEGER	2336
IB-LswMSTP-MIB::ibdot1sMstVID.2337	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2337	INTEGER	2337
IB-LswMSTP-MIB::ibdot1sMstVID.2338	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2338	INTEGER	2338
IB-LswMSTP-MIB::ibdot1sMstVID.2339	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2339	INTEGER	2339
IB-LswMSTP-MIB::ibdot1sMstVID.2340	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2340	INTEGER	2340
IB-LswMSTP-MIB::ibdot1sMstVID.2341	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2341	INTEGER	2341
IB-LswMSTP-MIB::ibdot1sMstVID.2342	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2342	INTEGER	2342
IB-LswMSTP-MIB::ibdot1sMstVID.2343	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2343	INTEGER	2343
IB-LswMSTP-MIB::ibdot1sMstVID.2344	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2344	INTEGER	2344
IB-LswMSTP-MIB::ibdot1sMstVID.2345	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2345	INTEGER	2345
IB-LswMSTP-MIB::ibdot1sMstVID.2346	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2346	INTEGER	2346
IB-LswMSTP-MIB::ibdot1sMstVID.2347	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2347	INTEGER	2347
IB-LswMSTP-MIB::ibdot1sMstVID.2348	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2348	INTEGER	2348
IB-LswMSTP-MIB::ibdot1sMstVID.2349	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2349	INTEGER	2349

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2350	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2350	INTEGER	2350
IB-LswMSTP-MIB::ibdot1sMstVID.2351	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2351	INTEGER	2351
IB-LswMSTP-MIB::ibdot1sMstVID.2352	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2352	INTEGER	2352
IB-LswMSTP-MIB::ibdot1sMstVID.2353	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2353	INTEGER	2353
IB-LswMSTP-MIB::ibdot1sMstVID.2354	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2354	INTEGER	2354
IB-LswMSTP-MIB::ibdot1sMstVID.2355	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2355	INTEGER	2355
IB-LswMSTP-MIB::ibdot1sMstVID.2356	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2356	INTEGER	2356
IB-LswMSTP-MIB::ibdot1sMstVID.2357	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2357	INTEGER	2357
IB-LswMSTP-MIB::ibdot1sMstVID.2358	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2358	INTEGER	2358
IB-LswMSTP-MIB::ibdot1sMstVID.2359	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2359	INTEGER	2359
IB-LswMSTP-MIB::ibdot1sMstVID.2360	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2360	INTEGER	2360
IB-LswMSTP-MIB::ibdot1sMstVID.2361	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2361	INTEGER	2361
IB-LswMSTP-MIB::ibdot1sMstVID.2362	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2362	INTEGER	2362
IB-LswMSTP-MIB::ibdot1sMstVID.2363	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2363	INTEGER	2363
IB-LswMSTP-MIB::ibdot1sMstVID.2364	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2364	INTEGER	2364
IB-LswMSTP-MIB::ibdot1sMstVID.2365	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2365	INTEGER	2365
IB-LswMSTP-MIB::ibdot1sMstVID.2366	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2366	INTEGER	2366
IB-LswMSTP-MIB::ibdot1sMstVID.2367	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2367	INTEGER	2367
IB-LswMSTP-MIB::ibdot1sMstVID.2368	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2368	INTEGER	2368
IB-LswMSTP-MIB::ibdot1sMstVID.2369	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2369	INTEGER	2369
IB-LswMSTP-MIB::ibdot1sMstVID.2370	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2370	INTEGER	2370
IB-LswMSTP-MIB::ibdot1sMstVID.2371	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2371	INTEGER	2371
IB-LswMSTP-MIB::ibdot1sMstVID.2372	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2372	INTEGER	2372
IB-LswMSTP-MIB::ibdot1sMstVID.2373	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2373	INTEGER	2373
IB-LswMSTP-MIB::ibdot1sMstVID.2374	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2374	INTEGER	2374
IB-LswMSTP-MIB::ibdot1sMstVID.2375	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2375	INTEGER	2375

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2376	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2376	INTEGER	2376
IB-LswMSTP-MIB::ibdot1sMstVID.2377	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2377	INTEGER	2377
IB-LswMSTP-MIB::ibdot1sMstVID.2378	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2378	INTEGER	2378
IB-LswMSTP-MIB::ibdot1sMstVID.2379	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2379	INTEGER	2379
IB-LswMSTP-MIB::ibdot1sMstVID.2380	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2380	INTEGER	2380
IB-LswMSTP-MIB::ibdot1sMstVID.2381	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2381	INTEGER	2381
IB-LswMSTP-MIB::ibdot1sMstVID.2382	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2382	INTEGER	2382
IB-LswMSTP-MIB::ibdot1sMstVID.2383	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2383	INTEGER	2383
IB-LswMSTP-MIB::ibdot1sMstVID.2384	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2384	INTEGER	2384
IB-LswMSTP-MIB::ibdot1sMstVID.2385	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2385	INTEGER	2385
IB-LswMSTP-MIB::ibdot1sMstVID.2386	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2386	INTEGER	2386
IB-LswMSTP-MIB::ibdot1sMstVID.2387	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2387	INTEGER	2387
IB-LswMSTP-MIB::ibdot1sMstVID.2388	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2388	INTEGER	2388
IB-LswMSTP-MIB::ibdot1sMstVID.2389	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2389	INTEGER	2389
IB-LswMSTP-MIB::ibdot1sMstVID.2390	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2390	INTEGER	2390
IB-LswMSTP-MIB::ibdot1sMstVID.2391	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2391	INTEGER	2391
IB-LswMSTP-MIB::ibdot1sMstVID.2392	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2392	INTEGER	2392
IB-LswMSTP-MIB::ibdot1sMstVID.2393	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2393	INTEGER	2393
IB-LswMSTP-MIB::ibdot1sMstVID.2394	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2394	INTEGER	2394
IB-LswMSTP-MIB::ibdot1sMstVID.2395	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2395	INTEGER	2395
IB-LswMSTP-MIB::ibdot1sMstVID.2396	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2396	INTEGER	2396
IB-LswMSTP-MIB::ibdot1sMstVID.2397	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2397	INTEGER	2397
IB-LswMSTP-MIB::ibdot1sMstVID.2398	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2398	INTEGER	2398
IB-LswMSTP-MIB::ibdot1sMstVID.2399	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2399	INTEGER	2399
IB-LswMSTP-MIB::ibdot1sMstVID.2400	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2400	INTEGER	2400
IB-LswMSTP-MIB::ibdot1sMstVID.2401	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2401	INTEGER	2401

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2402	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2402	INTEGER	2402
IB-LswMSTP-MIB::ibdot1sMstVID.2403	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2403	INTEGER	2403
IB-LswMSTP-MIB::ibdot1sMstVID.2404	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2404	INTEGER	2404
IB-LswMSTP-MIB::ibdot1sMstVID.2405	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2405	INTEGER	2405
IB-LswMSTP-MIB::ibdot1sMstVID.2406	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2406	INTEGER	2406
IB-LswMSTP-MIB::ibdot1sMstVID.2407	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2407	INTEGER	2407
IB-LswMSTP-MIB::ibdot1sMstVID.2408	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2408	INTEGER	2408
IB-LswMSTP-MIB::ibdot1sMstVID.2409	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2409	INTEGER	2409
IB-LswMSTP-MIB::ibdot1sMstVID.2410	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2410	INTEGER	2410
IB-LswMSTP-MIB::ibdot1sMstVID.2411	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2411	INTEGER	2411
IB-LswMSTP-MIB::ibdot1sMstVID.2412	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2412	INTEGER	2412
IB-LswMSTP-MIB::ibdot1sMstVID.2413	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2413	INTEGER	2413
IB-LswMSTP-MIB::ibdot1sMstVID.2414	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2414	INTEGER	2414
IB-LswMSTP-MIB::ibdot1sMstVID.2415	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2415	INTEGER	2415
IB-LswMSTP-MIB::ibdot1sMstVID.2416	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2416	INTEGER	2416
IB-LswMSTP-MIB::ibdot1sMstVID.2417	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2417	INTEGER	2417
IB-LswMSTP-MIB::ibdot1sMstVID.2418	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2418	INTEGER	2418
IB-LswMSTP-MIB::ibdot1sMstVID.2419	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2419	INTEGER	2419
IB-LswMSTP-MIB::ibdot1sMstVID.2420	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2420	INTEGER	2420
IB-LswMSTP-MIB::ibdot1sMstVID.2421	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2421	INTEGER	2421
IB-LswMSTP-MIB::ibdot1sMstVID.2422	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2422	INTEGER	2422
IB-LswMSTP-MIB::ibdot1sMstVID.2423	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2423	INTEGER	2423
IB-LswMSTP-MIB::ibdot1sMstVID.2424	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2424	INTEGER	2424
IB-LswMSTP-MIB::ibdot1sMstVID.2425	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2425	INTEGER	2425
IB-LswMSTP-MIB::ibdot1sMstVID.2426	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2426	INTEGER	2426
IB-LswMSTP-MIB::ibdot1sMstVID.2427	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2427	INTEGER	2427

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2428	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2428	INTEGER	2428
IB-LswMSTP-MIB::ibdot1sMstVID.2429	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2429	INTEGER	2429
IB-LswMSTP-MIB::ibdot1sMstVID.2430	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2430	INTEGER	2430
IB-LswMSTP-MIB::ibdot1sMstVID.2431	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2431	INTEGER	2431
IB-LswMSTP-MIB::ibdot1sMstVID.2432	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2432	INTEGER	2432
IB-LswMSTP-MIB::ibdot1sMstVID.2433	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2433	INTEGER	2433
IB-LswMSTP-MIB::ibdot1sMstVID.2434	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2434	INTEGER	2434
IB-LswMSTP-MIB::ibdot1sMstVID.2435	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2435	INTEGER	2435
IB-LswMSTP-MIB::ibdot1sMstVID.2436	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2436	INTEGER	2436
IB-LswMSTP-MIB::ibdot1sMstVID.2437	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2437	INTEGER	2437
IB-LswMSTP-MIB::ibdot1sMstVID.2438	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2438	INTEGER	2438
IB-LswMSTP-MIB::ibdot1sMstVID.2439	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2439	INTEGER	2439
IB-LswMSTP-MIB::ibdot1sMstVID.2440	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2440	INTEGER	2440
IB-LswMSTP-MIB::ibdot1sMstVID.2441	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2441	INTEGER	2441
IB-LswMSTP-MIB::ibdot1sMstVID.2442	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2442	INTEGER	2442
IB-LswMSTP-MIB::ibdot1sMstVID.2443	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2443	INTEGER	2443
IB-LswMSTP-MIB::ibdot1sMstVID.2444	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2444	INTEGER	2444
IB-LswMSTP-MIB::ibdot1sMstVID.2445	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2445	INTEGER	2445
IB-LswMSTP-MIB::ibdot1sMstVID.2446	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2446	INTEGER	2446
IB-LswMSTP-MIB::ibdot1sMstVID.2447	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2447	INTEGER	2447
IB-LswMSTP-MIB::ibdot1sMstVID.2448	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2448	INTEGER	2448
IB-LswMSTP-MIB::ibdot1sMstVID.2449	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2449	INTEGER	2449
IB-LswMSTP-MIB::ibdot1sMstVID.2450	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2450	INTEGER	2450
IB-LswMSTP-MIB::ibdot1sMstVID.2451	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2451	INTEGER	2451
IB-LswMSTP-MIB::ibdot1sMstVID.2452	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2452	INTEGER	2452
IB-LswMSTP-MIB::ibdot1sMstVID.2453	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2453	INTEGER	2453

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2454	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2454	INTEGER	2454
IB-LswMSTP-MIB::ibdot1sMstVID.2455	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2455	INTEGER	2455
IB-LswMSTP-MIB::ibdot1sMstVID.2456	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2456	INTEGER	2456
IB-LswMSTP-MIB::ibdot1sMstVID.2457	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2457	INTEGER	2457
IB-LswMSTP-MIB::ibdot1sMstVID.2458	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2458	INTEGER	2458
IB-LswMSTP-MIB::ibdot1sMstVID.2459	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2459	INTEGER	2459
IB-LswMSTP-MIB::ibdot1sMstVID.2460	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2460	INTEGER	2460
IB-LswMSTP-MIB::ibdot1sMstVID.2461	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2461	INTEGER	2461
IB-LswMSTP-MIB::ibdot1sMstVID.2462	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2462	INTEGER	2462
IB-LswMSTP-MIB::ibdot1sMstVID.2463	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2463	INTEGER	2463
IB-LswMSTP-MIB::ibdot1sMstVID.2464	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2464	INTEGER	2464
IB-LswMSTP-MIB::ibdot1sMstVID.2465	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2465	INTEGER	2465
IB-LswMSTP-MIB::ibdot1sMstVID.2466	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2466	INTEGER	2466
IB-LswMSTP-MIB::ibdot1sMstVID.2467	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2467	INTEGER	2467
IB-LswMSTP-MIB::ibdot1sMstVID.2468	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2468	INTEGER	2468
IB-LswMSTP-MIB::ibdot1sMstVID.2469	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2469	INTEGER	2469
IB-LswMSTP-MIB::ibdot1sMstVID.2470	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2470	INTEGER	2470
IB-LswMSTP-MIB::ibdot1sMstVID.2471	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2471	INTEGER	2471
IB-LswMSTP-MIB::ibdot1sMstVID.2472	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2472	INTEGER	2472
IB-LswMSTP-MIB::ibdot1sMstVID.2473	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2473	INTEGER	2473
IB-LswMSTP-MIB::ibdot1sMstVID.2474	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2474	INTEGER	2474
IB-LswMSTP-MIB::ibdot1sMstVID.2475	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2475	INTEGER	2475
IB-LswMSTP-MIB::ibdot1sMstVID.2476	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2476	INTEGER	2476
IB-LswMSTP-MIB::ibdot1sMstVID.2477	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2477	INTEGER	2477
IB-LswMSTP-MIB::ibdot1sMstVID.2478	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2478	INTEGER	2478
IB-LswMSTP-MIB::ibdot1sMstVID.2479	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2479	INTEGER	2479

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2480	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2480	INTEGER	2480
IB-LswMSTP-MIB::ibdot1sMstVID.2481	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2481	INTEGER	2481
IB-LswMSTP-MIB::ibdot1sMstVID.2482	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2482	INTEGER	2482
IB-LswMSTP-MIB::ibdot1sMstVID.2483	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2483	INTEGER	2483
IB-LswMSTP-MIB::ibdot1sMstVID.2484	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2484	INTEGER	2484
IB-LswMSTP-MIB::ibdot1sMstVID.2485	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2485	INTEGER	2485
IB-LswMSTP-MIB::ibdot1sMstVID.2486	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2486	INTEGER	2486
IB-LswMSTP-MIB::ibdot1sMstVID.2487	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2487	INTEGER	2487
IB-LswMSTP-MIB::ibdot1sMstVID.2488	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2488	INTEGER	2488
IB-LswMSTP-MIB::ibdot1sMstVID.2489	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2489	INTEGER	2489
IB-LswMSTP-MIB::ibdot1sMstVID.2490	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2490	INTEGER	2490
IB-LswMSTP-MIB::ibdot1sMstVID.2491	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2491	INTEGER	2491
IB-LswMSTP-MIB::ibdot1sMstVID.2492	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2492	INTEGER	2492
IB-LswMSTP-MIB::ibdot1sMstVID.2493	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2493	INTEGER	2493
IB-LswMSTP-MIB::ibdot1sMstVID.2494	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2494	INTEGER	2494
IB-LswMSTP-MIB::ibdot1sMstVID.2495	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2495	INTEGER	2495
IB-LswMSTP-MIB::ibdot1sMstVID.2496	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2496	INTEGER	2496
IB-LswMSTP-MIB::ibdot1sMstVID.2497	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2497	INTEGER	2497
IB-LswMSTP-MIB::ibdot1sMstVID.2498	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2498	INTEGER	2498
IB-LswMSTP-MIB::ibdot1sMstVID.2499	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2499	INTEGER	2499
IB-LswMSTP-MIB::ibdot1sMstVID.2500	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2500	INTEGER	2500
IB-LswMSTP-MIB::ibdot1sMstVID.2501	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2501	INTEGER	2501
IB-LswMSTP-MIB::ibdot1sMstVID.2502	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2502	INTEGER	2502
IB-LswMSTP-MIB::ibdot1sMstVID.2503	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2503	INTEGER	2503
IB-LswMSTP-MIB::ibdot1sMstVID.2504	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2504	INTEGER	2504
IB-LswMSTP-MIB::ibdot1sMstVID.2505	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2505	INTEGER	2505

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2506	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2506	INTEGER	2506
IB-LswMSTP-MIB::ibdot1sMstVID.2507	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2507	INTEGER	2507
IB-LswMSTP-MIB::ibdot1sMstVID.2508	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2508	INTEGER	2508
IB-LswMSTP-MIB::ibdot1sMstVID.2509	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2509	INTEGER	2509
IB-LswMSTP-MIB::ibdot1sMstVID.2510	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2510	INTEGER	2510
IB-LswMSTP-MIB::ibdot1sMstVID.2511	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2511	INTEGER	2511
IB-LswMSTP-MIB::ibdot1sMstVID.2512	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2512	INTEGER	2512
IB-LswMSTP-MIB::ibdot1sMstVID.2513	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2513	INTEGER	2513
IB-LswMSTP-MIB::ibdot1sMstVID.2514	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2514	INTEGER	2514
IB-LswMSTP-MIB::ibdot1sMstVID.2515	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2515	INTEGER	2515
IB-LswMSTP-MIB::ibdot1sMstVID.2516	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2516	INTEGER	2516
IB-LswMSTP-MIB::ibdot1sMstVID.2517	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2517	INTEGER	2517
IB-LswMSTP-MIB::ibdot1sMstVID.2518	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2518	INTEGER	2518
IB-LswMSTP-MIB::ibdot1sMstVID.2519	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2519	INTEGER	2519
IB-LswMSTP-MIB::ibdot1sMstVID.2520	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2520	INTEGER	2520
IB-LswMSTP-MIB::ibdot1sMstVID.2521	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2521	INTEGER	2521
IB-LswMSTP-MIB::ibdot1sMstVID.2522	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2522	INTEGER	2522
IB-LswMSTP-MIB::ibdot1sMstVID.2523	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2523	INTEGER	2523
IB-LswMSTP-MIB::ibdot1sMstVID.2524	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2524	INTEGER	2524
IB-LswMSTP-MIB::ibdot1sMstVID.2525	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2525	INTEGER	2525
IB-LswMSTP-MIB::ibdot1sMstVID.2526	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2526	INTEGER	2526
IB-LswMSTP-MIB::ibdot1sMstVID.2527	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2527	INTEGER	2527
IB-LswMSTP-MIB::ibdot1sMstVID.2528	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2528	INTEGER	2528
IB-LswMSTP-MIB::ibdot1sMstVID.2529	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2529	INTEGER	2529
IB-LswMSTP-MIB::ibdot1sMstVID.2530	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2530	INTEGER	2530
IB-LswMSTP-MIB::ibdot1sMstVID.2531	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2531	INTEGER	2531

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2532	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2532	INTEGER	2532
IB-LswMSTP-MIB::ibdot1sMstVID.2533	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2533	INTEGER	2533
IB-LswMSTP-MIB::ibdot1sMstVID.2534	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2534	INTEGER	2534
IB-LswMSTP-MIB::ibdot1sMstVID.2535	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2535	INTEGER	2535
IB-LswMSTP-MIB::ibdot1sMstVID.2536	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2536	INTEGER	2536
IB-LswMSTP-MIB::ibdot1sMstVID.2537	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2537	INTEGER	2537
IB-LswMSTP-MIB::ibdot1sMstVID.2538	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2538	INTEGER	2538
IB-LswMSTP-MIB::ibdot1sMstVID.2539	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2539	INTEGER	2539
IB-LswMSTP-MIB::ibdot1sMstVID.2540	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2540	INTEGER	2540
IB-LswMSTP-MIB::ibdot1sMstVID.2541	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2541	INTEGER	2541
IB-LswMSTP-MIB::ibdot1sMstVID.2542	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2542	INTEGER	2542
IB-LswMSTP-MIB::ibdot1sMstVID.2543	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2543	INTEGER	2543
IB-LswMSTP-MIB::ibdot1sMstVID.2544	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2544	INTEGER	2544
IB-LswMSTP-MIB::ibdot1sMstVID.2545	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2545	INTEGER	2545
IB-LswMSTP-MIB::ibdot1sMstVID.2546	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2546	INTEGER	2546
IB-LswMSTP-MIB::ibdot1sMstVID.2547	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2547	INTEGER	2547
IB-LswMSTP-MIB::ibdot1sMstVID.2548	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2548	INTEGER	2548
IB-LswMSTP-MIB::ibdot1sMstVID.2549	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2549	INTEGER	2549
IB-LswMSTP-MIB::ibdot1sMstVID.2550	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2550	INTEGER	2550
IB-LswMSTP-MIB::ibdot1sMstVID.2551	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2551	INTEGER	2551
IB-LswMSTP-MIB::ibdot1sMstVID.2552	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2552	INTEGER	2552
IB-LswMSTP-MIB::ibdot1sMstVID.2553	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2553	INTEGER	2553
IB-LswMSTP-MIB::ibdot1sMstVID.2554	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2554	INTEGER	2554
IB-LswMSTP-MIB::ibdot1sMstVID.2555	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2555	INTEGER	2555
IB-LswMSTP-MIB::ibdot1sMstVID.2556	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2556	INTEGER	2556
IB-LswMSTP-MIB::ibdot1sMstVID.2557	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2557	INTEGER	2557

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2558	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2558	INTEGER	2558
IB-LswMSTP-MIB::ibdot1sMstVID.2559	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2559	INTEGER	2559
IB-LswMSTP-MIB::ibdot1sMstVID.2560	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2560	INTEGER	2560
IB-LswMSTP-MIB::ibdot1sMstVID.2561	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2561	INTEGER	2561
IB-LswMSTP-MIB::ibdot1sMstVID.2562	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2562	INTEGER	2562
IB-LswMSTP-MIB::ibdot1sMstVID.2563	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2563	INTEGER	2563
IB-LswMSTP-MIB::ibdot1sMstVID.2564	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2564	INTEGER	2564
IB-LswMSTP-MIB::ibdot1sMstVID.2565	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2565	INTEGER	2565
IB-LswMSTP-MIB::ibdot1sMstVID.2566	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2566	INTEGER	2566
IB-LswMSTP-MIB::ibdot1sMstVID.2567	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2567	INTEGER	2567
IB-LswMSTP-MIB::ibdot1sMstVID.2568	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2568	INTEGER	2568
IB-LswMSTP-MIB::ibdot1sMstVID.2569	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2569	INTEGER	2569
IB-LswMSTP-MIB::ibdot1sMstVID.2570	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2570	INTEGER	2570
IB-LswMSTP-MIB::ibdot1sMstVID.2571	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2571	INTEGER	2571
IB-LswMSTP-MIB::ibdot1sMstVID.2572	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2572	INTEGER	2572
IB-LswMSTP-MIB::ibdot1sMstVID.2573	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2573	INTEGER	2573
IB-LswMSTP-MIB::ibdot1sMstVID.2574	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2574	INTEGER	2574
IB-LswMSTP-MIB::ibdot1sMstVID.2575	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2575	INTEGER	2575
IB-LswMSTP-MIB::ibdot1sMstVID.2576	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2576	INTEGER	2576
IB-LswMSTP-MIB::ibdot1sMstVID.2577	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2577	INTEGER	2577
IB-LswMSTP-MIB::ibdot1sMstVID.2578	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2578	INTEGER	2578
IB-LswMSTP-MIB::ibdot1sMstVID.2579	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2579	INTEGER	2579
IB-LswMSTP-MIB::ibdot1sMstVID.2580	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2580	INTEGER	2580
IB-LswMSTP-MIB::ibdot1sMstVID.2581	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2581	INTEGER	2581
IB-LswMSTP-MIB::ibdot1sMstVID.2582	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2582	INTEGER	2582
IB-LswMSTP-MIB::ibdot1sMstVID.2583	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2583	INTEGER	2583

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2584	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2584	INTEGER	2584
IB-LswMSTP-MIB::ibdot1sMstVID.2585	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2585	INTEGER	2585
IB-LswMSTP-MIB::ibdot1sMstVID.2586	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2586	INTEGER	2586
IB-LswMSTP-MIB::ibdot1sMstVID.2587	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2587	INTEGER	2587
IB-LswMSTP-MIB::ibdot1sMstVID.2588	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2588	INTEGER	2588
IB-LswMSTP-MIB::ibdot1sMstVID.2589	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2589	INTEGER	2589
IB-LswMSTP-MIB::ibdot1sMstVID.2590	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2590	INTEGER	2590
IB-LswMSTP-MIB::ibdot1sMstVID.2591	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2591	INTEGER	2591
IB-LswMSTP-MIB::ibdot1sMstVID.2592	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2592	INTEGER	2592
IB-LswMSTP-MIB::ibdot1sMstVID.2593	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2593	INTEGER	2593
IB-LswMSTP-MIB::ibdot1sMstVID.2594	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2594	INTEGER	2594
IB-LswMSTP-MIB::ibdot1sMstVID.2595	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2595	INTEGER	2595
IB-LswMSTP-MIB::ibdot1sMstVID.2596	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2596	INTEGER	2596
IB-LswMSTP-MIB::ibdot1sMstVID.2597	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2597	INTEGER	2597
IB-LswMSTP-MIB::ibdot1sMstVID.2598	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2598	INTEGER	2598
IB-LswMSTP-MIB::ibdot1sMstVID.2599	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2599	INTEGER	2599
IB-LswMSTP-MIB::ibdot1sMstVID.2600	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2600	INTEGER	2600
IB-LswMSTP-MIB::ibdot1sMstVID.2601	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2601	INTEGER	2601
IB-LswMSTP-MIB::ibdot1sMstVID.2602	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2602	INTEGER	2602
IB-LswMSTP-MIB::ibdot1sMstVID.2603	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2603	INTEGER	2603
IB-LswMSTP-MIB::ibdot1sMstVID.2604	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2604	INTEGER	2604
IB-LswMSTP-MIB::ibdot1sMstVID.2605	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2605	INTEGER	2605
IB-LswMSTP-MIB::ibdot1sMstVID.2606	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2606	INTEGER	2606
IB-LswMSTP-MIB::ibdot1sMstVID.2607	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2607	INTEGER	2607
IB-LswMSTP-MIB::ibdot1sMstVID.2608	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2608	INTEGER	2608
IB-LswMSTP-MIB::ibdot1sMstVID.2609	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2609	INTEGER	2609

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2610	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2610	INTEGER	2610
IB-LswMSTP-MIB::ibdot1sMstVID.2611	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2611	INTEGER	2611
IB-LswMSTP-MIB::ibdot1sMstVID.2612	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2612	INTEGER	2612
IB-LswMSTP-MIB::ibdot1sMstVID.2613	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2613	INTEGER	2613
IB-LswMSTP-MIB::ibdot1sMstVID.2614	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2614	INTEGER	2614
IB-LswMSTP-MIB::ibdot1sMstVID.2615	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2615	INTEGER	2615
IB-LswMSTP-MIB::ibdot1sMstVID.2616	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2616	INTEGER	2616
IB-LswMSTP-MIB::ibdot1sMstVID.2617	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2617	INTEGER	2617
IB-LswMSTP-MIB::ibdot1sMstVID.2618	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2618	INTEGER	2618
IB-LswMSTP-MIB::ibdot1sMstVID.2619	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2619	INTEGER	2619
IB-LswMSTP-MIB::ibdot1sMstVID.2620	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2620	INTEGER	2620
IB-LswMSTP-MIB::ibdot1sMstVID.2621	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2621	INTEGER	2621
IB-LswMSTP-MIB::ibdot1sMstVID.2622	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2622	INTEGER	2622
IB-LswMSTP-MIB::ibdot1sMstVID.2623	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2623	INTEGER	2623
IB-LswMSTP-MIB::ibdot1sMstVID.2624	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2624	INTEGER	2624
IB-LswMSTP-MIB::ibdot1sMstVID.2625	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2625	INTEGER	2625
IB-LswMSTP-MIB::ibdot1sMstVID.2626	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2626	INTEGER	2626
IB-LswMSTP-MIB::ibdot1sMstVID.2627	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2627	INTEGER	2627
IB-LswMSTP-MIB::ibdot1sMstVID.2628	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2628	INTEGER	2628
IB-LswMSTP-MIB::ibdot1sMstVID.2629	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2629	INTEGER	2629
IB-LswMSTP-MIB::ibdot1sMstVID.2630	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2630	INTEGER	2630
IB-LswMSTP-MIB::ibdot1sMstVID.2631	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2631	INTEGER	2631
IB-LswMSTP-MIB::ibdot1sMstVID.2632	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2632	INTEGER	2632
IB-LswMSTP-MIB::ibdot1sMstVID.2633	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2633	INTEGER	2633
IB-LswMSTP-MIB::ibdot1sMstVID.2634	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2634	INTEGER	2634
IB-LswMSTP-MIB::ibdot1sMstVID.2635	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2635	INTEGER	2635

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2636	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2636	INTEGER	2636
IB-LswMSTP-MIB::ibdot1sMstVID.2637	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2637	INTEGER	2637
IB-LswMSTP-MIB::ibdot1sMstVID.2638	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2638	INTEGER	2638
IB-LswMSTP-MIB::ibdot1sMstVID.2639	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2639	INTEGER	2639
IB-LswMSTP-MIB::ibdot1sMstVID.2640	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2640	INTEGER	2640
IB-LswMSTP-MIB::ibdot1sMstVID.2641	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2641	INTEGER	2641
IB-LswMSTP-MIB::ibdot1sMstVID.2642	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2642	INTEGER	2642
IB-LswMSTP-MIB::ibdot1sMstVID.2643	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2643	INTEGER	2643
IB-LswMSTP-MIB::ibdot1sMstVID.2644	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2644	INTEGER	2644
IB-LswMSTP-MIB::ibdot1sMstVID.2645	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2645	INTEGER	2645
IB-LswMSTP-MIB::ibdot1sMstVID.2646	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2646	INTEGER	2646
IB-LswMSTP-MIB::ibdot1sMstVID.2647	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2647	INTEGER	2647
IB-LswMSTP-MIB::ibdot1sMstVID.2648	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2648	INTEGER	2648
IB-LswMSTP-MIB::ibdot1sMstVID.2649	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2649	INTEGER	2649
IB-LswMSTP-MIB::ibdot1sMstVID.2650	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2650	INTEGER	2650
IB-LswMSTP-MIB::ibdot1sMstVID.2651	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2651	INTEGER	2651
IB-LswMSTP-MIB::ibdot1sMstVID.2652	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2652	INTEGER	2652
IB-LswMSTP-MIB::ibdot1sMstVID.2653	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2653	INTEGER	2653
IB-LswMSTP-MIB::ibdot1sMstVID.2654	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2654	INTEGER	2654
IB-LswMSTP-MIB::ibdot1sMstVID.2655	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2655	INTEGER	2655
IB-LswMSTP-MIB::ibdot1sMstVID.2656	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2656	INTEGER	2656
IB-LswMSTP-MIB::ibdot1sMstVID.2657	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2657	INTEGER	2657
IB-LswMSTP-MIB::ibdot1sMstVID.2658	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2658	INTEGER	2658
IB-LswMSTP-MIB::ibdot1sMstVID.2659	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2659	INTEGER	2659
IB-LswMSTP-MIB::ibdot1sMstVID.2660	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2660	INTEGER	2660
IB-LswMSTP-MIB::ibdot1sMstVID.2661	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2661	INTEGER	2661

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2662	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2662	INTEGER	2662
IB-LswMSTP-MIB::ibdot1sMstVID.2663	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2663	INTEGER	2663
IB-LswMSTP-MIB::ibdot1sMstVID.2664	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2664	INTEGER	2664
IB-LswMSTP-MIB::ibdot1sMstVID.2665	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2665	INTEGER	2665
IB-LswMSTP-MIB::ibdot1sMstVID.2666	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2666	INTEGER	2666
IB-LswMSTP-MIB::ibdot1sMstVID.2667	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2667	INTEGER	2667
IB-LswMSTP-MIB::ibdot1sMstVID.2668	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2668	INTEGER	2668
IB-LswMSTP-MIB::ibdot1sMstVID.2669	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2669	INTEGER	2669
IB-LswMSTP-MIB::ibdot1sMstVID.2670	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2670	INTEGER	2670
IB-LswMSTP-MIB::ibdot1sMstVID.2671	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2671	INTEGER	2671
IB-LswMSTP-MIB::ibdot1sMstVID.2672	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2672	INTEGER	2672
IB-LswMSTP-MIB::ibdot1sMstVID.2673	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2673	INTEGER	2673
IB-LswMSTP-MIB::ibdot1sMstVID.2674	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2674	INTEGER	2674
IB-LswMSTP-MIB::ibdot1sMstVID.2675	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2675	INTEGER	2675
IB-LswMSTP-MIB::ibdot1sMstVID.2676	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2676	INTEGER	2676
IB-LswMSTP-MIB::ibdot1sMstVID.2677	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2677	INTEGER	2677
IB-LswMSTP-MIB::ibdot1sMstVID.2678	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2678	INTEGER	2678
IB-LswMSTP-MIB::ibdot1sMstVID.2679	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2679	INTEGER	2679
IB-LswMSTP-MIB::ibdot1sMstVID.2680	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2680	INTEGER	2680
IB-LswMSTP-MIB::ibdot1sMstVID.2681	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2681	INTEGER	2681
IB-LswMSTP-MIB::ibdot1sMstVID.2682	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2682	INTEGER	2682
IB-LswMSTP-MIB::ibdot1sMstVID.2683	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2683	INTEGER	2683
IB-LswMSTP-MIB::ibdot1sMstVID.2684	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2684	INTEGER	2684
IB-LswMSTP-MIB::ibdot1sMstVID.2685	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2685	INTEGER	2685
IB-LswMSTP-MIB::ibdot1sMstVID.2686	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2686	INTEGER	2686
IB-LswMSTP-MIB::ibdot1sMstVID.2687	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2687	INTEGER	2687

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2688	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2688	INTEGER	2688
IB-LswMSTP-MIB::ibdot1sMstVID.2689	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2689	INTEGER	2689
IB-LswMSTP-MIB::ibdot1sMstVID.2690	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2690	INTEGER	2690
IB-LswMSTP-MIB::ibdot1sMstVID.2691	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2691	INTEGER	2691
IB-LswMSTP-MIB::ibdot1sMstVID.2692	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2692	INTEGER	2692
IB-LswMSTP-MIB::ibdot1sMstVID.2693	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2693	INTEGER	2693
IB-LswMSTP-MIB::ibdot1sMstVID.2694	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2694	INTEGER	2694
IB-LswMSTP-MIB::ibdot1sMstVID.2695	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2695	INTEGER	2695
IB-LswMSTP-MIB::ibdot1sMstVID.2696	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2696	INTEGER	2696
IB-LswMSTP-MIB::ibdot1sMstVID.2697	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2697	INTEGER	2697
IB-LswMSTP-MIB::ibdot1sMstVID.2698	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2698	INTEGER	2698
IB-LswMSTP-MIB::ibdot1sMstVID.2699	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2699	INTEGER	2699
IB-LswMSTP-MIB::ibdot1sMstVID.2700	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2700	INTEGER	2700
IB-LswMSTP-MIB::ibdot1sMstVID.2701	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2701	INTEGER	2701
IB-LswMSTP-MIB::ibdot1sMstVID.2702	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2702	INTEGER	2702
IB-LswMSTP-MIB::ibdot1sMstVID.2703	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2703	INTEGER	2703
IB-LswMSTP-MIB::ibdot1sMstVID.2704	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2704	INTEGER	2704
IB-LswMSTP-MIB::ibdot1sMstVID.2705	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2705	INTEGER	2705
IB-LswMSTP-MIB::ibdot1sMstVID.2706	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2706	INTEGER	2706
IB-LswMSTP-MIB::ibdot1sMstVID.2707	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2707	INTEGER	2707
IB-LswMSTP-MIB::ibdot1sMstVID.2708	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2708	INTEGER	2708
IB-LswMSTP-MIB::ibdot1sMstVID.2709	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2709	INTEGER	2709
IB-LswMSTP-MIB::ibdot1sMstVID.2710	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2710	INTEGER	2710
IB-LswMSTP-MIB::ibdot1sMstVID.2711	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2711	INTEGER	2711
IB-LswMSTP-MIB::ibdot1sMstVID.2712	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2712	INTEGER	2712
IB-LswMSTP-MIB::ibdot1sMstVID.2713	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2713	INTEGER	2713

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2714	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2714	INTEGER	2714
IB-LswMSTP-MIB::ibdot1sMstVID.2715	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2715	INTEGER	2715
IB-LswMSTP-MIB::ibdot1sMstVID.2716	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2716	INTEGER	2716
IB-LswMSTP-MIB::ibdot1sMstVID.2717	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2717	INTEGER	2717
IB-LswMSTP-MIB::ibdot1sMstVID.2718	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2718	INTEGER	2718
IB-LswMSTP-MIB::ibdot1sMstVID.2719	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2719	INTEGER	2719
IB-LswMSTP-MIB::ibdot1sMstVID.2720	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2720	INTEGER	2720
IB-LswMSTP-MIB::ibdot1sMstVID.2721	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2721	INTEGER	2721
IB-LswMSTP-MIB::ibdot1sMstVID.2722	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2722	INTEGER	2722
IB-LswMSTP-MIB::ibdot1sMstVID.2723	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2723	INTEGER	2723
IB-LswMSTP-MIB::ibdot1sMstVID.2724	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2724	INTEGER	2724
IB-LswMSTP-MIB::ibdot1sMstVID.2725	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2725	INTEGER	2725
IB-LswMSTP-MIB::ibdot1sMstVID.2726	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2726	INTEGER	2726
IB-LswMSTP-MIB::ibdot1sMstVID.2727	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2727	INTEGER	2727
IB-LswMSTP-MIB::ibdot1sMstVID.2728	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2728	INTEGER	2728
IB-LswMSTP-MIB::ibdot1sMstVID.2729	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2729	INTEGER	2729
IB-LswMSTP-MIB::ibdot1sMstVID.2730	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2730	INTEGER	2730
IB-LswMSTP-MIB::ibdot1sMstVID.2731	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2731	INTEGER	2731
IB-LswMSTP-MIB::ibdot1sMstVID.2732	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2732	INTEGER	2732
IB-LswMSTP-MIB::ibdot1sMstVID.2733	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2733	INTEGER	2733
IB-LswMSTP-MIB::ibdot1sMstVID.2734	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2734	INTEGER	2734
IB-LswMSTP-MIB::ibdot1sMstVID.2735	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2735	INTEGER	2735
IB-LswMSTP-MIB::ibdot1sMstVID.2736	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2736	INTEGER	2736
IB-LswMSTP-MIB::ibdot1sMstVID.2737	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2737	INTEGER	2737
IB-LswMSTP-MIB::ibdot1sMstVID.2738	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2738	INTEGER	2738
IB-LswMSTP-MIB::ibdot1sMstVID.2739	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2739	INTEGER	2739

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2740	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2740	INTEGER	2740
IB-LswMSTP-MIB::ibdot1sMstVID.2741	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2741	INTEGER	2741
IB-LswMSTP-MIB::ibdot1sMstVID.2742	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2742	INTEGER	2742
IB-LswMSTP-MIB::ibdot1sMstVID.2743	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2743	INTEGER	2743
IB-LswMSTP-MIB::ibdot1sMstVID.2744	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2744	INTEGER	2744
IB-LswMSTP-MIB::ibdot1sMstVID.2745	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2745	INTEGER	2745
IB-LswMSTP-MIB::ibdot1sMstVID.2746	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2746	INTEGER	2746
IB-LswMSTP-MIB::ibdot1sMstVID.2747	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2747	INTEGER	2747
IB-LswMSTP-MIB::ibdot1sMstVID.2748	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2748	INTEGER	2748
IB-LswMSTP-MIB::ibdot1sMstVID.2749	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2749	INTEGER	2749
IB-LswMSTP-MIB::ibdot1sMstVID.2750	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2750	INTEGER	2750
IB-LswMSTP-MIB::ibdot1sMstVID.2751	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2751	INTEGER	2751
IB-LswMSTP-MIB::ibdot1sMstVID.2752	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2752	INTEGER	2752
IB-LswMSTP-MIB::ibdot1sMstVID.2753	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2753	INTEGER	2753
IB-LswMSTP-MIB::ibdot1sMstVID.2754	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2754	INTEGER	2754
IB-LswMSTP-MIB::ibdot1sMstVID.2755	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2755	INTEGER	2755
IB-LswMSTP-MIB::ibdot1sMstVID.2756	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2756	INTEGER	2756
IB-LswMSTP-MIB::ibdot1sMstVID.2757	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2757	INTEGER	2757
IB-LswMSTP-MIB::ibdot1sMstVID.2758	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2758	INTEGER	2758
IB-LswMSTP-MIB::ibdot1sMstVID.2759	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2759	INTEGER	2759
IB-LswMSTP-MIB::ibdot1sMstVID.2760	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2760	INTEGER	2760
IB-LswMSTP-MIB::ibdot1sMstVID.2761	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2761	INTEGER	2761
IB-LswMSTP-MIB::ibdot1sMstVID.2762	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2762	INTEGER	2762
IB-LswMSTP-MIB::ibdot1sMstVID.2763	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2763	INTEGER	2763
IB-LswMSTP-MIB::ibdot1sMstVID.2764	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2764	INTEGER	2764
IB-LswMSTP-MIB::ibdot1sMstVID.2765	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2765	INTEGER	2765

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2766	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2766	INTEGER	2766
IB-LswMSTP-MIB::ibdot1sMstVID.2767	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2767	INTEGER	2767
IB-LswMSTP-MIB::ibdot1sMstVID.2768	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2768	INTEGER	2768
IB-LswMSTP-MIB::ibdot1sMstVID.2769	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2769	INTEGER	2769
IB-LswMSTP-MIB::ibdot1sMstVID.2770	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2770	INTEGER	2770
IB-LswMSTP-MIB::ibdot1sMstVID.2771	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2771	INTEGER	2771
IB-LswMSTP-MIB::ibdot1sMstVID.2772	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2772	INTEGER	2772
IB-LswMSTP-MIB::ibdot1sMstVID.2773	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2773	INTEGER	2773
IB-LswMSTP-MIB::ibdot1sMstVID.2774	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2774	INTEGER	2774
IB-LswMSTP-MIB::ibdot1sMstVID.2775	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2775	INTEGER	2775
IB-LswMSTP-MIB::ibdot1sMstVID.2776	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2776	INTEGER	2776
IB-LswMSTP-MIB::ibdot1sMstVID.2777	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2777	INTEGER	2777
IB-LswMSTP-MIB::ibdot1sMstVID.2778	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2778	INTEGER	2778
IB-LswMSTP-MIB::ibdot1sMstVID.2779	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2779	INTEGER	2779
IB-LswMSTP-MIB::ibdot1sMstVID.2780	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2780	INTEGER	2780
IB-LswMSTP-MIB::ibdot1sMstVID.2781	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2781	INTEGER	2781
IB-LswMSTP-MIB::ibdot1sMstVID.2782	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2782	INTEGER	2782
IB-LswMSTP-MIB::ibdot1sMstVID.2783	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2783	INTEGER	2783
IB-LswMSTP-MIB::ibdot1sMstVID.2784	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2784	INTEGER	2784
IB-LswMSTP-MIB::ibdot1sMstVID.2785	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2785	INTEGER	2785
IB-LswMSTP-MIB::ibdot1sMstVID.2786	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2786	INTEGER	2786
IB-LswMSTP-MIB::ibdot1sMstVID.2787	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2787	INTEGER	2787
IB-LswMSTP-MIB::ibdot1sMstVID.2788	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2788	INTEGER	2788
IB-LswMSTP-MIB::ibdot1sMstVID.2789	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2789	INTEGER	2789
IB-LswMSTP-MIB::ibdot1sMstVID.2790	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2790	INTEGER	2790
IB-LswMSTP-MIB::ibdot1sMstVID.2791	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2791	INTEGER	2791

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2792	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2792	INTEGER	2792
IB-LswMSTP-MIB::ibdot1sMstVID.2793	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2793	INTEGER	2793
IB-LswMSTP-MIB::ibdot1sMstVID.2794	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2794	INTEGER	2794
IB-LswMSTP-MIB::ibdot1sMstVID.2795	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2795	INTEGER	2795
IB-LswMSTP-MIB::ibdot1sMstVID.2796	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2796	INTEGER	2796
IB-LswMSTP-MIB::ibdot1sMstVID.2797	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2797	INTEGER	2797
IB-LswMSTP-MIB::ibdot1sMstVID.2798	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2798	INTEGER	2798
IB-LswMSTP-MIB::ibdot1sMstVID.2799	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2799	INTEGER	2799
IB-LswMSTP-MIB::ibdot1sMstVID.2800	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2800	INTEGER	2800
IB-LswMSTP-MIB::ibdot1sMstVID.2801	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2801	INTEGER	2801
IB-LswMSTP-MIB::ibdot1sMstVID.2802	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2802	INTEGER	2802
IB-LswMSTP-MIB::ibdot1sMstVID.2803	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2803	INTEGER	2803
IB-LswMSTP-MIB::ibdot1sMstVID.2804	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2804	INTEGER	2804
IB-LswMSTP-MIB::ibdot1sMstVID.2805	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2805	INTEGER	2805
IB-LswMSTP-MIB::ibdot1sMstVID.2806	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2806	INTEGER	2806
IB-LswMSTP-MIB::ibdot1sMstVID.2807	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2807	INTEGER	2807
IB-LswMSTP-MIB::ibdot1sMstVID.2808	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2808	INTEGER	2808
IB-LswMSTP-MIB::ibdot1sMstVID.2809	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2809	INTEGER	2809
IB-LswMSTP-MIB::ibdot1sMstVID.2810	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2810	INTEGER	2810
IB-LswMSTP-MIB::ibdot1sMstVID.2811	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2811	INTEGER	2811
IB-LswMSTP-MIB::ibdot1sMstVID.2812	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2812	INTEGER	2812
IB-LswMSTP-MIB::ibdot1sMstVID.2813	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2813	INTEGER	2813
IB-LswMSTP-MIB::ibdot1sMstVID.2814	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2814	INTEGER	2814
IB-LswMSTP-MIB::ibdot1sMstVID.2815	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2815	INTEGER	2815
IB-LswMSTP-MIB::ibdot1sMstVID.2816	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2816	INTEGER	2816
IB-LswMSTP-MIB::ibdot1sMstVID.2817	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2817	INTEGER	2817

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2818	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2818	INTEGER	2818
IB-LswMSTP-MIB::ibdot1sMstVID.2819	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2819	INTEGER	2819
IB-LswMSTP-MIB::ibdot1sMstVID.2820	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2820	INTEGER	2820
IB-LswMSTP-MIB::ibdot1sMstVID.2821	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2821	INTEGER	2821
IB-LswMSTP-MIB::ibdot1sMstVID.2822	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2822	INTEGER	2822
IB-LswMSTP-MIB::ibdot1sMstVID.2823	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2823	INTEGER	2823
IB-LswMSTP-MIB::ibdot1sMstVID.2824	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2824	INTEGER	2824
IB-LswMSTP-MIB::ibdot1sMstVID.2825	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2825	INTEGER	2825
IB-LswMSTP-MIB::ibdot1sMstVID.2826	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2826	INTEGER	2826
IB-LswMSTP-MIB::ibdot1sMstVID.2827	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2827	INTEGER	2827
IB-LswMSTP-MIB::ibdot1sMstVID.2828	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2828	INTEGER	2828
IB-LswMSTP-MIB::ibdot1sMstVID.2829	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2829	INTEGER	2829
IB-LswMSTP-MIB::ibdot1sMstVID.2830	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2830	INTEGER	2830
IB-LswMSTP-MIB::ibdot1sMstVID.2831	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2831	INTEGER	2831
IB-LswMSTP-MIB::ibdot1sMstVID.2832	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2832	INTEGER	2832
IB-LswMSTP-MIB::ibdot1sMstVID.2833	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2833	INTEGER	2833
IB-LswMSTP-MIB::ibdot1sMstVID.2834	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2834	INTEGER	2834
IB-LswMSTP-MIB::ibdot1sMstVID.2835	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2835	INTEGER	2835
IB-LswMSTP-MIB::ibdot1sMstVID.2836	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2836	INTEGER	2836
IB-LswMSTP-MIB::ibdot1sMstVID.2837	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2837	INTEGER	2837
IB-LswMSTP-MIB::ibdot1sMstVID.2838	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2838	INTEGER	2838
IB-LswMSTP-MIB::ibdot1sMstVID.2839	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2839	INTEGER	2839
IB-LswMSTP-MIB::ibdot1sMstVID.2840	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2840	INTEGER	2840
IB-LswMSTP-MIB::ibdot1sMstVID.2841	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2841	INTEGER	2841
IB-LswMSTP-MIB::ibdot1sMstVID.2842	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2842	INTEGER	2842
IB-LswMSTP-MIB::ibdot1sMstVID.2843	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2843	INTEGER	2843

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2844	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2844	INTEGER	2844
IB-LswMSTP-MIB::ibdot1sMstVID.2845	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2845	INTEGER	2845
IB-LswMSTP-MIB::ibdot1sMstVID.2846	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2846	INTEGER	2846
IB-LswMSTP-MIB::ibdot1sMstVID.2847	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2847	INTEGER	2847
IB-LswMSTP-MIB::ibdot1sMstVID.2848	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2848	INTEGER	2848
IB-LswMSTP-MIB::ibdot1sMstVID.2849	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2849	INTEGER	2849
IB-LswMSTP-MIB::ibdot1sMstVID.2850	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2850	INTEGER	2850
IB-LswMSTP-MIB::ibdot1sMstVID.2851	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2851	INTEGER	2851
IB-LswMSTP-MIB::ibdot1sMstVID.2852	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2852	INTEGER	2852
IB-LswMSTP-MIB::ibdot1sMstVID.2853	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2853	INTEGER	2853
IB-LswMSTP-MIB::ibdot1sMstVID.2854	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2854	INTEGER	2854
IB-LswMSTP-MIB::ibdot1sMstVID.2855	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2855	INTEGER	2855
IB-LswMSTP-MIB::ibdot1sMstVID.2856	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2856	INTEGER	2856
IB-LswMSTP-MIB::ibdot1sMstVID.2857	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2857	INTEGER	2857
IB-LswMSTP-MIB::ibdot1sMstVID.2858	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2858	INTEGER	2858
IB-LswMSTP-MIB::ibdot1sMstVID.2859	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2859	INTEGER	2859
IB-LswMSTP-MIB::ibdot1sMstVID.2860	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2860	INTEGER	2860
IB-LswMSTP-MIB::ibdot1sMstVID.2861	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2861	INTEGER	2861
IB-LswMSTP-MIB::ibdot1sMstVID.2862	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2862	INTEGER	2862
IB-LswMSTP-MIB::ibdot1sMstVID.2863	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2863	INTEGER	2863
IB-LswMSTP-MIB::ibdot1sMstVID.2864	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2864	INTEGER	2864
IB-LswMSTP-MIB::ibdot1sMstVID.2865	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2865	INTEGER	2865
IB-LswMSTP-MIB::ibdot1sMstVID.2866	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2866	INTEGER	2866
IB-LswMSTP-MIB::ibdot1sMstVID.2867	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2867	INTEGER	2867
IB-LswMSTP-MIB::ibdot1sMstVID.2868	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2868	INTEGER	2868
IB-LswMSTP-MIB::ibdot1sMstVID.2869	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2869	INTEGER	2869

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2870	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2870	INTEGER	2870
IB-LswMSTP-MIB::ibdot1sMstVID.2871	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2871	INTEGER	2871
IB-LswMSTP-MIB::ibdot1sMstVID.2872	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2872	INTEGER	2872
IB-LswMSTP-MIB::ibdot1sMstVID.2873	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2873	INTEGER	2873
IB-LswMSTP-MIB::ibdot1sMstVID.2874	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2874	INTEGER	2874
IB-LswMSTP-MIB::ibdot1sMstVID.2875	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2875	INTEGER	2875
IB-LswMSTP-MIB::ibdot1sMstVID.2876	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2876	INTEGER	2876
IB-LswMSTP-MIB::ibdot1sMstVID.2877	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2877	INTEGER	2877
IB-LswMSTP-MIB::ibdot1sMstVID.2878	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2878	INTEGER	2878
IB-LswMSTP-MIB::ibdot1sMstVID.2879	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2879	INTEGER	2879
IB-LswMSTP-MIB::ibdot1sMstVID.2880	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2880	INTEGER	2880
IB-LswMSTP-MIB::ibdot1sMstVID.2881	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2881	INTEGER	2881
IB-LswMSTP-MIB::ibdot1sMstVID.2882	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2882	INTEGER	2882
IB-LswMSTP-MIB::ibdot1sMstVID.2883	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2883	INTEGER	2883
IB-LswMSTP-MIB::ibdot1sMstVID.2884	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2884	INTEGER	2884
IB-LswMSTP-MIB::ibdot1sMstVID.2885	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2885	INTEGER	2885
IB-LswMSTP-MIB::ibdot1sMstVID.2886	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2886	INTEGER	2886
IB-LswMSTP-MIB::ibdot1sMstVID.2887	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2887	INTEGER	2887
IB-LswMSTP-MIB::ibdot1sMstVID.2888	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2888	INTEGER	2888
IB-LswMSTP-MIB::ibdot1sMstVID.2889	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2889	INTEGER	2889
IB-LswMSTP-MIB::ibdot1sMstVID.2890	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2890	INTEGER	2890
IB-LswMSTP-MIB::ibdot1sMstVID.2891	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2891	INTEGER	2891
IB-LswMSTP-MIB::ibdot1sMstVID.2892	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2892	INTEGER	2892
IB-LswMSTP-MIB::ibdot1sMstVID.2893	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2893	INTEGER	2893
IB-LswMSTP-MIB::ibdot1sMstVID.2894	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2894	INTEGER	2894
IB-LswMSTP-MIB::ibdot1sMstVID.2895	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2895	INTEGER	2895

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2896	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2896	INTEGER	2896
IB-LswMSTP-MIB::ibdot1sMstVID.2897	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2897	INTEGER	2897
IB-LswMSTP-MIB::ibdot1sMstVID.2898	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2898	INTEGER	2898
IB-LswMSTP-MIB::ibdot1sMstVID.2899	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2899	INTEGER	2899
IB-LswMSTP-MIB::ibdot1sMstVID.2900	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2900	INTEGER	2900
IB-LswMSTP-MIB::ibdot1sMstVID.2901	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2901	INTEGER	2901
IB-LswMSTP-MIB::ibdot1sMstVID.2902	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2902	INTEGER	2902
IB-LswMSTP-MIB::ibdot1sMstVID.2903	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2903	INTEGER	2903
IB-LswMSTP-MIB::ibdot1sMstVID.2904	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2904	INTEGER	2904
IB-LswMSTP-MIB::ibdot1sMstVID.2905	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2905	INTEGER	2905
IB-LswMSTP-MIB::ibdot1sMstVID.2906	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2906	INTEGER	2906
IB-LswMSTP-MIB::ibdot1sMstVID.2907	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2907	INTEGER	2907
IB-LswMSTP-MIB::ibdot1sMstVID.2908	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2908	INTEGER	2908
IB-LswMSTP-MIB::ibdot1sMstVID.2909	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2909	INTEGER	2909
IB-LswMSTP-MIB::ibdot1sMstVID.2910	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2910	INTEGER	2910
IB-LswMSTP-MIB::ibdot1sMstVID.2911	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2911	INTEGER	2911
IB-LswMSTP-MIB::ibdot1sMstVID.2912	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2912	INTEGER	2912
IB-LswMSTP-MIB::ibdot1sMstVID.2913	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2913	INTEGER	2913
IB-LswMSTP-MIB::ibdot1sMstVID.2914	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2914	INTEGER	2914
IB-LswMSTP-MIB::ibdot1sMstVID.2915	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2915	INTEGER	2915
IB-LswMSTP-MIB::ibdot1sMstVID.2916	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2916	INTEGER	2916
IB-LswMSTP-MIB::ibdot1sMstVID.2917	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2917	INTEGER	2917
IB-LswMSTP-MIB::ibdot1sMstVID.2918	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2918	INTEGER	2918
IB-LswMSTP-MIB::ibdot1sMstVID.2919	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2919	INTEGER	2919
IB-LswMSTP-MIB::ibdot1sMstVID.2920	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2920	INTEGER	2920
IB-LswMSTP-MIB::ibdot1sMstVID.2921	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2921	INTEGER	2921

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2922	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2922	INTEGER	2922
IB-LswMSTP-MIB::ibdot1sMstVID.2923	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2923	INTEGER	2923
IB-LswMSTP-MIB::ibdot1sMstVID.2924	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2924	INTEGER	2924
IB-LswMSTP-MIB::ibdot1sMstVID.2925	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2925	INTEGER	2925
IB-LswMSTP-MIB::ibdot1sMstVID.2926	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2926	INTEGER	2926
IB-LswMSTP-MIB::ibdot1sMstVID.2927	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2927	INTEGER	2927
IB-LswMSTP-MIB::ibdot1sMstVID.2928	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2928	INTEGER	2928
IB-LswMSTP-MIB::ibdot1sMstVID.2929	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2929	INTEGER	2929
IB-LswMSTP-MIB::ibdot1sMstVID.2930	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2930	INTEGER	2930
IB-LswMSTP-MIB::ibdot1sMstVID.2931	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2931	INTEGER	2931
IB-LswMSTP-MIB::ibdot1sMstVID.2932	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2932	INTEGER	2932
IB-LswMSTP-MIB::ibdot1sMstVID.2933	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2933	INTEGER	2933
IB-LswMSTP-MIB::ibdot1sMstVID.2934	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2934	INTEGER	2934
IB-LswMSTP-MIB::ibdot1sMstVID.2935	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2935	INTEGER	2935
IB-LswMSTP-MIB::ibdot1sMstVID.2936	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2936	INTEGER	2936
IB-LswMSTP-MIB::ibdot1sMstVID.2937	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2937	INTEGER	2937
IB-LswMSTP-MIB::ibdot1sMstVID.2938	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2938	INTEGER	2938
IB-LswMSTP-MIB::ibdot1sMstVID.2939	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2939	INTEGER	2939
IB-LswMSTP-MIB::ibdot1sMstVID.2940	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2940	INTEGER	2940
IB-LswMSTP-MIB::ibdot1sMstVID.2941	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2941	INTEGER	2941
IB-LswMSTP-MIB::ibdot1sMstVID.2942	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2942	INTEGER	2942
IB-LswMSTP-MIB::ibdot1sMstVID.2943	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2943	INTEGER	2943
IB-LswMSTP-MIB::ibdot1sMstVID.2944	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2944	INTEGER	2944
IB-LswMSTP-MIB::ibdot1sMstVID.2945	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2945	INTEGER	2945
IB-LswMSTP-MIB::ibdot1sMstVID.2946	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2946	INTEGER	2946
IB-LswMSTP-MIB::ibdot1sMstVID.2947	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2947	INTEGER	2947

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2948	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2948	INTEGER	2948
IB-LswMSTP-MIB::ibdot1sMstVID.2949	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2949	INTEGER	2949
IB-LswMSTP-MIB::ibdot1sMstVID.2950	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2950	INTEGER	2950
IB-LswMSTP-MIB::ibdot1sMstVID.2951	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2951	INTEGER	2951
IB-LswMSTP-MIB::ibdot1sMstVID.2952	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2952	INTEGER	2952
IB-LswMSTP-MIB::ibdot1sMstVID.2953	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2953	INTEGER	2953
IB-LswMSTP-MIB::ibdot1sMstVID.2954	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2954	INTEGER	2954
IB-LswMSTP-MIB::ibdot1sMstVID.2955	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2955	INTEGER	2955
IB-LswMSTP-MIB::ibdot1sMstVID.2956	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2956	INTEGER	2956
IB-LswMSTP-MIB::ibdot1sMstVID.2957	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2957	INTEGER	2957
IB-LswMSTP-MIB::ibdot1sMstVID.2958	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2958	INTEGER	2958
IB-LswMSTP-MIB::ibdot1sMstVID.2959	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2959	INTEGER	2959
IB-LswMSTP-MIB::ibdot1sMstVID.2960	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2960	INTEGER	2960
IB-LswMSTP-MIB::ibdot1sMstVID.2961	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2961	INTEGER	2961
IB-LswMSTP-MIB::ibdot1sMstVID.2962	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2962	INTEGER	2962
IB-LswMSTP-MIB::ibdot1sMstVID.2963	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2963	INTEGER	2963
IB-LswMSTP-MIB::ibdot1sMstVID.2964	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2964	INTEGER	2964
IB-LswMSTP-MIB::ibdot1sMstVID.2965	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2965	INTEGER	2965
IB-LswMSTP-MIB::ibdot1sMstVID.2966	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2966	INTEGER	2966
IB-LswMSTP-MIB::ibdot1sMstVID.2967	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2967	INTEGER	2967
IB-LswMSTP-MIB::ibdot1sMstVID.2968	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2968	INTEGER	2968
IB-LswMSTP-MIB::ibdot1sMstVID.2969	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2969	INTEGER	2969
IB-LswMSTP-MIB::ibdot1sMstVID.2970	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2970	INTEGER	2970
IB-LswMSTP-MIB::ibdot1sMstVID.2971	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2971	INTEGER	2971
IB-LswMSTP-MIB::ibdot1sMstVID.2972	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2972	INTEGER	2972
IB-LswMSTP-MIB::ibdot1sMstVID.2973	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2973	INTEGER	2973

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.2974	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2974	INTEGER	2974
IB-LswMSTP-MIB::ibdot1sMstVID.2975	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2975	INTEGER	2975
IB-LswMSTP-MIB::ibdot1sMstVID.2976	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2976	INTEGER	2976
IB-LswMSTP-MIB::ibdot1sMstVID.2977	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2977	INTEGER	2977
IB-LswMSTP-MIB::ibdot1sMstVID.2978	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2978	INTEGER	2978
IB-LswMSTP-MIB::ibdot1sMstVID.2979	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2979	INTEGER	2979
IB-LswMSTP-MIB::ibdot1sMstVID.2980	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2980	INTEGER	2980
IB-LswMSTP-MIB::ibdot1sMstVID.2981	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2981	INTEGER	2981
IB-LswMSTP-MIB::ibdot1sMstVID.2982	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2982	INTEGER	2982
IB-LswMSTP-MIB::ibdot1sMstVID.2983	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2983	INTEGER	2983
IB-LswMSTP-MIB::ibdot1sMstVID.2984	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2984	INTEGER	2984
IB-LswMSTP-MIB::ibdot1sMstVID.2985	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2985	INTEGER	2985
IB-LswMSTP-MIB::ibdot1sMstVID.2986	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2986	INTEGER	2986
IB-LswMSTP-MIB::ibdot1sMstVID.2987	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2987	INTEGER	2987
IB-LswMSTP-MIB::ibdot1sMstVID.2988	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2988	INTEGER	2988
IB-LswMSTP-MIB::ibdot1sMstVID.2989	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2989	INTEGER	2989
IB-LswMSTP-MIB::ibdot1sMstVID.2990	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2990	INTEGER	2990
IB-LswMSTP-MIB::ibdot1sMstVID.2991	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2991	INTEGER	2991
IB-LswMSTP-MIB::ibdot1sMstVID.2992	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2992	INTEGER	2992
IB-LswMSTP-MIB::ibdot1sMstVID.2993	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2993	INTEGER	2993
IB-LswMSTP-MIB::ibdot1sMstVID.2994	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2994	INTEGER	2994
IB-LswMSTP-MIB::ibdot1sMstVID.2995	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2995	INTEGER	2995
IB-LswMSTP-MIB::ibdot1sMstVID.2996	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2996	INTEGER	2996
IB-LswMSTP-MIB::ibdot1sMstVID.2997	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2997	INTEGER	2997
IB-LswMSTP-MIB::ibdot1sMstVID.2998	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2998	INTEGER	2998
IB-LswMSTP-MIB::ibdot1sMstVID.2999	.1.3.6.1.4.1.26138.8.35.14.18.1.1.2999	INTEGER	2999

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3000	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3000	INTEGER	3000
IB-LswMSTP-MIB::ibdot1sMstVID.3001	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3001	INTEGER	3001
IB-LswMSTP-MIB::ibdot1sMstVID.3002	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3002	INTEGER	3002
IB-LswMSTP-MIB::ibdot1sMstVID.3003	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3003	INTEGER	3003
IB-LswMSTP-MIB::ibdot1sMstVID.3004	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3004	INTEGER	3004
IB-LswMSTP-MIB::ibdot1sMstVID.3005	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3005	INTEGER	3005
IB-LswMSTP-MIB::ibdot1sMstVID.3006	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3006	INTEGER	3006
IB-LswMSTP-MIB::ibdot1sMstVID.3007	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3007	INTEGER	3007
IB-LswMSTP-MIB::ibdot1sMstVID.3008	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3008	INTEGER	3008
IB-LswMSTP-MIB::ibdot1sMstVID.3009	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3009	INTEGER	3009
IB-LswMSTP-MIB::ibdot1sMstVID.3010	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3010	INTEGER	3010
IB-LswMSTP-MIB::ibdot1sMstVID.3011	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3011	INTEGER	3011
IB-LswMSTP-MIB::ibdot1sMstVID.3012	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3012	INTEGER	3012
IB-LswMSTP-MIB::ibdot1sMstVID.3013	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3013	INTEGER	3013
IB-LswMSTP-MIB::ibdot1sMstVID.3014	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3014	INTEGER	3014
IB-LswMSTP-MIB::ibdot1sMstVID.3015	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3015	INTEGER	3015
IB-LswMSTP-MIB::ibdot1sMstVID.3016	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3016	INTEGER	3016
IB-LswMSTP-MIB::ibdot1sMstVID.3017	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3017	INTEGER	3017
IB-LswMSTP-MIB::ibdot1sMstVID.3018	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3018	INTEGER	3018
IB-LswMSTP-MIB::ibdot1sMstVID.3019	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3019	INTEGER	3019
IB-LswMSTP-MIB::ibdot1sMstVID.3020	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3020	INTEGER	3020
IB-LswMSTP-MIB::ibdot1sMstVID.3021	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3021	INTEGER	3021
IB-LswMSTP-MIB::ibdot1sMstVID.3022	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3022	INTEGER	3022
IB-LswMSTP-MIB::ibdot1sMstVID.3023	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3023	INTEGER	3023
IB-LswMSTP-MIB::ibdot1sMstVID.3024	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3024	INTEGER	3024
IB-LswMSTP-MIB::ibdot1sMstVID.3025	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3025	INTEGER	3025

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3026	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3026	INTEGER	3026
IB-LswMSTP-MIB::ibdot1sMstVID.3027	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3027	INTEGER	3027
IB-LswMSTP-MIB::ibdot1sMstVID.3028	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3028	INTEGER	3028
IB-LswMSTP-MIB::ibdot1sMstVID.3029	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3029	INTEGER	3029
IB-LswMSTP-MIB::ibdot1sMstVID.3030	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3030	INTEGER	3030
IB-LswMSTP-MIB::ibdot1sMstVID.3031	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3031	INTEGER	3031
IB-LswMSTP-MIB::ibdot1sMstVID.3032	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3032	INTEGER	3032
IB-LswMSTP-MIB::ibdot1sMstVID.3033	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3033	INTEGER	3033
IB-LswMSTP-MIB::ibdot1sMstVID.3034	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3034	INTEGER	3034
IB-LswMSTP-MIB::ibdot1sMstVID.3035	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3035	INTEGER	3035
IB-LswMSTP-MIB::ibdot1sMstVID.3036	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3036	INTEGER	3036
IB-LswMSTP-MIB::ibdot1sMstVID.3037	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3037	INTEGER	3037
IB-LswMSTP-MIB::ibdot1sMstVID.3038	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3038	INTEGER	3038
IB-LswMSTP-MIB::ibdot1sMstVID.3039	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3039	INTEGER	3039
IB-LswMSTP-MIB::ibdot1sMstVID.3040	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3040	INTEGER	3040
IB-LswMSTP-MIB::ibdot1sMstVID.3041	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3041	INTEGER	3041
IB-LswMSTP-MIB::ibdot1sMstVID.3042	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3042	INTEGER	3042
IB-LswMSTP-MIB::ibdot1sMstVID.3043	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3043	INTEGER	3043
IB-LswMSTP-MIB::ibdot1sMstVID.3044	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3044	INTEGER	3044
IB-LswMSTP-MIB::ibdot1sMstVID.3045	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3045	INTEGER	3045
IB-LswMSTP-MIB::ibdot1sMstVID.3046	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3046	INTEGER	3046
IB-LswMSTP-MIB::ibdot1sMstVID.3047	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3047	INTEGER	3047
IB-LswMSTP-MIB::ibdot1sMstVID.3048	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3048	INTEGER	3048
IB-LswMSTP-MIB::ibdot1sMstVID.3049	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3049	INTEGER	3049
IB-LswMSTP-MIB::ibdot1sMstVID.3050	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3050	INTEGER	3050
IB-LswMSTP-MIB::ibdot1sMstVID.3051	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3051	INTEGER	3051

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3052	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3052	INTEGER	3052
IB-LswMSTP-MIB::ibdot1sMstVID.3053	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3053	INTEGER	3053
IB-LswMSTP-MIB::ibdot1sMstVID.3054	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3054	INTEGER	3054
IB-LswMSTP-MIB::ibdot1sMstVID.3055	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3055	INTEGER	3055
IB-LswMSTP-MIB::ibdot1sMstVID.3056	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3056	INTEGER	3056
IB-LswMSTP-MIB::ibdot1sMstVID.3057	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3057	INTEGER	3057
IB-LswMSTP-MIB::ibdot1sMstVID.3058	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3058	INTEGER	3058
IB-LswMSTP-MIB::ibdot1sMstVID.3059	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3059	INTEGER	3059
IB-LswMSTP-MIB::ibdot1sMstVID.3060	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3060	INTEGER	3060
IB-LswMSTP-MIB::ibdot1sMstVID.3061	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3061	INTEGER	3061
IB-LswMSTP-MIB::ibdot1sMstVID.3062	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3062	INTEGER	3062
IB-LswMSTP-MIB::ibdot1sMstVID.3063	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3063	INTEGER	3063
IB-LswMSTP-MIB::ibdot1sMstVID.3064	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3064	INTEGER	3064
IB-LswMSTP-MIB::ibdot1sMstVID.3065	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3065	INTEGER	3065
IB-LswMSTP-MIB::ibdot1sMstVID.3066	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3066	INTEGER	3066
IB-LswMSTP-MIB::ibdot1sMstVID.3067	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3067	INTEGER	3067
IB-LswMSTP-MIB::ibdot1sMstVID.3068	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3068	INTEGER	3068
IB-LswMSTP-MIB::ibdot1sMstVID.3069	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3069	INTEGER	3069
IB-LswMSTP-MIB::ibdot1sMstVID.3070	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3070	INTEGER	3070
IB-LswMSTP-MIB::ibdot1sMstVID.3071	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3071	INTEGER	3071
IB-LswMSTP-MIB::ibdot1sMstVID.3072	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3072	INTEGER	3072
IB-LswMSTP-MIB::ibdot1sMstVID.3073	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3073	INTEGER	3073
IB-LswMSTP-MIB::ibdot1sMstVID.3074	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3074	INTEGER	3074
IB-LswMSTP-MIB::ibdot1sMstVID.3075	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3075	INTEGER	3075
IB-LswMSTP-MIB::ibdot1sMstVID.3076	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3076	INTEGER	3076
IB-LswMSTP-MIB::ibdot1sMstVID.3077	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3077	INTEGER	3077

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3078	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3078	INTEGER	3078
IB-LswMSTP-MIB::ibdot1sMstVID.3079	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3079	INTEGER	3079
IB-LswMSTP-MIB::ibdot1sMstVID.3080	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3080	INTEGER	3080
IB-LswMSTP-MIB::ibdot1sMstVID.3081	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3081	INTEGER	3081
IB-LswMSTP-MIB::ibdot1sMstVID.3082	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3082	INTEGER	3082
IB-LswMSTP-MIB::ibdot1sMstVID.3083	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3083	INTEGER	3083
IB-LswMSTP-MIB::ibdot1sMstVID.3084	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3084	INTEGER	3084
IB-LswMSTP-MIB::ibdot1sMstVID.3085	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3085	INTEGER	3085
IB-LswMSTP-MIB::ibdot1sMstVID.3086	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3086	INTEGER	3086
IB-LswMSTP-MIB::ibdot1sMstVID.3087	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3087	INTEGER	3087
IB-LswMSTP-MIB::ibdot1sMstVID.3088	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3088	INTEGER	3088
IB-LswMSTP-MIB::ibdot1sMstVID.3089	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3089	INTEGER	3089
IB-LswMSTP-MIB::ibdot1sMstVID.3090	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3090	INTEGER	3090
IB-LswMSTP-MIB::ibdot1sMstVID.3091	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3091	INTEGER	3091
IB-LswMSTP-MIB::ibdot1sMstVID.3092	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3092	INTEGER	3092
IB-LswMSTP-MIB::ibdot1sMstVID.3093	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3093	INTEGER	3093
IB-LswMSTP-MIB::ibdot1sMstVID.3094	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3094	INTEGER	3094
IB-LswMSTP-MIB::ibdot1sMstVID.3095	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3095	INTEGER	3095
IB-LswMSTP-MIB::ibdot1sMstVID.3096	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3096	INTEGER	3096
IB-LswMSTP-MIB::ibdot1sMstVID.3097	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3097	INTEGER	3097
IB-LswMSTP-MIB::ibdot1sMstVID.3098	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3098	INTEGER	3098
IB-LswMSTP-MIB::ibdot1sMstVID.3099	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3099	INTEGER	3099
IB-LswMSTP-MIB::ibdot1sMstVID.3100	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3100	INTEGER	3100
IB-LswMSTP-MIB::ibdot1sMstVID.3101	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3101	INTEGER	3101
IB-LswMSTP-MIB::ibdot1sMstVID.3102	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3102	INTEGER	3102
IB-LswMSTP-MIB::ibdot1sMstVID.3103	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3103	INTEGER	3103

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3104	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3104	INTEGER	3104
IB-LswMSTP-MIB::ibdot1sMstVID.3105	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3105	INTEGER	3105
IB-LswMSTP-MIB::ibdot1sMstVID.3106	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3106	INTEGER	3106
IB-LswMSTP-MIB::ibdot1sMstVID.3107	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3107	INTEGER	3107
IB-LswMSTP-MIB::ibdot1sMstVID.3108	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3108	INTEGER	3108
IB-LswMSTP-MIB::ibdot1sMstVID.3109	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3109	INTEGER	3109
IB-LswMSTP-MIB::ibdot1sMstVID.3110	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3110	INTEGER	3110
IB-LswMSTP-MIB::ibdot1sMstVID.3111	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3111	INTEGER	3111
IB-LswMSTP-MIB::ibdot1sMstVID.3112	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3112	INTEGER	3112
IB-LswMSTP-MIB::ibdot1sMstVID.3113	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3113	INTEGER	3113
IB-LswMSTP-MIB::ibdot1sMstVID.3114	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3114	INTEGER	3114
IB-LswMSTP-MIB::ibdot1sMstVID.3115	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3115	INTEGER	3115
IB-LswMSTP-MIB::ibdot1sMstVID.3116	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3116	INTEGER	3116
IB-LswMSTP-MIB::ibdot1sMstVID.3117	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3117	INTEGER	3117
IB-LswMSTP-MIB::ibdot1sMstVID.3118	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3118	INTEGER	3118
IB-LswMSTP-MIB::ibdot1sMstVID.3119	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3119	INTEGER	3119
IB-LswMSTP-MIB::ibdot1sMstVID.3120	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3120	INTEGER	3120
IB-LswMSTP-MIB::ibdot1sMstVID.3121	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3121	INTEGER	3121
IB-LswMSTP-MIB::ibdot1sMstVID.3122	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3122	INTEGER	3122
IB-LswMSTP-MIB::ibdot1sMstVID.3123	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3123	INTEGER	3123
IB-LswMSTP-MIB::ibdot1sMstVID.3124	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3124	INTEGER	3124
IB-LswMSTP-MIB::ibdot1sMstVID.3125	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3125	INTEGER	3125
IB-LswMSTP-MIB::ibdot1sMstVID.3126	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3126	INTEGER	3126
IB-LswMSTP-MIB::ibdot1sMstVID.3127	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3127	INTEGER	3127
IB-LswMSTP-MIB::ibdot1sMstVID.3128	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3128	INTEGER	3128
IB-LswMSTP-MIB::ibdot1sMstVID.3129	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3129	INTEGER	3129

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3130	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3130	INTEGER	3130
IB-LswMSTP-MIB::ibdot1sMstVID.3131	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3131	INTEGER	3131
IB-LswMSTP-MIB::ibdot1sMstVID.3132	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3132	INTEGER	3132
IB-LswMSTP-MIB::ibdot1sMstVID.3133	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3133	INTEGER	3133
IB-LswMSTP-MIB::ibdot1sMstVID.3134	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3134	INTEGER	3134
IB-LswMSTP-MIB::ibdot1sMstVID.3135	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3135	INTEGER	3135
IB-LswMSTP-MIB::ibdot1sMstVID.3136	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3136	INTEGER	3136
IB-LswMSTP-MIB::ibdot1sMstVID.3137	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3137	INTEGER	3137
IB-LswMSTP-MIB::ibdot1sMstVID.3138	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3138	INTEGER	3138
IB-LswMSTP-MIB::ibdot1sMstVID.3139	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3139	INTEGER	3139
IB-LswMSTP-MIB::ibdot1sMstVID.3140	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3140	INTEGER	3140
IB-LswMSTP-MIB::ibdot1sMstVID.3141	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3141	INTEGER	3141
IB-LswMSTP-MIB::ibdot1sMstVID.3142	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3142	INTEGER	3142
IB-LswMSTP-MIB::ibdot1sMstVID.3143	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3143	INTEGER	3143
IB-LswMSTP-MIB::ibdot1sMstVID.3144	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3144	INTEGER	3144
IB-LswMSTP-MIB::ibdot1sMstVID.3145	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3145	INTEGER	3145
IB-LswMSTP-MIB::ibdot1sMstVID.3146	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3146	INTEGER	3146
IB-LswMSTP-MIB::ibdot1sMstVID.3147	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3147	INTEGER	3147
IB-LswMSTP-MIB::ibdot1sMstVID.3148	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3148	INTEGER	3148
IB-LswMSTP-MIB::ibdot1sMstVID.3149	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3149	INTEGER	3149
IB-LswMSTP-MIB::ibdot1sMstVID.3150	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3150	INTEGER	3150
IB-LswMSTP-MIB::ibdot1sMstVID.3151	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3151	INTEGER	3151
IB-LswMSTP-MIB::ibdot1sMstVID.3152	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3152	INTEGER	3152
IB-LswMSTP-MIB::ibdot1sMstVID.3153	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3153	INTEGER	3153
IB-LswMSTP-MIB::ibdot1sMstVID.3154	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3154	INTEGER	3154
IB-LswMSTP-MIB::ibdot1sMstVID.3155	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3155	INTEGER	3155

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3156	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3156	INTEGER	3156
IB-LswMSTP-MIB::ibdot1sMstVID.3157	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3157	INTEGER	3157
IB-LswMSTP-MIB::ibdot1sMstVID.3158	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3158	INTEGER	3158
IB-LswMSTP-MIB::ibdot1sMstVID.3159	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3159	INTEGER	3159
IB-LswMSTP-MIB::ibdot1sMstVID.3160	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3160	INTEGER	3160
IB-LswMSTP-MIB::ibdot1sMstVID.3161	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3161	INTEGER	3161
IB-LswMSTP-MIB::ibdot1sMstVID.3162	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3162	INTEGER	3162
IB-LswMSTP-MIB::ibdot1sMstVID.3163	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3163	INTEGER	3163
IB-LswMSTP-MIB::ibdot1sMstVID.3164	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3164	INTEGER	3164
IB-LswMSTP-MIB::ibdot1sMstVID.3165	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3165	INTEGER	3165
IB-LswMSTP-MIB::ibdot1sMstVID.3166	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3166	INTEGER	3166
IB-LswMSTP-MIB::ibdot1sMstVID.3167	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3167	INTEGER	3167
IB-LswMSTP-MIB::ibdot1sMstVID.3168	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3168	INTEGER	3168
IB-LswMSTP-MIB::ibdot1sMstVID.3169	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3169	INTEGER	3169
IB-LswMSTP-MIB::ibdot1sMstVID.3170	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3170	INTEGER	3170
IB-LswMSTP-MIB::ibdot1sMstVID.3171	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3171	INTEGER	3171
IB-LswMSTP-MIB::ibdot1sMstVID.3172	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3172	INTEGER	3172
IB-LswMSTP-MIB::ibdot1sMstVID.3173	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3173	INTEGER	3173
IB-LswMSTP-MIB::ibdot1sMstVID.3174	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3174	INTEGER	3174
IB-LswMSTP-MIB::ibdot1sMstVID.3175	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3175	INTEGER	3175
IB-LswMSTP-MIB::ibdot1sMstVID.3176	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3176	INTEGER	3176
IB-LswMSTP-MIB::ibdot1sMstVID.3177	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3177	INTEGER	3177
IB-LswMSTP-MIB::ibdot1sMstVID.3178	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3178	INTEGER	3178
IB-LswMSTP-MIB::ibdot1sMstVID.3179	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3179	INTEGER	3179
IB-LswMSTP-MIB::ibdot1sMstVID.3180	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3180	INTEGER	3180
IB-LswMSTP-MIB::ibdot1sMstVID.3181	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3181	INTEGER	3181

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3182	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3182	INTEGER	3182
IB-LswMSTP-MIB::ibdot1sMstVID.3183	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3183	INTEGER	3183
IB-LswMSTP-MIB::ibdot1sMstVID.3184	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3184	INTEGER	3184
IB-LswMSTP-MIB::ibdot1sMstVID.3185	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3185	INTEGER	3185
IB-LswMSTP-MIB::ibdot1sMstVID.3186	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3186	INTEGER	3186
IB-LswMSTP-MIB::ibdot1sMstVID.3187	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3187	INTEGER	3187
IB-LswMSTP-MIB::ibdot1sMstVID.3188	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3188	INTEGER	3188
IB-LswMSTP-MIB::ibdot1sMstVID.3189	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3189	INTEGER	3189
IB-LswMSTP-MIB::ibdot1sMstVID.3190	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3190	INTEGER	3190
IB-LswMSTP-MIB::ibdot1sMstVID.3191	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3191	INTEGER	3191
IB-LswMSTP-MIB::ibdot1sMstVID.3192	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3192	INTEGER	3192
IB-LswMSTP-MIB::ibdot1sMstVID.3193	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3193	INTEGER	3193
IB-LswMSTP-MIB::ibdot1sMstVID.3194	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3194	INTEGER	3194
IB-LswMSTP-MIB::ibdot1sMstVID.3195	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3195	INTEGER	3195
IB-LswMSTP-MIB::ibdot1sMstVID.3196	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3196	INTEGER	3196
IB-LswMSTP-MIB::ibdot1sMstVID.3197	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3197	INTEGER	3197
IB-LswMSTP-MIB::ibdot1sMstVID.3198	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3198	INTEGER	3198
IB-LswMSTP-MIB::ibdot1sMstVID.3199	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3199	INTEGER	3199
IB-LswMSTP-MIB::ibdot1sMstVID.3200	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3200	INTEGER	3200
IB-LswMSTP-MIB::ibdot1sMstVID.3201	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3201	INTEGER	3201
IB-LswMSTP-MIB::ibdot1sMstVID.3202	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3202	INTEGER	3202
IB-LswMSTP-MIB::ibdot1sMstVID.3203	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3203	INTEGER	3203
IB-LswMSTP-MIB::ibdot1sMstVID.3204	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3204	INTEGER	3204
IB-LswMSTP-MIB::ibdot1sMstVID.3205	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3205	INTEGER	3205
IB-LswMSTP-MIB::ibdot1sMstVID.3206	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3206	INTEGER	3206
IB-LswMSTP-MIB::ibdot1sMstVID.3207	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3207	INTEGER	3207

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3208	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3208	INTEGER	3208
IB-LswMSTP-MIB::ibdot1sMstVID.3209	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3209	INTEGER	3209
IB-LswMSTP-MIB::ibdot1sMstVID.3210	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3210	INTEGER	3210
IB-LswMSTP-MIB::ibdot1sMstVID.3211	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3211	INTEGER	3211
IB-LswMSTP-MIB::ibdot1sMstVID.3212	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3212	INTEGER	3212
IB-LswMSTP-MIB::ibdot1sMstVID.3213	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3213	INTEGER	3213
IB-LswMSTP-MIB::ibdot1sMstVID.3214	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3214	INTEGER	3214
IB-LswMSTP-MIB::ibdot1sMstVID.3215	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3215	INTEGER	3215
IB-LswMSTP-MIB::ibdot1sMstVID.3216	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3216	INTEGER	3216
IB-LswMSTP-MIB::ibdot1sMstVID.3217	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3217	INTEGER	3217
IB-LswMSTP-MIB::ibdot1sMstVID.3218	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3218	INTEGER	3218
IB-LswMSTP-MIB::ibdot1sMstVID.3219	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3219	INTEGER	3219
IB-LswMSTP-MIB::ibdot1sMstVID.3220	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3220	INTEGER	3220
IB-LswMSTP-MIB::ibdot1sMstVID.3221	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3221	INTEGER	3221
IB-LswMSTP-MIB::ibdot1sMstVID.3222	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3222	INTEGER	3222
IB-LswMSTP-MIB::ibdot1sMstVID.3223	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3223	INTEGER	3223
IB-LswMSTP-MIB::ibdot1sMstVID.3224	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3224	INTEGER	3224
IB-LswMSTP-MIB::ibdot1sMstVID.3225	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3225	INTEGER	3225
IB-LswMSTP-MIB::ibdot1sMstVID.3226	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3226	INTEGER	3226
IB-LswMSTP-MIB::ibdot1sMstVID.3227	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3227	INTEGER	3227
IB-LswMSTP-MIB::ibdot1sMstVID.3228	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3228	INTEGER	3228
IB-LswMSTP-MIB::ibdot1sMstVID.3229	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3229	INTEGER	3229
IB-LswMSTP-MIB::ibdot1sMstVID.3230	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3230	INTEGER	3230
IB-LswMSTP-MIB::ibdot1sMstVID.3231	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3231	INTEGER	3231
IB-LswMSTP-MIB::ibdot1sMstVID.3232	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3232	INTEGER	3232
IB-LswMSTP-MIB::ibdot1sMstVID.3233	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3233	INTEGER	3233

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3234	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3234	INTEGER	3234
IB-LswMSTP-MIB::ibdot1sMstVID.3235	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3235	INTEGER	3235
IB-LswMSTP-MIB::ibdot1sMstVID.3236	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3236	INTEGER	3236
IB-LswMSTP-MIB::ibdot1sMstVID.3237	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3237	INTEGER	3237
IB-LswMSTP-MIB::ibdot1sMstVID.3238	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3238	INTEGER	3238
IB-LswMSTP-MIB::ibdot1sMstVID.3239	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3239	INTEGER	3239
IB-LswMSTP-MIB::ibdot1sMstVID.3240	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3240	INTEGER	3240
IB-LswMSTP-MIB::ibdot1sMstVID.3241	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3241	INTEGER	3241
IB-LswMSTP-MIB::ibdot1sMstVID.3242	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3242	INTEGER	3242
IB-LswMSTP-MIB::ibdot1sMstVID.3243	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3243	INTEGER	3243
IB-LswMSTP-MIB::ibdot1sMstVID.3244	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3244	INTEGER	3244
IB-LswMSTP-MIB::ibdot1sMstVID.3245	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3245	INTEGER	3245
IB-LswMSTP-MIB::ibdot1sMstVID.3246	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3246	INTEGER	3246
IB-LswMSTP-MIB::ibdot1sMstVID.3247	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3247	INTEGER	3247
IB-LswMSTP-MIB::ibdot1sMstVID.3248	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3248	INTEGER	3248
IB-LswMSTP-MIB::ibdot1sMstVID.3249	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3249	INTEGER	3249
IB-LswMSTP-MIB::ibdot1sMstVID.3250	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3250	INTEGER	3250
IB-LswMSTP-MIB::ibdot1sMstVID.3251	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3251	INTEGER	3251
IB-LswMSTP-MIB::ibdot1sMstVID.3252	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3252	INTEGER	3252
IB-LswMSTP-MIB::ibdot1sMstVID.3253	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3253	INTEGER	3253
IB-LswMSTP-MIB::ibdot1sMstVID.3254	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3254	INTEGER	3254
IB-LswMSTP-MIB::ibdot1sMstVID.3255	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3255	INTEGER	3255
IB-LswMSTP-MIB::ibdot1sMstVID.3256	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3256	INTEGER	3256
IB-LswMSTP-MIB::ibdot1sMstVID.3257	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3257	INTEGER	3257
IB-LswMSTP-MIB::ibdot1sMstVID.3258	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3258	INTEGER	3258
IB-LswMSTP-MIB::ibdot1sMstVID.3259	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3259	INTEGER	3259

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3260	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3260	INTEGER	3260
IB-LswMSTP-MIB::ibdot1sMstVID.3261	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3261	INTEGER	3261
IB-LswMSTP-MIB::ibdot1sMstVID.3262	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3262	INTEGER	3262
IB-LswMSTP-MIB::ibdot1sMstVID.3263	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3263	INTEGER	3263
IB-LswMSTP-MIB::ibdot1sMstVID.3264	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3264	INTEGER	3264
IB-LswMSTP-MIB::ibdot1sMstVID.3265	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3265	INTEGER	3265
IB-LswMSTP-MIB::ibdot1sMstVID.3266	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3266	INTEGER	3266
IB-LswMSTP-MIB::ibdot1sMstVID.3267	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3267	INTEGER	3267
IB-LswMSTP-MIB::ibdot1sMstVID.3268	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3268	INTEGER	3268
IB-LswMSTP-MIB::ibdot1sMstVID.3269	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3269	INTEGER	3269
IB-LswMSTP-MIB::ibdot1sMstVID.3270	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3270	INTEGER	3270
IB-LswMSTP-MIB::ibdot1sMstVID.3271	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3271	INTEGER	3271
IB-LswMSTP-MIB::ibdot1sMstVID.3272	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3272	INTEGER	3272
IB-LswMSTP-MIB::ibdot1sMstVID.3273	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3273	INTEGER	3273
IB-LswMSTP-MIB::ibdot1sMstVID.3274	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3274	INTEGER	3274
IB-LswMSTP-MIB::ibdot1sMstVID.3275	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3275	INTEGER	3275
IB-LswMSTP-MIB::ibdot1sMstVID.3276	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3276	INTEGER	3276
IB-LswMSTP-MIB::ibdot1sMstVID.3277	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3277	INTEGER	3277
IB-LswMSTP-MIB::ibdot1sMstVID.3278	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3278	INTEGER	3278
IB-LswMSTP-MIB::ibdot1sMstVID.3279	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3279	INTEGER	3279
IB-LswMSTP-MIB::ibdot1sMstVID.3280	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3280	INTEGER	3280
IB-LswMSTP-MIB::ibdot1sMstVID.3281	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3281	INTEGER	3281
IB-LswMSTP-MIB::ibdot1sMstVID.3282	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3282	INTEGER	3282
IB-LswMSTP-MIB::ibdot1sMstVID.3283	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3283	INTEGER	3283
IB-LswMSTP-MIB::ibdot1sMstVID.3284	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3284	INTEGER	3284
IB-LswMSTP-MIB::ibdot1sMstVID.3285	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3285	INTEGER	3285

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3286	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3286	INTEGER	3286
IB-LswMSTP-MIB::ibdot1sMstVID.3287	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3287	INTEGER	3287
IB-LswMSTP-MIB::ibdot1sMstVID.3288	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3288	INTEGER	3288
IB-LswMSTP-MIB::ibdot1sMstVID.3289	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3289	INTEGER	3289
IB-LswMSTP-MIB::ibdot1sMstVID.3290	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3290	INTEGER	3290
IB-LswMSTP-MIB::ibdot1sMstVID.3291	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3291	INTEGER	3291
IB-LswMSTP-MIB::ibdot1sMstVID.3292	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3292	INTEGER	3292
IB-LswMSTP-MIB::ibdot1sMstVID.3293	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3293	INTEGER	3293
IB-LswMSTP-MIB::ibdot1sMstVID.3294	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3294	INTEGER	3294
IB-LswMSTP-MIB::ibdot1sMstVID.3295	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3295	INTEGER	3295
IB-LswMSTP-MIB::ibdot1sMstVID.3296	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3296	INTEGER	3296
IB-LswMSTP-MIB::ibdot1sMstVID.3297	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3297	INTEGER	3297
IB-LswMSTP-MIB::ibdot1sMstVID.3298	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3298	INTEGER	3298
IB-LswMSTP-MIB::ibdot1sMstVID.3299	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3299	INTEGER	3299
IB-LswMSTP-MIB::ibdot1sMstVID.3300	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3300	INTEGER	3300
IB-LswMSTP-MIB::ibdot1sMstVID.3301	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3301	INTEGER	3301
IB-LswMSTP-MIB::ibdot1sMstVID.3302	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3302	INTEGER	3302
IB-LswMSTP-MIB::ibdot1sMstVID.3303	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3303	INTEGER	3303
IB-LswMSTP-MIB::ibdot1sMstVID.3304	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3304	INTEGER	3304
IB-LswMSTP-MIB::ibdot1sMstVID.3305	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3305	INTEGER	3305
IB-LswMSTP-MIB::ibdot1sMstVID.3306	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3306	INTEGER	3306
IB-LswMSTP-MIB::ibdot1sMstVID.3307	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3307	INTEGER	3307
IB-LswMSTP-MIB::ibdot1sMstVID.3308	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3308	INTEGER	3308
IB-LswMSTP-MIB::ibdot1sMstVID.3309	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3309	INTEGER	3309
IB-LswMSTP-MIB::ibdot1sMstVID.3310	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3310	INTEGER	3310
IB-LswMSTP-MIB::ibdot1sMstVID.3311	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3311	INTEGER	3311

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3312	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3312	INTEGER	3312
IB-LswMSTP-MIB::ibdot1sMstVID.3313	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3313	INTEGER	3313
IB-LswMSTP-MIB::ibdot1sMstVID.3314	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3314	INTEGER	3314
IB-LswMSTP-MIB::ibdot1sMstVID.3315	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3315	INTEGER	3315
IB-LswMSTP-MIB::ibdot1sMstVID.3316	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3316	INTEGER	3316
IB-LswMSTP-MIB::ibdot1sMstVID.3317	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3317	INTEGER	3317
IB-LswMSTP-MIB::ibdot1sMstVID.3318	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3318	INTEGER	3318
IB-LswMSTP-MIB::ibdot1sMstVID.3319	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3319	INTEGER	3319
IB-LswMSTP-MIB::ibdot1sMstVID.3320	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3320	INTEGER	3320
IB-LswMSTP-MIB::ibdot1sMstVID.3321	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3321	INTEGER	3321
IB-LswMSTP-MIB::ibdot1sMstVID.3322	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3322	INTEGER	3322
IB-LswMSTP-MIB::ibdot1sMstVID.3323	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3323	INTEGER	3323
IB-LswMSTP-MIB::ibdot1sMstVID.3324	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3324	INTEGER	3324
IB-LswMSTP-MIB::ibdot1sMstVID.3325	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3325	INTEGER	3325
IB-LswMSTP-MIB::ibdot1sMstVID.3326	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3326	INTEGER	3326
IB-LswMSTP-MIB::ibdot1sMstVID.3327	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3327	INTEGER	3327
IB-LswMSTP-MIB::ibdot1sMstVID.3328	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3328	INTEGER	3328
IB-LswMSTP-MIB::ibdot1sMstVID.3329	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3329	INTEGER	3329
IB-LswMSTP-MIB::ibdot1sMstVID.3330	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3330	INTEGER	3330
IB-LswMSTP-MIB::ibdot1sMstVID.3331	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3331	INTEGER	3331
IB-LswMSTP-MIB::ibdot1sMstVID.3332	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3332	INTEGER	3332
IB-LswMSTP-MIB::ibdot1sMstVID.3333	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3333	INTEGER	3333
IB-LswMSTP-MIB::ibdot1sMstVID.3334	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3334	INTEGER	3334
IB-LswMSTP-MIB::ibdot1sMstVID.3335	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3335	INTEGER	3335
IB-LswMSTP-MIB::ibdot1sMstVID.3336	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3336	INTEGER	3336
IB-LswMSTP-MIB::ibdot1sMstVID.3337	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3337	INTEGER	3337

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3338	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3338	INTEGER	3338
IB-LswMSTP-MIB::ibdot1sMstVID.3339	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3339	INTEGER	3339
IB-LswMSTP-MIB::ibdot1sMstVID.3340	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3340	INTEGER	3340
IB-LswMSTP-MIB::ibdot1sMstVID.3341	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3341	INTEGER	3341
IB-LswMSTP-MIB::ibdot1sMstVID.3342	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3342	INTEGER	3342
IB-LswMSTP-MIB::ibdot1sMstVID.3343	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3343	INTEGER	3343
IB-LswMSTP-MIB::ibdot1sMstVID.3344	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3344	INTEGER	3344
IB-LswMSTP-MIB::ibdot1sMstVID.3345	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3345	INTEGER	3345
IB-LswMSTP-MIB::ibdot1sMstVID.3346	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3346	INTEGER	3346
IB-LswMSTP-MIB::ibdot1sMstVID.3347	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3347	INTEGER	3347
IB-LswMSTP-MIB::ibdot1sMstVID.3348	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3348	INTEGER	3348
IB-LswMSTP-MIB::ibdot1sMstVID.3349	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3349	INTEGER	3349
IB-LswMSTP-MIB::ibdot1sMstVID.3350	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3350	INTEGER	3350
IB-LswMSTP-MIB::ibdot1sMstVID.3351	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3351	INTEGER	3351
IB-LswMSTP-MIB::ibdot1sMstVID.3352	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3352	INTEGER	3352
IB-LswMSTP-MIB::ibdot1sMstVID.3353	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3353	INTEGER	3353
IB-LswMSTP-MIB::ibdot1sMstVID.3354	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3354	INTEGER	3354
IB-LswMSTP-MIB::ibdot1sMstVID.3355	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3355	INTEGER	3355
IB-LswMSTP-MIB::ibdot1sMstVID.3356	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3356	INTEGER	3356
IB-LswMSTP-MIB::ibdot1sMstVID.3357	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3357	INTEGER	3357
IB-LswMSTP-MIB::ibdot1sMstVID.3358	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3358	INTEGER	3358
IB-LswMSTP-MIB::ibdot1sMstVID.3359	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3359	INTEGER	3359
IB-LswMSTP-MIB::ibdot1sMstVID.3360	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3360	INTEGER	3360
IB-LswMSTP-MIB::ibdot1sMstVID.3361	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3361	INTEGER	3361
IB-LswMSTP-MIB::ibdot1sMstVID.3362	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3362	INTEGER	3362
IB-LswMSTP-MIB::ibdot1sMstVID.3363	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3363	INTEGER	3363

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3364	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3364	INTEGER	3364
IB-LswMSTP-MIB::ibdot1sMstVID.3365	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3365	INTEGER	3365
IB-LswMSTP-MIB::ibdot1sMstVID.3366	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3366	INTEGER	3366
IB-LswMSTP-MIB::ibdot1sMstVID.3367	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3367	INTEGER	3367
IB-LswMSTP-MIB::ibdot1sMstVID.3368	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3368	INTEGER	3368
IB-LswMSTP-MIB::ibdot1sMstVID.3369	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3369	INTEGER	3369
IB-LswMSTP-MIB::ibdot1sMstVID.3370	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3370	INTEGER	3370
IB-LswMSTP-MIB::ibdot1sMstVID.3371	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3371	INTEGER	3371
IB-LswMSTP-MIB::ibdot1sMstVID.3372	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3372	INTEGER	3372
IB-LswMSTP-MIB::ibdot1sMstVID.3373	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3373	INTEGER	3373
IB-LswMSTP-MIB::ibdot1sMstVID.3374	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3374	INTEGER	3374
IB-LswMSTP-MIB::ibdot1sMstVID.3375	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3375	INTEGER	3375
IB-LswMSTP-MIB::ibdot1sMstVID.3376	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3376	INTEGER	3376
IB-LswMSTP-MIB::ibdot1sMstVID.3377	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3377	INTEGER	3377
IB-LswMSTP-MIB::ibdot1sMstVID.3378	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3378	INTEGER	3378
IB-LswMSTP-MIB::ibdot1sMstVID.3379	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3379	INTEGER	3379
IB-LswMSTP-MIB::ibdot1sMstVID.3380	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3380	INTEGER	3380
IB-LswMSTP-MIB::ibdot1sMstVID.3381	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3381	INTEGER	3381
IB-LswMSTP-MIB::ibdot1sMstVID.3382	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3382	INTEGER	3382
IB-LswMSTP-MIB::ibdot1sMstVID.3383	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3383	INTEGER	3383
IB-LswMSTP-MIB::ibdot1sMstVID.3384	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3384	INTEGER	3384
IB-LswMSTP-MIB::ibdot1sMstVID.3385	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3385	INTEGER	3385
IB-LswMSTP-MIB::ibdot1sMstVID.3386	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3386	INTEGER	3386
IB-LswMSTP-MIB::ibdot1sMstVID.3387	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3387	INTEGER	3387
IB-LswMSTP-MIB::ibdot1sMstVID.3388	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3388	INTEGER	3388
IB-LswMSTP-MIB::ibdot1sMstVID.3389	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3389	INTEGER	3389

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3390	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3390	INTEGER	3390
IB-LswMSTP-MIB::ibdot1sMstVID.3391	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3391	INTEGER	3391
IB-LswMSTP-MIB::ibdot1sMstVID.3392	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3392	INTEGER	3392
IB-LswMSTP-MIB::ibdot1sMstVID.3393	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3393	INTEGER	3393
IB-LswMSTP-MIB::ibdot1sMstVID.3394	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3394	INTEGER	3394
IB-LswMSTP-MIB::ibdot1sMstVID.3395	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3395	INTEGER	3395
IB-LswMSTP-MIB::ibdot1sMstVID.3396	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3396	INTEGER	3396
IB-LswMSTP-MIB::ibdot1sMstVID.3397	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3397	INTEGER	3397
IB-LswMSTP-MIB::ibdot1sMstVID.3398	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3398	INTEGER	3398
IB-LswMSTP-MIB::ibdot1sMstVID.3399	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3399	INTEGER	3399
IB-LswMSTP-MIB::ibdot1sMstVID.3400	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3400	INTEGER	3400
IB-LswMSTP-MIB::ibdot1sMstVID.3401	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3401	INTEGER	3401
IB-LswMSTP-MIB::ibdot1sMstVID.3402	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3402	INTEGER	3402
IB-LswMSTP-MIB::ibdot1sMstVID.3403	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3403	INTEGER	3403
IB-LswMSTP-MIB::ibdot1sMstVID.3404	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3404	INTEGER	3404
IB-LswMSTP-MIB::ibdot1sMstVID.3405	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3405	INTEGER	3405
IB-LswMSTP-MIB::ibdot1sMstVID.3406	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3406	INTEGER	3406
IB-LswMSTP-MIB::ibdot1sMstVID.3407	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3407	INTEGER	3407
IB-LswMSTP-MIB::ibdot1sMstVID.3408	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3408	INTEGER	3408
IB-LswMSTP-MIB::ibdot1sMstVID.3409	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3409	INTEGER	3409
IB-LswMSTP-MIB::ibdot1sMstVID.3410	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3410	INTEGER	3410
IB-LswMSTP-MIB::ibdot1sMstVID.3411	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3411	INTEGER	3411
IB-LswMSTP-MIB::ibdot1sMstVID.3412	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3412	INTEGER	3412
IB-LswMSTP-MIB::ibdot1sMstVID.3413	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3413	INTEGER	3413
IB-LswMSTP-MIB::ibdot1sMstVID.3414	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3414	INTEGER	3414
IB-LswMSTP-MIB::ibdot1sMstVID.3415	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3415	INTEGER	3415

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3416	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3416	INTEGER	3416
IB-LswMSTP-MIB::ibdot1sMstVID.3417	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3417	INTEGER	3417
IB-LswMSTP-MIB::ibdot1sMstVID.3418	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3418	INTEGER	3418
IB-LswMSTP-MIB::ibdot1sMstVID.3419	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3419	INTEGER	3419
IB-LswMSTP-MIB::ibdot1sMstVID.3420	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3420	INTEGER	3420
IB-LswMSTP-MIB::ibdot1sMstVID.3421	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3421	INTEGER	3421
IB-LswMSTP-MIB::ibdot1sMstVID.3422	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3422	INTEGER	3422
IB-LswMSTP-MIB::ibdot1sMstVID.3423	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3423	INTEGER	3423
IB-LswMSTP-MIB::ibdot1sMstVID.3424	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3424	INTEGER	3424
IB-LswMSTP-MIB::ibdot1sMstVID.3425	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3425	INTEGER	3425
IB-LswMSTP-MIB::ibdot1sMstVID.3426	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3426	INTEGER	3426
IB-LswMSTP-MIB::ibdot1sMstVID.3427	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3427	INTEGER	3427
IB-LswMSTP-MIB::ibdot1sMstVID.3428	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3428	INTEGER	3428
IB-LswMSTP-MIB::ibdot1sMstVID.3429	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3429	INTEGER	3429
IB-LswMSTP-MIB::ibdot1sMstVID.3430	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3430	INTEGER	3430
IB-LswMSTP-MIB::ibdot1sMstVID.3431	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3431	INTEGER	3431
IB-LswMSTP-MIB::ibdot1sMstVID.3432	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3432	INTEGER	3432
IB-LswMSTP-MIB::ibdot1sMstVID.3433	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3433	INTEGER	3433
IB-LswMSTP-MIB::ibdot1sMstVID.3434	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3434	INTEGER	3434
IB-LswMSTP-MIB::ibdot1sMstVID.3435	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3435	INTEGER	3435
IB-LswMSTP-MIB::ibdot1sMstVID.3436	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3436	INTEGER	3436
IB-LswMSTP-MIB::ibdot1sMstVID.3437	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3437	INTEGER	3437
IB-LswMSTP-MIB::ibdot1sMstVID.3438	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3438	INTEGER	3438
IB-LswMSTP-MIB::ibdot1sMstVID.3439	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3439	INTEGER	3439
IB-LswMSTP-MIB::ibdot1sMstVID.3440	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3440	INTEGER	3440
IB-LswMSTP-MIB::ibdot1sMstVID.3441	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3441	INTEGER	3441

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3442	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3442	INTEGER	3442
IB-LswMSTP-MIB::ibdot1sMstVID.3443	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3443	INTEGER	3443
IB-LswMSTP-MIB::ibdot1sMstVID.3444	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3444	INTEGER	3444
IB-LswMSTP-MIB::ibdot1sMstVID.3445	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3445	INTEGER	3445
IB-LswMSTP-MIB::ibdot1sMstVID.3446	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3446	INTEGER	3446
IB-LswMSTP-MIB::ibdot1sMstVID.3447	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3447	INTEGER	3447
IB-LswMSTP-MIB::ibdot1sMstVID.3448	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3448	INTEGER	3448
IB-LswMSTP-MIB::ibdot1sMstVID.3449	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3449	INTEGER	3449
IB-LswMSTP-MIB::ibdot1sMstVID.3450	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3450	INTEGER	3450
IB-LswMSTP-MIB::ibdot1sMstVID.3451	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3451	INTEGER	3451
IB-LswMSTP-MIB::ibdot1sMstVID.3452	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3452	INTEGER	3452
IB-LswMSTP-MIB::ibdot1sMstVID.3453	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3453	INTEGER	3453
IB-LswMSTP-MIB::ibdot1sMstVID.3454	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3454	INTEGER	3454
IB-LswMSTP-MIB::ibdot1sMstVID.3455	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3455	INTEGER	3455
IB-LswMSTP-MIB::ibdot1sMstVID.3456	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3456	INTEGER	3456
IB-LswMSTP-MIB::ibdot1sMstVID.3457	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3457	INTEGER	3457
IB-LswMSTP-MIB::ibdot1sMstVID.3458	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3458	INTEGER	3458
IB-LswMSTP-MIB::ibdot1sMstVID.3459	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3459	INTEGER	3459
IB-LswMSTP-MIB::ibdot1sMstVID.3460	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3460	INTEGER	3460
IB-LswMSTP-MIB::ibdot1sMstVID.3461	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3461	INTEGER	3461
IB-LswMSTP-MIB::ibdot1sMstVID.3462	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3462	INTEGER	3462
IB-LswMSTP-MIB::ibdot1sMstVID.3463	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3463	INTEGER	3463
IB-LswMSTP-MIB::ibdot1sMstVID.3464	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3464	INTEGER	3464
IB-LswMSTP-MIB::ibdot1sMstVID.3465	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3465	INTEGER	3465
IB-LswMSTP-MIB::ibdot1sMstVID.3466	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3466	INTEGER	3466
IB-LswMSTP-MIB::ibdot1sMstVID.3467	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3467	INTEGER	3467

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3468	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3468	INTEGER	3468
IB-LswMSTP-MIB::ibdot1sMstVID.3469	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3469	INTEGER	3469
IB-LswMSTP-MIB::ibdot1sMstVID.3470	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3470	INTEGER	3470
IB-LswMSTP-MIB::ibdot1sMstVID.3471	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3471	INTEGER	3471
IB-LswMSTP-MIB::ibdot1sMstVID.3472	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3472	INTEGER	3472
IB-LswMSTP-MIB::ibdot1sMstVID.3473	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3473	INTEGER	3473
IB-LswMSTP-MIB::ibdot1sMstVID.3474	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3474	INTEGER	3474
IB-LswMSTP-MIB::ibdot1sMstVID.3475	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3475	INTEGER	3475
IB-LswMSTP-MIB::ibdot1sMstVID.3476	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3476	INTEGER	3476
IB-LswMSTP-MIB::ibdot1sMstVID.3477	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3477	INTEGER	3477
IB-LswMSTP-MIB::ibdot1sMstVID.3478	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3478	INTEGER	3478
IB-LswMSTP-MIB::ibdot1sMstVID.3479	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3479	INTEGER	3479
IB-LswMSTP-MIB::ibdot1sMstVID.3480	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3480	INTEGER	3480
IB-LswMSTP-MIB::ibdot1sMstVID.3481	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3481	INTEGER	3481
IB-LswMSTP-MIB::ibdot1sMstVID.3482	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3482	INTEGER	3482
IB-LswMSTP-MIB::ibdot1sMstVID.3483	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3483	INTEGER	3483
IB-LswMSTP-MIB::ibdot1sMstVID.3484	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3484	INTEGER	3484
IB-LswMSTP-MIB::ibdot1sMstVID.3485	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3485	INTEGER	3485
IB-LswMSTP-MIB::ibdot1sMstVID.3486	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3486	INTEGER	3486
IB-LswMSTP-MIB::ibdot1sMstVID.3487	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3487	INTEGER	3487
IB-LswMSTP-MIB::ibdot1sMstVID.3488	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3488	INTEGER	3488
IB-LswMSTP-MIB::ibdot1sMstVID.3489	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3489	INTEGER	3489
IB-LswMSTP-MIB::ibdot1sMstVID.3490	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3490	INTEGER	3490
IB-LswMSTP-MIB::ibdot1sMstVID.3491	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3491	INTEGER	3491
IB-LswMSTP-MIB::ibdot1sMstVID.3492	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3492	INTEGER	3492
IB-LswMSTP-MIB::ibdot1sMstVID.3493	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3493	INTEGER	3493

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3494	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3494	INTEGER	3494
IB-LswMSTP-MIB::ibdot1sMstVID.3495	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3495	INTEGER	3495
IB-LswMSTP-MIB::ibdot1sMstVID.3496	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3496	INTEGER	3496
IB-LswMSTP-MIB::ibdot1sMstVID.3497	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3497	INTEGER	3497
IB-LswMSTP-MIB::ibdot1sMstVID.3498	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3498	INTEGER	3498
IB-LswMSTP-MIB::ibdot1sMstVID.3499	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3499	INTEGER	3499
IB-LswMSTP-MIB::ibdot1sMstVID.3500	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3500	INTEGER	3500
IB-LswMSTP-MIB::ibdot1sMstVID.3501	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3501	INTEGER	3501
IB-LswMSTP-MIB::ibdot1sMstVID.3502	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3502	INTEGER	3502
IB-LswMSTP-MIB::ibdot1sMstVID.3503	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3503	INTEGER	3503
IB-LswMSTP-MIB::ibdot1sMstVID.3504	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3504	INTEGER	3504
IB-LswMSTP-MIB::ibdot1sMstVID.3505	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3505	INTEGER	3505
IB-LswMSTP-MIB::ibdot1sMstVID.3506	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3506	INTEGER	3506
IB-LswMSTP-MIB::ibdot1sMstVID.3507	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3507	INTEGER	3507
IB-LswMSTP-MIB::ibdot1sMstVID.3508	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3508	INTEGER	3508
IB-LswMSTP-MIB::ibdot1sMstVID.3509	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3509	INTEGER	3509
IB-LswMSTP-MIB::ibdot1sMstVID.3510	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3510	INTEGER	3510
IB-LswMSTP-MIB::ibdot1sMstVID.3511	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3511	INTEGER	3511
IB-LswMSTP-MIB::ibdot1sMstVID.3512	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3512	INTEGER	3512
IB-LswMSTP-MIB::ibdot1sMstVID.3513	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3513	INTEGER	3513
IB-LswMSTP-MIB::ibdot1sMstVID.3514	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3514	INTEGER	3514
IB-LswMSTP-MIB::ibdot1sMstVID.3515	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3515	INTEGER	3515
IB-LswMSTP-MIB::ibdot1sMstVID.3516	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3516	INTEGER	3516
IB-LswMSTP-MIB::ibdot1sMstVID.3517	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3517	INTEGER	3517
IB-LswMSTP-MIB::ibdot1sMstVID.3518	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3518	INTEGER	3518
IB-LswMSTP-MIB::ibdot1sMstVID.3519	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3519	INTEGER	3519

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3520	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3520	INTEGER	3520
IB-LswMSTP-MIB::ibdot1sMstVID.3521	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3521	INTEGER	3521
IB-LswMSTP-MIB::ibdot1sMstVID.3522	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3522	INTEGER	3522
IB-LswMSTP-MIB::ibdot1sMstVID.3523	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3523	INTEGER	3523
IB-LswMSTP-MIB::ibdot1sMstVID.3524	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3524	INTEGER	3524
IB-LswMSTP-MIB::ibdot1sMstVID.3525	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3525	INTEGER	3525
IB-LswMSTP-MIB::ibdot1sMstVID.3526	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3526	INTEGER	3526
IB-LswMSTP-MIB::ibdot1sMstVID.3527	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3527	INTEGER	3527
IB-LswMSTP-MIB::ibdot1sMstVID.3528	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3528	INTEGER	3528
IB-LswMSTP-MIB::ibdot1sMstVID.3529	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3529	INTEGER	3529
IB-LswMSTP-MIB::ibdot1sMstVID.3530	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3530	INTEGER	3530
IB-LswMSTP-MIB::ibdot1sMstVID.3531	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3531	INTEGER	3531
IB-LswMSTP-MIB::ibdot1sMstVID.3532	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3532	INTEGER	3532
IB-LswMSTP-MIB::ibdot1sMstVID.3533	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3533	INTEGER	3533
IB-LswMSTP-MIB::ibdot1sMstVID.3534	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3534	INTEGER	3534
IB-LswMSTP-MIB::ibdot1sMstVID.3535	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3535	INTEGER	3535
IB-LswMSTP-MIB::ibdot1sMstVID.3536	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3536	INTEGER	3536
IB-LswMSTP-MIB::ibdot1sMstVID.3537	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3537	INTEGER	3537
IB-LswMSTP-MIB::ibdot1sMstVID.3538	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3538	INTEGER	3538
IB-LswMSTP-MIB::ibdot1sMstVID.3539	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3539	INTEGER	3539
IB-LswMSTP-MIB::ibdot1sMstVID.3540	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3540	INTEGER	3540
IB-LswMSTP-MIB::ibdot1sMstVID.3541	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3541	INTEGER	3541
IB-LswMSTP-MIB::ibdot1sMstVID.3542	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3542	INTEGER	3542
IB-LswMSTP-MIB::ibdot1sMstVID.3543	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3543	INTEGER	3543
IB-LswMSTP-MIB::ibdot1sMstVID.3544	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3544	INTEGER	3544
IB-LswMSTP-MIB::ibdot1sMstVID.3545	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3545	INTEGER	3545

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3546	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3546	INTEGER	3546
IB-LswMSTP-MIB::ibdot1sMstVID.3547	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3547	INTEGER	3547
IB-LswMSTP-MIB::ibdot1sMstVID.3548	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3548	INTEGER	3548
IB-LswMSTP-MIB::ibdot1sMstVID.3549	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3549	INTEGER	3549
IB-LswMSTP-MIB::ibdot1sMstVID.3550	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3550	INTEGER	3550
IB-LswMSTP-MIB::ibdot1sMstVID.3551	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3551	INTEGER	3551
IB-LswMSTP-MIB::ibdot1sMstVID.3552	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3552	INTEGER	3552
IB-LswMSTP-MIB::ibdot1sMstVID.3553	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3553	INTEGER	3553
IB-LswMSTP-MIB::ibdot1sMstVID.3554	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3554	INTEGER	3554
IB-LswMSTP-MIB::ibdot1sMstVID.3555	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3555	INTEGER	3555
IB-LswMSTP-MIB::ibdot1sMstVID.3556	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3556	INTEGER	3556
IB-LswMSTP-MIB::ibdot1sMstVID.3557	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3557	INTEGER	3557
IB-LswMSTP-MIB::ibdot1sMstVID.3558	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3558	INTEGER	3558
IB-LswMSTP-MIB::ibdot1sMstVID.3559	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3559	INTEGER	3559
IB-LswMSTP-MIB::ibdot1sMstVID.3560	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3560	INTEGER	3560
IB-LswMSTP-MIB::ibdot1sMstVID.3561	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3561	INTEGER	3561
IB-LswMSTP-MIB::ibdot1sMstVID.3562	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3562	INTEGER	3562
IB-LswMSTP-MIB::ibdot1sMstVID.3563	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3563	INTEGER	3563
IB-LswMSTP-MIB::ibdot1sMstVID.3564	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3564	INTEGER	3564
IB-LswMSTP-MIB::ibdot1sMstVID.3565	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3565	INTEGER	3565
IB-LswMSTP-MIB::ibdot1sMstVID.3566	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3566	INTEGER	3566
IB-LswMSTP-MIB::ibdot1sMstVID.3567	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3567	INTEGER	3567
IB-LswMSTP-MIB::ibdot1sMstVID.3568	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3568	INTEGER	3568
IB-LswMSTP-MIB::ibdot1sMstVID.3569	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3569	INTEGER	3569
IB-LswMSTP-MIB::ibdot1sMstVID.3570	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3570	INTEGER	3570
IB-LswMSTP-MIB::ibdot1sMstVID.3571	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3571	INTEGER	3571

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3572	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3572	INTEGER	3572
IB-LswMSTP-MIB::ibdot1sMstVID.3573	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3573	INTEGER	3573
IB-LswMSTP-MIB::ibdot1sMstVID.3574	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3574	INTEGER	3574
IB-LswMSTP-MIB::ibdot1sMstVID.3575	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3575	INTEGER	3575
IB-LswMSTP-MIB::ibdot1sMstVID.3576	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3576	INTEGER	3576
IB-LswMSTP-MIB::ibdot1sMstVID.3577	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3577	INTEGER	3577
IB-LswMSTP-MIB::ibdot1sMstVID.3578	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3578	INTEGER	3578
IB-LswMSTP-MIB::ibdot1sMstVID.3579	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3579	INTEGER	3579
IB-LswMSTP-MIB::ibdot1sMstVID.3580	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3580	INTEGER	3580
IB-LswMSTP-MIB::ibdot1sMstVID.3581	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3581	INTEGER	3581
IB-LswMSTP-MIB::ibdot1sMstVID.3582	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3582	INTEGER	3582
IB-LswMSTP-MIB::ibdot1sMstVID.3583	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3583	INTEGER	3583
IB-LswMSTP-MIB::ibdot1sMstVID.3584	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3584	INTEGER	3584
IB-LswMSTP-MIB::ibdot1sMstVID.3585	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3585	INTEGER	3585
IB-LswMSTP-MIB::ibdot1sMstVID.3586	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3586	INTEGER	3586
IB-LswMSTP-MIB::ibdot1sMstVID.3587	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3587	INTEGER	3587
IB-LswMSTP-MIB::ibdot1sMstVID.3588	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3588	INTEGER	3588
IB-LswMSTP-MIB::ibdot1sMstVID.3589	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3589	INTEGER	3589
IB-LswMSTP-MIB::ibdot1sMstVID.3590	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3590	INTEGER	3590
IB-LswMSTP-MIB::ibdot1sMstVID.3591	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3591	INTEGER	3591
IB-LswMSTP-MIB::ibdot1sMstVID.3592	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3592	INTEGER	3592
IB-LswMSTP-MIB::ibdot1sMstVID.3593	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3593	INTEGER	3593
IB-LswMSTP-MIB::ibdot1sMstVID.3594	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3594	INTEGER	3594
IB-LswMSTP-MIB::ibdot1sMstVID.3595	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3595	INTEGER	3595
IB-LswMSTP-MIB::ibdot1sMstVID.3596	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3596	INTEGER	3596
IB-LswMSTP-MIB::ibdot1sMstVID.3597	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3597	INTEGER	3597

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3598	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3598	INTEGER	3598
IB-LswMSTP-MIB::ibdot1sMstVID.3599	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3599	INTEGER	3599
IB-LswMSTP-MIB::ibdot1sMstVID.3600	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3600	INTEGER	3600
IB-LswMSTP-MIB::ibdot1sMstVID.3601	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3601	INTEGER	3601
IB-LswMSTP-MIB::ibdot1sMstVID.3602	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3602	INTEGER	3602
IB-LswMSTP-MIB::ibdot1sMstVID.3603	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3603	INTEGER	3603
IB-LswMSTP-MIB::ibdot1sMstVID.3604	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3604	INTEGER	3604
IB-LswMSTP-MIB::ibdot1sMstVID.3605	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3605	INTEGER	3605
IB-LswMSTP-MIB::ibdot1sMstVID.3606	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3606	INTEGER	3606
IB-LswMSTP-MIB::ibdot1sMstVID.3607	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3607	INTEGER	3607
IB-LswMSTP-MIB::ibdot1sMstVID.3608	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3608	INTEGER	3608
IB-LswMSTP-MIB::ibdot1sMstVID.3609	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3609	INTEGER	3609
IB-LswMSTP-MIB::ibdot1sMstVID.3610	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3610	INTEGER	3610
IB-LswMSTP-MIB::ibdot1sMstVID.3611	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3611	INTEGER	3611
IB-LswMSTP-MIB::ibdot1sMstVID.3612	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3612	INTEGER	3612
IB-LswMSTP-MIB::ibdot1sMstVID.3613	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3613	INTEGER	3613
IB-LswMSTP-MIB::ibdot1sMstVID.3614	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3614	INTEGER	3614
IB-LswMSTP-MIB::ibdot1sMstVID.3615	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3615	INTEGER	3615
IB-LswMSTP-MIB::ibdot1sMstVID.3616	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3616	INTEGER	3616
IB-LswMSTP-MIB::ibdot1sMstVID.3617	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3617	INTEGER	3617
IB-LswMSTP-MIB::ibdot1sMstVID.3618	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3618	INTEGER	3618
IB-LswMSTP-MIB::ibdot1sMstVID.3619	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3619	INTEGER	3619
IB-LswMSTP-MIB::ibdot1sMstVID.3620	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3620	INTEGER	3620
IB-LswMSTP-MIB::ibdot1sMstVID.3621	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3621	INTEGER	3621
IB-LswMSTP-MIB::ibdot1sMstVID.3622	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3622	INTEGER	3622
IB-LswMSTP-MIB::ibdot1sMstVID.3623	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3623	INTEGER	3623

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3624	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3624	INTEGER	3624
IB-LswMSTP-MIB::ibdot1sMstVID.3625	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3625	INTEGER	3625
IB-LswMSTP-MIB::ibdot1sMstVID.3626	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3626	INTEGER	3626
IB-LswMSTP-MIB::ibdot1sMstVID.3627	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3627	INTEGER	3627
IB-LswMSTP-MIB::ibdot1sMstVID.3628	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3628	INTEGER	3628
IB-LswMSTP-MIB::ibdot1sMstVID.3629	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3629	INTEGER	3629
IB-LswMSTP-MIB::ibdot1sMstVID.3630	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3630	INTEGER	3630
IB-LswMSTP-MIB::ibdot1sMstVID.3631	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3631	INTEGER	3631
IB-LswMSTP-MIB::ibdot1sMstVID.3632	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3632	INTEGER	3632
IB-LswMSTP-MIB::ibdot1sMstVID.3633	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3633	INTEGER	3633
IB-LswMSTP-MIB::ibdot1sMstVID.3634	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3634	INTEGER	3634
IB-LswMSTP-MIB::ibdot1sMstVID.3635	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3635	INTEGER	3635
IB-LswMSTP-MIB::ibdot1sMstVID.3636	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3636	INTEGER	3636
IB-LswMSTP-MIB::ibdot1sMstVID.3637	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3637	INTEGER	3637
IB-LswMSTP-MIB::ibdot1sMstVID.3638	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3638	INTEGER	3638
IB-LswMSTP-MIB::ibdot1sMstVID.3639	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3639	INTEGER	3639
IB-LswMSTP-MIB::ibdot1sMstVID.3640	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3640	INTEGER	3640
IB-LswMSTP-MIB::ibdot1sMstVID.3641	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3641	INTEGER	3641
IB-LswMSTP-MIB::ibdot1sMstVID.3642	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3642	INTEGER	3642
IB-LswMSTP-MIB::ibdot1sMstVID.3643	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3643	INTEGER	3643
IB-LswMSTP-MIB::ibdot1sMstVID.3644	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3644	INTEGER	3644
IB-LswMSTP-MIB::ibdot1sMstVID.3645	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3645	INTEGER	3645
IB-LswMSTP-MIB::ibdot1sMstVID.3646	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3646	INTEGER	3646
IB-LswMSTP-MIB::ibdot1sMstVID.3647	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3647	INTEGER	3647
IB-LswMSTP-MIB::ibdot1sMstVID.3648	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3648	INTEGER	3648
IB-LswMSTP-MIB::ibdot1sMstVID.3649	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3649	INTEGER	3649

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3650	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3650	INTEGER	3650
IB-LswMSTP-MIB::ibdot1sMstVID.3651	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3651	INTEGER	3651
IB-LswMSTP-MIB::ibdot1sMstVID.3652	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3652	INTEGER	3652
IB-LswMSTP-MIB::ibdot1sMstVID.3653	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3653	INTEGER	3653
IB-LswMSTP-MIB::ibdot1sMstVID.3654	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3654	INTEGER	3654
IB-LswMSTP-MIB::ibdot1sMstVID.3655	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3655	INTEGER	3655
IB-LswMSTP-MIB::ibdot1sMstVID.3656	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3656	INTEGER	3656
IB-LswMSTP-MIB::ibdot1sMstVID.3657	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3657	INTEGER	3657
IB-LswMSTP-MIB::ibdot1sMstVID.3658	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3658	INTEGER	3658
IB-LswMSTP-MIB::ibdot1sMstVID.3659	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3659	INTEGER	3659
IB-LswMSTP-MIB::ibdot1sMstVID.3660	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3660	INTEGER	3660
IB-LswMSTP-MIB::ibdot1sMstVID.3661	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3661	INTEGER	3661
IB-LswMSTP-MIB::ibdot1sMstVID.3662	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3662	INTEGER	3662
IB-LswMSTP-MIB::ibdot1sMstVID.3663	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3663	INTEGER	3663
IB-LswMSTP-MIB::ibdot1sMstVID.3664	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3664	INTEGER	3664
IB-LswMSTP-MIB::ibdot1sMstVID.3665	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3665	INTEGER	3665
IB-LswMSTP-MIB::ibdot1sMstVID.3666	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3666	INTEGER	3666
IB-LswMSTP-MIB::ibdot1sMstVID.3667	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3667	INTEGER	3667
IB-LswMSTP-MIB::ibdot1sMstVID.3668	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3668	INTEGER	3668
IB-LswMSTP-MIB::ibdot1sMstVID.3669	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3669	INTEGER	3669
IB-LswMSTP-MIB::ibdot1sMstVID.3670	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3670	INTEGER	3670
IB-LswMSTP-MIB::ibdot1sMstVID.3671	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3671	INTEGER	3671
IB-LswMSTP-MIB::ibdot1sMstVID.3672	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3672	INTEGER	3672
IB-LswMSTP-MIB::ibdot1sMstVID.3673	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3673	INTEGER	3673
IB-LswMSTP-MIB::ibdot1sMstVID.3674	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3674	INTEGER	3674
IB-LswMSTP-MIB::ibdot1sMstVID.3675	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3675	INTEGER	3675

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3676	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3676	INTEGER	3676
IB-LswMSTP-MIB::ibdot1sMstVID.3677	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3677	INTEGER	3677
IB-LswMSTP-MIB::ibdot1sMstVID.3678	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3678	INTEGER	3678
IB-LswMSTP-MIB::ibdot1sMstVID.3679	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3679	INTEGER	3679
IB-LswMSTP-MIB::ibdot1sMstVID.3680	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3680	INTEGER	3680
IB-LswMSTP-MIB::ibdot1sMstVID.3681	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3681	INTEGER	3681
IB-LswMSTP-MIB::ibdot1sMstVID.3682	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3682	INTEGER	3682
IB-LswMSTP-MIB::ibdot1sMstVID.3683	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3683	INTEGER	3683
IB-LswMSTP-MIB::ibdot1sMstVID.3684	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3684	INTEGER	3684
IB-LswMSTP-MIB::ibdot1sMstVID.3685	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3685	INTEGER	3685
IB-LswMSTP-MIB::ibdot1sMstVID.3686	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3686	INTEGER	3686
IB-LswMSTP-MIB::ibdot1sMstVID.3687	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3687	INTEGER	3687
IB-LswMSTP-MIB::ibdot1sMstVID.3688	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3688	INTEGER	3688
IB-LswMSTP-MIB::ibdot1sMstVID.3689	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3689	INTEGER	3689
IB-LswMSTP-MIB::ibdot1sMstVID.3690	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3690	INTEGER	3690
IB-LswMSTP-MIB::ibdot1sMstVID.3691	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3691	INTEGER	3691
IB-LswMSTP-MIB::ibdot1sMstVID.3692	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3692	INTEGER	3692
IB-LswMSTP-MIB::ibdot1sMstVID.3693	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3693	INTEGER	3693
IB-LswMSTP-MIB::ibdot1sMstVID.3694	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3694	INTEGER	3694
IB-LswMSTP-MIB::ibdot1sMstVID.3695	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3695	INTEGER	3695
IB-LswMSTP-MIB::ibdot1sMstVID.3696	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3696	INTEGER	3696
IB-LswMSTP-MIB::ibdot1sMstVID.3697	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3697	INTEGER	3697
IB-LswMSTP-MIB::ibdot1sMstVID.3698	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3698	INTEGER	3698
IB-LswMSTP-MIB::ibdot1sMstVID.3699	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3699	INTEGER	3699
IB-LswMSTP-MIB::ibdot1sMstVID.3700	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3700	INTEGER	3700
IB-LswMSTP-MIB::ibdot1sMstVID.3701	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3701	INTEGER	3701

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3702	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3702	INTEGER	3702
IB-LswMSTP-MIB::ibdot1sMstVID.3703	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3703	INTEGER	3703
IB-LswMSTP-MIB::ibdot1sMstVID.3704	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3704	INTEGER	3704
IB-LswMSTP-MIB::ibdot1sMstVID.3705	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3705	INTEGER	3705
IB-LswMSTP-MIB::ibdot1sMstVID.3706	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3706	INTEGER	3706
IB-LswMSTP-MIB::ibdot1sMstVID.3707	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3707	INTEGER	3707
IB-LswMSTP-MIB::ibdot1sMstVID.3708	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3708	INTEGER	3708
IB-LswMSTP-MIB::ibdot1sMstVID.3709	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3709	INTEGER	3709
IB-LswMSTP-MIB::ibdot1sMstVID.3710	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3710	INTEGER	3710
IB-LswMSTP-MIB::ibdot1sMstVID.3711	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3711	INTEGER	3711
IB-LswMSTP-MIB::ibdot1sMstVID.3712	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3712	INTEGER	3712
IB-LswMSTP-MIB::ibdot1sMstVID.3713	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3713	INTEGER	3713
IB-LswMSTP-MIB::ibdot1sMstVID.3714	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3714	INTEGER	3714
IB-LswMSTP-MIB::ibdot1sMstVID.3715	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3715	INTEGER	3715
IB-LswMSTP-MIB::ibdot1sMstVID.3716	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3716	INTEGER	3716
IB-LswMSTP-MIB::ibdot1sMstVID.3717	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3717	INTEGER	3717
IB-LswMSTP-MIB::ibdot1sMstVID.3718	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3718	INTEGER	3718
IB-LswMSTP-MIB::ibdot1sMstVID.3719	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3719	INTEGER	3719
IB-LswMSTP-MIB::ibdot1sMstVID.3720	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3720	INTEGER	3720
IB-LswMSTP-MIB::ibdot1sMstVID.3721	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3721	INTEGER	3721
IB-LswMSTP-MIB::ibdot1sMstVID.3722	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3722	INTEGER	3722
IB-LswMSTP-MIB::ibdot1sMstVID.3723	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3723	INTEGER	3723
IB-LswMSTP-MIB::ibdot1sMstVID.3724	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3724	INTEGER	3724
IB-LswMSTP-MIB::ibdot1sMstVID.3725	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3725	INTEGER	3725
IB-LswMSTP-MIB::ibdot1sMstVID.3726	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3726	INTEGER	3726
IB-LswMSTP-MIB::ibdot1sMstVID.3727	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3727	INTEGER	3727

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3728	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3728	INTEGER	3728
IB-LswMSTP-MIB::ibdot1sMstVID.3729	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3729	INTEGER	3729
IB-LswMSTP-MIB::ibdot1sMstVID.3730	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3730	INTEGER	3730
IB-LswMSTP-MIB::ibdot1sMstVID.3731	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3731	INTEGER	3731
IB-LswMSTP-MIB::ibdot1sMstVID.3732	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3732	INTEGER	3732
IB-LswMSTP-MIB::ibdot1sMstVID.3733	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3733	INTEGER	3733
IB-LswMSTP-MIB::ibdot1sMstVID.3734	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3734	INTEGER	3734
IB-LswMSTP-MIB::ibdot1sMstVID.3735	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3735	INTEGER	3735
IB-LswMSTP-MIB::ibdot1sMstVID.3736	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3736	INTEGER	3736
IB-LswMSTP-MIB::ibdot1sMstVID.3737	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3737	INTEGER	3737
IB-LswMSTP-MIB::ibdot1sMstVID.3738	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3738	INTEGER	3738
IB-LswMSTP-MIB::ibdot1sMstVID.3739	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3739	INTEGER	3739
IB-LswMSTP-MIB::ibdot1sMstVID.3740	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3740	INTEGER	3740
IB-LswMSTP-MIB::ibdot1sMstVID.3741	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3741	INTEGER	3741
IB-LswMSTP-MIB::ibdot1sMstVID.3742	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3742	INTEGER	3742
IB-LswMSTP-MIB::ibdot1sMstVID.3743	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3743	INTEGER	3743
IB-LswMSTP-MIB::ibdot1sMstVID.3744	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3744	INTEGER	3744
IB-LswMSTP-MIB::ibdot1sMstVID.3745	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3745	INTEGER	3745
IB-LswMSTP-MIB::ibdot1sMstVID.3746	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3746	INTEGER	3746
IB-LswMSTP-MIB::ibdot1sMstVID.3747	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3747	INTEGER	3747
IB-LswMSTP-MIB::ibdot1sMstVID.3748	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3748	INTEGER	3748
IB-LswMSTP-MIB::ibdot1sMstVID.3749	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3749	INTEGER	3749
IB-LswMSTP-MIB::ibdot1sMstVID.3750	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3750	INTEGER	3750
IB-LswMSTP-MIB::ibdot1sMstVID.3751	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3751	INTEGER	3751
IB-LswMSTP-MIB::ibdot1sMstVID.3752	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3752	INTEGER	3752
IB-LswMSTP-MIB::ibdot1sMstVID.3753	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3753	INTEGER	3753

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3754	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3754	INTEGER	3754
IB-LswMSTP-MIB::ibdot1sMstVID.3755	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3755	INTEGER	3755
IB-LswMSTP-MIB::ibdot1sMstVID.3756	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3756	INTEGER	3756
IB-LswMSTP-MIB::ibdot1sMstVID.3757	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3757	INTEGER	3757
IB-LswMSTP-MIB::ibdot1sMstVID.3758	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3758	INTEGER	3758
IB-LswMSTP-MIB::ibdot1sMstVID.3759	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3759	INTEGER	3759
IB-LswMSTP-MIB::ibdot1sMstVID.3760	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3760	INTEGER	3760
IB-LswMSTP-MIB::ibdot1sMstVID.3761	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3761	INTEGER	3761
IB-LswMSTP-MIB::ibdot1sMstVID.3762	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3762	INTEGER	3762
IB-LswMSTP-MIB::ibdot1sMstVID.3763	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3763	INTEGER	3763
IB-LswMSTP-MIB::ibdot1sMstVID.3764	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3764	INTEGER	3764
IB-LswMSTP-MIB::ibdot1sMstVID.3765	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3765	INTEGER	3765
IB-LswMSTP-MIB::ibdot1sMstVID.3766	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3766	INTEGER	3766
IB-LswMSTP-MIB::ibdot1sMstVID.3767	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3767	INTEGER	3767
IB-LswMSTP-MIB::ibdot1sMstVID.3768	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3768	INTEGER	3768
IB-LswMSTP-MIB::ibdot1sMstVID.3769	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3769	INTEGER	3769
IB-LswMSTP-MIB::ibdot1sMstVID.3770	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3770	INTEGER	3770
IB-LswMSTP-MIB::ibdot1sMstVID.3771	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3771	INTEGER	3771
IB-LswMSTP-MIB::ibdot1sMstVID.3772	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3772	INTEGER	3772
IB-LswMSTP-MIB::ibdot1sMstVID.3773	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3773	INTEGER	3773
IB-LswMSTP-MIB::ibdot1sMstVID.3774	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3774	INTEGER	3774
IB-LswMSTP-MIB::ibdot1sMstVID.3775	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3775	INTEGER	3775
IB-LswMSTP-MIB::ibdot1sMstVID.3776	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3776	INTEGER	3776
IB-LswMSTP-MIB::ibdot1sMstVID.3777	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3777	INTEGER	3777
IB-LswMSTP-MIB::ibdot1sMstVID.3778	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3778	INTEGER	3778
IB-LswMSTP-MIB::ibdot1sMstVID.3779	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3779	INTEGER	3779

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3780	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3780	INTEGER	3780
IB-LswMSTP-MIB::ibdot1sMstVID.3781	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3781	INTEGER	3781
IB-LswMSTP-MIB::ibdot1sMstVID.3782	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3782	INTEGER	3782
IB-LswMSTP-MIB::ibdot1sMstVID.3783	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3783	INTEGER	3783
IB-LswMSTP-MIB::ibdot1sMstVID.3784	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3784	INTEGER	3784
IB-LswMSTP-MIB::ibdot1sMstVID.3785	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3785	INTEGER	3785
IB-LswMSTP-MIB::ibdot1sMstVID.3786	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3786	INTEGER	3786
IB-LswMSTP-MIB::ibdot1sMstVID.3787	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3787	INTEGER	3787
IB-LswMSTP-MIB::ibdot1sMstVID.3788	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3788	INTEGER	3788
IB-LswMSTP-MIB::ibdot1sMstVID.3789	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3789	INTEGER	3789
IB-LswMSTP-MIB::ibdot1sMstVID.3790	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3790	INTEGER	3790
IB-LswMSTP-MIB::ibdot1sMstVID.3791	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3791	INTEGER	3791
IB-LswMSTP-MIB::ibdot1sMstVID.3792	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3792	INTEGER	3792
IB-LswMSTP-MIB::ibdot1sMstVID.3793	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3793	INTEGER	3793
IB-LswMSTP-MIB::ibdot1sMstVID.3794	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3794	INTEGER	3794
IB-LswMSTP-MIB::ibdot1sMstVID.3795	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3795	INTEGER	3795
IB-LswMSTP-MIB::ibdot1sMstVID.3796	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3796	INTEGER	3796
IB-LswMSTP-MIB::ibdot1sMstVID.3797	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3797	INTEGER	3797
IB-LswMSTP-MIB::ibdot1sMstVID.3798	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3798	INTEGER	3798
IB-LswMSTP-MIB::ibdot1sMstVID.3799	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3799	INTEGER	3799
IB-LswMSTP-MIB::ibdot1sMstVID.3800	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3800	INTEGER	3800
IB-LswMSTP-MIB::ibdot1sMstVID.3801	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3801	INTEGER	3801
IB-LswMSTP-MIB::ibdot1sMstVID.3802	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3802	INTEGER	3802
IB-LswMSTP-MIB::ibdot1sMstVID.3803	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3803	INTEGER	3803
IB-LswMSTP-MIB::ibdot1sMstVID.3804	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3804	INTEGER	3804
IB-LswMSTP-MIB::ibdot1sMstVID.3805	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3805	INTEGER	3805

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3806	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3806	INTEGER	3806
IB-LswMSTP-MIB::ibdot1sMstVID.3807	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3807	INTEGER	3807
IB-LswMSTP-MIB::ibdot1sMstVID.3808	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3808	INTEGER	3808
IB-LswMSTP-MIB::ibdot1sMstVID.3809	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3809	INTEGER	3809
IB-LswMSTP-MIB::ibdot1sMstVID.3810	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3810	INTEGER	3810
IB-LswMSTP-MIB::ibdot1sMstVID.3811	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3811	INTEGER	3811
IB-LswMSTP-MIB::ibdot1sMstVID.3812	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3812	INTEGER	3812
IB-LswMSTP-MIB::ibdot1sMstVID.3813	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3813	INTEGER	3813
IB-LswMSTP-MIB::ibdot1sMstVID.3814	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3814	INTEGER	3814
IB-LswMSTP-MIB::ibdot1sMstVID.3815	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3815	INTEGER	3815
IB-LswMSTP-MIB::ibdot1sMstVID.3816	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3816	INTEGER	3816
IB-LswMSTP-MIB::ibdot1sMstVID.3817	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3817	INTEGER	3817
IB-LswMSTP-MIB::ibdot1sMstVID.3818	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3818	INTEGER	3818
IB-LswMSTP-MIB::ibdot1sMstVID.3819	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3819	INTEGER	3819
IB-LswMSTP-MIB::ibdot1sMstVID.3820	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3820	INTEGER	3820
IB-LswMSTP-MIB::ibdot1sMstVID.3821	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3821	INTEGER	3821
IB-LswMSTP-MIB::ibdot1sMstVID.3822	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3822	INTEGER	3822
IB-LswMSTP-MIB::ibdot1sMstVID.3823	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3823	INTEGER	3823
IB-LswMSTP-MIB::ibdot1sMstVID.3824	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3824	INTEGER	3824
IB-LswMSTP-MIB::ibdot1sMstVID.3825	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3825	INTEGER	3825
IB-LswMSTP-MIB::ibdot1sMstVID.3826	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3826	INTEGER	3826
IB-LswMSTP-MIB::ibdot1sMstVID.3827	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3827	INTEGER	3827
IB-LswMSTP-MIB::ibdot1sMstVID.3828	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3828	INTEGER	3828
IB-LswMSTP-MIB::ibdot1sMstVID.3829	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3829	INTEGER	3829
IB-LswMSTP-MIB::ibdot1sMstVID.3830	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3830	INTEGER	3830
IB-LswMSTP-MIB::ibdot1sMstVID.3831	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3831	INTEGER	3831

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3832	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3832	INTEGER	3832
IB-LswMSTP-MIB::ibdot1sMstVID.3833	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3833	INTEGER	3833
IB-LswMSTP-MIB::ibdot1sMstVID.3834	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3834	INTEGER	3834
IB-LswMSTP-MIB::ibdot1sMstVID.3835	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3835	INTEGER	3835
IB-LswMSTP-MIB::ibdot1sMstVID.3836	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3836	INTEGER	3836
IB-LswMSTP-MIB::ibdot1sMstVID.3837	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3837	INTEGER	3837
IB-LswMSTP-MIB::ibdot1sMstVID.3838	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3838	INTEGER	3838
IB-LswMSTP-MIB::ibdot1sMstVID.3839	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3839	INTEGER	3839
IB-LswMSTP-MIB::ibdot1sMstVID.3840	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3840	INTEGER	3840
IB-LswMSTP-MIB::ibdot1sMstVID.3841	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3841	INTEGER	3841
IB-LswMSTP-MIB::ibdot1sMstVID.3842	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3842	INTEGER	3842
IB-LswMSTP-MIB::ibdot1sMstVID.3843	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3843	INTEGER	3843
IB-LswMSTP-MIB::ibdot1sMstVID.3844	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3844	INTEGER	3844
IB-LswMSTP-MIB::ibdot1sMstVID.3845	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3845	INTEGER	3845
IB-LswMSTP-MIB::ibdot1sMstVID.3846	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3846	INTEGER	3846
IB-LswMSTP-MIB::ibdot1sMstVID.3847	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3847	INTEGER	3847
IB-LswMSTP-MIB::ibdot1sMstVID.3848	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3848	INTEGER	3848
IB-LswMSTP-MIB::ibdot1sMstVID.3849	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3849	INTEGER	3849
IB-LswMSTP-MIB::ibdot1sMstVID.3850	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3850	INTEGER	3850
IB-LswMSTP-MIB::ibdot1sMstVID.3851	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3851	INTEGER	3851
IB-LswMSTP-MIB::ibdot1sMstVID.3852	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3852	INTEGER	3852
IB-LswMSTP-MIB::ibdot1sMstVID.3853	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3853	INTEGER	3853
IB-LswMSTP-MIB::ibdot1sMstVID.3854	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3854	INTEGER	3854
IB-LswMSTP-MIB::ibdot1sMstVID.3855	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3855	INTEGER	3855
IB-LswMSTP-MIB::ibdot1sMstVID.3856	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3856	INTEGER	3856
IB-LswMSTP-MIB::ibdot1sMstVID.3857	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3857	INTEGER	3857

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3858	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3858	INTEGER	3858
IB-LswMSTP-MIB::ibdot1sMstVID.3859	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3859	INTEGER	3859
IB-LswMSTP-MIB::ibdot1sMstVID.3860	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3860	INTEGER	3860
IB-LswMSTP-MIB::ibdot1sMstVID.3861	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3861	INTEGER	3861
IB-LswMSTP-MIB::ibdot1sMstVID.3862	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3862	INTEGER	3862
IB-LswMSTP-MIB::ibdot1sMstVID.3863	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3863	INTEGER	3863
IB-LswMSTP-MIB::ibdot1sMstVID.3864	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3864	INTEGER	3864
IB-LswMSTP-MIB::ibdot1sMstVID.3865	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3865	INTEGER	3865
IB-LswMSTP-MIB::ibdot1sMstVID.3866	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3866	INTEGER	3866
IB-LswMSTP-MIB::ibdot1sMstVID.3867	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3867	INTEGER	3867
IB-LswMSTP-MIB::ibdot1sMstVID.3868	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3868	INTEGER	3868
IB-LswMSTP-MIB::ibdot1sMstVID.3869	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3869	INTEGER	3869
IB-LswMSTP-MIB::ibdot1sMstVID.3870	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3870	INTEGER	3870
IB-LswMSTP-MIB::ibdot1sMstVID.3871	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3871	INTEGER	3871
IB-LswMSTP-MIB::ibdot1sMstVID.3872	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3872	INTEGER	3872
IB-LswMSTP-MIB::ibdot1sMstVID.3873	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3873	INTEGER	3873
IB-LswMSTP-MIB::ibdot1sMstVID.3874	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3874	INTEGER	3874
IB-LswMSTP-MIB::ibdot1sMstVID.3875	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3875	INTEGER	3875
IB-LswMSTP-MIB::ibdot1sMstVID.3876	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3876	INTEGER	3876
IB-LswMSTP-MIB::ibdot1sMstVID.3877	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3877	INTEGER	3877
IB-LswMSTP-MIB::ibdot1sMstVID.3878	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3878	INTEGER	3878
IB-LswMSTP-MIB::ibdot1sMstVID.3879	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3879	INTEGER	3879
IB-LswMSTP-MIB::ibdot1sMstVID.3880	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3880	INTEGER	3880
IB-LswMSTP-MIB::ibdot1sMstVID.3881	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3881	INTEGER	3881
IB-LswMSTP-MIB::ibdot1sMstVID.3882	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3882	INTEGER	3882
IB-LswMSTP-MIB::ibdot1sMstVID.3883	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3883	INTEGER	3883

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3884	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3884	INTEGER	3884
IB-LswMSTP-MIB::ibdot1sMstVID.3885	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3885	INTEGER	3885
IB-LswMSTP-MIB::ibdot1sMstVID.3886	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3886	INTEGER	3886
IB-LswMSTP-MIB::ibdot1sMstVID.3887	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3887	INTEGER	3887
IB-LswMSTP-MIB::ibdot1sMstVID.3888	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3888	INTEGER	3888
IB-LswMSTP-MIB::ibdot1sMstVID.3889	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3889	INTEGER	3889
IB-LswMSTP-MIB::ibdot1sMstVID.3890	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3890	INTEGER	3890
IB-LswMSTP-MIB::ibdot1sMstVID.3891	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3891	INTEGER	3891
IB-LswMSTP-MIB::ibdot1sMstVID.3892	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3892	INTEGER	3892
IB-LswMSTP-MIB::ibdot1sMstVID.3893	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3893	INTEGER	3893
IB-LswMSTP-MIB::ibdot1sMstVID.3894	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3894	INTEGER	3894
IB-LswMSTP-MIB::ibdot1sMstVID.3895	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3895	INTEGER	3895
IB-LswMSTP-MIB::ibdot1sMstVID.3896	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3896	INTEGER	3896
IB-LswMSTP-MIB::ibdot1sMstVID.3897	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3897	INTEGER	3897
IB-LswMSTP-MIB::ibdot1sMstVID.3898	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3898	INTEGER	3898
IB-LswMSTP-MIB::ibdot1sMstVID.3899	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3899	INTEGER	3899
IB-LswMSTP-MIB::ibdot1sMstVID.3900	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3900	INTEGER	3900
IB-LswMSTP-MIB::ibdot1sMstVID.3901	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3901	INTEGER	3901
IB-LswMSTP-MIB::ibdot1sMstVID.3902	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3902	INTEGER	3902
IB-LswMSTP-MIB::ibdot1sMstVID.3903	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3903	INTEGER	3903
IB-LswMSTP-MIB::ibdot1sMstVID.3904	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3904	INTEGER	3904
IB-LswMSTP-MIB::ibdot1sMstVID.3905	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3905	INTEGER	3905
IB-LswMSTP-MIB::ibdot1sMstVID.3906	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3906	INTEGER	3906
IB-LswMSTP-MIB::ibdot1sMstVID.3907	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3907	INTEGER	3907
IB-LswMSTP-MIB::ibdot1sMstVID.3908	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3908	INTEGER	3908
IB-LswMSTP-MIB::ibdot1sMstVID.3909	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3909	INTEGER	3909

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3910	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3910	INTEGER	3910
IB-LswMSTP-MIB::ibdot1sMstVID.3911	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3911	INTEGER	3911
IB-LswMSTP-MIB::ibdot1sMstVID.3912	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3912	INTEGER	3912
IB-LswMSTP-MIB::ibdot1sMstVID.3913	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3913	INTEGER	3913
IB-LswMSTP-MIB::ibdot1sMstVID.3914	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3914	INTEGER	3914
IB-LswMSTP-MIB::ibdot1sMstVID.3915	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3915	INTEGER	3915
IB-LswMSTP-MIB::ibdot1sMstVID.3916	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3916	INTEGER	3916
IB-LswMSTP-MIB::ibdot1sMstVID.3917	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3917	INTEGER	3917
IB-LswMSTP-MIB::ibdot1sMstVID.3918	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3918	INTEGER	3918
IB-LswMSTP-MIB::ibdot1sMstVID.3919	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3919	INTEGER	3919
IB-LswMSTP-MIB::ibdot1sMstVID.3920	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3920	INTEGER	3920
IB-LswMSTP-MIB::ibdot1sMstVID.3921	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3921	INTEGER	3921
IB-LswMSTP-MIB::ibdot1sMstVID.3922	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3922	INTEGER	3922
IB-LswMSTP-MIB::ibdot1sMstVID.3923	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3923	INTEGER	3923
IB-LswMSTP-MIB::ibdot1sMstVID.3924	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3924	INTEGER	3924
IB-LswMSTP-MIB::ibdot1sMstVID.3925	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3925	INTEGER	3925
IB-LswMSTP-MIB::ibdot1sMstVID.3926	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3926	INTEGER	3926
IB-LswMSTP-MIB::ibdot1sMstVID.3927	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3927	INTEGER	3927
IB-LswMSTP-MIB::ibdot1sMstVID.3928	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3928	INTEGER	3928
IB-LswMSTP-MIB::ibdot1sMstVID.3929	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3929	INTEGER	3929
IB-LswMSTP-MIB::ibdot1sMstVID.3930	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3930	INTEGER	3930
IB-LswMSTP-MIB::ibdot1sMstVID.3931	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3931	INTEGER	3931
IB-LswMSTP-MIB::ibdot1sMstVID.3932	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3932	INTEGER	3932
IB-LswMSTP-MIB::ibdot1sMstVID.3933	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3933	INTEGER	3933
IB-LswMSTP-MIB::ibdot1sMstVID.3934	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3934	INTEGER	3934
IB-LswMSTP-MIB::ibdot1sMstVID.3935	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3935	INTEGER	3935

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3936	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3936	INTEGER	3936
IB-LswMSTP-MIB::ibdot1sMstVID.3937	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3937	INTEGER	3937
IB-LswMSTP-MIB::ibdot1sMstVID.3938	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3938	INTEGER	3938
IB-LswMSTP-MIB::ibdot1sMstVID.3939	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3939	INTEGER	3939
IB-LswMSTP-MIB::ibdot1sMstVID.3940	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3940	INTEGER	3940
IB-LswMSTP-MIB::ibdot1sMstVID.3941	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3941	INTEGER	3941
IB-LswMSTP-MIB::ibdot1sMstVID.3942	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3942	INTEGER	3942
IB-LswMSTP-MIB::ibdot1sMstVID.3943	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3943	INTEGER	3943
IB-LswMSTP-MIB::ibdot1sMstVID.3944	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3944	INTEGER	3944
IB-LswMSTP-MIB::ibdot1sMstVID.3945	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3945	INTEGER	3945
IB-LswMSTP-MIB::ibdot1sMstVID.3946	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3946	INTEGER	3946
IB-LswMSTP-MIB::ibdot1sMstVID.3947	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3947	INTEGER	3947
IB-LswMSTP-MIB::ibdot1sMstVID.3948	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3948	INTEGER	3948
IB-LswMSTP-MIB::ibdot1sMstVID.3949	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3949	INTEGER	3949
IB-LswMSTP-MIB::ibdot1sMstVID.3950	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3950	INTEGER	3950
IB-LswMSTP-MIB::ibdot1sMstVID.3951	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3951	INTEGER	3951
IB-LswMSTP-MIB::ibdot1sMstVID.3952	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3952	INTEGER	3952
IB-LswMSTP-MIB::ibdot1sMstVID.3953	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3953	INTEGER	3953
IB-LswMSTP-MIB::ibdot1sMstVID.3954	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3954	INTEGER	3954
IB-LswMSTP-MIB::ibdot1sMstVID.3955	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3955	INTEGER	3955
IB-LswMSTP-MIB::ibdot1sMstVID.3956	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3956	INTEGER	3956
IB-LswMSTP-MIB::ibdot1sMstVID.3957	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3957	INTEGER	3957
IB-LswMSTP-MIB::ibdot1sMstVID.3958	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3958	INTEGER	3958
IB-LswMSTP-MIB::ibdot1sMstVID.3959	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3959	INTEGER	3959
IB-LswMSTP-MIB::ibdot1sMstVID.3960	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3960	INTEGER	3960
IB-LswMSTP-MIB::ibdot1sMstVID.3961	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3961	INTEGER	3961

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3962	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3962	INTEGER	3962
IB-LswMSTP-MIB::ibdot1sMstVID.3963	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3963	INTEGER	3963
IB-LswMSTP-MIB::ibdot1sMstVID.3964	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3964	INTEGER	3964
IB-LswMSTP-MIB::ibdot1sMstVID.3965	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3965	INTEGER	3965
IB-LswMSTP-MIB::ibdot1sMstVID.3966	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3966	INTEGER	3966
IB-LswMSTP-MIB::ibdot1sMstVID.3967	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3967	INTEGER	3967
IB-LswMSTP-MIB::ibdot1sMstVID.3968	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3968	INTEGER	3968
IB-LswMSTP-MIB::ibdot1sMstVID.3969	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3969	INTEGER	3969
IB-LswMSTP-MIB::ibdot1sMstVID.3970	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3970	INTEGER	3970
IB-LswMSTP-MIB::ibdot1sMstVID.3971	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3971	INTEGER	3971
IB-LswMSTP-MIB::ibdot1sMstVID.3972	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3972	INTEGER	3972
IB-LswMSTP-MIB::ibdot1sMstVID.3973	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3973	INTEGER	3973
IB-LswMSTP-MIB::ibdot1sMstVID.3974	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3974	INTEGER	3974
IB-LswMSTP-MIB::ibdot1sMstVID.3975	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3975	INTEGER	3975
IB-LswMSTP-MIB::ibdot1sMstVID.3976	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3976	INTEGER	3976
IB-LswMSTP-MIB::ibdot1sMstVID.3977	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3977	INTEGER	3977
IB-LswMSTP-MIB::ibdot1sMstVID.3978	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3978	INTEGER	3978
IB-LswMSTP-MIB::ibdot1sMstVID.3979	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3979	INTEGER	3979
IB-LswMSTP-MIB::ibdot1sMstVID.3980	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3980	INTEGER	3980
IB-LswMSTP-MIB::ibdot1sMstVID.3981	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3981	INTEGER	3981
IB-LswMSTP-MIB::ibdot1sMstVID.3982	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3982	INTEGER	3982
IB-LswMSTP-MIB::ibdot1sMstVID.3983	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3983	INTEGER	3983
IB-LswMSTP-MIB::ibdot1sMstVID.3984	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3984	INTEGER	3984
IB-LswMSTP-MIB::ibdot1sMstVID.3985	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3985	INTEGER	3985
IB-LswMSTP-MIB::ibdot1sMstVID.3986	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3986	INTEGER	3986
IB-LswMSTP-MIB::ibdot1sMstVID.3987	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3987	INTEGER	3987

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.3988	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3988	INTEGER	3988
IB-LswMSTP-MIB::ibdot1sMstVID.3989	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3989	INTEGER	3989
IB-LswMSTP-MIB::ibdot1sMstVID.3990	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3990	INTEGER	3990
IB-LswMSTP-MIB::ibdot1sMstVID.3991	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3991	INTEGER	3991
IB-LswMSTP-MIB::ibdot1sMstVID.3992	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3992	INTEGER	3992
IB-LswMSTP-MIB::ibdot1sMstVID.3993	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3993	INTEGER	3993
IB-LswMSTP-MIB::ibdot1sMstVID.3994	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3994	INTEGER	3994
IB-LswMSTP-MIB::ibdot1sMstVID.3995	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3995	INTEGER	3995
IB-LswMSTP-MIB::ibdot1sMstVID.3996	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3996	INTEGER	3996
IB-LswMSTP-MIB::ibdot1sMstVID.3997	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3997	INTEGER	3997
IB-LswMSTP-MIB::ibdot1sMstVID.3998	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3998	INTEGER	3998
IB-LswMSTP-MIB::ibdot1sMstVID.3999	.1.3.6.1.4.1.26138.8.35.14.18.1.1.3999	INTEGER	3999
IB-LswMSTP-MIB::ibdot1sMstVID.4000	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4000	INTEGER	4000
IB-LswMSTP-MIB::ibdot1sMstVID.4001	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4001	INTEGER	4001
IB-LswMSTP-MIB::ibdot1sMstVID.4002	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4002	INTEGER	4002
IB-LswMSTP-MIB::ibdot1sMstVID.4003	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4003	INTEGER	4003
IB-LswMSTP-MIB::ibdot1sMstVID.4004	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4004	INTEGER	4004
IB-LswMSTP-MIB::ibdot1sMstVID.4005	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4005	INTEGER	4005
IB-LswMSTP-MIB::ibdot1sMstVID.4006	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4006	INTEGER	4006
IB-LswMSTP-MIB::ibdot1sMstVID.4007	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4007	INTEGER	4007
IB-LswMSTP-MIB::ibdot1sMstVID.4008	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4008	INTEGER	4008
IB-LswMSTP-MIB::ibdot1sMstVID.4009	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4009	INTEGER	4009
IB-LswMSTP-MIB::ibdot1sMstVID.4010	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4010	INTEGER	4010
IB-LswMSTP-MIB::ibdot1sMstVID.4011	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4011	INTEGER	4011
IB-LswMSTP-MIB::ibdot1sMstVID.4012	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4012	INTEGER	4012
IB-LswMSTP-MIB::ibdot1sMstVID.4013	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4013	INTEGER	4013

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.4014	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4014	INTEGER	4014
IB-LswMSTP-MIB::ibdot1sMstVID.4015	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4015	INTEGER	4015
IB-LswMSTP-MIB::ibdot1sMstVID.4016	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4016	INTEGER	4016
IB-LswMSTP-MIB::ibdot1sMstVID.4017	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4017	INTEGER	4017
IB-LswMSTP-MIB::ibdot1sMstVID.4018	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4018	INTEGER	4018
IB-LswMSTP-MIB::ibdot1sMstVID.4019	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4019	INTEGER	4019
IB-LswMSTP-MIB::ibdot1sMstVID.4020	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4020	INTEGER	4020
IB-LswMSTP-MIB::ibdot1sMstVID.4021	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4021	INTEGER	4021
IB-LswMSTP-MIB::ibdot1sMstVID.4022	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4022	INTEGER	4022
IB-LswMSTP-MIB::ibdot1sMstVID.4023	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4023	INTEGER	4023
IB-LswMSTP-MIB::ibdot1sMstVID.4024	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4024	INTEGER	4024
IB-LswMSTP-MIB::ibdot1sMstVID.4025	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4025	INTEGER	4025
IB-LswMSTP-MIB::ibdot1sMstVID.4026	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4026	INTEGER	4026
IB-LswMSTP-MIB::ibdot1sMstVID.4027	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4027	INTEGER	4027
IB-LswMSTP-MIB::ibdot1sMstVID.4028	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4028	INTEGER	4028
IB-LswMSTP-MIB::ibdot1sMstVID.4029	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4029	INTEGER	4029
IB-LswMSTP-MIB::ibdot1sMstVID.4030	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4030	INTEGER	4030
IB-LswMSTP-MIB::ibdot1sMstVID.4031	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4031	INTEGER	4031
IB-LswMSTP-MIB::ibdot1sMstVID.4032	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4032	INTEGER	4032
IB-LswMSTP-MIB::ibdot1sMstVID.4033	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4033	INTEGER	4033
IB-LswMSTP-MIB::ibdot1sMstVID.4034	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4034	INTEGER	4034
IB-LswMSTP-MIB::ibdot1sMstVID.4035	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4035	INTEGER	4035
IB-LswMSTP-MIB::ibdot1sMstVID.4036	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4036	INTEGER	4036
IB-LswMSTP-MIB::ibdot1sMstVID.4037	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4037	INTEGER	4037
IB-LswMSTP-MIB::ibdot1sMstVID.4038	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4038	INTEGER	4038
IB-LswMSTP-MIB::ibdot1sMstVID.4039	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4039	INTEGER	4039

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.4040	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4040	INTEGER	4040
IB-LswMSTP-MIB::ibdot1sMstVID.4041	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4041	INTEGER	4041
IB-LswMSTP-MIB::ibdot1sMstVID.4042	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4042	INTEGER	4042
IB-LswMSTP-MIB::ibdot1sMstVID.4043	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4043	INTEGER	4043
IB-LswMSTP-MIB::ibdot1sMstVID.4044	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4044	INTEGER	4044
IB-LswMSTP-MIB::ibdot1sMstVID.4045	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4045	INTEGER	4045
IB-LswMSTP-MIB::ibdot1sMstVID.4046	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4046	INTEGER	4046
IB-LswMSTP-MIB::ibdot1sMstVID.4047	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4047	INTEGER	4047
IB-LswMSTP-MIB::ibdot1sMstVID.4048	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4048	INTEGER	4048
IB-LswMSTP-MIB::ibdot1sMstVID.4049	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4049	INTEGER	4049
IB-LswMSTP-MIB::ibdot1sMstVID.4050	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4050	INTEGER	4050
IB-LswMSTP-MIB::ibdot1sMstVID.4051	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4051	INTEGER	4051
IB-LswMSTP-MIB::ibdot1sMstVID.4052	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4052	INTEGER	4052
IB-LswMSTP-MIB::ibdot1sMstVID.4053	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4053	INTEGER	4053
IB-LswMSTP-MIB::ibdot1sMstVID.4054	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4054	INTEGER	4054
IB-LswMSTP-MIB::ibdot1sMstVID.4055	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4055	INTEGER	4055
IB-LswMSTP-MIB::ibdot1sMstVID.4056	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4056	INTEGER	4056
IB-LswMSTP-MIB::ibdot1sMstVID.4057	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4057	INTEGER	4057
IB-LswMSTP-MIB::ibdot1sMstVID.4058	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4058	INTEGER	4058
IB-LswMSTP-MIB::ibdot1sMstVID.4059	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4059	INTEGER	4059
IB-LswMSTP-MIB::ibdot1sMstVID.4060	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4060	INTEGER	4060
IB-LswMSTP-MIB::ibdot1sMstVID.4061	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4061	INTEGER	4061
IB-LswMSTP-MIB::ibdot1sMstVID.4062	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4062	INTEGER	4062
IB-LswMSTP-MIB::ibdot1sMstVID.4063	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4063	INTEGER	4063
IB-LswMSTP-MIB::ibdot1sMstVID.4064	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4064	INTEGER	4064
IB-LswMSTP-MIB::ibdot1sMstVID.4065	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4065	INTEGER	4065

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.4066	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4066	INTEGER	4066
IB-LswMSTP-MIB::ibdot1sMstVID.4067	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4067	INTEGER	4067
IB-LswMSTP-MIB::ibdot1sMstVID.4068	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4068	INTEGER	4068
IB-LswMSTP-MIB::ibdot1sMstVID.4069	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4069	INTEGER	4069
IB-LswMSTP-MIB::ibdot1sMstVID.4070	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4070	INTEGER	4070
IB-LswMSTP-MIB::ibdot1sMstVID.4071	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4071	INTEGER	4071
IB-LswMSTP-MIB::ibdot1sMstVID.4072	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4072	INTEGER	4072
IB-LswMSTP-MIB::ibdot1sMstVID.4073	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4073	INTEGER	4073
IB-LswMSTP-MIB::ibdot1sMstVID.4074	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4074	INTEGER	4074
IB-LswMSTP-MIB::ibdot1sMstVID.4075	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4075	INTEGER	4075
IB-LswMSTP-MIB::ibdot1sMstVID.4076	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4076	INTEGER	4076
IB-LswMSTP-MIB::ibdot1sMstVID.4077	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4077	INTEGER	4077
IB-LswMSTP-MIB::ibdot1sMstVID.4078	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4078	INTEGER	4078
IB-LswMSTP-MIB::ibdot1sMstVID.4079	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4079	INTEGER	4079
IB-LswMSTP-MIB::ibdot1sMstVID.4080	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4080	INTEGER	4080
IB-LswMSTP-MIB::ibdot1sMstVID.4081	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4081	INTEGER	4081
IB-LswMSTP-MIB::ibdot1sMstVID.4082	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4082	INTEGER	4082
IB-LswMSTP-MIB::ibdot1sMstVID.4083	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4083	INTEGER	4083
IB-LswMSTP-MIB::ibdot1sMstVID.4084	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4084	INTEGER	4084
IB-LswMSTP-MIB::ibdot1sMstVID.4085	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4085	INTEGER	4085
IB-LswMSTP-MIB::ibdot1sMstVID.4086	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4086	INTEGER	4086
IB-LswMSTP-MIB::ibdot1sMstVID.4087	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4087	INTEGER	4087
IB-LswMSTP-MIB::ibdot1sMstVID.4088	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4088	INTEGER	4088
IB-LswMSTP-MIB::ibdot1sMstVID.4089	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4089	INTEGER	4089
IB-LswMSTP-MIB::ibdot1sMstVID.4090	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4090	INTEGER	4090
IB-LswMSTP-MIB::ibdot1sMstVID.4091	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4091	INTEGER	4091

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstVID.4092	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4092	INTEGER	4092
IB-LswMSTP-MIB::ibdot1sMstVID.4093	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4093	INTEGER	4093
IB-LswMSTP-MIB::ibdot1sMstVID.4094	.1.3.6.1.4.1.26138.8.35.14.18.1.1.4094	INTEGER	4094
IB-LswMSTP-MIB::ibdot1sAdminMstID.1	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.5	.1.3.6.1.4.1.26138.8.35.14.18.1.2.5	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.6	.1.3.6.1.4.1.26138.8.35.14.18.1.2.6	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.7	.1.3.6.1.4.1.26138.8.35.14.18.1.2.7	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.8	.1.3.6.1.4.1.26138.8.35.14.18.1.2.8	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.9	.1.3.6.1.4.1.26138.8.35.14.18.1.2.9	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.10	.1.3.6.1.4.1.26138.8.35.14.18.1.2.10	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.11	.1.3.6.1.4.1.26138.8.35.14.18.1.2.11	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.12	.1.3.6.1.4.1.26138.8.35.14.18.1.2.12	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.13	.1.3.6.1.4.1.26138.8.35.14.18.1.2.13	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.14	.1.3.6.1.4.1.26138.8.35.14.18.1.2.14	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.15	.1.3.6.1.4.1.26138.8.35.14.18.1.2.15	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.16	.1.3.6.1.4.1.26138.8.35.14.18.1.2.16	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.17	.1.3.6.1.4.1.26138.8.35.14.18.1.2.17	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.18	.1.3.6.1.4.1.26138.8.35.14.18.1.2.18	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.19	.1.3.6.1.4.1.26138.8.35.14.18.1.2.19	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.20	.1.3.6.1.4.1.26138.8.35.14.18.1.2.20	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.21	.1.3.6.1.4.1.26138.8.35.14.18.1.2.21	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.22	.1.3.6.1.4.1.26138.8.35.14.18.1.2.22	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.23	.1.3.6.1.4.1.26138.8.35.14.18.1.2.23	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.24	.1.3.6.1.4.1.26138.8.35.14.18.1.2.24	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.25	.1.3.6.1.4.1.26138.8.35.14.18.1.2.25	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.26	.1.3.6.1.4.1.26138.8.35.14.18.1.2.26	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.27	.1.3.6.1.4.1.26138.8.35.14.18.1.2.27	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.28	.1.3.6.1.4.1.26138.8.35.14.18.1.2.28	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.29	.1.3.6.1.4.1.26138.8.35.14.18.1.2.29	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.30	.1.3.6.1.4.1.26138.8.35.14.18.1.2.30	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.31	.1.3.6.1.4.1.26138.8.35.14.18.1.2.31	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.32	.1.3.6.1.4.1.26138.8.35.14.18.1.2.32	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.33	.1.3.6.1.4.1.26138.8.35.14.18.1.2.33	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.34	.1.3.6.1.4.1.26138.8.35.14.18.1.2.34	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.35	.1.3.6.1.4.1.26138.8.35.14.18.1.2.35	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.36	.1.3.6.1.4.1.26138.8.35.14.18.1.2.36	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.37	.1.3.6.1.4.1.26138.8.35.14.18.1.2.37	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.38	.1.3.6.1.4.1.26138.8.35.14.18.1.2.38	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.39	.1.3.6.1.4.1.26138.8.35.14.18.1.2.39	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.40	.1.3.6.1.4.1.26138.8.35.14.18.1.2.40	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.41	.1.3.6.1.4.1.26138.8.35.14.18.1.2.41	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.42	.1.3.6.1.4.1.26138.8.35.14.18.1.2.42	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.43	.1.3.6.1.4.1.26138.8.35.14.18.1.2.43	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.44	.1.3.6.1.4.1.26138.8.35.14.18.1.2.44	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.45	.1.3.6.1.4.1.26138.8.35.14.18.1.2.45	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.46	.1.3.6.1.4.1.26138.8.35.14.18.1.2.46	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.47	.1.3.6.1.4.1.26138.8.35.14.18.1.2.47	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.48	.1.3.6.1.4.1.26138.8.35.14.18.1.2.48	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.49	.1.3.6.1.4.1.26138.8.35.14.18.1.2.49	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.50	.1.3.6.1.4.1.26138.8.35.14.18.1.2.50	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.51	.1.3.6.1.4.1.26138.8.35.14.18.1.2.51	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.52	.1.3.6.1.4.1.26138.8.35.14.18.1.2.52	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.53	.1.3.6.1.4.1.26138.8.35.14.18.1.2.53	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.54	.1.3.6.1.4.1.26138.8.35.14.18.1.2.54	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.55	.1.3.6.1.4.1.26138.8.35.14.18.1.2.55	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.56	.1.3.6.1.4.1.26138.8.35.14.18.1.2.56	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.57	.1.3.6.1.4.1.26138.8.35.14.18.1.2.57	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.58	.1.3.6.1.4.1.26138.8.35.14.18.1.2.58	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.59	.1.3.6.1.4.1.26138.8.35.14.18.1.2.59	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.60	.1.3.6.1.4.1.26138.8.35.14.18.1.2.60	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.61	.1.3.6.1.4.1.26138.8.35.14.18.1.2.61	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.62	.1.3.6.1.4.1.26138.8.35.14.18.1.2.62	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.63	.1.3.6.1.4.1.26138.8.35.14.18.1.2.63	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.64	.1.3.6.1.4.1.26138.8.35.14.18.1.2.64	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.65	.1.3.6.1.4.1.26138.8.35.14.18.1.2.65	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.66	.1.3.6.1.4.1.26138.8.35.14.18.1.2.66	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.67	.1.3.6.1.4.1.26138.8.35.14.18.1.2.67	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.68	.1.3.6.1.4.1.26138.8.35.14.18.1.2.68	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.69	.1.3.6.1.4.1.26138.8.35.14.18.1.2.69	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.70	.1.3.6.1.4.1.26138.8.35.14.18.1.2.70	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.71	.1.3.6.1.4.1.26138.8.35.14.18.1.2.71	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.72	.1.3.6.1.4.1.26138.8.35.14.18.1.2.72	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.73	.1.3.6.1.4.1.26138.8.35.14.18.1.2.73	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.74	.1.3.6.1.4.1.26138.8.35.14.18.1.2.74	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.75	.1.3.6.1.4.1.26138.8.35.14.18.1.2.75	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.76	.1.3.6.1.4.1.26138.8.35.14.18.1.2.76	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.77	.1.3.6.1.4.1.26138.8.35.14.18.1.2.77	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.78	.1.3.6.1.4.1.26138.8.35.14.18.1.2.78	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.79	.1.3.6.1.4.1.26138.8.35.14.18.1.2.79	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.80	.1.3.6.1.4.1.26138.8.35.14.18.1.2.80	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.81	.1.3.6.1.4.1.26138.8.35.14.18.1.2.81	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.82	.1.3.6.1.4.1.26138.8.35.14.18.1.2.82	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.83	.1.3.6.1.4.1.26138.8.35.14.18.1.2.83	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.84	.1.3.6.1.4.1.26138.8.35.14.18.1.2.84	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.85	.1.3.6.1.4.1.26138.8.35.14.18.1.2.85	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.86	.1.3.6.1.4.1.26138.8.35.14.18.1.2.86	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.87	.1.3.6.1.4.1.26138.8.35.14.18.1.2.87	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.88	.1.3.6.1.4.1.26138.8.35.14.18.1.2.88	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.89	.1.3.6.1.4.1.26138.8.35.14.18.1.2.89	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.90	.1.3.6.1.4.1.26138.8.35.14.18.1.2.90	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.91	.1.3.6.1.4.1.26138.8.35.14.18.1.2.91	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.92	.1.3.6.1.4.1.26138.8.35.14.18.1.2.92	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.93	.1.3.6.1.4.1.26138.8.35.14.18.1.2.93	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.94	.1.3.6.1.4.1.26138.8.35.14.18.1.2.94	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.95	.1.3.6.1.4.1.26138.8.35.14.18.1.2.95	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.96	.1.3.6.1.4.1.26138.8.35.14.18.1.2.96	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.97	.1.3.6.1.4.1.26138.8.35.14.18.1.2.97	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.98	.1.3.6.1.4.1.26138.8.35.14.18.1.2.98	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.99	.1.3.6.1.4.1.26138.8.35.14.18.1.2.99	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.100	.1.3.6.1.4.1.26138.8.35.14.18.1.2.100	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.101	.1.3.6.1.4.1.26138.8.35.14.18.1.2.101	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.102	.1.3.6.1.4.1.26138.8.35.14.18.1.2.102	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.103	.1.3.6.1.4.1.26138.8.35.14.18.1.2.103	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.104	.1.3.6.1.4.1.26138.8.35.14.18.1.2.104	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.105	.1.3.6.1.4.1.26138.8.35.14.18.1.2.105	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.106	.1.3.6.1.4.1.26138.8.35.14.18.1.2.106	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.107	.1.3.6.1.4.1.26138.8.35.14.18.1.2.107	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.108	.1.3.6.1.4.1.26138.8.35.14.18.1.2.108	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.109	.1.3.6.1.4.1.26138.8.35.14.18.1.2.109	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.110	.1.3.6.1.4.1.26138.8.35.14.18.1.2.110	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.111	.1.3.6.1.4.1.26138.8.35.14.18.1.2.111	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.112	.1.3.6.1.4.1.26138.8.35.14.18.1.2.112	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.113	.1.3.6.1.4.1.26138.8.35.14.18.1.2.113	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.114	.1.3.6.1.4.1.26138.8.35.14.18.1.2.114	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.115	.1.3.6.1.4.1.26138.8.35.14.18.1.2.115	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.116	.1.3.6.1.4.1.26138.8.35.14.18.1.2.116	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.117	.1.3.6.1.4.1.26138.8.35.14.18.1.2.117	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.118	.1.3.6.1.4.1.26138.8.35.14.18.1.2.118	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.119	.1.3.6.1.4.1.26138.8.35.14.18.1.2.119	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.120	.1.3.6.1.4.1.26138.8.35.14.18.1.2.120	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.121	.1.3.6.1.4.1.26138.8.35.14.18.1.2.121	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.122	.1.3.6.1.4.1.26138.8.35.14.18.1.2.122	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.123	.1.3.6.1.4.1.26138.8.35.14.18.1.2.123	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.124	.1.3.6.1.4.1.26138.8.35.14.18.1.2.124	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.125	.1.3.6.1.4.1.26138.8.35.14.18.1.2.125	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.126	.1.3.6.1.4.1.26138.8.35.14.18.1.2.126	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.127	.1.3.6.1.4.1.26138.8.35.14.18.1.2.127	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.128	.1.3.6.1.4.1.26138.8.35.14.18.1.2.128	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.129	.1.3.6.1.4.1.26138.8.35.14.18.1.2.129	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.130	.1.3.6.1.4.1.26138.8.35.14.18.1.2.130	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.131	.1.3.6.1.4.1.26138.8.35.14.18.1.2.131	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.132	.1.3.6.1.4.1.26138.8.35.14.18.1.2.132	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.133	.1.3.6.1.4.1.26138.8.35.14.18.1.2.133	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.134	.1.3.6.1.4.1.26138.8.35.14.18.1.2.134	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.135	.1.3.6.1.4.1.26138.8.35.14.18.1.2.135	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.136	.1.3.6.1.4.1.26138.8.35.14.18.1.2.136	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.137	.1.3.6.1.4.1.26138.8.35.14.18.1.2.137	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.138	.1.3.6.1.4.1.26138.8.35.14.18.1.2.138	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.139	.1.3.6.1.4.1.26138.8.35.14.18.1.2.139	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.140	.1.3.6.1.4.1.26138.8.35.14.18.1.2.140	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.141	.1.3.6.1.4.1.26138.8.35.14.18.1.2.141	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.142	.1.3.6.1.4.1.26138.8.35.14.18.1.2.142	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.143	.1.3.6.1.4.1.26138.8.35.14.18.1.2.143	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.144	.1.3.6.1.4.1.26138.8.35.14.18.1.2.144	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.145	.1.3.6.1.4.1.26138.8.35.14.18.1.2.145	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.146	.1.3.6.1.4.1.26138.8.35.14.18.1.2.146	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.147	.1.3.6.1.4.1.26138.8.35.14.18.1.2.147	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.148	.1.3.6.1.4.1.26138.8.35.14.18.1.2.148	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.149	.1.3.6.1.4.1.26138.8.35.14.18.1.2.149	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.150	.1.3.6.1.4.1.26138.8.35.14.18.1.2.150	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.151	.1.3.6.1.4.1.26138.8.35.14.18.1.2.151	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.152	.1.3.6.1.4.1.26138.8.35.14.18.1.2.152	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.153	.1.3.6.1.4.1.26138.8.35.14.18.1.2.153	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.154	.1.3.6.1.4.1.26138.8.35.14.18.1.2.154	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.155	.1.3.6.1.4.1.26138.8.35.14.18.1.2.155	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.156	.1.3.6.1.4.1.26138.8.35.14.18.1.2.156	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.157	.1.3.6.1.4.1.26138.8.35.14.18.1.2.157	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.158	.1.3.6.1.4.1.26138.8.35.14.18.1.2.158	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.159	.1.3.6.1.4.1.26138.8.35.14.18.1.2.159	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.160	.1.3.6.1.4.1.26138.8.35.14.18.1.2.160	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.161	.1.3.6.1.4.1.26138.8.35.14.18.1.2.161	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.162	.1.3.6.1.4.1.26138.8.35.14.18.1.2.162	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.163	.1.3.6.1.4.1.26138.8.35.14.18.1.2.163	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.164	.1.3.6.1.4.1.26138.8.35.14.18.1.2.164	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.165	.1.3.6.1.4.1.26138.8.35.14.18.1.2.165	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.166	.1.3.6.1.4.1.26138.8.35.14.18.1.2.166	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.167	.1.3.6.1.4.1.26138.8.35.14.18.1.2.167	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.168	.1.3.6.1.4.1.26138.8.35.14.18.1.2.168	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.169	.1.3.6.1.4.1.26138.8.35.14.18.1.2.169	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.170	.1.3.6.1.4.1.26138.8.35.14.18.1.2.170	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.171	.1.3.6.1.4.1.26138.8.35.14.18.1.2.171	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.172	.1.3.6.1.4.1.26138.8.35.14.18.1.2.172	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.173	.1.3.6.1.4.1.26138.8.35.14.18.1.2.173	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.174	.1.3.6.1.4.1.26138.8.35.14.18.1.2.174	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.175	.1.3.6.1.4.1.26138.8.35.14.18.1.2.175	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.176	.1.3.6.1.4.1.26138.8.35.14.18.1.2.176	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.177	.1.3.6.1.4.1.26138.8.35.14.18.1.2.177	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.178	.1.3.6.1.4.1.26138.8.35.14.18.1.2.178	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.179	.1.3.6.1.4.1.26138.8.35.14.18.1.2.179	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.180	.1.3.6.1.4.1.26138.8.35.14.18.1.2.180	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.181	.1.3.6.1.4.1.26138.8.35.14.18.1.2.181	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.182	.1.3.6.1.4.1.26138.8.35.14.18.1.2.182	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.183	.1.3.6.1.4.1.26138.8.35.14.18.1.2.183	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.184	.1.3.6.1.4.1.26138.8.35.14.18.1.2.184	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.185	.1.3.6.1.4.1.26138.8.35.14.18.1.2.185	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.186	.1.3.6.1.4.1.26138.8.35.14.18.1.2.186	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.187	.1.3.6.1.4.1.26138.8.35.14.18.1.2.187	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.188	.1.3.6.1.4.1.26138.8.35.14.18.1.2.188	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.189	.1.3.6.1.4.1.26138.8.35.14.18.1.2.189	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.190	.1.3.6.1.4.1.26138.8.35.14.18.1.2.190	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.191	.1.3.6.1.4.1.26138.8.35.14.18.1.2.191	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.192	.1.3.6.1.4.1.26138.8.35.14.18.1.2.192	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.193	.1.3.6.1.4.1.26138.8.35.14.18.1.2.193	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.194	.1.3.6.1.4.1.26138.8.35.14.18.1.2.194	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.195	.1.3.6.1.4.1.26138.8.35.14.18.1.2.195	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.196	.1.3.6.1.4.1.26138.8.35.14.18.1.2.196	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.197	.1.3.6.1.4.1.26138.8.35.14.18.1.2.197	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.198	.1.3.6.1.4.1.26138.8.35.14.18.1.2.198	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.199	.1.3.6.1.4.1.26138.8.35.14.18.1.2.199	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.200	.1.3.6.1.4.1.26138.8.35.14.18.1.2.200	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.201	.1.3.6.1.4.1.26138.8.35.14.18.1.2.201	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.202	.1.3.6.1.4.1.26138.8.35.14.18.1.2.202	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.203	.1.3.6.1.4.1.26138.8.35.14.18.1.2.203	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.204	.1.3.6.1.4.1.26138.8.35.14.18.1.2.204	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.205	.1.3.6.1.4.1.26138.8.35.14.18.1.2.205	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.206	.1.3.6.1.4.1.26138.8.35.14.18.1.2.206	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.207	.1.3.6.1.4.1.26138.8.35.14.18.1.2.207	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.208	.1.3.6.1.4.1.26138.8.35.14.18.1.2.208	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.209	.1.3.6.1.4.1.26138.8.35.14.18.1.2.209	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.210	.1.3.6.1.4.1.26138.8.35.14.18.1.2.210	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.211	.1.3.6.1.4.1.26138.8.35.14.18.1.2.211	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.212	.1.3.6.1.4.1.26138.8.35.14.18.1.2.212	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.213	.1.3.6.1.4.1.26138.8.35.14.18.1.2.213	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.214	.1.3.6.1.4.1.26138.8.35.14.18.1.2.214	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.215	.1.3.6.1.4.1.26138.8.35.14.18.1.2.215	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.216	.1.3.6.1.4.1.26138.8.35.14.18.1.2.216	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.217	.1.3.6.1.4.1.26138.8.35.14.18.1.2.217	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.218	.1.3.6.1.4.1.26138.8.35.14.18.1.2.218	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.219	.1.3.6.1.4.1.26138.8.35.14.18.1.2.219	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.220	.1.3.6.1.4.1.26138.8.35.14.18.1.2.220	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.221	.1.3.6.1.4.1.26138.8.35.14.18.1.2.221	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.222	.1.3.6.1.4.1.26138.8.35.14.18.1.2.222	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.223	.1.3.6.1.4.1.26138.8.35.14.18.1.2.223	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.224	.1.3.6.1.4.1.26138.8.35.14.18.1.2.224	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.225	.1.3.6.1.4.1.26138.8.35.14.18.1.2.225	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.226	.1.3.6.1.4.1.26138.8.35.14.18.1.2.226	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.227	.1.3.6.1.4.1.26138.8.35.14.18.1.2.227	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.228	.1.3.6.1.4.1.26138.8.35.14.18.1.2.228	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.229	.1.3.6.1.4.1.26138.8.35.14.18.1.2.229	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.230	.1.3.6.1.4.1.26138.8.35.14.18.1.2.230	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.231	.1.3.6.1.4.1.26138.8.35.14.18.1.2.231	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.232	.1.3.6.1.4.1.26138.8.35.14.18.1.2.232	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.233	.1.3.6.1.4.1.26138.8.35.14.18.1.2.233	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.234	.1.3.6.1.4.1.26138.8.35.14.18.1.2.234	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.235	.1.3.6.1.4.1.26138.8.35.14.18.1.2.235	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.236	.1.3.6.1.4.1.26138.8.35.14.18.1.2.236	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.237	.1.3.6.1.4.1.26138.8.35.14.18.1.2.237	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.238	.1.3.6.1.4.1.26138.8.35.14.18.1.2.238	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.239	.1.3.6.1.4.1.26138.8.35.14.18.1.2.239	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.240	.1.3.6.1.4.1.26138.8.35.14.18.1.2.240	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.241	.1.3.6.1.4.1.26138.8.35.14.18.1.2.241	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.242	.1.3.6.1.4.1.26138.8.35.14.18.1.2.242	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.243	.1.3.6.1.4.1.26138.8.35.14.18.1.2.243	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.244	.1.3.6.1.4.1.26138.8.35.14.18.1.2.244	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.245	.1.3.6.1.4.1.26138.8.35.14.18.1.2.245	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.246	.1.3.6.1.4.1.26138.8.35.14.18.1.2.246	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.247	.1.3.6.1.4.1.26138.8.35.14.18.1.2.247	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.248	.1.3.6.1.4.1.26138.8.35.14.18.1.2.248	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.249	.1.3.6.1.4.1.26138.8.35.14.18.1.2.249	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.250	.1.3.6.1.4.1.26138.8.35.14.18.1.2.250	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.251	.1.3.6.1.4.1.26138.8.35.14.18.1.2.251	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.252	.1.3.6.1.4.1.26138.8.35.14.18.1.2.252	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.253	.1.3.6.1.4.1.26138.8.35.14.18.1.2.253	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.254	.1.3.6.1.4.1.26138.8.35.14.18.1.2.254	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.255	.1.3.6.1.4.1.26138.8.35.14.18.1.2.255	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.256	.1.3.6.1.4.1.26138.8.35.14.18.1.2.256	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.257	.1.3.6.1.4.1.26138.8.35.14.18.1.2.257	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.258	.1.3.6.1.4.1.26138.8.35.14.18.1.2.258	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.259	.1.3.6.1.4.1.26138.8.35.14.18.1.2.259	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.260	.1.3.6.1.4.1.26138.8.35.14.18.1.2.260	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.261	.1.3.6.1.4.1.26138.8.35.14.18.1.2.261	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.262	.1.3.6.1.4.1.26138.8.35.14.18.1.2.262	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.263	.1.3.6.1.4.1.26138.8.35.14.18.1.2.263	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.264	.1.3.6.1.4.1.26138.8.35.14.18.1.2.264	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.265	.1.3.6.1.4.1.26138.8.35.14.18.1.2.265	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.266	.1.3.6.1.4.1.26138.8.35.14.18.1.2.266	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.267	.1.3.6.1.4.1.26138.8.35.14.18.1.2.267	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.268	.1.3.6.1.4.1.26138.8.35.14.18.1.2.268	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.269	.1.3.6.1.4.1.26138.8.35.14.18.1.2.269	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.270	.1.3.6.1.4.1.26138.8.35.14.18.1.2.270	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.271	.1.3.6.1.4.1.26138.8.35.14.18.1.2.271	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.272	.1.3.6.1.4.1.26138.8.35.14.18.1.2.272	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.273	.1.3.6.1.4.1.26138.8.35.14.18.1.2.273	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.274	.1.3.6.1.4.1.26138.8.35.14.18.1.2.274	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.275	.1.3.6.1.4.1.26138.8.35.14.18.1.2.275	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.276	.1.3.6.1.4.1.26138.8.35.14.18.1.2.276	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.277	.1.3.6.1.4.1.26138.8.35.14.18.1.2.277	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.278	.1.3.6.1.4.1.26138.8.35.14.18.1.2.278	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.279	.1.3.6.1.4.1.26138.8.35.14.18.1.2.279	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.280	.1.3.6.1.4.1.26138.8.35.14.18.1.2.280	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.281	.1.3.6.1.4.1.26138.8.35.14.18.1.2.281	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.282	.1.3.6.1.4.1.26138.8.35.14.18.1.2.282	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.283	.1.3.6.1.4.1.26138.8.35.14.18.1.2.283	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.284	.1.3.6.1.4.1.26138.8.35.14.18.1.2.284	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.285	.1.3.6.1.4.1.26138.8.35.14.18.1.2.285	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.286	.1.3.6.1.4.1.26138.8.35.14.18.1.2.286	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.287	.1.3.6.1.4.1.26138.8.35.14.18.1.2.287	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.288	.1.3.6.1.4.1.26138.8.35.14.18.1.2.288	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.289	.1.3.6.1.4.1.26138.8.35.14.18.1.2.289	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.290	.1.3.6.1.4.1.26138.8.35.14.18.1.2.290	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.291	.1.3.6.1.4.1.26138.8.35.14.18.1.2.291	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.292	.1.3.6.1.4.1.26138.8.35.14.18.1.2.292	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.293	.1.3.6.1.4.1.26138.8.35.14.18.1.2.293	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.294	.1.3.6.1.4.1.26138.8.35.14.18.1.2.294	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.295	.1.3.6.1.4.1.26138.8.35.14.18.1.2.295	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.296	.1.3.6.1.4.1.26138.8.35.14.18.1.2.296	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.297	.1.3.6.1.4.1.26138.8.35.14.18.1.2.297	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.298	.1.3.6.1.4.1.26138.8.35.14.18.1.2.298	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.299	.1.3.6.1.4.1.26138.8.35.14.18.1.2.299	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.300	.1.3.6.1.4.1.26138.8.35.14.18.1.2.300	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.301	.1.3.6.1.4.1.26138.8.35.14.18.1.2.301	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.302	.1.3.6.1.4.1.26138.8.35.14.18.1.2.302	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.303	.1.3.6.1.4.1.26138.8.35.14.18.1.2.303	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.304	.1.3.6.1.4.1.26138.8.35.14.18.1.2.304	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.305	.1.3.6.1.4.1.26138.8.35.14.18.1.2.305	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.306	.1.3.6.1.4.1.26138.8.35.14.18.1.2.306	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.307	.1.3.6.1.4.1.26138.8.35.14.18.1.2.307	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.308	.1.3.6.1.4.1.26138.8.35.14.18.1.2.308	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.309	.1.3.6.1.4.1.26138.8.35.14.18.1.2.309	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.310	.1.3.6.1.4.1.26138.8.35.14.18.1.2.310	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.311	.1.3.6.1.4.1.26138.8.35.14.18.1.2.311	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.312	.1.3.6.1.4.1.26138.8.35.14.18.1.2.312	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.313	.1.3.6.1.4.1.26138.8.35.14.18.1.2.313	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.314	.1.3.6.1.4.1.26138.8.35.14.18.1.2.314	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.315	.1.3.6.1.4.1.26138.8.35.14.18.1.2.315	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.316	.1.3.6.1.4.1.26138.8.35.14.18.1.2.316	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.317	.1.3.6.1.4.1.26138.8.35.14.18.1.2.317	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.318	.1.3.6.1.4.1.26138.8.35.14.18.1.2.318	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.319	.1.3.6.1.4.1.26138.8.35.14.18.1.2.319	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.320	.1.3.6.1.4.1.26138.8.35.14.18.1.2.320	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.321	.1.3.6.1.4.1.26138.8.35.14.18.1.2.321	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.322	.1.3.6.1.4.1.26138.8.35.14.18.1.2.322	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.323	.1.3.6.1.4.1.26138.8.35.14.18.1.2.323	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.324	.1.3.6.1.4.1.26138.8.35.14.18.1.2.324	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.325	.1.3.6.1.4.1.26138.8.35.14.18.1.2.325	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.326	.1.3.6.1.4.1.26138.8.35.14.18.1.2.326	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.327	.1.3.6.1.4.1.26138.8.35.14.18.1.2.327	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.328	.1.3.6.1.4.1.26138.8.35.14.18.1.2.328	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.329	.1.3.6.1.4.1.26138.8.35.14.18.1.2.329	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.330	.1.3.6.1.4.1.26138.8.35.14.18.1.2.330	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.331	.1.3.6.1.4.1.26138.8.35.14.18.1.2.331	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.332	.1.3.6.1.4.1.26138.8.35.14.18.1.2.332	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.333	.1.3.6.1.4.1.26138.8.35.14.18.1.2.333	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.334	.1.3.6.1.4.1.26138.8.35.14.18.1.2.334	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.335	.1.3.6.1.4.1.26138.8.35.14.18.1.2.335	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.336	.1.3.6.1.4.1.26138.8.35.14.18.1.2.336	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.337	.1.3.6.1.4.1.26138.8.35.14.18.1.2.337	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.338	.1.3.6.1.4.1.26138.8.35.14.18.1.2.338	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.339	.1.3.6.1.4.1.26138.8.35.14.18.1.2.339	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.340	.1.3.6.1.4.1.26138.8.35.14.18.1.2.340	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.341	.1.3.6.1.4.1.26138.8.35.14.18.1.2.341	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.342	.1.3.6.1.4.1.26138.8.35.14.18.1.2.342	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.343	.1.3.6.1.4.1.26138.8.35.14.18.1.2.343	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.344	.1.3.6.1.4.1.26138.8.35.14.18.1.2.344	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.345	.1.3.6.1.4.1.26138.8.35.14.18.1.2.345	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.346	.1.3.6.1.4.1.26138.8.35.14.18.1.2.346	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.347	.1.3.6.1.4.1.26138.8.35.14.18.1.2.347	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.348	.1.3.6.1.4.1.26138.8.35.14.18.1.2.348	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.349	.1.3.6.1.4.1.26138.8.35.14.18.1.2.349	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.350	.1.3.6.1.4.1.26138.8.35.14.18.1.2.350	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.351	.1.3.6.1.4.1.26138.8.35.14.18.1.2.351	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.352	.1.3.6.1.4.1.26138.8.35.14.18.1.2.352	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.353	.1.3.6.1.4.1.26138.8.35.14.18.1.2.353	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.354	.1.3.6.1.4.1.26138.8.35.14.18.1.2.354	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.355	.1.3.6.1.4.1.26138.8.35.14.18.1.2.355	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.356	.1.3.6.1.4.1.26138.8.35.14.18.1.2.356	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.357	.1.3.6.1.4.1.26138.8.35.14.18.1.2.357	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.358	.1.3.6.1.4.1.26138.8.35.14.18.1.2.358	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.359	.1.3.6.1.4.1.26138.8.35.14.18.1.2.359	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.360	.1.3.6.1.4.1.26138.8.35.14.18.1.2.360	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.361	.1.3.6.1.4.1.26138.8.35.14.18.1.2.361	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.362	.1.3.6.1.4.1.26138.8.35.14.18.1.2.362	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.363	.1.3.6.1.4.1.26138.8.35.14.18.1.2.363	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.364	.1.3.6.1.4.1.26138.8.35.14.18.1.2.364	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.365	.1.3.6.1.4.1.26138.8.35.14.18.1.2.365	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.366	.1.3.6.1.4.1.26138.8.35.14.18.1.2.366	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.367	.1.3.6.1.4.1.26138.8.35.14.18.1.2.367	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.368	.1.3.6.1.4.1.26138.8.35.14.18.1.2.368	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.369	.1.3.6.1.4.1.26138.8.35.14.18.1.2.369	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.370	.1.3.6.1.4.1.26138.8.35.14.18.1.2.370	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.371	.1.3.6.1.4.1.26138.8.35.14.18.1.2.371	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.372	.1.3.6.1.4.1.26138.8.35.14.18.1.2.372	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.373	.1.3.6.1.4.1.26138.8.35.14.18.1.2.373	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.374	.1.3.6.1.4.1.26138.8.35.14.18.1.2.374	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.375	.1.3.6.1.4.1.26138.8.35.14.18.1.2.375	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.376	.1.3.6.1.4.1.26138.8.35.14.18.1.2.376	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.377	.1.3.6.1.4.1.26138.8.35.14.18.1.2.377	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.378	.1.3.6.1.4.1.26138.8.35.14.18.1.2.378	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.379	.1.3.6.1.4.1.26138.8.35.14.18.1.2.379	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.380	.1.3.6.1.4.1.26138.8.35.14.18.1.2.380	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.381	.1.3.6.1.4.1.26138.8.35.14.18.1.2.381	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.382	.1.3.6.1.4.1.26138.8.35.14.18.1.2.382	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.383	.1.3.6.1.4.1.26138.8.35.14.18.1.2.383	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.384	.1.3.6.1.4.1.26138.8.35.14.18.1.2.384	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.385	.1.3.6.1.4.1.26138.8.35.14.18.1.2.385	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.386	.1.3.6.1.4.1.26138.8.35.14.18.1.2.386	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.387	.1.3.6.1.4.1.26138.8.35.14.18.1.2.387	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.388	.1.3.6.1.4.1.26138.8.35.14.18.1.2.388	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.389	.1.3.6.1.4.1.26138.8.35.14.18.1.2.389	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.390	.1.3.6.1.4.1.26138.8.35.14.18.1.2.390	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.391	.1.3.6.1.4.1.26138.8.35.14.18.1.2.391	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.392	.1.3.6.1.4.1.26138.8.35.14.18.1.2.392	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.393	.1.3.6.1.4.1.26138.8.35.14.18.1.2.393	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.394	.1.3.6.1.4.1.26138.8.35.14.18.1.2.394	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.395	.1.3.6.1.4.1.26138.8.35.14.18.1.2.395	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.396	.1.3.6.1.4.1.26138.8.35.14.18.1.2.396	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.397	.1.3.6.1.4.1.26138.8.35.14.18.1.2.397	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.398	.1.3.6.1.4.1.26138.8.35.14.18.1.2.398	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.399	.1.3.6.1.4.1.26138.8.35.14.18.1.2.399	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.400	.1.3.6.1.4.1.26138.8.35.14.18.1.2.400	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.401	.1.3.6.1.4.1.26138.8.35.14.18.1.2.401	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.402	.1.3.6.1.4.1.26138.8.35.14.18.1.2.402	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.403	.1.3.6.1.4.1.26138.8.35.14.18.1.2.403	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.404	.1.3.6.1.4.1.26138.8.35.14.18.1.2.404	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.405	.1.3.6.1.4.1.26138.8.35.14.18.1.2.405	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.406	.1.3.6.1.4.1.26138.8.35.14.18.1.2.406	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.407	.1.3.6.1.4.1.26138.8.35.14.18.1.2.407	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.408	.1.3.6.1.4.1.26138.8.35.14.18.1.2.408	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.409	.1.3.6.1.4.1.26138.8.35.14.18.1.2.409	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.410	.1.3.6.1.4.1.26138.8.35.14.18.1.2.410	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.411	.1.3.6.1.4.1.26138.8.35.14.18.1.2.411	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.412	.1.3.6.1.4.1.26138.8.35.14.18.1.2.412	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.413	.1.3.6.1.4.1.26138.8.35.14.18.1.2.413	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.414	.1.3.6.1.4.1.26138.8.35.14.18.1.2.414	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.415	.1.3.6.1.4.1.26138.8.35.14.18.1.2.415	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.416	.1.3.6.1.4.1.26138.8.35.14.18.1.2.416	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.417	.1.3.6.1.4.1.26138.8.35.14.18.1.2.417	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.418	.1.3.6.1.4.1.26138.8.35.14.18.1.2.418	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.419	.1.3.6.1.4.1.26138.8.35.14.18.1.2.419	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.420	.1.3.6.1.4.1.26138.8.35.14.18.1.2.420	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.421	.1.3.6.1.4.1.26138.8.35.14.18.1.2.421	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.422	.1.3.6.1.4.1.26138.8.35.14.18.1.2.422	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.423	.1.3.6.1.4.1.26138.8.35.14.18.1.2.423	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.424	.1.3.6.1.4.1.26138.8.35.14.18.1.2.424	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.425	.1.3.6.1.4.1.26138.8.35.14.18.1.2.425	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.426	.1.3.6.1.4.1.26138.8.35.14.18.1.2.426	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.427	.1.3.6.1.4.1.26138.8.35.14.18.1.2.427	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.428	.1.3.6.1.4.1.26138.8.35.14.18.1.2.428	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.429	.1.3.6.1.4.1.26138.8.35.14.18.1.2.429	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.430	.1.3.6.1.4.1.26138.8.35.14.18.1.2.430	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.431	.1.3.6.1.4.1.26138.8.35.14.18.1.2.431	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.432	.1.3.6.1.4.1.26138.8.35.14.18.1.2.432	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.433	.1.3.6.1.4.1.26138.8.35.14.18.1.2.433	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.434	.1.3.6.1.4.1.26138.8.35.14.18.1.2.434	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.435	.1.3.6.1.4.1.26138.8.35.14.18.1.2.435	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.436	.1.3.6.1.4.1.26138.8.35.14.18.1.2.436	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.437	.1.3.6.1.4.1.26138.8.35.14.18.1.2.437	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.438	.1.3.6.1.4.1.26138.8.35.14.18.1.2.438	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.439	.1.3.6.1.4.1.26138.8.35.14.18.1.2.439	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.440	.1.3.6.1.4.1.26138.8.35.14.18.1.2.440	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.441	.1.3.6.1.4.1.26138.8.35.14.18.1.2.441	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.442	.1.3.6.1.4.1.26138.8.35.14.18.1.2.442	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.443	.1.3.6.1.4.1.26138.8.35.14.18.1.2.443	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.444	.1.3.6.1.4.1.26138.8.35.14.18.1.2.444	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.445	.1.3.6.1.4.1.26138.8.35.14.18.1.2.445	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.446	.1.3.6.1.4.1.26138.8.35.14.18.1.2.446	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.447	.1.3.6.1.4.1.26138.8.35.14.18.1.2.447	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.448	.1.3.6.1.4.1.26138.8.35.14.18.1.2.448	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.449	.1.3.6.1.4.1.26138.8.35.14.18.1.2.449	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.450	.1.3.6.1.4.1.26138.8.35.14.18.1.2.450	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.451	.1.3.6.1.4.1.26138.8.35.14.18.1.2.451	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.452	.1.3.6.1.4.1.26138.8.35.14.18.1.2.452	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.453	.1.3.6.1.4.1.26138.8.35.14.18.1.2.453	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.454	.1.3.6.1.4.1.26138.8.35.14.18.1.2.454	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.455	.1.3.6.1.4.1.26138.8.35.14.18.1.2.455	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.456	.1.3.6.1.4.1.26138.8.35.14.18.1.2.456	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.457	.1.3.6.1.4.1.26138.8.35.14.18.1.2.457	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.458	.1.3.6.1.4.1.26138.8.35.14.18.1.2.458	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.459	.1.3.6.1.4.1.26138.8.35.14.18.1.2.459	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.460	.1.3.6.1.4.1.26138.8.35.14.18.1.2.460	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.461	.1.3.6.1.4.1.26138.8.35.14.18.1.2.461	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.462	.1.3.6.1.4.1.26138.8.35.14.18.1.2.462	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.463	.1.3.6.1.4.1.26138.8.35.14.18.1.2.463	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.464	.1.3.6.1.4.1.26138.8.35.14.18.1.2.464	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.465	.1.3.6.1.4.1.26138.8.35.14.18.1.2.465	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.466	.1.3.6.1.4.1.26138.8.35.14.18.1.2.466	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.467	.1.3.6.1.4.1.26138.8.35.14.18.1.2.467	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.468	.1.3.6.1.4.1.26138.8.35.14.18.1.2.468	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.469	.1.3.6.1.4.1.26138.8.35.14.18.1.2.469	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.470	.1.3.6.1.4.1.26138.8.35.14.18.1.2.470	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.471	.1.3.6.1.4.1.26138.8.35.14.18.1.2.471	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.472	.1.3.6.1.4.1.26138.8.35.14.18.1.2.472	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.473	.1.3.6.1.4.1.26138.8.35.14.18.1.2.473	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.474	.1.3.6.1.4.1.26138.8.35.14.18.1.2.474	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.475	.1.3.6.1.4.1.26138.8.35.14.18.1.2.475	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.476	.1.3.6.1.4.1.26138.8.35.14.18.1.2.476	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.477	.1.3.6.1.4.1.26138.8.35.14.18.1.2.477	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.478	.1.3.6.1.4.1.26138.8.35.14.18.1.2.478	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.479	.1.3.6.1.4.1.26138.8.35.14.18.1.2.479	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.480	.1.3.6.1.4.1.26138.8.35.14.18.1.2.480	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.481	.1.3.6.1.4.1.26138.8.35.14.18.1.2.481	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.482	.1.3.6.1.4.1.26138.8.35.14.18.1.2.482	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.483	.1.3.6.1.4.1.26138.8.35.14.18.1.2.483	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.484	.1.3.6.1.4.1.26138.8.35.14.18.1.2.484	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.485	.1.3.6.1.4.1.26138.8.35.14.18.1.2.485	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.486	.1.3.6.1.4.1.26138.8.35.14.18.1.2.486	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.487	.1.3.6.1.4.1.26138.8.35.14.18.1.2.487	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.488	.1.3.6.1.4.1.26138.8.35.14.18.1.2.488	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.489	.1.3.6.1.4.1.26138.8.35.14.18.1.2.489	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.490	.1.3.6.1.4.1.26138.8.35.14.18.1.2.490	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.491	.1.3.6.1.4.1.26138.8.35.14.18.1.2.491	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.492	.1.3.6.1.4.1.26138.8.35.14.18.1.2.492	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.493	.1.3.6.1.4.1.26138.8.35.14.18.1.2.493	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.494	.1.3.6.1.4.1.26138.8.35.14.18.1.2.494	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.495	.1.3.6.1.4.1.26138.8.35.14.18.1.2.495	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.496	.1.3.6.1.4.1.26138.8.35.14.18.1.2.496	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.497	.1.3.6.1.4.1.26138.8.35.14.18.1.2.497	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.498	.1.3.6.1.4.1.26138.8.35.14.18.1.2.498	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.499	.1.3.6.1.4.1.26138.8.35.14.18.1.2.499	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.500	.1.3.6.1.4.1.26138.8.35.14.18.1.2.500	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.501	.1.3.6.1.4.1.26138.8.35.14.18.1.2.501	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.502	.1.3.6.1.4.1.26138.8.35.14.18.1.2.502	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.503	.1.3.6.1.4.1.26138.8.35.14.18.1.2.503	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.504	.1.3.6.1.4.1.26138.8.35.14.18.1.2.504	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.505	.1.3.6.1.4.1.26138.8.35.14.18.1.2.505	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.506	.1.3.6.1.4.1.26138.8.35.14.18.1.2.506	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.507	.1.3.6.1.4.1.26138.8.35.14.18.1.2.507	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.508	.1.3.6.1.4.1.26138.8.35.14.18.1.2.508	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.509	.1.3.6.1.4.1.26138.8.35.14.18.1.2.509	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.510	.1.3.6.1.4.1.26138.8.35.14.18.1.2.510	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.511	.1.3.6.1.4.1.26138.8.35.14.18.1.2.511	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.512	.1.3.6.1.4.1.26138.8.35.14.18.1.2.512	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.513	.1.3.6.1.4.1.26138.8.35.14.18.1.2.513	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.514	.1.3.6.1.4.1.26138.8.35.14.18.1.2.514	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.515	.1.3.6.1.4.1.26138.8.35.14.18.1.2.515	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.516	.1.3.6.1.4.1.26138.8.35.14.18.1.2.516	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.517	.1.3.6.1.4.1.26138.8.35.14.18.1.2.517	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.518	.1.3.6.1.4.1.26138.8.35.14.18.1.2.518	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.519	.1.3.6.1.4.1.26138.8.35.14.18.1.2.519	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.520	.1.3.6.1.4.1.26138.8.35.14.18.1.2.520	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.521	.1.3.6.1.4.1.26138.8.35.14.18.1.2.521	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.522	.1.3.6.1.4.1.26138.8.35.14.18.1.2.522	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.523	.1.3.6.1.4.1.26138.8.35.14.18.1.2.523	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.524	.1.3.6.1.4.1.26138.8.35.14.18.1.2.524	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.525	.1.3.6.1.4.1.26138.8.35.14.18.1.2.525	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.526	.1.3.6.1.4.1.26138.8.35.14.18.1.2.526	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.527	.1.3.6.1.4.1.26138.8.35.14.18.1.2.527	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.528	.1.3.6.1.4.1.26138.8.35.14.18.1.2.528	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.529	.1.3.6.1.4.1.26138.8.35.14.18.1.2.529	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.530	.1.3.6.1.4.1.26138.8.35.14.18.1.2.530	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.531	.1.3.6.1.4.1.26138.8.35.14.18.1.2.531	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.532	.1.3.6.1.4.1.26138.8.35.14.18.1.2.532	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.533	.1.3.6.1.4.1.26138.8.35.14.18.1.2.533	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.534	.1.3.6.1.4.1.26138.8.35.14.18.1.2.534	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.535	.1.3.6.1.4.1.26138.8.35.14.18.1.2.535	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.536	.1.3.6.1.4.1.26138.8.35.14.18.1.2.536	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.537	.1.3.6.1.4.1.26138.8.35.14.18.1.2.537	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.538	.1.3.6.1.4.1.26138.8.35.14.18.1.2.538	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.539	.1.3.6.1.4.1.26138.8.35.14.18.1.2.539	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.540	.1.3.6.1.4.1.26138.8.35.14.18.1.2.540	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.541	.1.3.6.1.4.1.26138.8.35.14.18.1.2.541	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.542	.1.3.6.1.4.1.26138.8.35.14.18.1.2.542	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.543	.1.3.6.1.4.1.26138.8.35.14.18.1.2.543	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.544	.1.3.6.1.4.1.26138.8.35.14.18.1.2.544	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.545	.1.3.6.1.4.1.26138.8.35.14.18.1.2.545	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.546	.1.3.6.1.4.1.26138.8.35.14.18.1.2.546	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.547	.1.3.6.1.4.1.26138.8.35.14.18.1.2.547	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.548	.1.3.6.1.4.1.26138.8.35.14.18.1.2.548	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.549	.1.3.6.1.4.1.26138.8.35.14.18.1.2.549	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.550	.1.3.6.1.4.1.26138.8.35.14.18.1.2.550	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.551	.1.3.6.1.4.1.26138.8.35.14.18.1.2.551	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.552	.1.3.6.1.4.1.26138.8.35.14.18.1.2.552	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.553	.1.3.6.1.4.1.26138.8.35.14.18.1.2.553	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.554	.1.3.6.1.4.1.26138.8.35.14.18.1.2.554	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.555	.1.3.6.1.4.1.26138.8.35.14.18.1.2.555	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.556	.1.3.6.1.4.1.26138.8.35.14.18.1.2.556	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.557	.1.3.6.1.4.1.26138.8.35.14.18.1.2.557	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.558	.1.3.6.1.4.1.26138.8.35.14.18.1.2.558	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.559	.1.3.6.1.4.1.26138.8.35.14.18.1.2.559	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.560	.1.3.6.1.4.1.26138.8.35.14.18.1.2.560	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.561	.1.3.6.1.4.1.26138.8.35.14.18.1.2.561	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.562	.1.3.6.1.4.1.26138.8.35.14.18.1.2.562	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.563	.1.3.6.1.4.1.26138.8.35.14.18.1.2.563	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.564	.1.3.6.1.4.1.26138.8.35.14.18.1.2.564	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.565	.1.3.6.1.4.1.26138.8.35.14.18.1.2.565	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.566	.1.3.6.1.4.1.26138.8.35.14.18.1.2.566	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.567	.1.3.6.1.4.1.26138.8.35.14.18.1.2.567	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.568	.1.3.6.1.4.1.26138.8.35.14.18.1.2.568	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.569	.1.3.6.1.4.1.26138.8.35.14.18.1.2.569	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.570	.1.3.6.1.4.1.26138.8.35.14.18.1.2.570	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.571	.1.3.6.1.4.1.26138.8.35.14.18.1.2.571	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.572	.1.3.6.1.4.1.26138.8.35.14.18.1.2.572	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.573	.1.3.6.1.4.1.26138.8.35.14.18.1.2.573	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.574	.1.3.6.1.4.1.26138.8.35.14.18.1.2.574	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.575	.1.3.6.1.4.1.26138.8.35.14.18.1.2.575	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.576	.1.3.6.1.4.1.26138.8.35.14.18.1.2.576	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.577	.1.3.6.1.4.1.26138.8.35.14.18.1.2.577	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.578	.1.3.6.1.4.1.26138.8.35.14.18.1.2.578	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.579	.1.3.6.1.4.1.26138.8.35.14.18.1.2.579	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.580	.1.3.6.1.4.1.26138.8.35.14.18.1.2.580	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.581	.1.3.6.1.4.1.26138.8.35.14.18.1.2.581	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.582	.1.3.6.1.4.1.26138.8.35.14.18.1.2.582	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.583	.1.3.6.1.4.1.26138.8.35.14.18.1.2.583	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.584	.1.3.6.1.4.1.26138.8.35.14.18.1.2.584	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.585	.1.3.6.1.4.1.26138.8.35.14.18.1.2.585	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.586	.1.3.6.1.4.1.26138.8.35.14.18.1.2.586	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.587	.1.3.6.1.4.1.26138.8.35.14.18.1.2.587	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.588	.1.3.6.1.4.1.26138.8.35.14.18.1.2.588	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.589	.1.3.6.1.4.1.26138.8.35.14.18.1.2.589	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.590	.1.3.6.1.4.1.26138.8.35.14.18.1.2.590	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.591	.1.3.6.1.4.1.26138.8.35.14.18.1.2.591	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.592	.1.3.6.1.4.1.26138.8.35.14.18.1.2.592	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.593	.1.3.6.1.4.1.26138.8.35.14.18.1.2.593	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.594	.1.3.6.1.4.1.26138.8.35.14.18.1.2.594	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.595	.1.3.6.1.4.1.26138.8.35.14.18.1.2.595	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.596	.1.3.6.1.4.1.26138.8.35.14.18.1.2.596	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.597	.1.3.6.1.4.1.26138.8.35.14.18.1.2.597	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.598	.1.3.6.1.4.1.26138.8.35.14.18.1.2.598	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.599	.1.3.6.1.4.1.26138.8.35.14.18.1.2.599	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.600	.1.3.6.1.4.1.26138.8.35.14.18.1.2.600	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.601	.1.3.6.1.4.1.26138.8.35.14.18.1.2.601	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.602	.1.3.6.1.4.1.26138.8.35.14.18.1.2.602	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.603	.1.3.6.1.4.1.26138.8.35.14.18.1.2.603	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.604	.1.3.6.1.4.1.26138.8.35.14.18.1.2.604	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.605	.1.3.6.1.4.1.26138.8.35.14.18.1.2.605	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.606	.1.3.6.1.4.1.26138.8.35.14.18.1.2.606	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.607	.1.3.6.1.4.1.26138.8.35.14.18.1.2.607	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.608	.1.3.6.1.4.1.26138.8.35.14.18.1.2.608	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.609	.1.3.6.1.4.1.26138.8.35.14.18.1.2.609	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.610	.1.3.6.1.4.1.26138.8.35.14.18.1.2.610	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.611	.1.3.6.1.4.1.26138.8.35.14.18.1.2.611	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.612	.1.3.6.1.4.1.26138.8.35.14.18.1.2.612	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.613	.1.3.6.1.4.1.26138.8.35.14.18.1.2.613	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.614	.1.3.6.1.4.1.26138.8.35.14.18.1.2.614	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.615	.1.3.6.1.4.1.26138.8.35.14.18.1.2.615	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.616	.1.3.6.1.4.1.26138.8.35.14.18.1.2.616	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.617	.1.3.6.1.4.1.26138.8.35.14.18.1.2.617	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.618	.1.3.6.1.4.1.26138.8.35.14.18.1.2.618	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.619	.1.3.6.1.4.1.26138.8.35.14.18.1.2.619	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.620	.1.3.6.1.4.1.26138.8.35.14.18.1.2.620	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.621	.1.3.6.1.4.1.26138.8.35.14.18.1.2.621	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.622	.1.3.6.1.4.1.26138.8.35.14.18.1.2.622	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.623	.1.3.6.1.4.1.26138.8.35.14.18.1.2.623	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.624	.1.3.6.1.4.1.26138.8.35.14.18.1.2.624	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.625	.1.3.6.1.4.1.26138.8.35.14.18.1.2.625	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.626	.1.3.6.1.4.1.26138.8.35.14.18.1.2.626	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.627	.1.3.6.1.4.1.26138.8.35.14.18.1.2.627	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.628	.1.3.6.1.4.1.26138.8.35.14.18.1.2.628	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.629	.1.3.6.1.4.1.26138.8.35.14.18.1.2.629	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.630	.1.3.6.1.4.1.26138.8.35.14.18.1.2.630	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.631	.1.3.6.1.4.1.26138.8.35.14.18.1.2.631	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.632	.1.3.6.1.4.1.26138.8.35.14.18.1.2.632	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.633	.1.3.6.1.4.1.26138.8.35.14.18.1.2.633	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.634	.1.3.6.1.4.1.26138.8.35.14.18.1.2.634	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.635	.1.3.6.1.4.1.26138.8.35.14.18.1.2.635	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.636	.1.3.6.1.4.1.26138.8.35.14.18.1.2.636	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.637	.1.3.6.1.4.1.26138.8.35.14.18.1.2.637	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.638	.1.3.6.1.4.1.26138.8.35.14.18.1.2.638	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.639	.1.3.6.1.4.1.26138.8.35.14.18.1.2.639	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.640	.1.3.6.1.4.1.26138.8.35.14.18.1.2.640	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.641	.1.3.6.1.4.1.26138.8.35.14.18.1.2.641	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.642	.1.3.6.1.4.1.26138.8.35.14.18.1.2.642	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.643	.1.3.6.1.4.1.26138.8.35.14.18.1.2.643	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.644	.1.3.6.1.4.1.26138.8.35.14.18.1.2.644	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.645	.1.3.6.1.4.1.26138.8.35.14.18.1.2.645	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.646	.1.3.6.1.4.1.26138.8.35.14.18.1.2.646	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.647	.1.3.6.1.4.1.26138.8.35.14.18.1.2.647	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.648	.1.3.6.1.4.1.26138.8.35.14.18.1.2.648	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.649	.1.3.6.1.4.1.26138.8.35.14.18.1.2.649	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.650	.1.3.6.1.4.1.26138.8.35.14.18.1.2.650	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.651	.1.3.6.1.4.1.26138.8.35.14.18.1.2.651	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.652	.1.3.6.1.4.1.26138.8.35.14.18.1.2.652	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.653	.1.3.6.1.4.1.26138.8.35.14.18.1.2.653	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.654	.1.3.6.1.4.1.26138.8.35.14.18.1.2.654	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.655	.1.3.6.1.4.1.26138.8.35.14.18.1.2.655	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.656	.1.3.6.1.4.1.26138.8.35.14.18.1.2.656	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.657	.1.3.6.1.4.1.26138.8.35.14.18.1.2.657	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.658	.1.3.6.1.4.1.26138.8.35.14.18.1.2.658	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.659	.1.3.6.1.4.1.26138.8.35.14.18.1.2.659	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.660	.1.3.6.1.4.1.26138.8.35.14.18.1.2.660	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.661	.1.3.6.1.4.1.26138.8.35.14.18.1.2.661	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.662	.1.3.6.1.4.1.26138.8.35.14.18.1.2.662	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.663	.1.3.6.1.4.1.26138.8.35.14.18.1.2.663	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.664	.1.3.6.1.4.1.26138.8.35.14.18.1.2.664	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.665	.1.3.6.1.4.1.26138.8.35.14.18.1.2.665	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.666	.1.3.6.1.4.1.26138.8.35.14.18.1.2.666	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.667	.1.3.6.1.4.1.26138.8.35.14.18.1.2.667	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.668	.1.3.6.1.4.1.26138.8.35.14.18.1.2.668	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.669	.1.3.6.1.4.1.26138.8.35.14.18.1.2.669	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.670	.1.3.6.1.4.1.26138.8.35.14.18.1.2.670	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.671	.1.3.6.1.4.1.26138.8.35.14.18.1.2.671	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.672	.1.3.6.1.4.1.26138.8.35.14.18.1.2.672	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.673	.1.3.6.1.4.1.26138.8.35.14.18.1.2.673	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.674	.1.3.6.1.4.1.26138.8.35.14.18.1.2.674	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.675	.1.3.6.1.4.1.26138.8.35.14.18.1.2.675	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.676	.1.3.6.1.4.1.26138.8.35.14.18.1.2.676	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.677	.1.3.6.1.4.1.26138.8.35.14.18.1.2.677	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.678	.1.3.6.1.4.1.26138.8.35.14.18.1.2.678	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.679	.1.3.6.1.4.1.26138.8.35.14.18.1.2.679	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.680	.1.3.6.1.4.1.26138.8.35.14.18.1.2.680	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.681	.1.3.6.1.4.1.26138.8.35.14.18.1.2.681	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.682	.1.3.6.1.4.1.26138.8.35.14.18.1.2.682	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.683	.1.3.6.1.4.1.26138.8.35.14.18.1.2.683	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.684	.1.3.6.1.4.1.26138.8.35.14.18.1.2.684	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.685	.1.3.6.1.4.1.26138.8.35.14.18.1.2.685	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.686	.1.3.6.1.4.1.26138.8.35.14.18.1.2.686	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.687	.1.3.6.1.4.1.26138.8.35.14.18.1.2.687	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.688	.1.3.6.1.4.1.26138.8.35.14.18.1.2.688	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.689	.1.3.6.1.4.1.26138.8.35.14.18.1.2.689	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.690	.1.3.6.1.4.1.26138.8.35.14.18.1.2.690	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.691	.1.3.6.1.4.1.26138.8.35.14.18.1.2.691	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.692	.1.3.6.1.4.1.26138.8.35.14.18.1.2.692	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.693	.1.3.6.1.4.1.26138.8.35.14.18.1.2.693	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.694	.1.3.6.1.4.1.26138.8.35.14.18.1.2.694	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.695	.1.3.6.1.4.1.26138.8.35.14.18.1.2.695	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.696	.1.3.6.1.4.1.26138.8.35.14.18.1.2.696	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.697	.1.3.6.1.4.1.26138.8.35.14.18.1.2.697	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.698	.1.3.6.1.4.1.26138.8.35.14.18.1.2.698	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.699	.1.3.6.1.4.1.26138.8.35.14.18.1.2.699	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.700	.1.3.6.1.4.1.26138.8.35.14.18.1.2.700	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.701	.1.3.6.1.4.1.26138.8.35.14.18.1.2.701	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.702	.1.3.6.1.4.1.26138.8.35.14.18.1.2.702	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.703	.1.3.6.1.4.1.26138.8.35.14.18.1.2.703	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.704	.1.3.6.1.4.1.26138.8.35.14.18.1.2.704	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.705	.1.3.6.1.4.1.26138.8.35.14.18.1.2.705	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.706	.1.3.6.1.4.1.26138.8.35.14.18.1.2.706	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.707	.1.3.6.1.4.1.26138.8.35.14.18.1.2.707	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.708	.1.3.6.1.4.1.26138.8.35.14.18.1.2.708	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.709	.1.3.6.1.4.1.26138.8.35.14.18.1.2.709	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.710	.1.3.6.1.4.1.26138.8.35.14.18.1.2.710	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.711	.1.3.6.1.4.1.26138.8.35.14.18.1.2.711	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.712	.1.3.6.1.4.1.26138.8.35.14.18.1.2.712	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.713	.1.3.6.1.4.1.26138.8.35.14.18.1.2.713	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.714	.1.3.6.1.4.1.26138.8.35.14.18.1.2.714	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.715	.1.3.6.1.4.1.26138.8.35.14.18.1.2.715	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.716	.1.3.6.1.4.1.26138.8.35.14.18.1.2.716	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.717	.1.3.6.1.4.1.26138.8.35.14.18.1.2.717	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.718	.1.3.6.1.4.1.26138.8.35.14.18.1.2.718	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.719	.1.3.6.1.4.1.26138.8.35.14.18.1.2.719	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.720	.1.3.6.1.4.1.26138.8.35.14.18.1.2.720	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.721	.1.3.6.1.4.1.26138.8.35.14.18.1.2.721	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.722	.1.3.6.1.4.1.26138.8.35.14.18.1.2.722	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.723	.1.3.6.1.4.1.26138.8.35.14.18.1.2.723	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.724	.1.3.6.1.4.1.26138.8.35.14.18.1.2.724	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.725	.1.3.6.1.4.1.26138.8.35.14.18.1.2.725	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.726	.1.3.6.1.4.1.26138.8.35.14.18.1.2.726	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.727	.1.3.6.1.4.1.26138.8.35.14.18.1.2.727	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.728	.1.3.6.1.4.1.26138.8.35.14.18.1.2.728	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.729	.1.3.6.1.4.1.26138.8.35.14.18.1.2.729	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.730	.1.3.6.1.4.1.26138.8.35.14.18.1.2.730	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.731	.1.3.6.1.4.1.26138.8.35.14.18.1.2.731	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.732	.1.3.6.1.4.1.26138.8.35.14.18.1.2.732	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.733	.1.3.6.1.4.1.26138.8.35.14.18.1.2.733	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.734	.1.3.6.1.4.1.26138.8.35.14.18.1.2.734	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.735	.1.3.6.1.4.1.26138.8.35.14.18.1.2.735	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.736	.1.3.6.1.4.1.26138.8.35.14.18.1.2.736	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.737	.1.3.6.1.4.1.26138.8.35.14.18.1.2.737	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.738	.1.3.6.1.4.1.26138.8.35.14.18.1.2.738	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.739	.1.3.6.1.4.1.26138.8.35.14.18.1.2.739	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.740	.1.3.6.1.4.1.26138.8.35.14.18.1.2.740	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.741	.1.3.6.1.4.1.26138.8.35.14.18.1.2.741	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.742	.1.3.6.1.4.1.26138.8.35.14.18.1.2.742	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.743	.1.3.6.1.4.1.26138.8.35.14.18.1.2.743	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.744	.1.3.6.1.4.1.26138.8.35.14.18.1.2.744	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.745	.1.3.6.1.4.1.26138.8.35.14.18.1.2.745	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.746	.1.3.6.1.4.1.26138.8.35.14.18.1.2.746	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.747	.1.3.6.1.4.1.26138.8.35.14.18.1.2.747	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.748	.1.3.6.1.4.1.26138.8.35.14.18.1.2.748	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.749	.1.3.6.1.4.1.26138.8.35.14.18.1.2.749	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.750	.1.3.6.1.4.1.26138.8.35.14.18.1.2.750	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.751	.1.3.6.1.4.1.26138.8.35.14.18.1.2.751	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.752	.1.3.6.1.4.1.26138.8.35.14.18.1.2.752	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.753	.1.3.6.1.4.1.26138.8.35.14.18.1.2.753	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.754	.1.3.6.1.4.1.26138.8.35.14.18.1.2.754	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.755	.1.3.6.1.4.1.26138.8.35.14.18.1.2.755	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.756	.1.3.6.1.4.1.26138.8.35.14.18.1.2.756	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.757	.1.3.6.1.4.1.26138.8.35.14.18.1.2.757	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.758	.1.3.6.1.4.1.26138.8.35.14.18.1.2.758	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.759	.1.3.6.1.4.1.26138.8.35.14.18.1.2.759	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.760	.1.3.6.1.4.1.26138.8.35.14.18.1.2.760	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.761	.1.3.6.1.4.1.26138.8.35.14.18.1.2.761	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.762	.1.3.6.1.4.1.26138.8.35.14.18.1.2.762	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.763	.1.3.6.1.4.1.26138.8.35.14.18.1.2.763	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.764	.1.3.6.1.4.1.26138.8.35.14.18.1.2.764	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.765	.1.3.6.1.4.1.26138.8.35.14.18.1.2.765	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.766	.1.3.6.1.4.1.26138.8.35.14.18.1.2.766	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.767	.1.3.6.1.4.1.26138.8.35.14.18.1.2.767	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.768	.1.3.6.1.4.1.26138.8.35.14.18.1.2.768	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.769	.1.3.6.1.4.1.26138.8.35.14.18.1.2.769	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.770	.1.3.6.1.4.1.26138.8.35.14.18.1.2.770	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.771	.1.3.6.1.4.1.26138.8.35.14.18.1.2.771	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.772	.1.3.6.1.4.1.26138.8.35.14.18.1.2.772	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.773	.1.3.6.1.4.1.26138.8.35.14.18.1.2.773	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.774	.1.3.6.1.4.1.26138.8.35.14.18.1.2.774	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.775	.1.3.6.1.4.1.26138.8.35.14.18.1.2.775	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.776	.1.3.6.1.4.1.26138.8.35.14.18.1.2.776	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.777	.1.3.6.1.4.1.26138.8.35.14.18.1.2.777	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.778	.1.3.6.1.4.1.26138.8.35.14.18.1.2.778	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.779	.1.3.6.1.4.1.26138.8.35.14.18.1.2.779	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.780	.1.3.6.1.4.1.26138.8.35.14.18.1.2.780	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.781	.1.3.6.1.4.1.26138.8.35.14.18.1.2.781	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.782	.1.3.6.1.4.1.26138.8.35.14.18.1.2.782	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.783	.1.3.6.1.4.1.26138.8.35.14.18.1.2.783	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.784	.1.3.6.1.4.1.26138.8.35.14.18.1.2.784	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.785	.1.3.6.1.4.1.26138.8.35.14.18.1.2.785	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.786	.1.3.6.1.4.1.26138.8.35.14.18.1.2.786	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.787	.1.3.6.1.4.1.26138.8.35.14.18.1.2.787	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.788	.1.3.6.1.4.1.26138.8.35.14.18.1.2.788	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.789	.1.3.6.1.4.1.26138.8.35.14.18.1.2.789	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.790	.1.3.6.1.4.1.26138.8.35.14.18.1.2.790	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.791	.1.3.6.1.4.1.26138.8.35.14.18.1.2.791	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.792	.1.3.6.1.4.1.26138.8.35.14.18.1.2.792	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.793	.1.3.6.1.4.1.26138.8.35.14.18.1.2.793	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.794	.1.3.6.1.4.1.26138.8.35.14.18.1.2.794	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.795	.1.3.6.1.4.1.26138.8.35.14.18.1.2.795	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.796	.1.3.6.1.4.1.26138.8.35.14.18.1.2.796	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.797	.1.3.6.1.4.1.26138.8.35.14.18.1.2.797	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.798	.1.3.6.1.4.1.26138.8.35.14.18.1.2.798	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.799	.1.3.6.1.4.1.26138.8.35.14.18.1.2.799	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.800	.1.3.6.1.4.1.26138.8.35.14.18.1.2.800	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.801	.1.3.6.1.4.1.26138.8.35.14.18.1.2.801	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.802	.1.3.6.1.4.1.26138.8.35.14.18.1.2.802	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.803	.1.3.6.1.4.1.26138.8.35.14.18.1.2.803	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.804	.1.3.6.1.4.1.26138.8.35.14.18.1.2.804	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.805	.1.3.6.1.4.1.26138.8.35.14.18.1.2.805	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.806	.1.3.6.1.4.1.26138.8.35.14.18.1.2.806	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.807	.1.3.6.1.4.1.26138.8.35.14.18.1.2.807	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.808	.1.3.6.1.4.1.26138.8.35.14.18.1.2.808	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.809	.1.3.6.1.4.1.26138.8.35.14.18.1.2.809	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.810	.1.3.6.1.4.1.26138.8.35.14.18.1.2.810	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.811	.1.3.6.1.4.1.26138.8.35.14.18.1.2.811	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.812	.1.3.6.1.4.1.26138.8.35.14.18.1.2.812	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.813	.1.3.6.1.4.1.26138.8.35.14.18.1.2.813	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.814	.1.3.6.1.4.1.26138.8.35.14.18.1.2.814	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.815	.1.3.6.1.4.1.26138.8.35.14.18.1.2.815	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.816	.1.3.6.1.4.1.26138.8.35.14.18.1.2.816	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.817	.1.3.6.1.4.1.26138.8.35.14.18.1.2.817	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.818	.1.3.6.1.4.1.26138.8.35.14.18.1.2.818	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.819	.1.3.6.1.4.1.26138.8.35.14.18.1.2.819	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.820	.1.3.6.1.4.1.26138.8.35.14.18.1.2.820	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.821	.1.3.6.1.4.1.26138.8.35.14.18.1.2.821	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.822	.1.3.6.1.4.1.26138.8.35.14.18.1.2.822	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.823	.1.3.6.1.4.1.26138.8.35.14.18.1.2.823	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.824	.1.3.6.1.4.1.26138.8.35.14.18.1.2.824	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.825	.1.3.6.1.4.1.26138.8.35.14.18.1.2.825	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.826	.1.3.6.1.4.1.26138.8.35.14.18.1.2.826	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.827	.1.3.6.1.4.1.26138.8.35.14.18.1.2.827	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.828	.1.3.6.1.4.1.26138.8.35.14.18.1.2.828	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.829	.1.3.6.1.4.1.26138.8.35.14.18.1.2.829	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.830	.1.3.6.1.4.1.26138.8.35.14.18.1.2.830	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.831	.1.3.6.1.4.1.26138.8.35.14.18.1.2.831	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.832	.1.3.6.1.4.1.26138.8.35.14.18.1.2.832	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.833	.1.3.6.1.4.1.26138.8.35.14.18.1.2.833	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.834	.1.3.6.1.4.1.26138.8.35.14.18.1.2.834	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.835	.1.3.6.1.4.1.26138.8.35.14.18.1.2.835	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.836	.1.3.6.1.4.1.26138.8.35.14.18.1.2.836	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.837	.1.3.6.1.4.1.26138.8.35.14.18.1.2.837	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.838	.1.3.6.1.4.1.26138.8.35.14.18.1.2.838	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.839	.1.3.6.1.4.1.26138.8.35.14.18.1.2.839	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.840	.1.3.6.1.4.1.26138.8.35.14.18.1.2.840	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.841	.1.3.6.1.4.1.26138.8.35.14.18.1.2.841	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.842	.1.3.6.1.4.1.26138.8.35.14.18.1.2.842	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.843	.1.3.6.1.4.1.26138.8.35.14.18.1.2.843	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.844	.1.3.6.1.4.1.26138.8.35.14.18.1.2.844	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.845	.1.3.6.1.4.1.26138.8.35.14.18.1.2.845	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.846	.1.3.6.1.4.1.26138.8.35.14.18.1.2.846	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.847	.1.3.6.1.4.1.26138.8.35.14.18.1.2.847	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.848	.1.3.6.1.4.1.26138.8.35.14.18.1.2.848	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.849	.1.3.6.1.4.1.26138.8.35.14.18.1.2.849	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.850	.1.3.6.1.4.1.26138.8.35.14.18.1.2.850	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.851	.1.3.6.1.4.1.26138.8.35.14.18.1.2.851	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.852	.1.3.6.1.4.1.26138.8.35.14.18.1.2.852	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.853	.1.3.6.1.4.1.26138.8.35.14.18.1.2.853	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.854	.1.3.6.1.4.1.26138.8.35.14.18.1.2.854	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.855	.1.3.6.1.4.1.26138.8.35.14.18.1.2.855	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.856	.1.3.6.1.4.1.26138.8.35.14.18.1.2.856	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.857	.1.3.6.1.4.1.26138.8.35.14.18.1.2.857	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.858	.1.3.6.1.4.1.26138.8.35.14.18.1.2.858	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.859	.1.3.6.1.4.1.26138.8.35.14.18.1.2.859	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.860	.1.3.6.1.4.1.26138.8.35.14.18.1.2.860	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.861	.1.3.6.1.4.1.26138.8.35.14.18.1.2.861	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.862	.1.3.6.1.4.1.26138.8.35.14.18.1.2.862	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.863	.1.3.6.1.4.1.26138.8.35.14.18.1.2.863	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.864	.1.3.6.1.4.1.26138.8.35.14.18.1.2.864	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.865	.1.3.6.1.4.1.26138.8.35.14.18.1.2.865	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.866	.1.3.6.1.4.1.26138.8.35.14.18.1.2.866	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.867	.1.3.6.1.4.1.26138.8.35.14.18.1.2.867	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.868	.1.3.6.1.4.1.26138.8.35.14.18.1.2.868	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.869	.1.3.6.1.4.1.26138.8.35.14.18.1.2.869	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.870	.1.3.6.1.4.1.26138.8.35.14.18.1.2.870	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.871	.1.3.6.1.4.1.26138.8.35.14.18.1.2.871	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.872	.1.3.6.1.4.1.26138.8.35.14.18.1.2.872	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.873	.1.3.6.1.4.1.26138.8.35.14.18.1.2.873	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.874	.1.3.6.1.4.1.26138.8.35.14.18.1.2.874	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.875	.1.3.6.1.4.1.26138.8.35.14.18.1.2.875	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.876	.1.3.6.1.4.1.26138.8.35.14.18.1.2.876	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.877	.1.3.6.1.4.1.26138.8.35.14.18.1.2.877	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.878	.1.3.6.1.4.1.26138.8.35.14.18.1.2.878	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.879	.1.3.6.1.4.1.26138.8.35.14.18.1.2.879	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.880	.1.3.6.1.4.1.26138.8.35.14.18.1.2.880	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.881	.1.3.6.1.4.1.26138.8.35.14.18.1.2.881	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.882	.1.3.6.1.4.1.26138.8.35.14.18.1.2.882	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.883	.1.3.6.1.4.1.26138.8.35.14.18.1.2.883	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.884	.1.3.6.1.4.1.26138.8.35.14.18.1.2.884	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.885	.1.3.6.1.4.1.26138.8.35.14.18.1.2.885	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.886	.1.3.6.1.4.1.26138.8.35.14.18.1.2.886	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.887	.1.3.6.1.4.1.26138.8.35.14.18.1.2.887	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.888	.1.3.6.1.4.1.26138.8.35.14.18.1.2.888	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.889	.1.3.6.1.4.1.26138.8.35.14.18.1.2.889	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.890	.1.3.6.1.4.1.26138.8.35.14.18.1.2.890	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.891	.1.3.6.1.4.1.26138.8.35.14.18.1.2.891	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.892	.1.3.6.1.4.1.26138.8.35.14.18.1.2.892	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.893	.1.3.6.1.4.1.26138.8.35.14.18.1.2.893	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.894	.1.3.6.1.4.1.26138.8.35.14.18.1.2.894	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.895	.1.3.6.1.4.1.26138.8.35.14.18.1.2.895	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.896	.1.3.6.1.4.1.26138.8.35.14.18.1.2.896	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.897	.1.3.6.1.4.1.26138.8.35.14.18.1.2.897	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.898	.1.3.6.1.4.1.26138.8.35.14.18.1.2.898	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.899	.1.3.6.1.4.1.26138.8.35.14.18.1.2.899	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.900	.1.3.6.1.4.1.26138.8.35.14.18.1.2.900	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.901	.1.3.6.1.4.1.26138.8.35.14.18.1.2.901	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.902	.1.3.6.1.4.1.26138.8.35.14.18.1.2.902	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.903	.1.3.6.1.4.1.26138.8.35.14.18.1.2.903	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.904	.1.3.6.1.4.1.26138.8.35.14.18.1.2.904	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.905	.1.3.6.1.4.1.26138.8.35.14.18.1.2.905	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.906	.1.3.6.1.4.1.26138.8.35.14.18.1.2.906	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.907	.1.3.6.1.4.1.26138.8.35.14.18.1.2.907	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.908	.1.3.6.1.4.1.26138.8.35.14.18.1.2.908	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.909	.1.3.6.1.4.1.26138.8.35.14.18.1.2.909	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.910	.1.3.6.1.4.1.26138.8.35.14.18.1.2.910	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.911	.1.3.6.1.4.1.26138.8.35.14.18.1.2.911	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.912	.1.3.6.1.4.1.26138.8.35.14.18.1.2.912	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.913	.1.3.6.1.4.1.26138.8.35.14.18.1.2.913	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.914	.1.3.6.1.4.1.26138.8.35.14.18.1.2.914	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.915	.1.3.6.1.4.1.26138.8.35.14.18.1.2.915	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.916	.1.3.6.1.4.1.26138.8.35.14.18.1.2.916	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.917	.1.3.6.1.4.1.26138.8.35.14.18.1.2.917	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.918	.1.3.6.1.4.1.26138.8.35.14.18.1.2.918	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.919	.1.3.6.1.4.1.26138.8.35.14.18.1.2.919	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.920	.1.3.6.1.4.1.26138.8.35.14.18.1.2.920	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.921	.1.3.6.1.4.1.26138.8.35.14.18.1.2.921	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.922	.1.3.6.1.4.1.26138.8.35.14.18.1.2.922	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.923	.1.3.6.1.4.1.26138.8.35.14.18.1.2.923	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.924	.1.3.6.1.4.1.26138.8.35.14.18.1.2.924	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.925	.1.3.6.1.4.1.26138.8.35.14.18.1.2.925	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.926	.1.3.6.1.4.1.26138.8.35.14.18.1.2.926	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.927	.1.3.6.1.4.1.26138.8.35.14.18.1.2.927	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.928	.1.3.6.1.4.1.26138.8.35.14.18.1.2.928	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.929	.1.3.6.1.4.1.26138.8.35.14.18.1.2.929	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.930	.1.3.6.1.4.1.26138.8.35.14.18.1.2.930	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.931	.1.3.6.1.4.1.26138.8.35.14.18.1.2.931	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.932	.1.3.6.1.4.1.26138.8.35.14.18.1.2.932	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.933	.1.3.6.1.4.1.26138.8.35.14.18.1.2.933	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.934	.1.3.6.1.4.1.26138.8.35.14.18.1.2.934	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.935	.1.3.6.1.4.1.26138.8.35.14.18.1.2.935	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.936	.1.3.6.1.4.1.26138.8.35.14.18.1.2.936	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.937	.1.3.6.1.4.1.26138.8.35.14.18.1.2.937	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.938	.1.3.6.1.4.1.26138.8.35.14.18.1.2.938	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.939	.1.3.6.1.4.1.26138.8.35.14.18.1.2.939	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.940	.1.3.6.1.4.1.26138.8.35.14.18.1.2.940	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.941	.1.3.6.1.4.1.26138.8.35.14.18.1.2.941	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.942	.1.3.6.1.4.1.26138.8.35.14.18.1.2.942	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.943	.1.3.6.1.4.1.26138.8.35.14.18.1.2.943	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.944	.1.3.6.1.4.1.26138.8.35.14.18.1.2.944	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.945	.1.3.6.1.4.1.26138.8.35.14.18.1.2.945	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.946	.1.3.6.1.4.1.26138.8.35.14.18.1.2.946	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.947	.1.3.6.1.4.1.26138.8.35.14.18.1.2.947	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.948	.1.3.6.1.4.1.26138.8.35.14.18.1.2.948	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.949	.1.3.6.1.4.1.26138.8.35.14.18.1.2.949	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.950	.1.3.6.1.4.1.26138.8.35.14.18.1.2.950	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.951	.1.3.6.1.4.1.26138.8.35.14.18.1.2.951	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.952	.1.3.6.1.4.1.26138.8.35.14.18.1.2.952	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.953	.1.3.6.1.4.1.26138.8.35.14.18.1.2.953	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.954	.1.3.6.1.4.1.26138.8.35.14.18.1.2.954	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.955	.1.3.6.1.4.1.26138.8.35.14.18.1.2.955	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.956	.1.3.6.1.4.1.26138.8.35.14.18.1.2.956	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.957	.1.3.6.1.4.1.26138.8.35.14.18.1.2.957	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.958	.1.3.6.1.4.1.26138.8.35.14.18.1.2.958	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.959	.1.3.6.1.4.1.26138.8.35.14.18.1.2.959	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.960	.1.3.6.1.4.1.26138.8.35.14.18.1.2.960	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.961	.1.3.6.1.4.1.26138.8.35.14.18.1.2.961	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.962	.1.3.6.1.4.1.26138.8.35.14.18.1.2.962	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.963	.1.3.6.1.4.1.26138.8.35.14.18.1.2.963	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.964	.1.3.6.1.4.1.26138.8.35.14.18.1.2.964	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.965	.1.3.6.1.4.1.26138.8.35.14.18.1.2.965	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.966	.1.3.6.1.4.1.26138.8.35.14.18.1.2.966	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.967	.1.3.6.1.4.1.26138.8.35.14.18.1.2.967	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.968	.1.3.6.1.4.1.26138.8.35.14.18.1.2.968	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.969	.1.3.6.1.4.1.26138.8.35.14.18.1.2.969	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.970	.1.3.6.1.4.1.26138.8.35.14.18.1.2.970	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.971	.1.3.6.1.4.1.26138.8.35.14.18.1.2.971	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.972	.1.3.6.1.4.1.26138.8.35.14.18.1.2.972	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.973	.1.3.6.1.4.1.26138.8.35.14.18.1.2.973	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.974	.1.3.6.1.4.1.26138.8.35.14.18.1.2.974	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.975	.1.3.6.1.4.1.26138.8.35.14.18.1.2.975	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.976	.1.3.6.1.4.1.26138.8.35.14.18.1.2.976	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.977	.1.3.6.1.4.1.26138.8.35.14.18.1.2.977	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.978	.1.3.6.1.4.1.26138.8.35.14.18.1.2.978	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.979	.1.3.6.1.4.1.26138.8.35.14.18.1.2.979	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.980	.1.3.6.1.4.1.26138.8.35.14.18.1.2.980	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.981	.1.3.6.1.4.1.26138.8.35.14.18.1.2.981	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.982	.1.3.6.1.4.1.26138.8.35.14.18.1.2.982	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.983	.1.3.6.1.4.1.26138.8.35.14.18.1.2.983	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.984	.1.3.6.1.4.1.26138.8.35.14.18.1.2.984	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.985	.1.3.6.1.4.1.26138.8.35.14.18.1.2.985	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.986	.1.3.6.1.4.1.26138.8.35.14.18.1.2.986	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.987	.1.3.6.1.4.1.26138.8.35.14.18.1.2.987	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.988	.1.3.6.1.4.1.26138.8.35.14.18.1.2.988	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.989	.1.3.6.1.4.1.26138.8.35.14.18.1.2.989	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.990	.1.3.6.1.4.1.26138.8.35.14.18.1.2.990	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.991	.1.3.6.1.4.1.26138.8.35.14.18.1.2.991	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.992	.1.3.6.1.4.1.26138.8.35.14.18.1.2.992	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.993	.1.3.6.1.4.1.26138.8.35.14.18.1.2.993	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.994	.1.3.6.1.4.1.26138.8.35.14.18.1.2.994	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.995	.1.3.6.1.4.1.26138.8.35.14.18.1.2.995	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.996	.1.3.6.1.4.1.26138.8.35.14.18.1.2.996	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.997	.1.3.6.1.4.1.26138.8.35.14.18.1.2.997	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.998	.1.3.6.1.4.1.26138.8.35.14.18.1.2.998	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.999	.1.3.6.1.4.1.26138.8.35.14.18.1.2.999	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1000	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1000	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1001	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1001	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1002	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1002	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1003	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1003	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1004	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1004	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1005	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1005	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1006	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1006	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1007	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1007	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1008	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1008	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1009	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1009	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1010	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1010	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1011	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1011	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1012	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1012	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1013	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1013	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1014	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1014	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1015	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1015	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1016	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1016	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1017	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1017	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1018	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1018	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1019	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1019	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1020	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1020	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1021	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1021	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1022	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1022	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1023	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1023	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1024	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1024	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1025	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1025	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1026	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1026	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1027	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1027	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1028	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1028	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1029	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1029	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1030	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1030	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1031	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1031	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1032	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1032	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1033	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1033	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1034	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1034	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1035	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1035	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1036	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1036	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1037	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1037	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1038	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1038	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1039	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1039	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1040	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1040	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1041	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1041	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1042	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1042	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1043	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1043	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1044	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1044	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1045	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1045	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1046	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1046	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1047	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1047	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1048	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1048	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1049	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1049	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1050	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1050	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1051	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1051	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1052	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1052	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1053	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1053	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1054	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1054	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1055	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1055	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1056	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1056	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1057	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1057	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1058	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1058	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1059	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1059	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1060	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1060	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1061	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1061	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1062	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1062	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1063	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1063	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1064	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1064	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1065	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1065	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1066	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1066	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1067	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1067	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1068	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1068	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1069	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1069	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1070	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1070	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1071	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1071	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1072	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1072	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1073	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1073	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1074	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1074	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1075	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1075	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1076	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1076	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1077	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1077	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1078	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1078	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1079	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1079	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1080	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1080	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1081	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1081	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1082	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1082	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1083	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1083	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1084	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1084	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1085	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1085	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1086	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1086	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1087	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1087	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1088	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1088	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1089	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1089	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1090	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1090	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1091	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1091	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1092	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1092	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1093	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1093	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1094	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1094	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1095	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1095	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1096	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1096	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1097	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1097	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1098	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1098	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1099	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1099	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1100	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1100	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1101	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1101	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1102	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1102	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1103	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1103	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1104	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1104	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1105	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1105	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1106	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1106	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1107	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1107	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1108	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1108	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1109	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1109	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1110	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1110	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1111	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1111	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1112	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1112	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1113	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1113	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1114	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1114	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1115	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1115	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1116	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1116	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1117	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1117	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1118	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1118	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1119	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1119	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1120	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1120	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1121	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1121	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1122	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1122	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1123	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1123	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1124	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1124	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1125	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1125	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1126	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1126	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1127	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1127	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1128	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1128	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1129	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1129	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1130	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1130	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1131	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1131	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1132	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1132	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1133	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1133	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1134	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1134	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1135	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1135	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1136	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1136	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1137	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1137	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1138	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1138	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1139	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1139	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1140	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1140	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1141	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1141	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1142	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1142	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1143	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1143	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1144	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1144	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1145	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1145	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1146	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1146	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1147	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1147	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1148	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1148	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1149	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1149	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1150	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1150	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1151	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1151	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1152	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1152	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1153	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1153	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1154	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1154	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1155	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1155	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1156	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1156	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1157	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1157	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1158	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1158	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1159	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1159	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1160	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1160	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1161	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1161	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1162	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1162	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1163	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1163	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1164	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1164	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1165	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1165	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1166	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1166	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1167	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1167	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1168	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1168	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1169	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1169	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1170	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1170	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1171	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1171	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1172	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1172	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1173	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1173	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1174	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1174	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1175	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1175	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1176	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1176	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1177	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1177	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1178	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1178	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1179	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1179	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1180	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1180	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1181	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1181	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1182	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1182	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1183	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1183	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1184	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1184	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1185	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1185	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1186	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1186	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1187	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1187	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1188	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1188	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1189	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1189	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1190	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1190	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1191	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1191	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1192	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1192	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1193	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1193	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1194	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1194	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1195	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1195	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1196	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1196	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1197	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1197	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1198	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1198	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1199	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1199	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1200	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1200	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1201	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1201	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1202	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1202	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1203	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1203	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1204	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1204	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1205	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1205	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1206	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1206	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1207	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1207	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1208	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1208	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1209	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1209	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1210	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1210	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1211	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1211	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1212	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1212	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1213	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1213	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1214	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1214	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1215	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1215	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1216	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1216	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1217	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1217	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1218	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1218	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1219	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1219	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1220	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1220	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1221	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1221	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1222	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1222	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1223	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1223	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1224	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1224	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1225	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1225	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1226	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1226	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1227	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1227	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1228	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1228	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1229	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1229	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1230	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1230	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1231	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1231	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1232	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1232	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1233	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1233	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1234	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1234	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1235	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1235	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1236	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1236	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1237	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1237	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1238	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1238	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1239	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1239	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1240	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1240	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1241	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1241	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1242	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1242	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1243	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1243	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1244	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1244	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1245	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1245	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1246	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1246	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1247	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1247	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1248	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1248	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1249	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1249	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1250	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1250	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1251	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1251	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1252	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1252	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1253	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1253	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1254	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1254	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1255	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1255	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1256	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1256	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1257	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1257	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1258	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1258	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1259	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1259	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1260	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1260	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1261	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1261	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1262	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1262	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1263	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1263	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1264	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1264	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1265	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1265	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1266	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1266	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1267	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1267	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1268	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1268	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1269	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1269	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1270	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1270	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1271	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1271	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1272	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1272	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1273	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1273	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1274	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1274	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1275	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1275	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1276	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1276	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1277	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1277	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1278	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1278	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1279	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1279	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1280	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1280	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1281	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1281	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1282	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1282	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1283	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1283	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1284	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1284	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1285	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1285	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1286	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1286	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1287	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1287	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1288	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1288	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1289	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1289	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1290	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1290	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1291	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1291	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1292	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1292	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1293	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1293	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1294	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1294	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1295	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1295	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1296	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1296	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1297	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1297	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1298	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1298	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1299	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1299	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1300	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1300	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1301	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1301	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1302	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1302	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1303	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1303	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1304	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1304	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1305	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1305	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1306	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1306	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1307	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1307	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1308	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1308	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1309	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1309	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1310	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1310	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1311	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1311	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1312	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1312	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1313	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1313	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1314	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1314	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1315	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1315	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1316	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1316	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1317	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1317	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1318	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1318	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1319	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1319	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1320	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1320	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1321	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1321	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1322	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1322	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1323	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1323	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1324	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1324	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1325	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1325	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1326	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1326	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1327	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1327	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1328	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1328	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1329	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1329	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1330	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1330	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1331	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1331	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1332	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1332	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1333	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1333	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1334	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1334	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1335	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1335	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1336	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1336	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1337	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1337	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1338	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1338	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1339	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1339	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1340	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1340	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1341	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1341	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1342	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1342	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1343	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1343	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1344	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1344	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1345	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1345	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1346	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1346	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1347	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1347	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1348	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1348	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1349	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1349	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1350	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1350	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1351	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1351	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1352	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1352	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1353	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1353	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1354	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1354	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1355	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1355	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1356	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1356	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1357	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1357	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1358	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1358	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1359	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1359	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1360	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1360	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1361	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1361	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1362	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1362	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1363	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1363	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1364	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1364	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1365	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1365	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1366	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1366	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1367	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1367	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1368	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1368	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1369	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1369	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1370	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1370	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1371	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1371	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1372	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1372	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1373	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1373	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1374	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1374	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1375	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1375	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1376	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1376	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1377	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1377	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1378	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1378	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1379	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1379	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1380	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1380	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1381	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1381	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1382	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1382	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1383	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1383	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1384	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1384	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1385	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1385	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1386	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1386	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1387	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1387	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1388	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1388	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1389	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1389	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1390	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1390	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1391	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1391	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1392	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1392	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1393	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1393	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1394	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1394	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1395	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1395	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1396	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1396	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1397	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1397	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1398	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1398	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1399	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1399	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1400	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1400	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1401	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1401	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1402	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1402	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1403	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1403	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1404	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1404	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1405	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1405	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1406	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1406	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1407	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1407	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1408	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1408	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1409	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1409	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1410	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1410	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1411	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1411	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1412	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1412	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1413	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1413	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1414	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1414	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1415	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1415	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1416	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1416	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1417	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1417	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1418	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1418	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1419	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1419	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1420	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1420	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1421	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1421	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1422	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1422	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1423	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1423	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1424	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1424	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1425	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1425	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1426	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1426	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1427	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1427	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1428	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1428	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1429	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1429	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1430	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1430	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1431	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1431	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1432	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1432	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1433	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1433	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1434	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1434	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1435	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1435	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1436	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1436	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1437	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1437	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1438	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1438	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1439	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1439	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1440	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1440	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1441	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1441	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1442	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1442	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1443	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1443	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1444	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1444	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1445	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1445	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1446	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1446	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1447	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1447	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1448	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1448	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1449	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1449	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1450	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1450	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1451	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1451	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1452	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1452	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1453	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1453	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1454	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1454	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1455	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1455	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1456	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1456	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1457	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1457	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1458	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1458	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1459	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1459	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1460	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1460	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1461	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1461	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1462	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1462	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1463	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1463	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1464	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1464	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1465	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1465	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1466	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1466	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1467	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1467	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1468	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1468	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1469	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1469	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1470	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1470	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1471	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1471	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1472	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1472	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1473	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1473	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1474	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1474	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1475	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1475	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1476	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1476	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1477	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1477	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1478	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1478	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1479	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1479	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1480	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1480	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1481	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1481	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1482	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1482	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1483	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1483	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1484	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1484	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1485	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1485	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1486	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1486	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1487	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1487	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1488	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1488	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1489	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1489	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1490	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1490	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1491	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1491	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1492	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1492	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1493	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1493	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1494	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1494	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1495	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1495	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1496	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1496	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1497	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1497	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1498	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1498	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1499	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1499	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1500	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1500	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1501	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1501	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1502	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1502	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1503	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1503	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1504	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1504	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1505	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1505	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1506	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1506	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1507	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1507	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1508	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1508	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1509	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1509	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1510	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1510	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1511	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1511	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1512	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1512	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1513	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1513	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1514	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1514	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1515	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1515	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1516	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1516	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1517	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1517	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1518	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1518	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1519	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1519	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1520	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1520	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1521	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1521	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1522	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1522	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1523	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1523	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1524	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1524	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1525	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1525	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1526	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1526	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1527	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1527	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1528	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1528	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1529	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1529	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1530	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1530	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1531	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1531	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1532	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1532	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1533	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1533	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1534	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1534	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1535	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1535	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1536	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1536	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1537	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1537	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1538	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1538	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1539	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1539	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1540	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1540	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1541	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1541	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1542	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1542	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1543	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1543	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1544	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1544	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1545	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1545	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1546	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1546	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1547	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1547	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1548	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1548	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1549	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1549	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1550	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1550	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1551	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1551	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1552	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1552	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1553	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1553	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1554	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1554	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1555	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1555	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1556	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1556	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1557	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1557	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1558	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1558	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1559	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1559	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1560	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1560	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1561	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1561	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1562	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1562	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1563	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1563	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1564	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1564	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1565	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1565	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1566	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1566	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1567	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1567	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1568	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1568	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1569	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1569	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1570	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1570	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1571	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1571	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1572	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1572	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1573	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1573	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1574	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1574	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1575	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1575	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1576	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1576	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1577	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1577	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1578	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1578	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1579	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1579	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1580	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1580	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1581	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1581	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1582	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1582	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1583	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1583	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1584	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1584	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1585	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1585	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1586	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1586	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1587	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1587	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1588	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1588	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1589	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1589	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1590	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1590	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1591	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1591	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1592	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1592	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1593	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1593	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1594	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1594	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1595	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1595	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1596	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1596	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1597	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1597	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1598	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1598	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1599	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1599	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1600	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1600	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1601	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1601	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1602	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1602	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1603	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1603	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1604	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1604	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1605	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1605	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1606	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1606	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1607	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1607	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1608	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1608	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1609	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1609	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1610	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1610	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1611	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1611	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1612	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1612	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1613	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1613	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1614	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1614	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1615	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1615	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1616	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1616	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1617	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1617	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1618	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1618	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1619	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1619	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1620	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1620	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1621	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1621	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1622	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1622	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1623	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1623	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1624	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1624	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1625	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1625	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1626	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1626	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1627	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1627	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1628	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1628	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1629	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1629	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1630	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1630	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1631	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1631	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1632	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1632	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1633	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1633	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1634	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1634	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1635	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1635	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1636	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1636	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1637	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1637	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1638	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1638	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1639	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1639	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1640	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1640	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1641	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1641	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1642	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1642	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1643	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1643	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1644	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1644	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1645	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1645	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1646	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1646	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1647	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1647	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1648	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1648	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1649	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1649	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1650	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1650	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1651	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1651	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1652	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1652	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1653	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1653	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1654	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1654	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1655	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1655	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1656	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1656	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1657	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1657	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1658	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1658	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1659	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1659	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1660	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1660	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1661	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1661	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1662	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1662	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1663	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1663	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1664	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1664	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1665	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1665	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1666	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1666	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1667	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1667	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1668	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1668	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1669	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1669	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1670	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1670	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1671	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1671	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1672	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1672	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1673	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1673	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1674	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1674	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1675	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1675	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1676	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1676	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1677	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1677	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1678	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1678	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1679	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1679	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1680	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1680	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1681	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1681	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1682	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1682	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1683	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1683	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1684	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1684	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1685	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1685	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1686	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1686	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1687	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1687	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1688	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1688	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1689	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1689	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1690	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1690	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1691	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1691	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1692	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1692	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1693	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1693	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1694	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1694	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1695	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1695	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1696	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1696	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1697	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1697	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1698	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1698	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1699	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1699	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1700	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1700	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1701	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1701	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1702	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1702	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1703	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1703	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1704	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1704	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1705	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1705	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1706	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1706	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1707	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1707	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1708	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1708	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1709	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1709	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1710	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1710	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1711	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1711	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1712	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1712	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1713	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1713	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1714	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1714	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1715	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1715	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1716	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1716	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1717	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1717	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1718	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1718	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1719	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1719	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1720	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1720	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1721	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1721	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1722	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1722	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1723	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1723	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1724	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1724	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1725	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1725	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1726	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1726	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1727	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1727	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1728	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1728	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1729	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1729	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1730	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1730	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1731	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1731	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1732	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1732	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1733	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1733	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1734	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1734	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1735	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1735	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1736	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1736	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1737	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1737	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1738	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1738	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1739	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1739	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1740	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1740	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1741	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1741	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1742	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1742	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1743	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1743	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1744	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1744	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1745	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1745	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1746	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1746	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1747	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1747	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1748	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1748	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1749	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1749	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1750	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1750	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1751	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1751	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1752	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1752	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1753	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1753	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1754	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1754	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1755	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1755	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1756	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1756	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1757	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1757	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1758	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1758	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1759	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1759	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1760	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1760	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1761	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1761	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1762	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1762	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1763	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1763	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1764	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1764	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1765	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1765	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1766	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1766	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1767	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1767	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1768	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1768	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1769	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1769	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1770	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1770	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1771	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1771	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1772	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1772	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1773	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1773	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1774	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1774	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1775	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1775	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1776	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1776	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1777	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1777	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1778	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1778	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1779	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1779	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1780	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1780	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1781	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1781	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1782	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1782	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1783	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1783	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1784	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1784	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1785	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1785	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1786	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1786	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1787	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1787	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1788	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1788	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1789	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1789	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1790	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1790	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1791	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1791	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1792	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1792	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1793	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1793	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1794	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1794	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1795	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1795	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1796	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1796	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1797	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1797	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1798	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1798	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1799	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1799	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1800	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1800	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1801	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1801	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1802	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1802	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1803	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1803	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1804	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1804	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1805	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1805	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1806	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1806	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1807	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1807	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1808	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1808	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1809	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1809	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1810	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1810	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1811	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1811	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1812	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1812	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1813	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1813	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1814	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1814	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1815	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1815	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1816	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1816	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1817	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1817	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1818	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1818	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1819	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1819	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1820	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1820	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1821	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1821	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1822	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1822	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1823	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1823	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1824	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1824	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1825	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1825	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1826	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1826	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1827	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1827	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1828	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1828	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1829	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1829	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1830	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1830	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1831	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1831	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1832	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1832	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1833	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1833	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1834	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1834	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1835	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1835	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1836	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1836	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1837	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1837	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1838	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1838	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1839	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1839	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1840	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1840	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1841	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1841	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1842	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1842	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1843	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1843	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1844	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1844	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1845	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1845	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1846	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1846	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1847	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1847	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1848	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1848	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1849	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1849	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1850	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1850	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1851	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1851	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1852	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1852	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1853	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1853	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1854	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1854	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1855	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1855	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1856	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1856	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1857	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1857	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1858	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1858	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1859	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1859	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1860	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1860	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1861	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1861	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1862	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1862	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1863	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1863	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1864	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1864	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1865	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1865	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1866	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1866	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1867	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1867	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1868	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1868	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1869	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1869	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1870	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1870	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1871	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1871	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1872	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1872	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1873	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1873	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1874	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1874	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1875	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1875	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1876	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1876	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1877	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1877	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1878	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1878	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1879	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1879	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1880	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1880	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1881	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1881	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1882	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1882	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1883	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1883	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1884	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1884	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1885	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1885	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1886	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1886	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1887	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1887	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1888	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1888	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1889	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1889	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1890	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1890	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1891	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1891	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1892	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1892	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1893	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1893	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1894	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1894	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1895	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1895	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1896	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1896	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1897	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1897	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1898	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1898	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1899	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1899	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1900	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1900	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1901	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1901	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1902	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1902	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1903	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1903	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1904	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1904	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1905	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1905	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1906	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1906	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1907	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1907	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1908	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1908	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1909	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1909	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1910	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1910	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1911	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1911	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1912	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1912	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1913	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1913	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1914	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1914	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1915	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1915	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1916	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1916	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1917	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1917	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1918	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1918	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1919	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1919	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1920	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1920	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1921	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1921	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1922	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1922	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1923	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1923	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1924	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1924	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1925	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1925	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1926	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1926	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1927	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1927	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1928	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1928	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1929	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1929	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1930	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1930	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1931	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1931	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1932	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1932	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1933	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1933	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1934	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1934	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1935	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1935	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1936	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1936	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1937	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1937	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1938	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1938	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1939	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1939	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1940	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1940	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1941	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1941	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1942	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1942	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1943	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1943	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1944	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1944	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1945	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1945	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1946	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1946	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1947	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1947	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1948	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1948	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1949	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1949	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1950	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1950	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1951	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1951	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1952	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1952	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1953	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1953	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1954	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1954	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1955	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1955	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1956	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1956	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1957	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1957	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1958	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1958	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1959	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1959	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1960	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1960	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1961	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1961	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1962	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1962	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1963	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1963	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1964	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1964	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1965	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1965	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1966	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1966	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1967	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1967	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1968	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1968	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1969	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1969	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1970	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1970	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1971	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1971	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1972	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1972	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1973	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1973	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.1974	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1974	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1975	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1975	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1976	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1976	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1977	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1977	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1978	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1978	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1979	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1979	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1980	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1980	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1981	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1981	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1982	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1982	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1983	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1983	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1984	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1984	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1985	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1985	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1986	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1986	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1987	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1987	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1988	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1988	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1989	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1989	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1990	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1990	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1991	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1991	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1992	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1992	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1993	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1993	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1994	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1994	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1995	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1995	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1996	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1996	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1997	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1997	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1998	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1998	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.1999	.1.3.6.1.4.1.26138.8.35.14.18.1.2.1999	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2000	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2000	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2001	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2001	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2002	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2002	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2003	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2003	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2004	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2004	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2005	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2005	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2006	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2006	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2007	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2007	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2008	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2008	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2009	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2009	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2010	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2010	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2011	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2011	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2012	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2012	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2013	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2013	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2014	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2014	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2015	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2015	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2016	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2016	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2017	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2017	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2018	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2018	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2019	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2019	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2020	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2020	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2021	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2021	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2022	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2022	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2023	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2023	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2024	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2024	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2025	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2025	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2026	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2026	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2027	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2027	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2028	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2028	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2029	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2029	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2030	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2030	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2031	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2031	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2032	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2032	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2033	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2033	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2034	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2034	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2035	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2035	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2036	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2036	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2037	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2037	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2038	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2038	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2039	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2039	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2040	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2040	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2041	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2041	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2042	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2042	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2043	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2043	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2044	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2044	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2045	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2045	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2046	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2046	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2047	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2047	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2048	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2048	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2049	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2049	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2050	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2050	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2051	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2051	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2052	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2052	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2053	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2053	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2054	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2054	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2055	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2055	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2056	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2056	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2057	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2057	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2058	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2058	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2059	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2059	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2060	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2060	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2061	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2061	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2062	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2062	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2063	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2063	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2064	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2064	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2065	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2065	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2066	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2066	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2067	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2067	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2068	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2068	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2069	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2069	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2070	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2070	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2071	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2071	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2072	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2072	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2073	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2073	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2074	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2074	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2075	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2075	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2076	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2076	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2077	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2077	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2078	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2078	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2079	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2079	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2080	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2080	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2081	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2081	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2082	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2082	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2083	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2083	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2084	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2084	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2085	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2085	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2086	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2086	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2087	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2087	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2088	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2088	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2089	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2089	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2090	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2090	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2091	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2091	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2092	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2092	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2093	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2093	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2094	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2094	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2095	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2095	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2096	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2096	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2097	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2097	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2098	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2098	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2099	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2099	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2100	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2100	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2101	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2101	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2102	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2102	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2103	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2103	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2104	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2104	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2105	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2105	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2106	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2106	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2107	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2107	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2108	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2108	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2109	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2109	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2110	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2110	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2111	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2111	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2112	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2112	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2113	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2113	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2114	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2114	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2115	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2115	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2116	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2116	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2117	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2117	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2118	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2118	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2119	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2119	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2120	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2120	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2121	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2121	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2122	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2122	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2123	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2123	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2124	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2124	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2125	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2125	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2126	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2126	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2127	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2127	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2128	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2128	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2129	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2129	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2130	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2130	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2131	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2131	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2132	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2132	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2133	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2133	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2134	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2134	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2135	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2135	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2136	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2136	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2137	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2137	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2138	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2138	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2139	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2139	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2140	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2140	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2141	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2141	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2142	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2142	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2143	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2143	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2144	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2144	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2145	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2145	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2146	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2146	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2147	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2147	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2148	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2148	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2149	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2149	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2150	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2150	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2151	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2151	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2152	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2152	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2153	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2153	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2154	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2154	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2155	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2155	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2156	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2156	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2157	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2157	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2158	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2158	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2159	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2159	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2160	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2160	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2161	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2161	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2162	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2162	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2163	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2163	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2164	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2164	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2165	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2165	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2166	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2166	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2167	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2167	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2168	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2168	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2169	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2169	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2170	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2170	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2171	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2171	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2172	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2172	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2173	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2173	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2174	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2174	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2175	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2175	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2176	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2176	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2177	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2177	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2178	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2178	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2179	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2179	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2180	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2180	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2181	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2181	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2182	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2182	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2183	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2183	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2184	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2184	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2185	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2185	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2186	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2186	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2187	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2187	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2188	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2188	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2189	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2189	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2190	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2190	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2191	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2191	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2192	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2192	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2193	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2193	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2194	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2194	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2195	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2195	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2196	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2196	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2197	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2197	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2198	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2198	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2199	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2199	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2200	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2200	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2201	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2201	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2202	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2202	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2203	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2203	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2204	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2204	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2205	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2205	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2206	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2206	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2207	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2207	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2208	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2208	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2209	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2209	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2210	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2210	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2211	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2211	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2212	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2212	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2213	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2213	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2214	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2214	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2215	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2215	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2216	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2216	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2217	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2217	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2218	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2218	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2219	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2219	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2220	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2220	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2221	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2221	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2222	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2222	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2223	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2223	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2224	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2224	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2225	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2225	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2226	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2226	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2227	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2227	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2228	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2228	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2229	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2229	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2230	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2230	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2231	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2231	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2232	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2232	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2233	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2233	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2234	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2234	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2235	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2235	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2236	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2236	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2237	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2237	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2238	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2238	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2239	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2239	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2240	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2240	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2241	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2241	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2242	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2242	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2243	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2243	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2244	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2244	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2245	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2245	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2246	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2246	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2247	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2247	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2248	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2248	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2249	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2249	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2250	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2250	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2251	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2251	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2252	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2252	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2253	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2253	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2254	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2254	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2255	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2255	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2256	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2256	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2257	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2257	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2258	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2258	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2259	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2259	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2260	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2260	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2261	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2261	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2262	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2262	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2263	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2263	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2264	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2264	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2265	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2265	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2266	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2266	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2267	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2267	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2268	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2268	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2269	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2269	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2270	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2270	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2271	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2271	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2272	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2272	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2273	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2273	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2274	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2274	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2275	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2275	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2276	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2276	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2277	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2277	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2278	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2278	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2279	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2279	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2280	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2280	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2281	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2281	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2282	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2282	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2283	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2283	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2284	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2284	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2285	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2285	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2286	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2286	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2287	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2287	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2288	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2288	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2289	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2289	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2290	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2290	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2291	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2291	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2292	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2292	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2293	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2293	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2294	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2294	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2295	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2295	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2296	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2296	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2297	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2297	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2298	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2298	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2299	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2299	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2300	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2300	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2301	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2301	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2302	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2302	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2303	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2303	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2304	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2304	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2305	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2305	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2306	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2306	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2307	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2307	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2308	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2308	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2309	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2309	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2310	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2310	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2311	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2311	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2312	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2312	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2313	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2313	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2314	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2314	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2315	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2315	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2316	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2316	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2317	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2317	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2318	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2318	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2319	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2319	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2320	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2320	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2321	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2321	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2322	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2322	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2323	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2323	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2324	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2324	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2325	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2325	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2326	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2326	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2327	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2327	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2328	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2328	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2329	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2329	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2330	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2330	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2331	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2331	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2332	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2332	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2333	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2333	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2334	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2334	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2335	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2335	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2336	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2336	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2337	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2337	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2338	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2338	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2339	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2339	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2340	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2340	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2341	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2341	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2342	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2342	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2343	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2343	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2344	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2344	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2345	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2345	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2346	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2346	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2347	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2347	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2348	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2348	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2349	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2349	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2350	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2350	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2351	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2351	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2352	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2352	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2353	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2353	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2354	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2354	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2355	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2355	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2356	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2356	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2357	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2357	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2358	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2358	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2359	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2359	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2360	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2360	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2361	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2361	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2362	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2362	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2363	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2363	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2364	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2364	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2365	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2365	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2366	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2366	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2367	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2367	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2368	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2368	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2369	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2369	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2370	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2370	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2371	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2371	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2372	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2372	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2373	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2373	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2374	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2374	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2375	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2375	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2376	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2376	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2377	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2377	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2378	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2378	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2379	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2379	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2380	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2380	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2381	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2381	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2382	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2382	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2383	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2383	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2384	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2384	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2385	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2385	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2386	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2386	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2387	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2387	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2388	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2388	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2389	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2389	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2390	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2390	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2391	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2391	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2392	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2392	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2393	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2393	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2394	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2394	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2395	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2395	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2396	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2396	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2397	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2397	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2398	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2398	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2399	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2399	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2400	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2400	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2401	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2401	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2402	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2402	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2403	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2403	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2404	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2404	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2405	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2405	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2406	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2406	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2407	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2407	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2408	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2408	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2409	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2409	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2410	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2410	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2411	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2411	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2412	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2412	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2413	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2413	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2414	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2414	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2415	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2415	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2416	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2416	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2417	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2417	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2418	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2418	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2419	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2419	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2420	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2420	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2421	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2421	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2422	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2422	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2423	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2423	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2424	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2424	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2425	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2425	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2426	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2426	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2427	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2427	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2428	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2428	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2429	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2429	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2430	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2430	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2431	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2431	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2432	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2432	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2433	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2433	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2434	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2434	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2435	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2435	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2436	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2436	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2437	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2437	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2438	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2438	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2439	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2439	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2440	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2440	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2441	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2441	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2442	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2442	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2443	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2443	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2444	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2444	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2445	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2445	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2446	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2446	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2447	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2447	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2448	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2448	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2449	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2449	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2450	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2450	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2451	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2451	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2452	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2452	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2453	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2453	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2454	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2454	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2455	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2455	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2456	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2456	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2457	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2457	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2458	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2458	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2459	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2459	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2460	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2460	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2461	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2461	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2462	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2462	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2463	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2463	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2464	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2464	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2465	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2465	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2466	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2466	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2467	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2467	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2468	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2468	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2469	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2469	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2470	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2470	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2471	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2471	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2472	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2472	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2473	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2473	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2474	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2474	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2475	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2475	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2476	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2476	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2477	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2477	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2478	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2478	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2479	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2479	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2480	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2480	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2481	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2481	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2482	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2482	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2483	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2483	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2484	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2484	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2485	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2485	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2486	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2486	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2487	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2487	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2488	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2488	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2489	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2489	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2490	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2490	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2491	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2491	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2492	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2492	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2493	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2493	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2494	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2494	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2495	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2495	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2496	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2496	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2497	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2497	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2498	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2498	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2499	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2499	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2500	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2500	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2501	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2501	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2502	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2502	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2503	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2503	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2504	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2504	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2505	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2505	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2506	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2506	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2507	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2507	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2508	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2508	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2509	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2509	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2510	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2510	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2511	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2511	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2512	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2512	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2513	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2513	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2514	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2514	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2515	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2515	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2516	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2516	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2517	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2517	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2518	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2518	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2519	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2519	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2520	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2520	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2521	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2521	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2522	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2522	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2523	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2523	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2524	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2524	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2525	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2525	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2526	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2526	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2527	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2527	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2528	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2528	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2529	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2529	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2530	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2530	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2531	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2531	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2532	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2532	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2533	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2533	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2534	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2534	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2535	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2535	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2536	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2536	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2537	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2537	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2538	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2538	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2539	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2539	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2540	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2540	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2541	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2541	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2542	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2542	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2543	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2543	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2544	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2544	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2545	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2545	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2546	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2546	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2547	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2547	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2548	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2548	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2549	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2549	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2550	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2550	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2551	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2551	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2552	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2552	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2553	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2553	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2554	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2554	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2555	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2555	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2556	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2556	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2557	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2557	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2558	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2558	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2559	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2559	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2560	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2560	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2561	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2561	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2562	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2562	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2563	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2563	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2564	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2564	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2565	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2565	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2566	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2566	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2567	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2567	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2568	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2568	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2569	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2569	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2570	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2570	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2571	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2571	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2572	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2572	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2573	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2573	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2574	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2574	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2575	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2575	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2576	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2576	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2577	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2577	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2578	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2578	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2579	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2579	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2580	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2580	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2581	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2581	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2582	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2582	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2583	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2583	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2584	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2584	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2585	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2585	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2586	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2586	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2587	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2587	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2588	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2588	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2589	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2589	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2590	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2590	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2591	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2591	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2592	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2592	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2593	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2593	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2594	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2594	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2595	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2595	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2596	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2596	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2597	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2597	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2598	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2598	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2599	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2599	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2600	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2600	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2601	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2601	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2602	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2602	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2603	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2603	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2604	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2604	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2605	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2605	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2606	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2606	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2607	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2607	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2608	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2608	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2609	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2609	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2610	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2610	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2611	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2611	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2612	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2612	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2613	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2613	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2614	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2614	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2615	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2615	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2616	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2616	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2617	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2617	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2618	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2618	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2619	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2619	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2620	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2620	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2621	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2621	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2622	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2622	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2623	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2623	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2624	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2624	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2625	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2625	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2626	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2626	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2627	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2627	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2628	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2628	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2629	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2629	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2630	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2630	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2631	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2631	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2632	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2632	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2633	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2633	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2634	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2634	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2635	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2635	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2636	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2636	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2637	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2637	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2638	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2638	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2639	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2639	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2640	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2640	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2641	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2641	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2642	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2642	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2643	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2643	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2644	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2644	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2645	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2645	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2646	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2646	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2647	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2647	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2648	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2648	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2649	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2649	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2650	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2650	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2651	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2651	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2652	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2652	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2653	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2653	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2654	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2654	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2655	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2655	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2656	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2656	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2657	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2657	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2658	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2658	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2659	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2659	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2660	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2660	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2661	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2661	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2662	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2662	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2663	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2663	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2664	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2664	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2665	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2665	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2666	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2666	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2667	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2667	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2668	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2668	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2669	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2669	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2670	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2670	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2671	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2671	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2672	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2672	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2673	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2673	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2674	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2674	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2675	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2675	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2676	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2676	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2677	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2677	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2678	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2678	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2679	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2679	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2680	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2680	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2681	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2681	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2682	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2682	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2683	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2683	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2684	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2684	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2685	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2685	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2686	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2686	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2687	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2687	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2688	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2688	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2689	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2689	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2690	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2690	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2691	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2691	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2692	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2692	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2693	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2693	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2694	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2694	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2695	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2695	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2696	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2696	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2697	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2697	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2698	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2698	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2699	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2699	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2700	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2700	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2701	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2701	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2702	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2702	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2703	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2703	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2704	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2704	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2705	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2705	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2706	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2706	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2707	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2707	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2708	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2708	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2709	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2709	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2710	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2710	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2711	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2711	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2712	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2712	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2713	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2713	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2714	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2714	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2715	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2715	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2716	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2716	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2717	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2717	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2718	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2718	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2719	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2719	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2720	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2720	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2721	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2721	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2722	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2722	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2723	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2723	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2724	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2724	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2725	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2725	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2726	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2726	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2727	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2727	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2728	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2728	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2729	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2729	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2730	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2730	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2731	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2731	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2732	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2732	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2733	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2733	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2734	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2734	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2735	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2735	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2736	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2736	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2737	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2737	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2738	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2738	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2739	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2739	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2740	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2740	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2741	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2741	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2742	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2742	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2743	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2743	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2744	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2744	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2745	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2745	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2746	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2746	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2747	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2747	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2748	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2748	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2749	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2749	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2750	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2750	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2751	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2751	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2752	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2752	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2753	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2753	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2754	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2754	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2755	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2755	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2756	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2756	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2757	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2757	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2758	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2758	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2759	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2759	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2760	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2760	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2761	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2761	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2762	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2762	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2763	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2763	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2764	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2764	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2765	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2765	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2766	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2766	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2767	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2767	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2768	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2768	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2769	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2769	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2770	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2770	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2771	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2771	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2772	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2772	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2773	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2773	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2774	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2774	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2775	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2775	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2776	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2776	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2777	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2777	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2778	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2778	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2779	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2779	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2780	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2780	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2781	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2781	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2782	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2782	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2783	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2783	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2784	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2784	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2785	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2785	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2786	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2786	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2787	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2787	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2788	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2788	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2789	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2789	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2790	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2790	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2791	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2791	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2792	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2792	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2793	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2793	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2794	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2794	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2795	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2795	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2796	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2796	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2797	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2797	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2798	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2798	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2799	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2799	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2800	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2800	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2801	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2801	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2802	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2802	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2803	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2803	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2804	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2804	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2805	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2805	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2806	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2806	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2807	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2807	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2808	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2808	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2809	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2809	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2810	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2810	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2811	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2811	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2812	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2812	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2813	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2813	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2814	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2814	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2815	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2815	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2816	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2816	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2817	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2817	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2818	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2818	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2819	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2819	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2820	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2820	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2821	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2821	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2822	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2822	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2823	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2823	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2824	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2824	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2825	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2825	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2826	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2826	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2827	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2827	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2828	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2828	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2829	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2829	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2830	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2830	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2831	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2831	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2832	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2832	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2833	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2833	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2834	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2834	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2835	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2835	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2836	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2836	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2837	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2837	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2838	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2838	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2839	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2839	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2840	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2840	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2841	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2841	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2842	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2842	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2843	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2843	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2844	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2844	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2845	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2845	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2846	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2846	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2847	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2847	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2848	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2848	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2849	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2849	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2850	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2850	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2851	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2851	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2852	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2852	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2853	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2853	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2854	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2854	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2855	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2855	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2856	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2856	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2857	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2857	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2858	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2858	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2859	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2859	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2860	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2860	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2861	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2861	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2862	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2862	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2863	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2863	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2864	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2864	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2865	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2865	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2866	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2866	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2867	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2867	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2868	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2868	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2869	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2869	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2870	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2870	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2871	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2871	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2872	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2872	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2873	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2873	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2874	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2874	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2875	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2875	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2876	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2876	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2877	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2877	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2878	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2878	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2879	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2879	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2880	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2880	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2881	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2881	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2882	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2882	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2883	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2883	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2884	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2884	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2885	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2885	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2886	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2886	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2887	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2887	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2888	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2888	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2889	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2889	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2890	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2890	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2891	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2891	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2892	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2892	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2893	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2893	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2894	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2894	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2895	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2895	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2896	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2896	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2897	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2897	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2898	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2898	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2899	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2899	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2900	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2900	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2901	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2901	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2902	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2902	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2903	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2903	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2904	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2904	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2905	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2905	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2906	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2906	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2907	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2907	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2908	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2908	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2909	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2909	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2910	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2910	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2911	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2911	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2912	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2912	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2913	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2913	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2914	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2914	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2915	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2915	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2916	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2916	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2917	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2917	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2918	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2918	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2919	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2919	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2920	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2920	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2921	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2921	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2922	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2922	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2923	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2923	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2924	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2924	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2925	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2925	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2926	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2926	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2927	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2927	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2928	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2928	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2929	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2929	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2930	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2930	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2931	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2931	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2932	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2932	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2933	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2933	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2934	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2934	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2935	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2935	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2936	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2936	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2937	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2937	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2938	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2938	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2939	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2939	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2940	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2940	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2941	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2941	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2942	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2942	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2943	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2943	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2944	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2944	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2945	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2945	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2946	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2946	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2947	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2947	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2948	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2948	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2949	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2949	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2950	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2950	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2951	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2951	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2952	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2952	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2953	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2953	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2954	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2954	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2955	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2955	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2956	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2956	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2957	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2957	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2958	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2958	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2959	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2959	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2960	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2960	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2961	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2961	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2962	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2962	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2963	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2963	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2964	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2964	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2965	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2965	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2966	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2966	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2967	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2967	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2968	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2968	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2969	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2969	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2970	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2970	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2971	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2971	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2972	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2972	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2973	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2973	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2974	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2974	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2975	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2975	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2976	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2976	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2977	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2977	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2978	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2978	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2979	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2979	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2980	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2980	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2981	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2981	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2982	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2982	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2983	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2983	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2984	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2984	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2985	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2985	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2986	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2986	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2987	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2987	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.2988	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2988	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2989	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2989	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2990	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2990	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2991	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2991	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2992	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2992	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2993	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2993	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2994	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2994	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2995	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2995	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2996	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2996	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2997	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2997	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2998	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2998	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.2999	.1.3.6.1.4.1.26138.8.35.14.18.1.2.2999	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3000	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3000	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3001	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3001	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3002	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3002	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3003	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3003	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3004	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3004	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3005	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3005	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3006	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3006	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3007	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3007	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3008	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3008	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3009	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3009	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3010	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3010	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3011	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3011	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3012	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3012	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3013	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3013	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3014	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3014	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3015	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3015	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3016	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3016	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3017	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3017	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3018	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3018	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3019	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3019	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3020	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3020	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3021	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3021	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3022	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3022	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3023	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3023	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3024	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3024	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3025	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3025	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3026	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3026	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3027	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3027	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3028	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3028	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3029	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3029	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3030	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3030	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3031	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3031	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3032	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3032	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3033	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3033	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3034	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3034	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3035	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3035	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3036	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3036	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3037	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3037	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3038	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3038	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3039	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3039	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3040	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3040	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3041	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3041	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3042	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3042	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3043	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3043	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3044	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3044	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3045	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3045	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3046	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3046	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3047	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3047	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3048	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3048	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3049	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3049	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3050	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3050	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3051	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3051	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3052	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3052	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3053	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3053	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3054	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3054	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3055	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3055	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3056	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3056	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3057	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3057	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3058	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3058	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3059	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3059	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3060	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3060	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3061	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3061	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3062	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3062	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3063	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3063	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3064	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3064	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3065	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3065	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3066	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3066	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3067	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3067	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3068	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3068	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3069	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3069	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3070	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3070	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3071	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3071	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3072	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3072	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3073	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3073	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3074	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3074	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3075	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3075	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3076	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3076	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3077	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3077	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3078	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3078	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3079	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3079	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3080	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3080	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3081	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3081	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3082	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3082	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3083	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3083	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3084	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3084	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3085	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3085	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3086	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3086	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3087	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3087	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3088	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3088	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3089	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3089	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3090	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3090	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3091	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3091	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3092	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3092	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3093	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3093	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3094	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3094	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3095	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3095	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3096	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3096	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3097	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3097	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3098	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3098	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3099	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3099	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3100	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3100	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3101	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3101	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3102	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3102	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3103	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3103	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3104	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3104	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3105	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3105	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3106	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3106	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3107	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3107	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3108	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3108	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3109	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3109	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3110	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3110	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3111	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3111	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3112	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3112	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3113	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3113	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3114	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3114	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3115	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3115	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3116	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3116	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3117	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3117	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3118	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3118	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3119	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3119	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3120	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3120	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3121	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3121	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3122	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3122	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3123	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3123	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3124	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3124	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3125	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3125	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3126	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3126	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3127	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3127	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3128	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3128	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3129	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3129	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3130	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3130	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3131	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3131	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3132	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3132	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3133	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3133	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3134	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3134	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3135	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3135	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3136	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3136	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3137	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3137	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3138	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3138	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3139	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3139	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3140	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3140	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3141	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3141	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3142	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3142	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3143	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3143	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3144	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3144	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3145	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3145	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3146	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3146	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3147	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3147	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3148	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3148	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3149	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3149	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3150	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3150	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3151	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3151	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3152	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3152	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3153	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3153	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3154	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3154	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3155	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3155	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3156	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3156	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3157	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3157	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3158	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3158	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3159	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3159	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3160	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3160	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3161	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3161	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3162	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3162	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3163	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3163	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3164	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3164	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3165	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3165	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3166	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3166	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3167	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3167	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3168	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3168	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3169	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3169	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3170	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3170	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3171	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3171	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3172	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3172	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3173	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3173	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3174	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3174	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3175	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3175	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3176	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3176	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3177	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3177	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3178	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3178	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3179	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3179	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3180	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3180	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3181	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3181	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3182	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3182	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3183	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3183	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3184	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3184	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3185	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3185	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3186	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3186	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3187	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3187	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3188	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3188	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3189	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3189	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3190	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3190	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3191	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3191	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3192	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3192	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3193	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3193	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3194	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3194	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3195	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3195	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3196	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3196	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3197	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3197	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3198	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3198	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3199	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3199	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3200	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3200	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3201	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3201	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3202	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3202	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3203	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3203	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3204	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3204	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3205	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3205	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3206	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3206	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3207	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3207	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3208	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3208	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3209	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3209	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3210	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3210	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3211	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3211	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3212	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3212	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3213	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3213	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3214	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3214	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3215	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3215	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3216	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3216	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3217	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3217	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3218	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3218	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3219	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3219	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3220	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3220	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3221	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3221	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3222	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3222	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3223	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3223	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3224	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3224	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3225	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3225	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3226	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3226	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3227	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3227	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3228	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3228	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3229	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3229	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3230	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3230	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3231	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3231	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3232	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3232	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3233	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3233	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3234	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3234	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3235	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3235	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3236	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3236	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3237	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3237	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3238	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3238	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3239	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3239	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3240	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3240	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3241	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3241	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3242	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3242	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3243	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3243	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3244	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3244	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3245	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3245	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3246	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3246	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3247	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3247	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3248	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3248	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3249	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3249	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3250	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3250	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3251	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3251	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3252	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3252	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3253	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3253	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3254	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3254	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3255	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3255	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3256	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3256	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3257	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3257	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3258	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3258	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3259	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3259	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3260	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3260	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3261	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3261	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3262	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3262	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3263	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3263	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3264	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3264	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3265	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3265	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3266	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3266	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3267	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3267	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3268	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3268	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3269	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3269	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3270	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3270	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3271	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3271	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3272	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3272	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3273	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3273	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3274	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3274	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3275	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3275	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3276	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3276	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3277	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3277	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3278	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3278	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3279	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3279	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3280	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3280	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3281	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3281	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3282	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3282	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3283	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3283	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3284	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3284	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3285	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3285	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3286	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3286	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3287	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3287	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3288	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3288	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3289	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3289	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3290	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3290	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3291	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3291	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3292	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3292	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3293	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3293	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3294	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3294	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3295	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3295	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3296	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3296	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3297	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3297	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3298	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3298	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3299	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3299	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3300	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3300	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3301	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3301	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3302	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3302	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3303	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3303	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3304	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3304	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3305	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3305	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3306	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3306	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3307	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3307	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3308	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3308	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3309	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3309	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3310	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3310	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3311	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3311	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3312	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3312	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3313	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3313	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3314	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3314	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3315	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3315	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3316	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3316	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3317	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3317	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3318	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3318	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3319	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3319	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3320	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3320	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3321	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3321	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3322	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3322	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3323	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3323	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3324	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3324	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3325	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3325	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3326	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3326	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3327	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3327	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3328	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3328	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3329	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3329	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3330	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3330	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3331	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3331	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3332	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3332	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3333	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3333	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3334	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3334	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3335	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3335	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3336	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3336	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3337	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3337	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3338	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3338	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3339	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3339	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3340	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3340	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3341	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3341	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3342	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3342	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3343	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3343	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3344	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3344	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3345	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3345	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3346	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3346	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3347	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3347	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3348	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3348	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3349	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3349	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3350	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3350	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3351	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3351	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3352	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3352	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3353	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3353	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3354	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3354	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3355	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3355	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3356	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3356	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3357	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3357	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3358	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3358	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3359	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3359	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3360	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3360	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3361	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3361	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3362	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3362	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3363	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3363	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3364	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3364	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3365	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3365	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3366	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3366	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3367	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3367	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3368	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3368	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3369	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3369	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3370	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3370	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3371	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3371	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3372	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3372	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3373	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3373	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3374	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3374	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3375	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3375	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3376	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3376	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3377	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3377	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3378	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3378	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3379	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3379	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3380	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3380	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3381	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3381	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3382	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3382	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3383	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3383	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3384	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3384	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3385	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3385	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3386	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3386	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3387	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3387	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3388	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3388	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3389	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3389	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3390	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3390	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3391	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3391	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3392	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3392	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3393	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3393	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3394	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3394	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3395	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3395	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3396	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3396	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3397	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3397	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3398	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3398	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3399	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3399	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3400	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3400	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3401	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3401	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3402	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3402	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3403	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3403	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3404	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3404	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3405	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3405	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3406	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3406	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3407	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3407	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3408	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3408	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3409	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3409	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3410	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3410	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3411	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3411	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3412	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3412	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3413	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3413	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3414	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3414	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3415	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3415	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3416	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3416	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3417	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3417	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3418	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3418	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3419	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3419	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3420	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3420	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3421	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3421	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3422	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3422	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3423	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3423	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3424	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3424	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3425	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3425	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3426	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3426	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3427	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3427	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3428	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3428	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3429	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3429	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3430	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3430	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3431	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3431	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3432	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3432	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3433	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3433	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3434	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3434	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3435	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3435	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3436	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3436	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3437	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3437	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3438	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3438	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3439	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3439	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3440	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3440	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3441	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3441	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3442	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3442	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3443	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3443	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3444	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3444	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3445	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3445	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3446	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3446	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3447	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3447	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3448	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3448	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3449	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3449	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3450	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3450	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3451	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3451	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3452	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3452	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3453	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3453	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3454	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3454	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3455	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3455	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3456	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3456	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3457	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3457	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3458	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3458	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3459	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3459	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3460	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3460	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3461	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3461	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3462	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3462	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3463	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3463	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3464	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3464	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3465	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3465	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3466	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3466	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3467	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3467	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3468	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3468	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3469	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3469	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3470	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3470	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3471	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3471	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3472	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3472	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3473	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3473	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3474	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3474	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3475	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3475	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3476	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3476	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3477	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3477	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3478	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3478	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3479	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3479	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3480	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3480	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3481	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3481	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3482	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3482	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3483	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3483	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3484	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3484	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3485	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3485	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3486	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3486	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3487	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3487	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3488	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3488	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3489	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3489	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3490	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3490	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3491	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3491	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3492	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3492	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3493	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3493	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3494	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3494	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3495	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3495	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3496	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3496	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3497	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3497	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3498	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3498	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3499	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3499	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3500	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3500	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3501	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3501	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3502	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3502	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3503	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3503	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3504	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3504	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3505	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3505	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3506	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3506	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3507	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3507	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3508	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3508	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3509	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3509	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3510	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3510	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3511	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3511	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3512	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3512	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3513	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3513	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3514	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3514	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3515	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3515	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3516	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3516	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3517	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3517	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3518	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3518	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3519	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3519	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3520	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3520	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3521	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3521	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3522	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3522	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3523	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3523	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3524	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3524	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3525	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3525	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3526	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3526	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3527	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3527	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3528	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3528	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3529	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3529	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3530	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3530	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3531	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3531	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3532	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3532	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3533	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3533	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3534	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3534	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3535	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3535	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3536	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3536	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3537	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3537	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3538	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3538	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3539	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3539	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3540	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3540	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3541	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3541	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3542	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3542	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3543	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3543	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3544	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3544	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3545	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3545	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3546	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3546	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3547	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3547	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3548	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3548	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3549	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3549	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3550	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3550	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3551	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3551	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3552	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3552	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3553	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3553	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3554	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3554	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3555	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3555	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3556	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3556	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3557	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3557	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3558	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3558	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3559	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3559	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3560	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3560	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3561	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3561	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3562	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3562	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3563	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3563	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3564	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3564	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3565	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3565	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3566	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3566	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3567	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3567	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3568	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3568	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3569	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3569	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3570	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3570	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3571	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3571	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3572	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3572	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3573	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3573	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3574	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3574	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3575	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3575	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3576	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3576	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3577	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3577	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3578	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3578	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3579	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3579	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3580	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3580	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3581	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3581	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3582	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3582	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3583	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3583	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3584	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3584	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3585	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3585	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3586	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3586	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3587	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3587	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3588	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3588	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3589	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3589	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3590	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3590	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3591	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3591	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3592	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3592	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3593	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3593	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3594	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3594	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3595	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3595	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3596	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3596	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3597	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3597	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3598	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3598	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3599	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3599	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3600	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3600	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3601	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3601	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3602	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3602	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3603	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3603	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3604	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3604	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3605	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3605	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3606	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3606	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3607	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3607	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3608	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3608	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3609	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3609	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3610	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3610	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3611	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3611	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3612	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3612	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3613	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3613	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3614	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3614	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3615	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3615	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3616	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3616	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3617	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3617	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3618	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3618	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3619	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3619	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3620	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3620	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3621	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3621	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3622	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3622	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3623	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3623	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3624	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3624	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3625	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3625	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3626	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3626	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3627	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3627	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3628	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3628	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3629	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3629	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3630	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3630	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3631	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3631	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3632	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3632	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3633	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3633	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3634	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3634	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3635	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3635	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3636	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3636	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3637	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3637	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3638	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3638	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3639	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3639	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3640	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3640	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3641	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3641	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3642	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3642	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3643	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3643	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3644	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3644	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3645	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3645	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3646	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3646	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3647	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3647	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3648	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3648	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3649	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3649	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3650	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3650	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3651	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3651	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3652	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3652	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3653	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3653	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3654	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3654	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3655	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3655	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3656	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3656	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3657	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3657	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3658	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3658	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3659	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3659	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3660	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3660	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3661	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3661	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3662	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3662	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3663	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3663	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3664	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3664	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3665	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3665	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3666	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3666	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3667	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3667	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3668	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3668	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3669	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3669	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3670	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3670	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3671	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3671	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3672	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3672	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3673	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3673	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3674	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3674	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3675	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3675	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3676	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3676	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3677	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3677	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3678	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3678	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3679	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3679	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3680	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3680	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3681	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3681	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3682	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3682	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3683	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3683	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3684	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3684	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3685	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3685	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3686	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3686	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3687	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3687	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3688	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3688	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3689	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3689	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3690	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3690	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3691	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3691	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3692	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3692	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3693	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3693	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3694	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3694	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3695	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3695	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3696	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3696	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3697	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3697	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3698	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3698	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3699	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3699	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3700	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3700	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3701	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3701	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3702	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3702	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3703	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3703	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3704	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3704	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3705	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3705	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3706	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3706	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3707	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3707	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3708	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3708	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3709	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3709	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3710	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3710	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3711	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3711	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3712	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3712	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3713	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3713	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3714	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3714	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3715	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3715	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3716	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3716	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3717	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3717	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3718	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3718	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3719	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3719	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3720	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3720	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3721	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3721	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3722	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3722	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3723	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3723	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3724	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3724	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3725	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3725	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3726	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3726	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3727	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3727	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3728	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3728	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3729	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3729	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3730	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3730	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3731	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3731	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3732	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3732	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3733	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3733	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3734	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3734	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3735	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3735	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3736	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3736	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3737	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3737	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3738	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3738	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3739	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3739	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3740	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3740	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3741	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3741	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3742	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3742	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3743	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3743	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3744	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3744	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3745	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3745	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3746	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3746	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3747	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3747	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3748	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3748	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3749	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3749	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3750	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3750	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3751	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3751	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3752	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3752	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3753	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3753	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3754	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3754	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3755	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3755	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3756	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3756	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3757	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3757	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3758	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3758	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3759	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3759	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3760	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3760	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3761	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3761	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3762	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3762	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3763	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3763	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3764	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3764	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3765	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3765	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3766	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3766	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3767	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3767	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3768	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3768	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3769	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3769	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3770	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3770	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3771	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3771	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3772	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3772	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3773	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3773	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3774	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3774	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3775	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3775	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3776	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3776	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3777	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3777	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3778	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3778	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3779	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3779	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3780	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3780	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3781	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3781	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3782	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3782	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3783	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3783	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3784	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3784	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3785	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3785	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3786	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3786	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3787	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3787	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3788	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3788	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3789	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3789	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3790	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3790	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3791	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3791	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3792	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3792	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3793	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3793	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3794	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3794	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3795	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3795	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3796	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3796	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3797	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3797	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3798	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3798	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3799	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3799	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3800	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3800	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3801	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3801	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3802	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3802	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3803	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3803	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3804	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3804	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3805	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3805	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3806	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3806	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3807	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3807	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3808	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3808	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3809	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3809	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3810	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3810	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3811	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3811	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3812	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3812	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3813	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3813	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3814	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3814	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3815	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3815	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3816	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3816	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3817	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3817	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3818	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3818	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3819	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3819	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3820	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3820	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3821	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3821	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3822	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3822	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3823	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3823	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3824	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3824	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3825	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3825	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3826	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3826	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3827	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3827	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3828	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3828	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3829	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3829	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3830	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3830	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3831	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3831	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3832	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3832	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3833	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3833	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3834	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3834	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3835	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3835	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3836	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3836	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3837	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3837	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3838	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3838	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3839	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3839	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3840	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3840	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3841	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3841	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3842	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3842	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3843	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3843	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3844	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3844	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3845	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3845	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3846	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3846	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3847	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3847	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3848	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3848	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3849	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3849	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3850	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3850	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3851	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3851	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3852	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3852	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3853	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3853	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3854	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3854	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3855	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3855	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3856	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3856	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3857	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3857	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3858	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3858	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3859	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3859	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3860	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3860	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3861	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3861	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3862	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3862	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3863	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3863	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3864	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3864	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3865	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3865	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3866	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3866	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3867	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3867	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3868	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3868	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3869	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3869	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3870	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3870	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3871	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3871	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3872	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3872	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3873	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3873	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3874	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3874	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3875	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3875	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3876	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3876	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3877	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3877	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3878	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3878	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3879	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3879	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3880	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3880	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3881	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3881	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3882	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3882	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3883	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3883	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3884	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3884	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3885	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3885	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3886	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3886	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3887	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3887	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3888	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3888	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3889	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3889	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3890	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3890	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3891	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3891	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3892	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3892	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3893	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3893	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3894	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3894	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3895	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3895	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3896	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3896	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3897	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3897	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3898	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3898	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3899	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3899	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3900	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3900	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3901	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3901	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3902	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3902	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3903	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3903	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3904	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3904	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3905	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3905	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3906	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3906	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3907	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3907	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3908	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3908	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3909	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3909	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3910	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3910	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3911	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3911	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3912	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3912	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3913	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3913	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3914	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3914	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3915	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3915	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3916	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3916	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3917	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3917	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3918	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3918	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3919	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3919	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3920	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3920	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3921	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3921	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3922	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3922	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3923	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3923	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3924	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3924	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3925	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3925	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3926	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3926	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3927	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3927	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3928	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3928	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3929	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3929	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3930	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3930	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3931	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3931	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3932	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3932	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3933	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3933	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3934	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3934	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3935	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3935	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3936	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3936	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3937	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3937	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3938	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3938	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3939	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3939	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3940	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3940	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3941	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3941	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3942	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3942	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3943	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3943	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3944	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3944	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3945	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3945	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3946	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3946	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3947	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3947	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3948	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3948	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3949	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3949	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3950	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3950	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3951	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3951	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3952	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3952	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3953	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3953	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3954	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3954	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3955	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3955	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3956	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3956	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3957	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3957	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3958	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3958	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3959	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3959	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3960	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3960	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3961	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3961	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3962	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3962	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3963	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3963	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3964	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3964	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3965	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3965	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3966	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3966	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3967	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3967	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3968	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3968	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3969	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3969	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3970	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3970	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3971	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3971	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3972	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3972	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3973	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3973	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3974	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3974	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3975	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3975	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.3976	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3976	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3977	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3977	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3978	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3978	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3979	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3979	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3980	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3980	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3981	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3981	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3982	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3982	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3983	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3983	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3984	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3984	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3985	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3985	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3986	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3986	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3987	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3987	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3988	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3988	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3989	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3989	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3990	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3990	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3991	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3991	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3992	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3992	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3993	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3993	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3994	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3994	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3995	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3995	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3996	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3996	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3997	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3997	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3998	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3998	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.3999	.1.3.6.1.4.1.26138.8.35.14.18.1.2.3999	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4000	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4000	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4001	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4001	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.4002	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4002	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4003	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4003	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4004	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4004	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4005	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4005	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4006	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4006	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4007	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4007	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4008	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4008	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4009	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4009	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4010	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4010	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4011	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4011	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4012	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4012	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4013	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4013	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4014	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4014	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4015	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4015	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4016	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4016	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4017	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4017	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4018	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4018	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4019	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4019	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4020	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4020	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4021	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4021	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4022	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4022	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4023	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4023	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4024	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4024	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4025	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4025	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4026	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4026	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4027	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4027	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.4028	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4028	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4029	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4029	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4030	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4030	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4031	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4031	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4032	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4032	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4033	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4033	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4034	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4034	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4035	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4035	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4036	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4036	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4037	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4037	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4038	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4038	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4039	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4039	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4040	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4040	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4041	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4041	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4042	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4042	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4043	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4043	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4044	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4044	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4045	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4045	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4046	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4046	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4047	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4047	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4048	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4048	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4049	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4049	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4050	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4050	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4051	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4051	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4052	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4052	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4053	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4053	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.4054	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4054	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4055	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4055	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4056	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4056	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4057	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4057	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4058	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4058	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4059	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4059	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4060	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4060	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4061	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4061	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4062	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4062	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4063	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4063	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4064	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4064	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4065	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4065	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4066	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4066	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4067	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4067	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4068	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4068	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4069	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4069	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4070	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4070	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4071	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4071	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4072	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4072	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4073	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4073	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4074	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4074	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4075	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4075	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4076	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4076	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4077	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4077	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4078	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4078	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4079	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4079	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sAdminMstID.4080	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4080	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4081	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4081	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4082	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4082	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4083	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4083	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4084	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4084	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4085	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4085	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4086	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4086	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4087	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4087	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4088	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4088	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4089	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4089	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4090	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4090	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4091	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4091	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4092	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4092	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4093	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4093	INTEGER	0
IB-LswMSTP-MIB::ibdot1sAdminMstID.4094	.1.3.6.1.4.1.26138.8.35.14.18.1.2.4094	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.5	.1.3.6.1.4.1.26138.8.35.14.18.1.3.5	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.6	.1.3.6.1.4.1.26138.8.35.14.18.1.3.6	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.7	.1.3.6.1.4.1.26138.8.35.14.18.1.3.7	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.8	.1.3.6.1.4.1.26138.8.35.14.18.1.3.8	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.9	.1.3.6.1.4.1.26138.8.35.14.18.1.3.9	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.10	.1.3.6.1.4.1.26138.8.35.14.18.1.3.10	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.11	.1.3.6.1.4.1.26138.8.35.14.18.1.3.11	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.12	.1.3.6.1.4.1.26138.8.35.14.18.1.3.12	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.13	.1.3.6.1.4.1.26138.8.35.14.18.1.3.13	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.14	.1.3.6.1.4.1.26138.8.35.14.18.1.3.14	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.15	.1.3.6.1.4.1.26138.8.35.14.18.1.3.15	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.16	.1.3.6.1.4.1.26138.8.35.14.18.1.3.16	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.17	.1.3.6.1.4.1.26138.8.35.14.18.1.3.17	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.18	.1.3.6.1.4.1.26138.8.35.14.18.1.3.18	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.19	.1.3.6.1.4.1.26138.8.35.14.18.1.3.19	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.20	.1.3.6.1.4.1.26138.8.35.14.18.1.3.20	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.21	.1.3.6.1.4.1.26138.8.35.14.18.1.3.21	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.22	.1.3.6.1.4.1.26138.8.35.14.18.1.3.22	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.23	.1.3.6.1.4.1.26138.8.35.14.18.1.3.23	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.24	.1.3.6.1.4.1.26138.8.35.14.18.1.3.24	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.25	.1.3.6.1.4.1.26138.8.35.14.18.1.3.25	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.26	.1.3.6.1.4.1.26138.8.35.14.18.1.3.26	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.27	.1.3.6.1.4.1.26138.8.35.14.18.1.3.27	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.28	.1.3.6.1.4.1.26138.8.35.14.18.1.3.28	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.29	.1.3.6.1.4.1.26138.8.35.14.18.1.3.29	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.30	.1.3.6.1.4.1.26138.8.35.14.18.1.3.30	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.31	.1.3.6.1.4.1.26138.8.35.14.18.1.3.31	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.32	.1.3.6.1.4.1.26138.8.35.14.18.1.3.32	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.33	.1.3.6.1.4.1.26138.8.35.14.18.1.3.33	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.34	.1.3.6.1.4.1.26138.8.35.14.18.1.3.34	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.35	.1.3.6.1.4.1.26138.8.35.14.18.1.3.35	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.36	.1.3.6.1.4.1.26138.8.35.14.18.1.3.36	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.37	.1.3.6.1.4.1.26138.8.35.14.18.1.3.37	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.38	.1.3.6.1.4.1.26138.8.35.14.18.1.3.38	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.39	.1.3.6.1.4.1.26138.8.35.14.18.1.3.39	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.40	.1.3.6.1.4.1.26138.8.35.14.18.1.3.40	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.41	.1.3.6.1.4.1.26138.8.35.14.18.1.3.41	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.42	.1.3.6.1.4.1.26138.8.35.14.18.1.3.42	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.43	.1.3.6.1.4.1.26138.8.35.14.18.1.3.43	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.44	.1.3.6.1.4.1.26138.8.35.14.18.1.3.44	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.45	.1.3.6.1.4.1.26138.8.35.14.18.1.3.45	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.46	.1.3.6.1.4.1.26138.8.35.14.18.1.3.46	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.47	.1.3.6.1.4.1.26138.8.35.14.18.1.3.47	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.48	.1.3.6.1.4.1.26138.8.35.14.18.1.3.48	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.49	.1.3.6.1.4.1.26138.8.35.14.18.1.3.49	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.50	.1.3.6.1.4.1.26138.8.35.14.18.1.3.50	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.51	.1.3.6.1.4.1.26138.8.35.14.18.1.3.51	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.52	.1.3.6.1.4.1.26138.8.35.14.18.1.3.52	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.53	.1.3.6.1.4.1.26138.8.35.14.18.1.3.53	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.54	.1.3.6.1.4.1.26138.8.35.14.18.1.3.54	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.55	.1.3.6.1.4.1.26138.8.35.14.18.1.3.55	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.56	.1.3.6.1.4.1.26138.8.35.14.18.1.3.56	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.57	.1.3.6.1.4.1.26138.8.35.14.18.1.3.57	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.58	.1.3.6.1.4.1.26138.8.35.14.18.1.3.58	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.59	.1.3.6.1.4.1.26138.8.35.14.18.1.3.59	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.60	.1.3.6.1.4.1.26138.8.35.14.18.1.3.60	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.61	.1.3.6.1.4.1.26138.8.35.14.18.1.3.61	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.62	.1.3.6.1.4.1.26138.8.35.14.18.1.3.62	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.63	.1.3.6.1.4.1.26138.8.35.14.18.1.3.63	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.64	.1.3.6.1.4.1.26138.8.35.14.18.1.3.64	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.65	.1.3.6.1.4.1.26138.8.35.14.18.1.3.65	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.66	.1.3.6.1.4.1.26138.8.35.14.18.1.3.66	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.67	.1.3.6.1.4.1.26138.8.35.14.18.1.3.67	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.68	.1.3.6.1.4.1.26138.8.35.14.18.1.3.68	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.69	.1.3.6.1.4.1.26138.8.35.14.18.1.3.69	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.70	.1.3.6.1.4.1.26138.8.35.14.18.1.3.70	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.71	.1.3.6.1.4.1.26138.8.35.14.18.1.3.71	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.72	.1.3.6.1.4.1.26138.8.35.14.18.1.3.72	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.73	.1.3.6.1.4.1.26138.8.35.14.18.1.3.73	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.74	.1.3.6.1.4.1.26138.8.35.14.18.1.3.74	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.75	.1.3.6.1.4.1.26138.8.35.14.18.1.3.75	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.76	.1.3.6.1.4.1.26138.8.35.14.18.1.3.76	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.77	.1.3.6.1.4.1.26138.8.35.14.18.1.3.77	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.78	.1.3.6.1.4.1.26138.8.35.14.18.1.3.78	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.79	.1.3.6.1.4.1.26138.8.35.14.18.1.3.79	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.80	.1.3.6.1.4.1.26138.8.35.14.18.1.3.80	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.81	.1.3.6.1.4.1.26138.8.35.14.18.1.3.81	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.82	.1.3.6.1.4.1.26138.8.35.14.18.1.3.82	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.83	.1.3.6.1.4.1.26138.8.35.14.18.1.3.83	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.84	.1.3.6.1.4.1.26138.8.35.14.18.1.3.84	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.85	.1.3.6.1.4.1.26138.8.35.14.18.1.3.85	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.86	.1.3.6.1.4.1.26138.8.35.14.18.1.3.86	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.87	.1.3.6.1.4.1.26138.8.35.14.18.1.3.87	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.88	.1.3.6.1.4.1.26138.8.35.14.18.1.3.88	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.89	.1.3.6.1.4.1.26138.8.35.14.18.1.3.89	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.90	.1.3.6.1.4.1.26138.8.35.14.18.1.3.90	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.91	.1.3.6.1.4.1.26138.8.35.14.18.1.3.91	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.92	.1.3.6.1.4.1.26138.8.35.14.18.1.3.92	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.93	.1.3.6.1.4.1.26138.8.35.14.18.1.3.93	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.94	.1.3.6.1.4.1.26138.8.35.14.18.1.3.94	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.95	.1.3.6.1.4.1.26138.8.35.14.18.1.3.95	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.96	.1.3.6.1.4.1.26138.8.35.14.18.1.3.96	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.97	.1.3.6.1.4.1.26138.8.35.14.18.1.3.97	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.98	.1.3.6.1.4.1.26138.8.35.14.18.1.3.98	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.99	.1.3.6.1.4.1.26138.8.35.14.18.1.3.99	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.100	.1.3.6.1.4.1.26138.8.35.14.18.1.3.100	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.101	.1.3.6.1.4.1.26138.8.35.14.18.1.3.101	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.102	.1.3.6.1.4.1.26138.8.35.14.18.1.3.102	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.103	.1.3.6.1.4.1.26138.8.35.14.18.1.3.103	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.104	.1.3.6.1.4.1.26138.8.35.14.18.1.3.104	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.105	.1.3.6.1.4.1.26138.8.35.14.18.1.3.105	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.106	.1.3.6.1.4.1.26138.8.35.14.18.1.3.106	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.107	.1.3.6.1.4.1.26138.8.35.14.18.1.3.107	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.108	.1.3.6.1.4.1.26138.8.35.14.18.1.3.108	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.109	.1.3.6.1.4.1.26138.8.35.14.18.1.3.109	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.110	.1.3.6.1.4.1.26138.8.35.14.18.1.3.110	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.111	.1.3.6.1.4.1.26138.8.35.14.18.1.3.111	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.112	.1.3.6.1.4.1.26138.8.35.14.18.1.3.112	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.113	.1.3.6.1.4.1.26138.8.35.14.18.1.3.113	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.114	.1.3.6.1.4.1.26138.8.35.14.18.1.3.114	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.115	.1.3.6.1.4.1.26138.8.35.14.18.1.3.115	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.116	.1.3.6.1.4.1.26138.8.35.14.18.1.3.116	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.117	.1.3.6.1.4.1.26138.8.35.14.18.1.3.117	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.118	.1.3.6.1.4.1.26138.8.35.14.18.1.3.118	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.119	.1.3.6.1.4.1.26138.8.35.14.18.1.3.119	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.120	.1.3.6.1.4.1.26138.8.35.14.18.1.3.120	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.121	.1.3.6.1.4.1.26138.8.35.14.18.1.3.121	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.122	.1.3.6.1.4.1.26138.8.35.14.18.1.3.122	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.123	.1.3.6.1.4.1.26138.8.35.14.18.1.3.123	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.124	.1.3.6.1.4.1.26138.8.35.14.18.1.3.124	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.125	.1.3.6.1.4.1.26138.8.35.14.18.1.3.125	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.126	.1.3.6.1.4.1.26138.8.35.14.18.1.3.126	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.127	.1.3.6.1.4.1.26138.8.35.14.18.1.3.127	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.128	.1.3.6.1.4.1.26138.8.35.14.18.1.3.128	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.129	.1.3.6.1.4.1.26138.8.35.14.18.1.3.129	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.130	.1.3.6.1.4.1.26138.8.35.14.18.1.3.130	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.131	.1.3.6.1.4.1.26138.8.35.14.18.1.3.131	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.132	.1.3.6.1.4.1.26138.8.35.14.18.1.3.132	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.133	.1.3.6.1.4.1.26138.8.35.14.18.1.3.133	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.134	.1.3.6.1.4.1.26138.8.35.14.18.1.3.134	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.135	.1.3.6.1.4.1.26138.8.35.14.18.1.3.135	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.136	.1.3.6.1.4.1.26138.8.35.14.18.1.3.136	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.137	.1.3.6.1.4.1.26138.8.35.14.18.1.3.137	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.138	.1.3.6.1.4.1.26138.8.35.14.18.1.3.138	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.139	.1.3.6.1.4.1.26138.8.35.14.18.1.3.139	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.140	.1.3.6.1.4.1.26138.8.35.14.18.1.3.140	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.141	.1.3.6.1.4.1.26138.8.35.14.18.1.3.141	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.142	.1.3.6.1.4.1.26138.8.35.14.18.1.3.142	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.143	.1.3.6.1.4.1.26138.8.35.14.18.1.3.143	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.144	.1.3.6.1.4.1.26138.8.35.14.18.1.3.144	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.145	.1.3.6.1.4.1.26138.8.35.14.18.1.3.145	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.146	.1.3.6.1.4.1.26138.8.35.14.18.1.3.146	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.147	.1.3.6.1.4.1.26138.8.35.14.18.1.3.147	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.148	.1.3.6.1.4.1.26138.8.35.14.18.1.3.148	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.149	.1.3.6.1.4.1.26138.8.35.14.18.1.3.149	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.150	.1.3.6.1.4.1.26138.8.35.14.18.1.3.150	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.151	.1.3.6.1.4.1.26138.8.35.14.18.1.3.151	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.152	.1.3.6.1.4.1.26138.8.35.14.18.1.3.152	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.153	.1.3.6.1.4.1.26138.8.35.14.18.1.3.153	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.154	.1.3.6.1.4.1.26138.8.35.14.18.1.3.154	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.155	.1.3.6.1.4.1.26138.8.35.14.18.1.3.155	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.156	.1.3.6.1.4.1.26138.8.35.14.18.1.3.156	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.157	.1.3.6.1.4.1.26138.8.35.14.18.1.3.157	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.158	.1.3.6.1.4.1.26138.8.35.14.18.1.3.158	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.159	.1.3.6.1.4.1.26138.8.35.14.18.1.3.159	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.160	.1.3.6.1.4.1.26138.8.35.14.18.1.3.160	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.161	.1.3.6.1.4.1.26138.8.35.14.18.1.3.161	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.162	.1.3.6.1.4.1.26138.8.35.14.18.1.3.162	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.163	.1.3.6.1.4.1.26138.8.35.14.18.1.3.163	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.164	.1.3.6.1.4.1.26138.8.35.14.18.1.3.164	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.165	.1.3.6.1.4.1.26138.8.35.14.18.1.3.165	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.166	.1.3.6.1.4.1.26138.8.35.14.18.1.3.166	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.167	.1.3.6.1.4.1.26138.8.35.14.18.1.3.167	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.168	.1.3.6.1.4.1.26138.8.35.14.18.1.3.168	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.169	.1.3.6.1.4.1.26138.8.35.14.18.1.3.169	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.170	.1.3.6.1.4.1.26138.8.35.14.18.1.3.170	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.171	.1.3.6.1.4.1.26138.8.35.14.18.1.3.171	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.172	.1.3.6.1.4.1.26138.8.35.14.18.1.3.172	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.173	.1.3.6.1.4.1.26138.8.35.14.18.1.3.173	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.174	.1.3.6.1.4.1.26138.8.35.14.18.1.3.174	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.175	.1.3.6.1.4.1.26138.8.35.14.18.1.3.175	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.176	.1.3.6.1.4.1.26138.8.35.14.18.1.3.176	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.177	.1.3.6.1.4.1.26138.8.35.14.18.1.3.177	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.178	.1.3.6.1.4.1.26138.8.35.14.18.1.3.178	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.179	.1.3.6.1.4.1.26138.8.35.14.18.1.3.179	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.180	.1.3.6.1.4.1.26138.8.35.14.18.1.3.180	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.181	.1.3.6.1.4.1.26138.8.35.14.18.1.3.181	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.182	.1.3.6.1.4.1.26138.8.35.14.18.1.3.182	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.183	.1.3.6.1.4.1.26138.8.35.14.18.1.3.183	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.184	.1.3.6.1.4.1.26138.8.35.14.18.1.3.184	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.185	.1.3.6.1.4.1.26138.8.35.14.18.1.3.185	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.186	.1.3.6.1.4.1.26138.8.35.14.18.1.3.186	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.187	.1.3.6.1.4.1.26138.8.35.14.18.1.3.187	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.188	.1.3.6.1.4.1.26138.8.35.14.18.1.3.188	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.189	.1.3.6.1.4.1.26138.8.35.14.18.1.3.189	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.190	.1.3.6.1.4.1.26138.8.35.14.18.1.3.190	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.191	.1.3.6.1.4.1.26138.8.35.14.18.1.3.191	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.192	.1.3.6.1.4.1.26138.8.35.14.18.1.3.192	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.193	.1.3.6.1.4.1.26138.8.35.14.18.1.3.193	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.194	.1.3.6.1.4.1.26138.8.35.14.18.1.3.194	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.195	.1.3.6.1.4.1.26138.8.35.14.18.1.3.195	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.196	.1.3.6.1.4.1.26138.8.35.14.18.1.3.196	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.197	.1.3.6.1.4.1.26138.8.35.14.18.1.3.197	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.198	.1.3.6.1.4.1.26138.8.35.14.18.1.3.198	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.199	.1.3.6.1.4.1.26138.8.35.14.18.1.3.199	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.200	.1.3.6.1.4.1.26138.8.35.14.18.1.3.200	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.201	.1.3.6.1.4.1.26138.8.35.14.18.1.3.201	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.202	.1.3.6.1.4.1.26138.8.35.14.18.1.3.202	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.203	.1.3.6.1.4.1.26138.8.35.14.18.1.3.203	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.204	.1.3.6.1.4.1.26138.8.35.14.18.1.3.204	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.205	.1.3.6.1.4.1.26138.8.35.14.18.1.3.205	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.206	.1.3.6.1.4.1.26138.8.35.14.18.1.3.206	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.207	.1.3.6.1.4.1.26138.8.35.14.18.1.3.207	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.208	.1.3.6.1.4.1.26138.8.35.14.18.1.3.208	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.209	.1.3.6.1.4.1.26138.8.35.14.18.1.3.209	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.210	.1.3.6.1.4.1.26138.8.35.14.18.1.3.210	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.211	.1.3.6.1.4.1.26138.8.35.14.18.1.3.211	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.212	.1.3.6.1.4.1.26138.8.35.14.18.1.3.212	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.213	.1.3.6.1.4.1.26138.8.35.14.18.1.3.213	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.214	.1.3.6.1.4.1.26138.8.35.14.18.1.3.214	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.215	.1.3.6.1.4.1.26138.8.35.14.18.1.3.215	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.216	.1.3.6.1.4.1.26138.8.35.14.18.1.3.216	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.217	.1.3.6.1.4.1.26138.8.35.14.18.1.3.217	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.218	.1.3.6.1.4.1.26138.8.35.14.18.1.3.218	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.219	.1.3.6.1.4.1.26138.8.35.14.18.1.3.219	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.220	.1.3.6.1.4.1.26138.8.35.14.18.1.3.220	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.221	.1.3.6.1.4.1.26138.8.35.14.18.1.3.221	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.222	.1.3.6.1.4.1.26138.8.35.14.18.1.3.222	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.223	.1.3.6.1.4.1.26138.8.35.14.18.1.3.223	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.224	.1.3.6.1.4.1.26138.8.35.14.18.1.3.224	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.225	.1.3.6.1.4.1.26138.8.35.14.18.1.3.225	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.226	.1.3.6.1.4.1.26138.8.35.14.18.1.3.226	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.227	.1.3.6.1.4.1.26138.8.35.14.18.1.3.227	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.228	.1.3.6.1.4.1.26138.8.35.14.18.1.3.228	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.229	.1.3.6.1.4.1.26138.8.35.14.18.1.3.229	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.230	.1.3.6.1.4.1.26138.8.35.14.18.1.3.230	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.231	.1.3.6.1.4.1.26138.8.35.14.18.1.3.231	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.232	.1.3.6.1.4.1.26138.8.35.14.18.1.3.232	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.233	.1.3.6.1.4.1.26138.8.35.14.18.1.3.233	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.234	.1.3.6.1.4.1.26138.8.35.14.18.1.3.234	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.235	.1.3.6.1.4.1.26138.8.35.14.18.1.3.235	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.236	.1.3.6.1.4.1.26138.8.35.14.18.1.3.236	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.237	.1.3.6.1.4.1.26138.8.35.14.18.1.3.237	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.238	.1.3.6.1.4.1.26138.8.35.14.18.1.3.238	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.239	.1.3.6.1.4.1.26138.8.35.14.18.1.3.239	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.240	.1.3.6.1.4.1.26138.8.35.14.18.1.3.240	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.241	.1.3.6.1.4.1.26138.8.35.14.18.1.3.241	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.242	.1.3.6.1.4.1.26138.8.35.14.18.1.3.242	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.243	.1.3.6.1.4.1.26138.8.35.14.18.1.3.243	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.244	.1.3.6.1.4.1.26138.8.35.14.18.1.3.244	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.245	.1.3.6.1.4.1.26138.8.35.14.18.1.3.245	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.246	.1.3.6.1.4.1.26138.8.35.14.18.1.3.246	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.247	.1.3.6.1.4.1.26138.8.35.14.18.1.3.247	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.248	.1.3.6.1.4.1.26138.8.35.14.18.1.3.248	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.249	.1.3.6.1.4.1.26138.8.35.14.18.1.3.249	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.250	.1.3.6.1.4.1.26138.8.35.14.18.1.3.250	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.251	.1.3.6.1.4.1.26138.8.35.14.18.1.3.251	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.252	.1.3.6.1.4.1.26138.8.35.14.18.1.3.252	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.253	.1.3.6.1.4.1.26138.8.35.14.18.1.3.253	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.254	.1.3.6.1.4.1.26138.8.35.14.18.1.3.254	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.255	.1.3.6.1.4.1.26138.8.35.14.18.1.3.255	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.256	.1.3.6.1.4.1.26138.8.35.14.18.1.3.256	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.257	.1.3.6.1.4.1.26138.8.35.14.18.1.3.257	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.258	.1.3.6.1.4.1.26138.8.35.14.18.1.3.258	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.259	.1.3.6.1.4.1.26138.8.35.14.18.1.3.259	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.260	.1.3.6.1.4.1.26138.8.35.14.18.1.3.260	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.261	.1.3.6.1.4.1.26138.8.35.14.18.1.3.261	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.262	.1.3.6.1.4.1.26138.8.35.14.18.1.3.262	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.263	.1.3.6.1.4.1.26138.8.35.14.18.1.3.263	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.264	.1.3.6.1.4.1.26138.8.35.14.18.1.3.264	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.265	.1.3.6.1.4.1.26138.8.35.14.18.1.3.265	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.266	.1.3.6.1.4.1.26138.8.35.14.18.1.3.266	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.267	.1.3.6.1.4.1.26138.8.35.14.18.1.3.267	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.268	.1.3.6.1.4.1.26138.8.35.14.18.1.3.268	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.269	.1.3.6.1.4.1.26138.8.35.14.18.1.3.269	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.270	.1.3.6.1.4.1.26138.8.35.14.18.1.3.270	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.271	.1.3.6.1.4.1.26138.8.35.14.18.1.3.271	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.272	.1.3.6.1.4.1.26138.8.35.14.18.1.3.272	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.273	.1.3.6.1.4.1.26138.8.35.14.18.1.3.273	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.274	.1.3.6.1.4.1.26138.8.35.14.18.1.3.274	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.275	.1.3.6.1.4.1.26138.8.35.14.18.1.3.275	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.276	.1.3.6.1.4.1.26138.8.35.14.18.1.3.276	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.277	.1.3.6.1.4.1.26138.8.35.14.18.1.3.277	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.278	.1.3.6.1.4.1.26138.8.35.14.18.1.3.278	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.279	.1.3.6.1.4.1.26138.8.35.14.18.1.3.279	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.280	.1.3.6.1.4.1.26138.8.35.14.18.1.3.280	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.281	.1.3.6.1.4.1.26138.8.35.14.18.1.3.281	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.282	.1.3.6.1.4.1.26138.8.35.14.18.1.3.282	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.283	.1.3.6.1.4.1.26138.8.35.14.18.1.3.283	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.284	.1.3.6.1.4.1.26138.8.35.14.18.1.3.284	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.285	.1.3.6.1.4.1.26138.8.35.14.18.1.3.285	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.286	.1.3.6.1.4.1.26138.8.35.14.18.1.3.286	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.287	.1.3.6.1.4.1.26138.8.35.14.18.1.3.287	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.288	.1.3.6.1.4.1.26138.8.35.14.18.1.3.288	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.289	.1.3.6.1.4.1.26138.8.35.14.18.1.3.289	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.290	.1.3.6.1.4.1.26138.8.35.14.18.1.3.290	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.291	.1.3.6.1.4.1.26138.8.35.14.18.1.3.291	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.292	.1.3.6.1.4.1.26138.8.35.14.18.1.3.292	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.293	.1.3.6.1.4.1.26138.8.35.14.18.1.3.293	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.294	.1.3.6.1.4.1.26138.8.35.14.18.1.3.294	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.295	.1.3.6.1.4.1.26138.8.35.14.18.1.3.295	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.296	.1.3.6.1.4.1.26138.8.35.14.18.1.3.296	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.297	.1.3.6.1.4.1.26138.8.35.14.18.1.3.297	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.298	.1.3.6.1.4.1.26138.8.35.14.18.1.3.298	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.299	.1.3.6.1.4.1.26138.8.35.14.18.1.3.299	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.300	.1.3.6.1.4.1.26138.8.35.14.18.1.3.300	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.301	.1.3.6.1.4.1.26138.8.35.14.18.1.3.301	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.302	.1.3.6.1.4.1.26138.8.35.14.18.1.3.302	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.303	.1.3.6.1.4.1.26138.8.35.14.18.1.3.303	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.304	.1.3.6.1.4.1.26138.8.35.14.18.1.3.304	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.305	.1.3.6.1.4.1.26138.8.35.14.18.1.3.305	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.306	.1.3.6.1.4.1.26138.8.35.14.18.1.3.306	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.307	.1.3.6.1.4.1.26138.8.35.14.18.1.3.307	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.308	.1.3.6.1.4.1.26138.8.35.14.18.1.3.308	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.309	.1.3.6.1.4.1.26138.8.35.14.18.1.3.309	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.310	.1.3.6.1.4.1.26138.8.35.14.18.1.3.310	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.311	.1.3.6.1.4.1.26138.8.35.14.18.1.3.311	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.312	.1.3.6.1.4.1.26138.8.35.14.18.1.3.312	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.313	.1.3.6.1.4.1.26138.8.35.14.18.1.3.313	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.314	.1.3.6.1.4.1.26138.8.35.14.18.1.3.314	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.315	.1.3.6.1.4.1.26138.8.35.14.18.1.3.315	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.316	.1.3.6.1.4.1.26138.8.35.14.18.1.3.316	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.317	.1.3.6.1.4.1.26138.8.35.14.18.1.3.317	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.318	.1.3.6.1.4.1.26138.8.35.14.18.1.3.318	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.319	.1.3.6.1.4.1.26138.8.35.14.18.1.3.319	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.320	.1.3.6.1.4.1.26138.8.35.14.18.1.3.320	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.321	.1.3.6.1.4.1.26138.8.35.14.18.1.3.321	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.322	.1.3.6.1.4.1.26138.8.35.14.18.1.3.322	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.323	.1.3.6.1.4.1.26138.8.35.14.18.1.3.323	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.324	.1.3.6.1.4.1.26138.8.35.14.18.1.3.324	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.325	.1.3.6.1.4.1.26138.8.35.14.18.1.3.325	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.326	.1.3.6.1.4.1.26138.8.35.14.18.1.3.326	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.327	.1.3.6.1.4.1.26138.8.35.14.18.1.3.327	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.328	.1.3.6.1.4.1.26138.8.35.14.18.1.3.328	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.329	.1.3.6.1.4.1.26138.8.35.14.18.1.3.329	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.330	.1.3.6.1.4.1.26138.8.35.14.18.1.3.330	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.331	.1.3.6.1.4.1.26138.8.35.14.18.1.3.331	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.332	.1.3.6.1.4.1.26138.8.35.14.18.1.3.332	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.333	.1.3.6.1.4.1.26138.8.35.14.18.1.3.333	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.334	.1.3.6.1.4.1.26138.8.35.14.18.1.3.334	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.335	.1.3.6.1.4.1.26138.8.35.14.18.1.3.335	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.336	.1.3.6.1.4.1.26138.8.35.14.18.1.3.336	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.337	.1.3.6.1.4.1.26138.8.35.14.18.1.3.337	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.338	.1.3.6.1.4.1.26138.8.35.14.18.1.3.338	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.339	.1.3.6.1.4.1.26138.8.35.14.18.1.3.339	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.340	.1.3.6.1.4.1.26138.8.35.14.18.1.3.340	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.341	.1.3.6.1.4.1.26138.8.35.14.18.1.3.341	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.342	.1.3.6.1.4.1.26138.8.35.14.18.1.3.342	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.343	.1.3.6.1.4.1.26138.8.35.14.18.1.3.343	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.344	.1.3.6.1.4.1.26138.8.35.14.18.1.3.344	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.345	.1.3.6.1.4.1.26138.8.35.14.18.1.3.345	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.346	.1.3.6.1.4.1.26138.8.35.14.18.1.3.346	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.347	.1.3.6.1.4.1.26138.8.35.14.18.1.3.347	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.348	.1.3.6.1.4.1.26138.8.35.14.18.1.3.348	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.349	.1.3.6.1.4.1.26138.8.35.14.18.1.3.349	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.350	.1.3.6.1.4.1.26138.8.35.14.18.1.3.350	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.351	.1.3.6.1.4.1.26138.8.35.14.18.1.3.351	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.352	.1.3.6.1.4.1.26138.8.35.14.18.1.3.352	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.353	.1.3.6.1.4.1.26138.8.35.14.18.1.3.353	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.354	.1.3.6.1.4.1.26138.8.35.14.18.1.3.354	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.355	.1.3.6.1.4.1.26138.8.35.14.18.1.3.355	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.356	.1.3.6.1.4.1.26138.8.35.14.18.1.3.356	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.357	.1.3.6.1.4.1.26138.8.35.14.18.1.3.357	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.358	.1.3.6.1.4.1.26138.8.35.14.18.1.3.358	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.359	.1.3.6.1.4.1.26138.8.35.14.18.1.3.359	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.360	.1.3.6.1.4.1.26138.8.35.14.18.1.3.360	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.361	.1.3.6.1.4.1.26138.8.35.14.18.1.3.361	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.362	.1.3.6.1.4.1.26138.8.35.14.18.1.3.362	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.363	.1.3.6.1.4.1.26138.8.35.14.18.1.3.363	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.364	.1.3.6.1.4.1.26138.8.35.14.18.1.3.364	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.365	.1.3.6.1.4.1.26138.8.35.14.18.1.3.365	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.366	.1.3.6.1.4.1.26138.8.35.14.18.1.3.366	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.367	.1.3.6.1.4.1.26138.8.35.14.18.1.3.367	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.368	.1.3.6.1.4.1.26138.8.35.14.18.1.3.368	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.369	.1.3.6.1.4.1.26138.8.35.14.18.1.3.369	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.370	.1.3.6.1.4.1.26138.8.35.14.18.1.3.370	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.371	.1.3.6.1.4.1.26138.8.35.14.18.1.3.371	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.372	.1.3.6.1.4.1.26138.8.35.14.18.1.3.372	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.373	.1.3.6.1.4.1.26138.8.35.14.18.1.3.373	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.374	.1.3.6.1.4.1.26138.8.35.14.18.1.3.374	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.375	.1.3.6.1.4.1.26138.8.35.14.18.1.3.375	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.376	.1.3.6.1.4.1.26138.8.35.14.18.1.3.376	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.377	.1.3.6.1.4.1.26138.8.35.14.18.1.3.377	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.378	.1.3.6.1.4.1.26138.8.35.14.18.1.3.378	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.379	.1.3.6.1.4.1.26138.8.35.14.18.1.3.379	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.380	.1.3.6.1.4.1.26138.8.35.14.18.1.3.380	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.381	.1.3.6.1.4.1.26138.8.35.14.18.1.3.381	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.382	.1.3.6.1.4.1.26138.8.35.14.18.1.3.382	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.383	.1.3.6.1.4.1.26138.8.35.14.18.1.3.383	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.384	.1.3.6.1.4.1.26138.8.35.14.18.1.3.384	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.385	.1.3.6.1.4.1.26138.8.35.14.18.1.3.385	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.386	.1.3.6.1.4.1.26138.8.35.14.18.1.3.386	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.387	.1.3.6.1.4.1.26138.8.35.14.18.1.3.387	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.388	.1.3.6.1.4.1.26138.8.35.14.18.1.3.388	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.389	.1.3.6.1.4.1.26138.8.35.14.18.1.3.389	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.390	.1.3.6.1.4.1.26138.8.35.14.18.1.3.390	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.391	.1.3.6.1.4.1.26138.8.35.14.18.1.3.391	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.392	.1.3.6.1.4.1.26138.8.35.14.18.1.3.392	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.393	.1.3.6.1.4.1.26138.8.35.14.18.1.3.393	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.394	.1.3.6.1.4.1.26138.8.35.14.18.1.3.394	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.395	.1.3.6.1.4.1.26138.8.35.14.18.1.3.395	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.396	.1.3.6.1.4.1.26138.8.35.14.18.1.3.396	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.397	.1.3.6.1.4.1.26138.8.35.14.18.1.3.397	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.398	.1.3.6.1.4.1.26138.8.35.14.18.1.3.398	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.399	.1.3.6.1.4.1.26138.8.35.14.18.1.3.399	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.400	.1.3.6.1.4.1.26138.8.35.14.18.1.3.400	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.401	.1.3.6.1.4.1.26138.8.35.14.18.1.3.401	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.402	.1.3.6.1.4.1.26138.8.35.14.18.1.3.402	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.403	.1.3.6.1.4.1.26138.8.35.14.18.1.3.403	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.404	.1.3.6.1.4.1.26138.8.35.14.18.1.3.404	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.405	.1.3.6.1.4.1.26138.8.35.14.18.1.3.405	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.406	.1.3.6.1.4.1.26138.8.35.14.18.1.3.406	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.407	.1.3.6.1.4.1.26138.8.35.14.18.1.3.407	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.408	.1.3.6.1.4.1.26138.8.35.14.18.1.3.408	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.409	.1.3.6.1.4.1.26138.8.35.14.18.1.3.409	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.410	.1.3.6.1.4.1.26138.8.35.14.18.1.3.410	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.411	.1.3.6.1.4.1.26138.8.35.14.18.1.3.411	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.412	.1.3.6.1.4.1.26138.8.35.14.18.1.3.412	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.413	.1.3.6.1.4.1.26138.8.35.14.18.1.3.413	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.414	.1.3.6.1.4.1.26138.8.35.14.18.1.3.414	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.415	.1.3.6.1.4.1.26138.8.35.14.18.1.3.415	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.416	.1.3.6.1.4.1.26138.8.35.14.18.1.3.416	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.417	.1.3.6.1.4.1.26138.8.35.14.18.1.3.417	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.418	.1.3.6.1.4.1.26138.8.35.14.18.1.3.418	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.419	.1.3.6.1.4.1.26138.8.35.14.18.1.3.419	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.420	.1.3.6.1.4.1.26138.8.35.14.18.1.3.420	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.421	.1.3.6.1.4.1.26138.8.35.14.18.1.3.421	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.422	.1.3.6.1.4.1.26138.8.35.14.18.1.3.422	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.423	.1.3.6.1.4.1.26138.8.35.14.18.1.3.423	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.424	.1.3.6.1.4.1.26138.8.35.14.18.1.3.424	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.425	.1.3.6.1.4.1.26138.8.35.14.18.1.3.425	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.426	.1.3.6.1.4.1.26138.8.35.14.18.1.3.426	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.427	.1.3.6.1.4.1.26138.8.35.14.18.1.3.427	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.428	.1.3.6.1.4.1.26138.8.35.14.18.1.3.428	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.429	.1.3.6.1.4.1.26138.8.35.14.18.1.3.429	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.430	.1.3.6.1.4.1.26138.8.35.14.18.1.3.430	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.431	.1.3.6.1.4.1.26138.8.35.14.18.1.3.431	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.432	.1.3.6.1.4.1.26138.8.35.14.18.1.3.432	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.433	.1.3.6.1.4.1.26138.8.35.14.18.1.3.433	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.434	.1.3.6.1.4.1.26138.8.35.14.18.1.3.434	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.435	.1.3.6.1.4.1.26138.8.35.14.18.1.3.435	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.436	.1.3.6.1.4.1.26138.8.35.14.18.1.3.436	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.437	.1.3.6.1.4.1.26138.8.35.14.18.1.3.437	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.438	.1.3.6.1.4.1.26138.8.35.14.18.1.3.438	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.439	.1.3.6.1.4.1.26138.8.35.14.18.1.3.439	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.440	.1.3.6.1.4.1.26138.8.35.14.18.1.3.440	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.441	.1.3.6.1.4.1.26138.8.35.14.18.1.3.441	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.442	.1.3.6.1.4.1.26138.8.35.14.18.1.3.442	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.443	.1.3.6.1.4.1.26138.8.35.14.18.1.3.443	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.444	.1.3.6.1.4.1.26138.8.35.14.18.1.3.444	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.445	.1.3.6.1.4.1.26138.8.35.14.18.1.3.445	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.446	.1.3.6.1.4.1.26138.8.35.14.18.1.3.446	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.447	.1.3.6.1.4.1.26138.8.35.14.18.1.3.447	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.448	.1.3.6.1.4.1.26138.8.35.14.18.1.3.448	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.449	.1.3.6.1.4.1.26138.8.35.14.18.1.3.449	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.450	.1.3.6.1.4.1.26138.8.35.14.18.1.3.450	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.451	.1.3.6.1.4.1.26138.8.35.14.18.1.3.451	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.452	.1.3.6.1.4.1.26138.8.35.14.18.1.3.452	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.453	.1.3.6.1.4.1.26138.8.35.14.18.1.3.453	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.454	.1.3.6.1.4.1.26138.8.35.14.18.1.3.454	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.455	.1.3.6.1.4.1.26138.8.35.14.18.1.3.455	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.456	.1.3.6.1.4.1.26138.8.35.14.18.1.3.456	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.457	.1.3.6.1.4.1.26138.8.35.14.18.1.3.457	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.458	.1.3.6.1.4.1.26138.8.35.14.18.1.3.458	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.459	.1.3.6.1.4.1.26138.8.35.14.18.1.3.459	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.460	.1.3.6.1.4.1.26138.8.35.14.18.1.3.460	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.461	.1.3.6.1.4.1.26138.8.35.14.18.1.3.461	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.462	.1.3.6.1.4.1.26138.8.35.14.18.1.3.462	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.463	.1.3.6.1.4.1.26138.8.35.14.18.1.3.463	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.464	.1.3.6.1.4.1.26138.8.35.14.18.1.3.464	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.465	.1.3.6.1.4.1.26138.8.35.14.18.1.3.465	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.466	.1.3.6.1.4.1.26138.8.35.14.18.1.3.466	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.467	.1.3.6.1.4.1.26138.8.35.14.18.1.3.467	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.468	.1.3.6.1.4.1.26138.8.35.14.18.1.3.468	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.469	.1.3.6.1.4.1.26138.8.35.14.18.1.3.469	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.470	.1.3.6.1.4.1.26138.8.35.14.18.1.3.470	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.471	.1.3.6.1.4.1.26138.8.35.14.18.1.3.471	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.472	.1.3.6.1.4.1.26138.8.35.14.18.1.3.472	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.473	.1.3.6.1.4.1.26138.8.35.14.18.1.3.473	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.474	.1.3.6.1.4.1.26138.8.35.14.18.1.3.474	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.475	.1.3.6.1.4.1.26138.8.35.14.18.1.3.475	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.476	.1.3.6.1.4.1.26138.8.35.14.18.1.3.476	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.477	.1.3.6.1.4.1.26138.8.35.14.18.1.3.477	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.478	.1.3.6.1.4.1.26138.8.35.14.18.1.3.478	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.479	.1.3.6.1.4.1.26138.8.35.14.18.1.3.479	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.480	.1.3.6.1.4.1.26138.8.35.14.18.1.3.480	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.481	.1.3.6.1.4.1.26138.8.35.14.18.1.3.481	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.482	.1.3.6.1.4.1.26138.8.35.14.18.1.3.482	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.483	.1.3.6.1.4.1.26138.8.35.14.18.1.3.483	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.484	.1.3.6.1.4.1.26138.8.35.14.18.1.3.484	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.485	.1.3.6.1.4.1.26138.8.35.14.18.1.3.485	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.486	.1.3.6.1.4.1.26138.8.35.14.18.1.3.486	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.487	.1.3.6.1.4.1.26138.8.35.14.18.1.3.487	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.488	.1.3.6.1.4.1.26138.8.35.14.18.1.3.488	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.489	.1.3.6.1.4.1.26138.8.35.14.18.1.3.489	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.490	.1.3.6.1.4.1.26138.8.35.14.18.1.3.490	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.491	.1.3.6.1.4.1.26138.8.35.14.18.1.3.491	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.492	.1.3.6.1.4.1.26138.8.35.14.18.1.3.492	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.493	.1.3.6.1.4.1.26138.8.35.14.18.1.3.493	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.494	.1.3.6.1.4.1.26138.8.35.14.18.1.3.494	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.495	.1.3.6.1.4.1.26138.8.35.14.18.1.3.495	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.496	.1.3.6.1.4.1.26138.8.35.14.18.1.3.496	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.497	.1.3.6.1.4.1.26138.8.35.14.18.1.3.497	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.498	.1.3.6.1.4.1.26138.8.35.14.18.1.3.498	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.499	.1.3.6.1.4.1.26138.8.35.14.18.1.3.499	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.500	.1.3.6.1.4.1.26138.8.35.14.18.1.3.500	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.501	.1.3.6.1.4.1.26138.8.35.14.18.1.3.501	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.502	.1.3.6.1.4.1.26138.8.35.14.18.1.3.502	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.503	.1.3.6.1.4.1.26138.8.35.14.18.1.3.503	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.504	.1.3.6.1.4.1.26138.8.35.14.18.1.3.504	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.505	.1.3.6.1.4.1.26138.8.35.14.18.1.3.505	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.506	.1.3.6.1.4.1.26138.8.35.14.18.1.3.506	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.507	.1.3.6.1.4.1.26138.8.35.14.18.1.3.507	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.508	.1.3.6.1.4.1.26138.8.35.14.18.1.3.508	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.509	.1.3.6.1.4.1.26138.8.35.14.18.1.3.509	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.510	.1.3.6.1.4.1.26138.8.35.14.18.1.3.510	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.511	.1.3.6.1.4.1.26138.8.35.14.18.1.3.511	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.512	.1.3.6.1.4.1.26138.8.35.14.18.1.3.512	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.513	.1.3.6.1.4.1.26138.8.35.14.18.1.3.513	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.514	.1.3.6.1.4.1.26138.8.35.14.18.1.3.514	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.515	.1.3.6.1.4.1.26138.8.35.14.18.1.3.515	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.516	.1.3.6.1.4.1.26138.8.35.14.18.1.3.516	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.517	.1.3.6.1.4.1.26138.8.35.14.18.1.3.517	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.518	.1.3.6.1.4.1.26138.8.35.14.18.1.3.518	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.519	.1.3.6.1.4.1.26138.8.35.14.18.1.3.519	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.520	.1.3.6.1.4.1.26138.8.35.14.18.1.3.520	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.521	.1.3.6.1.4.1.26138.8.35.14.18.1.3.521	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.522	.1.3.6.1.4.1.26138.8.35.14.18.1.3.522	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.523	.1.3.6.1.4.1.26138.8.35.14.18.1.3.523	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.524	.1.3.6.1.4.1.26138.8.35.14.18.1.3.524	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.525	.1.3.6.1.4.1.26138.8.35.14.18.1.3.525	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.526	.1.3.6.1.4.1.26138.8.35.14.18.1.3.526	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.527	.1.3.6.1.4.1.26138.8.35.14.18.1.3.527	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.528	.1.3.6.1.4.1.26138.8.35.14.18.1.3.528	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.529	.1.3.6.1.4.1.26138.8.35.14.18.1.3.529	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.530	.1.3.6.1.4.1.26138.8.35.14.18.1.3.530	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.531	.1.3.6.1.4.1.26138.8.35.14.18.1.3.531	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.532	.1.3.6.1.4.1.26138.8.35.14.18.1.3.532	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.533	.1.3.6.1.4.1.26138.8.35.14.18.1.3.533	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.534	.1.3.6.1.4.1.26138.8.35.14.18.1.3.534	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.535	.1.3.6.1.4.1.26138.8.35.14.18.1.3.535	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.536	.1.3.6.1.4.1.26138.8.35.14.18.1.3.536	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.537	.1.3.6.1.4.1.26138.8.35.14.18.1.3.537	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.538	.1.3.6.1.4.1.26138.8.35.14.18.1.3.538	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.539	.1.3.6.1.4.1.26138.8.35.14.18.1.3.539	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.540	.1.3.6.1.4.1.26138.8.35.14.18.1.3.540	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.541	.1.3.6.1.4.1.26138.8.35.14.18.1.3.541	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.542	.1.3.6.1.4.1.26138.8.35.14.18.1.3.542	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.543	.1.3.6.1.4.1.26138.8.35.14.18.1.3.543	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.544	.1.3.6.1.4.1.26138.8.35.14.18.1.3.544	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.545	.1.3.6.1.4.1.26138.8.35.14.18.1.3.545	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.546	.1.3.6.1.4.1.26138.8.35.14.18.1.3.546	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.547	.1.3.6.1.4.1.26138.8.35.14.18.1.3.547	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.548	.1.3.6.1.4.1.26138.8.35.14.18.1.3.548	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.549	.1.3.6.1.4.1.26138.8.35.14.18.1.3.549	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.550	.1.3.6.1.4.1.26138.8.35.14.18.1.3.550	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.551	.1.3.6.1.4.1.26138.8.35.14.18.1.3.551	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.552	.1.3.6.1.4.1.26138.8.35.14.18.1.3.552	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.553	.1.3.6.1.4.1.26138.8.35.14.18.1.3.553	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.554	.1.3.6.1.4.1.26138.8.35.14.18.1.3.554	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.555	.1.3.6.1.4.1.26138.8.35.14.18.1.3.555	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.556	.1.3.6.1.4.1.26138.8.35.14.18.1.3.556	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.557	.1.3.6.1.4.1.26138.8.35.14.18.1.3.557	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.558	.1.3.6.1.4.1.26138.8.35.14.18.1.3.558	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.559	.1.3.6.1.4.1.26138.8.35.14.18.1.3.559	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.560	.1.3.6.1.4.1.26138.8.35.14.18.1.3.560	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.561	.1.3.6.1.4.1.26138.8.35.14.18.1.3.561	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.562	.1.3.6.1.4.1.26138.8.35.14.18.1.3.562	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.563	.1.3.6.1.4.1.26138.8.35.14.18.1.3.563	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.564	.1.3.6.1.4.1.26138.8.35.14.18.1.3.564	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.565	.1.3.6.1.4.1.26138.8.35.14.18.1.3.565	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.566	.1.3.6.1.4.1.26138.8.35.14.18.1.3.566	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.567	.1.3.6.1.4.1.26138.8.35.14.18.1.3.567	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.568	.1.3.6.1.4.1.26138.8.35.14.18.1.3.568	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.569	.1.3.6.1.4.1.26138.8.35.14.18.1.3.569	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.570	.1.3.6.1.4.1.26138.8.35.14.18.1.3.570	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.571	.1.3.6.1.4.1.26138.8.35.14.18.1.3.571	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.572	.1.3.6.1.4.1.26138.8.35.14.18.1.3.572	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.573	.1.3.6.1.4.1.26138.8.35.14.18.1.3.573	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.574	.1.3.6.1.4.1.26138.8.35.14.18.1.3.574	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.575	.1.3.6.1.4.1.26138.8.35.14.18.1.3.575	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.576	.1.3.6.1.4.1.26138.8.35.14.18.1.3.576	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.577	.1.3.6.1.4.1.26138.8.35.14.18.1.3.577	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.578	.1.3.6.1.4.1.26138.8.35.14.18.1.3.578	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.579	.1.3.6.1.4.1.26138.8.35.14.18.1.3.579	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.580	.1.3.6.1.4.1.26138.8.35.14.18.1.3.580	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.581	.1.3.6.1.4.1.26138.8.35.14.18.1.3.581	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.582	.1.3.6.1.4.1.26138.8.35.14.18.1.3.582	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.583	.1.3.6.1.4.1.26138.8.35.14.18.1.3.583	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.584	.1.3.6.1.4.1.26138.8.35.14.18.1.3.584	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.585	.1.3.6.1.4.1.26138.8.35.14.18.1.3.585	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.586	.1.3.6.1.4.1.26138.8.35.14.18.1.3.586	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.587	.1.3.6.1.4.1.26138.8.35.14.18.1.3.587	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.588	.1.3.6.1.4.1.26138.8.35.14.18.1.3.588	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.589	.1.3.6.1.4.1.26138.8.35.14.18.1.3.589	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.590	.1.3.6.1.4.1.26138.8.35.14.18.1.3.590	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.591	.1.3.6.1.4.1.26138.8.35.14.18.1.3.591	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.592	.1.3.6.1.4.1.26138.8.35.14.18.1.3.592	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.593	.1.3.6.1.4.1.26138.8.35.14.18.1.3.593	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.594	.1.3.6.1.4.1.26138.8.35.14.18.1.3.594	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.595	.1.3.6.1.4.1.26138.8.35.14.18.1.3.595	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.596	.1.3.6.1.4.1.26138.8.35.14.18.1.3.596	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.597	.1.3.6.1.4.1.26138.8.35.14.18.1.3.597	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.598	.1.3.6.1.4.1.26138.8.35.14.18.1.3.598	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.599	.1.3.6.1.4.1.26138.8.35.14.18.1.3.599	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.600	.1.3.6.1.4.1.26138.8.35.14.18.1.3.600	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.601	.1.3.6.1.4.1.26138.8.35.14.18.1.3.601	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.602	.1.3.6.1.4.1.26138.8.35.14.18.1.3.602	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.603	.1.3.6.1.4.1.26138.8.35.14.18.1.3.603	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.604	.1.3.6.1.4.1.26138.8.35.14.18.1.3.604	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.605	.1.3.6.1.4.1.26138.8.35.14.18.1.3.605	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.606	.1.3.6.1.4.1.26138.8.35.14.18.1.3.606	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.607	.1.3.6.1.4.1.26138.8.35.14.18.1.3.607	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.608	.1.3.6.1.4.1.26138.8.35.14.18.1.3.608	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.609	.1.3.6.1.4.1.26138.8.35.14.18.1.3.609	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.610	.1.3.6.1.4.1.26138.8.35.14.18.1.3.610	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.611	.1.3.6.1.4.1.26138.8.35.14.18.1.3.611	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.612	.1.3.6.1.4.1.26138.8.35.14.18.1.3.612	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.613	.1.3.6.1.4.1.26138.8.35.14.18.1.3.613	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.614	.1.3.6.1.4.1.26138.8.35.14.18.1.3.614	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.615	.1.3.6.1.4.1.26138.8.35.14.18.1.3.615	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.616	.1.3.6.1.4.1.26138.8.35.14.18.1.3.616	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.617	.1.3.6.1.4.1.26138.8.35.14.18.1.3.617	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.618	.1.3.6.1.4.1.26138.8.35.14.18.1.3.618	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.619	.1.3.6.1.4.1.26138.8.35.14.18.1.3.619	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.620	.1.3.6.1.4.1.26138.8.35.14.18.1.3.620	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.621	.1.3.6.1.4.1.26138.8.35.14.18.1.3.621	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.622	.1.3.6.1.4.1.26138.8.35.14.18.1.3.622	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.623	.1.3.6.1.4.1.26138.8.35.14.18.1.3.623	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.624	.1.3.6.1.4.1.26138.8.35.14.18.1.3.624	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.625	.1.3.6.1.4.1.26138.8.35.14.18.1.3.625	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.626	.1.3.6.1.4.1.26138.8.35.14.18.1.3.626	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.627	.1.3.6.1.4.1.26138.8.35.14.18.1.3.627	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.628	.1.3.6.1.4.1.26138.8.35.14.18.1.3.628	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.629	.1.3.6.1.4.1.26138.8.35.14.18.1.3.629	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.630	.1.3.6.1.4.1.26138.8.35.14.18.1.3.630	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.631	.1.3.6.1.4.1.26138.8.35.14.18.1.3.631	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.632	.1.3.6.1.4.1.26138.8.35.14.18.1.3.632	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.633	.1.3.6.1.4.1.26138.8.35.14.18.1.3.633	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.634	.1.3.6.1.4.1.26138.8.35.14.18.1.3.634	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.635	.1.3.6.1.4.1.26138.8.35.14.18.1.3.635	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.636	.1.3.6.1.4.1.26138.8.35.14.18.1.3.636	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.637	.1.3.6.1.4.1.26138.8.35.14.18.1.3.637	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.638	.1.3.6.1.4.1.26138.8.35.14.18.1.3.638	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.639	.1.3.6.1.4.1.26138.8.35.14.18.1.3.639	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.640	.1.3.6.1.4.1.26138.8.35.14.18.1.3.640	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.641	.1.3.6.1.4.1.26138.8.35.14.18.1.3.641	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.642	.1.3.6.1.4.1.26138.8.35.14.18.1.3.642	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.643	.1.3.6.1.4.1.26138.8.35.14.18.1.3.643	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.644	.1.3.6.1.4.1.26138.8.35.14.18.1.3.644	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.645	.1.3.6.1.4.1.26138.8.35.14.18.1.3.645	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.646	.1.3.6.1.4.1.26138.8.35.14.18.1.3.646	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.647	.1.3.6.1.4.1.26138.8.35.14.18.1.3.647	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.648	.1.3.6.1.4.1.26138.8.35.14.18.1.3.648	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.649	.1.3.6.1.4.1.26138.8.35.14.18.1.3.649	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.650	.1.3.6.1.4.1.26138.8.35.14.18.1.3.650	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.651	.1.3.6.1.4.1.26138.8.35.14.18.1.3.651	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.652	.1.3.6.1.4.1.26138.8.35.14.18.1.3.652	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.653	.1.3.6.1.4.1.26138.8.35.14.18.1.3.653	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.654	.1.3.6.1.4.1.26138.8.35.14.18.1.3.654	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.655	.1.3.6.1.4.1.26138.8.35.14.18.1.3.655	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.656	.1.3.6.1.4.1.26138.8.35.14.18.1.3.656	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.657	.1.3.6.1.4.1.26138.8.35.14.18.1.3.657	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.658	.1.3.6.1.4.1.26138.8.35.14.18.1.3.658	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.659	.1.3.6.1.4.1.26138.8.35.14.18.1.3.659	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.660	.1.3.6.1.4.1.26138.8.35.14.18.1.3.660	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.661	.1.3.6.1.4.1.26138.8.35.14.18.1.3.661	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.662	.1.3.6.1.4.1.26138.8.35.14.18.1.3.662	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.663	.1.3.6.1.4.1.26138.8.35.14.18.1.3.663	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.664	.1.3.6.1.4.1.26138.8.35.14.18.1.3.664	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.665	.1.3.6.1.4.1.26138.8.35.14.18.1.3.665	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.666	.1.3.6.1.4.1.26138.8.35.14.18.1.3.666	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.667	.1.3.6.1.4.1.26138.8.35.14.18.1.3.667	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.668	.1.3.6.1.4.1.26138.8.35.14.18.1.3.668	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.669	.1.3.6.1.4.1.26138.8.35.14.18.1.3.669	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.670	.1.3.6.1.4.1.26138.8.35.14.18.1.3.670	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.671	.1.3.6.1.4.1.26138.8.35.14.18.1.3.671	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.672	.1.3.6.1.4.1.26138.8.35.14.18.1.3.672	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.673	.1.3.6.1.4.1.26138.8.35.14.18.1.3.673	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.674	.1.3.6.1.4.1.26138.8.35.14.18.1.3.674	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.675	.1.3.6.1.4.1.26138.8.35.14.18.1.3.675	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.676	.1.3.6.1.4.1.26138.8.35.14.18.1.3.676	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.677	.1.3.6.1.4.1.26138.8.35.14.18.1.3.677	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.678	.1.3.6.1.4.1.26138.8.35.14.18.1.3.678	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.679	.1.3.6.1.4.1.26138.8.35.14.18.1.3.679	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.680	.1.3.6.1.4.1.26138.8.35.14.18.1.3.680	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.681	.1.3.6.1.4.1.26138.8.35.14.18.1.3.681	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.682	.1.3.6.1.4.1.26138.8.35.14.18.1.3.682	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.683	.1.3.6.1.4.1.26138.8.35.14.18.1.3.683	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.684	.1.3.6.1.4.1.26138.8.35.14.18.1.3.684	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.685	.1.3.6.1.4.1.26138.8.35.14.18.1.3.685	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.686	.1.3.6.1.4.1.26138.8.35.14.18.1.3.686	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.687	.1.3.6.1.4.1.26138.8.35.14.18.1.3.687	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.688	.1.3.6.1.4.1.26138.8.35.14.18.1.3.688	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.689	.1.3.6.1.4.1.26138.8.35.14.18.1.3.689	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.690	.1.3.6.1.4.1.26138.8.35.14.18.1.3.690	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.691	.1.3.6.1.4.1.26138.8.35.14.18.1.3.691	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.692	.1.3.6.1.4.1.26138.8.35.14.18.1.3.692	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.693	.1.3.6.1.4.1.26138.8.35.14.18.1.3.693	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.694	.1.3.6.1.4.1.26138.8.35.14.18.1.3.694	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.695	.1.3.6.1.4.1.26138.8.35.14.18.1.3.695	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.696	.1.3.6.1.4.1.26138.8.35.14.18.1.3.696	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.697	.1.3.6.1.4.1.26138.8.35.14.18.1.3.697	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.698	.1.3.6.1.4.1.26138.8.35.14.18.1.3.698	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.699	.1.3.6.1.4.1.26138.8.35.14.18.1.3.699	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.700	.1.3.6.1.4.1.26138.8.35.14.18.1.3.700	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.701	.1.3.6.1.4.1.26138.8.35.14.18.1.3.701	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.702	.1.3.6.1.4.1.26138.8.35.14.18.1.3.702	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.703	.1.3.6.1.4.1.26138.8.35.14.18.1.3.703	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.704	.1.3.6.1.4.1.26138.8.35.14.18.1.3.704	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.705	.1.3.6.1.4.1.26138.8.35.14.18.1.3.705	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.706	.1.3.6.1.4.1.26138.8.35.14.18.1.3.706	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.707	.1.3.6.1.4.1.26138.8.35.14.18.1.3.707	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.708	.1.3.6.1.4.1.26138.8.35.14.18.1.3.708	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.709	.1.3.6.1.4.1.26138.8.35.14.18.1.3.709	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.710	.1.3.6.1.4.1.26138.8.35.14.18.1.3.710	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.711	.1.3.6.1.4.1.26138.8.35.14.18.1.3.711	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.712	.1.3.6.1.4.1.26138.8.35.14.18.1.3.712	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.713	.1.3.6.1.4.1.26138.8.35.14.18.1.3.713	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.714	.1.3.6.1.4.1.26138.8.35.14.18.1.3.714	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.715	.1.3.6.1.4.1.26138.8.35.14.18.1.3.715	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.716	.1.3.6.1.4.1.26138.8.35.14.18.1.3.716	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.717	.1.3.6.1.4.1.26138.8.35.14.18.1.3.717	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.718	.1.3.6.1.4.1.26138.8.35.14.18.1.3.718	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.719	.1.3.6.1.4.1.26138.8.35.14.18.1.3.719	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.720	.1.3.6.1.4.1.26138.8.35.14.18.1.3.720	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.721	.1.3.6.1.4.1.26138.8.35.14.18.1.3.721	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.722	.1.3.6.1.4.1.26138.8.35.14.18.1.3.722	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.723	.1.3.6.1.4.1.26138.8.35.14.18.1.3.723	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.724	.1.3.6.1.4.1.26138.8.35.14.18.1.3.724	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.725	.1.3.6.1.4.1.26138.8.35.14.18.1.3.725	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.726	.1.3.6.1.4.1.26138.8.35.14.18.1.3.726	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.727	.1.3.6.1.4.1.26138.8.35.14.18.1.3.727	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.728	.1.3.6.1.4.1.26138.8.35.14.18.1.3.728	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.729	.1.3.6.1.4.1.26138.8.35.14.18.1.3.729	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.730	.1.3.6.1.4.1.26138.8.35.14.18.1.3.730	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.731	.1.3.6.1.4.1.26138.8.35.14.18.1.3.731	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.732	.1.3.6.1.4.1.26138.8.35.14.18.1.3.732	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.733	.1.3.6.1.4.1.26138.8.35.14.18.1.3.733	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.734	.1.3.6.1.4.1.26138.8.35.14.18.1.3.734	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.735	.1.3.6.1.4.1.26138.8.35.14.18.1.3.735	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.736	.1.3.6.1.4.1.26138.8.35.14.18.1.3.736	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.737	.1.3.6.1.4.1.26138.8.35.14.18.1.3.737	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.738	.1.3.6.1.4.1.26138.8.35.14.18.1.3.738	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.739	.1.3.6.1.4.1.26138.8.35.14.18.1.3.739	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.740	.1.3.6.1.4.1.26138.8.35.14.18.1.3.740	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.741	.1.3.6.1.4.1.26138.8.35.14.18.1.3.741	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.742	.1.3.6.1.4.1.26138.8.35.14.18.1.3.742	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.743	.1.3.6.1.4.1.26138.8.35.14.18.1.3.743	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.744	.1.3.6.1.4.1.26138.8.35.14.18.1.3.744	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.745	.1.3.6.1.4.1.26138.8.35.14.18.1.3.745	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.746	.1.3.6.1.4.1.26138.8.35.14.18.1.3.746	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.747	.1.3.6.1.4.1.26138.8.35.14.18.1.3.747	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.748	.1.3.6.1.4.1.26138.8.35.14.18.1.3.748	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.749	.1.3.6.1.4.1.26138.8.35.14.18.1.3.749	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.750	.1.3.6.1.4.1.26138.8.35.14.18.1.3.750	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.751	.1.3.6.1.4.1.26138.8.35.14.18.1.3.751	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.752	.1.3.6.1.4.1.26138.8.35.14.18.1.3.752	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.753	.1.3.6.1.4.1.26138.8.35.14.18.1.3.753	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.754	.1.3.6.1.4.1.26138.8.35.14.18.1.3.754	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.755	.1.3.6.1.4.1.26138.8.35.14.18.1.3.755	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.756	.1.3.6.1.4.1.26138.8.35.14.18.1.3.756	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.757	.1.3.6.1.4.1.26138.8.35.14.18.1.3.757	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.758	.1.3.6.1.4.1.26138.8.35.14.18.1.3.758	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.759	.1.3.6.1.4.1.26138.8.35.14.18.1.3.759	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.760	.1.3.6.1.4.1.26138.8.35.14.18.1.3.760	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.761	.1.3.6.1.4.1.26138.8.35.14.18.1.3.761	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.762	.1.3.6.1.4.1.26138.8.35.14.18.1.3.762	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.763	.1.3.6.1.4.1.26138.8.35.14.18.1.3.763	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.764	.1.3.6.1.4.1.26138.8.35.14.18.1.3.764	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.765	.1.3.6.1.4.1.26138.8.35.14.18.1.3.765	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.766	.1.3.6.1.4.1.26138.8.35.14.18.1.3.766	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.767	.1.3.6.1.4.1.26138.8.35.14.18.1.3.767	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.768	.1.3.6.1.4.1.26138.8.35.14.18.1.3.768	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.769	.1.3.6.1.4.1.26138.8.35.14.18.1.3.769	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.770	.1.3.6.1.4.1.26138.8.35.14.18.1.3.770	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.771	.1.3.6.1.4.1.26138.8.35.14.18.1.3.771	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.772	.1.3.6.1.4.1.26138.8.35.14.18.1.3.772	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.773	.1.3.6.1.4.1.26138.8.35.14.18.1.3.773	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.774	.1.3.6.1.4.1.26138.8.35.14.18.1.3.774	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.775	.1.3.6.1.4.1.26138.8.35.14.18.1.3.775	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.776	.1.3.6.1.4.1.26138.8.35.14.18.1.3.776	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.777	.1.3.6.1.4.1.26138.8.35.14.18.1.3.777	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.778	.1.3.6.1.4.1.26138.8.35.14.18.1.3.778	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.779	.1.3.6.1.4.1.26138.8.35.14.18.1.3.779	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.780	.1.3.6.1.4.1.26138.8.35.14.18.1.3.780	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.781	.1.3.6.1.4.1.26138.8.35.14.18.1.3.781	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.782	.1.3.6.1.4.1.26138.8.35.14.18.1.3.782	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.783	.1.3.6.1.4.1.26138.8.35.14.18.1.3.783	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.784	.1.3.6.1.4.1.26138.8.35.14.18.1.3.784	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.785	.1.3.6.1.4.1.26138.8.35.14.18.1.3.785	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.786	.1.3.6.1.4.1.26138.8.35.14.18.1.3.786	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.787	.1.3.6.1.4.1.26138.8.35.14.18.1.3.787	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.788	.1.3.6.1.4.1.26138.8.35.14.18.1.3.788	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.789	.1.3.6.1.4.1.26138.8.35.14.18.1.3.789	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.790	.1.3.6.1.4.1.26138.8.35.14.18.1.3.790	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.791	.1.3.6.1.4.1.26138.8.35.14.18.1.3.791	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.792	.1.3.6.1.4.1.26138.8.35.14.18.1.3.792	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.793	.1.3.6.1.4.1.26138.8.35.14.18.1.3.793	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.794	.1.3.6.1.4.1.26138.8.35.14.18.1.3.794	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.795	.1.3.6.1.4.1.26138.8.35.14.18.1.3.795	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.796	.1.3.6.1.4.1.26138.8.35.14.18.1.3.796	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.797	.1.3.6.1.4.1.26138.8.35.14.18.1.3.797	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.798	.1.3.6.1.4.1.26138.8.35.14.18.1.3.798	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.799	.1.3.6.1.4.1.26138.8.35.14.18.1.3.799	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.800	.1.3.6.1.4.1.26138.8.35.14.18.1.3.800	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.801	.1.3.6.1.4.1.26138.8.35.14.18.1.3.801	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.802	.1.3.6.1.4.1.26138.8.35.14.18.1.3.802	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.803	.1.3.6.1.4.1.26138.8.35.14.18.1.3.803	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.804	.1.3.6.1.4.1.26138.8.35.14.18.1.3.804	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.805	.1.3.6.1.4.1.26138.8.35.14.18.1.3.805	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.806	.1.3.6.1.4.1.26138.8.35.14.18.1.3.806	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.807	.1.3.6.1.4.1.26138.8.35.14.18.1.3.807	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.808	.1.3.6.1.4.1.26138.8.35.14.18.1.3.808	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.809	.1.3.6.1.4.1.26138.8.35.14.18.1.3.809	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.810	.1.3.6.1.4.1.26138.8.35.14.18.1.3.810	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.811	.1.3.6.1.4.1.26138.8.35.14.18.1.3.811	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.812	.1.3.6.1.4.1.26138.8.35.14.18.1.3.812	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.813	.1.3.6.1.4.1.26138.8.35.14.18.1.3.813	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.814	.1.3.6.1.4.1.26138.8.35.14.18.1.3.814	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.815	.1.3.6.1.4.1.26138.8.35.14.18.1.3.815	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.816	.1.3.6.1.4.1.26138.8.35.14.18.1.3.816	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.817	.1.3.6.1.4.1.26138.8.35.14.18.1.3.817	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.818	.1.3.6.1.4.1.26138.8.35.14.18.1.3.818	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.819	.1.3.6.1.4.1.26138.8.35.14.18.1.3.819	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.820	.1.3.6.1.4.1.26138.8.35.14.18.1.3.820	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.821	.1.3.6.1.4.1.26138.8.35.14.18.1.3.821	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.822	.1.3.6.1.4.1.26138.8.35.14.18.1.3.822	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.823	.1.3.6.1.4.1.26138.8.35.14.18.1.3.823	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.824	.1.3.6.1.4.1.26138.8.35.14.18.1.3.824	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.825	.1.3.6.1.4.1.26138.8.35.14.18.1.3.825	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.826	.1.3.6.1.4.1.26138.8.35.14.18.1.3.826	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.827	.1.3.6.1.4.1.26138.8.35.14.18.1.3.827	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.828	.1.3.6.1.4.1.26138.8.35.14.18.1.3.828	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.829	.1.3.6.1.4.1.26138.8.35.14.18.1.3.829	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.830	.1.3.6.1.4.1.26138.8.35.14.18.1.3.830	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.831	.1.3.6.1.4.1.26138.8.35.14.18.1.3.831	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.832	.1.3.6.1.4.1.26138.8.35.14.18.1.3.832	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.833	.1.3.6.1.4.1.26138.8.35.14.18.1.3.833	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.834	.1.3.6.1.4.1.26138.8.35.14.18.1.3.834	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.835	.1.3.6.1.4.1.26138.8.35.14.18.1.3.835	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.836	.1.3.6.1.4.1.26138.8.35.14.18.1.3.836	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.837	.1.3.6.1.4.1.26138.8.35.14.18.1.3.837	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.838	.1.3.6.1.4.1.26138.8.35.14.18.1.3.838	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.839	.1.3.6.1.4.1.26138.8.35.14.18.1.3.839	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.840	.1.3.6.1.4.1.26138.8.35.14.18.1.3.840	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.841	.1.3.6.1.4.1.26138.8.35.14.18.1.3.841	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.842	.1.3.6.1.4.1.26138.8.35.14.18.1.3.842	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.843	.1.3.6.1.4.1.26138.8.35.14.18.1.3.843	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.844	.1.3.6.1.4.1.26138.8.35.14.18.1.3.844	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.845	.1.3.6.1.4.1.26138.8.35.14.18.1.3.845	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.846	.1.3.6.1.4.1.26138.8.35.14.18.1.3.846	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.847	.1.3.6.1.4.1.26138.8.35.14.18.1.3.847	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.848	.1.3.6.1.4.1.26138.8.35.14.18.1.3.848	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.849	.1.3.6.1.4.1.26138.8.35.14.18.1.3.849	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.850	.1.3.6.1.4.1.26138.8.35.14.18.1.3.850	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.851	.1.3.6.1.4.1.26138.8.35.14.18.1.3.851	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.852	.1.3.6.1.4.1.26138.8.35.14.18.1.3.852	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.853	.1.3.6.1.4.1.26138.8.35.14.18.1.3.853	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.854	.1.3.6.1.4.1.26138.8.35.14.18.1.3.854	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.855	.1.3.6.1.4.1.26138.8.35.14.18.1.3.855	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.856	.1.3.6.1.4.1.26138.8.35.14.18.1.3.856	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.857	.1.3.6.1.4.1.26138.8.35.14.18.1.3.857	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.858	.1.3.6.1.4.1.26138.8.35.14.18.1.3.858	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.859	.1.3.6.1.4.1.26138.8.35.14.18.1.3.859	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.860	.1.3.6.1.4.1.26138.8.35.14.18.1.3.860	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.861	.1.3.6.1.4.1.26138.8.35.14.18.1.3.861	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.862	.1.3.6.1.4.1.26138.8.35.14.18.1.3.862	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.863	.1.3.6.1.4.1.26138.8.35.14.18.1.3.863	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.864	.1.3.6.1.4.1.26138.8.35.14.18.1.3.864	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.865	.1.3.6.1.4.1.26138.8.35.14.18.1.3.865	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.866	.1.3.6.1.4.1.26138.8.35.14.18.1.3.866	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.867	.1.3.6.1.4.1.26138.8.35.14.18.1.3.867	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.868	.1.3.6.1.4.1.26138.8.35.14.18.1.3.868	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.869	.1.3.6.1.4.1.26138.8.35.14.18.1.3.869	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.870	.1.3.6.1.4.1.26138.8.35.14.18.1.3.870	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.871	.1.3.6.1.4.1.26138.8.35.14.18.1.3.871	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.872	.1.3.6.1.4.1.26138.8.35.14.18.1.3.872	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.873	.1.3.6.1.4.1.26138.8.35.14.18.1.3.873	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.874	.1.3.6.1.4.1.26138.8.35.14.18.1.3.874	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.875	.1.3.6.1.4.1.26138.8.35.14.18.1.3.875	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.876	.1.3.6.1.4.1.26138.8.35.14.18.1.3.876	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.877	.1.3.6.1.4.1.26138.8.35.14.18.1.3.877	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.878	.1.3.6.1.4.1.26138.8.35.14.18.1.3.878	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.879	.1.3.6.1.4.1.26138.8.35.14.18.1.3.879	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.880	.1.3.6.1.4.1.26138.8.35.14.18.1.3.880	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.881	.1.3.6.1.4.1.26138.8.35.14.18.1.3.881	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.882	.1.3.6.1.4.1.26138.8.35.14.18.1.3.882	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.883	.1.3.6.1.4.1.26138.8.35.14.18.1.3.883	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.884	.1.3.6.1.4.1.26138.8.35.14.18.1.3.884	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.885	.1.3.6.1.4.1.26138.8.35.14.18.1.3.885	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.886	.1.3.6.1.4.1.26138.8.35.14.18.1.3.886	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.887	.1.3.6.1.4.1.26138.8.35.14.18.1.3.887	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.888	.1.3.6.1.4.1.26138.8.35.14.18.1.3.888	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.889	.1.3.6.1.4.1.26138.8.35.14.18.1.3.889	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.890	.1.3.6.1.4.1.26138.8.35.14.18.1.3.890	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.891	.1.3.6.1.4.1.26138.8.35.14.18.1.3.891	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.892	.1.3.6.1.4.1.26138.8.35.14.18.1.3.892	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.893	.1.3.6.1.4.1.26138.8.35.14.18.1.3.893	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.894	.1.3.6.1.4.1.26138.8.35.14.18.1.3.894	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.895	.1.3.6.1.4.1.26138.8.35.14.18.1.3.895	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.896	.1.3.6.1.4.1.26138.8.35.14.18.1.3.896	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.897	.1.3.6.1.4.1.26138.8.35.14.18.1.3.897	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.898	.1.3.6.1.4.1.26138.8.35.14.18.1.3.898	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.899	.1.3.6.1.4.1.26138.8.35.14.18.1.3.899	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.900	.1.3.6.1.4.1.26138.8.35.14.18.1.3.900	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.901	.1.3.6.1.4.1.26138.8.35.14.18.1.3.901	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.902	.1.3.6.1.4.1.26138.8.35.14.18.1.3.902	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.903	.1.3.6.1.4.1.26138.8.35.14.18.1.3.903	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.904	.1.3.6.1.4.1.26138.8.35.14.18.1.3.904	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.905	.1.3.6.1.4.1.26138.8.35.14.18.1.3.905	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.906	.1.3.6.1.4.1.26138.8.35.14.18.1.3.906	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.907	.1.3.6.1.4.1.26138.8.35.14.18.1.3.907	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.908	.1.3.6.1.4.1.26138.8.35.14.18.1.3.908	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.909	.1.3.6.1.4.1.26138.8.35.14.18.1.3.909	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.910	.1.3.6.1.4.1.26138.8.35.14.18.1.3.910	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.911	.1.3.6.1.4.1.26138.8.35.14.18.1.3.911	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.912	.1.3.6.1.4.1.26138.8.35.14.18.1.3.912	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.913	.1.3.6.1.4.1.26138.8.35.14.18.1.3.913	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.914	.1.3.6.1.4.1.26138.8.35.14.18.1.3.914	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.915	.1.3.6.1.4.1.26138.8.35.14.18.1.3.915	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.916	.1.3.6.1.4.1.26138.8.35.14.18.1.3.916	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.917	.1.3.6.1.4.1.26138.8.35.14.18.1.3.917	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.918	.1.3.6.1.4.1.26138.8.35.14.18.1.3.918	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.919	.1.3.6.1.4.1.26138.8.35.14.18.1.3.919	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.920	.1.3.6.1.4.1.26138.8.35.14.18.1.3.920	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.921	.1.3.6.1.4.1.26138.8.35.14.18.1.3.921	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.922	.1.3.6.1.4.1.26138.8.35.14.18.1.3.922	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.923	.1.3.6.1.4.1.26138.8.35.14.18.1.3.923	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.924	.1.3.6.1.4.1.26138.8.35.14.18.1.3.924	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.925	.1.3.6.1.4.1.26138.8.35.14.18.1.3.925	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.926	.1.3.6.1.4.1.26138.8.35.14.18.1.3.926	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.927	.1.3.6.1.4.1.26138.8.35.14.18.1.3.927	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.928	.1.3.6.1.4.1.26138.8.35.14.18.1.3.928	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.929	.1.3.6.1.4.1.26138.8.35.14.18.1.3.929	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.930	.1.3.6.1.4.1.26138.8.35.14.18.1.3.930	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.931	.1.3.6.1.4.1.26138.8.35.14.18.1.3.931	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.932	.1.3.6.1.4.1.26138.8.35.14.18.1.3.932	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.933	.1.3.6.1.4.1.26138.8.35.14.18.1.3.933	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.934	.1.3.6.1.4.1.26138.8.35.14.18.1.3.934	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.935	.1.3.6.1.4.1.26138.8.35.14.18.1.3.935	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.936	.1.3.6.1.4.1.26138.8.35.14.18.1.3.936	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.937	.1.3.6.1.4.1.26138.8.35.14.18.1.3.937	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.938	.1.3.6.1.4.1.26138.8.35.14.18.1.3.938	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.939	.1.3.6.1.4.1.26138.8.35.14.18.1.3.939	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.940	.1.3.6.1.4.1.26138.8.35.14.18.1.3.940	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.941	.1.3.6.1.4.1.26138.8.35.14.18.1.3.941	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.942	.1.3.6.1.4.1.26138.8.35.14.18.1.3.942	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.943	.1.3.6.1.4.1.26138.8.35.14.18.1.3.943	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.944	.1.3.6.1.4.1.26138.8.35.14.18.1.3.944	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.945	.1.3.6.1.4.1.26138.8.35.14.18.1.3.945	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.946	.1.3.6.1.4.1.26138.8.35.14.18.1.3.946	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.947	.1.3.6.1.4.1.26138.8.35.14.18.1.3.947	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.948	.1.3.6.1.4.1.26138.8.35.14.18.1.3.948	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.949	.1.3.6.1.4.1.26138.8.35.14.18.1.3.949	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.950	.1.3.6.1.4.1.26138.8.35.14.18.1.3.950	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.951	.1.3.6.1.4.1.26138.8.35.14.18.1.3.951	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.952	.1.3.6.1.4.1.26138.8.35.14.18.1.3.952	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.953	.1.3.6.1.4.1.26138.8.35.14.18.1.3.953	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.954	.1.3.6.1.4.1.26138.8.35.14.18.1.3.954	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.955	.1.3.6.1.4.1.26138.8.35.14.18.1.3.955	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.956	.1.3.6.1.4.1.26138.8.35.14.18.1.3.956	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.957	.1.3.6.1.4.1.26138.8.35.14.18.1.3.957	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.958	.1.3.6.1.4.1.26138.8.35.14.18.1.3.958	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.959	.1.3.6.1.4.1.26138.8.35.14.18.1.3.959	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.960	.1.3.6.1.4.1.26138.8.35.14.18.1.3.960	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.961	.1.3.6.1.4.1.26138.8.35.14.18.1.3.961	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.962	.1.3.6.1.4.1.26138.8.35.14.18.1.3.962	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.963	.1.3.6.1.4.1.26138.8.35.14.18.1.3.963	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.964	.1.3.6.1.4.1.26138.8.35.14.18.1.3.964	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.965	.1.3.6.1.4.1.26138.8.35.14.18.1.3.965	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.966	.1.3.6.1.4.1.26138.8.35.14.18.1.3.966	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.967	.1.3.6.1.4.1.26138.8.35.14.18.1.3.967	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.968	.1.3.6.1.4.1.26138.8.35.14.18.1.3.968	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.969	.1.3.6.1.4.1.26138.8.35.14.18.1.3.969	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.970	.1.3.6.1.4.1.26138.8.35.14.18.1.3.970	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.971	.1.3.6.1.4.1.26138.8.35.14.18.1.3.971	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.972	.1.3.6.1.4.1.26138.8.35.14.18.1.3.972	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.973	.1.3.6.1.4.1.26138.8.35.14.18.1.3.973	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.974	.1.3.6.1.4.1.26138.8.35.14.18.1.3.974	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.975	.1.3.6.1.4.1.26138.8.35.14.18.1.3.975	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.976	.1.3.6.1.4.1.26138.8.35.14.18.1.3.976	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.977	.1.3.6.1.4.1.26138.8.35.14.18.1.3.977	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.978	.1.3.6.1.4.1.26138.8.35.14.18.1.3.978	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.979	.1.3.6.1.4.1.26138.8.35.14.18.1.3.979	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.980	.1.3.6.1.4.1.26138.8.35.14.18.1.3.980	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.981	.1.3.6.1.4.1.26138.8.35.14.18.1.3.981	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.982	.1.3.6.1.4.1.26138.8.35.14.18.1.3.982	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.983	.1.3.6.1.4.1.26138.8.35.14.18.1.3.983	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.984	.1.3.6.1.4.1.26138.8.35.14.18.1.3.984	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.985	.1.3.6.1.4.1.26138.8.35.14.18.1.3.985	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.986	.1.3.6.1.4.1.26138.8.35.14.18.1.3.986	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.987	.1.3.6.1.4.1.26138.8.35.14.18.1.3.987	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.988	.1.3.6.1.4.1.26138.8.35.14.18.1.3.988	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.989	.1.3.6.1.4.1.26138.8.35.14.18.1.3.989	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.990	.1.3.6.1.4.1.26138.8.35.14.18.1.3.990	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.991	.1.3.6.1.4.1.26138.8.35.14.18.1.3.991	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.992	.1.3.6.1.4.1.26138.8.35.14.18.1.3.992	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.993	.1.3.6.1.4.1.26138.8.35.14.18.1.3.993	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.994	.1.3.6.1.4.1.26138.8.35.14.18.1.3.994	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.995	.1.3.6.1.4.1.26138.8.35.14.18.1.3.995	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.996	.1.3.6.1.4.1.26138.8.35.14.18.1.3.996	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.997	.1.3.6.1.4.1.26138.8.35.14.18.1.3.997	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.998	.1.3.6.1.4.1.26138.8.35.14.18.1.3.998	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.999	.1.3.6.1.4.1.26138.8.35.14.18.1.3.999	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1000	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1000	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1001	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1001	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1002	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1002	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1003	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1003	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1004	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1004	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1005	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1005	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1006	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1006	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1007	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1007	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1008	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1008	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1009	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1009	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1010	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1010	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1011	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1011	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1012	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1012	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1013	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1013	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1014	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1014	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1015	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1015	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1016	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1016	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1017	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1017	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1018	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1018	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1019	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1019	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1020	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1020	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1021	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1021	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1022	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1022	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1023	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1023	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1024	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1024	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1025	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1025	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1026	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1026	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1027	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1027	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1028	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1028	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1029	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1029	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1030	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1030	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1031	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1031	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1032	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1032	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1033	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1033	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1034	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1034	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1035	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1035	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1036	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1036	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1037	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1037	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1038	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1038	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1039	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1039	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1040	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1040	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1041	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1041	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1042	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1042	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1043	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1043	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1044	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1044	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1045	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1045	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1046	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1046	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1047	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1047	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1048	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1048	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1049	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1049	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1050	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1050	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1051	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1051	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1052	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1052	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1053	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1053	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1054	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1054	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1055	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1055	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1056	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1056	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1057	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1057	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1058	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1058	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1059	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1059	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1060	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1060	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1061	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1061	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1062	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1062	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1063	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1063	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1064	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1064	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1065	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1065	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1066	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1066	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1067	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1067	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1068	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1068	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1069	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1069	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1070	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1070	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1071	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1071	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1072	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1072	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1073	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1073	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1074	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1074	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1075	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1075	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1076	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1076	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1077	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1077	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1078	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1078	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1079	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1079	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1080	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1080	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1081	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1081	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1082	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1082	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1083	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1083	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1084	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1084	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1085	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1085	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1086	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1086	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1087	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1087	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1088	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1088	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1089	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1089	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1090	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1090	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1091	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1091	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1092	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1092	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1093	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1093	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1094	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1094	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1095	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1095	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1096	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1096	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1097	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1097	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1098	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1098	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1099	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1099	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1100	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1100	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1101	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1101	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1102	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1102	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1103	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1103	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1104	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1104	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1105	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1105	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1106	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1106	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1107	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1107	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1108	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1108	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1109	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1109	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1110	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1110	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1111	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1111	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1112	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1112	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1113	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1113	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1114	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1114	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1115	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1115	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1116	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1116	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1117	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1117	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1118	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1118	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1119	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1119	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1120	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1120	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1121	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1121	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1122	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1122	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1123	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1123	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1124	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1124	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1125	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1125	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1126	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1126	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1127	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1127	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1128	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1128	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1129	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1129	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1130	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1130	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1131	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1131	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1132	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1132	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1133	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1133	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1134	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1134	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1135	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1135	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1136	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1136	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1137	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1137	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1138	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1138	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1139	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1139	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1140	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1140	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1141	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1141	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1142	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1142	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1143	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1143	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1144	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1144	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1145	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1145	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1146	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1146	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1147	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1147	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1148	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1148	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1149	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1149	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1150	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1150	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1151	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1151	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1152	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1152	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1153	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1153	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1154	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1154	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1155	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1155	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1156	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1156	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1157	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1157	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1158	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1158	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1159	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1159	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1160	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1160	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1161	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1161	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1162	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1162	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1163	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1163	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1164	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1164	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1165	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1165	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1166	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1166	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1167	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1167	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1168	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1168	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1169	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1169	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1170	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1170	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1171	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1171	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1172	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1172	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1173	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1173	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1174	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1174	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1175	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1175	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1176	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1176	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1177	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1177	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1178	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1178	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1179	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1179	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1180	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1180	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1181	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1181	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1182	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1182	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1183	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1183	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1184	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1184	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1185	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1185	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1186	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1186	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1187	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1187	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1188	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1188	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1189	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1189	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1190	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1190	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1191	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1191	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1192	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1192	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1193	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1193	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1194	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1194	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1195	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1195	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1196	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1196	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1197	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1197	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1198	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1198	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1199	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1199	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1200	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1200	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1201	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1201	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1202	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1202	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1203	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1203	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1204	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1204	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1205	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1205	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1206	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1206	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1207	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1207	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1208	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1208	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1209	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1209	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1210	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1210	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1211	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1211	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1212	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1212	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1213	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1213	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1214	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1214	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1215	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1215	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1216	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1216	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1217	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1217	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1218	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1218	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1219	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1219	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1220	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1220	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1221	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1221	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1222	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1222	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1223	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1223	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1224	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1224	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1225	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1225	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1226	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1226	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1227	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1227	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1228	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1228	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1229	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1229	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1230	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1230	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1231	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1231	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1232	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1232	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1233	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1233	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1234	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1234	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1235	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1235	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1236	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1236	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1237	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1237	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1238	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1238	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1239	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1239	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1240	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1240	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1241	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1241	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1242	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1242	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1243	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1243	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1244	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1244	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1245	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1245	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1246	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1246	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1247	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1247	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1248	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1248	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1249	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1249	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1250	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1250	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1251	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1251	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1252	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1252	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1253	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1253	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1254	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1254	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1255	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1255	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1256	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1256	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1257	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1257	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1258	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1258	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1259	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1259	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1260	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1260	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1261	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1261	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1262	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1262	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1263	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1263	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1264	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1264	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1265	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1265	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1266	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1266	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1267	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1267	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1268	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1268	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1269	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1269	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1270	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1270	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1271	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1271	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1272	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1272	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1273	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1273	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1274	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1274	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1275	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1275	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1276	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1276	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1277	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1277	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1278	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1278	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1279	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1279	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1280	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1280	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1281	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1281	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1282	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1282	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1283	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1283	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1284	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1284	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1285	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1285	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1286	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1286	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1287	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1287	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1288	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1288	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1289	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1289	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1290	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1290	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1291	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1291	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1292	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1292	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1293	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1293	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1294	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1294	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1295	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1295	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1296	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1296	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1297	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1297	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1298	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1298	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1299	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1299	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1300	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1300	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1301	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1301	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1302	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1302	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1303	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1303	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1304	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1304	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1305	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1305	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1306	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1306	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1307	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1307	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1308	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1308	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1309	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1309	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1310	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1310	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1311	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1311	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1312	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1312	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1313	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1313	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1314	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1314	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1315	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1315	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1316	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1316	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1317	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1317	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1318	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1318	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1319	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1319	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1320	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1320	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1321	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1321	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1322	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1322	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1323	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1323	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1324	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1324	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1325	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1325	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1326	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1326	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1327	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1327	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1328	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1328	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1329	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1329	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1330	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1330	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1331	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1331	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1332	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1332	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1333	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1333	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1334	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1334	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1335	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1335	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1336	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1336	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1337	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1337	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1338	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1338	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1339	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1339	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1340	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1340	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1341	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1341	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1342	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1342	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1343	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1343	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1344	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1344	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1345	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1345	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1346	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1346	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1347	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1347	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1348	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1348	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1349	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1349	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1350	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1350	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1351	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1351	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1352	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1352	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1353	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1353	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1354	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1354	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1355	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1355	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1356	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1356	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1357	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1357	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1358	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1358	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1359	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1359	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1360	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1360	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1361	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1361	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1362	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1362	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1363	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1363	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1364	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1364	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1365	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1365	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1366	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1366	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1367	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1367	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1368	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1368	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1369	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1369	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1370	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1370	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1371	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1371	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1372	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1372	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1373	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1373	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1374	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1374	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1375	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1375	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1376	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1376	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1377	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1377	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1378	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1378	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1379	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1379	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1380	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1380	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1381	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1381	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1382	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1382	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1383	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1383	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1384	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1384	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1385	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1385	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1386	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1386	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1387	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1387	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1388	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1388	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1389	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1389	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1390	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1390	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1391	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1391	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1392	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1392	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1393	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1393	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1394	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1394	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1395	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1395	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1396	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1396	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1397	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1397	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1398	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1398	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1399	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1399	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1400	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1400	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1401	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1401	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1402	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1402	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1403	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1403	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1404	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1404	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1405	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1405	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1406	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1406	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1407	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1407	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1408	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1408	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1409	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1409	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1410	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1410	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1411	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1411	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1412	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1412	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1413	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1413	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1414	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1414	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1415	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1415	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1416	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1416	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1417	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1417	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1418	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1418	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1419	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1419	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1420	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1420	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1421	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1421	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1422	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1422	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1423	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1423	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1424	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1424	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1425	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1425	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1426	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1426	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1427	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1427	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1428	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1428	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1429	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1429	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1430	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1430	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1431	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1431	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1432	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1432	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1433	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1433	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1434	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1434	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1435	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1435	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1436	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1436	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1437	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1437	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1438	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1438	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1439	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1439	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1440	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1440	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1441	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1441	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1442	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1442	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1443	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1443	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1444	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1444	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1445	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1445	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1446	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1446	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1447	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1447	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1448	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1448	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1449	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1449	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1450	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1450	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1451	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1451	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1452	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1452	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1453	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1453	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1454	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1454	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1455	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1455	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1456	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1456	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1457	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1457	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1458	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1458	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1459	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1459	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1460	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1460	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1461	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1461	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1462	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1462	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1463	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1463	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1464	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1464	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1465	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1465	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1466	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1466	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1467	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1467	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1468	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1468	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1469	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1469	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1470	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1470	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1471	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1471	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1472	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1472	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1473	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1473	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1474	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1474	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1475	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1475	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1476	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1476	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1477	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1477	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1478	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1478	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1479	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1479	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1480	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1480	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1481	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1481	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1482	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1482	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1483	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1483	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1484	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1484	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1485	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1485	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1486	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1486	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1487	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1487	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1488	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1488	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1489	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1489	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1490	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1490	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1491	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1491	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1492	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1492	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1493	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1493	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1494	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1494	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1495	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1495	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1496	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1496	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1497	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1497	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1498	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1498	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1499	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1499	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1500	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1500	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1501	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1501	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1502	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1502	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1503	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1503	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1504	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1504	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1505	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1505	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1506	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1506	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1507	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1507	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1508	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1508	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1509	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1509	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1510	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1510	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1511	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1511	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1512	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1512	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1513	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1513	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1514	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1514	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1515	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1515	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1516	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1516	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1517	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1517	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1518	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1518	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1519	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1519	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1520	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1520	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1521	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1521	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1522	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1522	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1523	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1523	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1524	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1524	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1525	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1525	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1526	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1526	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1527	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1527	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1528	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1528	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1529	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1529	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1530	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1530	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1531	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1531	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1532	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1532	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1533	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1533	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1534	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1534	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1535	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1535	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1536	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1536	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1537	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1537	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1538	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1538	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1539	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1539	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1540	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1540	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1541	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1541	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1542	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1542	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1543	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1543	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1544	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1544	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1545	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1545	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1546	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1546	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1547	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1547	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1548	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1548	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1549	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1549	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1550	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1550	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1551	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1551	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1552	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1552	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1553	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1553	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1554	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1554	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1555	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1555	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1556	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1556	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1557	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1557	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1558	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1558	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1559	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1559	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1560	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1560	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1561	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1561	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1562	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1562	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1563	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1563	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1564	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1564	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1565	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1565	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1566	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1566	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1567	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1567	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1568	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1568	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1569	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1569	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1570	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1570	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1571	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1571	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1572	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1572	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1573	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1573	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1574	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1574	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1575	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1575	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1576	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1576	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1577	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1577	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1578	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1578	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1579	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1579	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1580	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1580	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1581	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1581	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1582	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1582	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1583	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1583	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1584	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1584	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1585	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1585	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1586	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1586	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1587	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1587	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1588	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1588	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1589	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1589	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1590	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1590	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1591	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1591	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1592	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1592	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1593	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1593	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1594	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1594	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1595	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1595	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1596	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1596	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1597	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1597	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1598	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1598	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1599	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1599	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1600	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1600	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1601	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1601	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1602	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1602	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1603	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1603	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1604	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1604	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1605	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1605	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1606	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1606	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1607	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1607	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1608	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1608	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1609	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1609	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1610	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1610	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1611	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1611	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1612	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1612	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1613	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1613	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1614	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1614	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1615	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1615	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1616	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1616	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1617	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1617	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1618	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1618	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1619	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1619	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1620	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1620	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1621	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1621	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1622	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1622	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1623	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1623	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1624	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1624	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1625	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1625	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1626	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1626	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1627	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1627	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1628	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1628	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1629	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1629	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1630	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1630	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1631	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1631	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1632	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1632	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1633	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1633	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1634	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1634	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1635	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1635	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1636	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1636	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1637	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1637	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1638	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1638	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1639	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1639	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1640	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1640	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1641	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1641	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1642	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1642	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1643	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1643	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1644	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1644	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1645	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1645	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1646	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1646	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1647	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1647	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1648	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1648	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1649	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1649	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1650	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1650	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1651	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1651	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1652	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1652	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1653	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1653	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1654	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1654	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1655	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1655	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1656	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1656	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1657	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1657	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1658	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1658	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1659	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1659	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1660	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1660	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1661	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1661	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1662	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1662	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1663	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1663	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1664	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1664	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1665	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1665	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1666	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1666	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1667	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1667	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1668	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1668	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1669	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1669	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1670	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1670	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1671	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1671	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1672	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1672	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1673	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1673	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1674	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1674	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1675	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1675	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1676	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1676	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1677	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1677	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1678	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1678	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1679	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1679	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1680	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1680	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1681	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1681	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1682	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1682	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1683	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1683	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1684	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1684	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1685	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1685	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1686	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1686	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1687	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1687	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1688	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1688	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1689	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1689	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1690	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1690	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1691	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1691	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1692	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1692	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1693	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1693	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1694	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1694	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1695	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1695	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1696	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1696	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1697	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1697	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1698	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1698	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1699	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1699	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1700	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1700	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1701	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1701	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1702	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1702	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1703	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1703	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1704	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1704	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1705	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1705	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1706	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1706	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1707	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1707	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1708	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1708	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1709	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1709	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1710	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1710	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1711	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1711	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1712	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1712	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1713	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1713	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1714	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1714	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1715	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1715	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1716	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1716	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1717	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1717	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1718	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1718	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1719	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1719	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1720	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1720	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1721	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1721	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1722	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1722	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1723	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1723	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1724	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1724	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1725	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1725	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1726	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1726	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1727	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1727	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1728	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1728	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1729	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1729	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1730	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1730	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1731	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1731	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1732	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1732	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1733	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1733	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1734	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1734	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1735	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1735	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1736	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1736	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1737	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1737	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1738	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1738	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1739	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1739	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1740	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1740	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1741	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1741	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1742	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1742	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1743	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1743	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1744	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1744	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1745	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1745	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1746	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1746	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1747	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1747	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1748	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1748	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1749	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1749	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1750	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1750	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1751	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1751	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1752	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1752	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1753	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1753	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1754	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1754	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1755	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1755	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1756	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1756	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1757	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1757	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1758	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1758	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1759	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1759	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1760	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1760	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1761	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1761	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1762	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1762	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1763	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1763	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1764	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1764	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1765	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1765	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1766	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1766	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1767	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1767	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1768	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1768	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1769	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1769	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1770	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1770	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1771	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1771	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1772	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1772	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1773	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1773	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1774	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1774	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1775	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1775	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1776	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1776	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1777	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1777	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1778	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1778	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1779	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1779	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1780	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1780	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1781	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1781	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1782	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1782	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1783	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1783	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1784	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1784	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1785	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1785	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1786	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1786	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1787	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1787	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1788	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1788	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1789	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1789	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1790	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1790	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1791	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1791	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1792	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1792	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1793	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1793	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1794	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1794	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1795	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1795	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1796	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1796	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1797	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1797	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1798	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1798	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1799	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1799	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1800	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1800	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1801	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1801	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1802	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1802	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1803	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1803	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1804	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1804	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1805	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1805	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1806	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1806	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1807	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1807	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1808	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1808	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1809	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1809	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1810	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1810	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1811	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1811	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1812	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1812	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1813	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1813	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1814	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1814	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1815	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1815	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1816	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1816	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1817	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1817	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1818	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1818	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1819	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1819	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1820	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1820	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1821	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1821	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1822	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1822	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1823	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1823	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1824	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1824	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1825	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1825	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1826	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1826	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1827	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1827	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1828	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1828	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1829	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1829	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1830	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1830	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1831	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1831	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1832	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1832	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1833	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1833	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1834	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1834	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1835	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1835	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1836	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1836	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1837	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1837	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1838	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1838	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1839	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1839	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1840	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1840	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1841	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1841	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1842	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1842	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1843	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1843	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1844	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1844	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1845	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1845	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1846	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1846	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1847	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1847	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1848	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1848	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1849	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1849	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1850	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1850	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1851	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1851	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1852	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1852	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1853	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1853	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1854	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1854	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1855	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1855	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1856	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1856	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1857	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1857	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1858	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1858	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1859	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1859	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1860	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1860	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1861	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1861	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1862	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1862	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1863	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1863	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1864	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1864	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1865	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1865	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1866	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1866	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1867	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1867	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1868	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1868	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1869	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1869	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1870	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1870	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1871	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1871	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1872	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1872	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1873	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1873	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1874	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1874	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1875	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1875	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1876	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1876	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1877	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1877	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1878	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1878	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1879	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1879	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1880	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1880	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1881	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1881	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1882	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1882	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1883	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1883	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1884	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1884	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1885	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1885	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1886	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1886	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1887	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1887	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1888	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1888	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1889	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1889	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1890	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1890	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1891	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1891	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1892	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1892	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1893	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1893	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1894	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1894	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1895	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1895	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1896	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1896	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1897	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1897	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1898	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1898	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1899	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1899	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1900	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1900	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1901	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1901	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1902	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1902	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1903	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1903	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1904	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1904	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1905	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1905	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1906	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1906	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1907	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1907	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1908	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1908	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1909	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1909	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1910	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1910	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1911	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1911	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1912	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1912	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1913	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1913	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1914	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1914	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1915	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1915	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1916	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1916	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1917	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1917	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1918	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1918	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1919	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1919	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1920	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1920	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1921	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1921	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1922	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1922	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1923	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1923	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1924	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1924	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1925	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1925	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1926	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1926	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1927	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1927	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1928	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1928	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1929	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1929	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1930	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1930	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1931	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1931	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1932	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1932	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1933	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1933	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1934	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1934	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1935	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1935	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1936	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1936	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1937	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1937	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1938	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1938	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1939	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1939	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1940	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1940	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1941	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1941	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1942	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1942	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1943	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1943	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1944	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1944	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1945	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1945	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1946	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1946	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1947	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1947	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1948	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1948	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1949	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1949	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1950	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1950	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1951	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1951	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1952	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1952	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1953	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1953	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1954	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1954	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1955	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1955	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1956	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1956	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1957	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1957	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1958	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1958	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1959	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1959	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1960	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1960	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1961	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1961	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1962	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1962	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1963	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1963	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1964	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1964	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1965	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1965	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1966	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1966	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1967	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1967	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1968	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1968	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1969	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1969	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1970	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1970	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1971	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1971	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1972	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1972	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1973	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1973	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1974	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1974	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1975	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1975	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1976	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1976	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1977	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1977	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1978	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1978	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1979	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1979	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1980	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1980	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1981	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1981	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1982	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1982	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1983	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1983	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1984	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1984	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1985	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1985	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1986	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1986	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1987	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1987	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.1988	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1988	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1989	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1989	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1990	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1990	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1991	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1991	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1992	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1992	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1993	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1993	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1994	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1994	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1995	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1995	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1996	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1996	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1997	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1997	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1998	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1998	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.1999	.1.3.6.1.4.1.26138.8.35.14.18.1.3.1999	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2000	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2000	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2001	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2001	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2002	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2002	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2003	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2003	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2004	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2004	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2005	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2005	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2006	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2006	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2007	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2007	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2008	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2008	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2009	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2009	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2010	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2010	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2011	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2011	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2012	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2012	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2013	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2013	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2014	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2014	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2015	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2015	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2016	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2016	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2017	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2017	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2018	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2018	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2019	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2019	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2020	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2020	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2021	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2021	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2022	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2022	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2023	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2023	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2024	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2024	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2025	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2025	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2026	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2026	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2027	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2027	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2028	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2028	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2029	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2029	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2030	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2030	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2031	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2031	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2032	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2032	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2033	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2033	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2034	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2034	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2035	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2035	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2036	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2036	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2037	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2037	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2038	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2038	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2039	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2039	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2040	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2040	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2041	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2041	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2042	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2042	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2043	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2043	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2044	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2044	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2045	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2045	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2046	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2046	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2047	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2047	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2048	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2048	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2049	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2049	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2050	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2050	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2051	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2051	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2052	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2052	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2053	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2053	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2054	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2054	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2055	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2055	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2056	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2056	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2057	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2057	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2058	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2058	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2059	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2059	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2060	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2060	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2061	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2061	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2062	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2062	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2063	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2063	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2064	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2064	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2065	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2065	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2066	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2066	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2067	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2067	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2068	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2068	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2069	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2069	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2070	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2070	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2071	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2071	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2072	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2072	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2073	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2073	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2074	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2074	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2075	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2075	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2076	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2076	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2077	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2077	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2078	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2078	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2079	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2079	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2080	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2080	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2081	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2081	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2082	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2082	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2083	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2083	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2084	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2084	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2085	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2085	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2086	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2086	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2087	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2087	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2088	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2088	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2089	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2089	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2090	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2090	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2091	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2091	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2092	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2092	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2093	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2093	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2094	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2094	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2095	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2095	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2096	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2096	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2097	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2097	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2098	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2098	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2099	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2099	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2100	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2100	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2101	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2101	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2102	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2102	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2103	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2103	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2104	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2104	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2105	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2105	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2106	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2106	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2107	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2107	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2108	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2108	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2109	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2109	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2110	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2110	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2111	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2111	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2112	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2112	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2113	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2113	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2114	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2114	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2115	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2115	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2116	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2116	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2117	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2117	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2118	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2118	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2119	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2119	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2120	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2120	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2121	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2121	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2122	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2122	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2123	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2123	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2124	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2124	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2125	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2125	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2126	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2126	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2127	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2127	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2128	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2128	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2129	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2129	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2130	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2130	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2131	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2131	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2132	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2132	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2133	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2133	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2134	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2134	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2135	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2135	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2136	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2136	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2137	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2137	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2138	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2138	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2139	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2139	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2140	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2140	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2141	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2141	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2142	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2142	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2143	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2143	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2144	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2144	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2145	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2145	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2146	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2146	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2147	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2147	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2148	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2148	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2149	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2149	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2150	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2150	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2151	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2151	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2152	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2152	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2153	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2153	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2154	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2154	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2155	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2155	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2156	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2156	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2157	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2157	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2158	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2158	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2159	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2159	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2160	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2160	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2161	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2161	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2162	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2162	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2163	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2163	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2164	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2164	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2165	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2165	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2166	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2166	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2167	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2167	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2168	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2168	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2169	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2169	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2170	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2170	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2171	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2171	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2172	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2172	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2173	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2173	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2174	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2174	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2175	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2175	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2176	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2176	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2177	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2177	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2178	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2178	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2179	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2179	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2180	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2180	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2181	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2181	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2182	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2182	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2183	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2183	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2184	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2184	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2185	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2185	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2186	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2186	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2187	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2187	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2188	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2188	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2189	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2189	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2190	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2190	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2191	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2191	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2192	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2192	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2193	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2193	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2194	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2194	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2195	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2195	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2196	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2196	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2197	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2197	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2198	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2198	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2199	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2199	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2200	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2200	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2201	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2201	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2202	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2202	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2203	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2203	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2204	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2204	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2205	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2205	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2206	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2206	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2207	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2207	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2208	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2208	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2209	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2209	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2210	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2210	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2211	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2211	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2212	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2212	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2213	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2213	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2214	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2214	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2215	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2215	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2216	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2216	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2217	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2217	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2218	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2218	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2219	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2219	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2220	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2220	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2221	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2221	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2222	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2222	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2223	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2223	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2224	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2224	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2225	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2225	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2226	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2226	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2227	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2227	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2228	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2228	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2229	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2229	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2230	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2230	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2231	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2231	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2232	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2232	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2233	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2233	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2234	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2234	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2235	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2235	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2236	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2236	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2237	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2237	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2238	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2238	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2239	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2239	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2240	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2240	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2241	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2241	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2242	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2242	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2243	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2243	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2244	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2244	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2245	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2245	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2246	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2246	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2247	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2247	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2248	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2248	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2249	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2249	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2250	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2250	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2251	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2251	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2252	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2252	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2253	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2253	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2254	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2254	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2255	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2255	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2256	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2256	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2257	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2257	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2258	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2258	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2259	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2259	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2260	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2260	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2261	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2261	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2262	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2262	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2263	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2263	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2264	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2264	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2265	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2265	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2266	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2266	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2267	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2267	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2268	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2268	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2269	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2269	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2270	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2270	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2271	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2271	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2272	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2272	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2273	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2273	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2274	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2274	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2275	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2275	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2276	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2276	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2277	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2277	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2278	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2278	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2279	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2279	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2280	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2280	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2281	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2281	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2282	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2282	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2283	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2283	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2284	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2284	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2285	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2285	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2286	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2286	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2287	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2287	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2288	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2288	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2289	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2289	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2290	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2290	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2291	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2291	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2292	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2292	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2293	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2293	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2294	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2294	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2295	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2295	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2296	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2296	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2297	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2297	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2298	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2298	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2299	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2299	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2300	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2300	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2301	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2301	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2302	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2302	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2303	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2303	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2304	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2304	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2305	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2305	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2306	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2306	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2307	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2307	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2308	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2308	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2309	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2309	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2310	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2310	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2311	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2311	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2312	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2312	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2313	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2313	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2314	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2314	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2315	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2315	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2316	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2316	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2317	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2317	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2318	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2318	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2319	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2319	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2320	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2320	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2321	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2321	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2322	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2322	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2323	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2323	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2324	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2324	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2325	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2325	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2326	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2326	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2327	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2327	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2328	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2328	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2329	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2329	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2330	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2330	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2331	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2331	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2332	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2332	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2333	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2333	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2334	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2334	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2335	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2335	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2336	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2336	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2337	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2337	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2338	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2338	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2339	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2339	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2340	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2340	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2341	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2341	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2342	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2342	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2343	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2343	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2344	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2344	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2345	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2345	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2346	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2346	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2347	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2347	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2348	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2348	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2349	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2349	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2350	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2350	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2351	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2351	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2352	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2352	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2353	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2353	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2354	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2354	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2355	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2355	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2356	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2356	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2357	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2357	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2358	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2358	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2359	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2359	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2360	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2360	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2361	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2361	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2362	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2362	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2363	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2363	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2364	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2364	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2365	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2365	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2366	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2366	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2367	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2367	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2368	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2368	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2369	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2369	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2370	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2370	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2371	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2371	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2372	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2372	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2373	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2373	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2374	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2374	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2375	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2375	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2376	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2376	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2377	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2377	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2378	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2378	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2379	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2379	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2380	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2380	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2381	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2381	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2382	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2382	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2383	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2383	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2384	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2384	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2385	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2385	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2386	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2386	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2387	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2387	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2388	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2388	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2389	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2389	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2390	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2390	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2391	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2391	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2392	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2392	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2393	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2393	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2394	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2394	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2395	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2395	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2396	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2396	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2397	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2397	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2398	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2398	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2399	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2399	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2400	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2400	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2401	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2401	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2402	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2402	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2403	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2403	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2404	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2404	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2405	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2405	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2406	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2406	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2407	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2407	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2408	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2408	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2409	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2409	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2410	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2410	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2411	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2411	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2412	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2412	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2413	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2413	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2414	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2414	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2415	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2415	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2416	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2416	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2417	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2417	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2418	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2418	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2419	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2419	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2420	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2420	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2421	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2421	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2422	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2422	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2423	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2423	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2424	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2424	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2425	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2425	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2426	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2426	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2427	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2427	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2428	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2428	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2429	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2429	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2430	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2430	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2431	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2431	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2432	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2432	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2433	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2433	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2434	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2434	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2435	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2435	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2436	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2436	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2437	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2437	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2438	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2438	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2439	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2439	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2440	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2440	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2441	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2441	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2442	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2442	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2443	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2443	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2444	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2444	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2445	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2445	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2446	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2446	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2447	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2447	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2448	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2448	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2449	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2449	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2450	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2450	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2451	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2451	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2452	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2452	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2453	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2453	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2454	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2454	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2455	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2455	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2456	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2456	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2457	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2457	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2458	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2458	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2459	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2459	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2460	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2460	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2461	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2461	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2462	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2462	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2463	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2463	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2464	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2464	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2465	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2465	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2466	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2466	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2467	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2467	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2468	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2468	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2469	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2469	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2470	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2470	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2471	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2471	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2472	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2472	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2473	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2473	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2474	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2474	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2475	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2475	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2476	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2476	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2477	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2477	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2478	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2478	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2479	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2479	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2480	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2480	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2481	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2481	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2482	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2482	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2483	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2483	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2484	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2484	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2485	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2485	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2486	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2486	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2487	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2487	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2488	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2488	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2489	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2489	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2490	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2490	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2491	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2491	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2492	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2492	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2493	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2493	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2494	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2494	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2495	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2495	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2496	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2496	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2497	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2497	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2498	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2498	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2499	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2499	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2500	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2500	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2501	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2501	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2502	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2502	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2503	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2503	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2504	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2504	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2505	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2505	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2506	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2506	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2507	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2507	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2508	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2508	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2509	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2509	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2510	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2510	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2511	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2511	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2512	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2512	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2513	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2513	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2514	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2514	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2515	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2515	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2516	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2516	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2517	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2517	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2518	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2518	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2519	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2519	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2520	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2520	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2521	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2521	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2522	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2522	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2523	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2523	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2524	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2524	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2525	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2525	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2526	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2526	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2527	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2527	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2528	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2528	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2529	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2529	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2530	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2530	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2531	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2531	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2532	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2532	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2533	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2533	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2534	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2534	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2535	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2535	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2536	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2536	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2537	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2537	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2538	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2538	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2539	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2539	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2540	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2540	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2541	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2541	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2542	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2542	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2543	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2543	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2544	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2544	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2545	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2545	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2546	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2546	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2547	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2547	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2548	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2548	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2549	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2549	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2550	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2550	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2551	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2551	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2552	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2552	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2553	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2553	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2554	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2554	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2555	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2555	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2556	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2556	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2557	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2557	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2558	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2558	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2559	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2559	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2560	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2560	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2561	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2561	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2562	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2562	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2563	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2563	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2564	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2564	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2565	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2565	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2566	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2566	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2567	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2567	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2568	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2568	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2569	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2569	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2570	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2570	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2571	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2571	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2572	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2572	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2573	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2573	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2574	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2574	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2575	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2575	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2576	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2576	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2577	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2577	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2578	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2578	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2579	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2579	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2580	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2580	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2581	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2581	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2582	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2582	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2583	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2583	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2584	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2584	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2585	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2585	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2586	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2586	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2587	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2587	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2588	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2588	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2589	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2589	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2590	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2590	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2591	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2591	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2592	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2592	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2593	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2593	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2594	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2594	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2595	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2595	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2596	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2596	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2597	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2597	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2598	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2598	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2599	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2599	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2600	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2600	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2601	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2601	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2602	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2602	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2603	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2603	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2604	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2604	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2605	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2605	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2606	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2606	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2607	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2607	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2608	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2608	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2609	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2609	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2610	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2610	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2611	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2611	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2612	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2612	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2613	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2613	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2614	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2614	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2615	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2615	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2616	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2616	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2617	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2617	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2618	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2618	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2619	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2619	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2620	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2620	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2621	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2621	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2622	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2622	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2623	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2623	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2624	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2624	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2625	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2625	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2626	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2626	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2627	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2627	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2628	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2628	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2629	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2629	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2630	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2630	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2631	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2631	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2632	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2632	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2633	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2633	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2634	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2634	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2635	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2635	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2636	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2636	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2637	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2637	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2638	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2638	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2639	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2639	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2640	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2640	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2641	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2641	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2642	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2642	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2643	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2643	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2644	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2644	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2645	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2645	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2646	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2646	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2647	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2647	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2648	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2648	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2649	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2649	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2650	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2650	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2651	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2651	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2652	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2652	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2653	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2653	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2654	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2654	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2655	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2655	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2656	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2656	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2657	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2657	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2658	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2658	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2659	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2659	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2660	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2660	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2661	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2661	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2662	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2662	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2663	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2663	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2664	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2664	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2665	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2665	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2666	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2666	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2667	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2667	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2668	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2668	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2669	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2669	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2670	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2670	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2671	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2671	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2672	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2672	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2673	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2673	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2674	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2674	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2675	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2675	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2676	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2676	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2677	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2677	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2678	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2678	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2679	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2679	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2680	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2680	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2681	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2681	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2682	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2682	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2683	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2683	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2684	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2684	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2685	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2685	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2686	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2686	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2687	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2687	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2688	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2688	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2689	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2689	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2690	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2690	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2691	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2691	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2692	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2692	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2693	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2693	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2694	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2694	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2695	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2695	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2696	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2696	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2697	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2697	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2698	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2698	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2699	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2699	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2700	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2700	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2701	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2701	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2702	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2702	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2703	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2703	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2704	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2704	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2705	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2705	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2706	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2706	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2707	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2707	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2708	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2708	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2709	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2709	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2710	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2710	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2711	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2711	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2712	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2712	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2713	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2713	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2714	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2714	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2715	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2715	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2716	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2716	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2717	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2717	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2718	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2718	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2719	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2719	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2720	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2720	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2721	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2721	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2722	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2722	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2723	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2723	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2724	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2724	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2725	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2725	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2726	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2726	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2727	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2727	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2728	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2728	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2729	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2729	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2730	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2730	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2731	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2731	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2732	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2732	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2733	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2733	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2734	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2734	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2735	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2735	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2736	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2736	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2737	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2737	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2738	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2738	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2739	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2739	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2740	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2740	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2741	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2741	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2742	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2742	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2743	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2743	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2744	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2744	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2745	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2745	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2746	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2746	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2747	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2747	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2748	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2748	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2749	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2749	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2750	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2750	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2751	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2751	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2752	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2752	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2753	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2753	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2754	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2754	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2755	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2755	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2756	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2756	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2757	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2757	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2758	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2758	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2759	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2759	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2760	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2760	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2761	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2761	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2762	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2762	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2763	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2763	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2764	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2764	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2765	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2765	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2766	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2766	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2767	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2767	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2768	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2768	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2769	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2769	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2770	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2770	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2771	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2771	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2772	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2772	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2773	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2773	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2774	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2774	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2775	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2775	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2776	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2776	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2777	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2777	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2778	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2778	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2779	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2779	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2780	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2780	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2781	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2781	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2782	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2782	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2783	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2783	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2784	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2784	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2785	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2785	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2786	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2786	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2787	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2787	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2788	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2788	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2789	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2789	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2790	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2790	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2791	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2791	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2792	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2792	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2793	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2793	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2794	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2794	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2795	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2795	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2796	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2796	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2797	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2797	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2798	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2798	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2799	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2799	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2800	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2800	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2801	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2801	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2802	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2802	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2803	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2803	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2804	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2804	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2805	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2805	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2806	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2806	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2807	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2807	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2808	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2808	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2809	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2809	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2810	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2810	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2811	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2811	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2812	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2812	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2813	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2813	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2814	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2814	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2815	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2815	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2816	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2816	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2817	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2817	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2818	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2818	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2819	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2819	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2820	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2820	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2821	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2821	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2822	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2822	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2823	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2823	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2824	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2824	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2825	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2825	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2826	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2826	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2827	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2827	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2828	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2828	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2829	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2829	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2830	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2830	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2831	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2831	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2832	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2832	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2833	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2833	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2834	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2834	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2835	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2835	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2836	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2836	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2837	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2837	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2838	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2838	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2839	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2839	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2840	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2840	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2841	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2841	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2842	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2842	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2843	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2843	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2844	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2844	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2845	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2845	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2846	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2846	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2847	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2847	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2848	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2848	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2849	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2849	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2850	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2850	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2851	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2851	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2852	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2852	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2853	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2853	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2854	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2854	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2855	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2855	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2856	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2856	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2857	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2857	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2858	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2858	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2859	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2859	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2860	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2860	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2861	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2861	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2862	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2862	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2863	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2863	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2864	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2864	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2865	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2865	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2866	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2866	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2867	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2867	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2868	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2868	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2869	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2869	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2870	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2870	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2871	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2871	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2872	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2872	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2873	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2873	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2874	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2874	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2875	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2875	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2876	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2876	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2877	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2877	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2878	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2878	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2879	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2879	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2880	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2880	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2881	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2881	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2882	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2882	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2883	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2883	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2884	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2884	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2885	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2885	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2886	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2886	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2887	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2887	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2888	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2888	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2889	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2889	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2890	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2890	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2891	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2891	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2892	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2892	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2893	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2893	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2894	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2894	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2895	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2895	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2896	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2896	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2897	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2897	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2898	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2898	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2899	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2899	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2900	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2900	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2901	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2901	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2902	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2902	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2903	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2903	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2904	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2904	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2905	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2905	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2906	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2906	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2907	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2907	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2908	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2908	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2909	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2909	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2910	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2910	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2911	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2911	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2912	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2912	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2913	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2913	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2914	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2914	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2915	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2915	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2916	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2916	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2917	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2917	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2918	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2918	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2919	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2919	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2920	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2920	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2921	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2921	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2922	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2922	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2923	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2923	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2924	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2924	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2925	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2925	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2926	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2926	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2927	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2927	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2928	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2928	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2929	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2929	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2930	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2930	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2931	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2931	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2932	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2932	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2933	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2933	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2934	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2934	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2935	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2935	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2936	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2936	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2937	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2937	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2938	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2938	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2939	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2939	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2940	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2940	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2941	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2941	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2942	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2942	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2943	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2943	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2944	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2944	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2945	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2945	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2946	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2946	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2947	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2947	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2948	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2948	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2949	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2949	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2950	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2950	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2951	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2951	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2952	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2952	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2953	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2953	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2954	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2954	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2955	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2955	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2956	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2956	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2957	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2957	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2958	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2958	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2959	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2959	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2960	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2960	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2961	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2961	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2962	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2962	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2963	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2963	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2964	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2964	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2965	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2965	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2966	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2966	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2967	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2967	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2968	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2968	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2969	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2969	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2970	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2970	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2971	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2971	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2972	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2972	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2973	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2973	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2974	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2974	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2975	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2975	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.2976	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2976	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2977	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2977	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2978	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2978	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2979	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2979	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2980	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2980	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2981	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2981	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2982	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2982	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2983	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2983	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2984	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2984	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2985	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2985	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2986	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2986	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2987	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2987	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2988	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2988	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2989	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2989	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2990	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2990	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2991	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2991	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2992	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2992	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2993	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2993	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2994	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2994	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2995	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2995	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2996	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2996	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2997	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2997	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2998	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2998	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.2999	.1.3.6.1.4.1.26138.8.35.14.18.1.3.2999	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3000	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3000	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3001	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3001	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3002	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3002	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3003	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3003	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3004	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3004	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3005	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3005	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3006	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3006	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3007	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3007	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3008	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3008	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3009	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3009	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3010	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3010	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3011	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3011	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3012	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3012	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3013	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3013	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3014	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3014	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3015	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3015	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3016	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3016	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3017	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3017	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3018	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3018	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3019	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3019	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3020	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3020	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3021	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3021	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3022	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3022	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3023	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3023	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3024	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3024	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3025	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3025	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3026	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3026	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3027	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3027	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3028	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3028	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3029	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3029	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3030	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3030	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3031	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3031	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3032	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3032	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3033	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3033	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3034	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3034	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3035	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3035	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3036	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3036	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3037	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3037	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3038	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3038	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3039	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3039	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3040	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3040	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3041	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3041	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3042	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3042	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3043	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3043	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3044	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3044	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3045	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3045	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3046	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3046	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3047	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3047	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3048	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3048	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3049	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3049	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3050	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3050	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3051	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3051	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3052	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3052	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3053	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3053	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3054	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3054	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3055	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3055	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3056	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3056	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3057	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3057	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3058	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3058	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3059	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3059	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3060	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3060	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3061	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3061	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3062	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3062	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3063	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3063	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3064	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3064	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3065	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3065	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3066	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3066	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3067	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3067	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3068	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3068	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3069	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3069	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3070	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3070	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3071	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3071	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3072	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3072	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3073	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3073	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3074	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3074	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3075	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3075	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3076	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3076	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3077	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3077	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3078	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3078	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3079	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3079	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3080	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3080	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3081	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3081	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3082	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3082	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3083	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3083	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3084	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3084	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3085	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3085	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3086	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3086	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3087	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3087	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3088	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3088	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3089	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3089	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3090	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3090	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3091	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3091	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3092	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3092	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3093	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3093	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3094	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3094	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3095	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3095	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3096	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3096	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3097	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3097	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3098	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3098	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3099	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3099	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3100	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3100	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3101	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3101	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3102	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3102	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3103	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3103	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3104	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3104	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3105	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3105	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3106	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3106	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3107	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3107	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3108	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3108	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3109	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3109	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3110	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3110	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3111	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3111	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3112	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3112	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3113	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3113	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3114	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3114	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3115	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3115	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3116	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3116	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3117	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3117	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3118	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3118	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3119	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3119	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3120	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3120	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3121	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3121	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3122	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3122	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3123	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3123	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3124	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3124	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3125	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3125	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3126	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3126	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3127	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3127	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3128	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3128	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3129	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3129	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3130	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3130	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3131	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3131	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3132	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3132	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3133	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3133	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3134	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3134	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3135	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3135	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3136	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3136	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3137	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3137	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3138	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3138	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3139	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3139	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3140	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3140	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3141	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3141	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3142	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3142	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3143	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3143	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3144	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3144	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3145	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3145	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3146	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3146	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3147	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3147	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3148	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3148	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3149	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3149	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3150	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3150	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3151	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3151	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3152	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3152	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3153	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3153	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3154	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3154	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3155	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3155	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3156	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3156	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3157	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3157	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3158	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3158	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3159	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3159	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3160	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3160	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3161	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3161	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3162	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3162	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3163	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3163	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3164	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3164	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3165	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3165	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3166	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3166	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3167	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3167	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3168	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3168	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3169	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3169	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3170	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3170	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3171	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3171	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3172	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3172	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3173	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3173	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3174	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3174	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3175	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3175	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3176	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3176	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3177	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3177	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3178	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3178	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3179	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3179	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3180	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3180	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3181	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3181	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3182	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3182	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3183	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3183	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3184	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3184	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3185	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3185	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3186	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3186	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3187	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3187	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3188	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3188	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3189	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3189	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3190	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3190	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3191	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3191	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3192	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3192	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3193	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3193	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3194	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3194	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3195	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3195	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3196	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3196	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3197	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3197	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3198	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3198	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3199	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3199	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3200	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3200	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3201	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3201	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3202	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3202	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3203	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3203	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3204	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3204	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3205	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3205	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3206	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3206	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3207	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3207	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3208	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3208	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3209	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3209	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3210	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3210	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3211	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3211	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3212	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3212	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3213	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3213	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3214	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3214	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3215	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3215	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3216	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3216	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3217	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3217	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3218	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3218	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3219	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3219	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3220	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3220	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3221	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3221	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3222	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3222	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3223	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3223	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3224	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3224	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3225	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3225	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3226	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3226	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3227	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3227	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3228	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3228	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3229	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3229	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3230	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3230	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3231	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3231	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3232	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3232	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3233	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3233	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3234	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3234	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3235	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3235	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3236	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3236	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3237	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3237	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3238	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3238	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3239	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3239	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3240	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3240	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3241	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3241	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3242	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3242	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3243	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3243	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3244	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3244	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3245	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3245	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3246	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3246	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3247	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3247	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3248	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3248	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3249	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3249	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3250	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3250	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3251	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3251	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3252	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3252	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3253	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3253	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3254	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3254	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3255	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3255	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3256	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3256	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3257	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3257	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3258	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3258	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3259	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3259	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3260	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3260	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3261	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3261	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3262	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3262	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3263	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3263	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3264	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3264	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3265	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3265	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3266	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3266	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3267	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3267	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3268	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3268	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3269	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3269	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3270	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3270	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3271	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3271	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3272	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3272	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3273	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3273	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3274	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3274	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3275	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3275	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3276	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3276	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3277	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3277	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3278	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3278	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3279	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3279	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3280	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3280	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3281	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3281	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3282	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3282	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3283	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3283	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3284	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3284	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3285	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3285	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3286	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3286	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3287	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3287	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3288	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3288	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3289	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3289	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3290	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3290	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3291	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3291	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3292	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3292	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3293	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3293	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3294	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3294	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3295	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3295	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3296	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3296	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3297	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3297	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3298	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3298	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3299	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3299	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3300	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3300	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3301	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3301	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3302	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3302	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3303	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3303	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3304	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3304	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3305	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3305	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3306	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3306	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3307	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3307	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3308	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3308	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3309	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3309	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3310	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3310	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3311	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3311	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3312	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3312	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3313	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3313	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3314	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3314	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3315	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3315	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3316	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3316	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3317	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3317	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3318	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3318	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3319	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3319	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3320	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3320	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3321	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3321	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3322	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3322	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3323	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3323	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3324	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3324	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3325	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3325	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3326	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3326	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3327	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3327	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3328	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3328	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3329	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3329	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3330	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3330	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3331	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3331	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3332	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3332	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3333	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3333	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3334	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3334	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3335	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3335	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3336	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3336	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3337	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3337	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3338	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3338	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3339	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3339	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3340	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3340	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3341	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3341	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3342	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3342	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3343	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3343	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3344	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3344	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3345	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3345	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3346	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3346	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3347	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3347	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3348	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3348	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3349	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3349	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3350	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3350	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3351	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3351	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3352	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3352	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3353	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3353	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3354	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3354	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3355	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3355	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3356	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3356	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3357	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3357	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3358	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3358	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3359	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3359	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3360	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3360	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3361	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3361	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3362	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3362	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3363	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3363	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3364	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3364	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3365	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3365	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3366	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3366	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3367	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3367	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3368	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3368	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3369	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3369	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3370	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3370	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3371	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3371	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3372	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3372	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3373	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3373	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3374	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3374	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3375	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3375	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3376	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3376	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3377	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3377	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3378	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3378	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3379	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3379	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3380	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3380	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3381	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3381	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3382	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3382	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3383	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3383	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3384	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3384	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3385	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3385	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3386	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3386	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3387	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3387	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3388	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3388	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3389	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3389	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3390	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3390	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3391	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3391	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3392	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3392	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3393	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3393	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3394	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3394	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3395	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3395	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3396	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3396	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3397	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3397	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3398	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3398	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3399	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3399	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3400	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3400	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3401	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3401	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3402	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3402	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3403	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3403	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3404	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3404	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3405	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3405	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3406	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3406	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3407	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3407	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3408	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3408	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3409	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3409	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3410	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3410	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3411	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3411	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3412	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3412	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3413	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3413	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3414	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3414	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3415	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3415	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3416	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3416	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3417	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3417	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3418	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3418	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3419	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3419	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3420	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3420	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3421	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3421	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3422	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3422	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3423	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3423	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3424	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3424	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3425	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3425	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3426	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3426	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3427	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3427	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3428	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3428	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3429	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3429	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3430	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3430	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3431	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3431	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3432	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3432	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3433	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3433	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3434	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3434	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3435	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3435	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3436	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3436	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3437	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3437	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3438	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3438	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3439	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3439	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3440	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3440	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3441	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3441	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3442	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3442	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3443	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3443	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3444	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3444	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3445	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3445	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3446	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3446	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3447	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3447	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3448	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3448	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3449	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3449	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3450	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3450	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3451	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3451	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3452	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3452	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3453	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3453	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3454	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3454	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3455	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3455	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3456	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3456	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3457	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3457	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3458	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3458	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3459	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3459	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3460	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3460	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3461	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3461	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3462	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3462	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3463	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3463	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3464	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3464	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3465	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3465	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3466	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3466	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3467	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3467	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3468	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3468	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3469	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3469	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3470	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3470	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3471	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3471	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3472	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3472	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3473	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3473	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3474	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3474	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3475	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3475	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3476	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3476	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3477	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3477	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3478	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3478	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3479	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3479	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3480	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3480	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3481	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3481	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3482	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3482	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3483	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3483	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3484	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3484	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3485	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3485	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3486	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3486	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3487	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3487	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3488	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3488	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3489	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3489	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3490	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3490	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3491	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3491	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3492	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3492	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3493	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3493	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3494	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3494	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3495	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3495	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3496	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3496	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3497	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3497	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3498	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3498	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3499	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3499	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3500	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3500	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3501	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3501	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3502	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3502	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3503	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3503	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3504	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3504	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3505	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3505	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3506	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3506	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3507	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3507	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3508	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3508	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3509	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3509	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3510	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3510	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3511	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3511	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3512	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3512	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3513	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3513	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3514	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3514	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3515	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3515	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3516	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3516	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3517	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3517	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3518	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3518	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3519	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3519	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3520	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3520	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3521	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3521	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3522	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3522	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3523	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3523	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3524	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3524	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3525	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3525	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3526	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3526	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3527	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3527	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3528	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3528	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3529	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3529	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3530	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3530	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3531	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3531	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3532	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3532	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3533	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3533	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3534	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3534	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3535	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3535	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3536	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3536	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3537	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3537	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3538	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3538	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3539	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3539	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3540	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3540	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3541	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3541	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3542	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3542	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3543	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3543	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3544	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3544	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3545	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3545	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3546	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3546	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3547	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3547	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3548	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3548	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3549	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3549	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3550	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3550	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3551	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3551	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3552	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3552	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3553	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3553	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3554	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3554	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3555	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3555	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3556	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3556	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3557	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3557	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3558	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3558	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3559	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3559	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3560	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3560	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3561	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3561	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3562	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3562	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3563	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3563	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3564	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3564	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3565	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3565	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3566	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3566	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3567	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3567	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3568	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3568	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3569	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3569	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3570	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3570	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3571	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3571	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3572	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3572	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3573	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3573	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3574	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3574	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3575	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3575	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3576	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3576	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3577	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3577	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3578	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3578	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3579	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3579	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3580	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3580	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3581	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3581	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3582	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3582	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3583	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3583	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3584	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3584	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3585	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3585	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3586	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3586	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3587	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3587	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3588	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3588	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3589	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3589	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3590	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3590	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3591	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3591	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3592	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3592	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3593	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3593	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3594	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3594	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3595	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3595	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3596	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3596	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3597	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3597	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3598	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3598	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3599	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3599	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3600	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3600	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3601	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3601	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3602	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3602	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3603	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3603	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3604	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3604	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3605	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3605	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3606	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3606	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3607	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3607	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3608	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3608	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3609	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3609	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3610	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3610	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3611	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3611	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3612	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3612	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3613	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3613	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3614	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3614	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3615	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3615	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3616	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3616	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3617	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3617	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3618	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3618	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3619	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3619	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3620	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3620	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3621	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3621	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3622	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3622	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3623	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3623	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3624	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3624	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3625	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3625	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3626	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3626	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3627	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3627	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3628	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3628	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3629	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3629	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3630	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3630	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3631	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3631	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3632	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3632	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3633	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3633	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3634	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3634	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3635	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3635	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3636	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3636	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3637	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3637	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3638	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3638	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3639	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3639	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3640	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3640	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3641	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3641	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3642	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3642	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3643	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3643	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3644	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3644	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3645	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3645	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3646	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3646	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3647	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3647	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3648	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3648	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3649	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3649	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3650	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3650	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3651	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3651	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3652	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3652	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3653	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3653	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3654	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3654	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3655	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3655	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3656	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3656	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3657	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3657	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3658	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3658	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3659	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3659	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3660	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3660	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3661	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3661	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3662	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3662	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3663	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3663	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3664	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3664	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3665	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3665	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3666	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3666	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3667	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3667	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3668	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3668	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3669	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3669	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3670	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3670	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3671	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3671	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3672	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3672	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3673	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3673	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3674	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3674	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3675	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3675	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3676	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3676	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3677	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3677	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3678	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3678	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3679	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3679	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3680	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3680	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3681	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3681	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3682	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3682	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3683	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3683	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3684	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3684	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3685	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3685	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3686	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3686	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3687	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3687	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3688	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3688	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3689	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3689	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3690	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3690	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3691	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3691	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3692	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3692	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3693	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3693	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3694	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3694	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3695	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3695	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3696	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3696	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3697	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3697	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3698	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3698	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3699	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3699	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3700	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3700	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3701	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3701	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3702	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3702	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3703	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3703	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3704	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3704	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3705	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3705	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3706	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3706	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3707	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3707	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3708	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3708	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3709	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3709	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3710	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3710	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3711	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3711	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3712	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3712	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3713	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3713	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3714	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3714	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3715	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3715	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3716	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3716	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3717	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3717	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3718	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3718	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3719	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3719	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3720	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3720	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3721	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3721	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3722	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3722	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3723	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3723	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3724	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3724	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3725	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3725	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3726	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3726	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3727	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3727	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3728	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3728	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3729	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3729	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3730	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3730	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3731	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3731	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3732	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3732	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3733	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3733	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3734	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3734	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3735	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3735	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3736	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3736	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3737	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3737	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3738	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3738	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3739	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3739	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3740	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3740	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3741	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3741	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3742	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3742	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3743	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3743	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3744	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3744	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3745	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3745	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3746	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3746	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3747	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3747	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3748	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3748	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3749	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3749	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3750	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3750	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3751	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3751	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3752	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3752	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3753	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3753	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3754	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3754	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3755	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3755	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3756	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3756	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3757	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3757	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3758	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3758	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3759	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3759	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3760	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3760	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3761	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3761	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3762	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3762	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3763	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3763	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3764	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3764	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3765	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3765	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3766	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3766	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3767	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3767	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3768	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3768	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3769	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3769	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3770	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3770	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3771	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3771	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3772	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3772	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3773	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3773	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3774	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3774	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3775	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3775	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3776	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3776	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3777	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3777	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3778	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3778	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3779	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3779	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3780	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3780	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3781	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3781	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3782	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3782	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3783	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3783	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3784	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3784	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3785	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3785	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3786	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3786	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3787	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3787	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3788	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3788	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3789	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3789	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3790	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3790	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3791	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3791	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3792	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3792	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3793	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3793	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3794	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3794	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3795	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3795	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3796	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3796	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3797	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3797	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3798	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3798	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3799	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3799	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3800	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3800	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3801	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3801	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3802	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3802	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3803	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3803	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3804	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3804	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3805	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3805	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3806	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3806	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3807	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3807	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3808	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3808	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3809	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3809	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3810	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3810	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3811	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3811	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3812	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3812	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3813	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3813	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3814	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3814	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3815	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3815	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3816	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3816	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3817	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3817	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3818	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3818	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3819	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3819	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3820	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3820	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3821	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3821	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3822	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3822	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3823	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3823	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3824	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3824	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3825	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3825	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3826	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3826	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3827	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3827	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3828	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3828	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3829	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3829	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3830	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3830	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3831	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3831	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3832	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3832	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3833	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3833	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3834	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3834	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3835	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3835	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3836	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3836	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3837	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3837	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3838	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3838	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3839	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3839	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3840	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3840	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3841	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3841	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3842	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3842	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3843	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3843	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3844	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3844	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3845	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3845	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3846	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3846	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3847	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3847	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3848	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3848	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3849	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3849	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3850	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3850	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3851	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3851	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3852	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3852	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3853	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3853	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3854	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3854	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3855	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3855	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3856	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3856	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3857	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3857	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3858	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3858	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3859	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3859	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3860	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3860	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3861	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3861	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3862	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3862	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3863	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3863	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3864	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3864	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3865	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3865	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3866	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3866	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3867	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3867	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3868	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3868	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3869	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3869	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3870	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3870	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3871	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3871	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3872	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3872	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3873	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3873	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3874	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3874	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3875	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3875	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3876	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3876	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3877	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3877	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3878	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3878	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3879	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3879	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3880	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3880	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3881	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3881	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3882	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3882	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3883	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3883	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3884	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3884	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3885	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3885	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3886	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3886	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3887	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3887	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3888	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3888	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3889	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3889	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3890	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3890	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3891	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3891	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3892	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3892	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3893	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3893	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3894	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3894	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3895	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3895	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3896	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3896	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3897	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3897	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3898	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3898	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3899	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3899	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3900	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3900	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3901	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3901	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3902	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3902	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3903	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3903	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3904	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3904	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3905	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3905	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3906	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3906	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3907	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3907	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3908	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3908	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3909	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3909	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3910	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3910	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3911	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3911	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3912	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3912	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3913	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3913	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3914	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3914	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3915	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3915	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3916	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3916	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3917	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3917	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3918	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3918	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3919	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3919	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3920	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3920	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3921	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3921	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3922	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3922	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3923	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3923	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3924	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3924	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3925	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3925	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3926	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3926	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3927	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3927	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3928	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3928	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3929	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3929	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3930	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3930	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3931	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3931	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3932	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3932	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3933	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3933	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3934	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3934	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3935	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3935	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3936	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3936	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3937	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3937	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3938	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3938	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3939	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3939	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3940	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3940	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3941	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3941	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3942	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3942	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3943	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3943	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3944	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3944	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3945	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3945	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3946	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3946	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3947	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3947	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3948	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3948	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3949	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3949	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3950	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3950	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3951	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3951	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3952	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3952	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3953	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3953	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3954	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3954	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3955	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3955	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3956	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3956	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3957	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3957	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3958	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3958	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3959	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3959	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3960	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3960	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3961	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3961	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3962	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3962	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3963	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3963	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3964	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3964	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3965	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3965	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3966	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3966	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3967	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3967	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3968	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3968	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3969	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3969	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3970	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3970	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3971	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3971	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3972	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3972	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3973	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3973	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3974	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3974	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3975	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3975	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3976	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3976	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3977	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3977	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3978	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3978	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3979	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3979	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3980	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3980	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3981	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3981	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3982	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3982	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3983	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3983	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3984	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3984	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3985	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3985	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3986	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3986	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3987	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3987	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3988	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3988	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3989	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3989	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.3990	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3990	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3991	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3991	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3992	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3992	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3993	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3993	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3994	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3994	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3995	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3995	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3996	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3996	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3997	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3997	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3998	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3998	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.3999	.1.3.6.1.4.1.26138.8.35.14.18.1.3.3999	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4000	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4000	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4001	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4001	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4002	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4002	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4003	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4003	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4004	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4004	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4005	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4005	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4006	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4006	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4007	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4007	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4008	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4008	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4009	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4009	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4010	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4010	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4011	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4011	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4012	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4012	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4013	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4013	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4014	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4014	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4015	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4015	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.4016	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4016	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4017	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4017	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4018	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4018	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4019	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4019	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4020	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4020	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4021	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4021	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4022	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4022	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4023	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4023	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4024	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4024	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4025	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4025	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4026	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4026	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4027	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4027	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4028	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4028	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4029	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4029	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4030	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4030	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4031	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4031	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4032	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4032	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4033	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4033	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4034	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4034	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4035	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4035	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4036	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4036	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4037	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4037	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4038	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4038	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4039	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4039	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4040	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4040	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4041	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4041	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.4042	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4042	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4043	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4043	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4044	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4044	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4045	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4045	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4046	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4046	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4047	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4047	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4048	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4048	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4049	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4049	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4050	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4050	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4051	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4051	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4052	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4052	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4053	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4053	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4054	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4054	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4055	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4055	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4056	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4056	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4057	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4057	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4058	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4058	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4059	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4059	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4060	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4060	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4061	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4061	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4062	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4062	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4063	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4063	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4064	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4064	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4065	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4065	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4066	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4066	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4067	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4067	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.4068	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4068	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4069	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4069	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4070	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4070	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4071	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4071	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4072	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4072	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4073	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4073	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4074	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4074	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4075	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4075	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4076	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4076	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4077	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4077	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4078	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4078	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4079	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4079	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4080	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4080	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4081	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4081	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4082	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4082	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4083	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4083	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4084	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4084	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4085	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4085	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4086	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4086	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4087	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4087	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4088	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4088	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4089	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4089	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4090	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4090	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4091	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4091	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4092	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4092	INTEGER	0
IB-LswMSTP-MIB::ibdot1sOperMstID.4093	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4093	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sOperMstID.4094	.1.3.6.1.4.1.26138.8.35.14.18.1.3.4094	INTEGER	0
IB-LswMSTP-MIB::ibdot1sInstanceID.0	.1.3.6.1.4.1.26138.8.35.14.19.1.1.0	INTEGER	0
IB-LswMSTP-MIB::ibdot1sMstiBridgeID.0	.1.3.6.1.4.1.26138.8.35.14.19.1.2.0	Hex-STRING	80 00 10 90 FA 51 57 08
IB-LswMSTP-MIB::ibdot1sMstiBridgePriority.0	.1.3.6.1.4.1.26138.8.35.14.19.1.3.0	INTEGER	32768
IB-LswMSTP-MIB::ibdot1sMstiDesignedRoot.0	.1.3.6.1.4.1.26138.8.35.14.19.1.4.0	Hex-STRING	20 01 E8 78 EE 24 FF A2
IB-LswMSTP-MIB::ibdot1sMstiRootPathCost.0	.1.3.6.1.4.1.26138.8.35.14.19.1.5.0	INTEGER	20
IB-LswMSTP-MIB::ibdot1sMstiRootPort.0	.1.3.6.1.4.1.26138.8.35.14.19.1.6.0	INTEGER	9
IB-LswMSTP-MIB::ibdot1sMstiRootType.0	.1.3.6.1.4.1.26138.8.35.14.19.1.7.0	INTEGER	normal(0)
IB-LswMSTP-MIB::ibdot1sMstiRemainingHops.0	.1.3.6.1.4.1.26138.8.35.14.19.1.8.0	INTEGER	20
IB-LswMSTP-MIB::ibdot1sMstiAdminMappedVlanListLow.0	.1.3.6.1.4.1.26138.8.35.14.19.1.9.0	Hex-STRING	FF FF FF FF FF FF FF FF FF FF FF FF FF FF FF FF
IB-LswMSTP-MIB::ibdot1sMstiAdminMappedVlanListHigh.0	.1.3.6.1.4.1.26138.8.35.14.19.1.10.0	Hex-STRING	FF FF FF FF FF FF FF FF FF FF FF FF FF FF FF FF
IB-LswMSTP-MIB::ibdot1sMstiOperMappedVlanListLow.0	.1.3.6.1.4.1.26138.8.35.14.19.1.11.0	Hex-STRING	FF FF FF FF FF FF FF FF FF FF FF FF FF FF FF FF
IB-LswMSTP-MIB::ibdot1sMstiOperMappedVlanListHigh.0	.1.3.6.1.4.1.26138.8.35.14.19.1.12.0	Hex-STRING	FF FF FF FF FF FF FF FF FF FF FF FF FF FF FF FF
IB-LswMSTP-MIB::ibdot1sMstiPortIndex.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.1.0.9	INTEGER	9
IB-LswMSTP-MIB::ibdot1sMstiState.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.2.0.9	INTEGER	forwarding(5)
IB-LswMSTP-MIB::ibdot1sMstiPortPriority.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.3.0.9	INTEGER	128
IB-LswMSTP-MIB::ibdot1sMstiPathCost.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.4.0.9	INTEGER	20
IB-LswMSTP-MIB::ibdot1sMstiDesignatedRoot.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.5.0.9	Hex-STRING	20 01 E8 78 EE 24 FF A2
IB-LswMSTP-MIB::ibdot1sMstiDesignatedCost.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.6.0.9	INTEGER	0
IB-LswMSTP-MIB::ibdot1sMstiDesignatedBridge.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.7.0.9	Hex-STRING	20 01 E8 78 EE 24 FF A2
IB-LswMSTP-MIB::ibdot1sMstiDesignatedPort.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.8.0.9	Hex-STRING	80 12
IB-LswMSTP-MIB::ibdot1sMstiMasterBridgeID.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.9.0.9	Hex-STRING	80 00 10 90 FA 51 57 08
IB-LswMSTP-MIB::ibdot1sMstiMasterPortCost.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.10.0.9	INTEGER	0
IB-LswMSTP-MIB::ibdot1sMstiStpPortEdgeport.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.11.0.9	INTEGER	disabled(2)
IB-LswMSTP-MIB::ibdot1sMstiStpPortPointToPoint.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.12.0.9	INTEGER	auto(3)
IB-LswMSTP-MIB::ibdot1sMstiStpMcheck.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.13.0.9	INTEGER	unused(65535)

Name	OID	Value Type	Value Example
IB-LswMSTP-MIB::ibdot1sMstiStpTransLimit.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.14.0.9	INTEGER	10
IB-LswMSTP-MIB::ibdot1sMstiStpRXStpBPDU.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.15.0.9	Counter32	0
IB-LswMSTP-MIB::ibdot1sMstiStpTXStpBPDU.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.16.0.9	Counter32	0
IB-LswMSTP-MIB::ibdot1sMstiStpRXTCNBPDU.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.17.0.9	Counter32	0
IB-LswMSTP-MIB::ibdot1sMstiStpTXTCNBPDU.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.18.0.9	Counter32	0
IB-LswMSTP-MIB::ibdot1sMstiStpRXRSTPBPDU.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.19.0.9	Counter32	40691
IB-LswMSTP-MIB::ibdot1sMstiStpTXRSTPBPDU.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.20.0.9	Counter32	0
IB-LswMSTP-MIB::ibdot1sMstiStpRXMSTPBPDU.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.21.0.9	Counter32	0
IB-LswMSTP-MIB::ibdot1sMstiStpTXMSTPBPDU.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.22.0.9	Counter32	2
IB-LswMSTP-MIB::ibdot1sMstiStpClearStatistics.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.23.0.9	INTEGER	unused(65535)
IB-LswMSTP-MIB::ibdot1sMstiStpDefaultPortCost.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.24.0.9	INTEGER	unused(65535)
IB-LswMSTP-MIB::ibdot1sMstiStpStatus.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.25.0.9	INTEGER	enabled(1)
IB-LswMSTP-MIB::ibdot1sMstiPortRootGuard.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.26.0.9	INTEGER	disabled(2)
IB-LswMSTP-MIB::ibdot1sMstiPortLoopGuard.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.27.0.9	INTEGER	disabled(2)
IB-LswMSTP-MIB::ibdot1sMstiStpPortSendingBPDUType.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.28.0.9	INTEGER	mstp(3)
IB-LswMSTP-MIB::ibdot1sMstiStpOperPortPointToPoint.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.29.0.9	INTEGER	false(2)
IB-LswMSTP-MIB::ibdot1sMstiStpPortAdminBPDUFmt.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.30.0.9	INTEGER	auto(3)
IB-LswMSTP-MIB::ibdot1sMstiStpPortOperBPDUFmt.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.31.0.9	INTEGER	dot1s(2)
IB-LswMSTP-MIB::ibdot1sMstiStpPortRoleRestriction.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.32.0.9	INTEGER	disabled(2)
IB-LswMSTP-MIB::ibdot1sMstiStpPortTcRestriction.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.33.0.9	INTEGER	disabled(2)
IB-LswMSTP-MIB::ibdot1sMstiStpPortDisputed.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.34.0.9	INTEGER	false(2)
IB-LswMSTP-MIB::ibdot1sMstiPortLoopbackGuard.0.9	.1.3.6.1.4.1.26138.8.35.14.20.1.35.0.9	INTEGER	enabled(1)
IB-LswMSTP-MIB::ibdot1sStpPathCostStandard.0	.1.3.6.1.4.1.26138.8.35.14.21.0	INTEGER	legacy(0)
IB-LswMix-MIB::ibLswLastSwitchDate.0	.1.3.6.1.4.1.26138.8.35.17.1.0	INTEGER	0
IB-LswMix-MIB::ibLswLastSwitchTime.0	.1.3.6.1.4.1.26138.8.35.17.2.0	INTEGER	0
IB-LswMix-MIB::ibLswMpuSwitchsNum.0	.1.3.6.1.4.1.26138.8.35.17.3.0	INTEGER	0

Name	OID	Value Type	Value Example
IB-LswMix-MIB::ibLswMainCardBoardStatus.0.1	.1.3.6.1.4.1.26138.8.35.17.5.1.1.0.1	INTEGER	master(1)
IB-LswMix-MIB::ibLswMainCardBoardStatus.0.2	.1.3.6.1.4.1.26138.8.35.17.5.1.1.0.2	INTEGER	process(3)
IB-LSW-DEV-ADM-MIB::ibLswSysIpAddr.0	.1.3.6.1.4.1.26138.8.35.18.1.1.0	IpAddress	10.100.73.249
IB-LSW-DEV-ADM-MIB::ibLswSysIpMask.0	.1.3.6.1.4.1.26138.8.35.18.1.2.0	IpAddress	255.255.255.0
IB-LSW-DEV-ADM-MIB::ibLswSysCpuRatio.0	.1.3.6.1.4.1.26138.8.35.18.1.3.0	INTEGER	1
IB-LSW-DEV-ADM-MIB::ibLswSysVersion.0	.1.3.6.1.4.1.26138.8.35.18.1.4.0	STRING	9.1.061
IB-LSW-DEV-ADM-MIB::ibLswSysTime.0	.1.3.6.1.4.1.26138.8.35.18.1.5.0	STRING	2025-3-8,14:35:0.9,-3:0
IB-LSW-DEV--ADM-MIB::ibLswSysPhyMemory.0	.1.3.6.1.4.1.26138.8.35.18.1.13.0	Gauge32	0 byte
IB-LSW-DEV-ADM-MIB::ibLswSysMemory.0	.1.3.6.1.4.1.26138.8.35.18.1.14.0	Gauge32	4294967295 byte
IB-LSW-DEV-ADM-MIB::ibLswSysMemoryUsed.0	.1.3.6.1.4.1.26138.8.35.18.1.15.0	Gauge32	4294967295 byte
IB-LSW-DEV-ADM-MIB::ibLswSysMemoryRatio.0	.1.3.6.1.4.1.26138.8.35.18.1.16.0	Gauge32	28
IB-LSW-DEV--ADM-MIB::ibLswSysPhyMemRev.0	.1.3.6.1.4.1.26138.8.35.18.1.18.0	Counter64	0 bytes
IB-LSW-DEV-ADM-MIB::ibLswSysMemRev.0	.1.3.6.1.4.1.26138.8.35.18.1.19.0	Counter64	16698888192 bytes
IB-LSW-DEV-ADM-MIB::ibLswSysMemUsedRev.0	.1.3.6.1.4.1.26138.8.35.18.1.20.0	Counter64	4775256064 bytes
IB-LSW-DEV-ADM-MIB::ibLswSysSerialNumber.0	.1.3.6.1.4.1.26138.8.35.18.1.21.0	STRING	210235A52DAAAAA00002
IB-LSW-DEV-ADM-MIB::ibLswSysTotalPower.0	.1.3.6.1.4.1.26138.8.35.18.1.22.0	Gauge32	0
IB-LSW-DEV-ADM-MIB::ibLswFrameIndex.0	.1.3.6.1.4.1.26138.8.35.18.4.2.1.1.0	INTEGER	0
IB-LSW-DEV-ADM-MIB::ibLswFrameType.0	.1.3.6.1.4.1.26138.8.35.18.4.2.1.2.0	INTEGER	0
IB-LSW-DEV-ADM-MIB::ibLswFrameDesc.0	.1.3.6.1.4.1.26138.8.35.18.4.2.1.3.0	STRING	Normal
IB-LSW-DEV-ADM-MIB::ibLswSlotNumber.0	.1.3.6.1.4.1.26138.8.35.18.4.2.1.4.0	INTEGER	2

Name	OID	Value Type	Value Example
IB-LSW-DEV-ADM-MIB::ibLswFrameAdminStatus.0	.1.3.6.1.4.1.26138.8.35.18.4.2.1.5.0	INTEGER	normal(1)
IB-LSW-DEV-ADM-MIB::ibLswFrameSerialNumber.0	.1.3.6.1.4.1.26138.8.35.18.4.2.1.6.0	STRING	210235A52DAAAAA00002
IB-LSW-DEV-ADM-MIB::ibLswFrameTotalPower.0	.1.3.6.1.4.1.26138.8.35.18.4.2.1.10.0	Gauge32	0
IB-LSW-DEV-ADM-MIB::ibLswSlotIndex.0.1	.1.3.6.1.4.1.26138.8.35.18.4.3.1.1.0.1	INTEGER	1
IB-LSW-DEV-ADM-MIB::ibLswSlotType.0.1	.1.3.6.1.4.1.26138.8.35.18.4.3.1.2.0.1	INTEGER	type-ADSL(13)
IB-LSW-DEV-ADM-MIB::ibLswSlotDesc.0.1	.1.3.6.1.4.1.26138.8.35.18.4.3.1.3.0.1	STRING	Module level1 slot1
IB-LSW-DEV-ADM-MIB::ibLswSlotCpuRatio.0.1	.1.3.6.1.4.1.26138.8.35.18.4.3.1.4.0.1	INTEGER	1
IB-LSW-DEV-ADM-MIB::ibLswSlotPcbVersion.0.1	.1.3.6.1.4.1.26138.8.35.18.4.3.1.5.0.1	STRING	Ver.A
IB-LSW-DEV-ADM-MIB::ibLswSlotSoftwareVersion.0.1	.1.3.6.1.4.1.26138.8.35.18.4.3.1.6.0.1	STRING	9.1.061, Release 1411P02
IB-LSW-DEV-ADM-MIB::ibLswSubslotNumber.0.1	.1.3.6.1.4.1.26138.8.35.18.4.3.1.7.0.1	INTEGER	3
IB-LSW-DEV-ADM-MIB::ibLswSlotAdminStatus.0.1	.1.3.6.1.4.1.26138.8.35.18.4.3.1.8.0.1	INTEGER	normal(2)
IB-LSW-DEV-ADM-MIB::ibLswSlotOperStatus.0.1	.1.3.6.1.4.1.26138.8.35.18.4.3.1.9.0.1	INTEGER	enable(2)
IB-LSW-DEV-ADM-MIB::ibLswSlotPhyMemory.0.1	.1.3.6.1.4.1.26138.8.35.18.4.3.1.10.0.1	Gauge32	0 byte
IB-LSW-DEV-ADM-MIB::ibLswSlotMemory.0.1	.1.3.6.1.4.1.26138.8.35.18.4.3.1.11.0.1	Gauge32	4294967295 byte
IB-LSW-DEV-ADM-MIB::ibLswSlotMemoryUsed.0.1	.1.3.6.1.4.1.26138.8.35.18.4.3.1.12.0.1	Gauge32	4294967295 byte
IB-LSW-DEV-ADM-MIB::ibLswSlotMemoryRatio.0.1	.1.3.6.1.4.1.26138.8.35.18.4.3.1.13.0.1	Gauge32	28
IB-LSW-DEV-ADM-MIB::ibLswSlotPktBufFree.0.1	.1.3.6.1.4.1.26138.8.35.18.4.3.1.15.0.1	INTEGER	0
IB-LSW-DEV-ADM-MIB::ibLswSlotPktBufInit.0.1	.1.3.6.1.4.1.26138.8.35.18.4.3.1.16.0.1	INTEGER	0
IB-LSW-DEV-ADM-MIB::ibLswSlotPktBufMin.0.1	.1.3.6.1.4.1.26138.8.35.18.4.3.1.17.0.1	INTEGER	0
IB-LSW-DEV-ADM-MIB::ibLswSlotPktBufMiss.0.1	.1.3.6.1.4.1.26138.8.35.18.4.3.1.18.0.1	Counter64	0
IB-LSW-DEV-ADM-MIB::ibLswSlotRunTime.0.1	.1.3.6.1.4.1.26138.8.35.18.4.3.1.19.0.1	STRING	0 weeks, 0 days, 22 hours, 36 minutes
IB-LSW-DEV-ADM-MIB::ibLswSlotPhyMemRev.0.1	.1.3.6.1.4.1.26138.8.35.18.4.3.1.20.0.1	Counter64	0 bytes
IB-LSW-DEV-ADM-MIB::ibLswSlotMemRev.0.1	.1.3.6.1.4.1.26138.8.35.18.4.3.1.21.0.1	Counter64	16698888192 bytes

Name	OID	Value Type	Value Example
IB-LSW-DEV-ADM-MIB::ibLswSlot-Mem UsedRev.0.1	.1.3.6.1.4.1.26138.8.35.18.4.3.1 .22.0.1	Counter64	4775256064 bytes
IB-LSW-DEV-ADM-MIB::ibLswSlot-Mod elDesc.0.1	.1.3.6.1.4.1.26138.8.35.18.4.3.1 .23.0.1	STRING	
IB-LSW-DEV-ADM-MIB::ibLswSlotSer ialNumber.0.1	.1.3.6.1.4.1.26138.8.35.18.4.3.1 .25.0.1	STRING	210235A52DAAAAA00002
IB-LSW-DEV-ADM-MIB::ibLswSubslot Index.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.4.1 .1.0.1.0	INTEGER	0
IB-LSW-DEV-ADM-MIB::ibLswSubslot Index.0.1.2	.1.3.6.1.4.1.26138.8.35.18.4.4.1 .1.0.1.2	INTEGER	2
IB-LSW-DEV-ADM-MIB::ibLswSubslot Index.0.1.3	.1.3.6.1.4.1.26138.8.35.18.4.4.1 .1.0.1.3	INTEGER	3
IB-LSW-DEV-ADM-MIB::ibLswSubslot Type.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.4.1 .2.0.1.0	INTEGER	type-ADSL(13)
IB-LSW-DEV-ADM-MIB::ibLswSubslot Type.0.1.2	.1.3.6.1.4.1.26138.8.35.18.4.4.1 .2.0.1.2	INTEGER	type-LSB1F48GB(34)
IB-LSW-DEV-ADM-MIB::ibLswSubslot Type.0.1.3	.1.3.6.1.4.1.26138.8.35.18.4.4.1 .2.0.1.3	INTEGER	type-STACK(10)
IB-LSW-DEV-ADM-MIB::ibLswSubslot PortNum.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.4.1 .3.0.1.0	INTEGER	18
IB-LSW-DEV-ADM-MIB::ibLswSubslot PortNum.0.1.2	.1.3.6.1.4.1.26138.8.35.18.4.4.1 .3.0.1.2	INTEGER	2
IB-LSW-DEV-ADM-MIB::ibLswSubslot PortNum.0.1.3	.1.3.6.1.4.1.26138.8.35.18.4.4.1 .3.0.1.3	INTEGER	10
IB-LSW-DEV-ADM-MIB::ibLswSubslot AdminStatus.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.4.1 .4.0.1.0	INTEGER	normal(2)
IB-LSW-DEV-ADM-MIB::ibLswSubslot AdminStatus.0.1.2	.1.3.6.1.4.1.26138.8.35.18.4.4.1 .4.0.1.2	INTEGER	normal(2)
IB-LSW-DEV-ADM-MIB::ibLswSubslot AdminStatus.0.1.3	.1.3.6.1.4.1.26138.8.35.18.4.4.1 .4.0.1.3	INTEGER	normal(2)
IB-LSW-DEV-ADM-MIB::ibLswSubslot FirstIfIndex.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.4.1 .5.0.1.0	INTEGER	1
IB-LSW-DEV-ADM-MIB::ibLswSubslot FirstIfIndex.0.1.2	.1.3.6.1.4.1.26138.8.35.18.4.4.1 .5.0.1.2	INTEGER	1
IB-LSW-DEV-ADM-MIB::ibLswSubslot FirstIfIndex.0.1.3	.1.3.6.1.4.1.26138.8.35.18.4.4.1 .5.0.1.3	INTEGER	1
IB-LSW-DEV-ADM-MIB::ibLswSubslot SerialNumber.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.4.1 .6.0.1.0	STRING	210235A52DAAAAA00002
IB-LSW-DEV-ADM-MIB::ibLswSubslot SerialNumber.0.1.2	.1.3.6.1.4.1.26138.8.35.18.4.4.1 .6.0.1.2	STRING	210231APBCAAAAA0002W
IB-LSW-DEV-ADM-MIB::ibLswSubslot SerialNumber.0.1.3	.1.3.6.1.4.1.26138.8.35.18.4.4.1 .6.0.1.3	STRING	210231APBDAAAAA0009C
IB-LSW-DEV-ADM-MIB::ibLswPortInd ex.0.1.0.2	.1.3.6.1.4.1.26138.8.35.18.4.5.1 .1.0.1.0.2	INTEGER	2
IB-LSW-DEV-ADM-MIB::ibLswPortInd ex.0.1.0.3	.1.3.6.1.4.1.26138.8.35.18.4.5.1 .1.0.1.0.3	INTEGER	3
IB-LSW-DEV-ADM-MIB::ibLswPortInd ex.0.1.0.4	.1.3.6.1.4.1.26138.8.35.18.4.5.1 .1.0.1.0.4	INTEGER	4
IB-LSW-DEV-ADM-MIB::ibLswPortInd ex.0.1.0.5	.1.3.6.1.4.1.26138.8.35.18.4.5.1 .1.0.1.0.5	INTEGER	5

Name	OID	Value Type	Value Example
IB-LSW-DEV-ADM-MIB::ibLswPortIndex.0.1.0.6	.1.3.6.1.4.1.26138.8.35.18.4.5.1.1.0.1.0.6	INTEGER	6
IB-LSW-DEV-ADM-MIB::ibLswPortIndex.0.1.0.7	.1.3.6.1.4.1.26138.8.35.18.4.5.1.1.0.1.0.7	INTEGER	7
IB-LSW-DEV-ADM-MIB::ibLswPortIndex.0.1.0.8	.1.3.6.1.4.1.26138.8.35.18.4.5.1.1.0.1.0.8	INTEGER	8
IB-LSW-DEV-ADM-MIB::ibLswPortIndex.0.1.0.9	.1.3.6.1.4.1.26138.8.35.18.4.5.1.1.0.1.0.9	INTEGER	9
IB-LSW-DEV-ADM-MIB::ibLswPortIndex.0.1.0.10	.1.3.6.1.4.1.26138.8.35.18.4.5.1.1.0.1.0.10	INTEGER	10
IB-LSW-DEV-ADM-MIB::ibLswPortIndex.0.1.0.11	.1.3.6.1.4.1.26138.8.35.18.4.5.1.1.0.1.0.11	INTEGER	11
IB-LSW-DEV-ADM-MIB::ibLswPortIndex.0.1.0.12	.1.3.6.1.4.1.26138.8.35.18.4.5.1.1.0.1.0.12	INTEGER	12
IB-LSW-DEV-ADM-MIB::ibLswPortIndex.0.1.0.13	.1.3.6.1.4.1.26138.8.35.18.4.5.1.1.0.1.0.13	INTEGER	13
IB-LSW-DEV-ADM-MIB::ibLswPortIndex.0.1.0.14	.1.3.6.1.4.1.26138.8.35.18.4.5.1.1.0.1.0.14	INTEGER	14
IB-LSW-DEV-ADM-MIB::ibLswPortIndex.0.1.0.15	.1.3.6.1.4.1.26138.8.35.18.4.5.1.1.0.1.0.15	INTEGER	15
IB-LSW-DEV-ADM-MIB::ibLswPortIndex.0.1.0.16	.1.3.6.1.4.1.26138.8.35.18.4.5.1.1.0.1.0.16	INTEGER	16
IB-LSW-DEV-ADM-MIB::ibLswPortIndex.0.1.0.17	.1.3.6.1.4.1.26138.8.35.18.4.5.1.1.0.1.0.17	INTEGER	17
IB-LSW-DEV-ADM-MIB::ibLswPortIndex.0.1.0.18	.1.3.6.1.4.1.26138.8.35.18.4.5.1.1.0.1.0.18	INTEGER	18
IB-LSW-DEV-ADM-MIB::ibLswPortIndex.0.1.0.19	.1.3.6.1.4.1.26138.8.35.18.4.5.1.1.0.1.0.19	INTEGER	19
IB-LSW-DEV-ADM-MIB::ibLswPortIndex.0.1.0.20	.1.3.6.1.4.1.26138.8.35.18.4.5.1.1.0.1.0.20	INTEGER	20
IB-LSW-DEV-ADM-MIB::ibLswPortIndex.0.1.2.21	.1.3.6.1.4.1.26138.8.35.18.4.5.1.1.0.1.2.21	INTEGER	21
IB-LSW-DEV-ADM-MIB::ibLswPortIndex.0.1.2.22	.1.3.6.1.4.1.26138.8.35.18.4.5.1.1.0.1.2.22	INTEGER	22
IB-LSW-DEV-ADM-MIB::ibLswPortIndex.0.1.3.23	.1.3.6.1.4.1.26138.8.35.18.4.5.1.1.0.1.3.23	INTEGER	23
IB-LSW-DEV-ADM-MIB::ibLswPortIndex.0.1.3.24	.1.3.6.1.4.1.26138.8.35.18.4.5.1.1.0.1.3.24	INTEGER	24
IB-LSW-DEV-ADM-MIB::ibLswPortIndex.0.1.3.25	.1.3.6.1.4.1.26138.8.35.18.4.5.1.1.0.1.3.25	INTEGER	25
IB-LSW-DEV-ADM-MIB::ibLswPortIndex.0.1.3.26	.1.3.6.1.4.1.26138.8.35.18.4.5.1.1.0.1.3.26	INTEGER	26
IB-LSW-DEV-ADM-MIB::ibLswPortIndex.0.1.3.27	.1.3.6.1.4.1.26138.8.35.18.4.5.1.1.0.1.3.27	INTEGER	27
IB-LSW-DEV-ADM-MIB::ibLswPortIndex.0.1.3.28	.1.3.6.1.4.1.26138.8.35.18.4.5.1.1.0.1.3.28	INTEGER	28
IB-LSW-DEV-ADM-MIB::ibLswPortIndex.0.1.3.29	.1.3.6.1.4.1.26138.8.35.18.4.5.1.1.0.1.3.29	INTEGER	29
IB-LSW-DEV-ADM-MIB::ibLswPortIndex.0.1.3.30	.1.3.6.1.4.1.26138.8.35.18.4.5.1.1.0.1.3.30	INTEGER	30
IB-LSW-DEV-ADM-MIB::ibLswPortType.0.1.0.2	.1.3.6.1.4.1.26138.8.35.18.4.5.1.2.0.1.0.2	INTEGER	type-1000BASE-TX(4)

Name	OID	Value Type	Value Example
IB-LSW-DEV-ADM-MIB::ibLswPortTypee.0.1.0.3	.1.3.6.1.4.1.26138.8.35.18.4.5.1.2.0.1.0.3	INTEGER	type-1000BASE-TX(4)
IB-LSW-DEV-ADM-MIB::ibLswPortTypee.0.1.0.4	.1.3.6.1.4.1.26138.8.35.18.4.5.1.2.0.1.0.4	INTEGER	type-1000BASE-TX(4)
IB-LSW-DEV-ADM-MIB::ibLswPortTypee.0.1.0.5	.1.3.6.1.4.1.26138.8.35.18.4.5.1.2.0.1.0.5	INTEGER	type-1000BASE-TX(4)
IB-LSW-DEV-ADM-MIB::ibLswPortTypee.0.1.0.6	.1.3.6.1.4.1.26138.8.35.18.4.5.1.2.0.1.0.6	INTEGER	type-1000BASE-TX(4)
IB-LSW-DEV-ADM-MIB::ibLswPortTypee.0.1.0.7	.1.3.6.1.4.1.26138.8.35.18.4.5.1.2.0.1.0.7	INTEGER	type-1000BASE-TX(4)
IB-LSW-DEV-ADM-MIB::ibLswPortTypee.0.1.0.8	.1.3.6.1.4.1.26138.8.35.18.4.5.1.2.0.1.0.8	INTEGER	type-1000BASE-TX(4)
IB-LSW-DEV-ADM-MIB::ibLswPortTypee.0.1.0.9	.1.3.6.1.4.1.26138.8.35.18.4.5.1.2.0.1.0.9	INTEGER	type-1000BASE-TX(4)
IB-LSW-DEV-ADM-MIB::ibLswPortTypee.0.1.0.10	.1.3.6.1.4.1.26138.8.35.18.4.5.1.2.0.1.0.10	INTEGER	type-1000BASE-TX(4)
IB-LSW-DEV-ADM-MIB::ibLswPortTypee.0.1.0.11	.1.3.6.1.4.1.26138.8.35.18.4.5.1.2.0.1.0.11	INTEGER	type-1000BASE-TX(4)
IB-LSW-DEV-ADM-MIB::ibLswPortTypee.0.1.0.12	.1.3.6.1.4.1.26138.8.35.18.4.5.1.2.0.1.0.12	INTEGER	type-1000BASE-TX(4)
IB-LSW-DEV-ADM-MIB::ibLswPortTypee.0.1.0.13	.1.3.6.1.4.1.26138.8.35.18.4.5.1.2.0.1.0.13	INTEGER	type-1000BASE-TX(4)
IB-LSW-DEV-ADM-MIB::ibLswPortTypee.0.1.0.14	.1.3.6.1.4.1.26138.8.35.18.4.5.1.2.0.1.0.14	INTEGER	type-1000BASE-TX(4)
IB-LSW-DEV-ADM-MIB::ibLswPortTypee.0.1.0.15	.1.3.6.1.4.1.26138.8.35.18.4.5.1.2.0.1.0.15	INTEGER	type-1000BASE-TX(4)
IB-LSW-DEV-ADM-MIB::ibLswPortTypee.0.1.0.16	.1.3.6.1.4.1.26138.8.35.18.4.5.1.2.0.1.0.16	INTEGER	type-1000BASE-TX(4)
IB-LSW-DEV-ADM-MIB::ibLswPortTypee.0.1.0.17	.1.3.6.1.4.1.26138.8.35.18.4.5.1.2.0.1.0.17	INTEGER	type-1000BASE-TX(4)
IB-LSW-DEV-ADM-MIB::ibLswPortTypee.0.1.0.18	.1.3.6.1.4.1.26138.8.35.18.4.5.1.2.0.1.0.18	INTEGER	type-1000BASE-TX(4)
IB-LSW-DEV-ADM-MIB::ibLswPortTypee.0.1.0.19	.1.3.6.1.4.1.26138.8.35.18.4.5.1.2.0.1.0.19	INTEGER	type-1000BASE-TX(4)
IB-LSW-DEV-ADM-MIB::ibLswPortTypee.0.1.0.20	.1.3.6.1.4.1.26138.8.35.18.4.5.1.2.0.1.0.20	INTEGER	type-1000BASE-TX(4)
IB-LSW-DEV-ADM-MIB::ibLswPortTypee.0.1.2.21	.1.3.6.1.4.1.26138.8.35.18.4.5.1.2.0.1.2.21	INTEGER	type-1000BASE-TX(4)
IB-LSW-DEV-ADM-MIB::ibLswPortTypee.0.1.2.22	.1.3.6.1.4.1.26138.8.35.18.4.5.1.2.0.1.2.22	INTEGER	type-1000BASE-TX(4)
IB-LSW-DEV-ADM-MIB::ibLswPortTypee.0.1.3.23	.1.3.6.1.4.1.26138.8.35.18.4.5.1.2.0.1.3.23	INTEGER	type-1000BASE-TX(4)
IB-LSW-DEV-ADM-MIB::ibLswPortTypee.0.1.3.24	.1.3.6.1.4.1.26138.8.35.18.4.5.1.2.0.1.3.24	INTEGER	type-1000BASE-TX(4)
IB-LSW-DEV-ADM-MIB::ibLswPortTypee.0.1.3.25	.1.3.6.1.4.1.26138.8.35.18.4.5.1.2.0.1.3.25	INTEGER	type-1000BASE-TX(4)
IB-LSW-DEV-ADM-MIB::ibLswPortTypee.0.1.3.26	.1.3.6.1.4.1.26138.8.35.18.4.5.1.2.0.1.3.26	INTEGER	type-1000BASE-TX(4)
IB-LSW-DEV-ADM-MIB::ibLswPortTypee.0.1.3.27	.1.3.6.1.4.1.26138.8.35.18.4.5.1.2.0.1.3.27	INTEGER	type-1000BASE-TX(4)
IB-LSW-DEV-ADM-MIB::ibLswPortTypee.0.1.3.28	.1.3.6.1.4.1.26138.8.35.18.4.5.1.2.0.1.3.28	INTEGER	type-1000BASE-TX(4)

Name	OID	Value Type	Value Example
IB-LSW-DEV-ADM-MIB::ibLswPortTypee.0.1.3.29	.1.3.6.1.4.1.26138.8.35.18.4.5.1.2.0.1.3.29	INTEGER	type-1000BASE-TX(4)
IB-LSW-DEV-ADM-MIB::ibLswPortTypee.0.1.3.30	.1.3.6.1.4.1.26138.8.35.18.4.5.1.2.0.1.3.30	INTEGER	type-1000BASE-TX(4)
IB-LSW-DEV-ADM-MIB::ibLswPortIfindex.0.1.0.2	.1.3.6.1.4.1.26138.8.35.18.4.5.1.3.0.1.0.2	INTEGER	2
IB-LSW-DEV-ADM-MIB::ibLswPortIfindex.0.1.0.3	.1.3.6.1.4.1.26138.8.35.18.4.5.1.3.0.1.0.3	INTEGER	3
IB-LSW-DEV-ADM-MIB::ibLswPortIfindex.0.1.0.4	.1.3.6.1.4.1.26138.8.35.18.4.5.1.3.0.1.0.4	INTEGER	4
IB-LSW-DEV-ADM-MIB::ibLswPortIfindex.0.1.0.5	.1.3.6.1.4.1.26138.8.35.18.4.5.1.3.0.1.0.5	INTEGER	5
IB-LSW-DEV-ADM-MIB::ibLswPortIfindex.0.1.0.6	.1.3.6.1.4.1.26138.8.35.18.4.5.1.3.0.1.0.6	INTEGER	6
IB-LSW-DEV-ADM-MIB::ibLswPortIfindex.0.1.0.7	.1.3.6.1.4.1.26138.8.35.18.4.5.1.3.0.1.0.7	INTEGER	7
IB-LSW-DEV-ADM-MIB::ibLswPortIfindex.0.1.0.8	.1.3.6.1.4.1.26138.8.35.18.4.5.1.3.0.1.0.8	INTEGER	8
IB-LSW-DEV-ADM-MIB::ibLswPortIfindex.0.1.0.9	.1.3.6.1.4.1.26138.8.35.18.4.5.1.3.0.1.0.9	INTEGER	9
IB-LSW-DEV-ADM-MIB::ibLswPortIfindex.0.1.0.10	.1.3.6.1.4.1.26138.8.35.18.4.5.1.3.0.1.0.10	INTEGER	10
IB-LSW-DEV-ADM-MIB::ibLswPortIfindex.0.1.0.11	.1.3.6.1.4.1.26138.8.35.18.4.5.1.3.0.1.0.11	INTEGER	11
IB-LSW-DEV-ADM-MIB::ibLswPortIfindex.0.1.0.12	.1.3.6.1.4.1.26138.8.35.18.4.5.1.3.0.1.0.12	INTEGER	12
IB-LSW-DEV-ADM-MIB::ibLswPortIfindex.0.1.0.13	.1.3.6.1.4.1.26138.8.35.18.4.5.1.3.0.1.0.13	INTEGER	13
IB-LSW-DEV-ADM-MIB::ibLswPortIfindex.0.1.0.14	.1.3.6.1.4.1.26138.8.35.18.4.5.1.3.0.1.0.14	INTEGER	14
IB-LSW-DEV-ADM-MIB::ibLswPortIfindex.0.1.0.15	.1.3.6.1.4.1.26138.8.35.18.4.5.1.3.0.1.0.15	INTEGER	15
IB-LSW-DEV-ADM-MIB::ibLswPortIfindex.0.1.0.16	.1.3.6.1.4.1.26138.8.35.18.4.5.1.3.0.1.0.16	INTEGER	16
IB-LSW-DEV-ADM-MIB::ibLswPortIfindex.0.1.0.17	.1.3.6.1.4.1.26138.8.35.18.4.5.1.3.0.1.0.17	INTEGER	17
IB-LSW-DEV-ADM-MIB::ibLswPortIfindex.0.1.0.18	.1.3.6.1.4.1.26138.8.35.18.4.5.1.3.0.1.0.18	INTEGER	18
IB-LSW-DEV-ADM-MIB::ibLswPortIfindex.0.1.0.19	.1.3.6.1.4.1.26138.8.35.18.4.5.1.3.0.1.0.19	INTEGER	19
IB-LSW-DEV-ADM-MIB::ibLswPortIfindex.0.1.0.20	.1.3.6.1.4.1.26138.8.35.18.4.5.1.3.0.1.0.20	INTEGER	20
IB-LSW-DEV-ADM-MIB::ibLswPortIfindex.0.1.2.21	.1.3.6.1.4.1.26138.8.35.18.4.5.1.3.0.1.2.21	INTEGER	21
IB-LSW-DEV-ADM-MIB::ibLswPortIfindex.0.1.2.22	.1.3.6.1.4.1.26138.8.35.18.4.5.1.3.0.1.2.22	INTEGER	22
IB-LSW-DEV-ADM-MIB::ibLswPortIfindex.0.1.3.23	.1.3.6.1.4.1.26138.8.35.18.4.5.1.3.0.1.3.23	INTEGER	23
IB-LSW-DEV-ADM-MIB::ibLswPortIfindex.0.1.3.24	.1.3.6.1.4.1.26138.8.35.18.4.5.1.3.0.1.3.24	INTEGER	24
IB-LSW-DEV-ADM-MIB::ibLswPortIfindex.0.1.3.25	.1.3.6.1.4.1.26138.8.35.18.4.5.1.3.0.1.3.25	INTEGER	25

Name	OID	Value Type	Value Example
IB-LSW-DEV-ADM-MIB::ibLswPortIfindex.0.1.3.26	.1.3.6.1.4.1.26138.8.35.18.4.5.1.3.0.1.3.26	INTEGER	26
IB-LSW-DEV-ADM-MIB::ibLswPortIfindex.0.1.3.27	.1.3.6.1.4.1.26138.8.35.18.4.5.1.3.0.1.3.27	INTEGER	27
IB-LSW-DEV-ADM-MIB::ibLswPortIfindex.0.1.3.28	.1.3.6.1.4.1.26138.8.35.18.4.5.1.3.0.1.3.28	INTEGER	28
IB-LSW-DEV-ADM-MIB::ibLswPortIfindex.0.1.3.29	.1.3.6.1.4.1.26138.8.35.18.4.5.1.3.0.1.3.29	INTEGER	29
IB-LSW-DEV-ADM-MIB::ibLswPortIfindex.0.1.3.30	.1.3.6.1.4.1.26138.8.35.18.4.5.1.3.0.1.3.30	INTEGER	30
IB-LSW-DEV-ADM-MIB::ibLswPortIsPlugged.0.1.0.2	.1.3.6.1.4.1.26138.8.35.18.4.5.1.4.0.1.0.2	INTEGER	unplugged(0)
IB-LSW-DEV-ADM-MIB::ibLswPortIsPlugged.0.1.0.3	.1.3.6.1.4.1.26138.8.35.18.4.5.1.4.0.1.0.3	INTEGER	unplugged(0)
IB-LSW-DEV-ADM-MIB::ibLswPortIsPlugged.0.1.0.4	.1.3.6.1.4.1.26138.8.35.18.4.5.1.4.0.1.0.4	INTEGER	unplugged(0)
IB-LSW-DEV-ADM-MIB::ibLswPortIsPlugged.0.1.0.5	.1.3.6.1.4.1.26138.8.35.18.4.5.1.4.0.1.0.5	INTEGER	unplugged(0)
IB-LSW-DEV-ADM-MIB::ibLswPortIsPlugged.0.1.0.6	.1.3.6.1.4.1.26138.8.35.18.4.5.1.4.0.1.0.6	INTEGER	unplugged(0)
IB-LSW-DEV-ADM-MIB::ibLswPortIsPlugged.0.1.0.7	.1.3.6.1.4.1.26138.8.35.18.4.5.1.4.0.1.0.7	INTEGER	unplugged(0)
IB-LSW-DEV-ADM-MIB::ibLswPortIsPlugged.0.1.0.8	.1.3.6.1.4.1.26138.8.35.18.4.5.1.4.0.1.0.8	INTEGER	unplugged(0)
IB-LSW-DEV-ADM-MIB::ibLswPortIsPlugged.0.1.0.9	.1.3.6.1.4.1.26138.8.35.18.4.5.1.4.0.1.0.9	INTEGER	unplugged(0)
IB-LSW-DEV-ADM-MIB::ibLswPortIsPlugged.0.1.0.10	.1.3.6.1.4.1.26138.8.35.18.4.5.1.4.0.1.0.10	INTEGER	unplugged(0)
IB-LSW-DEV-ADM-MIB::ibLswPortIsPlugged.0.1.0.11	.1.3.6.1.4.1.26138.8.35.18.4.5.1.4.0.1.0.11	INTEGER	unplugged(0)
IB-LSW-DEV-ADM-MIB::ibLswPortIsPlugged.0.1.0.12	.1.3.6.1.4.1.26138.8.35.18.4.5.1.4.0.1.0.12	INTEGER	unplugged(0)
IB-LSW-DEV-ADM-MIB::ibLswPortIsPlugged.0.1.0.13	.1.3.6.1.4.1.26138.8.35.18.4.5.1.4.0.1.0.13	INTEGER	unplugged(0)
IB-LSW-DEV-ADM-MIB::ibLswPortIsPlugged.0.1.0.14	.1.3.6.1.4.1.26138.8.35.18.4.5.1.4.0.1.0.14	INTEGER	unplugged(0)
IB-LSW-DEV-ADM-MIB::ibLswPortIsPlugged.0.1.0.15	.1.3.6.1.4.1.26138.8.35.18.4.5.1.4.0.1.0.15	INTEGER	unplugged(0)
IB-LSW-DEV-ADM-MIB::ibLswPortIsPlugged.0.1.0.16	.1.3.6.1.4.1.26138.8.35.18.4.5.1.4.0.1.0.16	INTEGER	unplugged(0)
IB-LSW-DEV-ADM-MIB::ibLswPortIsPlugged.0.1.0.17	.1.3.6.1.4.1.26138.8.35.18.4.5.1.4.0.1.0.17	INTEGER	unplugged(0)
IB-LSW-DEV-ADM-MIB::ibLswPortIsPlugged.0.1.0.18	.1.3.6.1.4.1.26138.8.35.18.4.5.1.4.0.1.0.18	INTEGER	unplugged(0)
IB-LSW-DEV-ADM-MIB::ibLswPortIsPlugged.0.1.0.19	.1.3.6.1.4.1.26138.8.35.18.4.5.1.4.0.1.0.19	INTEGER	unplugged(0)
IB-LSW-DEV-ADM-MIB::ibLswPortIsPlugged.0.1.0.20	.1.3.6.1.4.1.26138.8.35.18.4.5.1.4.0.1.0.20	INTEGER	unplugged(0)
IB-LSW-DEV-ADM-MIB::ibLswPortIsPlugged.0.1.2.21	.1.3.6.1.4.1.26138.8.35.18.4.5.1.4.0.1.2.21	INTEGER	unplugged(0)
IB-LSW-DEV-ADM-MIB::ibLswPortIsPlugged.0.1.2.22	.1.3.6.1.4.1.26138.8.35.18.4.5.1.4.0.1.2.22	INTEGER	unplugged(0)

Name	OID	Value Type	Value Example
IB-LSW-DEV-ADM-MIB::ibLswPortIsPlugged.0.1.3.23	.1.3.6.1.4.1.26138.8.35.18.4.5.1.4.0.1.3.23	INTEGER	unplugged(0)
IB-LSW-DEV-ADM-MIB::ibLswPortIsPlugged.0.1.3.24	.1.3.6.1.4.1.26138.8.35.18.4.5.1.4.0.1.3.24	INTEGER	unplugged(0)
IB-LSW-DEV-ADM-MIB::ibLswPortIsPlugged.0.1.3.25	.1.3.6.1.4.1.26138.8.35.18.4.5.1.4.0.1.3.25	INTEGER	unplugged(0)
IB-LSW-DEV-ADM-MIB::ibLswPortIsPlugged.0.1.3.26	.1.3.6.1.4.1.26138.8.35.18.4.5.1.4.0.1.3.26	INTEGER	unplugged(0)
IB-LSW-DEV-ADM-MIB::ibLswPortIsPlugged.0.1.3.27	.1.3.6.1.4.1.26138.8.35.18.4.5.1.4.0.1.3.27	INTEGER	unplugged(0)
IB-LSW-DEV-ADM-MIB::ibLswPortIsPlugged.0.1.3.28	.1.3.6.1.4.1.26138.8.35.18.4.5.1.4.0.1.3.28	INTEGER	unplugged(0)
IB-LSW-DEV-ADM-MIB::ibLswPortIsPlugged.0.1.3.29	.1.3.6.1.4.1.26138.8.35.18.4.5.1.4.0.1.3.29	INTEGER	unplugged(0)
IB-LSW-DEV-ADM-MIB::ibLswPortIsPlugged.0.1.3.30	.1.3.6.1.4.1.26138.8.35.18.4.5.1.4.0.1.3.30	INTEGER	unplugged(0)
IB-LSW-DEV-ADM-MIB::ibLswCpuEntityIndex.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.10.1.2.0.1.0	INTEGER	97
IB-LSW-DEV-ADM-MIB::ibLswCpuRatio.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.10.1.3.0.1.0	Gauge32	1
IB-LSW-DEV-ADM-MIB::ibLswCpuSoftwareVersion.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.10.1.4.0.1.0	STRING	9.1.061, Release 1411P02
IB-LSW-DEV-ADM-MIB::ibLswCpuAdminStatus.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.10.1.5.0.1.0	INTEGER	normal(2)
IB-LSW-DEV-ADM-MIB::ibLswCpuOperStatus.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.10.1.6.0.1.0	INTEGER	enable(2)
IB-LSW-DEV-ADM-MIB::ibLswCpuPhyMemory.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.10.1.7.0.1.0	Counter64	0 byte
IB-LSW-DEV-ADM-MIB::ibLswCpuMemory.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.10.1.8.0.1.0	Counter64	16698888192 byte
IB-LSW-DEV-ADM-MIB::ibLswCpuMemoryUsed.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.10.1.9.0.1.0	Counter64	4775333888 byte
IB-LSW-DEV-ADM-MIB::ibLswCpuMemoryRatio.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.10.1.10.0.1.0	Gauge32	28
IB-LSW-DEV-ADM-MIB::ibLswCpuUsageMinorThreshold.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.10.1.11.0.1.0	Gauge32	79
IB-LSW-DEV-ADM-MIB::ibLswCpuUsageSevereThreshold.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.10.1.12.0.1.0	Gauge32	99
IB-LSW-DEV-ADM-MIB::ibLswCpuMemoryFree.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.10.1.14.0.1.0	Counter64	11644048 byte
IB-LSW-DEV-ADM-MIB::ibLswCpuMemoryFreeRatio.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.10.1.15.0.1.0	Gauge32	72

Name	OID	Value Type	Value Example
IB-LSW-DEV-ADM-MIB::ibLswCpuMemoryVmallocTotal.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.10.1.20.0.1.0	Counter64	34359738367
IB-LSW-DEV-ADM-MIB::ibLswCpuMemoryVmallocUsed.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.10.1.21.0.1.0	Counter64	0
IB-LSW-DEV-ADM-MIB::ibLswCpuMemoryVmallocChunk.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.10.1.22.0.1.0	Counter64	0
IB-LSW-DEV-ADM-MIB::ibLswCpuMemoryCommitLimit.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.10.1.23.0.1.0	Counter64	7105176
IB-LSW-DEV-ADM-MIB::ibLswCpuMemoryCommittedAs.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.10.1.24.0.1.0	Counter64	6266280
IB-LSW-DEV-ADM-MIB::ibLswCpuMemoryThresholdUnit.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.10.1.25.0.1.0	INTEGER	inMB(1)
IB-LSW-DEV-ADM-MIB::ibLswCpuMemorySecureThreshold.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.10.1.26.0.1.0	Gauge32	704
IB-LSW-DEV-ADM-MIB::ibLswCpuMemoryEarlyWarningThreshold.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.10.1.27.0.1.0	Gauge32	640
IB-LSW-DEV-ADM-MIB::ibLswCpuMemoryNormalThreshold.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.10.1.28.0.1.0	Gauge32	576
IB-LSW-DEV-ADM-MIB::ibLswCpuMemoryMinorThreshold.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.10.1.29.0.1.0	Gauge32	512
IB-LSW-DEV-ADM-MIB::ibLswCpuMemorySevereThreshold.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.10.1.30.0.1.0	Gauge32	448
IB-LSW-DEV-ADM-MIB::ibLswCpuMemoryCriticalThreshold.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.10.1.31.0.1.0	Gauge32	384
IB-LSW-DEV-ADM-MIB::ibLswCpuMemoryCurrentState.0.1.0	.1.3.6.1.4.1.26138.8.35.18.4.10.1.32.0.1.0	INTEGER	normal(3)
IB-LSW-DEV-ADM-MIB::ibLswPowerIndex.0.1.1	.1.3.6.1.4.1.26138.8.35.18.4.11.1.1.0.1.1	INTEGER	1
IB-LSW-DEV-ADM-MIB::ibLswPowerIndex.0.1.2	.1.3.6.1.4.1.26138.8.35.18.4.11.1.1.0.1.2	INTEGER	2
IB-LSW-DEV-ADM-MIB::ibLswPowerSerialNumber.0.1.1	.1.3.6.1.4.1.26138.8.35.18.4.11.1.2.0.1.1	STRING	
IB-LSW-DEV-ADM-MIB::ibLswPowerSerialNumber.0.1.2	.1.3.6.1.4.1.26138.8.35.18.4.11.1.2.0.1.2	STRING	
IB-LSW-DEV-ADM-MIB::ibLswFanIndex.0.1.1	.1.3.6.1.4.1.26138.8.35.18.4.12.1.1.0.1.1	INTEGER	1
IB-LSW-DEV-ADM-MIB::ibLswFanIndex.0.1.2	.1.3.6.1.4.1.26138.8.35.18.4.12.1.1.0.1.2	INTEGER	2

Name	OID	Value Type	Value Example
IB-LSW-DEV-ADM-MIB::ibLswFanIndex.0.1.3	.1.3.6.1.4.1.26138.8.35.18.4.12.1.1.0.1.3	INTEGER	3
IB-LSW-DEV-ADM-MIB::ibLswFanIndex.0.1.4	.1.3.6.1.4.1.26138.8.35.18.4.12.1.1.0.1.4	INTEGER	4
IB-LSW-DEV-ADM-MIB::ibLswFanIndex.0.1.5	.1.3.6.1.4.1.26138.8.35.18.4.12.1.1.0.1.5	INTEGER	5
IB-LSW-DEV-ADM-MIB::ibLswFanSerialNumber.0.1.1	.1.3.6.1.4.1.26138.8.35.18.4.12.1.2.0.1.1	STRING	
IB-LSW-DEV-ADM-MIB::ibLswFanSerialNumber.0.1.2	.1.3.6.1.4.1.26138.8.35.18.4.12.1.2.0.1.2	STRING	
IB-LSW-DEV-ADM-MIB::ibLswFanSerialNumber.0.1.3	.1.3.6.1.4.1.26138.8.35.18.4.12.1.2.0.1.3	STRING	
IB-LSW-DEV-ADM-MIB::ibLswFanSerialNumber.0.1.4	.1.3.6.1.4.1.26138.8.35.18.4.12.1.2.0.1.4	STRING	
IB-LSW-DEV-ADM-MIB::ibLswFanSerialNumber.0.1.5	.1.3.6.1.4.1.26138.8.35.18.4.12.1.2.0.1.5	STRING	
IB-LSW-DEV-ADM-MIB::ibLswCpuGrou pIndex.0.1.0.0	.1.3.6.1.4.1.26138.8.35.18.4.14.1.1.0.1.0.0	INTEGER	0
IB-LSW-DEV-ADM-MIB::ibLswCpuGrou pIndex.0.1.0.1	.1.3.6.1.4.1.26138.8.35.18.4.14.1.1.0.1.0.1	INTEGER	1
IB-LSW-DEV-ADM-MIB::ibLswCpuGrou pName.0.1.0.0	.1.3.6.1.4.1.26138.8.35.18.4.14.1.2.0.1.0.0	STRING	"ControlPlane"
IB-LSW-DEV-ADM-MIB::ibLswCpuGrou pName.0.1.0.1	.1.3.6.1.4.1.26138.8.35.18.4.14.1.2.0.1.0.1	STRING	"DataPlane"
IB-LSW-DEV-ADM-MIB::ibLswCurrentCpuUsage.0.1.0.0	.1.3.6.1.4.1.26138.8.35.18.4.14.1.3.0.1.0.0	Gauge32	6
IB-LSW-DEV-ADM-MIB::ibLswCurrentCpuUsage.0.1.0.1	.1.3.6.1.4.1.26138.8.35.18.4.14.1.3.0.1.0.1	Gauge32	0
IB-LSW-DEV--ADM-MIB::ibLswLast1mCpuUsage.0.1.0.0	.1.3.6.1.4.1.26138.8.35.18.4.14.1.4.0.1.0.0	Gauge32	6
IB-LSW-DEV--ADM-MIB::ibLswLast1mCpuUsage.0.1.0.1	.1.3.6.1.4.1.26138.8.35.18.4.14.1.4.0.1.0.1	Gauge32	0
IB-LSW-DEV--ADM-MIB::ibLswLast5mCpuUsage.0.1.0.0	.1.3.6.1.4.1.26138.8.35.18.4.14.1.5.0.1.0.0	Gauge32	6
IB-LSW-DEV--ADM-MIB::ibLswLast5mCpuUsage.0.1.0.1	.1.3.6.1.4.1.26138.8.35.18.4.14.1.5.0.1.0.1	Gauge32	0
IB-LSW-DEV-ADM-MIB::ibLswCoreIndex.0.1.0.0	.1.3.6.1.4.1.26138.8.35.18.4.15.1.1.0.1.0.0	INTEGER	0
IB-LSW-DEV-ADM-MIB::ibLswCoreUsageInLast5Sec.0.1.0.0	.1.3.6.1.4.1.26138.8.35.18.4.15.1.2.0.1.0.0	Gauge32	0
IB-LSW-DEV-ADM-MIB::ibLswCoreUsageInLast1Min.0.1.0.0	.1.3.6.1.4.1.26138.8.35.18.4.15.1.3.0.1.0.0	Gauge32	0
IB-LSW-DEV-ADM-MIB::ibLswCoreUsageInLast5Min.0.1.0.0	.1.3.6.1.4.1.26138.8.35.18.4.15.1.4.0.1.0.0	Gauge32	0

Name	OID	Value Type	Value Example
IB-LSW-DEV-ADM-MIB::ibLswCoreThreshold.0.1.0.0	.1.3.6.1.4.1.26138.8.35.18.4.15.1.5.0.1.0.0	Gauge32	4294967295
IB-LSW-DEV-ADM-MIB::ibLswCoreState.0.1.0.0	.1.3.6.1.4.1.26138.8.35.18.4.15.1.6.0.1.0.0	INTEGER	normal(1)
IB-LSW-DEV-ADM-MIB::ibLswCoreMinorThreshold.0.1.0.0	.1.3.6.1.4.1.26138.8.35.18.4.15.1.7.0.1.0.0	Gauge32	4294967295
IB-LSW-DEV-ADM-MIB::ibLswCoreRecoveryThreshold.0.1.0.0	.1.3.6.1.4.1.26138.8.35.18.4.15.1.8.0.1.0.0	Gauge32	4294967295