



Mapeamento de Objetos e OIDs SNMP

ITB TEAM - Special Projects

May, 13, 2024

ITB - Redes Empresariais - Switches

Sumário

1. Descrição: 3

2. Objetos e OIDs SNMP: 3

1. Descrição:

Esse documento apresenta os resultados da varredura de Objetos e OIDs SNMP para o switch **S3328G-B**. Os OIDs e MiBs apresentados foram coletados utilizando as seguintes especificações do switch:

```
1 INTELBRAS OS Software, Version 7.1.070, Release 6358P03
2 Copyright (C) 2023 Intelbras S.A. All rights reserved.
3 INTELBRAS S3328G-B uptime is 2 weeks, 1 day, 2 hours, 47 minutes
4 Last reboot reason : Cold reboot
5
6 Boot image: flash:/s3300g-ibos710-boot-r6358p03.bin
7 Boot image version: 7.1.070, Release 6358P03
8   Compiled Nov 29 2023 10:18:00
9 System image: flash:/s3300g-ibos710-system-r6358p03.bin
10 System image version: 7.1.070, Release 6358P03
11   Compiled Nov 29 2023 10:18:00
12
13
14 Slot 1:
15 Uptime is 2 weeks,1 day,2 hours,47 minutes
16 S3328G-B with 1 Processor
17 BOARD TYPE:          S3328G-B
18 DRAM:                512M bytes
19 FLASH:               256M bytes
20 PCB 1 Version:       VER.B
21 Bootrom Version:     155
22 CPLD 1 Version:      002
23 Release Version:     INTELBRAS S3328G-B-6358P03
24 Patch Version  :     None
25 Reboot Cause  :      ColdReboot
26 [SubSlot 0] 24GE+4SFP Plus
```

2. Objetos e OIDs SNMP:

Name	OID	Value Type	Value Example
sysDescr.0	.1.3.6.1.2.1.1.1.0	OctetString	INTELBRAS Platform Software, Software Version 7.1.070, Release 6358P03 INTELBRAS S3328G-B Copyright (C) 2023 Intelbras S.A. All rights reserved.
sysObjectID.0	.1.3.6.1.2.1.1.2.0	OID	ib-S3328G-B
sysUpTime.0	.1.3.6.1.2.1.1.3.0	TimeTicks	340 hours 44 minutes 37.38 seconds (122667738)
sysContact.0	.1.3.6.1.2.1.1.4.0	OctetString	INTELBRAS S.A.
sysName.0	.1.3.6.1.2.1.1.5.0	OctetString	INTELBRAS
sysLocation.0	.1.3.6.1.2.1.1.6.0	OctetString	Brazil
sysServices.0	.1.3.6.1.2.1.1.7.0	Integer	78
ifNumber.0	.1.3.6.1.2.1.2.1.0	Integer	31
ifIndex.1	.1.3.6.1.2.1.2.2.1.1.1	Integer	1

Name	OID	Value Type	Value Example
ifIndex.2	.1.3.6.1.2.1.2.2.1.1.2	Integer	2
ifIndex.3	.1.3.6.1.2.1.2.2.1.1.3	Integer	3
ifIndex.4	.1.3.6.1.2.1.2.2.1.1.4	Integer	4
ifIndex.5	.1.3.6.1.2.1.2.2.1.1.5	Integer	5
ifIndex.6	.1.3.6.1.2.1.2.2.1.1.6	Integer	6
ifIndex.7	.1.3.6.1.2.1.2.2.1.1.7	Integer	7
ifIndex.8	.1.3.6.1.2.1.2.2.1.1.8	Integer	8
ifIndex.9	.1.3.6.1.2.1.2.2.1.1.9	Integer	9
ifIndex.10	.1.3.6.1.2.1.2.2.1.1.10	Integer	10
ifIndex.11	.1.3.6.1.2.1.2.2.1.1.11	Integer	11
ifIndex.12	.1.3.6.1.2.1.2.2.1.1.12	Integer	12
ifIndex.13	.1.3.6.1.2.1.2.2.1.1.13	Integer	13
ifIndex.14	.1.3.6.1.2.1.2.2.1.1.14	Integer	14
ifIndex.15	.1.3.6.1.2.1.2.2.1.1.15	Integer	15
ifIndex.16	.1.3.6.1.2.1.2.2.1.1.16	Integer	16
ifIndex.17	.1.3.6.1.2.1.2.2.1.1.17	Integer	17
ifIndex.18	.1.3.6.1.2.1.2.2.1.1.18	Integer	18
ifIndex.19	.1.3.6.1.2.1.2.2.1.1.19	Integer	19
ifIndex.20	.1.3.6.1.2.1.2.2.1.1.20	Integer	20
ifIndex.21	.1.3.6.1.2.1.2.2.1.1.21	Integer	21
ifIndex.22	.1.3.6.1.2.1.2.2.1.1.22	Integer	22
ifIndex.23	.1.3.6.1.2.1.2.2.1.1.23	Integer	23
ifIndex.24	.1.3.6.1.2.1.2.2.1.1.24	Integer	24
ifIndex.25	.1.3.6.1.2.1.2.2.1.1.25	Integer	25
ifIndex.26	.1.3.6.1.2.1.2.2.1.1.26	Integer	26
ifIndex.27	.1.3.6.1.2.1.2.2.1.1.27	Integer	27
ifIndex.28	.1.3.6.1.2.1.2.2.1.1.28	Integer	28
ifIndex.632	.1.3.6.1.2.1.2.2.1.1.632	Integer	632
ifIndex.633	.1.3.6.1.2.1.2.2.1.1.633	Integer	633
ifIndex.635	.1.3.6.1.2.1.2.2.1.1.635	Integer	635
ifDescr.1	.1.3.6.1.2.1.2.2.1.2.1	OctetString	GigabitEthernet1/0/1
ifDescr.2	.1.3.6.1.2.1.2.2.1.2.2	OctetString	GigabitEthernet1/0/2
ifDescr.3	.1.3.6.1.2.1.2.2.1.2.3	OctetString	GigabitEthernet1/0/3
ifDescr.4	.1.3.6.1.2.1.2.2.1.2.4	OctetString	GigabitEthernet1/0/4
ifDescr.5	.1.3.6.1.2.1.2.2.1.2.5	OctetString	GigabitEthernet1/0/5
ifDescr.6	.1.3.6.1.2.1.2.2.1.2.6	OctetString	GigabitEthernet1/0/6
ifDescr.7	.1.3.6.1.2.1.2.2.1.2.7	OctetString	GigabitEthernet1/0/7
ifDescr.8	.1.3.6.1.2.1.2.2.1.2.8	OctetString	GigabitEthernet1/0/8
ifDescr.9	.1.3.6.1.2.1.2.2.1.2.9	OctetString	GigabitEthernet1/0/9
ifDescr.10	.1.3.6.1.2.1.2.2.1.2.10	OctetString	GigabitEthernet1/0/10
ifDescr.11	.1.3.6.1.2.1.2.2.1.2.11	OctetString	GigabitEthernet1/0/11
ifDescr.12	.1.3.6.1.2.1.2.2.1.2.12	OctetString	GigabitEthernet1/0/12
ifDescr.13	.1.3.6.1.2.1.2.2.1.2.13	OctetString	GigabitEthernet1/0/13

Name	OID	Value Type	Value Example
ifDescr.14	.1.3.6.1.2.1.2.2.1.2.14	OctetString	GigabitEthernet1/0/14
ifDescr.15	.1.3.6.1.2.1.2.2.1.2.15	OctetString	GigabitEthernet1/0/15
ifDescr.16	.1.3.6.1.2.1.2.2.1.2.16	OctetString	GigabitEthernet1/0/16
ifDescr.17	.1.3.6.1.2.1.2.2.1.2.17	OctetString	GigabitEthernet1/0/17
ifDescr.18	.1.3.6.1.2.1.2.2.1.2.18	OctetString	GigabitEthernet1/0/18
ifDescr.19	.1.3.6.1.2.1.2.2.1.2.19	OctetString	GigabitEthernet1/0/19
ifDescr.20	.1.3.6.1.2.1.2.2.1.2.20	OctetString	GigabitEthernet1/0/20
ifDescr.21	.1.3.6.1.2.1.2.2.1.2.21	OctetString	GigabitEthernet1/0/21
ifDescr.22	.1.3.6.1.2.1.2.2.1.2.22	OctetString	GigabitEthernet1/0/22
ifDescr.23	.1.3.6.1.2.1.2.2.1.2.23	OctetString	GigabitEthernet1/0/23
ifDescr.24	.1.3.6.1.2.1.2.2.1.2.24	OctetString	GigabitEthernet1/0/24
ifDescr.25	.1.3.6.1.2.1.2.2.1.2.25	OctetString	Ten-GigabitEthernet1/0/25
ifDescr.26	.1.3.6.1.2.1.2.2.1.2.26	OctetString	Ten-GigabitEthernet1/0/26
ifDescr.27	.1.3.6.1.2.1.2.2.1.2.27	OctetString	Ten-GigabitEthernet1/0/27
ifDescr.28	.1.3.6.1.2.1.2.2.1.2.28	OctetString	Ten-GigabitEthernet1/0/28
ifDescr.632	.1.3.6.1.2.1.2.2.1.2.632	OctetString	NULL0
ifDescr.633	.1.3.6.1.2.1.2.2.1.2.633	OctetString	InLoopBack0
ifDescr.635	.1.3.6.1.2.1.2.2.1.2.635	OctetString	Vlan-interface1
ifType.1	.1.3.6.1.2.1.2.2.1.3.1	Integer	ethernetCsmacd (6)
ifType.2	.1.3.6.1.2.1.2.2.1.3.2	Integer	ethernetCsmacd (6)
ifType.3	.1.3.6.1.2.1.2.2.1.3.3	Integer	ethernetCsmacd (6)
ifType.4	.1.3.6.1.2.1.2.2.1.3.4	Integer	ethernetCsmacd (6)
ifType.5	.1.3.6.1.2.1.2.2.1.3.5	Integer	ethernetCsmacd (6)
ifType.6	.1.3.6.1.2.1.2.2.1.3.6	Integer	ethernetCsmacd (6)
ifType.7	.1.3.6.1.2.1.2.2.1.3.7	Integer	ethernetCsmacd (6)
ifType.8	.1.3.6.1.2.1.2.2.1.3.8	Integer	ethernetCsmacd (6)
ifType.9	.1.3.6.1.2.1.2.2.1.3.9	Integer	ethernetCsmacd (6)
ifType.10	.1.3.6.1.2.1.2.2.1.3.10	Integer	ethernetCsmacd (6)
ifType.11	.1.3.6.1.2.1.2.2.1.3.11	Integer	ethernetCsmacd (6)
ifType.12	.1.3.6.1.2.1.2.2.1.3.12	Integer	ethernetCsmacd (6)
ifType.13	.1.3.6.1.2.1.2.2.1.3.13	Integer	ethernetCsmacd (6)
ifType.14	.1.3.6.1.2.1.2.2.1.3.14	Integer	ethernetCsmacd (6)
ifType.15	.1.3.6.1.2.1.2.2.1.3.15	Integer	ethernetCsmacd (6)
ifType.16	.1.3.6.1.2.1.2.2.1.3.16	Integer	ethernetCsmacd (6)
ifType.17	.1.3.6.1.2.1.2.2.1.3.17	Integer	ethernetCsmacd (6)
ifType.18	.1.3.6.1.2.1.2.2.1.3.18	Integer	ethernetCsmacd (6)
ifType.19	.1.3.6.1.2.1.2.2.1.3.19	Integer	ethernetCsmacd (6)
ifType.20	.1.3.6.1.2.1.2.2.1.3.20	Integer	ethernetCsmacd (6)
ifType.21	.1.3.6.1.2.1.2.2.1.3.21	Integer	ethernetCsmacd (6)
ifType.22	.1.3.6.1.2.1.2.2.1.3.22	Integer	ethernetCsmacd (6)
ifType.23	.1.3.6.1.2.1.2.2.1.3.23	Integer	ethernetCsmacd (6)
ifType.24	.1.3.6.1.2.1.2.2.1.3.24	Integer	ethernetCsmacd (6)
ifType.25	.1.3.6.1.2.1.2.2.1.3.25	Integer	ethernetCsmacd (6)

Name	OID	Value Type	Value Example
ifType.26	.1.3.6.1.2.1.2.2.1.3.26	Integer	ethernetCsmacd (6)
ifType.27	.1.3.6.1.2.1.2.2.1.3.27	Integer	ethernetCsmacd (6)
ifType.28	.1.3.6.1.2.1.2.2.1.3.28	Integer	ethernetCsmacd (6)
ifType.632	.1.3.6.1.2.1.2.2.1.3.632	Integer	other (1)
ifType.633	.1.3.6.1.2.1.2.2.1.3.633	Integer	softwareLoopback (24)
ifType.635	.1.3.6.1.2.1.2.2.1.3.635	Integer	l3ipvlan (136)
ifMtu.1	.1.3.6.1.2.1.2.2.1.4.1	Integer	10240
ifMtu.2	.1.3.6.1.2.1.2.2.1.4.2	Integer	10240
ifMtu.3	.1.3.6.1.2.1.2.2.1.4.3	Integer	10240
ifMtu.4	.1.3.6.1.2.1.2.2.1.4.4	Integer	10240
ifMtu.5	.1.3.6.1.2.1.2.2.1.4.5	Integer	10240
ifMtu.6	.1.3.6.1.2.1.2.2.1.4.6	Integer	10240
ifMtu.7	.1.3.6.1.2.1.2.2.1.4.7	Integer	10240
ifMtu.8	.1.3.6.1.2.1.2.2.1.4.8	Integer	10240
ifMtu.9	.1.3.6.1.2.1.2.2.1.4.9	Integer	10240
ifMtu.10	.1.3.6.1.2.1.2.2.1.4.10	Integer	10240
ifMtu.11	.1.3.6.1.2.1.2.2.1.4.11	Integer	10240
ifMtu.12	.1.3.6.1.2.1.2.2.1.4.12	Integer	10240
ifMtu.13	.1.3.6.1.2.1.2.2.1.4.13	Integer	10240
ifMtu.14	.1.3.6.1.2.1.2.2.1.4.14	Integer	10240
ifMtu.15	.1.3.6.1.2.1.2.2.1.4.15	Integer	10240
ifMtu.16	.1.3.6.1.2.1.2.2.1.4.16	Integer	10240
ifMtu.17	.1.3.6.1.2.1.2.2.1.4.17	Integer	10240
ifMtu.18	.1.3.6.1.2.1.2.2.1.4.18	Integer	10240
ifMtu.19	.1.3.6.1.2.1.2.2.1.4.19	Integer	10240
ifMtu.20	.1.3.6.1.2.1.2.2.1.4.20	Integer	10240
ifMtu.21	.1.3.6.1.2.1.2.2.1.4.21	Integer	10240
ifMtu.22	.1.3.6.1.2.1.2.2.1.4.22	Integer	10240
ifMtu.23	.1.3.6.1.2.1.2.2.1.4.23	Integer	10240
ifMtu.24	.1.3.6.1.2.1.2.2.1.4.24	Integer	10240
ifMtu.25	.1.3.6.1.2.1.2.2.1.4.25	Integer	10240
ifMtu.26	.1.3.6.1.2.1.2.2.1.4.26	Integer	10240
ifMtu.27	.1.3.6.1.2.1.2.2.1.4.27	Integer	10240
ifMtu.28	.1.3.6.1.2.1.2.2.1.4.28	Integer	10240
ifMtu.632	.1.3.6.1.2.1.2.2.1.4.632	Integer	1500
ifMtu.633	.1.3.6.1.2.1.2.2.1.4.633	Integer	1536
ifMtu.635	.1.3.6.1.2.1.2.2.1.4.635	Integer	1500
ifSpeed.1	.1.3.6.1.2.1.2.2.1.5.1	Gauge	1000000000
ifSpeed.2	.1.3.6.1.2.1.2.2.1.5.2	Gauge	1000000000
ifSpeed.3	.1.3.6.1.2.1.2.2.1.5.3	Gauge	1000000000
ifSpeed.4	.1.3.6.1.2.1.2.2.1.5.4	Gauge	1000000000
ifSpeed.5	.1.3.6.1.2.1.2.2.1.5.5	Gauge	1000000000
ifSpeed.6	.1.3.6.1.2.1.2.2.1.5.6	Gauge	1000000000

Name	OID	Value Type	Value Example
ifSpeed.7	.1.3.6.1.2.1.2.2.1.5.7	Gauge	1000000000
ifSpeed.8	.1.3.6.1.2.1.2.2.1.5.8	Gauge	1000000000
ifSpeed.9	.1.3.6.1.2.1.2.2.1.5.9	Gauge	1000000000
ifSpeed.10	.1.3.6.1.2.1.2.2.1.5.10	Gauge	1000000000
ifSpeed.11	.1.3.6.1.2.1.2.2.1.5.11	Gauge	1000000000
ifSpeed.12	.1.3.6.1.2.1.2.2.1.5.12	Gauge	1000000000
ifSpeed.13	.1.3.6.1.2.1.2.2.1.5.13	Gauge	1000000000
ifSpeed.14	.1.3.6.1.2.1.2.2.1.5.14	Gauge	1000000000
ifSpeed.15	.1.3.6.1.2.1.2.2.1.5.15	Gauge	1000000000
ifSpeed.16	.1.3.6.1.2.1.2.2.1.5.16	Gauge	1000000000
ifSpeed.17	.1.3.6.1.2.1.2.2.1.5.17	Gauge	1000000000
ifSpeed.18	.1.3.6.1.2.1.2.2.1.5.18	Gauge	1000000000
ifSpeed.19	.1.3.6.1.2.1.2.2.1.5.19	Gauge	1000000000
ifSpeed.20	.1.3.6.1.2.1.2.2.1.5.20	Gauge	1000000000
ifSpeed.21	.1.3.6.1.2.1.2.2.1.5.21	Gauge	1000000000
ifSpeed.22	.1.3.6.1.2.1.2.2.1.5.22	Gauge	1000000000
ifSpeed.23	.1.3.6.1.2.1.2.2.1.5.23	Gauge	1000000000
ifSpeed.24	.1.3.6.1.2.1.2.2.1.5.24	Gauge	1000000000
ifSpeed.25	.1.3.6.1.2.1.2.2.1.5.25	Gauge	4294967295
ifSpeed.26	.1.3.6.1.2.1.2.2.1.5.26	Gauge	4294967295
ifSpeed.27	.1.3.6.1.2.1.2.2.1.5.27	Gauge	4294967295
ifSpeed.28	.1.3.6.1.2.1.2.2.1.5.28	Gauge	4294967295
ifSpeed.632	.1.3.6.1.2.1.2.2.1.5.632	Gauge	1000000000
ifSpeed.633	.1.3.6.1.2.1.2.2.1.5.633	Gauge	0
ifSpeed.635	.1.3.6.1.2.1.2.2.1.5.635	Gauge	4294967295
ifPhysAddress.1	.1.3.6.1.2.1.2.2.1.6.1	OctetString	80-85-44-07-B1-2A
ifPhysAddress.2	.1.3.6.1.2.1.2.2.1.6.2	OctetString	80-85-44-07-B1-2B
ifPhysAddress.3	.1.3.6.1.2.1.2.2.1.6.3	OctetString	80-85-44-07-B1-2C
ifPhysAddress.4	.1.3.6.1.2.1.2.2.1.6.4	OctetString	80-85-44-07-B1-2D
ifPhysAddress.5	.1.3.6.1.2.1.2.2.1.6.5	OctetString	80-85-44-07-B1-2E
ifPhysAddress.6	.1.3.6.1.2.1.2.2.1.6.6	OctetString	80-85-44-07-B1-2F
ifPhysAddress.7	.1.3.6.1.2.1.2.2.1.6.7	OctetString	80-85-44-07-B1-30
ifPhysAddress.8	.1.3.6.1.2.1.2.2.1.6.8	OctetString	80-85-44-07-B1-31
ifPhysAddress.9	.1.3.6.1.2.1.2.2.1.6.9	OctetString	80-85-44-07-B1-32
ifPhysAddress.10	.1.3.6.1.2.1.2.2.1.6.10	OctetString	80-85-44-07-B1-33
ifPhysAddress.11	.1.3.6.1.2.1.2.2.1.6.11	OctetString	80-85-44-07-B1-34
ifPhysAddress.12	.1.3.6.1.2.1.2.2.1.6.12	OctetString	80-85-44-07-B1-35
ifPhysAddress.13	.1.3.6.1.2.1.2.2.1.6.13	OctetString	80-85-44-07-B1-36
ifPhysAddress.14	.1.3.6.1.2.1.2.2.1.6.14	OctetString	80-85-44-07-B1-37
ifPhysAddress.15	.1.3.6.1.2.1.2.2.1.6.15	OctetString	80-85-44-07-B1-38
ifPhysAddress.16	.1.3.6.1.2.1.2.2.1.6.16	OctetString	80-85-44-07-B1-39
ifPhysAddress.17	.1.3.6.1.2.1.2.2.1.6.17	OctetString	80-85-44-07-B1-3A
ifPhysAddress.18	.1.3.6.1.2.1.2.2.1.6.18	OctetString	80-85-44-07-B1-3B

Name	OID	Value Type	Value Example
ifPhysAddress.19	.1.3.6.1.2.1.2.2.1.6.19	OctetString	80-85-44-07-B1-3C
ifPhysAddress.20	.1.3.6.1.2.1.2.2.1.6.20	OctetString	80-85-44-07-B1-3D
ifPhysAddress.21	.1.3.6.1.2.1.2.2.1.6.21	OctetString	80-85-44-07-B1-3E
ifPhysAddress.22	.1.3.6.1.2.1.2.2.1.6.22	OctetString	80-85-44-07-B1-3F
ifPhysAddress.23	.1.3.6.1.2.1.2.2.1.6.23	OctetString	80-85-44-07-B1-40
ifPhysAddress.24	.1.3.6.1.2.1.2.2.1.6.24	OctetString	80-85-44-07-B1-41
ifPhysAddress.25	.1.3.6.1.2.1.2.2.1.6.25	OctetString	80-85-44-07-B1-42
ifPhysAddress.26	.1.3.6.1.2.1.2.2.1.6.26	OctetString	80-85-44-07-B1-43
ifPhysAddress.27	.1.3.6.1.2.1.2.2.1.6.27	OctetString	80-85-44-07-B1-44
ifPhysAddress.28	.1.3.6.1.2.1.2.2.1.6.28	OctetString	80-85-44-07-B1-45
ifPhysAddress.632	.1.3.6.1.2.1.2.2.1.6.632	OctetString	00-00-00-00-00-00
ifPhysAddress.633	.1.3.6.1.2.1.2.2.1.6.633	OctetString	00-00-00-00-00-00
ifPhysAddress.635	.1.3.6.1.2.1.2.2.1.6.635	OctetString	80-85-44-07-B1-27
ifAdminStatus.1	.1.3.6.1.2.1.2.2.1.7.1	Integer	up (1)
ifAdminStatus.2	.1.3.6.1.2.1.2.2.1.7.2	Integer	up (1)
ifAdminStatus.3	.1.3.6.1.2.1.2.2.1.7.3	Integer	up (1)
ifAdminStatus.4	.1.3.6.1.2.1.2.2.1.7.4	Integer	up (1)
ifAdminStatus.5	.1.3.6.1.2.1.2.2.1.7.5	Integer	up (1)
ifAdminStatus.6	.1.3.6.1.2.1.2.2.1.7.6	Integer	up (1)
ifAdminStatus.7	.1.3.6.1.2.1.2.2.1.7.7	Integer	up (1)
ifAdminStatus.8	.1.3.6.1.2.1.2.2.1.7.8	Integer	up (1)
ifAdminStatus.9	.1.3.6.1.2.1.2.2.1.7.9	Integer	up (1)
ifAdminStatus.10	.1.3.6.1.2.1.2.2.1.7.10	Integer	up (1)
ifAdminStatus.11	.1.3.6.1.2.1.2.2.1.7.11	Integer	up (1)
ifAdminStatus.12	.1.3.6.1.2.1.2.2.1.7.12	Integer	up (1)
ifAdminStatus.13	.1.3.6.1.2.1.2.2.1.7.13	Integer	up (1)
ifAdminStatus.14	.1.3.6.1.2.1.2.2.1.7.14	Integer	up (1)
ifAdminStatus.15	.1.3.6.1.2.1.2.2.1.7.15	Integer	up (1)
ifAdminStatus.16	.1.3.6.1.2.1.2.2.1.7.16	Integer	up (1)
ifAdminStatus.17	.1.3.6.1.2.1.2.2.1.7.17	Integer	up (1)
ifAdminStatus.18	.1.3.6.1.2.1.2.2.1.7.18	Integer	up (1)
ifAdminStatus.19	.1.3.6.1.2.1.2.2.1.7.19	Integer	up (1)
ifAdminStatus.20	.1.3.6.1.2.1.2.2.1.7.20	Integer	up (1)
ifAdminStatus.21	.1.3.6.1.2.1.2.2.1.7.21	Integer	up (1)
ifAdminStatus.22	.1.3.6.1.2.1.2.2.1.7.22	Integer	up (1)
ifAdminStatus.23	.1.3.6.1.2.1.2.2.1.7.23	Integer	up (1)
ifAdminStatus.24	.1.3.6.1.2.1.2.2.1.7.24	Integer	up (1)
ifAdminStatus.25	.1.3.6.1.2.1.2.2.1.7.25	Integer	up (1)
ifAdminStatus.26	.1.3.6.1.2.1.2.2.1.7.26	Integer	up (1)
ifAdminStatus.27	.1.3.6.1.2.1.2.2.1.7.27	Integer	up (1)
ifAdminStatus.28	.1.3.6.1.2.1.2.2.1.7.28	Integer	up (1)
ifAdminStatus.632	.1.3.6.1.2.1.2.2.1.7.632	Integer	up (1)
ifAdminStatus.633	.1.3.6.1.2.1.2.2.1.7.633	Integer	up (1)

Name	OID	Value Type	Value Example
ifAdminStatus.635	.1.3.6.1.2.1.2.2.1.7.635	Integer	up (1)
ifOperStatus.1	.1.3.6.1.2.1.2.2.1.8.1	Integer	down (2)
ifOperStatus.2	.1.3.6.1.2.1.2.2.1.8.2	Integer	down (2)
ifOperStatus.3	.1.3.6.1.2.1.2.2.1.8.3	Integer	down (2)
ifOperStatus.4	.1.3.6.1.2.1.2.2.1.8.4	Integer	down (2)
ifOperStatus.5	.1.3.6.1.2.1.2.2.1.8.5	Integer	down (2)
ifOperStatus.6	.1.3.6.1.2.1.2.2.1.8.6	Integer	down (2)
ifOperStatus.7	.1.3.6.1.2.1.2.2.1.8.7	Integer	down (2)
ifOperStatus.8	.1.3.6.1.2.1.2.2.1.8.8	Integer	down (2)
ifOperStatus.9	.1.3.6.1.2.1.2.2.1.8.9	Integer	down (2)
ifOperStatus.10	.1.3.6.1.2.1.2.2.1.8.10	Integer	down (2)
ifOperStatus.11	.1.3.6.1.2.1.2.2.1.8.11	Integer	down (2)
ifOperStatus.12	.1.3.6.1.2.1.2.2.1.8.12	Integer	down (2)
ifOperStatus.13	.1.3.6.1.2.1.2.2.1.8.13	Integer	down (2)
ifOperStatus.14	.1.3.6.1.2.1.2.2.1.8.14	Integer	down (2)
ifOperStatus.15	.1.3.6.1.2.1.2.2.1.8.15	Integer	down (2)
ifOperStatus.16	.1.3.6.1.2.1.2.2.1.8.16	Integer	down (2)
ifOperStatus.17	.1.3.6.1.2.1.2.2.1.8.17	Integer	down (2)
ifOperStatus.18	.1.3.6.1.2.1.2.2.1.8.18	Integer	down (2)
ifOperStatus.19	.1.3.6.1.2.1.2.2.1.8.19	Integer	down (2)
ifOperStatus.20	.1.3.6.1.2.1.2.2.1.8.20	Integer	down (2)
ifOperStatus.21	.1.3.6.1.2.1.2.2.1.8.21	Integer	down (2)
ifOperStatus.22	.1.3.6.1.2.1.2.2.1.8.22	Integer	down (2)
ifOperStatus.23	.1.3.6.1.2.1.2.2.1.8.23	Integer	down (2)
ifOperStatus.24	.1.3.6.1.2.1.2.2.1.8.24	Integer	up (1)
ifOperStatus.25	.1.3.6.1.2.1.2.2.1.8.25	Integer	down (2)
ifOperStatus.26	.1.3.6.1.2.1.2.2.1.8.26	Integer	down (2)
ifOperStatus.27	.1.3.6.1.2.1.2.2.1.8.27	Integer	down (2)
ifOperStatus.28	.1.3.6.1.2.1.2.2.1.8.28	Integer	down (2)
ifOperStatus.632	.1.3.6.1.2.1.2.2.1.8.632	Integer	up (1)
ifOperStatus.633	.1.3.6.1.2.1.2.2.1.8.633	Integer	up (1)
ifOperStatus.635	.1.3.6.1.2.1.2.2.1.8.635	Integer	up (1)
ifLastChange.1	.1.3.6.1.2.1.2.2.1.9.1	TimeTicks	46.19 seconds (4619)
ifLastChange.2	.1.3.6.1.2.1.2.2.1.9.2	TimeTicks	46.19 seconds (4619)
ifLastChange.3	.1.3.6.1.2.1.2.2.1.9.3	TimeTicks	46.19 seconds (4619)
ifLastChange.4	.1.3.6.1.2.1.2.2.1.9.4	TimeTicks	46.19 seconds (4619)
ifLastChange.5	.1.3.6.1.2.1.2.2.1.9.5	TimeTicks	46.19 seconds (4619)
ifLastChange.6	.1.3.6.1.2.1.2.2.1.9.6	TimeTicks	46.19 seconds (4619)
ifLastChange.7	.1.3.6.1.2.1.2.2.1.9.7	TimeTicks	46.19 seconds (4619)
ifLastChange.8	.1.3.6.1.2.1.2.2.1.9.8	TimeTicks	46.19 seconds (4619)
ifLastChange.9	.1.3.6.1.2.1.2.2.1.9.9	TimeTicks	46.19 seconds (4619)
ifLastChange.10	.1.3.6.1.2.1.2.2.1.9.10	TimeTicks	46.19 seconds (4619)
ifLastChange.11	.1.3.6.1.2.1.2.2.1.9.11	TimeTicks	46.19 seconds (4619)

Name	OID	Value Type	Value Example
ifLastChange.12	.1.3.6.1.2.1.2.2.1.9.12	TimeTicks	46.19 seconds (4619)
ifLastChange.13	.1.3.6.1.2.1.2.2.1.9.13	TimeTicks	46.19 seconds (4619)
ifLastChange.14	.1.3.6.1.2.1.2.2.1.9.14	TimeTicks	46.19 seconds (4619)
ifLastChange.15	.1.3.6.1.2.1.2.2.1.9.15	TimeTicks	46.19 seconds (4619)
ifLastChange.16	.1.3.6.1.2.1.2.2.1.9.16	TimeTicks	47 hours 52 minutes 8.66 seconds (17232866)
ifLastChange.17	.1.3.6.1.2.1.2.2.1.9.17	TimeTicks	46.19 seconds (4619)
ifLastChange.18	.1.3.6.1.2.1.2.2.1.9.18	TimeTicks	46.19 seconds (4619)
ifLastChange.19	.1.3.6.1.2.1.2.2.1.9.19	TimeTicks	46.19 seconds (4619)
ifLastChange.20	.1.3.6.1.2.1.2.2.1.9.20	TimeTicks	46.19 seconds (4619)
ifLastChange.21	.1.3.6.1.2.1.2.2.1.9.21	TimeTicks	46.19 seconds (4619)
ifLastChange.22	.1.3.6.1.2.1.2.2.1.9.22	TimeTicks	19 hours 42 minutes 36.72 seconds (7095672)
ifLastChange.23	.1.3.6.1.2.1.2.2.1.9.23	TimeTicks	46.19 seconds (4619)
ifLastChange.24	.1.3.6.1.2.1.2.2.1.9.24	TimeTicks	47 hours 48 minutes 14.68 seconds (17209468)
ifLastChange.25	.1.3.6.1.2.1.2.2.1.9.25	TimeTicks	46.19 seconds (4619)
ifLastChange.26	.1.3.6.1.2.1.2.2.1.9.26	TimeTicks	46.19 seconds (4619)
ifLastChange.27	.1.3.6.1.2.1.2.2.1.9.27	TimeTicks	46.19 seconds (4619)
ifLastChange.28	.1.3.6.1.2.1.2.2.1.9.28	TimeTicks	46.19 seconds (4619)
ifLastChange.632	.1.3.6.1.2.1.2.2.1.9.632	TimeTicks	46.18 seconds (4618)
ifLastChange.633	.1.3.6.1.2.1.2.2.1.9.633	TimeTicks	1 minute 25.62 seconds (8562)
ifLastChange.635	.1.3.6.1.2.1.2.2.1.9.635	TimeTicks	47 hours 46 minutes 34.38 seconds (17199438)
ifInOctets.1	.1.3.6.1.2.1.2.2.1.10.1	Counter32	0
ifInOctets.2	.1.3.6.1.2.1.2.2.1.10.2	Counter32	0
ifInOctets.3	.1.3.6.1.2.1.2.2.1.10.3	Counter32	0
ifInOctets.4	.1.3.6.1.2.1.2.2.1.10.4	Counter32	0
ifInOctets.5	.1.3.6.1.2.1.2.2.1.10.5	Counter32	0
ifInOctets.6	.1.3.6.1.2.1.2.2.1.10.6	Counter32	0
ifInOctets.7	.1.3.6.1.2.1.2.2.1.10.7	Counter32	0
ifInOctets.8	.1.3.6.1.2.1.2.2.1.10.8	Counter32	0
ifInOctets.9	.1.3.6.1.2.1.2.2.1.10.9	Counter32	0
ifInOctets.10	.1.3.6.1.2.1.2.2.1.10.10	Counter32	0
ifInOctets.11	.1.3.6.1.2.1.2.2.1.10.11	Counter32	0
ifInOctets.12	.1.3.6.1.2.1.2.2.1.10.12	Counter32	0
ifInOctets.13	.1.3.6.1.2.1.2.2.1.10.13	Counter32	0
ifInOctets.14	.1.3.6.1.2.1.2.2.1.10.14	Counter32	0
ifInOctets.15	.1.3.6.1.2.1.2.2.1.10.15	Counter32	0
ifInOctets.16	.1.3.6.1.2.1.2.2.1.10.16	Counter32	679288
ifInOctets.17	.1.3.6.1.2.1.2.2.1.10.17	Counter32	0
ifInOctets.18	.1.3.6.1.2.1.2.2.1.10.18	Counter32	0
ifInOctets.19	.1.3.6.1.2.1.2.2.1.10.19	Counter32	0
ifInOctets.20	.1.3.6.1.2.1.2.2.1.10.20	Counter32	0

Name	OID	Value Type	Value Example
ifInOctets.21	.1.3.6.1.2.1.2.2.1.10.21	Counter32	0
ifInOctets.22	.1.3.6.1.2.1.2.2.1.10.22	Counter32	11388
ifInOctets.23	.1.3.6.1.2.1.2.2.1.10.23	Counter32	0
ifInOctets.24	.1.3.6.1.2.1.2.2.1.10.24	Counter32	946263330
ifInOctets.25	.1.3.6.1.2.1.2.2.1.10.25	Counter32	0
ifInOctets.26	.1.3.6.1.2.1.2.2.1.10.26	Counter32	0
ifInOctets.27	.1.3.6.1.2.1.2.2.1.10.27	Counter32	0
ifInOctets.28	.1.3.6.1.2.1.2.2.1.10.28	Counter32	0
ifInOctets.632	.1.3.6.1.2.1.2.2.1.10.632	Counter32	0
ifInOctets.633	.1.3.6.1.2.1.2.2.1.10.633	Counter32	0
ifInOctets.635	.1.3.6.1.2.1.2.2.1.10.635	Counter32	0
ifInUcastPkts.1	.1.3.6.1.2.1.2.2.1.11.1	Counter32	0
ifInUcastPkts.2	.1.3.6.1.2.1.2.2.1.11.2	Counter32	0
ifInUcastPkts.3	.1.3.6.1.2.1.2.2.1.11.3	Counter32	0
ifInUcastPkts.4	.1.3.6.1.2.1.2.2.1.11.4	Counter32	0
ifInUcastPkts.5	.1.3.6.1.2.1.2.2.1.11.5	Counter32	0
ifInUcastPkts.6	.1.3.6.1.2.1.2.2.1.11.6	Counter32	0
ifInUcastPkts.7	.1.3.6.1.2.1.2.2.1.11.7	Counter32	0
ifInUcastPkts.8	.1.3.6.1.2.1.2.2.1.11.8	Counter32	0
ifInUcastPkts.9	.1.3.6.1.2.1.2.2.1.11.9	Counter32	0
ifInUcastPkts.10	.1.3.6.1.2.1.2.2.1.11.10	Counter32	0
ifInUcastPkts.11	.1.3.6.1.2.1.2.2.1.11.11	Counter32	0
ifInUcastPkts.12	.1.3.6.1.2.1.2.2.1.11.12	Counter32	0
ifInUcastPkts.13	.1.3.6.1.2.1.2.2.1.11.13	Counter32	0
ifInUcastPkts.14	.1.3.6.1.2.1.2.2.1.11.14	Counter32	0
ifInUcastPkts.15	.1.3.6.1.2.1.2.2.1.11.15	Counter32	0
ifInUcastPkts.16	.1.3.6.1.2.1.2.2.1.11.16	Counter32	4385
ifInUcastPkts.17	.1.3.6.1.2.1.2.2.1.11.17	Counter32	0
ifInUcastPkts.18	.1.3.6.1.2.1.2.2.1.11.18	Counter32	0
ifInUcastPkts.19	.1.3.6.1.2.1.2.2.1.11.19	Counter32	0
ifInUcastPkts.20	.1.3.6.1.2.1.2.2.1.11.20	Counter32	0
ifInUcastPkts.21	.1.3.6.1.2.1.2.2.1.11.21	Counter32	0
ifInUcastPkts.22	.1.3.6.1.2.1.2.2.1.11.22	Counter32	18
ifInUcastPkts.23	.1.3.6.1.2.1.2.2.1.11.23	Counter32	0
ifInUcastPkts.24	.1.3.6.1.2.1.2.2.1.11.24	Counter32	324409
ifInUcastPkts.25	.1.3.6.1.2.1.2.2.1.11.25	Counter32	0
ifInUcastPkts.26	.1.3.6.1.2.1.2.2.1.11.26	Counter32	0
ifInUcastPkts.27	.1.3.6.1.2.1.2.2.1.11.27	Counter32	0
ifInUcastPkts.28	.1.3.6.1.2.1.2.2.1.11.28	Counter32	0
ifInUcastPkts.635	.1.3.6.1.2.1.2.2.1.11.635	Counter32	0
ifInNUcastPkts.1	.1.3.6.1.2.1.2.2.1.12.1	Counter32	0
ifInNUcastPkts.2	.1.3.6.1.2.1.2.2.1.12.2	Counter32	0
ifInNUcastPkts.3	.1.3.6.1.2.1.2.2.1.12.3	Counter32	0

Name	OID	Value Type	Value Example
ifInNUcastPkts.4	.1.3.6.1.2.1.2.2.1.12.4	Counter32	0
ifInNUcastPkts.5	.1.3.6.1.2.1.2.2.1.12.5	Counter32	0
ifInNUcastPkts.6	.1.3.6.1.2.1.2.2.1.12.6	Counter32	0
ifInNUcastPkts.7	.1.3.6.1.2.1.2.2.1.12.7	Counter32	0
ifInNUcastPkts.8	.1.3.6.1.2.1.2.2.1.12.8	Counter32	0
ifInNUcastPkts.9	.1.3.6.1.2.1.2.2.1.12.9	Counter32	0
ifInNUcastPkts.10	.1.3.6.1.2.1.2.2.1.12.10	Counter32	0
ifInNUcastPkts.11	.1.3.6.1.2.1.2.2.1.12.11	Counter32	0
ifInNUcastPkts.12	.1.3.6.1.2.1.2.2.1.12.12	Counter32	0
ifInNUcastPkts.13	.1.3.6.1.2.1.2.2.1.12.13	Counter32	0
ifInNUcastPkts.14	.1.3.6.1.2.1.2.2.1.12.14	Counter32	0
ifInNUcastPkts.15	.1.3.6.1.2.1.2.2.1.12.15	Counter32	0
ifInNUcastPkts.16	.1.3.6.1.2.1.2.2.1.12.16	Counter32	584
ifInNUcastPkts.17	.1.3.6.1.2.1.2.2.1.12.17	Counter32	0
ifInNUcastPkts.18	.1.3.6.1.2.1.2.2.1.12.18	Counter32	0
ifInNUcastPkts.19	.1.3.6.1.2.1.2.2.1.12.19	Counter32	0
ifInNUcastPkts.20	.1.3.6.1.2.1.2.2.1.12.20	Counter32	0
ifInNUcastPkts.21	.1.3.6.1.2.1.2.2.1.12.21	Counter32	0
ifInNUcastPkts.22	.1.3.6.1.2.1.2.2.1.12.22	Counter32	118
ifInNUcastPkts.23	.1.3.6.1.2.1.2.2.1.12.23	Counter32	0
ifInNUcastPkts.24	.1.3.6.1.2.1.2.2.1.12.24	Counter32	7893584
ifInNUcastPkts.25	.1.3.6.1.2.1.2.2.1.12.25	Counter32	0
ifInNUcastPkts.26	.1.3.6.1.2.1.2.2.1.12.26	Counter32	0
ifInNUcastPkts.27	.1.3.6.1.2.1.2.2.1.12.27	Counter32	0
ifInNUcastPkts.28	.1.3.6.1.2.1.2.2.1.12.28	Counter32	0
ifInNUcastPkts.635	.1.3.6.1.2.1.2.2.1.12.635	Counter32	0
ifInDiscards.1	.1.3.6.1.2.1.2.2.1.13.1	Counter32	0
ifInDiscards.2	.1.3.6.1.2.1.2.2.1.13.2	Counter32	0
ifInDiscards.3	.1.3.6.1.2.1.2.2.1.13.3	Counter32	0
ifInDiscards.4	.1.3.6.1.2.1.2.2.1.13.4	Counter32	0
ifInDiscards.5	.1.3.6.1.2.1.2.2.1.13.5	Counter32	0
ifInDiscards.6	.1.3.6.1.2.1.2.2.1.13.6	Counter32	0
ifInDiscards.7	.1.3.6.1.2.1.2.2.1.13.7	Counter32	0
ifInDiscards.8	.1.3.6.1.2.1.2.2.1.13.8	Counter32	0
ifInDiscards.9	.1.3.6.1.2.1.2.2.1.13.9	Counter32	0
ifInDiscards.10	.1.3.6.1.2.1.2.2.1.13.10	Counter32	0
ifInDiscards.11	.1.3.6.1.2.1.2.2.1.13.11	Counter32	0
ifInDiscards.12	.1.3.6.1.2.1.2.2.1.13.12	Counter32	0
ifInDiscards.13	.1.3.6.1.2.1.2.2.1.13.13	Counter32	0
ifInDiscards.14	.1.3.6.1.2.1.2.2.1.13.14	Counter32	0
ifInDiscards.15	.1.3.6.1.2.1.2.2.1.13.15	Counter32	0
ifInDiscards.16	.1.3.6.1.2.1.2.2.1.13.16	Counter32	0
ifInDiscards.17	.1.3.6.1.2.1.2.2.1.13.17	Counter32	0

Name	OID	Value Type	Value Example
ifInDiscards.18	.1.3.6.1.2.1.2.2.1.13.18	Counter32	0
ifInDiscards.19	.1.3.6.1.2.1.2.2.1.13.19	Counter32	0
ifInDiscards.20	.1.3.6.1.2.1.2.2.1.13.20	Counter32	0
ifInDiscards.21	.1.3.6.1.2.1.2.2.1.13.21	Counter32	0
ifInDiscards.22	.1.3.6.1.2.1.2.2.1.13.22	Counter32	0
ifInDiscards.23	.1.3.6.1.2.1.2.2.1.13.23	Counter32	0
ifInDiscards.24	.1.3.6.1.2.1.2.2.1.13.24	Counter32	0
ifInDiscards.25	.1.3.6.1.2.1.2.2.1.13.25	Counter32	0
ifInDiscards.26	.1.3.6.1.2.1.2.2.1.13.26	Counter32	0
ifInDiscards.27	.1.3.6.1.2.1.2.2.1.13.27	Counter32	0
ifInDiscards.28	.1.3.6.1.2.1.2.2.1.13.28	Counter32	0
ifInDiscards.632	.1.3.6.1.2.1.2.2.1.13.632	Counter32	0
ifInDiscards.633	.1.3.6.1.2.1.2.2.1.13.633	Counter32	0
ifInDiscards.635	.1.3.6.1.2.1.2.2.1.13.635	Counter32	0
ifInErrors.1	.1.3.6.1.2.1.2.2.1.14.1	Counter32	0
ifInErrors.2	.1.3.6.1.2.1.2.2.1.14.2	Counter32	0
ifInErrors.3	.1.3.6.1.2.1.2.2.1.14.3	Counter32	0
ifInErrors.4	.1.3.6.1.2.1.2.2.1.14.4	Counter32	0
ifInErrors.5	.1.3.6.1.2.1.2.2.1.14.5	Counter32	0
ifInErrors.6	.1.3.6.1.2.1.2.2.1.14.6	Counter32	0
ifInErrors.7	.1.3.6.1.2.1.2.2.1.14.7	Counter32	0
ifInErrors.8	.1.3.6.1.2.1.2.2.1.14.8	Counter32	0
ifInErrors.9	.1.3.6.1.2.1.2.2.1.14.9	Counter32	0
ifInErrors.10	.1.3.6.1.2.1.2.2.1.14.10	Counter32	0
ifInErrors.11	.1.3.6.1.2.1.2.2.1.14.11	Counter32	0
ifInErrors.12	.1.3.6.1.2.1.2.2.1.14.12	Counter32	0
ifInErrors.13	.1.3.6.1.2.1.2.2.1.14.13	Counter32	0
ifInErrors.14	.1.3.6.1.2.1.2.2.1.14.14	Counter32	0
ifInErrors.15	.1.3.6.1.2.1.2.2.1.14.15	Counter32	0
ifInErrors.16	.1.3.6.1.2.1.2.2.1.14.16	Counter32	0
ifInErrors.17	.1.3.6.1.2.1.2.2.1.14.17	Counter32	0
ifInErrors.18	.1.3.6.1.2.1.2.2.1.14.18	Counter32	0
ifInErrors.19	.1.3.6.1.2.1.2.2.1.14.19	Counter32	0
ifInErrors.20	.1.3.6.1.2.1.2.2.1.14.20	Counter32	0
ifInErrors.21	.1.3.6.1.2.1.2.2.1.14.21	Counter32	0
ifInErrors.22	.1.3.6.1.2.1.2.2.1.14.22	Counter32	0
ifInErrors.23	.1.3.6.1.2.1.2.2.1.14.23	Counter32	0
ifInErrors.24	.1.3.6.1.2.1.2.2.1.14.24	Counter32	0
ifInErrors.25	.1.3.6.1.2.1.2.2.1.14.25	Counter32	0
ifInErrors.26	.1.3.6.1.2.1.2.2.1.14.26	Counter32	0
ifInErrors.27	.1.3.6.1.2.1.2.2.1.14.27	Counter32	0
ifInErrors.28	.1.3.6.1.2.1.2.2.1.14.28	Counter32	0
ifInErrors.635	.1.3.6.1.2.1.2.2.1.14.635	Counter32	0

Name	OID	Value Type	Value Example
ifInUnknownProtos.1	.1.3.6.1.2.1.2.2.1.15.1	Counter32	0
ifInUnknownProtos.2	.1.3.6.1.2.1.2.2.1.15.2	Counter32	0
ifInUnknownProtos.3	.1.3.6.1.2.1.2.2.1.15.3	Counter32	0
ifInUnknownProtos.4	.1.3.6.1.2.1.2.2.1.15.4	Counter32	0
ifInUnknownProtos.5	.1.3.6.1.2.1.2.2.1.15.5	Counter32	0
ifInUnknownProtos.6	.1.3.6.1.2.1.2.2.1.15.6	Counter32	0
ifInUnknownProtos.7	.1.3.6.1.2.1.2.2.1.15.7	Counter32	0
ifInUnknownProtos.8	.1.3.6.1.2.1.2.2.1.15.8	Counter32	0
ifInUnknownProtos.9	.1.3.6.1.2.1.2.2.1.15.9	Counter32	0
ifInUnknownProtos.10	.1.3.6.1.2.1.2.2.1.15.10	Counter32	0
ifInUnknownProtos.11	.1.3.6.1.2.1.2.2.1.15.11	Counter32	0
ifInUnknownProtos.12	.1.3.6.1.2.1.2.2.1.15.12	Counter32	0
ifInUnknownProtos.13	.1.3.6.1.2.1.2.2.1.15.13	Counter32	0
ifInUnknownProtos.14	.1.3.6.1.2.1.2.2.1.15.14	Counter32	0
ifInUnknownProtos.15	.1.3.6.1.2.1.2.2.1.15.15	Counter32	0
ifInUnknownProtos.16	.1.3.6.1.2.1.2.2.1.15.16	Counter32	0
ifInUnknownProtos.17	.1.3.6.1.2.1.2.2.1.15.17	Counter32	0
ifInUnknownProtos.18	.1.3.6.1.2.1.2.2.1.15.18	Counter32	0
ifInUnknownProtos.19	.1.3.6.1.2.1.2.2.1.15.19	Counter32	0
ifInUnknownProtos.20	.1.3.6.1.2.1.2.2.1.15.20	Counter32	0
ifInUnknownProtos.21	.1.3.6.1.2.1.2.2.1.15.21	Counter32	0
ifInUnknownProtos.22	.1.3.6.1.2.1.2.2.1.15.22	Counter32	0
ifInUnknownProtos.23	.1.3.6.1.2.1.2.2.1.15.23	Counter32	0
ifInUnknownProtos.24	.1.3.6.1.2.1.2.2.1.15.24	Counter32	0
ifInUnknownProtos.25	.1.3.6.1.2.1.2.2.1.15.25	Counter32	0
ifInUnknownProtos.26	.1.3.6.1.2.1.2.2.1.15.26	Counter32	0
ifInUnknownProtos.27	.1.3.6.1.2.1.2.2.1.15.27	Counter32	0
ifInUnknownProtos.28	.1.3.6.1.2.1.2.2.1.15.28	Counter32	0
ifInUnknownProtos.632	.1.3.6.1.2.1.2.2.1.15.632	Counter32	0
ifInUnknownProtos.633	.1.3.6.1.2.1.2.2.1.15.633	Counter32	0
ifInUnknownProtos.635	.1.3.6.1.2.1.2.2.1.15.635	Counter32	0
ifOutOctets.1	.1.3.6.1.2.1.2.2.1.16.1	Counter32	0
ifOutOctets.2	.1.3.6.1.2.1.2.2.1.16.2	Counter32	0
ifOutOctets.3	.1.3.6.1.2.1.2.2.1.16.3	Counter32	0
ifOutOctets.4	.1.3.6.1.2.1.2.2.1.16.4	Counter32	0
ifOutOctets.5	.1.3.6.1.2.1.2.2.1.16.5	Counter32	0
ifOutOctets.6	.1.3.6.1.2.1.2.2.1.16.6	Counter32	0
ifOutOctets.7	.1.3.6.1.2.1.2.2.1.16.7	Counter32	0
ifOutOctets.8	.1.3.6.1.2.1.2.2.1.16.8	Counter32	0
ifOutOctets.9	.1.3.6.1.2.1.2.2.1.16.9	Counter32	0
ifOutOctets.10	.1.3.6.1.2.1.2.2.1.16.10	Counter32	0
ifOutOctets.11	.1.3.6.1.2.1.2.2.1.16.11	Counter32	0
ifOutOctets.12	.1.3.6.1.2.1.2.2.1.16.12	Counter32	0

Name	OID	Value Type	Value Example
ifOutOctets.13	.1.3.6.1.2.1.2.2.1.16.13	Counter32	0
ifOutOctets.14	.1.3.6.1.2.1.2.2.1.16.14	Counter32	0
ifOutOctets.15	.1.3.6.1.2.1.2.2.1.16.15	Counter32	0
ifOutOctets.16	.1.3.6.1.2.1.2.2.1.16.16	Counter32	8540271
ifOutOctets.17	.1.3.6.1.2.1.2.2.1.16.17	Counter32	0
ifOutOctets.18	.1.3.6.1.2.1.2.2.1.16.18	Counter32	0
ifOutOctets.19	.1.3.6.1.2.1.2.2.1.16.19	Counter32	0
ifOutOctets.20	.1.3.6.1.2.1.2.2.1.16.20	Counter32	0
ifOutOctets.21	.1.3.6.1.2.1.2.2.1.16.21	Counter32	0
ifOutOctets.22	.1.3.6.1.2.1.2.2.1.16.22	Counter32	1776
ifOutOctets.23	.1.3.6.1.2.1.2.2.1.16.23	Counter32	0
ifOutOctets.24	.1.3.6.1.2.1.2.2.1.16.24	Counter32	72474924
ifOutOctets.25	.1.3.6.1.2.1.2.2.1.16.25	Counter32	0
ifOutOctets.26	.1.3.6.1.2.1.2.2.1.16.26	Counter32	0
ifOutOctets.27	.1.3.6.1.2.1.2.2.1.16.27	Counter32	0
ifOutOctets.28	.1.3.6.1.2.1.2.2.1.16.28	Counter32	0
ifOutOctets.632	.1.3.6.1.2.1.2.2.1.16.632	Counter32	0
ifOutOctets.633	.1.3.6.1.2.1.2.2.1.16.633	Counter32	0
ifOutOctets.635	.1.3.6.1.2.1.2.2.1.16.635	Counter32	0
ifOutUcastPkts.1	.1.3.6.1.2.1.2.2.1.17.1	Counter32	0
ifOutUcastPkts.2	.1.3.6.1.2.1.2.2.1.17.2	Counter32	0
ifOutUcastPkts.3	.1.3.6.1.2.1.2.2.1.17.3	Counter32	0
ifOutUcastPkts.4	.1.3.6.1.2.1.2.2.1.17.4	Counter32	0
ifOutUcastPkts.5	.1.3.6.1.2.1.2.2.1.17.5	Counter32	0
ifOutUcastPkts.6	.1.3.6.1.2.1.2.2.1.17.6	Counter32	0
ifOutUcastPkts.7	.1.3.6.1.2.1.2.2.1.17.7	Counter32	0
ifOutUcastPkts.8	.1.3.6.1.2.1.2.2.1.17.8	Counter32	0
ifOutUcastPkts.9	.1.3.6.1.2.1.2.2.1.17.9	Counter32	0
ifOutUcastPkts.10	.1.3.6.1.2.1.2.2.1.17.10	Counter32	0
ifOutUcastPkts.11	.1.3.6.1.2.1.2.2.1.17.11	Counter32	0
ifOutUcastPkts.12	.1.3.6.1.2.1.2.2.1.17.12	Counter32	0
ifOutUcastPkts.13	.1.3.6.1.2.1.2.2.1.17.13	Counter32	0
ifOutUcastPkts.14	.1.3.6.1.2.1.2.2.1.17.14	Counter32	0
ifOutUcastPkts.15	.1.3.6.1.2.1.2.2.1.17.15	Counter32	0
ifOutUcastPkts.16	.1.3.6.1.2.1.2.2.1.17.16	Counter32	7877
ifOutUcastPkts.17	.1.3.6.1.2.1.2.2.1.17.17	Counter32	0
ifOutUcastPkts.18	.1.3.6.1.2.1.2.2.1.17.18	Counter32	0
ifOutUcastPkts.19	.1.3.6.1.2.1.2.2.1.17.19	Counter32	0
ifOutUcastPkts.20	.1.3.6.1.2.1.2.2.1.17.20	Counter32	0
ifOutUcastPkts.21	.1.3.6.1.2.1.2.2.1.17.21	Counter32	0
ifOutUcastPkts.22	.1.3.6.1.2.1.2.2.1.17.22	Counter32	0
ifOutUcastPkts.23	.1.3.6.1.2.1.2.2.1.17.23	Counter32	0
ifOutUcastPkts.24	.1.3.6.1.2.1.2.2.1.17.24	Counter32	382679

Name	OID	Value Type	Value Example
ifOutUcastPkts.25	.1.3.6.1.2.1.2.2.1.17.25	Counter32	0
ifOutUcastPkts.26	.1.3.6.1.2.1.2.2.1.17.26	Counter32	0
ifOutUcastPkts.27	.1.3.6.1.2.1.2.2.1.17.27	Counter32	0
ifOutUcastPkts.28	.1.3.6.1.2.1.2.2.1.17.28	Counter32	0
ifOutUcastPkts.635	.1.3.6.1.2.1.2.2.1.17.635	Counter32	0
ifOutNUcastPkts.1	.1.3.6.1.2.1.2.2.1.18.1	Counter32	0
ifOutNUcastPkts.2	.1.3.6.1.2.1.2.2.1.18.2	Counter32	0
ifOutNUcastPkts.3	.1.3.6.1.2.1.2.2.1.18.3	Counter32	0
ifOutNUcastPkts.4	.1.3.6.1.2.1.2.2.1.18.4	Counter32	0
ifOutNUcastPkts.5	.1.3.6.1.2.1.2.2.1.18.5	Counter32	0
ifOutNUcastPkts.6	.1.3.6.1.2.1.2.2.1.18.6	Counter32	0
ifOutNUcastPkts.7	.1.3.6.1.2.1.2.2.1.18.7	Counter32	0
ifOutNUcastPkts.8	.1.3.6.1.2.1.2.2.1.18.8	Counter32	0
ifOutNUcastPkts.9	.1.3.6.1.2.1.2.2.1.18.9	Counter32	0
ifOutNUcastPkts.10	.1.3.6.1.2.1.2.2.1.18.10	Counter32	0
ifOutNUcastPkts.11	.1.3.6.1.2.1.2.2.1.18.11	Counter32	0
ifOutNUcastPkts.12	.1.3.6.1.2.1.2.2.1.18.12	Counter32	0
ifOutNUcastPkts.13	.1.3.6.1.2.1.2.2.1.18.13	Counter32	0
ifOutNUcastPkts.14	.1.3.6.1.2.1.2.2.1.18.14	Counter32	0
ifOutNUcastPkts.15	.1.3.6.1.2.1.2.2.1.18.15	Counter32	0
ifOutNUcastPkts.16	.1.3.6.1.2.1.2.2.1.18.16	Counter32	1785
ifOutNUcastPkts.17	.1.3.6.1.2.1.2.2.1.18.17	Counter32	0
ifOutNUcastPkts.18	.1.3.6.1.2.1.2.2.1.18.18	Counter32	0
ifOutNUcastPkts.19	.1.3.6.1.2.1.2.2.1.18.19	Counter32	0
ifOutNUcastPkts.20	.1.3.6.1.2.1.2.2.1.18.20	Counter32	0
ifOutNUcastPkts.21	.1.3.6.1.2.1.2.2.1.18.21	Counter32	0
ifOutNUcastPkts.22	.1.3.6.1.2.1.2.2.1.18.22	Counter32	8
ifOutNUcastPkts.23	.1.3.6.1.2.1.2.2.1.18.23	Counter32	0
ifOutNUcastPkts.24	.1.3.6.1.2.1.2.2.1.18.24	Counter32	233553
ifOutNUcastPkts.25	.1.3.6.1.2.1.2.2.1.18.25	Counter32	0
ifOutNUcastPkts.26	.1.3.6.1.2.1.2.2.1.18.26	Counter32	0
ifOutNUcastPkts.27	.1.3.6.1.2.1.2.2.1.18.27	Counter32	0
ifOutNUcastPkts.28	.1.3.6.1.2.1.2.2.1.18.28	Counter32	0
ifOutNUcastPkts.635	.1.3.6.1.2.1.2.2.1.18.635	Counter32	0
ifOutDiscards.1	.1.3.6.1.2.1.2.2.1.19.1	Counter32	0
ifOutDiscards.2	.1.3.6.1.2.1.2.2.1.19.2	Counter32	0
ifOutDiscards.3	.1.3.6.1.2.1.2.2.1.19.3	Counter32	0
ifOutDiscards.4	.1.3.6.1.2.1.2.2.1.19.4	Counter32	0
ifOutDiscards.5	.1.3.6.1.2.1.2.2.1.19.5	Counter32	0
ifOutDiscards.6	.1.3.6.1.2.1.2.2.1.19.6	Counter32	0
ifOutDiscards.7	.1.3.6.1.2.1.2.2.1.19.7	Counter32	0
ifOutDiscards.8	.1.3.6.1.2.1.2.2.1.19.8	Counter32	0
ifOutDiscards.9	.1.3.6.1.2.1.2.2.1.19.9	Counter32	0

Name	OID	Value Type	Value Example
ifOutDiscards.10	.1.3.6.1.2.1.2.2.1.19.10	Counter32	0
ifOutDiscards.11	.1.3.6.1.2.1.2.2.1.19.11	Counter32	0
ifOutDiscards.12	.1.3.6.1.2.1.2.2.1.19.12	Counter32	0
ifOutDiscards.13	.1.3.6.1.2.1.2.2.1.19.13	Counter32	0
ifOutDiscards.14	.1.3.6.1.2.1.2.2.1.19.14	Counter32	0
ifOutDiscards.15	.1.3.6.1.2.1.2.2.1.19.15	Counter32	0
ifOutDiscards.16	.1.3.6.1.2.1.2.2.1.19.16	Counter32	0
ifOutDiscards.17	.1.3.6.1.2.1.2.2.1.19.17	Counter32	0
ifOutDiscards.18	.1.3.6.1.2.1.2.2.1.19.18	Counter32	0
ifOutDiscards.19	.1.3.6.1.2.1.2.2.1.19.19	Counter32	0
ifOutDiscards.20	.1.3.6.1.2.1.2.2.1.19.20	Counter32	0
ifOutDiscards.21	.1.3.6.1.2.1.2.2.1.19.21	Counter32	0
ifOutDiscards.22	.1.3.6.1.2.1.2.2.1.19.22	Counter32	0
ifOutDiscards.23	.1.3.6.1.2.1.2.2.1.19.23	Counter32	0
ifOutDiscards.24	.1.3.6.1.2.1.2.2.1.19.24	Counter32	0
ifOutDiscards.25	.1.3.6.1.2.1.2.2.1.19.25	Counter32	0
ifOutDiscards.26	.1.3.6.1.2.1.2.2.1.19.26	Counter32	0
ifOutDiscards.27	.1.3.6.1.2.1.2.2.1.19.27	Counter32	0
ifOutDiscards.28	.1.3.6.1.2.1.2.2.1.19.28	Counter32	0
ifOutDiscards.632	.1.3.6.1.2.1.2.2.1.19.632	Counter32	0
ifOutDiscards.633	.1.3.6.1.2.1.2.2.1.19.633	Counter32	0
ifOutDiscards.635	.1.3.6.1.2.1.2.2.1.19.635	Counter32	0
ifOutErrors.1	.1.3.6.1.2.1.2.2.1.20.1	Counter32	0
ifOutErrors.2	.1.3.6.1.2.1.2.2.1.20.2	Counter32	0
ifOutErrors.3	.1.3.6.1.2.1.2.2.1.20.3	Counter32	0
ifOutErrors.4	.1.3.6.1.2.1.2.2.1.20.4	Counter32	0
ifOutErrors.5	.1.3.6.1.2.1.2.2.1.20.5	Counter32	0
ifOutErrors.6	.1.3.6.1.2.1.2.2.1.20.6	Counter32	0
ifOutErrors.7	.1.3.6.1.2.1.2.2.1.20.7	Counter32	0
ifOutErrors.8	.1.3.6.1.2.1.2.2.1.20.8	Counter32	0
ifOutErrors.9	.1.3.6.1.2.1.2.2.1.20.9	Counter32	0
ifOutErrors.10	.1.3.6.1.2.1.2.2.1.20.10	Counter32	0
ifOutErrors.11	.1.3.6.1.2.1.2.2.1.20.11	Counter32	0
ifOutErrors.12	.1.3.6.1.2.1.2.2.1.20.12	Counter32	0
ifOutErrors.13	.1.3.6.1.2.1.2.2.1.20.13	Counter32	0
ifOutErrors.14	.1.3.6.1.2.1.2.2.1.20.14	Counter32	0
ifOutErrors.15	.1.3.6.1.2.1.2.2.1.20.15	Counter32	0
ifOutErrors.16	.1.3.6.1.2.1.2.2.1.20.16	Counter32	0
ifOutErrors.17	.1.3.6.1.2.1.2.2.1.20.17	Counter32	0
ifOutErrors.18	.1.3.6.1.2.1.2.2.1.20.18	Counter32	0
ifOutErrors.19	.1.3.6.1.2.1.2.2.1.20.19	Counter32	0
ifOutErrors.20	.1.3.6.1.2.1.2.2.1.20.20	Counter32	0
ifOutErrors.21	.1.3.6.1.2.1.2.2.1.20.21	Counter32	0

Name	OID	Value Type	Value Example
ifOutErrors.22	.1.3.6.1.2.1.2.2.1.20.22	Counter32	0
ifOutErrors.23	.1.3.6.1.2.1.2.2.1.20.23	Counter32	0
ifOutErrors.24	.1.3.6.1.2.1.2.2.1.20.24	Counter32	0
ifOutErrors.25	.1.3.6.1.2.1.2.2.1.20.25	Counter32	0
ifOutErrors.26	.1.3.6.1.2.1.2.2.1.20.26	Counter32	0
ifOutErrors.27	.1.3.6.1.2.1.2.2.1.20.27	Counter32	0
ifOutErrors.28	.1.3.6.1.2.1.2.2.1.20.28	Counter32	0
ifOutErrors.635	.1.3.6.1.2.1.2.2.1.20.635	Counter32	0
ifOutQLen.1	.1.3.6.1.2.1.2.2.1.21.1	Gauge	0
ifOutQLen.2	.1.3.6.1.2.1.2.2.1.21.2	Gauge	0
ifOutQLen.3	.1.3.6.1.2.1.2.2.1.21.3	Gauge	0
ifOutQLen.4	.1.3.6.1.2.1.2.2.1.21.4	Gauge	0
ifOutQLen.5	.1.3.6.1.2.1.2.2.1.21.5	Gauge	0
ifOutQLen.6	.1.3.6.1.2.1.2.2.1.21.6	Gauge	0
ifOutQLen.7	.1.3.6.1.2.1.2.2.1.21.7	Gauge	0
ifOutQLen.8	.1.3.6.1.2.1.2.2.1.21.8	Gauge	0
ifOutQLen.9	.1.3.6.1.2.1.2.2.1.21.9	Gauge	0
ifOutQLen.10	.1.3.6.1.2.1.2.2.1.21.10	Gauge	0
ifOutQLen.11	.1.3.6.1.2.1.2.2.1.21.11	Gauge	0
ifOutQLen.12	.1.3.6.1.2.1.2.2.1.21.12	Gauge	0
ifOutQLen.13	.1.3.6.1.2.1.2.2.1.21.13	Gauge	0
ifOutQLen.14	.1.3.6.1.2.1.2.2.1.21.14	Gauge	0
ifOutQLen.15	.1.3.6.1.2.1.2.2.1.21.15	Gauge	0
ifOutQLen.16	.1.3.6.1.2.1.2.2.1.21.16	Gauge	0
ifOutQLen.17	.1.3.6.1.2.1.2.2.1.21.17	Gauge	0
ifOutQLen.18	.1.3.6.1.2.1.2.2.1.21.18	Gauge	0
ifOutQLen.19	.1.3.6.1.2.1.2.2.1.21.19	Gauge	0
ifOutQLen.20	.1.3.6.1.2.1.2.2.1.21.20	Gauge	0
ifOutQLen.21	.1.3.6.1.2.1.2.2.1.21.21	Gauge	0
ifOutQLen.22	.1.3.6.1.2.1.2.2.1.21.22	Gauge	0
ifOutQLen.23	.1.3.6.1.2.1.2.2.1.21.23	Gauge	0
ifOutQLen.24	.1.3.6.1.2.1.2.2.1.21.24	Gauge	0
ifOutQLen.25	.1.3.6.1.2.1.2.2.1.21.25	Gauge	0
ifOutQLen.26	.1.3.6.1.2.1.2.2.1.21.26	Gauge	0
ifOutQLen.27	.1.3.6.1.2.1.2.2.1.21.27	Gauge	0
ifOutQLen.28	.1.3.6.1.2.1.2.2.1.21.28	Gauge	0
ifOutQLen.632	.1.3.6.1.2.1.2.2.1.21.632	Gauge	0
ifOutQLen.633	.1.3.6.1.2.1.2.2.1.21.633	Gauge	0
ifOutQLen.635	.1.3.6.1.2.1.2.2.1.21.635	Gauge	0
ifSpecific.1	.1.3.6.1.2.1.2.2.1.22.1	OID	.0.0
ifSpecific.2	.1.3.6.1.2.1.2.2.1.22.2	OID	.0.0
ifSpecific.3	.1.3.6.1.2.1.2.2.1.22.3	OID	.0.0
ifSpecific.4	.1.3.6.1.2.1.2.2.1.22.4	OID	.0.0

Name	OID	Value Type	Value Example
ifSpecific.5	.1.3.6.1.2.1.2.2.1.22.5	OID	.0.0
ifSpecific.6	.1.3.6.1.2.1.2.2.1.22.6	OID	.0.0
ifSpecific.7	.1.3.6.1.2.1.2.2.1.22.7	OID	.0.0
ifSpecific.8	.1.3.6.1.2.1.2.2.1.22.8	OID	.0.0
ifSpecific.9	.1.3.6.1.2.1.2.2.1.22.9	OID	.0.0
ifSpecific.10	.1.3.6.1.2.1.2.2.1.22.10	OID	.0.0
ifSpecific.11	.1.3.6.1.2.1.2.2.1.22.11	OID	.0.0
ifSpecific.12	.1.3.6.1.2.1.2.2.1.22.12	OID	.0.0
ifSpecific.13	.1.3.6.1.2.1.2.2.1.22.13	OID	.0.0
ifSpecific.14	.1.3.6.1.2.1.2.2.1.22.14	OID	.0.0
ifSpecific.15	.1.3.6.1.2.1.2.2.1.22.15	OID	.0.0
ifSpecific.16	.1.3.6.1.2.1.2.2.1.22.16	OID	.0.0
ifSpecific.17	.1.3.6.1.2.1.2.2.1.22.17	OID	.0.0
ifSpecific.18	.1.3.6.1.2.1.2.2.1.22.18	OID	.0.0
ifSpecific.19	.1.3.6.1.2.1.2.2.1.22.19	OID	.0.0
ifSpecific.20	.1.3.6.1.2.1.2.2.1.22.20	OID	.0.0
ifSpecific.21	.1.3.6.1.2.1.2.2.1.22.21	OID	.0.0
ifSpecific.22	.1.3.6.1.2.1.2.2.1.22.22	OID	.0.0
ifSpecific.23	.1.3.6.1.2.1.2.2.1.22.23	OID	.0.0
ifSpecific.24	.1.3.6.1.2.1.2.2.1.22.24	OID	.0.0
ifSpecific.25	.1.3.6.1.2.1.2.2.1.22.25	OID	.0.0
ifSpecific.26	.1.3.6.1.2.1.2.2.1.22.26	OID	.0.0
ifSpecific.27	.1.3.6.1.2.1.2.2.1.22.27	OID	.0.0
ifSpecific.28	.1.3.6.1.2.1.2.2.1.22.28	OID	.0.0
ifSpecific.632	.1.3.6.1.2.1.2.2.1.22.632	OID	.0.0
ifSpecific.633	.1.3.6.1.2.1.2.2.1.22.633	OID	.0.0
ifSpecific.635	.1.3.6.1.2.1.2.2.1.22.635	OID	.0.0
atfIndex.635.1.10.100.26.1	.1.3.6.1.2.1.3.1.1.1.635.1.10.10 0.26.1	Integer	635
atfIndex.635.1.10.100.26.2	.1.3.6.1.2.1.3.1.1.1.635.1.10.10 0.26.2	Integer	635
atfIndex.635.1.10.100.26.3	.1.3.6.1.2.1.3.1.1.1.635.1.10.10 0.26.3	Integer	635
atfIndex.635.1.10.100.26.4	.1.3.6.1.2.1.3.1.1.1.635.1.10.10 0.26.4	Integer	635
atfIndex.635.1.10.100.26.5	.1.3.6.1.2.1.3.1.1.1.635.1.10.10 0.26.5	Integer	635
atfIndex.635.1.10.100.26.9	.1.3.6.1.2.1.3.1.1.1.635.1.10.10 0.26.9	Integer	635
atfIndex.635.1.10.100.26.10	.1.3.6.1.2.1.3.1.1.1.635.1.10.10 0.26.10	Integer	635
atfIndex.635.1.10.100.26.11	.1.3.6.1.2.1.3.1.1.1.635.1.10.10 0.26.11	Integer	635
atfIndex.635.1.10.100.26.13	.1.3.6.1.2.1.3.1.1.1.635.1.10.10 0.26.13	Integer	635

Name	OID	Value Type	Value Example
atIfIndex.635.1.10.100.26.14	.1.3.6.1.2.1.3.1.1.1.635.1.10.10.0.26.14	Integer	635
atIfIndex.635.1.10.100.26.15	.1.3.6.1.2.1.3.1.1.1.635.1.10.10.0.26.15	Integer	635
atIfIndex.635.1.10.100.26.16	.1.3.6.1.2.1.3.1.1.1.635.1.10.10.0.26.16	Integer	635
atIfIndex.635.1.10.100.26.18	.1.3.6.1.2.1.3.1.1.1.635.1.10.10.0.26.18	Integer	635
atIfIndex.635.1.10.100.26.19	.1.3.6.1.2.1.3.1.1.1.635.1.10.10.0.26.19	Integer	635
atIfIndex.635.1.10.100.26.29	.1.3.6.1.2.1.3.1.1.1.635.1.10.10.0.26.29	Integer	635
atIfIndex.635.1.10.100.26.31	.1.3.6.1.2.1.3.1.1.1.635.1.10.10.0.26.31	Integer	635
atIfIndex.635.1.10.100.26.32	.1.3.6.1.2.1.3.1.1.1.635.1.10.10.0.26.32	Integer	635
atIfIndex.635.1.10.100.26.33	.1.3.6.1.2.1.3.1.1.1.635.1.10.10.0.26.33	Integer	635
atIfIndex.635.1.10.100.26.34	.1.3.6.1.2.1.3.1.1.1.635.1.10.10.0.26.34	Integer	635
atIfIndex.635.1.10.100.26.35	.1.3.6.1.2.1.3.1.1.1.635.1.10.10.0.26.35	Integer	635
atIfIndex.635.1.10.100.26.36	.1.3.6.1.2.1.3.1.1.1.635.1.10.10.0.26.36	Integer	635
atIfIndex.635.1.10.100.26.37	.1.3.6.1.2.1.3.1.1.1.635.1.10.10.0.26.37	Integer	635
atIfIndex.635.1.10.100.26.39	.1.3.6.1.2.1.3.1.1.1.635.1.10.10.0.26.39	Integer	635
atIfIndex.635.1.10.100.26.40	.1.3.6.1.2.1.3.1.1.1.635.1.10.10.0.26.40	Integer	635
atIfIndex.635.1.10.100.26.156	.1.3.6.1.2.1.3.1.1.1.635.1.10.10.0.26.156	Integer	635
atIfIndex.635.1.10.100.26.168	.1.3.6.1.2.1.3.1.1.1.635.1.10.10.0.26.168	Integer	635
atIfIndex.635.1.10.100.26.169	.1.3.6.1.2.1.3.1.1.1.635.1.10.10.0.26.169	Integer	635
atIfIndex.635.1.10.100.26.221	.1.3.6.1.2.1.3.1.1.1.635.1.10.10.0.26.221	Integer	635
atIfIndex.635.1.10.100.26.223	.1.3.6.1.2.1.3.1.1.1.635.1.10.10.0.26.223	Integer	635
atPhysAd- dress.635.1.10.100.26.1	.1.3.6.1.2.1.3.1.1.2.635.1.10.10.0.26.1	OctetString	00-09-0F-09-1E-0A
atPhysAd- dress.635.1.10.100.26.2	.1.3.6.1.2.1.3.1.1.2.635.1.10.10.0.26.2	OctetString	7C-7A-3C-3F-66-2B
atPhysAd- dress.635.1.10.100.26.3	.1.3.6.1.2.1.3.1.1.2.635.1.10.10.0.26.3	OctetString	7C-7A-3C-59-58-25
atPhysAd- dress.635.1.10.100.26.4	.1.3.6.1.2.1.3.1.1.2.635.1.10.10.0.26.4	OctetString	7C-7A-3C-B3-14-C4
atPhysAd- dress.635.1.10.100.26.5	.1.3.6.1.2.1.3.1.1.2.635.1.10.10.0.26.5	OctetString	14-84-77-C6-B9-2B

Name	OID	Value Type	Value Example
atPhysAddress.635.1.10.100.26.9	.1.3.6.1.2.1.3.1.1.2.635.1.10.10.0.26.9	OctetString	74-49-D2-DA-D9-D3
atPhysAddress.635.1.10.100.26.10	.1.3.6.1.2.1.3.1.1.2.635.1.10.10.0.26.10	OctetString	74-49-D2-E7-6A-83
atPhysAddress.635.1.10.100.26.11	.1.3.6.1.2.1.3.1.1.2.635.1.10.10.0.26.11	OctetString	98-20-44-53-74-4C
atPhysAddress.635.1.10.100.26.13	.1.3.6.1.2.1.3.1.1.2.635.1.10.10.0.26.13	OctetString	D4-43-0E-A2-AC-AE
atPhysAddress.635.1.10.100.26.14	.1.3.6.1.2.1.3.1.1.2.635.1.10.10.0.26.14	OctetString	30-E1-F1-16-19-78
atPhysAddress.635.1.10.100.26.15	.1.3.6.1.2.1.3.1.1.2.635.1.10.10.0.26.15	OctetString	30-E1-F1-6F-8A-F5
atPhysAddress.635.1.10.100.26.16	.1.3.6.1.2.1.3.1.1.2.635.1.10.10.0.26.16	OctetString	30-E1-F1-70-04-CD
atPhysAddress.635.1.10.100.26.18	.1.3.6.1.2.1.3.1.1.2.635.1.10.10.0.26.18	OctetString	80-85-44-07-82-F6
atPhysAddress.635.1.10.100.26.19	.1.3.6.1.2.1.3.1.1.2.635.1.10.10.0.26.19	OctetString	DC-4E-F4-06-A1-DD
atPhysAddress.635.1.10.100.26.29	.1.3.6.1.2.1.3.1.1.2.635.1.10.10.0.26.29	OctetString	30-E1-F1-FF-75-A2
atPhysAddress.635.1.10.100.26.31	.1.3.6.1.2.1.3.1.1.2.635.1.10.10.0.26.31	OctetString	80-85-44-00-3A-4F
atPhysAddress.635.1.10.100.26.32	.1.3.6.1.2.1.3.1.1.2.635.1.10.10.0.26.32	OctetString	80-85-44-07-E9-7F
atPhysAddress.635.1.10.100.26.33	.1.3.6.1.2.1.3.1.1.2.635.1.10.10.0.26.33	OctetString	80-85-44-07-CB-1F
atPhysAddress.635.1.10.100.26.34	.1.3.6.1.2.1.3.1.1.2.635.1.10.10.0.26.34	OctetString	80-85-44-05-9E-70
atPhysAddress.635.1.10.100.26.35	.1.3.6.1.2.1.3.1.1.2.635.1.10.10.0.26.35	OctetString	30-E1-F1-FC-90-D2
atPhysAddress.635.1.10.100.26.36	.1.3.6.1.2.1.3.1.1.2.635.1.10.10.0.26.36	OctetString	80-85-44-03-99-C8
atPhysAddress.635.1.10.100.26.37	.1.3.6.1.2.1.3.1.1.2.635.1.10.10.0.26.37	OctetString	80-85-44-06-B2-70
atPhysAddress.635.1.10.100.26.39	.1.3.6.1.2.1.3.1.1.2.635.1.10.10.0.26.39	OctetString	D8-36-5F-A9-8C-DB
atPhysAddress.635.1.10.100.26.40	.1.3.6.1.2.1.3.1.1.2.635.1.10.10.0.26.40	OctetString	D8-36-5F-D5-02-6E
atPhysAddress.635.1.10.100.26.156	.1.3.6.1.2.1.3.1.1.2.635.1.10.10.0.26.156	OctetString	BC-24-11-A3-56-77
atPhysAddress.635.1.10.100.26.168	.1.3.6.1.2.1.3.1.1.2.635.1.10.10.0.26.168	OctetString	C4-CB-E1-11-54-56
atPhysAddress.635.1.10.100.26.169	.1.3.6.1.2.1.3.1.1.2.635.1.10.10.0.26.169	OctetString	BC-24-11-15-93-EC
atPhysAddress.635.1.10.100.26.221	.1.3.6.1.2.1.3.1.1.2.635.1.10.10.0.26.221	OctetString	BC-24-11-90-B4-C9

Name	OID	Value Type	Value Example
atPhysAd- dress.635.1.10.100.26.22 3	.1.3.6.1.2.1.3.1.1.2.635.1.10.10 0.26.223	OctetString	BC-24-11-36-FA-CB
atNetAd- dress.635.1.10.100.26.1	.1.3.6.1.2.1.3.1.1.3.635.1.10.10 0.26.1	IpAddress	10.100.26.1
atNetAd- dress.635.1.10.100.26.2	.1.3.6.1.2.1.3.1.1.3.635.1.10.10 0.26.2	IpAddress	10.100.26.2
atNetAd- dress.635.1.10.100.26.3	.1.3.6.1.2.1.3.1.1.3.635.1.10.10 0.26.3	IpAddress	10.100.26.3
atNetAd- dress.635.1.10.100.26.4	.1.3.6.1.2.1.3.1.1.3.635.1.10.10 0.26.4	IpAddress	10.100.26.4
atNetAd- dress.635.1.10.100.26.5	.1.3.6.1.2.1.3.1.1.3.635.1.10.10 0.26.5	IpAddress	10.100.26.5
atNetAd- dress.635.1.10.100.26.9	.1.3.6.1.2.1.3.1.1.3.635.1.10.10 0.26.9	IpAddress	10.100.26.9
atNetAd- dress.635.1.10.100.26.10	.1.3.6.1.2.1.3.1.1.3.635.1.10.10 0.26.10	IpAddress	10.100.26.10
atNetAd- dress.635.1.10.100.26.11	.1.3.6.1.2.1.3.1.1.3.635.1.10.10 0.26.11	IpAddress	10.100.26.11
atNetAd- dress.635.1.10.100.26.13	.1.3.6.1.2.1.3.1.1.3.635.1.10.10 0.26.13	IpAddress	10.100.26.13
atNetAd- dress.635.1.10.100.26.14	.1.3.6.1.2.1.3.1.1.3.635.1.10.10 0.26.14	IpAddress	10.100.26.14
atNetAd- dress.635.1.10.100.26.15	.1.3.6.1.2.1.3.1.1.3.635.1.10.10 0.26.15	IpAddress	10.100.26.15
atNetAd- dress.635.1.10.100.26.16	.1.3.6.1.2.1.3.1.1.3.635.1.10.10 0.26.16	IpAddress	10.100.26.16
atNetAd- dress.635.1.10.100.26.18	.1.3.6.1.2.1.3.1.1.3.635.1.10.10 0.26.18	IpAddress	10.100.26.18
atNetAd- dress.635.1.10.100.26.19	.1.3.6.1.2.1.3.1.1.3.635.1.10.10 0.26.19	IpAddress	10.100.26.19
atNetAd- dress.635.1.10.100.26.29	.1.3.6.1.2.1.3.1.1.3.635.1.10.10 0.26.29	IpAddress	10.100.26.29
atNetAd- dress.635.1.10.100.26.31	.1.3.6.1.2.1.3.1.1.3.635.1.10.10 0.26.31	IpAddress	10.100.26.31
atNetAd- dress.635.1.10.100.26.32	.1.3.6.1.2.1.3.1.1.3.635.1.10.10 0.26.32	IpAddress	10.100.26.32
atNetAd- dress.635.1.10.100.26.33	.1.3.6.1.2.1.3.1.1.3.635.1.10.10 0.26.33	IpAddress	10.100.26.33
atNetAd- dress.635.1.10.100.26.34	.1.3.6.1.2.1.3.1.1.3.635.1.10.10 0.26.34	IpAddress	10.100.26.34
atNetAd- dress.635.1.10.100.26.35	.1.3.6.1.2.1.3.1.1.3.635.1.10.10 0.26.35	IpAddress	10.100.26.35
atNetAd- dress.635.1.10.100.26.36	.1.3.6.1.2.1.3.1.1.3.635.1.10.10 0.26.36	IpAddress	10.100.26.36
atNetAd- dress.635.1.10.100.26.37	.1.3.6.1.2.1.3.1.1.3.635.1.10.10 0.26.37	IpAddress	10.100.26.37
atNetAd- dress.635.1.10.100.26.39	.1.3.6.1.2.1.3.1.1.3.635.1.10.10 0.26.39	IpAddress	10.100.26.39
atNetAd- dress.635.1.10.100.26.40	.1.3.6.1.2.1.3.1.1.3.635.1.10.10 0.26.40	IpAddress	10.100.26.40

Name	OID	Value Type	Value Example
atNetAd- dress.635.1.10.100.26.156	.1.3.6.1.2.1.3.1.1.3.635.1.10.10 0.26.156	IpAddress	10.100.26.156
atNetAd- dress.635.1.10.100.26.168	.1.3.6.1.2.1.3.1.1.3.635.1.10.10 0.26.168	IpAddress	10.100.26.168
atNetAd- dress.635.1.10.100.26.169	.1.3.6.1.2.1.3.1.1.3.635.1.10.10 0.26.169	IpAddress	10.100.26.169
atNetAd- dress.635.1.10.100.26.221	.1.3.6.1.2.1.3.1.1.3.635.1.10.10 0.26.221	IpAddress	10.100.26.221
atNetAd- dress.635.1.10.100.26.223	.1.3.6.1.2.1.3.1.1.3.635.1.10.10 0.26.223	IpAddress	10.100.26.223
ipForwarding.0	.1.3.6.1.2.1.4.1.0	Integer	forwarding (1)
ipDefaultTTL.0	.1.3.6.1.2.1.4.2.0	Integer	255
ipInReceives.0	.1.3.6.1.2.1.4.3.0	Counter32	0
ipInHdrErrors.0	.1.3.6.1.2.1.4.4.0	Counter32	0
ipInAddrErrors.0	.1.3.6.1.2.1.4.5.0	Counter32	0
ipForwDatagrams.0	.1.3.6.1.2.1.4.6.0	Counter32	0
ipInUnknownProtos.0	.1.3.6.1.2.1.4.7.0	Counter32	0
ipInDiscards.0	.1.3.6.1.2.1.4.8.0	Counter32	0
ipInDelivers.0	.1.3.6.1.2.1.4.9.0	Counter32	0
ipOutRequests.0	.1.3.6.1.2.1.4.10.0	Counter32	0
ipOutDiscards.0	.1.3.6.1.2.1.4.11.0	Counter32	0
ipOutNoRoutes.0	.1.3.6.1.2.1.4.12.0	Counter32	0
ipReasmTimeout.0	.1.3.6.1.2.1.4.13.0	Integer	30
ipReasmReqds.0	.1.3.6.1.2.1.4.14.0	Counter32	0
ipReasmOKs.0	.1.3.6.1.2.1.4.15.0	Counter32	0
ipReasmFails.0	.1.3.6.1.2.1.4.16.0	Counter32	0
ipFragOKs.0	.1.3.6.1.2.1.4.17.0	Counter32	0
ipFragFails.0	.1.3.6.1.2.1.4.18.0	Counter32	0
ipFragCreates.0	.1.3.6.1.2.1.4.19.0	Counter32	0
ipAdEntAddr.10.100.26.30	.1.3.6.1.2.1.4.20.1.1.10.100.26. 30	IpAddress	10.100.26.30
ipAdEntIfIndex.10.100.26.30	.1.3.6.1.2.1.4.20.1.2.10.100.26. 30	Integer	635
ipAdEntNetMask.10.100.26.30	.1.3.6.1.2.1.4.20.1.3.10.100.26. 30	IpAddress	255.255.255.0
ipAdEntBcastAddr.10.100.26.30	.1.3.6.1.2.1.4.20.1.4.10.100.26. 30	Integer	1
ipAdEntReasmMax- Size.10.100.26.30	.1.3.6.1.2.1.4.20.1.5.10.100.26. 30	Integer	65535
ipRouteDest.0.0.0.0	.1.3.6.1.2.1.4.21.1.1.0.0.0.0	IpAddress	0.0.0.0
ipRouteDest.10.100.26.0	.1.3.6.1.2.1.4.21.1.1.10.100.26. 0	IpAddress	10.100.26.0
ipRouteDest.10.100.26.30	.1.3.6.1.2.1.4.21.1.1.10.100.26. 30	IpAddress	10.100.26.30
ipRouteDest.10.100.26.255	.1.3.6.1.2.1.4.21.1.1.10.100.26. 255	IpAddress	10.100.26.255
ipRouteDest.127.0.0.0	.1.3.6.1.2.1.4.21.1.1.127.0.0.0	IpAddress	127.0.0.0

Name	OID	Value Type	Value Example
ipRouteDest.127.0.0.1	.1.3.6.1.2.1.4.21.1.1.127.0.0.1	IpAddress	127.0.0.1
ipRouteDest.127.255.255.255	.1.3.6.1.2.1.4.21.1.1.127.255.255.255	IpAddress	127.255.255.255
ipRouteDest.224.0.0.0	.1.3.6.1.2.1.4.21.1.1.224.0.0.0	IpAddress	224.0.0.0
ipRouteDest.255.255.255.255	.1.3.6.1.2.1.4.21.1.1.255.255.255.255	IpAddress	255.255.255.255
ipRouteIfIndex.0.0.0.0	.1.3.6.1.2.1.4.21.1.2.0.0.0.0	Integer	635
ipRouteIfIndex.10.100.26.0	.1.3.6.1.2.1.4.21.1.2.10.100.26.0	Integer	635
ipRouteIfIndex.10.100.26.30	.1.3.6.1.2.1.4.21.1.2.10.100.26.30	Integer	633
ipRouteIfIndex.10.100.26.255	.1.3.6.1.2.1.4.21.1.2.10.100.26.255	Integer	635
ipRouteIfIndex.127.0.0.0	.1.3.6.1.2.1.4.21.1.2.127.0.0.0	Integer	633
ipRouteIfIndex.127.0.0.1	.1.3.6.1.2.1.4.21.1.2.127.0.0.1	Integer	633
ipRouteIfIndex.127.255.255.255	.1.3.6.1.2.1.4.21.1.2.127.255.255.255	Integer	633
ipRouteIfIndex.224.0.0.0	.1.3.6.1.2.1.4.21.1.2.224.0.0.0	Integer	632
ipRouteIfIndex.255.255.255.255	.1.3.6.1.2.1.4.21.1.2.255.255.255.255	Integer	633
ipRouteMetric1.0.0.0.0	.1.3.6.1.2.1.4.21.1.3.0.0.0.0	Integer	0
ipRouteMetric1.10.100.26.0	.1.3.6.1.2.1.4.21.1.3.10.100.26.0	Integer	0
ipRouteMetric1.10.100.26.30	.1.3.6.1.2.1.4.21.1.3.10.100.26.30	Integer	0
ipRouteMetric1.10.100.26.255	.1.3.6.1.2.1.4.21.1.3.10.100.26.255	Integer	0
ipRouteMetric1.127.0.0.0	.1.3.6.1.2.1.4.21.1.3.127.0.0.0	Integer	0
ipRouteMetric1.127.0.0.1	.1.3.6.1.2.1.4.21.1.3.127.0.0.1	Integer	0
ipRouteMetric1.127.255.255.255	.1.3.6.1.2.1.4.21.1.3.127.255.255.255	Integer	0
ipRouteMetric1.224.0.0.0	.1.3.6.1.2.1.4.21.1.3.224.0.0.0	Integer	0
ipRouteMetric1.255.255.255.255	.1.3.6.1.2.1.4.21.1.3.255.255.255.255	Integer	0
ipRouteMetric2.0.0.0.0	.1.3.6.1.2.1.4.21.1.4.0.0.0.0	Integer	-1
ipRouteMetric2.10.100.26.0	.1.3.6.1.2.1.4.21.1.4.10.100.26.0	Integer	-1
ipRouteMetric2.10.100.26.30	.1.3.6.1.2.1.4.21.1.4.10.100.26.30	Integer	-1
ipRouteMetric2.10.100.26.255	.1.3.6.1.2.1.4.21.1.4.10.100.26.255	Integer	-1
ipRouteMetric2.127.0.0.0	.1.3.6.1.2.1.4.21.1.4.127.0.0.0	Integer	-1
ipRouteMetric2.127.0.0.1	.1.3.6.1.2.1.4.21.1.4.127.0.0.1	Integer	-1
ipRouteMetric2.127.255.255.255	.1.3.6.1.2.1.4.21.1.4.127.255.255.255	Integer	-1
ipRouteMetric2.224.0.0.0	.1.3.6.1.2.1.4.21.1.4.224.0.0.0	Integer	-1
ipRouteMetric2.255.255.255.255	.1.3.6.1.2.1.4.21.1.4.255.255.255.255	Integer	-1

Name	OID	Value Type	Value Example
ipRouteMetric3.0.0.0.0	.1.3.6.1.2.1.4.21.1.5.0.0.0.0	Integer	-1
ipRouteMetric3.10.100.26.0	.1.3.6.1.2.1.4.21.1.5.10.100.26.0	Integer	-1
ipRouteMetric3.10.100.26.30	.1.3.6.1.2.1.4.21.1.5.10.100.26.30	Integer	-1
ipRouteMetric3.10.100.26.255	.1.3.6.1.2.1.4.21.1.5.10.100.26.255	Integer	-1
ipRouteMetric3.127.0.0.0	.1.3.6.1.2.1.4.21.1.5.127.0.0.0	Integer	-1
ipRouteMetric3.127.0.0.1	.1.3.6.1.2.1.4.21.1.5.127.0.0.1	Integer	-1
ipRouteMetric3.127.255.255.255	.1.3.6.1.2.1.4.21.1.5.127.255.255.255	Integer	-1
ipRouteMetric3.224.0.0.0	.1.3.6.1.2.1.4.21.1.5.224.0.0.0	Integer	-1
ipRouteMetric3.255.255.255.255	.1.3.6.1.2.1.4.21.1.5.255.255.255.255	Integer	-1
ipRouteMetric4.0.0.0.0	.1.3.6.1.2.1.4.21.1.6.0.0.0.0	Integer	-1
ipRouteMetric4.10.100.26.0	.1.3.6.1.2.1.4.21.1.6.10.100.26.0	Integer	-1
ipRouteMetric4.10.100.26.30	.1.3.6.1.2.1.4.21.1.6.10.100.26.30	Integer	-1
ipRouteMetric4.10.100.26.255	.1.3.6.1.2.1.4.21.1.6.10.100.26.255	Integer	-1
ipRouteMetric4.127.0.0.0	.1.3.6.1.2.1.4.21.1.6.127.0.0.0	Integer	-1
ipRouteMetric4.127.0.0.1	.1.3.6.1.2.1.4.21.1.6.127.0.0.1	Integer	-1
ipRouteMetric4.127.255.255.255	.1.3.6.1.2.1.4.21.1.6.127.255.255.255	Integer	-1
ipRouteMetric4.224.0.0.0	.1.3.6.1.2.1.4.21.1.6.224.0.0.0	Integer	-1
ipRouteMetric4.255.255.255.255	.1.3.6.1.2.1.4.21.1.6.255.255.255.255	Integer	-1
ipRouteNextHop.0.0.0.0	.1.3.6.1.2.1.4.21.1.7.0.0.0.0	IpAddress	10.100.26.1
ipRouteNextHop.10.100.26.0	.1.3.6.1.2.1.4.21.1.7.10.100.26.0	IpAddress	10.100.26.30
ipRouteNextHop.10.100.26.30	.1.3.6.1.2.1.4.21.1.7.10.100.26.30	IpAddress	127.0.0.1
ipRouteNextHop.10.100.26.255	.1.3.6.1.2.1.4.21.1.7.10.100.26.255	IpAddress	10.100.26.30
ipRouteNextHop.127.0.0.0	.1.3.6.1.2.1.4.21.1.7.127.0.0.0	IpAddress	127.0.0.1
ipRouteNextHop.127.0.0.1	.1.3.6.1.2.1.4.21.1.7.127.0.0.1	IpAddress	127.0.0.1
ipRouteNextHop.127.255.255.255	.1.3.6.1.2.1.4.21.1.7.127.255.255.255	IpAddress	127.0.0.1
ipRouteNextHop.224.0.0.0	.1.3.6.1.2.1.4.21.1.7.224.0.0.0	IpAddress	0.0.0.0
ipRouteNextHop.255.255.255.255	.1.3.6.1.2.1.4.21.1.7.255.255.255.255	IpAddress	127.0.0.1
ipRouteType.0.0.0.0	.1.3.6.1.2.1.4.21.1.8.0.0.0.0	Integer	indirect (4)
ipRouteType.10.100.26.0	.1.3.6.1.2.1.4.21.1.8.10.100.26.0	Integer	direct (3)
ipRouteType.10.100.26.30	.1.3.6.1.2.1.4.21.1.8.10.100.26.30	Integer	direct (3)

Name	OID	Value Type	Value Example
ipRouteType.10.100.26.255	.1.3.6.1.2.1.4.21.1.8.10.100.26.255	Integer	direct (3)
ipRouteType.127.0.0.0	.1.3.6.1.2.1.4.21.1.8.127.0.0.0	Integer	direct (3)
ipRouteType.127.0.0.1	.1.3.6.1.2.1.4.21.1.8.127.0.0.1	Integer	direct (3)
ipRouteType.127.255.255.255	.1.3.6.1.2.1.4.21.1.8.127.255.255.255	Integer	direct (3)
ipRouteType.224.0.0.0	.1.3.6.1.2.1.4.21.1.8.224.0.0.0	Integer	invalid (2)
ipRouteType.255.255.255.255	.1.3.6.1.2.1.4.21.1.8.255.255.255.255	Integer	direct (3)
ipRouteProto.0.0.0.0	.1.3.6.1.2.1.4.21.1.9.0.0.0.0	Integer	netmgmt (3)
ipRouteProto.10.100.26.0	.1.3.6.1.2.1.4.21.1.9.10.100.26.0	Integer	local (2)
ipRouteProto.10.100.26.30	.1.3.6.1.2.1.4.21.1.9.10.100.26.30	Integer	local (2)
ipRouteProto.10.100.26.255	.1.3.6.1.2.1.4.21.1.9.10.100.26.255	Integer	local (2)
ipRouteProto.127.0.0.0	.1.3.6.1.2.1.4.21.1.9.127.0.0.0	Integer	local (2)
ipRouteProto.127.0.0.1	.1.3.6.1.2.1.4.21.1.9.127.0.0.1	Integer	local (2)
ipRouteProto.127.255.255.255	.1.3.6.1.2.1.4.21.1.9.127.255.255.255	Integer	local (2)
ipRouteProto.224.0.0.0	.1.3.6.1.2.1.4.21.1.9.224.0.0.0	Integer	local (2)
ipRouteProto.255.255.255.255	.1.3.6.1.2.1.4.21.1.9.255.255.255.255	Integer	local (2)
ipRouteAge.0.0.0.0	.1.3.6.1.2.1.4.21.1.10.0.0.0.0	Integer	1054688
ipRouteAge.10.100.26.0	.1.3.6.1.2.1.4.21.1.10.10.100.26.0	Integer	1054688
ipRouteAge.10.100.26.30	.1.3.6.1.2.1.4.21.1.10.10.100.26.30	Integer	1054688
ipRouteAge.10.100.26.255	.1.3.6.1.2.1.4.21.1.10.10.100.26.255	Integer	1054688
ipRouteAge.127.0.0.0	.1.3.6.1.2.1.4.21.1.10.127.0.0.0	Integer	1226596
ipRouteAge.127.0.0.1	.1.3.6.1.2.1.4.21.1.10.127.0.0.1	Integer	1226596
ipRouteAge.127.255.255.255	.1.3.6.1.2.1.4.21.1.10.127.255.255.255	Integer	1226596
ipRouteAge.224.0.0.0	.1.3.6.1.2.1.4.21.1.10.224.0.0.0	Integer	1226596
ipRouteAge.255.255.255.255	.1.3.6.1.2.1.4.21.1.10.255.255.255.255	Integer	1226596
ipRouteMask.0.0.0.0	.1.3.6.1.2.1.4.21.1.11.0.0.0.0	IpAddress	0.0.0.0
ipRouteMask.10.100.26.0	.1.3.6.1.2.1.4.21.1.11.10.100.26.0	IpAddress	255.255.255.0
ipRouteMask.10.100.26.30	.1.3.6.1.2.1.4.21.1.11.10.100.26.30	IpAddress	255.255.255.255
ipRouteMask.10.100.26.255	.1.3.6.1.2.1.4.21.1.11.10.100.26.255	IpAddress	255.255.255.255
ipRouteMask.127.0.0.0	.1.3.6.1.2.1.4.21.1.11.127.0.0.0	IpAddress	255.0.0.0
ipRouteMask.127.0.0.1	.1.3.6.1.2.1.4.21.1.11.127.0.0.1	IpAddress	255.255.255.255
ipRouteMask.127.255.255.255	.1.3.6.1.2.1.4.21.1.11.127.255.255.255	IpAddress	255.255.255.255

Name	OID	Value Type	Value Example
ipRouteMask.224.0.0.0	.1.3.6.1.2.1.4.21.1.11.224.0.0.0	IpAddress	240.0.0.0
ipRouteMask.255.255.255.255	.1.3.6.1.2.1.4.21.1.11.255.255.255.255	IpAddress	255.255.255.255
.1.3.6.1.2.1.4.21.1.12.0.0.0.0	.1.3.6.1.2.1.4.21.1.12.0.0.0.0	Integer	-1
.1.3.6.1.2.1.4.21.1.12.10.100.26.0	.1.3.6.1.2.1.4.21.1.12.10.100.26.0	Integer	-1
.1.3.6.1.2.1.4.21.1.12.10.100.26.30	.1.3.6.1.2.1.4.21.1.12.10.100.26.30	Integer	-1
.1.3.6.1.2.1.4.21.1.12.10.100.26.255	.1.3.6.1.2.1.4.21.1.12.10.100.26.255	Integer	-1
.1.3.6.1.2.1.4.21.1.12.127.0.0.0	.1.3.6.1.2.1.4.21.1.12.127.0.0.0	Integer	-1
.1.3.6.1.2.1.4.21.1.12.127.0.0.1	.1.3.6.1.2.1.4.21.1.12.127.0.0.1	Integer	-1
.1.3.6.1.2.1.4.21.1.12.127.255.255.255	.1.3.6.1.2.1.4.21.1.12.127.255.255.255	Integer	-1
.1.3.6.1.2.1.4.21.1.12.224.0.0.0	.1.3.6.1.2.1.4.21.1.12.224.0.0.0	Integer	-1
.1.3.6.1.2.1.4.21.1.12.255.255.255.255	.1.3.6.1.2.1.4.21.1.12.255.255.255.255	Integer	-1
.1.3.6.1.2.1.4.21.1.13.0.0.0.0	.1.3.6.1.2.1.4.21.1.13.0.0.0.0	OID	.0.0
.1.3.6.1.2.1.4.21.1.13.10.100.26.0	.1.3.6.1.2.1.4.21.1.13.10.100.26.0	OID	.0.0
.1.3.6.1.2.1.4.21.1.13.10.100.26.30	.1.3.6.1.2.1.4.21.1.13.10.100.26.30	OID	.0.0
.1.3.6.1.2.1.4.21.1.13.10.100.26.255	.1.3.6.1.2.1.4.21.1.13.10.100.26.255	OID	.0.0
.1.3.6.1.2.1.4.21.1.13.127.0.0.0	.1.3.6.1.2.1.4.21.1.13.127.0.0.0	OID	.0.0
.1.3.6.1.2.1.4.21.1.13.127.0.0.1	.1.3.6.1.2.1.4.21.1.13.127.0.0.1	OID	.0.0
.1.3.6.1.2.1.4.21.1.13.127.255.255.255	.1.3.6.1.2.1.4.21.1.13.127.255.255.255	OID	.0.0
.1.3.6.1.2.1.4.21.1.13.224.0.0.0	.1.3.6.1.2.1.4.21.1.13.224.0.0.0	OID	.0.0
.1.3.6.1.2.1.4.21.1.13.255.255.255.255	.1.3.6.1.2.1.4.21.1.13.255.255.255.255	OID	.0.0
ipNetToMediaIfln-dex.635.10.100.26.1	.1.3.6.1.2.1.4.22.1.1.635.10.100.26.1	Integer	635
ipNetToMediaIfln-dex.635.10.100.26.2	.1.3.6.1.2.1.4.22.1.1.635.10.100.26.2	Integer	635
ipNetToMediaIfln-dex.635.10.100.26.3	.1.3.6.1.2.1.4.22.1.1.635.10.100.26.3	Integer	635
ipNetToMediaIfln-dex.635.10.100.26.4	.1.3.6.1.2.1.4.22.1.1.635.10.100.26.4	Integer	635
ipNetToMediaIfln-dex.635.10.100.26.5	.1.3.6.1.2.1.4.22.1.1.635.10.100.26.5	Integer	635
ipNetToMediaIfln-dex.635.10.100.26.9	.1.3.6.1.2.1.4.22.1.1.635.10.100.26.9	Integer	635

Name	OID	Value Type	Value Example
ipNetToMediaIfln- dex.635.10.100.2 6.10	.1.3.6.1.2.1.4.22.1.1.635.10.100 .26.10	Integer	635
ipNetToMediaIfln- dex.635.10.100.2 6.11	.1.3.6.1.2.1.4.22.1.1.635.10.100 .26.11	Integer	635
ipNetToMediaIfln- dex.635.10.100.2 6.13	.1.3.6.1.2.1.4.22.1.1.635.10.100 .26.13	Integer	635
ipNetToMediaIfln- dex.635.10.100.2 6.14	.1.3.6.1.2.1.4.22.1.1.635.10.100 .26.14	Integer	635
ipNetToMediaIfln- dex.635.10.100.2 6.15	.1.3.6.1.2.1.4.22.1.1.635.10.100 .26.15	Integer	635
ipNetToMediaIfln- dex.635.10.100.2 6.16	.1.3.6.1.2.1.4.22.1.1.635.10.100 .26.16	Integer	635
ipNetToMediaIfln- dex.635.10.100.2 6.18	.1.3.6.1.2.1.4.22.1.1.635.10.100 .26.18	Integer	635
ipNetToMediaIfln- dex.635.10.100.2 6.19	.1.3.6.1.2.1.4.22.1.1.635.10.100 .26.19	Integer	635
ipNetToMediaIfln- dex.635.10.100.2 6.29	.1.3.6.1.2.1.4.22.1.1.635.10.100 .26.29	Integer	635
ipNetToMediaIfln- dex.635.10.100.2 6.31	.1.3.6.1.2.1.4.22.1.1.635.10.100 .26.31	Integer	635
ipNetToMediaIfln- dex.635.10.100.2 6.32	.1.3.6.1.2.1.4.22.1.1.635.10.100 .26.32	Integer	635
ipNetToMediaIfln- dex.635.10.100.2 6.33	.1.3.6.1.2.1.4.22.1.1.635.10.100 .26.33	Integer	635
ipNetToMediaIfln- dex.635.10.100.2 6.34	.1.3.6.1.2.1.4.22.1.1.635.10.100 .26.34	Integer	635
ipNetToMediaIfln- dex.635.10.100.2 6.35	.1.3.6.1.2.1.4.22.1.1.635.10.100 .26.35	Integer	635
ipNetToMediaIfln- dex.635.10.100.2 6.36	.1.3.6.1.2.1.4.22.1.1.635.10.100 .26.36	Integer	635
ipNetToMediaIfln- dex.635.10.100.2 6.37	.1.3.6.1.2.1.4.22.1.1.635.10.100 .26.37	Integer	635
ipNetToMediaIfln- dex.635.10.100.2 6.39	.1.3.6.1.2.1.4.22.1.1.635.10.100 .26.39	Integer	635
ipNetToMediaIfln- dex.635.10.100.2 6.40	.1.3.6.1.2.1.4.22.1.1.635.10.100 .26.40	Integer	635

Name	OID	Value Type	Value Example
ipNetToMediaIn- dex.635.10.100.2 6.156	.1.3.6.1.2.1.4.22.1.1.635.10.100 .26.156	Integer	635
ipNetToMediaIn- dex.635.10.100.2 6.168	.1.3.6.1.2.1.4.22.1.1.635.10.100 .26.168	Integer	635
ipNetToMediaIn- dex.635.10.100.2 6.169	.1.3.6.1.2.1.4.22.1.1.635.10.100 .26.169	Integer	635
ipNetToMediaIn- dex.635.10.100.2 6.221	.1.3.6.1.2.1.4.22.1.1.635.10.100 .26.221	Integer	635
ipNetToMediaIn- dex.635.10.100.2 6.223	.1.3.6.1.2.1.4.22.1.1.635.10.100 .26.223	Integer	635
ipNetToMediaPhysAd- dress.635.10.1 00.26.1	.1.3.6.1.2.1.4.22.1.2.635.10.100 .26.1	OctetString	00-09-0F-09-1E-0A
ipNetToMediaPhysAd- dress.635.10.1 00.26.2	.1.3.6.1.2.1.4.22.1.2.635.10.100 .26.2	OctetString	z<?f+
ipNetToMediaPhysAd- dress.635.10.1 00.26.3	.1.3.6.1.2.1.4.22.1.2.635.10.100 .26.3	OctetString	z<YX%
ipNetToMediaPhysAd- dress.635.10.1 00.26.4	.1.3.6.1.2.1.4.22.1.2.635.10.100 .26.4	OctetString	7C-7A-3C-B3-14-C4
ipNetToMediaPhysAd- dress.635.10.1 00.26.5	.1.3.6.1.2.1.4.22.1.2.635.10.100 .26.5	OctetString	14-84-77-C6-B9-2B
ipNetToMediaPhysAd- dress.635.10.1 00.26.9	.1.3.6.1.2.1.4.22.1.2.635.10.100 .26.9	OctetString	74-49-D2-DA-D9-D3
ipNetToMediaPhysAd- dress.635.10.1 00.26.10	.1.3.6.1.2.1.4.22.1.2.635.10.100 .26.10	OctetString	74-49-D2-E7-6A-83
ipNetToMediaPhysAd- dress.635.10.1 00.26.11	.1.3.6.1.2.1.4.22.1.2.635.10.100 .26.11	OctetString	98-20-44-53-74-4C
ipNetToMediaPhysAd- dress.635.10.1 00.26.13	.1.3.6.1.2.1.4.22.1.2.635.10.100 .26.13	OctetString	D4-43-0E-A2-AC-AE
ipNetToMediaPhysAd- dress.635.10.1 00.26.14	.1.3.6.1.2.1.4.22.1.2.635.10.100 .26.14	OctetString	30-E1-F1-16-19-78
ipNetToMediaPhysAd- dress.635.10.1 00.26.15	.1.3.6.1.2.1.4.22.1.2.635.10.100 .26.15	OctetString	30-E1-F1-6F-8A-F5
ipNetToMediaPhysAd- dress.635.10.1 00.26.16	.1.3.6.1.2.1.4.22.1.2.635.10.100 .26.16	OctetString	30-E1-F1-70-04-CD
ipNetToMediaPhysAd- dress.635.10.1 00.26.18	.1.3.6.1.2.1.4.22.1.2.635.10.100 .26.18	OctetString	80-85-44-07-82-F6

Name	OID	Value Type	Value Example
ipNetToMediaPhysAddress.635.10.100.26.19	.1.3.6.1.2.1.4.22.1.2.635.10.100.26.19	OctetString	DC-4E-F4-06-A1-DD
ipNetToMediaPhysAddress.635.10.100.26.29	.1.3.6.1.2.1.4.22.1.2.635.10.100.26.29	OctetString	30-E1-F1-FF-75-A2
ipNetToMediaPhysAddress.635.10.100.26.31	.1.3.6.1.2.1.4.22.1.2.635.10.100.26.31	OctetString	80-85-44-00-3A-4F
ipNetToMediaPhysAddress.635.10.100.26.32	.1.3.6.1.2.1.4.22.1.2.635.10.100.26.32	OctetString	80-85-44-07-E9-7F
ipNetToMediaPhysAddress.635.10.100.26.33	.1.3.6.1.2.1.4.22.1.2.635.10.100.26.33	OctetString	80-85-44-07-CB-1F
ipNetToMediaPhysAddress.635.10.100.26.34	.1.3.6.1.2.1.4.22.1.2.635.10.100.26.34	OctetString	80-85-44-05-9E-70
ipNetToMediaPhysAddress.635.10.100.26.35	.1.3.6.1.2.1.4.22.1.2.635.10.100.26.35	OctetString	30-E1-F1-FC-90-D2
ipNetToMediaPhysAddress.635.10.100.26.36	.1.3.6.1.2.1.4.22.1.2.635.10.100.26.36	OctetString	80-85-44-03-99-C8
ipNetToMediaPhysAddress.635.10.100.26.37	.1.3.6.1.2.1.4.22.1.2.635.10.100.26.37	OctetString	80-85-44-06-B2-70
ipNetToMediaPhysAddress.635.10.100.26.39	.1.3.6.1.2.1.4.22.1.2.635.10.100.26.39	OctetString	D8-36-5F-A9-8C-DB
ipNetToMediaPhysAddress.635.10.100.26.40	.1.3.6.1.2.1.4.22.1.2.635.10.100.26.40	OctetString	D8-36-5F-D5-02-6E
ipNetToMediaPhysAddress.635.10.100.26.156	.1.3.6.1.2.1.4.22.1.2.635.10.100.26.156	OctetString	BC-24-11-A3-56-77
ipNetToMediaPhysAddress.635.10.100.26.168	.1.3.6.1.2.1.4.22.1.2.635.10.100.26.168	OctetString	C4-CB-E1-11-54-56
ipNetToMediaPhysAddress.635.10.100.26.169	.1.3.6.1.2.1.4.22.1.2.635.10.100.26.169	OctetString	BC-24-11-15-93-EC
ipNetToMediaPhysAddress.635.10.100.26.221	.1.3.6.1.2.1.4.22.1.2.635.10.100.26.221	OctetString	BC-24-11-90-B4-C9
ipNetToMediaPhysAddress.635.10.100.26.223	.1.3.6.1.2.1.4.22.1.2.635.10.100.26.223	OctetString	BC-24-11-36-FA-CB
ipNetToMediaNetAddress.635.10.10.26.1	.1.3.6.1.2.1.4.22.1.3.635.10.100.26.1	IpAddress	10.100.26.1
ipNetToMediaNetAddress.635.10.10.26.2	.1.3.6.1.2.1.4.22.1.3.635.10.100.26.2	IpAddress	10.100.26.2

Name	OID	Value Type	Value Example
ipNetToMediaNetAddress.635.10.10.0.26.3	.1.3.6.1.2.1.4.22.1.3.635.10.100.26.3	IpAddress	10.100.26.3
ipNetToMediaNetAddress.635.10.10.0.26.4	.1.3.6.1.2.1.4.22.1.3.635.10.100.26.4	IpAddress	10.100.26.4
ipNetToMediaNetAddress.635.10.10.0.26.5	.1.3.6.1.2.1.4.22.1.3.635.10.100.26.5	IpAddress	10.100.26.5
ipNetToMediaNetAddress.635.10.10.0.26.9	.1.3.6.1.2.1.4.22.1.3.635.10.100.26.9	IpAddress	10.100.26.9
ipNetToMediaNetAddress.635.10.10.0.26.10	.1.3.6.1.2.1.4.22.1.3.635.10.100.26.10	IpAddress	10.100.26.10
ipNetToMediaNetAddress.635.10.10.0.26.11	.1.3.6.1.2.1.4.22.1.3.635.10.100.26.11	IpAddress	10.100.26.11
ipNetToMediaNetAddress.635.10.10.0.26.13	.1.3.6.1.2.1.4.22.1.3.635.10.100.26.13	IpAddress	10.100.26.13
ipNetToMediaNetAddress.635.10.10.0.26.14	.1.3.6.1.2.1.4.22.1.3.635.10.100.26.14	IpAddress	10.100.26.14
ipNetToMediaNetAddress.635.10.10.0.26.15	.1.3.6.1.2.1.4.22.1.3.635.10.100.26.15	IpAddress	10.100.26.15
ipNetToMediaNetAddress.635.10.10.0.26.16	.1.3.6.1.2.1.4.22.1.3.635.10.100.26.16	IpAddress	10.100.26.16
ipNetToMediaNetAddress.635.10.10.0.26.18	.1.3.6.1.2.1.4.22.1.3.635.10.100.26.18	IpAddress	10.100.26.18
ipNetToMediaNetAddress.635.10.10.0.26.19	.1.3.6.1.2.1.4.22.1.3.635.10.100.26.19	IpAddress	10.100.26.19
ipNetToMediaNetAddress.635.10.10.0.26.29	.1.3.6.1.2.1.4.22.1.3.635.10.100.26.29	IpAddress	10.100.26.29
ipNetToMediaNetAddress.635.10.10.0.26.31	.1.3.6.1.2.1.4.22.1.3.635.10.100.26.31	IpAddress	10.100.26.31
ipNetToMediaNetAddress.635.10.10.0.26.32	.1.3.6.1.2.1.4.22.1.3.635.10.100.26.32	IpAddress	10.100.26.32
ipNetToMediaNetAddress.635.10.10.0.26.33	.1.3.6.1.2.1.4.22.1.3.635.10.100.26.33	IpAddress	10.100.26.33
ipNetToMediaNetAddress.635.10.10.0.26.34	.1.3.6.1.2.1.4.22.1.3.635.10.100.26.34	IpAddress	10.100.26.34
ipNetToMediaNetAddress.635.10.10.0.26.35	.1.3.6.1.2.1.4.22.1.3.635.10.100.26.35	IpAddress	10.100.26.35

Name	OID	Value Type	Value Example
ipNetToMediaNetAddress.635.10.100.26.36	.1.3.6.1.2.1.4.22.1.3.635.10.100.26.36	IpAddress	10.100.26.36
ipNetToMediaNetAddress.635.10.100.26.37	.1.3.6.1.2.1.4.22.1.3.635.10.100.26.37	IpAddress	10.100.26.37
ipNetToMediaNetAddress.635.10.100.26.39	.1.3.6.1.2.1.4.22.1.3.635.10.100.26.39	IpAddress	10.100.26.39
ipNetToMediaNetAddress.635.10.100.26.40	.1.3.6.1.2.1.4.22.1.3.635.10.100.26.40	IpAddress	10.100.26.40
ipNetToMediaNetAddress.635.10.100.26.156	.1.3.6.1.2.1.4.22.1.3.635.10.100.26.156	IpAddress	10.100.26.156
ipNetToMediaNetAddress.635.10.100.26.168	.1.3.6.1.2.1.4.22.1.3.635.10.100.26.168	IpAddress	10.100.26.168
ipNetToMediaNetAddress.635.10.100.26.169	.1.3.6.1.2.1.4.22.1.3.635.10.100.26.169	IpAddress	10.100.26.169
ipNetToMediaNetAddress.635.10.100.26.221	.1.3.6.1.2.1.4.22.1.3.635.10.100.26.221	IpAddress	10.100.26.221
ipNetToMediaNetAddress.635.10.100.26.223	.1.3.6.1.2.1.4.22.1.3.635.10.100.26.223	IpAddress	10.100.26.223
ipNetToMediaType.635.10.100.26.1	.1.3.6.1.2.1.4.22.1.4.635.10.100.26.1	Integer	dynamic (3)
ipNetToMediaType.635.10.100.26.2	.1.3.6.1.2.1.4.22.1.4.635.10.100.26.2	Integer	dynamic (3)
ipNetToMediaType.635.10.100.26.3	.1.3.6.1.2.1.4.22.1.4.635.10.100.26.3	Integer	dynamic (3)
ipNetToMediaType.635.10.100.26.4	.1.3.6.1.2.1.4.22.1.4.635.10.100.26.4	Integer	dynamic (3)
ipNetToMediaType.635.10.100.26.5	.1.3.6.1.2.1.4.22.1.4.635.10.100.26.5	Integer	dynamic (3)
ipNetToMediaType.635.10.100.26.9	.1.3.6.1.2.1.4.22.1.4.635.10.100.26.9	Integer	dynamic (3)
ipNetToMediaType.635.10.100.26.10	.1.3.6.1.2.1.4.22.1.4.635.10.100.26.10	Integer	dynamic (3)
ipNetToMediaType.635.10.100.26.11	.1.3.6.1.2.1.4.22.1.4.635.10.100.26.11	Integer	dynamic (3)
ipNetToMediaType.635.10.100.26.13	.1.3.6.1.2.1.4.22.1.4.635.10.100.26.13	Integer	dynamic (3)
ipNetToMediaType.635.10.100.26.14	.1.3.6.1.2.1.4.22.1.4.635.10.100.26.14	Integer	dynamic (3)

Name	OID	Value Type	Value Example
ipNetToMediaType.635.10.100.26.15	.1.3.6.1.2.1.4.22.1.4.635.10.100.26.15	Integer	dynamic (3)
ipNetToMediaType.635.10.100.26.16	.1.3.6.1.2.1.4.22.1.4.635.10.100.26.16	Integer	dynamic (3)
ipNetToMediaType.635.10.100.26.18	.1.3.6.1.2.1.4.22.1.4.635.10.100.26.18	Integer	dynamic (3)
ipNetToMediaType.635.10.100.26.19	.1.3.6.1.2.1.4.22.1.4.635.10.100.26.19	Integer	dynamic (3)
ipNetToMediaType.635.10.100.26.29	.1.3.6.1.2.1.4.22.1.4.635.10.100.26.29	Integer	dynamic (3)
ipNetToMediaType.635.10.100.26.31	.1.3.6.1.2.1.4.22.1.4.635.10.100.26.31	Integer	dynamic (3)
ipNetToMediaType.635.10.100.26.32	.1.3.6.1.2.1.4.22.1.4.635.10.100.26.32	Integer	dynamic (3)
ipNetToMediaType.635.10.100.26.33	.1.3.6.1.2.1.4.22.1.4.635.10.100.26.33	Integer	dynamic (3)
ipNetToMediaType.635.10.100.26.34	.1.3.6.1.2.1.4.22.1.4.635.10.100.26.34	Integer	dynamic (3)
ipNetToMediaType.635.10.100.26.35	.1.3.6.1.2.1.4.22.1.4.635.10.100.26.35	Integer	dynamic (3)
ipNetToMediaType.635.10.100.26.36	.1.3.6.1.2.1.4.22.1.4.635.10.100.26.36	Integer	dynamic (3)
ipNetToMediaType.635.10.100.26.37	.1.3.6.1.2.1.4.22.1.4.635.10.100.26.37	Integer	dynamic (3)
ipNetToMediaType.635.10.100.26.39	.1.3.6.1.2.1.4.22.1.4.635.10.100.26.39	Integer	dynamic (3)
ipNetToMediaType.635.10.100.26.40	.1.3.6.1.2.1.4.22.1.4.635.10.100.26.40	Integer	dynamic (3)
ipNetToMediaType.635.10.100.26.156	.1.3.6.1.2.1.4.22.1.4.635.10.100.26.156	Integer	dynamic (3)
ipNetToMediaType.635.10.100.26.168	.1.3.6.1.2.1.4.22.1.4.635.10.100.26.168	Integer	dynamic (3)
ipNetToMediaType.635.10.100.26.169	.1.3.6.1.2.1.4.22.1.4.635.10.100.26.169	Integer	dynamic (3)
ipNetToMediaType.635.10.100.26.221	.1.3.6.1.2.1.4.22.1.4.635.10.100.26.221	Integer	dynamic (3)

Name	OID	Value Type	Value Example
ipCidrRoute-Mask.10.100.26.0.255.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.2.10.100.26.0.255.255.255.255.0.10.100.26.30	IpAddress	255.255.255.255
ipCidrRoute-Mask.10.100.26.30.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.2.10.100.26.30.255.255.255.255.0.127.0.0.1	IpAddress	255.255.255.255
ipCidrRoute-Mask.10.100.26.255.25.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.2.10.100.26.255.255.255.255.0.10.100.26.30	IpAddress	255.255.255.255
ipCidrRoute-Mask.127.0.0.0.255.0.0.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.2.127.0.0.0.255.0.0.0.0.127.0.0.1	IpAddress	255.0.0.0
ipCidrRoute-Mask.127.0.0.0.255.25.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.2.127.0.0.0.255.255.255.255.0.127.0.0.1	IpAddress	255.255.255.255
ipCidrRoute-Mask.127.0.0.1.255.25.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.2.127.0.0.1.255.255.255.255.0.127.0.0.1	IpAddress	255.255.255.255
ipCidrRoute-Mask.127.255.255.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.2.127.255.255.255.255.255.255.0.127.0.0.1	IpAddress	255.255.255.255
ipCidrRoute-Mask.224.0.0.0.240.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.4.1.2.224.0.0.0.240.0.0.0.0.0.0.0	IpAddress	240.0.0.0
ipCidrRoute-Mask.224.0.0.0.255.25.255.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.4.1.2.224.0.0.0.255.255.255.0.0.0.0.0.0.0	IpAddress	255.255.255.0
ipCidrRoute-Mask.255.255.255.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.2.255.255.255.255.255.255.0.127.0.0.1	IpAddress	255.255.255.255
ipCidrRoute-Tos.0.0.0.0.0.0.0.0.0.10.100.26.1	.1.3.6.1.2.1.4.24.4.1.3.0.0.0.0.0.0.0.0.10.100.26.1	Integer	0
ipCidrRoute-Tos.0.0.0.0.255.255.25.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.3.0.0.0.0.255.255.255.255.0.127.0.0.1	Integer	0
ipCidrRoute-Tos.10.100.26.0.255.25.255.0.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.3.10.100.26.0.255.255.255.0.0.10.100.26.30	Integer	0
ipCidrRoute-Tos.10.100.26.0.255.25.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.3.10.100.26.0.255.255.255.255.0.10.100.26.30	Integer	0
ipCidrRoute-Tos.10.100.26.30.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.3.10.100.26.30.255.255.255.255.0.127.0.0.1	Integer	0
ipCidrRoute-Tos.10.100.26.255.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.3.10.100.26.255.255.255.255.0.10.100.26.30	Integer	0
ipCidrRoute-Tos.127.0.0.0.255.0.0.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.3.127.0.0.0.255.0.0.0.0.127.0.0.1	Integer	0
ipCidrRoute-Tos.127.0.0.0.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.3.127.0.0.0.255.255.255.255.0.127.0.0.1	Integer	0

Name	OID	Value Type	Value Example
ipCidrRoute-Tos.127.0.0.1.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.3.127.0.0.1.255.255.255.255.0.127.0.0.1	Integer	0
ipCidrRoute-Tos.127.255.255.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.3.127.255.255.255.255.255.255.0.127.0.0.1	Integer	0
ipCidrRoute-Tos.224.0.0.0.240.0.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.4.1.3.224.0.0.0.240.0.0.0.0.0.0.0	Integer	0
ipCidrRoute-Tos.224.0.0.0.255.255.255.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.4.1.3.224.0.0.0.255.255.255.0.0.0.0.0.0	Integer	0
ipCidrRoute-Tos.255.255.255.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.3.255.255.255.255.255.255.255.0.127.0.0.1	Integer	0
ipCidrRoute-NextHop.0.0.0.0.0.0.0.0.0.0.10.100.26.1	.1.3.6.1.2.1.4.24.4.1.4.0.0.0.0.0.0.0.0.0.0.10.100.26.1	IpAddress	10.100.26.1
ipCidrRoute-NextHop.0.0.0.0.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.4.0.0.0.0.255.255.255.255.0.127.0.0.1	IpAddress	127.0.0.1
ipCidrRoute-NextHop.10.100.26.0.255.255.255.0.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.4.10.100.26.0.255.255.255.0.0.10.100.26.30	IpAddress	10.100.26.30
ipCidrRoute-NextHop.10.100.26.0.255.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.4.10.100.26.0.255.255.255.0.10.100.26.30	IpAddress	10.100.26.30
ipCidrRoute-NextHop.10.100.26.30.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.4.10.100.26.30.255.255.255.255.0.127.0.0.1	IpAddress	127.0.0.1
ipCidrRoute-NextHop.10.100.26.255.255.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.4.10.100.26.255.255.255.255.0.10.100.26.30	IpAddress	10.100.26.30
ipCidrRoute-NextHop.127.0.0.0.255.0.0.0.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.4.127.0.0.0.255.0.0.0.0.127.0.0.1	IpAddress	127.0.0.1
ipCidrRoute-NextHop.127.0.0.0.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.4.127.0.0.0.255.255.255.255.0.127.0.0.1	IpAddress	127.0.0.1
ipCidrRoute-NextHop.127.0.0.1.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.4.127.0.0.1.255.255.255.255.0.127.0.0.1	IpAddress	127.0.0.1
ipCidrRoute-NextHop.127.255.255.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.4.127.255.255.255.255.255.255.0.127.0.0.1	IpAddress	127.0.0.1
ipCidrRoute-NextHop.224.0.0.0.240.0.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.4.1.4.224.0.0.0.240.0.0.0.0.0.0.0	IpAddress	0.0.0.0
ipCidrRoute-NextHop.224.0.0.0.255.255.255.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.4.1.4.224.0.0.0.255.255.255.0.0.0.0.0.0	IpAddress	0.0.0.0
ipCidrRoute-NextHop.255.255.255.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.4.255.255.255.255.255.255.255.0.127.0.0.1	IpAddress	127.0.0.1

Name	OID	Value Type	Value Example
ipCidrRouteIfln-dex.0.0.0.0.0.0.0.0.0.0.10.100.26.1	.1.3.6.1.2.1.4.24.4.1.5.0.0.0.0.0.0.0.0.10.100.26.1	Integer	635
ipCidrRouteIfln-dex.0.0.0.0.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.5.0.0.0.0.255.255.255.255.0.127.0.0.1	Integer	633
ipCidrRouteIfln-dex.10.100.26.0.255.255.255.0.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.5.10.100.26.0.255.255.255.0.0.10.100.26.30	Integer	635
ipCidrRouteIfln-dex.10.100.26.0.255.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.5.10.100.26.0.255.255.255.0.10.100.26.30	Integer	635
ipCidrRouteIfln-dex.10.100.26.30.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.5.10.100.26.30.255.255.255.0.127.0.0.1	Integer	633
ipCidrRouteIfln-dex.10.100.26.255.255.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.5.10.100.26.255.255.255.255.0.10.100.26.30	Integer	635
ipCidrRouteIfln-dex.127.0.0.0.255.0.0.0.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.5.127.0.0.0.255.0.0.0.0.127.0.0.1	Integer	633
ipCidrRouteIfln-dex.127.0.0.0.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.5.127.0.0.0.255.255.255.0.127.0.0.1	Integer	633
ipCidrRouteIfln-dex.127.0.0.1.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.5.127.0.0.1.255.255.255.0.127.0.0.1	Integer	633
ipCidrRouteIfln-dex.127.255.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.5.127.255.255.255.255.255.0.127.0.0.1	Integer	633
ipCidrRouteIfln-dex.224.0.0.0.240.0.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.4.1.5.224.0.0.0.240.0.0.0.0.0.0.0.0	Integer	632
ipCidrRouteIfln-dex.224.0.0.0.255.255.255.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.4.1.5.224.0.0.0.255.255.255.0.0.0.0.0.0.0	Integer	632
ipCidrRouteIfln-dex.255.255.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.5.255.255.255.255.255.255.0.127.0.0.1	Integer	633
ipCidrRouteType.0.0.0.0.0.0.0.0.0.10.100.26.1	.1.3.6.1.2.1.4.24.4.1.6.0.0.0.0.0.0.0.0.10.100.26.1	Integer	remote (4)
ipCidrRouteType.0.0.0.0.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.6.0.0.0.0.255.255.255.255.0.127.0.0.1	Integer	local (3)
ipCidrRouteType.10.100.26.0.255.255.255.0.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.6.10.100.26.0.255.255.255.0.0.10.100.26.30	Integer	local (3)
ipCidrRouteType.10.100.26.0.255.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.6.10.100.26.0.255.255.255.0.10.100.26.30	Integer	local (3)
ipCidrRouteType.10.100.26.30.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.6.10.100.26.30.255.255.255.0.127.0.0.1	Integer	local (3)

Name	OID	Value Type	Value Example
ipCidrRouteType.10.100.26.255.255.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.6.10.100.26.255.255.255.255.0.10.100.26.30	Integer	local (3)
ipCidrRouteType.127.0.0.0.255.0.0.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.6.127.0.0.255.0.0.0.127.0.0.1	Integer	local (3)
ipCidrRouteType.127.0.0.0.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.6.127.0.0.255.255.255.255.0.127.0.0.1	Integer	local (3)
ipCidrRouteType.127.0.0.1.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.6.127.0.0.1.255.255.255.255.0.127.0.0.1	Integer	local (3)
ipCidrRouteType.127.255.255.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.6.127.255.255.255.255.255.255.0.127.0.0.1	Integer	local (3)
ipCidrRouteType.224.0.0.0.240.0.0.0.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.4.1.6.224.0.0.0.240.0.0.0.0.0.0.0	Integer	reject (2)
ipCidrRouteType.224.0.0.0.255.255.255.255.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.4.1.6.224.0.0.255.255.255.255.0.0.0.0.0.0.0	Integer	reject (2)
ipCidrRouteType.255.255.255.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.6.255.255.255.255.255.255.255.0.127.0.0.1	Integer	local (3)
ipCidrRouteProto.0.0.0.0.0.0.0.0.0.10.100.26.1	.1.3.6.1.2.1.4.24.4.1.7.0.0.0.0.0.0.0.10.100.26.1	Integer	netmgmt (3)
ipCidrRouteProto.0.0.0.0.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.7.0.0.0.0.255.255.255.255.0.127.0.0.1	Integer	local (2)
ipCidrRouteProto.10.100.26.0.255.255.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.7.10.100.26.0.255.255.255.255.0.10.100.26.30	Integer	local (2)
ipCidrRouteProto.10.100.26.0.255.255.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.7.10.100.26.0.255.255.255.255.0.10.100.26.30	Integer	local (2)
ipCidrRouteProto.10.100.26.30.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.7.10.100.26.30.255.255.255.255.0.127.0.0.1	Integer	local (2)
ipCidrRouteProto.10.100.26.255.255.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.7.10.100.26.255.255.255.255.0.10.100.26.30	Integer	local (2)
ipCidrRouteProto.127.0.0.0.255.0.0.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.7.127.0.0.255.0.0.0.127.0.0.1	Integer	local (2)
ipCidrRouteProto.127.0.0.0.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.7.127.0.0.255.255.255.255.0.127.0.0.1	Integer	local (2)
ipCidrRouteProto.127.0.0.1.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.7.127.0.0.1.255.255.255.255.0.127.0.0.1	Integer	local (2)
ipCidrRouteProto.127.255.255.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.7.127.255.255.255.255.255.255.0.127.0.0.1	Integer	local (2)

Name	OID	Value Type	Value Example
ipCidrRoute-Proto.224.0.0.0.240.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.4.1.7.224.0.0.0.240.0.0.0.0.0.0.0	Integer	local (2)
ipCidrRoute-Proto.224.0.0.0.255.255.255.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.4.1.7.224.0.0.0.255.255.255.0.0.0.0.0.0.0	Integer	local (2)
ipCidrRoute-Proto.255.255.255.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.7.255.255.255.255.255.255.255.0.127.0.0.1	Integer	local (2)
ipCidrRoute-Age.0.0.0.0.0.0.0.0.0.0.10.100.26.1	.1.3.6.1.2.1.4.24.4.1.8.0.0.0.0.0.0.0.0.0.0.10.100.26.1	Integer	1054689
ipCidrRoute-Age.0.0.0.0.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.8.0.0.0.0.0.0.255.255.255.0.127.0.0.1	Integer	1226597
ipCidrRoute-Age.10.100.26.0.255.255.255.0.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.8.10.100.26.0.255.255.255.0.0.10.100.26.30	Integer	1054689
ipCidrRoute-Age.10.100.26.0.255.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.8.10.100.26.0.255.255.255.0.10.100.26.30	Integer	1054689
ipCidrRoute-Age.10.100.26.30.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.8.10.100.26.30.255.255.255.0.127.0.0.1	Integer	1054689
ipCidrRoute-Age.10.100.26.255.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.8.10.100.26.255.255.255.0.10.100.26.30	Integer	1054689
ipCidrRoute-Age.127.0.0.0.255.0.0.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.8.127.0.0.0.255.0.0.0.0.127.0.0.1	Integer	1226597
ipCidrRoute-Age.127.0.0.0.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.8.127.0.0.0.255.255.255.0.127.0.0.1	Integer	1226597
ipCidrRoute-Age.127.0.0.1.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.8.127.0.0.1.255.255.255.0.127.0.0.1	Integer	1226597
ipCidrRoute-Age.127.255.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.8.127.255.255.255.255.255.0.127.0.0.1	Integer	1226597
ipCidrRoute-Age.224.0.0.0.240.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.4.1.8.224.0.0.0.240.0.0.0.0.0.0.0	Integer	1226597
ipCidrRoute-Age.224.0.0.0.255.255.255.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.4.1.8.224.0.0.0.255.255.255.0.0.0.0.0.0.0	Integer	1226597
ipCidrRoute-Age.255.255.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.8.255.255.255.255.255.255.0.127.0.0.1	Integer	1226597
ipCidrRouteInfo.0.0.0.0.0.0.0.0.0.10.100.26.1	.1.3.6.1.2.1.4.24.4.1.9.0.0.0.0.0.0.0.0.0.0.10.100.26.1	OID	.0.0
ipCidrRouteInfo.0.0.0.0.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.9.0.0.0.0.0.0.255.255.255.0.127.0.0.1	OID	.0.0

Name	OID	Value Type	Value Example
ipCidrRouteInfo.10.100.26.0.255.255.255.0.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.9.10.100.26.0.255.255.255.0.0.10.100.26.30	OID	.0.0
ipCidrRouteInfo.10.100.26.0.255.255.255.0.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.9.10.100.26.0.255.255.255.255.0.10.100.26.30	OID	.0.0
ipCidrRouteInfo.10.100.26.30.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.9.10.100.26.30.255.255.255.255.0.127.0.0.1	OID	.0.0
ipCidrRouteInfo.10.100.26.255.25.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.9.10.100.26.255.255.255.255.255.0.10.100.26.30	OID	.0.0
ipCidrRouteInfo.127.0.0.0.255.0.0.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.9.127.0.0.0.255.0.0.0.0.127.0.0.1	OID	.0.0
ipCidrRouteInfo.127.0.0.0.255.25.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.9.127.0.0.0.255.255.255.255.0.127.0.0.1	OID	.0.0
ipCidrRouteInfo.127.0.0.1.255.25.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.9.127.0.0.1.255.255.255.255.0.127.0.0.1	OID	.0.0
ipCidrRouteInfo.127.255.255.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.9.127.255.255.255.255.255.255.0.127.0.0.1	OID	.0.0
ipCidrRouteInfo.224.0.0.0.240.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.4.1.9.224.0.0.0.240.0.0.0.0.0.0.0	OID	.0.0
ipCidrRouteInfo.224.0.0.0.255.25.255.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.4.1.9.224.0.0.0.255.255.255.0.0.0.0.0.0	OID	.0.0
ipCidrRouteInfo.255.255.255.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.9.255.255.255.255.255.255.255.0.127.0.0.1	OID	.0.0
ipCidrRouteNextHopAS.0.0.0.0.0.0.0.0.0.10.100.26.1	.1.3.6.1.2.1.4.24.4.1.10.0.0.0.0.0.0.0.0.10.100.26.1	Integer	0
ipCidrRouteNextHopAS.0.0.0.0.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.10.0.0.0.0.255.255.255.255.0.127.0.0.1	Integer	0
ipCidrRouteNextHopAS.10.100.26.0.255.255.255.0.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.10.10.100.26.0.255.255.255.0.0.10.100.26.30	Integer	0
ipCidrRouteNextHopAS.10.100.26.0.255.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.10.10.100.26.0.255.255.255.255.0.10.100.26.30	Integer	0
ipCidrRouteNextHopAS.10.100.26.30.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.10.10.100.26.30.255.255.255.255.0.127.0.0.1	Integer	0
ipCidrRouteNextHopAS.10.100.26.255.255.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.10.10.100.26.255.255.255.255.255.0.10.100.26.30	Integer	0

Name	OID	Value Type	Value Example
ipCidrRouteNextHopAS.127.0.0.0.2 55.0.0.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.10.127.0.0 .0.255.0.0.0.127.0.0.1	Integer	0
ipCidrRouteNextHopAS.127.0.0.0.2 55.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.10.127.0.0 .0.255.255.255.255.0.127.0.0.1	Integer	0
ipCidrRouteNextHopAS.127.0.0.1.2 55.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.10.127.0.0 .1.255.255.255.255.0.127.0.0.1	Integer	0
ipCidrRouteNextHopAS.127.255.255 .255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.10.127.255 .255.255.255.255.255.255.0.127.0 .0.1	Integer	0
ipCidrRouteNextHopAS.224.0.0.0.2 40.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.4.1.10.224.0.0 .0.240.0.0.0.0.0.0.0	Integer	0
ipCidrRouteNextHopAS.224.0.0.0.2 55.255.255.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.4.1.10.224.0.0 .0.255.255.255.0.0.0.0.0.0	Integer	0
ipCidrRouteNextHopAS.255.255.255 .255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.10.255.255 .255.255.255.255.255.255.0.127.0 .0.1	Integer	0
ipCidrRouteMetric1.0.0.0.0.0.0 .0.0.10.100.26.1	.1.3.6.1.2.1.4.24.4.1.11.0.0.0.0 .0.0.0.0.0.10.100.26.1	Integer	0
ipCidrRouteMetric1.0.0.0.0.255.2 55.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.11.0.0.0.0 .255.255.255.255.0.127.0.0.1	Integer	0
ipCidrRouteMetric1.10.100.26.0.2 55.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.11.10.100. 26.0.255.255.255.0.10.100.26.3 0	Integer	0
ipCidrRouteMetric1.10.100.26.0.2 55.255.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.11.10.100. 26.0.255.255.255.255.0.10.100.26 .30	Integer	0
ipCidrRouteMetric1.10.100.26.30. 255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.11.10.100. 26.30.255.255.255.255.0.127.0.0. 1	Integer	0
ipCidrRouteMetric1.10.100.26.255 .255.255.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.11.10.100. 26.255.255.255.255.255.0.10.100. 26.30	Integer	0
ipCidrRouteMetric1.127.0.0.0.255 .0.0.0.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.11.127.0.0 .0.255.0.0.0.0.127.0.0.1	Integer	0
ipCidrRouteMetric1.127.0.0.0.255 .255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.11.127.0.0 .0.255.255.255.255.0.127.0.0.1	Integer	0
ipCidrRouteMetric1.127.0.0.1.255 .255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.11.127.0.0 .1.255.255.255.255.0.127.0.0.1	Integer	0
ipCidrRouteMetric1.127.255.255.2 55.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.11.127.255 .255.255.255.255.255.255.0.127.0 .0.1	Integer	0
ipCidrRouteMetric1.224.0.0.0.240 .0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.4.1.11.224.0.0 .0.240.0.0.0.0.0.0.0	Integer	0

Name	OID	Value Type	Value Example
ipCidrRouteMetric1.224.0.0.0.255.255.255.0.0.0.0.0	.1.3.6.1.2.1.4.24.4.1.11.224.0.0.255.255.255.0.0.0.0.0	Integer	0
ipCidrRouteMetric1.255.255.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.11.255.255.255.255.255.255.0.127.0.0.1	Integer	0
ipCidrRouteMetric2.0.0.0.0.0.0.0.0.0.0.10.100.26.1	.1.3.6.1.2.1.4.24.4.1.12.0.0.0.0.0.0.0.0.10.100.26.1	Integer	-1
ipCidrRouteMetric2.0.0.0.0.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.12.0.0.0.0.255.255.255.0.127.0.0.1	Integer	-1
ipCidrRouteMetric2.10.100.26.0.255.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.12.10.100.26.0.255.255.255.0.10.100.26.30	Integer	-1
ipCidrRouteMetric2.10.100.26.0.255.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.12.10.100.26.0.255.255.255.0.10.100.26.30	Integer	-1
ipCidrRouteMetric2.10.100.26.30.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.12.10.100.26.30.255.255.255.0.127.0.0.1	Integer	-1
ipCidrRouteMetric2.10.100.26.255.255.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.12.10.100.26.255.255.255.255.0.10.100.26.30	Integer	-1
ipCidrRouteMetric2.127.0.0.0.255.0.0.0.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.12.127.0.0.255.0.0.0.0.127.0.0.1	Integer	-1
ipCidrRouteMetric2.127.0.0.0.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.12.127.0.0.255.255.255.0.127.0.0.1	Integer	-1
ipCidrRouteMetric2.127.0.0.1.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.12.127.0.0.1.255.255.255.0.127.0.0.1	Integer	-1
ipCidrRouteMetric2.127.255.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.12.127.255.255.255.255.255.0.127.0.0.1	Integer	-1
ipCidrRouteMetric2.224.0.0.0.240.0.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.4.1.12.224.0.0.240.0.0.0.0.0.0.0.0	Integer	-1
ipCidrRouteMetric2.224.0.0.0.255.255.255.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.4.1.12.224.0.0.255.255.255.0.0.0.0.0.0.0	Integer	-1
ipCidrRouteMetric2.255.255.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.12.255.255.255.255.255.255.0.127.0.0.1	Integer	-1
ipCidrRouteMetric3.0.0.0.0.0.0.0.0.0.0.10.100.26.1	.1.3.6.1.2.1.4.24.4.1.13.0.0.0.0.0.0.0.0.10.100.26.1	Integer	-1
ipCidrRouteMetric3.0.0.0.0.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.13.0.0.0.0.255.255.255.0.127.0.0.1	Integer	-1
ipCidrRouteMetric3.10.100.26.0.255.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.13.10.100.26.0.255.255.255.0.10.100.26.30	Integer	-1

Name	OID	Value Type	Value Example
ipCidrRouteMetric3.10.100.26.0.2 55.255.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.13.10.100.26.0.255.255.255.255.0.10.100.26.30	Integer	-1
ipCidrRouteMetric3.10.100.26.30. 255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.13.10.100.26.30.255.255.255.255.0.127.0.0.1	Integer	-1
ipCidrRouteMetric3.10.100.26.255 .255.255.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.13.10.100.26.255.255.255.255.0.10.100.26.30	Integer	-1
ipCidrRouteMetric3.127.0.0.0.255 .0.0.0.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.13.127.0.0.0.255.0.0.0.0.127.0.0.1	Integer	-1
ipCidrRouteMetric3.127.0.0.0.255 .255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.13.127.0.0.0.255.255.255.0.127.0.0.1	Integer	-1
ipCidrRouteMetric3.127.0.0.1.255 .255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.13.127.0.0.1.255.255.255.0.127.0.0.1	Integer	-1
ipCidrRouteMetric3.127.255.255.2 55.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.13.127.255.255.255.255.255.0.127.0.0.1	Integer	-1
ipCidrRouteMetric3.224.0.0.0.240 .0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.4.1.13.224.0.0.0.240.0.0.0.0.0.0.0	Integer	-1
ipCidrRouteMetric3.224.0.0.0.255 .255.255.0.0.0.0.0	.1.3.6.1.2.1.4.24.4.1.13.224.0.0.0.255.255.255.0.0.0.0.0.0	Integer	-1
ipCidrRouteMetric3.255.255.255.2 55.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.13.255.255.255.255.255.255.0.127.0.0.1	Integer	-1
ipCidrRouteMetric4.0.0.0.0.0.0 .0.0.10.100.26.1	.1.3.6.1.2.1.4.24.4.1.14.0.0.0.0.0.0.0.0.0.10.100.26.1	Integer	-1
ipCidrRouteMetric4.0.0.0.0.255.2 55.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.14.0.0.0.0.255.255.255.0.127.0.0.1	Integer	-1
ipCidrRouteMetric4.10.100.26.0.2 55.255.255.0.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.14.10.100.26.0.255.255.255.0.0.10.100.26.30	Integer	-1
ipCidrRouteMetric4.10.100.26.0.2 55.255.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.14.10.100.26.0.255.255.255.255.0.10.100.26.30	Integer	-1
ipCidrRouteMetric4.10.100.26.30. 255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.14.10.100.26.30.255.255.255.255.0.127.0.0.1	Integer	-1
ipCidrRouteMetric4.10.100.26.255 .255.255.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.14.10.100.26.255.255.255.255.0.10.100.26.30	Integer	-1
ipCidrRouteMetric4.127.0.0.0.255 .0.0.0.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.14.127.0.0.0.255.0.0.0.0.127.0.0.1	Integer	-1
ipCidrRouteMetric4.127.0.0.0.255 .255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.14.127.0.0.0.255.255.255.0.127.0.0.1	Integer	-1

Name	OID	Value Type	Value Example
ipCidrRouteMetric4.127.0.0.1.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.14.127.0.0.1.255.255.255.255.0.127.0.0.1	Integer	-1
ipCidrRouteMetric4.127.255.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.14.127.255.255.255.255.255.255.0.127.0.0.1	Integer	-1
ipCidrRouteMetric4.224.0.0.0.240.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.4.1.14.224.0.0.0.240.0.0.0.0.0.0.0	Integer	-1
ipCidrRouteMetric4.224.0.0.0.255.255.255.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.4.1.14.224.0.0.0.255.255.255.0.0.0.0.0.0	Integer	-1
ipCidrRouteMetric4.255.255.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.14.255.255.255.255.255.255.255.0.127.0.0.1	Integer	-1
ipCidrRouteMetric5.0.0.0.0.0.0.0.0.0.0.10.100.26.1	.1.3.6.1.2.1.4.24.4.1.15.0.0.0.0.0.0.0.0.0.0.10.100.26.1	Integer	-1
ipCidrRouteMetric5.0.0.0.0.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.15.0.0.0.0.255.255.255.255.0.127.0.0.1	Integer	-1
ipCidrRouteMetric5.10.100.26.0.255.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.15.10.100.26.0.255.255.255.0.0.10.100.26.30	Integer	-1
ipCidrRouteMetric5.10.100.26.0.255.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.15.10.100.26.0.255.255.255.255.0.10.100.26.30	Integer	-1
ipCidrRouteMetric5.10.100.26.30.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.15.10.100.26.30.255.255.255.255.0.127.0.0.1	Integer	-1
ipCidrRouteMetric5.10.100.26.255.255.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.15.10.100.26.255.255.255.255.255.255.0.10.100.26.30	Integer	-1
ipCidrRouteMetric5.127.0.0.0.255.0.0.0.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.15.127.0.0.0.255.0.0.0.0.127.0.0.1	Integer	-1
ipCidrRouteMetric5.127.0.0.0.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.15.127.0.0.0.255.255.255.255.0.127.0.0.1	Integer	-1
ipCidrRouteMetric5.127.0.0.1.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.15.127.0.0.1.255.255.255.255.0.127.0.0.1	Integer	-1
ipCidrRouteMetric5.127.255.255.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.15.127.255.255.255.255.255.255.255.0.127.0.0.1	Integer	-1
ipCidrRouteMetric5.224.0.0.0.240.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.4.1.15.224.0.0.0.240.0.0.0.0.0.0.0	Integer	-1
ipCidrRouteMetric5.224.0.0.0.255.255.255.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.4.1.15.224.0.0.0.255.255.255.0.0.0.0.0.0	Integer	-1
ipCidrRouteMetric5.255.255.255.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.15.255.255.255.255.255.255.255.0.127.0.0.1	Integer	-1

Name	OID	Value Type	Value Example
ipCidrRouteStatus.0.0.0.0.0.0.0.0.0.0.10.100.26.1	.1.3.6.1.2.1.4.24.4.1.16.0.0.0.0.0.0.0.10.100.26.1	Integer	active (1)
ipCidrRouteStatus.0.0.0.0.255.25.5.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.16.0.0.0.0.255.255.255.255.0.127.0.0.1	Integer	active (1)
ipCidrRouteStatus.10.100.26.0.25.5.255.255.0.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.16.10.100.26.0.255.255.255.0.0.10.100.26.30	Integer	active (1)
ipCidrRouteStatus.10.100.26.0.25.5.255.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.16.10.100.26.0.255.255.255.255.0.10.100.26.30	Integer	active (1)
ipCidrRouteStatus.10.100.26.30.25.5.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.16.10.100.26.30.255.255.255.255.0.127.0.0.1	Integer	active (1)
ipCidrRouteStatus.10.100.26.255.255.255.255.0.10.100.26.30	.1.3.6.1.2.1.4.24.4.1.16.10.100.26.255.255.255.255.0.10.100.26.30	Integer	active (1)
ipCidrRouteStatus.127.0.0.0.255.0.0.0.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.16.127.0.0.0.255.0.0.0.0.127.0.0.1	Integer	active (1)
ipCidrRouteStatus.127.0.0.0.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.16.127.0.0.0.255.255.255.255.0.127.0.0.1	Integer	active (1)
ipCidrRouteStatus.127.0.0.1.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.16.127.0.0.1.255.255.255.255.0.127.0.0.1	Integer	active (1)
ipCidrRouteStatus.127.255.255.25.5.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.16.127.255.255.255.255.255.255.0.127.0.0.1	Integer	active (1)
ipCidrRouteStatus.224.0.0.0.240.0.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.4.1.16.224.0.0.0.240.0.0.0.0.0.0.0.0	Integer	active (1)
ipCidrRouteStatus.224.0.0.0.255.255.255.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.4.1.16.224.0.0.0.255.255.255.0.0.0.0.0.0.0	Integer	active (1)
ipCidrRouteStatus.255.255.255.25.5.255.255.255.255.0.127.0.0.1	.1.3.6.1.2.1.4.24.4.1.16.255.255.255.255.255.255.255.0.127.0.0.1	Integer	active (1)
inetCidrRouteNumber.0	.1.3.6.1.2.1.4.24.6.0	Gauge	16
inetCidrRouteIndex.1.4.0.0.0.0.4.0.285212672.1.0.1.4.10.100.26.1	.1.3.6.1.2.1.4.24.7.1.7.1.4.0.0.0.0.4.0.285212672.1.0.1.4.10.100.26.1	Integer	635
inetCidrRouteIndex.1.4.0.0.0.0.32.4.0.268435456.1.0.1.4.127.0.1	.1.3.6.1.2.1.4.24.7.1.7.1.4.0.0.0.32.4.0.268435456.1.0.1.4.127.0.1	Integer	633
inetCidrRouteIndex.1.4.10.100.26.0.24.4.0.268435459.1.0.1.4.10.100.26.30	.1.3.6.1.2.1.4.24.7.1.7.1.4.10.100.26.0.24.4.0.268435459.1.0.1.4.10.100.26.30	Integer	635

Name	OID	Value Type	Value Example
inetCidrRouteflndex.1.4.10.100. 26.0.32.4.0.268435459.1.0.1.4.10. .100.26.30	.1.3.6.1.2.1.4.24.7.1.7.1.4.10.1 00.26.0.32.4.0.268435459.1.0.1.4. .10.100.26.30	Integer	635
inetCidrRouteflndex.1.4.10.100. 26.30.32.4.0.268435456.1.0.1.4.1 27.0.0.1	.1.3.6.1.2.1.4.24.7.1.7.1.4.10.1 00.26.30.32.4.0.268435456.1.0.1. 4.127.0.0.1	Integer	633
inetCidrRouteflndex.1.4.10.100. 26.255.32.4.0.268435459.1.0.1.4. 10.100.26.30	.1.3.6.1.2.1.4.24.7.1.7.1.4.10.1 00.26.255.32.4.0.268435459.1.0.1. .4.10.100.26.30	Integer	635
inetCidrRouteflndex.1.4.127.0.0 .0.8.4.0.268435456.1.0.1.4.127.0 .0.1	.1.3.6.1.2.1.4.24.7.1.7.1.4.127. 0.0.0.8.4.0.268435456.1.0.1.4.12 7.0.0.1	Integer	633
inetCidrRouteflndex.1.4.127.0.0 .0.32.4.0.268435457.1.0.1.4.127. 0.0.1	.1.3.6.1.2.1.4.24.7.1.7.1.4.127. 0.0.0.32.4.0.268435457.1.0.1.4.1 27.0.0.1	Integer	633
inetCidrRouteflndex.1.4.127.0.0 .1.32.4.0.268435456.1.0.1.4.127. 0.0.1	.1.3.6.1.2.1.4.24.7.1.7.1.4.127. 0.0.1.32.4.0.268435456.1.0.1.4.1 27.0.0.1	Integer	633
inetCidrRouteflndex.1.4.127.255 .255.255.32.4.0.268435457.1.0.1. 4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.7.1.4.127. 255.255.255.32.4.0.268435457.1.0. .1.4.127.0.0.1	Integer	633
inetCidrRouteflndex.1.4.224.0.0 .0.4.4.0.268435458.1.0.1.4.0.0.0 .0	.1.3.6.1.2.1.4.24.7.1.7.1.4.224. 0.0.0.4.4.0.268435458.1.0.1.4.0. 0.0.0	Integer	632
inetCidrRouteflndex.1.4.224.0.0 .0.24.4.0.268435458.1.0.1.4.0.0. 0.0	.1.3.6.1.2.1.4.24.7.1.7.1.4.224. 0.0.0.24.4.0.268435458.1.0.1.4.0 .0.0.0	Integer	632
inetCidrRouteflndex.1.4.255.255 .255.255.32.4.0.268435456.1.0.1. 4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.7.1.4.255. 255.255.255.32.4.0.268435456.1.0. .1.4.127.0.0.1	Integer	633
inetCidrRouteflndex.2.16.0.0.0. 0.0.0.0.0.0.0.0.0.0.0.1.128.7. 0.536870912.2.0.0.0.0.2.16.0.0.0 .0.0.0.0.0.0.0.0.0.0.0.1	.1.3.6.1.2.1.4.24.7.1.7.2.16.0.0 .0.0.0.0.0.0.0.0.0.0.0.0.1.128 .7.0.536870912.2.0.0.0.0.2.16.0. 0.0.0.0.0.0.0.0.0.0.0.0.1	Integer	633
inetCidrRouteflndex.2.16.254.12 8.0.0.0.0.0.0.0.0.0.0.0.0.10 .7.0.536870914.2.0.0.0.0.2.16.0. 0.0.0.0.0.0.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.7.1.7.2.16.254 .128.0.0.0.0.0.0.0.0.0.0.0.0.0 .10.7.0.536870914.2.0.0.0.0.2.16 .0.0.0.0.0.0.0.0.0.0.0.0.0.0	Integer	633
inetCidrRouteflndex.2.16.255.0. 0.0.0.0.0.0.0.0.0.0.0.0.8.7. 0.536870913.2.0.0.0.0.2.16.0.0.0 .0.0.0.0.0.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.7.1.7.2.16.255 .0.0.0.0.0.0.0.0.0.0.0.0.0.8 .7.0.536870913.2.0.0.0.0.2.16.0. 0.0.0.0.0.0.0.0.0.0.0.0.0	Integer	632

Name	OID	Value Type	Value Example
inetCidrRouteType.1.4.0.0.0.0.4.0.285212672.1.0.1.4.10.100.26.1	.1.3.6.1.2.1.4.24.7.1.8.1.4.0.0.0.0.4.0.285212672.1.0.1.4.10.100.26.1	Integer	remote (4)
inetCidrRouteType.1.4.0.0.0.0.32.4.0.268435456.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.8.1.4.0.0.0.32.4.0.268435456.1.0.1.4.127.0.0.1	Integer	local (3)
inetCidrRouteType.1.4.10.100.26.0.24.4.0.268435459.1.0.1.4.10.100.26.30	.1.3.6.1.2.1.4.24.7.1.8.1.4.10.100.26.0.24.4.0.268435459.1.0.1.4.10.100.26.30	Integer	local (3)
inetCidrRouteType.1.4.10.100.26.0.32.4.0.268435459.1.0.1.4.10.100.26.30	.1.3.6.1.2.1.4.24.7.1.8.1.4.10.100.26.0.32.4.0.268435459.1.0.1.4.10.100.26.30	Integer	local (3)
inetCidrRouteType.1.4.10.100.26.30.32.4.0.268435456.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.8.1.4.10.100.26.30.32.4.0.268435456.1.0.1.4.127.0.0.1	Integer	local (3)
inetCidrRouteType.1.4.10.100.26.255.32.4.0.268435459.1.0.1.4.10.100.26.30	.1.3.6.1.2.1.4.24.7.1.8.1.4.10.100.26.255.32.4.0.268435459.1.0.1.4.10.100.26.30	Integer	local (3)
inetCidrRouteType.1.4.127.0.0.0.8.4.0.268435456.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.8.1.4.127.0.0.8.4.0.268435456.1.0.1.4.127.0.0.1	Integer	local (3)
inetCidrRouteType.1.4.127.0.0.0.32.4.0.268435457.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.8.1.4.127.0.0.32.4.0.268435457.1.0.1.4.127.0.0.1	Integer	local (3)
inetCidrRouteType.1.4.127.0.0.1.32.4.0.268435456.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.8.1.4.127.0.0.1.32.4.0.268435456.1.0.1.4.127.0.0.1	Integer	local (3)
inetCidrRouteType.1.4.127.255.25.5.255.32.4.0.268435457.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.8.1.4.127.255.255.255.32.4.0.268435457.1.0.1.4.127.0.0.1	Integer	local (3)
inetCidrRouteType.1.4.224.0.0.0.4.4.0.268435458.1.0.1.4.0.0.0	.1.3.6.1.2.1.4.24.7.1.8.1.4.224.0.0.4.4.0.268435458.1.0.1.4.0.0.0	Integer	blackhole (5)
inetCidrRouteType.1.4.224.0.0.0.24.4.0.268435458.1.0.1.4.0.0.0	.1.3.6.1.2.1.4.24.7.1.8.1.4.224.0.0.0.24.4.0.268435458.1.0.1.4.0.0.0	Integer	blackhole (5)
inetCidrRouteType.1.4.255.255.25.5.255.32.4.0.268435456.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.8.1.4.255.255.255.255.32.4.0.268435456.1.0.1.4.127.0.0.1	Integer	local (3)
inetCidrRouteType.2.16.0.0.0.0.0.0.0.0.0.0.0.0.0.1.128.7.0.536870912.2.0.0.0.0.2.16.0.0.0.0.0.0.0.0.0.1	.1.3.6.1.2.1.4.24.7.1.8.2.16.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.1.128.7.0.536870912.2.0.0.0.0.2.16.0.0.0.0.0.0.0.0.0.1	Integer	local (3)

Name	OID	Value Type	Value Example
inetCidrRouteType.2.16.254.128.0 .0.0.0.0.0.0.0.0.0.0.0.0.10.7. 0.536870914.2.0.0.0.0.2.16.0.0.0 .0.0.0.0.0.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.7.1.8.2.16.254 .128.0.0.0.0.0.0.0.0.0.0.0.0 .10.7.0.536870914.2.0.0.0.0.2.16 .0.0.0.0.0.0.0.0.0.0.0.0.0.0	Integer	local (3)
inetCidrRouteType.2.16.255.0.0.0 .0.0.0.0.0.0.0.0.0.0.0.0.8.7.0.5 36870913.2.0.0.0.0.2.16.0.0.0.0 0.0.0.0.0.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.7.1.8.2.16.255 .0.0.0.0.0.0.0.0.0.0.0.0.0.0.8 .7.0.536870913.2.0.0.0.0.2.16.0. 0.0.0.0.0.0.0.0.0.0.0.0.0.0	Integer	blackhole (5)
inetCidrRouteProto.1.4.0.0.0.0 .4.0.285212672.1.0.1.4.10.100.26 .1	.1.3.6.1.2.1.4.24.7.1.9.1.4.0.0. 0.0.0.4.0.285212672.1.0.1.4.10.1 00.26.1	Integer	netmgmt (3)
inetCidrRouteProto.1.4.0.0.0.0.3 2.4.0.268435456.1.0.1.4.127.0.0. 1	.1.3.6.1.2.1.4.24.7.1.9.1.4.0.0. 0.0.32.4.0.268435456.1.0.1.4.127 .0.0.1	Integer	local (2)
inetCidrRouteProto.1.4.10.100.26 .0.24.4.0.268435459.1.0.1.4.10.1 00.26.30	.1.3.6.1.2.1.4.24.7.1.9.1.4.10.1 00.26.0.24.4.0.268435459.1.0.1.4 .10.100.26.30	Integer	local (2)
inetCidrRouteProto.1.4.10.100.26 .0.32.4.0.268435459.1.0.1.4.10.1 00.26.30	.1.3.6.1.2.1.4.24.7.1.9.1.4.10.1 00.26.0.32.4.0.268435459.1.0.1.4 .10.100.26.30	Integer	local (2)
inetCidrRouteProto.1.4.10.100.26 .30.32.4.0.268435456.1.0.1.4.127 .0.0.1	.1.3.6.1.2.1.4.24.7.1.9.1.4.10.1 00.26.30.32.4.0.268435456.1.0.1. 4.127.0.0.1	Integer	local (2)
inetCidrRouteProto.1.4.10.100.26 .255.32.4.0.268435459.1.0.1.4.10 .100.26.30	.1.3.6.1.2.1.4.24.7.1.9.1.4.10.1 00.26.255.32.4.0.268435459.1.0.1 .4.10.100.26.30	Integer	local (2)
inetCidrRouteProto.1.4.127.0.0.0 .8.4.0.268435456.1.0.1.4.127.0.0 .1	.1.3.6.1.2.1.4.24.7.1.9.1.4.127. 0.0.0.8.4.0.268435456.1.0.1.4.12 7.0.0.1	Integer	local (2)
inetCidrRouteProto.1.4.127.0.0.0 .32.4.0.268435457.1.0.1.4.127.0. 0.1	.1.3.6.1.2.1.4.24.7.1.9.1.4.127. 0.0.0.32.4.0.268435457.1.0.1.4.1 27.0.0.1	Integer	local (2)
inetCidrRouteProto.1.4.127.0.0.1 .32.4.0.268435456.1.0.1.4.127.0. 0.1	.1.3.6.1.2.1.4.24.7.1.9.1.4.127. 0.0.1.32.4.0.268435456.1.0.1.4.1 27.0.0.1	Integer	local (2)
inetCidrRouteProto.1.4.127.255.2 55.255.32.4.0.268435457.1.0.1.4. 127.0.0.1	.1.3.6.1.2.1.4.24.7.1.9.1.4.127. 255.255.255.32.4.0.268435457.1.0 .1.4.127.0.0.1	Integer	local (2)
inetCidrRouteProto.1.4.224.0.0.0 .4.4.0.268435458.1.0.1.4.0.0.0.0	.1.3.6.1.2.1.4.24.7.1.9.1.4.224. 0.0.0.4.4.0.268435458.1.0.1.4.0. 0.0.0	Integer	local (2)
inetCidrRouteProto.1.4.224.0.0.0	.1.3.6.1.2.1.4.24.7.1.9.1.4.224. 0.0.0.24.4.0.268435458.1.0.1.4.0 .0.0.0	Integer	local (2)

Name	OID	Value Type	Value Example
inetCidrRoute-Age.1.4.127.255.255.255.32.4.0.268435457.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.10.1.4.127.255.255.255.32.4.0.268435457.1.0.1.4.127.0.0.1	Gauge	1226597
inetCidrRoute-Age.1.4.224.0.0.0.4.0.268435458.1.0.1.4.0.0.0.0	.1.3.6.1.2.1.4.24.7.1.10.1.4.224.0.0.0.4.4.0.268435458.1.0.1.4.0.0.0.0	Gauge	1226597
inetCidrRoute-Age.1.4.224.0.0.0.2.4.4.0.268435458.1.0.1.4.0.0.0.0	.1.3.6.1.2.1.4.24.7.1.10.1.4.224.0.0.0.24.4.0.268435458.1.0.1.4.0.0.0.0	Gauge	1226597
inetCidrRoute-Age.1.4.255.255.255.255.32.4.0.268435456.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.10.1.4.255.255.255.255.32.4.0.268435456.1.0.1.4.127.0.0.1	Gauge	1226597
inetCidrRoute-Age.2.16.0.0.0.0.0.0.0.0.0.0.0.0.1.128.7.0.536870912.2.0.0.0.0.2.16.0.0.0.0.0.0.0.0.0.0.0.0.1	.1.3.6.1.2.1.4.24.7.1.10.2.16.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.1.128.7.0.536870912.2.0.0.0.0.2.16.0.0.0.0.0.0.0.0.0.0.0.0.1	Gauge	1226600
inetCidrRoute-Age.2.16.254.128.0.0.0.0.0.0.0.0.0.0.0.0.0.10.7.0.536870914.2.0.0.0.0.2.16.0.0.0.0.0.0.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.7.1.10.2.16.254.128.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.10.7.0.536870914.2.0.0.0.0.2.16.0.0.0.0.0.0.0.0.0.0.0.0.0	Gauge	1226600
inetCidrRoute-Age.2.16.255.0.0.0.0.0.0.0.0.0.0.0.0.8.7.0.536870913.2.0.0.0.0.2.16.0.0.0.0.0.0.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.7.1.10.2.16.255.0.8.7.0.536870913.2.0.0.0.0.2.16.0.0.0.0.0.0.0.0.0.0.0.0.0	Gauge	1226600
inetCidrRouteNextHopAS.1.4.0.0.0.0.0.4.0.285212672.1.0.1.4.10.10.0.26.1	.1.3.6.1.2.1.4.24.7.1.11.1.4.0.0.0.0.4.0.285212672.1.0.1.4.10.10.0.26.1	Gauge	0
inetCidrRouteNextHopAS.1.4.0.0.0.0.32.4.0.268435456.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.11.1.4.0.0.0.0.32.4.0.268435456.1.0.1.4.127.0.0.1	Gauge	0
inetCidrRouteNextHopAS.1.4.10.10.0.26.0.24.4.0.268435459.1.0.1.4.10.100.26.30	.1.3.6.1.2.1.4.24.7.1.11.1.4.10.100.26.0.24.4.0.268435459.1.0.1.4.10.100.26.30	Gauge	0
inetCidrRouteNextHopAS.1.4.10.10.0.26.0.32.4.0.268435459.1.0.1.4.10.100.26.30	.1.3.6.1.2.1.4.24.7.1.11.1.4.10.100.26.0.32.4.0.268435459.1.0.1.4.10.100.26.30	Gauge	0
inetCidrRouteNextHopAS.1.4.10.10.0.26.30.32.4.0.268435456.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.11.1.4.10.100.26.30.32.4.0.268435456.1.0.1.4.127.0.0.1	Gauge	0
inetCidrRouteNextHopAS.1.4.10.10.0.26.255.32.4.0.268435459.1.0.1.4.10.100.26.30	.1.3.6.1.2.1.4.24.7.1.11.1.4.10.100.26.255.32.4.0.268435459.1.0.1.4.10.100.26.30	Gauge	0
inetCidrRouteNextHopAS.1.4.127.0.0.0.0.8.4.0.268435456.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.11.1.4.127.0.0.0.0.8.4.0.268435456.1.0.1.4.127.0.0.1	Gauge	0

Name	OID	Value Type	Value Example
26.0.32.4.0.268435459.1.0.1.4.10.100.26.30			
inetCidrRouteMetric1.1.4.10.100.26.30.32.4.0.268435456.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.12.1.4.10.100.26.30.32.4.0.268435456.1.0.1.4.127.0.0.1	Integer	0
inetCidrRouteMetric1.1.4.10.100.26.255.32.4.0.268435459.1.0.1.4.10.100.26.30	.1.3.6.1.2.1.4.24.7.1.12.1.4.10.100.26.255.32.4.0.268435459.1.0.1.4.10.100.26.30	Integer	0
inetCidrRouteMetric1.1.4.127.0.0.0.8.4.0.268435456.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.12.1.4.127.0.0.0.8.4.0.268435456.1.0.1.4.127.0.0.1	Integer	0
inetCidrRouteMetric1.1.4.127.0.0.0.32.4.0.268435457.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.12.1.4.127.0.0.0.32.4.0.268435457.1.0.1.4.127.0.0.1	Integer	0
inetCidrRouteMetric1.1.4.127.0.0.1.32.4.0.268435456.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.12.1.4.127.0.0.1.32.4.0.268435456.1.0.1.4.127.0.0.1	Integer	0
inetCidrRouteMetric1.1.4.127.255.255.255.32.4.0.268435457.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.12.1.4.127.255.255.255.32.4.0.268435457.1.0.1.4.127.0.0.1	Integer	0
inetCidrRouteMetric1.1.4.224.0.0.0.4.4.0.268435458.1.0.1.4.0.0.0.0	.1.3.6.1.2.1.4.24.7.1.12.1.4.224.0.0.0.4.4.0.268435458.1.0.1.4.0.0.0.0	Integer	0
inetCidrRouteMetric1.1.4.224.0.0.0.24.4.0.268435458.1.0.1.4.0.0.0.0	.1.3.6.1.2.1.4.24.7.1.12.1.4.224.0.0.0.24.4.0.268435458.1.0.1.4.0.0.0.0	Integer	0
inetCidrRouteMetric1.1.4.255.255.255.255.32.4.0.268435456.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.12.1.4.255.255.255.255.32.4.0.268435456.1.0.1.4.127.0.0.1	Integer	0
inetCidrRouteMetric1.2.16.0.0.0.0.0.0.0.0.0.0.0.0.0.1.128.7.0.536870912.2.0.0.0.0.2.16.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.1	.1.3.6.1.2.1.4.24.7.1.12.2.16.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.1.128.7.0.536870912.2.0.0.0.0.2.16.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.1	Integer	0
inetCidrRouteMetric1.2.16.254.12.8.0.0.0.0.0.0.0.0.0.0.0.0.10.7.0.536870914.2.0.0.0.0.2.16.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.7.1.12.2.16.254.12.8.0.0.0.0.0.0.0.0.0.0.0.0.0.0.10.7.0.536870914.2.0.0.0.0.2.16.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0	Integer	0
inetCidrRouteMetric1.2.16.255.0.0.0.0.0.0.0.0.0.0.0.0.0.0.8.7.0.536870913.2.0.0.0.0.2.16.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.7.1.12.2.16.255.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.8.7.0.536870913.2.0.0.0.0.2.16.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0	Integer	0
inetCidrRouteMetric2.1.4.0.0.0.0	.1.3.6.1.2.1.4.24.7.1.13.1.4.0.0.0.0.0.4.0.285212672.1.0.1.4.10.100.26.1	Integer	-1

Name	OID	Value Type	Value Example
.0.4.0.285212672.1.0.1.4.10.100.26.1			
inetCidrRouteMetric2.1.4.0.0.0.0.32.4.0.268435456.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.13.1.4.0.0.0.0.32.4.0.268435456.1.0.1.4.127.0.0.1	Integer	-1
inetCidrRouteMetric2.1.4.10.100.26.0.24.4.0.268435459.1.0.1.4.10.100.26.30	.1.3.6.1.2.1.4.24.7.1.13.1.4.10.100.26.0.24.4.0.268435459.1.0.1.4.10.100.26.30	Integer	-1
inetCidrRouteMetric2.1.4.10.100.26.0.32.4.0.268435459.1.0.1.4.10.100.26.30	.1.3.6.1.2.1.4.24.7.1.13.1.4.10.100.26.0.32.4.0.268435459.1.0.1.4.10.100.26.30	Integer	-1
inetCidrRouteMetric2.1.4.10.100.26.30.32.4.0.268435456.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.13.1.4.10.100.26.30.32.4.0.268435456.1.0.1.4.127.0.0.1	Integer	-1
inetCidrRouteMetric2.1.4.10.100.26.255.32.4.0.268435459.1.0.1.4.10.100.26.30	.1.3.6.1.2.1.4.24.7.1.13.1.4.10.100.26.255.32.4.0.268435459.1.0.1.4.10.100.26.30	Integer	-1
inetCidrRouteMetric2.1.4.127.0.0.0.8.4.0.268435456.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.13.1.4.127.0.0.0.8.4.0.268435456.1.0.1.4.127.0.0.1	Integer	-1
inetCidrRouteMetric2.1.4.127.0.0.0.32.4.0.268435457.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.13.1.4.127.0.0.0.32.4.0.268435457.1.0.1.4.127.0.0.1	Integer	-1
inetCidrRouteMetric2.1.4.127.0.0.1.32.4.0.268435456.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.13.1.4.127.0.0.1.32.4.0.268435456.1.0.1.4.127.0.0.1	Integer	-1
inetCidrRouteMetric2.1.4.127.255.255.255.32.4.0.268435457.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.13.1.4.127.255.255.255.32.4.0.268435457.1.0.1.4.127.0.0.1	Integer	-1
inetCidrRouteMetric2.1.4.224.0.0.0.4.4.0.268435458.1.0.1.4.0.0.0.0	.1.3.6.1.2.1.4.24.7.1.13.1.4.224.0.0.0.4.4.0.268435458.1.0.1.4.0.0.0.0	Integer	-1
inetCidrRouteMetric2.1.4.224.0.0.0.24.4.0.268435458.1.0.1.4.0.0.0.0	.1.3.6.1.2.1.4.24.7.1.13.1.4.224.0.0.0.24.4.0.268435458.1.0.1.4.0.0.0.0	Integer	-1
inetCidrRouteMetric2.1.4.255.255.255.255.32.4.0.268435456.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.13.1.4.255.255.255.255.32.4.0.268435456.1.0.1.4.127.0.0.1	Integer	-1
inetCidrRouteMetric2.2.16.0.0.0.0.0.0.0.0.0.0.0.0.1.128.7.0.536870912.2.0.0.0.0.2.16.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.1	.1.3.6.1.2.1.4.24.7.1.13.2.16.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.1.128.7.0.536870912.2.0.0.0.0.2.16.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.1	Integer	-1

Name	OID	Value Type	Value Example
inetCidrRouteMetric2.2.16.254.12 8.0.0.0.0.0.0.0.0.0.0.0.10 .7.0.536870914.2.0.0.0.2.16.0. 0.0.0.0.0.0.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.7.1.13.2.16.25 4.128.0.0.0.0.0.0.0.0.0.0.0.0. 0.10.7.0.536870914.2.0.0.0.2.1 6.0.0.0.0.0.0.0.0.0.0.0.0.0. 0	Integer	-1
inetCidrRouteMetric2.2.16.255.0. 0.0.0.0.0.0.0.0.0.0.0.0.8.7. 0.536870913.2.0.0.0.2.16.0.0.0 .0.0.0.0.0.0.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.7.1.13.2.16.25 5.0.0.0.0.0.0.0.0.0.0.0.0.0.0. 8.7.0.536870913.2.0.0.0.2.16.0 .0.0.0.0.0.0.0.0.0.0.0.0.0.0.0	Integer	-1
inetCidrRouteMetric3.1.4.0.0.0.0 .0.4.0.285212672.1.0.1.4.10.100. 26.1	.1.3.6.1.2.1.4.24.7.1.14.1.4.0.0 .0.0.0.4.0.285212672.1.0.1.4.10. 100.26.1	Integer	-1
inetCidrRouteMetric3.1.4.0.0.0.0 .32.4.0.268435456.1.0.1.4.127.0. 0.1	.1.3.6.1.2.1.4.24.7.1.14.1.4.0.0 .0.0.32.4.0.268435456.1.0.1.4.12 7.0.0.1	Integer	-1
inetCidrRouteMetric3.1.4.10.100. 26.0.24.4.0.268435459.1.0.1.4.10 .100.26.30	.1.3.6.1.2.1.4.24.7.1.14.1.4.10. 100.26.0.24.4.0.268435459.1.0.1. 4.10.100.26.30	Integer	-1
inetCidrRouteMetric3.1.4.10.100. 26.0.32.4.0.268435459.1.0.1.4.10 .100.26.30	.1.3.6.1.2.1.4.24.7.1.14.1.4.10. 100.26.0.32.4.0.268435459.1.0.1. 4.10.100.26.30	Integer	-1
inetCidrRouteMetric3.1.4.10.100. 26.30.32.4.0.268435456.1.0.1.4.1 27.0.0.1	.1.3.6.1.2.1.4.24.7.1.14.1.4.10. 100.26.30.32.4.0.268435456.1.0.1 .4.127.0.0.1	Integer	-1
inetCidrRouteMetric3.1.4.10.100. 26.255.32.4.0.268435459.1.0.1.4. 10.100.26.30	.1.3.6.1.2.1.4.24.7.1.14.1.4.10. 100.26.255.32.4.0.268435459.1.0. 1.4.10.100.26.30	Integer	-1
inetCidrRouteMetric3.1.4.127.0.0 .0.8.4.0.268435456.1.0.1.4.127.0 .0.1	.1.3.6.1.2.1.4.24.7.1.14.1.4.127 .0.0.0.8.4.0.268435456.1.0.1.4.1 27.0.0.1	Integer	-1
inetCidrRouteMetric3.1.4.127.0.0 .0.32.4.0.268435457.1.0.1.4.127. 0.0.1	.1.3.6.1.2.1.4.24.7.1.14.1.4.127 .0.0.0.32.4.0.268435457.1.0.1.4. 127.0.0.1	Integer	-1
inetCidrRouteMetric3.1.4.127.0.0 .1.32.4.0.268435456.1.0.1.4.127. 0.0.1	.1.3.6.1.2.1.4.24.7.1.14.1.4.127 .0.0.1.32.4.0.268435456.1.0.1.4. 127.0.0.1	Integer	-1
inetCidrRouteMetric3.1.4.127.255 .255.255.32.4.0.268435457.1.0.1. 4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.14.1.4.127 .255.255.255.32.4.0.268435457.1. 0.1.4.127.0.0.1	Integer	-1
inetCidrRouteMetric3.1.4.224.0.0 .0.4.4.0.268435458.1.0.1.4.0.0.0 .0	.1.3.6.1.2.1.4.24.7.1.14.1.4.224 .0.0.0.4.4.0.268435458.1.0.1.4.0 .0.0.0	Integer	-1

Name	OID	Value Type	Value Example
inetCidrRouteMetric3.1.4.224.0.0 .0.24.4.0.268435458.1.0.1.4.0.0.0.0	.1.3.6.1.2.1.4.24.7.1.14.1.4.224.0.0.0.24.4.0.268435458.1.0.1.4.0.0.0.0	Integer	-1
inetCidrRouteMetric3.1.4.255.255 .255.255.32.4.0.268435456.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.14.1.4.255.255.255.32.4.0.268435456.1.0.1.4.127.0.0.1	Integer	-1
inetCidrRouteMetric3.2.16.0.0.0 0.0.0.0.0.0.0.0.0.0.0.0.0.1.128.7.0.536870912.2.0.0.0.0.2.16.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.1	.1.3.6.1.2.1.4.24.7.1.14.2.16.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.1.128.7.0.536870912.2.0.0.0.0.2.16.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.1	Integer	-1
inetCidrRouteMetric3.2.16.254.12 8.0.0.0.0.0.0.0.0.0.0.0.0.0.10.7.0.536870914.2.0.0.0.0.2.16.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.7.1.14.2.16.254.128.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.10.7.0.536870914.2.0.0.0.0.2.16.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0	Integer	-1
inetCidrRouteMetric3.2.16.255.0 0.0.0.0.0.0.0.0.0.0.0.0.0.0.8.7.0.536870913.2.0.0.0.0.2.16.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.7.1.14.2.16.255.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.8.7.0.536870913.2.0.0.0.0.2.16.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0	Integer	-1
inetCidrRouteMetric4.1.4.0.0.0.0 .0.4.0.285212672.1.0.1.4.10.100.26.1	.1.3.6.1.2.1.4.24.7.1.15.1.4.0.0.0.0.0.4.0.285212672.1.0.1.4.10.100.26.1	Integer	-1
inetCidrRouteMetric4.1.4.0.0.0.0 .32.4.0.268435456.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.15.1.4.0.0.0.0.32.4.0.268435456.1.0.1.4.127.0.0.1	Integer	-1
inetCidrRouteMetric4.1.4.10.100 26.0.24.4.0.268435459.1.0.1.4.10.100.26.30	.1.3.6.1.2.1.4.24.7.1.15.1.4.10.100.26.0.24.4.0.268435459.1.0.1.4.10.100.26.30	Integer	-1
inetCidrRouteMetric4.1.4.10.100 26.0.32.4.0.268435459.1.0.1.4.10.100.26.30	.1.3.6.1.2.1.4.24.7.1.15.1.4.10.100.26.0.32.4.0.268435459.1.0.1.4.10.100.26.30	Integer	-1
inetCidrRouteMetric4.1.4.10.100 26.30.32.4.0.268435456.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.15.1.4.10.100.26.30.32.4.0.268435456.1.0.1.4.127.0.0.1	Integer	-1
inetCidrRouteMetric4.1.4.10.100 26.255.32.4.0.268435459.1.0.1.4.10.100.26.30	.1.3.6.1.2.1.4.24.7.1.15.1.4.10.100.26.255.32.4.0.268435459.1.0.1.4.10.100.26.30	Integer	-1
inetCidrRouteMetric4.1.4.127.0.0 .0.8.4.0.268435456.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.15.1.4.127.0.0.0.8.4.0.268435456.1.0.1.4.127.0.0.1	Integer	-1
inetCidrRouteMetric4.1.4.127.0.0 .0.32.4.0.268435457.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.15.1.4.127.0.0.0.32.4.0.268435457.1.0.1.4.127.0.0.1	Integer	-1

Name	OID	Value Type	Value Example
inetCidrRouteMetric4.1.4.127.0.0 .1.32.4.0.268435456.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.15.1.4.127.0.0.1.32.4.0.268435456.1.0.1.4.127.0.0.1	Integer	-1
inetCidrRouteMetric4.1.4.127.255 .255.255.32.4.0.268435457.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.15.1.4.127.255.255.32.4.0.268435457.1.0.1.4.127.0.0.1	Integer	-1
inetCidrRouteMetric4.1.4.224.0.0 .0.4.4.0.268435458.1.0.1.4.0.0.0.0	.1.3.6.1.2.1.4.24.7.1.15.1.4.224.0.0.0.4.4.0.268435458.1.0.1.4.0.0.0.0	Integer	-1
inetCidrRouteMetric4.1.4.224.0.0 .0.24.4.0.268435458.1.0.1.4.0.0.0.0	.1.3.6.1.2.1.4.24.7.1.15.1.4.224.0.0.0.24.4.0.268435458.1.0.1.4.0.0.0.0	Integer	-1
inetCidrRouteMetric4.1.4.255.255 .255.255.32.4.0.268435456.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.15.1.4.255.255.255.32.4.0.268435456.1.0.1.4.127.0.0.1	Integer	-1
inetCidrRouteMetric4.2.16.0.0.0 0.0.0.0.0.0.0.0.0.0.0.0.1.128.7.0.536870912.2.0.0.0.0.2.16.0.0.0.0.0.0.0.0.0.0.0.1	.1.3.6.1.2.1.4.24.7.1.15.2.16.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.1.128.7.0.536870912.2.0.0.0.0.2.16.0.0.0.0.0.0.0.0.0.0.0.1	Integer	-1
inetCidrRouteMetric4.2.16.254.12 8.0.0.0.0.0.0.0.0.0.0.0.0.10.7.0.536870914.2.0.0.0.0.2.16.0.0.0.0.0.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.7.1.15.2.16.254.128.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.10.7.0.536870914.2.0.0.0.0.2.16.0.0.0.0.0.0.0.0.0.0.0.0	Integer	-1
inetCidrRouteMetric4.2.16.255.0 0.0.0.0.0.0.0.0.0.0.0.0.0.8.7.0.536870913.2.0.0.0.0.2.16.0.0.0.0.0.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.7.1.15.2.16.255.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.8.7.0.536870913.2.0.0.0.0.2.16.0.0.0.0.0.0.0.0.0.0.0.0	Integer	-1
inetCidrRouteMetric5.1.4.0.0.0 .0.4.0.285212672.1.0.1.4.10.100.26.1	.1.3.6.1.2.1.4.24.7.1.16.1.4.0.0.0.0.4.0.285212672.1.0.1.4.10.100.26.1	Integer	-1
inetCidrRouteMetric5.1.4.0.0.0 .32.4.0.268435456.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.16.1.4.0.0.0.0.32.4.0.268435456.1.0.1.4.127.0.0.1	Integer	-1
inetCidrRouteMetric5.1.4.10.100 26.0.24.4.0.268435459.1.0.1.4.10.100.26.30	.1.3.6.1.2.1.4.24.7.1.16.1.4.10.100.26.0.24.4.0.268435459.1.0.1.4.10.100.26.30	Integer	-1
inetCidrRouteMetric5.1.4.10.100 26.0.32.4.0.268435459.1.0.1.4.10.100.26.30	.1.3.6.1.2.1.4.24.7.1.16.1.4.10.100.26.0.32.4.0.268435459.1.0.1.4.10.100.26.30	Integer	-1
inetCidrRouteMetric5.1.4.10.100 26.30.32.4.0.268435456.1.0.1.4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.16.1.4.10.100.26.30.32.4.0.268435456.1.0.1.4.127.0.0.1	Integer	-1

Name	OID	Value Type	Value Example
inetCidrRouteMetric5.1.4.10.100. 26.255.32.4.0.268435459.1.0.1.4. 10.100.26.30	.1.3.6.1.2.1.4.24.7.1.16.1.4.10. 100.26.255.32.4.0.268435459.1.0. 1.4.10.100.26.30	Integer	-1
inetCidrRouteMetric5.1.4.127.0.0 .0.8.4.0.268435456.1.0.1.4.127.0 .0.1	.1.3.6.1.2.1.4.24.7.1.16.1.4.127 .0.0.0.8.4.0.268435456.1.0.1.4.1 27.0.0.1	Integer	-1
inetCidrRouteMetric5.1.4.127.0.0 .0.32.4.0.268435457.1.0.1.4.127. 0.0.1	.1.3.6.1.2.1.4.24.7.1.16.1.4.127 .0.0.0.32.4.0.268435457.1.0.1.4. 127.0.0.1	Integer	-1
inetCidrRouteMetric5.1.4.127.0.0 .1.32.4.0.268435456.1.0.1.4.127. 0.0.1	.1.3.6.1.2.1.4.24.7.1.16.1.4.127 .0.0.1.32.4.0.268435456.1.0.1.4. 127.0.0.1	Integer	-1
inetCidrRouteMetric5.1.4.127.255 .255.255.32.4.0.268435457.1.0.1. 4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.16.1.4.127 .255.255.255.32.4.0.268435457.1. 0.1.4.127.0.0.1	Integer	-1
inetCidrRouteMetric5.1.4.224.0.0 .0.4.4.0.268435458.1.0.1.4.0.0.0 .0	.1.3.6.1.2.1.4.24.7.1.16.1.4.224 .0.0.0.4.4.0.268435458.1.0.1.4.0 .0.0.0	Integer	-1
inetCidrRouteMetric5.1.4.224.0.0 .0.24.4.0.268435458.1.0.1.4.0.0. 0.0	.1.3.6.1.2.1.4.24.7.1.16.1.4.224 .0.0.0.24.4.0.268435458.1.0.1.4. 0.0.0.0	Integer	-1
inetCidrRouteMetric5.1.4.255.255 .255.255.32.4.0.268435456.1.0.1. 4.127.0.0.1	.1.3.6.1.2.1.4.24.7.1.16.1.4.255 .255.255.255.32.4.0.268435456.1. 0.1.4.127.0.0.1	Integer	-1
inetCidrRouteMetric5.2.16.0.0.0. 0.0.0.0.0.0.0.0.0.0.0.1.128.7. 0.536870912.2.0.0.0.0.2.16.0.0.0 .0.0.0.0.0.0.0.0.0.0.0.1	.1.3.6.1.2.1.4.24.7.1.16.2.16.0. 0.0.0.0.0.0.0.0.0.0.0.0.0.1.12 8.7.0.536870912.2.0.0.0.0.2.16.0 .0.0.0.0.0.0.0.0.0.0.0.0.1	Integer	-1
inetCidrRouteMetric5.2.16.254.12 8.0.0.0.0.0.0.0.0.0.0.0.0.10 .7.0.536870914.2.0.0.0.0.2.16.0. 0.0.0.0.0.0.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.7.1.16.2.16.25 4.128.0.0.0.0.0.0.0.0.0.0.0.0. 0.10.7.0.536870914.2.0.0.0.0.2.1 6.0.0.0.0.0.0.0.0.0.0.0.0.0. 0	Integer	-1
inetCidrRouteMetric5.2.16.255.0. 0.0.0.0.0.0.0.0.0.0.0.0.8.7. 0.536870913.2.0.0.0.0.2.16.0.0.0 .0.0.0.0.0.0.0.0.0.0.0.0	.1.3.6.1.2.1.4.24.7.1.16.2.16.25 5.0.0.0.0.0.0.0.0.0.0.0.0.0.0. 8.7.0.536870913.2.0.0.0.0.2.16.0 .0.0.0.0.0.0.0.0.0.0.0.0.0.0	Integer	-1
inetCidrRouteStatus.1.4.0.0.0.0. 0.4.0.285212672.1.0.1.4.10.100.2 6.1	.1.3.6.1.2.1.4.24.7.1.17.1.4.0.0 .0.0.0.4.0.285212672.1.0.1.4.10. 100.26.1	Integer	active (1)
inetCidrRouteStatus.1.4.0.0.0.0. 32.4.0.268435456.1.0.1.4.127.0.0 .1	.1.3.6.1.2.1.4.24.7.1.17.1.4.0.0 .0.0.32.4.0.268435456.1.0.1.4.12 7.0.0.1	Integer	active (1)

Name	OID	Value Type	Value Example
.0.0.0.0.0.0.0.0.0.0.0.0.8.7.0 .536870913.2.0.0.0.0.2.16.0.0.0. 0.0.0.0.0.0.0.0.0.0.0.0	8.7.0.536870913.2.0.0.0.0.2.16.0 .0.0.0.0.0.0.0.0.0.0.0.0.0.0.0		
inetCidrRouteDiscards.0	.1.3.6.1.2.1.4.24.8.0	Counter32	0
ipv6IpForwarding.0	.1.3.6.1.2.1.4.25.0	Integer	forwarding (1)
ipv6IpDefaultHopLimit.0	.1.3.6.1.2.1.4.26.0	Integer	64
ipv6InterfaceReasmMax- Size.635	.1.3.6.1.2.1.4.30.1.2.635	Gauge	65535
ipv6InterfaceIdentifier.635	.1.3.6.1.2.1.4.30.1.3.635	OctetString	82-85-44-FF-FE-07-B1-27
ipv6InterfaceEnableStatus.635	.1.3.6.1.2.1.4.30.1.5.635	Integer	down (2)
ipv6InterfaceReachable- Time.635	.1.3.6.1.2.1.4.30.1.6.635	Gauge	1200000
ipv6InterfaceRetransmit- Time.635	.1.3.6.1.2.1.4.30.1.7.635	Gauge	1000
ipv6InterfaceForwarding.635	.1.3.6.1.2.1.4.30.1.8.635	Integer	forwarding (1)
ipSystemStatsInReceives.2	.1.3.6.1.2.1.4.31.1.1.3.2	Counter32	0
ipSystemStatsInHdrErrors.2	.1.3.6.1.2.1.4.31.1.1.7.2	Counter32	0
ipSystemStatsInNoRoutes.2	.1.3.6.1.2.1.4.31.1.1.8.2	Counter32	0
ipSystemStatsInAddrErrors.2	.1.3.6.1.2.1.4.31.1.1.9.2	Counter32	0
ipSystemStatsInUnknownPro- tos.2	.1.3.6.1.2.1.4.31.1.1.10.2	Counter32	0
ipSystemStatsInForwData- grams.2	.1.3.6.1.2.1.4.31.1.1.12.2	Counter32	0
ipSystemStatsReasmReqds.2	.1.3.6.1.2.1.4.31.1.1.14.2	Counter32	0
ipSystemStatsReasmOKs.2	.1.3.6.1.2.1.4.31.1.1.15.2	Counter32	0
ipSystemStatsReasmFails.2	.1.3.6.1.2.1.4.31.1.1.16.2	Counter32	0
ipSystemStatsInDiscards.2	.1.3.6.1.2.1.4.31.1.1.17.2	Counter32	0
ipSystemStatsInDelivers.2	.1.3.6.1.2.1.4.31.1.1.18.2	Counter32	0
ipSystemStatsOutRequests.2	.1.3.6.1.2.1.4.31.1.1.20.2	Counter32	0
ipSystemStatsOutNoRoutes.2	.1.3.6.1.2.1.4.31.1.1.22.2	Counter32	0
ipSystemStatsOutForwData- grams.2	.1.3.6.1.2.1.4.31.1.1.23.2	Counter32	0
ipSystemStatsOutDiscards.2	.1.3.6.1.2.1.4.31.1.1.25.2	Counter32	0
ipSystemStatsOutFragReqds.2	.1.3.6.1.2.1.4.31.1.1.26.2	Counter32	0
ipSystemStatsOutFragOKs.2	.1.3.6.1.2.1.4.31.1.1.27.2	Counter32	0
ipSystemStatsOutFragFails.2	.1.3.6.1.2.1.4.31.1.1.28.2	Counter32	0
ipSystemStatsOutFragCrea- tes.2	.1.3.6.1.2.1.4.31.1.1.29.2	Counter32	0
ipSystemStatsOutTransmits.2	.1.3.6.1.2.1.4.31.1.1.30.2	Counter32	0
ipIfStatsInReceives.1.635	.1.3.6.1.2.1.4.31.3.1.3.1.635	Counter32	0
ipIfStatsInReceives.2.635	.1.3.6.1.2.1.4.31.3.1.3.2.635	Counter32	0
ipIfStatsInOctets.1.635	.1.3.6.1.2.1.4.31.3.1.5.1.635	Counter32	0
ipIfStatsInOctets.2.635	.1.3.6.1.2.1.4.31.3.1.5.2.635	Counter32	0
ipIfStatsInHdrErrors.1.635	.1.3.6.1.2.1.4.31.3.1.7.1.635	Counter32	0
ipIfStatsInHdrErrors.2.635	.1.3.6.1.2.1.4.31.3.1.7.2.635	Counter32	0
ipIfStatsInNoRoutes.1.635	.1.3.6.1.2.1.4.31.3.1.8.1.635	Counter32	0

Name	OID	Value Type	Value Example
ipIfStatsInNoRoutes.2.635	.1.3.6.1.2.1.4.31.3.1.8.2.635	Counter32	0
ipIfStatsInAddrErrors.1.635	.1.3.6.1.2.1.4.31.3.1.9.1.635	Counter32	0
ipIfStatsInAddrErrors.2.635	.1.3.6.1.2.1.4.31.3.1.9.2.635	Counter32	0
ipIfStatsInUnknownPro- tos.1.635	.1.3.6.1.2.1.4.31.3.1.10.1.635	Counter32	0
ipIfStatsInUnknownPro- tos.2.635	.1.3.6.1.2.1.4.31.3.1.10.2.635	Counter32	0
ipIfStatsInTruncatedPkts.1.635	.1.3.6.1.2.1.4.31.3.1.11.1.635	Counter32	0
ipIfStatsInTruncatedPkts.2.635	.1.3.6.1.2.1.4.31.3.1.11.2.635	Counter32	0
ipIfStatsInForwData- grams.1.635	.1.3.6.1.2.1.4.31.3.1.12.1.635	Counter32	0
ipIfStatsInForwData- grams.2.635	.1.3.6.1.2.1.4.31.3.1.12.2.635	Counter32	0
ipIfStatsReasmReqds.1.635	.1.3.6.1.2.1.4.31.3.1.14.1.635	Counter32	0
ipIfStatsReasmReqds.2.635	.1.3.6.1.2.1.4.31.3.1.14.2.635	Counter32	0
ipIfStatsReasmOKs.1.635	.1.3.6.1.2.1.4.31.3.1.15.1.635	Counter32	0
ipIfStatsReasmOKs.2.635	.1.3.6.1.2.1.4.31.3.1.15.2.635	Counter32	0
ipIfStatsReasmFails.1.635	.1.3.6.1.2.1.4.31.3.1.16.1.635	Counter32	0
ipIfStatsReasmFails.2.635	.1.3.6.1.2.1.4.31.3.1.16.2.635	Counter32	0
ipIfStatsInDiscards.1.635	.1.3.6.1.2.1.4.31.3.1.17.1.635	Counter32	0
ipIfStatsInDiscards.2.635	.1.3.6.1.2.1.4.31.3.1.17.2.635	Counter32	0
ipIfStatsInDelivers.1.635	.1.3.6.1.2.1.4.31.3.1.18.1.635	Counter32	0
ipIfStatsInDelivers.2.635	.1.3.6.1.2.1.4.31.3.1.18.2.635	Counter32	0
ipIfStatsOutRequests.1.635	.1.3.6.1.2.1.4.31.3.1.20.1.635	Counter32	0
ipIfStatsOutRequests.2.635	.1.3.6.1.2.1.4.31.3.1.20.2.635	Counter32	0
ipIfStatsOutForwData- grams.1.635	.1.3.6.1.2.1.4.31.3.1.23.1.635	Counter32	0
ipIfStatsOutForwData- grams.2.635	.1.3.6.1.2.1.4.31.3.1.23.2.635	Counter32	0
ipIfStatsOutDiscards.1.635	.1.3.6.1.2.1.4.31.3.1.25.1.635	Counter32	0
ipIfStatsOutDiscards.2.635	.1.3.6.1.2.1.4.31.3.1.25.2.635	Counter32	0
ipIfStatsOutFragReqds.1.635	.1.3.6.1.2.1.4.31.3.1.26.1.635	Counter32	0
ipIfStatsOutFragReqds.2.635	.1.3.6.1.2.1.4.31.3.1.26.2.635	Counter32	0
ipIfStatsOutFragOKs.1.635	.1.3.6.1.2.1.4.31.3.1.27.1.635	Counter32	0
ipIfStatsOutFragOKs.2.635	.1.3.6.1.2.1.4.31.3.1.27.2.635	Counter32	0
ipIfStatsOutFragFails.1.635	.1.3.6.1.2.1.4.31.3.1.28.1.635	Counter32	0
ipIfStatsOutFragFails.2.635	.1.3.6.1.2.1.4.31.3.1.28.2.635	Counter32	0
ipIfStatsOutFragCreates.1.635	.1.3.6.1.2.1.4.31.3.1.29.1.635	Counter32	0
ipIfStatsOutFragCreates.2.635	.1.3.6.1.2.1.4.31.3.1.29.2.635	Counter32	0
ipIfStatsOutTransmits.1.635	.1.3.6.1.2.1.4.31.3.1.30.1.635	Counter32	0
ipIfStatsOutTransmits.2.635	.1.3.6.1.2.1.4.31.3.1.30.2.635	Counter32	0
ipIfStatsOutOctets.1.635	.1.3.6.1.2.1.4.31.3.1.32.1.635	Counter32	0
ipIfStatsOutOctets.2.635	.1.3.6.1.2.1.4.31.3.1.32.2.635	Counter32	0
ipIfStatsInMcastPkts.1.635	.1.3.6.1.2.1.4.31.3.1.34.1.635	Counter32	0
ipIfStatsInMcastPkts.2.635	.1.3.6.1.2.1.4.31.3.1.34.2.635	Counter32	0

Name	OID	Value Type	Value Example
ipLflStatsOutMcastPkts.1.635	.1.3.6.1.2.1.4.31.3.1.38.1.635	Counter32	0
ipLflStatsOutMcastPkts.2.635	.1.3.6.1.2.1.4.31.3.1.38.2.635	Counter32	0
ipv6RouterAdvertSendAdverts.635	.1.3.6.1.2.1.4.39.1.2.635	Integer	false (2)
ipv6RouterAdvertMaxInterval.635	.1.3.6.1.2.1.4.39.1.3.635	Gauge	600
ipv6RouterAdvertMinInterval.635	.1.3.6.1.2.1.4.39.1.4.635	Gauge	200
ipv6RouterAdvertManaged-Flag.635	.1.3.6.1.2.1.4.39.1.5.635	Integer	false (2)
ipv6RouterAdvertOtherConfig-Flag.635	.1.3.6.1.2.1.4.39.1.6.635	Integer	false (2)
ipv6RouterAdvertLinkMTU.635	.1.3.6.1.2.1.4.39.1.7.635	Gauge	1500
ipv6RouterAdvertReachable-Time.635	.1.3.6.1.2.1.4.39.1.8.635	Gauge	0
ipv6RouterAdvertRetransmit-Time.635	.1.3.6.1.2.1.4.39.1.9.635	Gauge	0
ipv6RouterAdvertCurHopLimit.635	.1.3.6.1.2.1.4.39.1.10.635	Gauge	64
ipv6RouterAdvertDefaultLifetime.635	.1.3.6.1.2.1.4.39.1.11.635	Gauge	1800
ipv6RouterAdvertRowStatus.635	.1.3.6.1.2.1.4.39.1.12.635	Integer	active (1)
icmpInMsgs.0	.1.3.6.1.2.1.5.1.0	Counter32	2453
icmpInErrors.0	.1.3.6.1.2.1.5.2.0	Counter32	0
icmpInDestUnreachs.0	.1.3.6.1.2.1.5.3.0	Counter32	0
icmpInTimeExcds.0	.1.3.6.1.2.1.5.4.0	Counter32	0
icmpInParmProbs.0	.1.3.6.1.2.1.5.5.0	Counter32	0
icmpInSrcQuenchs.0	.1.3.6.1.2.1.5.6.0	Counter32	0
icmpInRedirects.0	.1.3.6.1.2.1.5.7.0	Counter32	0
icmpInEchos.0	.1.3.6.1.2.1.5.8.0	Counter32	2443
icmpInEchoReps.0	.1.3.6.1.2.1.5.9.0	Counter32	10
icmpInTimestamps.0	.1.3.6.1.2.1.5.10.0	Counter32	0
icmpInTimestampReps.0	.1.3.6.1.2.1.5.11.0	Counter32	0
icmpInAddrMasks.0	.1.3.6.1.2.1.5.12.0	Counter32	0
icmpInAddrMaskReps.0	.1.3.6.1.2.1.5.13.0	Counter32	0
icmpOutMsgs.0	.1.3.6.1.2.1.5.14.0	Counter32	3532
icmpOutErrors.0	.1.3.6.1.2.1.5.15.0	Counter32	1079
icmpOutDestUnreachs.0	.1.3.6.1.2.1.5.16.0	Counter32	0
icmpOutTimeExcds.0	.1.3.6.1.2.1.5.17.0	Counter32	0
icmpOutParmProbs.0	.1.3.6.1.2.1.5.18.0	Counter32	0
icmpOutSrcQuenchs.0	.1.3.6.1.2.1.5.19.0	Counter32	0
icmpOutRedirects.0	.1.3.6.1.2.1.5.20.0	Counter32	0

Name	OID	Value Type	Value Example
icmpOutEchos.0	.1.3.6.1.2.1.5.21.0	Counter32	10
icmpOutEchoReps.0	.1.3.6.1.2.1.5.22.0	Counter32	2443
icmpOutTimestamps.0	.1.3.6.1.2.1.5.23.0	Counter32	0
icmpOutTimestampReps.0	.1.3.6.1.2.1.5.24.0	Counter32	0
icmpOutAddrMasks.0	.1.3.6.1.2.1.5.25.0	Counter32	0
icmpOutAddrMaskReps.0	.1.3.6.1.2.1.5.26.0	Counter32	0
icmpStatsInMsgs.2	.1.3.6.1.2.1.5.29.1.2.2	Counter32	0
icmpStatsInErrors.2	.1.3.6.1.2.1.5.29.1.3.2	Counter32	0
icmpStatsOutMsgs.2	.1.3.6.1.2.1.5.29.1.4.2	Counter32	0
icmpStatsOutErrors.2	.1.3.6.1.2.1.5.29.1.5.2	Counter32	0
icmpMsgStatsInPkts.2.1	.1.3.6.1.2.1.5.30.1.3.2.1	Counter32	0
icmpMsgStatsInPkts.2.2	.1.3.6.1.2.1.5.30.1.3.2.2	Counter32	0
icmpMsgStatsInPkts.2.3	.1.3.6.1.2.1.5.30.1.3.2.3	Counter32	0
icmpMsgStatsInPkts.2.4	.1.3.6.1.2.1.5.30.1.3.2.4	Counter32	0
icmpMsgStatsInPkts.2.128	.1.3.6.1.2.1.5.30.1.3.2.128	Counter32	0
icmpMsgStatsInPkts.2.129	.1.3.6.1.2.1.5.30.1.3.2.129	Counter32	0
icmpMsgStatsInPkts.2.130	.1.3.6.1.2.1.5.30.1.3.2.130	Counter32	0
icmpMsgStatsInPkts.2.131	.1.3.6.1.2.1.5.30.1.3.2.131	Counter32	0
icmpMsgStatsInPkts.2.132	.1.3.6.1.2.1.5.30.1.3.2.132	Counter32	0
icmpMsgStatsInPkts.2.133	.1.3.6.1.2.1.5.30.1.3.2.133	Counter32	0
icmpMsgStatsInPkts.2.134	.1.3.6.1.2.1.5.30.1.3.2.134	Counter32	0
icmpMsgStatsInPkts.2.135	.1.3.6.1.2.1.5.30.1.3.2.135	Counter32	0
icmpMsgStatsInPkts.2.136	.1.3.6.1.2.1.5.30.1.3.2.136	Counter32	0
icmpMsgStatsInPkts.2.137	.1.3.6.1.2.1.5.30.1.3.2.137	Counter32	0
icmpMsgStatsInPkts.2.138	.1.3.6.1.2.1.5.30.1.3.2.138	Counter32	0
icmpMsgStatsInPkts.2.139	.1.3.6.1.2.1.5.30.1.3.2.139	Counter32	0
icmpMsgStatsInPkts.2.140	.1.3.6.1.2.1.5.30.1.3.2.140	Counter32	0
icmpMsgStatsInPkts.2.143	.1.3.6.1.2.1.5.30.1.3.2.143	Counter32	0
icmpMsgStatsInPkts.2.144	.1.3.6.1.2.1.5.30.1.3.2.144	Counter32	0
icmpMsgStatsInPkts.2.145	.1.3.6.1.2.1.5.30.1.3.2.145	Counter32	0
icmpMsgStatsInPkts.2.200	.1.3.6.1.2.1.5.30.1.3.2.200	Counter32	0
icmpMsgStatsOutPkts.2.1	.1.3.6.1.2.1.5.30.1.4.2.1	Counter32	0
icmpMsgStatsOutPkts.2.2	.1.3.6.1.2.1.5.30.1.4.2.2	Counter32	0
icmpMsgStatsOutPkts.2.3	.1.3.6.1.2.1.5.30.1.4.2.3	Counter32	0
icmpMsgStatsOutPkts.2.4	.1.3.6.1.2.1.5.30.1.4.2.4	Counter32	0
icmpMsgStatsOutPkts.2.128	.1.3.6.1.2.1.5.30.1.4.2.128	Counter32	0
icmpMsgStatsOutPkts.2.129	.1.3.6.1.2.1.5.30.1.4.2.129	Counter32	0
icmpMsgStatsOutPkts.2.130	.1.3.6.1.2.1.5.30.1.4.2.130	Counter32	0
icmpMsgStatsOutPkts.2.131	.1.3.6.1.2.1.5.30.1.4.2.131	Counter32	0
icmpMsgStatsOutPkts.2.132	.1.3.6.1.2.1.5.30.1.4.2.132	Counter32	0
icmpMsgStatsOutPkts.2.133	.1.3.6.1.2.1.5.30.1.4.2.133	Counter32	0
icmpMsgStatsOutPkts.2.134	.1.3.6.1.2.1.5.30.1.4.2.134	Counter32	0
icmpMsgStatsOutPkts.2.135	.1.3.6.1.2.1.5.30.1.4.2.135	Counter32	0

Name	OID	Value Type	Value Example
icmpMsgStatsOutPkts.2.136	.1.3.6.1.2.1.5.30.1.4.2.136	Counter32	0
icmpMsgStatsOutPkts.2.137	.1.3.6.1.2.1.5.30.1.4.2.137	Counter32	0
icmpMsgStatsOutPkts.2.138	.1.3.6.1.2.1.5.30.1.4.2.138	Counter32	0
icmpMsgStatsOutPkts.2.139	.1.3.6.1.2.1.5.30.1.4.2.139	Counter32	0
icmpMsgStatsOutPkts.2.140	.1.3.6.1.2.1.5.30.1.4.2.140	Counter32	0
icmpMsgStatsOutPkts.2.143	.1.3.6.1.2.1.5.30.1.4.2.143	Counter32	0
icmpMsgStatsOutPkts.2.144	.1.3.6.1.2.1.5.30.1.4.2.144	Counter32	0
icmpMsgStatsOutPkts.2.145	.1.3.6.1.2.1.5.30.1.4.2.145	Counter32	0
icmpMsgStatsOutPkts.2.200	.1.3.6.1.2.1.5.30.1.4.2.200	Counter32	0
tcpRtoAlgorithm.0	.1.3.6.1.2.1.6.1.0	Integer	vanj (4)
tcpRtoMin.0	.1.3.6.1.2.1.6.2.0	Integer	1000
tcpRtoMax.0	.1.3.6.1.2.1.6.3.0	Integer	64000
tcpMaxConn.0	.1.3.6.1.2.1.6.4.0	Integer	-1
tcpActiveOpens.0	.1.3.6.1.2.1.6.5.0	Counter32	7005
tcpPassiveOpens.0	.1.3.6.1.2.1.6.6.0	Counter32	95
tcpAttemptFails.0	.1.3.6.1.2.1.6.7.0	Counter32	0
tcpEstabResets.0	.1.3.6.1.2.1.6.8.0	Counter32	25
tcpCurrEstab.0	.1.3.6.1.2.1.6.9.0	Gauge	2
tcpInSegs.0	.1.3.6.1.2.1.6.10.0	Counter32	131034
tcpOutSegs.0	.1.3.6.1.2.1.6.11.0	Counter32	260048
tcpRetransSegs.0	.1.3.6.1.2.1.6.12.0	Counter32	297
tcpConnS- tate.0.0.0.0.23.0.0.0.0. 0	.1.3.6.1.2.1.6.13.1.1.0.0.0.0.23 .0.0.0.0.0	Integer	listen (2)
tcpConnS- tate.0.0.0.0.80.0.0.0.0. 0	.1.3.6.1.2.1.6.13.1.1.0.0.0.0.80 .0.0.0.0.0	Integer	listen (2)
tcpConnS- tate.0.0.0.0.443.0.0.0.0 .0	.1.3.6.1.2.1.6.13.1.1.0.0.0.0.44 3.0.0.0.0.0	Integer	listen (2)
tcpConnS- tate.10.100.26.30.23.10. 100.65.183.23563	.1.3.6.1.2.1.6.13.1.1.10.100.26. 30.23.10.100.65.183.23563	Integer	established (5)
tcpConnS- tate.10.100.26.30.5916.2 0.33.5.82.17443	.1.3.6.1.2.1.6.13.1.1.10.100.26. 30.5916.20.33.5.82.17443	Integer	established (5)
tcpConnLocalAd- dress.0.0.0.0.23.0 .0.0.0.0	.1.3.6.1.2.1.6.13.1.2.0.0.0.0.23 .0.0.0.0.0	IpAddress	0.0.0.0
tcpConnLocalAd- dress.0.0.0.0.80.0 .0.0.0.0	.1.3.6.1.2.1.6.13.1.2.0.0.0.0.80 .0.0.0.0.0	IpAddress	0.0.0.0
tcpConnLocalAd- dress.0.0.0.0.443. 0.0.0.0.0	.1.3.6.1.2.1.6.13.1.2.0.0.0.0.44 3.0.0.0.0.0	IpAddress	0.0.0.0
tcpConnLocalAd- dress.10.100.26.30 .23.10.100.65.183.23563	.1.3.6.1.2.1.6.13.1.2.10.100.26. 30.23.10.100.65.183.23563	IpAddress	10.100.26.30

Name	OID	Value Type	Value Example
ipv6TcpConnS- tate.0.0.0.0.0.0.0 .0.0.0.0.0.0.0.80.0.0.0.0.0.0 0.0.0.0.0.0.0.0.0.0.0	.1.3.6.1.2.1.6.16.1.6.0.0.0.0.0. 0.0.0.0.0.0.0.0.0.0.0.80.0.0.0.0 .0.0.0.0.0.0.0.0.0.0.0.0.0.0.0	Integer	listen (2)
ipv6TcpConnS- tate.0.0.0.0.0.0.0 .0.0.0.0.0.0.0.443.0.0.0.0.0.0 .0.0.0.0.0.0.0.0.0.0.0	.1.3.6.1.2.1.6.16.1.6.0.0.0.0.0. 0.0.0.0.0.0.0.0.0.0.0.443.0.0.0. 0.0.0.0.0.0.0.0.0.0.0.0.0.0.0	Integer	listen (2)
tcpConnectionS- tate.1.4.10.100.26 .30.23.1.4.10.100.65.183.23563	.1.3.6.1.2.1.6.19.1.7.1.4.10.100 .26.30.23.1.4.10.100.65.183.2356 3	Integer	established (5)
tcpConnectionS- tate.1.4.10.100.26 .30.5916.1.4.20.33.5.82.17443	.1.3.6.1.2.1.6.19.1.7.1.4.10.100 .26.30.5916.1.4.20.33.5.82.17443	Integer	established (5)
tcpConnectionPro- cess.1.4.10.100. 26.30.23.1.4.10.100.65.183.23563	.1.3.6.1.2.1.6.19.1.8.1.4.10.100 .26.30.23.1.4.10.100.65.183.2356 3	Gauge	252
tcpConnectionPro- cess.1.4.10.100. 26.30.5916.1.4.20.33.5.82.17443	.1.3.6.1.2.1.6.19.1.8.1.4.10.100 .26.30.5916.1.4.20.33.5.82.17443	Gauge	241
tcpListenerPro- cess.1.4.0.0.0.0.2 3	.1.3.6.1.2.1.6.20.1.4.1.4.0.0.0. 0.23	Gauge	252
tcpListenerPro- cess.1.4.0.0.0.0.8 0	.1.3.6.1.2.1.6.20.1.4.1.4.0.0.0. 0.80	Gauge	245
tcpListenerPro- cess.1.4.0.0.0.0.4 43	.1.3.6.1.2.1.6.20.1.4.1.4.0.0.0. 0.443	Gauge	245
tcpListenerPro- cess.2.16.0.0.0.0. 0.0.0.0.0.0.0.0.0.0.0.23	.1.3.6.1.2.1.6.20.1.4.2.16.0.0.0 .0.0.0.0.0.0.0.0.0.0.0.0.0.23	Gauge	252
tcpListenerPro- cess.2.16.0.0.0.0. 0.0.0.0.0.0.0.0.0.0.0.80	.1.3.6.1.2.1.6.20.1.4.2.16.0.0.0 .0.0.0.0.0.0.0.0.0.0.0.0.0.80	Gauge	245
tcpListenerPro- cess.2.16.0.0.0.0. 0.0.0.0.0.0.0.0.0.0.0.443	.1.3.6.1.2.1.6.20.1.4.2.16.0.0.0 .0.0.0.0.0.0.0.0.0.0.0.0.0.443	Gauge	245
udpInDatagrams.0	.1.3.6.1.2.1.7.1.0	Counter32	2708
udpNoPorts.0	.1.3.6.1.2.1.7.2.0	Counter32	1079
udpInErrors.0	.1.3.6.1.2.1.7.3.0	Counter32	0
udpOutDatagrams.0	.1.3.6.1.2.1.7.4.0	Counter32	15585
udpLocalAddress.0.0.0.0.161	.1.3.6.1.2.1.7.5.1.1.0.0.0.0.161	IpAddress	0.0.0.0
udpLocalPort.0.0.0.0.161	.1.3.6.1.2.1.7.5.1.2.0.0.0.0.161	Integer	161
ipv6UdpIn- dex.0.0.0.0.0.0.0 .0.0.0.0.0.0.0.161.0	.1.3.6.1.2.1.7.6.1.3.0.0.0.0.0.0 .0.0.0.0.0.0.0.0.0.0.0.161.0	Integer	0
udpEndpointPro- cess.1.4.0.0.0.0.1 61.1.4.0.0.0.0.0.5249747	.1.3.6.1.2.1.7.7.1.8.1.4.0.0.0.0 .161.1.4.0.0.0.0.0.5249747	Gauge	640
udpEndpointPro- cess.2.16.0.0.0.0. 0.0.0.0.0.0.0.0.0.0.0.161.2.16	.1.3.6.1.2.1.7.7.1.8.2.16.0.0.0. 0.0.0.0.0.0.0.0.0.0.0.0.161.2. 16	Gauge	640

Name	OID	Value Type	Value Example
dot3StatsAlignmentErrors.14	.1.3.6.1.2.1.10.7.2.1.2.14	Counter32	0
dot3StatsAlignmentErrors.15	.1.3.6.1.2.1.10.7.2.1.2.15	Counter32	0
dot3StatsAlignmentErrors.16	.1.3.6.1.2.1.10.7.2.1.2.16	Counter32	0
dot3StatsAlignmentErrors.17	.1.3.6.1.2.1.10.7.2.1.2.17	Counter32	0
dot3StatsAlignmentErrors.18	.1.3.6.1.2.1.10.7.2.1.2.18	Counter32	0
dot3StatsAlignmentErrors.19	.1.3.6.1.2.1.10.7.2.1.2.19	Counter32	0
dot3StatsAlignmentErrors.20	.1.3.6.1.2.1.10.7.2.1.2.20	Counter32	0
dot3StatsAlignmentErrors.21	.1.3.6.1.2.1.10.7.2.1.2.21	Counter32	0
dot3StatsAlignmentErrors.22	.1.3.6.1.2.1.10.7.2.1.2.22	Counter32	0
dot3StatsAlignmentErrors.23	.1.3.6.1.2.1.10.7.2.1.2.23	Counter32	0
dot3StatsAlignmentErrors.24	.1.3.6.1.2.1.10.7.2.1.2.24	Counter32	0
dot3StatsAlignmentErrors.25	.1.3.6.1.2.1.10.7.2.1.2.25	Counter32	0
dot3StatsAlignmentErrors.26	.1.3.6.1.2.1.10.7.2.1.2.26	Counter32	0
dot3StatsAlignmentErrors.27	.1.3.6.1.2.1.10.7.2.1.2.27	Counter32	0
dot3StatsAlignmentErrors.28	.1.3.6.1.2.1.10.7.2.1.2.28	Counter32	0
dot3StatsFCSErrors.1	.1.3.6.1.2.1.10.7.2.1.3.1	Counter32	0
dot3StatsFCSErrors.2	.1.3.6.1.2.1.10.7.2.1.3.2	Counter32	0
dot3StatsFCSErrors.3	.1.3.6.1.2.1.10.7.2.1.3.3	Counter32	0
dot3StatsFCSErrors.4	.1.3.6.1.2.1.10.7.2.1.3.4	Counter32	0
dot3StatsFCSErrors.5	.1.3.6.1.2.1.10.7.2.1.3.5	Counter32	0
dot3StatsFCSErrors.6	.1.3.6.1.2.1.10.7.2.1.3.6	Counter32	0
dot3StatsFCSErrors.7	.1.3.6.1.2.1.10.7.2.1.3.7	Counter32	0
dot3StatsFCSErrors.8	.1.3.6.1.2.1.10.7.2.1.3.8	Counter32	0
dot3StatsFCSErrors.9	.1.3.6.1.2.1.10.7.2.1.3.9	Counter32	0
dot3StatsFCSErrors.10	.1.3.6.1.2.1.10.7.2.1.3.10	Counter32	0
dot3StatsFCSErrors.11	.1.3.6.1.2.1.10.7.2.1.3.11	Counter32	0
dot3StatsFCSErrors.12	.1.3.6.1.2.1.10.7.2.1.3.12	Counter32	0
dot3StatsFCSErrors.13	.1.3.6.1.2.1.10.7.2.1.3.13	Counter32	0
dot3StatsFCSErrors.14	.1.3.6.1.2.1.10.7.2.1.3.14	Counter32	0
dot3StatsFCSErrors.15	.1.3.6.1.2.1.10.7.2.1.3.15	Counter32	0
dot3StatsFCSErrors.16	.1.3.6.1.2.1.10.7.2.1.3.16	Counter32	0
dot3StatsFCSErrors.17	.1.3.6.1.2.1.10.7.2.1.3.17	Counter32	0
dot3StatsFCSErrors.18	.1.3.6.1.2.1.10.7.2.1.3.18	Counter32	0
dot3StatsFCSErrors.19	.1.3.6.1.2.1.10.7.2.1.3.19	Counter32	0
dot3StatsFCSErrors.20	.1.3.6.1.2.1.10.7.2.1.3.20	Counter32	0
dot3StatsFCSErrors.21	.1.3.6.1.2.1.10.7.2.1.3.21	Counter32	0
dot3StatsFCSErrors.22	.1.3.6.1.2.1.10.7.2.1.3.22	Counter32	0
dot3StatsFCSErrors.23	.1.3.6.1.2.1.10.7.2.1.3.23	Counter32	0
dot3StatsFCSErrors.24	.1.3.6.1.2.1.10.7.2.1.3.24	Counter32	0
dot3StatsFCSErrors.25	.1.3.6.1.2.1.10.7.2.1.3.25	Counter32	0
dot3StatsFCSErrors.26	.1.3.6.1.2.1.10.7.2.1.3.26	Counter32	0
dot3StatsFCSErrors.27	.1.3.6.1.2.1.10.7.2.1.3.27	Counter32	0
dot3StatsFCSErrors.28	.1.3.6.1.2.1.10.7.2.1.3.28	Counter32	0

Name	OID	Value Type	Value Example
dot3StatsSingleCollisionFrames.1	.1.3.6.1.2.1.10.7.2.1.4.1	Counter32	0
dot3StatsSingleCollisionFrames.2	.1.3.6.1.2.1.10.7.2.1.4.2	Counter32	0
dot3StatsSingleCollisionFrames.3	.1.3.6.1.2.1.10.7.2.1.4.3	Counter32	0
dot3StatsSingleCollisionFrames.4	.1.3.6.1.2.1.10.7.2.1.4.4	Counter32	0
dot3StatsSingleCollisionFrames.5	.1.3.6.1.2.1.10.7.2.1.4.5	Counter32	0
dot3StatsSingleCollisionFrames.6	.1.3.6.1.2.1.10.7.2.1.4.6	Counter32	0
dot3StatsSingleCollisionFrames.7	.1.3.6.1.2.1.10.7.2.1.4.7	Counter32	0
dot3StatsSingleCollisionFrames.8	.1.3.6.1.2.1.10.7.2.1.4.8	Counter32	0
dot3StatsSingleCollisionFrames.9	.1.3.6.1.2.1.10.7.2.1.4.9	Counter32	0
dot3StatsSingleCollisionFrames.10	.1.3.6.1.2.1.10.7.2.1.4.10	Counter32	0
dot3StatsSingleCollisionFrames.11	.1.3.6.1.2.1.10.7.2.1.4.11	Counter32	0
dot3StatsSingleCollisionFrames.12	.1.3.6.1.2.1.10.7.2.1.4.12	Counter32	0
dot3StatsSingleCollisionFrames.13	.1.3.6.1.2.1.10.7.2.1.4.13	Counter32	0
dot3StatsSingleCollisionFrames.14	.1.3.6.1.2.1.10.7.2.1.4.14	Counter32	0
dot3StatsSingleCollisionFrames.15	.1.3.6.1.2.1.10.7.2.1.4.15	Counter32	0
dot3StatsSingleCollisionFrames.16	.1.3.6.1.2.1.10.7.2.1.4.16	Counter32	0
dot3StatsSingleCollisionFrames.17	.1.3.6.1.2.1.10.7.2.1.4.17	Counter32	0
dot3StatsSingleCollisionFrames.18	.1.3.6.1.2.1.10.7.2.1.4.18	Counter32	0
dot3StatsSingleCollisionFrames.19	.1.3.6.1.2.1.10.7.2.1.4.19	Counter32	0
dot3StatsSingleCollisionFrames.20	.1.3.6.1.2.1.10.7.2.1.4.20	Counter32	0

Name	OID	Value Type	Value Example
dot3StatsSingleCollisionFrames.2.1	.1.3.6.1.2.1.10.7.2.1.4.21	Counter32	0
dot3StatsSingleCollisionFrames.2.2	.1.3.6.1.2.1.10.7.2.1.4.22	Counter32	0
dot3StatsSingleCollisionFrames.2.3	.1.3.6.1.2.1.10.7.2.1.4.23	Counter32	0
dot3StatsSingleCollisionFrames.2.4	.1.3.6.1.2.1.10.7.2.1.4.24	Counter32	0
dot3StatsSingleCollisionFrames.2.5	.1.3.6.1.2.1.10.7.2.1.4.25	Counter32	0
dot3StatsSingleCollisionFrames.2.6	.1.3.6.1.2.1.10.7.2.1.4.26	Counter32	0
dot3StatsSingleCollisionFrames.2.7	.1.3.6.1.2.1.10.7.2.1.4.27	Counter32	0
dot3StatsSingleCollisionFrames.2.8	.1.3.6.1.2.1.10.7.2.1.4.28	Counter32	0
dot3StatsMultipleCollisionFrames.1	.1.3.6.1.2.1.10.7.2.1.5.1	Counter32	0
dot3StatsMultipleCollisionFrames.2	.1.3.6.1.2.1.10.7.2.1.5.2	Counter32	0
dot3StatsMultipleCollisionFrames.3	.1.3.6.1.2.1.10.7.2.1.5.3	Counter32	0
dot3StatsMultipleCollisionFrames.4	.1.3.6.1.2.1.10.7.2.1.5.4	Counter32	0
dot3StatsMultipleCollisionFrames.5	.1.3.6.1.2.1.10.7.2.1.5.5	Counter32	0
dot3StatsMultipleCollisionFrames.6	.1.3.6.1.2.1.10.7.2.1.5.6	Counter32	0
dot3StatsMultipleCollisionFrames.7	.1.3.6.1.2.1.10.7.2.1.5.7	Counter32	0
dot3StatsMultipleCollisionFrames.8	.1.3.6.1.2.1.10.7.2.1.5.8	Counter32	0
dot3StatsMultipleCollisionFrames.9	.1.3.6.1.2.1.10.7.2.1.5.9	Counter32	0
dot3StatsMultipleCollisionFrames.10	.1.3.6.1.2.1.10.7.2.1.5.10	Counter32	0

Name	OID	Value Type	Value Example
dot3StatsMultipleCollisionFrames.11	.1.3.6.1.2.1.10.7.2.1.5.11	Counter32	0
dot3StatsMultipleCollisionFrames.12	.1.3.6.1.2.1.10.7.2.1.5.12	Counter32	0
dot3StatsMultipleCollisionFrames.13	.1.3.6.1.2.1.10.7.2.1.5.13	Counter32	0
dot3StatsMultipleCollisionFrames.14	.1.3.6.1.2.1.10.7.2.1.5.14	Counter32	0
dot3StatsMultipleCollisionFrames.15	.1.3.6.1.2.1.10.7.2.1.5.15	Counter32	0
dot3StatsMultipleCollisionFrames.16	.1.3.6.1.2.1.10.7.2.1.5.16	Counter32	0
dot3StatsMultipleCollisionFrames.17	.1.3.6.1.2.1.10.7.2.1.5.17	Counter32	0
dot3StatsMultipleCollisionFrames.18	.1.3.6.1.2.1.10.7.2.1.5.18	Counter32	0
dot3StatsMultipleCollisionFrames.19	.1.3.6.1.2.1.10.7.2.1.5.19	Counter32	0
dot3StatsMultipleCollisionFrames.20	.1.3.6.1.2.1.10.7.2.1.5.20	Counter32	0
dot3StatsMultipleCollisionFrames.21	.1.3.6.1.2.1.10.7.2.1.5.21	Counter32	0
dot3StatsMultipleCollisionFrames.22	.1.3.6.1.2.1.10.7.2.1.5.22	Counter32	0
dot3StatsMultipleCollisionFrames.23	.1.3.6.1.2.1.10.7.2.1.5.23	Counter32	0
dot3StatsMultipleCollisionFrames.24	.1.3.6.1.2.1.10.7.2.1.5.24	Counter32	0
dot3StatsMultipleCollisionFrames.25	.1.3.6.1.2.1.10.7.2.1.5.25	Counter32	0
dot3StatsMultipleCollisionFrames.26	.1.3.6.1.2.1.10.7.2.1.5.26	Counter32	0
dot3StatsMultipleCollisionFrames.27	.1.3.6.1.2.1.10.7.2.1.5.27	Counter32	0
dot3StatsMultipleCollisionFrames.28	.1.3.6.1.2.1.10.7.2.1.5.28	Counter32	0

Name	OID	Value Type	Value Example
dot3StatsSQETestErrors.1	.1.3.6.1.2.1.10.7.2.1.6.1	Counter32	0
dot3StatsSQETestErrors.2	.1.3.6.1.2.1.10.7.2.1.6.2	Counter32	0
dot3StatsSQETestErrors.3	.1.3.6.1.2.1.10.7.2.1.6.3	Counter32	0
dot3StatsSQETestErrors.4	.1.3.6.1.2.1.10.7.2.1.6.4	Counter32	0
dot3StatsSQETestErrors.5	.1.3.6.1.2.1.10.7.2.1.6.5	Counter32	0
dot3StatsSQETestErrors.6	.1.3.6.1.2.1.10.7.2.1.6.6	Counter32	0
dot3StatsSQETestErrors.7	.1.3.6.1.2.1.10.7.2.1.6.7	Counter32	0
dot3StatsSQETestErrors.8	.1.3.6.1.2.1.10.7.2.1.6.8	Counter32	0
dot3StatsSQETestErrors.9	.1.3.6.1.2.1.10.7.2.1.6.9	Counter32	0
dot3StatsSQETestErrors.10	.1.3.6.1.2.1.10.7.2.1.6.10	Counter32	0
dot3StatsSQETestErrors.11	.1.3.6.1.2.1.10.7.2.1.6.11	Counter32	0
dot3StatsSQETestErrors.12	.1.3.6.1.2.1.10.7.2.1.6.12	Counter32	0
dot3StatsSQETestErrors.13	.1.3.6.1.2.1.10.7.2.1.6.13	Counter32	0
dot3StatsSQETestErrors.14	.1.3.6.1.2.1.10.7.2.1.6.14	Counter32	0
dot3StatsSQETestErrors.15	.1.3.6.1.2.1.10.7.2.1.6.15	Counter32	0
dot3StatsSQETestErrors.16	.1.3.6.1.2.1.10.7.2.1.6.16	Counter32	0
dot3StatsSQETestErrors.17	.1.3.6.1.2.1.10.7.2.1.6.17	Counter32	0
dot3StatsSQETestErrors.18	.1.3.6.1.2.1.10.7.2.1.6.18	Counter32	0
dot3StatsSQETestErrors.19	.1.3.6.1.2.1.10.7.2.1.6.19	Counter32	0
dot3StatsSQETestErrors.20	.1.3.6.1.2.1.10.7.2.1.6.20	Counter32	0
dot3StatsSQETestErrors.21	.1.3.6.1.2.1.10.7.2.1.6.21	Counter32	0
dot3StatsSQETestErrors.22	.1.3.6.1.2.1.10.7.2.1.6.22	Counter32	0
dot3StatsSQETestErrors.23	.1.3.6.1.2.1.10.7.2.1.6.23	Counter32	0
dot3StatsSQETestErrors.24	.1.3.6.1.2.1.10.7.2.1.6.24	Counter32	0
dot3StatsSQETestErrors.25	.1.3.6.1.2.1.10.7.2.1.6.25	Counter32	0
dot3StatsSQETestErrors.26	.1.3.6.1.2.1.10.7.2.1.6.26	Counter32	0
dot3StatsSQETestErrors.27	.1.3.6.1.2.1.10.7.2.1.6.27	Counter32	0
dot3StatsSQETestErrors.28	.1.3.6.1.2.1.10.7.2.1.6.28	Counter32	0
dot3StatsDeferredTransmissions.1	.1.3.6.1.2.1.10.7.2.1.7.1	Counter32	0
dot3StatsDeferredTransmissions.2	.1.3.6.1.2.1.10.7.2.1.7.2	Counter32	0
dot3StatsDeferredTransmissions.3	.1.3.6.1.2.1.10.7.2.1.7.3	Counter32	0
dot3StatsDeferredTransmissions.4	.1.3.6.1.2.1.10.7.2.1.7.4	Counter32	0
dot3StatsDeferredTransmissions.5	.1.3.6.1.2.1.10.7.2.1.7.5	Counter32	0
dot3StatsDeferredTransmissions.6	.1.3.6.1.2.1.10.7.2.1.7.6	Counter32	0
dot3StatsDeferredTransmissions.7	.1.3.6.1.2.1.10.7.2.1.7.7	Counter32	0
dot3StatsDeferredTransmissions.8	.1.3.6.1.2.1.10.7.2.1.7.8	Counter32	0
dot3StatsDeferredTransmissions.9	.1.3.6.1.2.1.10.7.2.1.7.9	Counter32	0

Name	OID	Value Type	Value Example
dot3StatsDeferredTransmissions.1 0	.1.3.6.1.2.1.10.7.2.1.7.10	Counter32	0
dot3StatsDeferredTransmissions.1 1	.1.3.6.1.2.1.10.7.2.1.7.11	Counter32	0
dot3StatsDeferredTransmissions.1 2	.1.3.6.1.2.1.10.7.2.1.7.12	Counter32	0
dot3StatsDeferredTransmissions.1 3	.1.3.6.1.2.1.10.7.2.1.7.13	Counter32	0
dot3StatsDeferredTransmissions.1 4	.1.3.6.1.2.1.10.7.2.1.7.14	Counter32	0
dot3StatsDeferredTransmissions.1 5	.1.3.6.1.2.1.10.7.2.1.7.15	Counter32	0
dot3StatsDeferredTransmissions.1 6	.1.3.6.1.2.1.10.7.2.1.7.16	Counter32	0
dot3StatsDeferredTransmissions.1 7	.1.3.6.1.2.1.10.7.2.1.7.17	Counter32	0
dot3StatsDeferredTransmissions.1 8	.1.3.6.1.2.1.10.7.2.1.7.18	Counter32	0
dot3StatsDeferredTransmissions.1 9	.1.3.6.1.2.1.10.7.2.1.7.19	Counter32	0
dot3StatsDeferredTransmissions.2 0	.1.3.6.1.2.1.10.7.2.1.7.20	Counter32	0
dot3StatsDeferredTransmissions.2 1	.1.3.6.1.2.1.10.7.2.1.7.21	Counter32	0
dot3StatsDeferredTransmissions.2 2	.1.3.6.1.2.1.10.7.2.1.7.22	Counter32	0
dot3StatsDeferredTransmissions.2 3	.1.3.6.1.2.1.10.7.2.1.7.23	Counter32	0
dot3StatsDeferredTransmissions.2 4	.1.3.6.1.2.1.10.7.2.1.7.24	Counter32	0
dot3StatsDeferredTransmissions.2 5	.1.3.6.1.2.1.10.7.2.1.7.25	Counter32	0
dot3StatsDeferredTransmissions.2 6	.1.3.6.1.2.1.10.7.2.1.7.26	Counter32	0
dot3StatsDeferredTransmissions.2 7	.1.3.6.1.2.1.10.7.2.1.7.27	Counter32	0

Name	OID	Value Type	Value Example
dot3StatsDeferredTransmissions.28	.1.3.6.1.2.1.10.7.2.1.7.28	Counter32	0
dot3StatsLateCollisions.1	.1.3.6.1.2.1.10.7.2.1.8.1	Counter32	0
dot3StatsLateCollisions.2	.1.3.6.1.2.1.10.7.2.1.8.2	Counter32	0
dot3StatsLateCollisions.3	.1.3.6.1.2.1.10.7.2.1.8.3	Counter32	0
dot3StatsLateCollisions.4	.1.3.6.1.2.1.10.7.2.1.8.4	Counter32	0
dot3StatsLateCollisions.5	.1.3.6.1.2.1.10.7.2.1.8.5	Counter32	0
dot3StatsLateCollisions.6	.1.3.6.1.2.1.10.7.2.1.8.6	Counter32	0
dot3StatsLateCollisions.7	.1.3.6.1.2.1.10.7.2.1.8.7	Counter32	0
dot3StatsLateCollisions.8	.1.3.6.1.2.1.10.7.2.1.8.8	Counter32	0
dot3StatsLateCollisions.9	.1.3.6.1.2.1.10.7.2.1.8.9	Counter32	0
dot3StatsLateCollisions.10	.1.3.6.1.2.1.10.7.2.1.8.10	Counter32	0
dot3StatsLateCollisions.11	.1.3.6.1.2.1.10.7.2.1.8.11	Counter32	0
dot3StatsLateCollisions.12	.1.3.6.1.2.1.10.7.2.1.8.12	Counter32	0
dot3StatsLateCollisions.13	.1.3.6.1.2.1.10.7.2.1.8.13	Counter32	0
dot3StatsLateCollisions.14	.1.3.6.1.2.1.10.7.2.1.8.14	Counter32	0
dot3StatsLateCollisions.15	.1.3.6.1.2.1.10.7.2.1.8.15	Counter32	0
dot3StatsLateCollisions.16	.1.3.6.1.2.1.10.7.2.1.8.16	Counter32	0
dot3StatsLateCollisions.17	.1.3.6.1.2.1.10.7.2.1.8.17	Counter32	0
dot3StatsLateCollisions.18	.1.3.6.1.2.1.10.7.2.1.8.18	Counter32	0
dot3StatsLateCollisions.19	.1.3.6.1.2.1.10.7.2.1.8.19	Counter32	0
dot3StatsLateCollisions.20	.1.3.6.1.2.1.10.7.2.1.8.20	Counter32	0
dot3StatsLateCollisions.21	.1.3.6.1.2.1.10.7.2.1.8.21	Counter32	0
dot3StatsLateCollisions.22	.1.3.6.1.2.1.10.7.2.1.8.22	Counter32	0
dot3StatsLateCollisions.23	.1.3.6.1.2.1.10.7.2.1.8.23	Counter32	0
dot3StatsLateCollisions.24	.1.3.6.1.2.1.10.7.2.1.8.24	Counter32	0
dot3StatsLateCollisions.25	.1.3.6.1.2.1.10.7.2.1.8.25	Counter32	0
dot3StatsLateCollisions.26	.1.3.6.1.2.1.10.7.2.1.8.26	Counter32	0
dot3StatsLateCollisions.27	.1.3.6.1.2.1.10.7.2.1.8.27	Counter32	0
dot3StatsLateCollisions.28	.1.3.6.1.2.1.10.7.2.1.8.28	Counter32	0
dot3StatsExcessiveCollisions.1	.1.3.6.1.2.1.10.7.2.1.9.1	Counter32	0
dot3StatsExcessiveCollisions.2	.1.3.6.1.2.1.10.7.2.1.9.2	Counter32	0
dot3StatsExcessiveCollisions.3	.1.3.6.1.2.1.10.7.2.1.9.3	Counter32	0
dot3StatsExcessiveCollisions.4	.1.3.6.1.2.1.10.7.2.1.9.4	Counter32	0
dot3StatsExcessiveCollisions.5	.1.3.6.1.2.1.10.7.2.1.9.5	Counter32	0
dot3StatsExcessiveCollisions.6	.1.3.6.1.2.1.10.7.2.1.9.6	Counter32	0
dot3StatsExcessiveCollisions.7	.1.3.6.1.2.1.10.7.2.1.9.7	Counter32	0
dot3StatsExcessiveCollisions.8	.1.3.6.1.2.1.10.7.2.1.9.8	Counter32	0
dot3StatsExcessiveCollisions.9	.1.3.6.1.2.1.10.7.2.1.9.9	Counter32	0
dot3StatsExcessiveCollisions.10	.1.3.6.1.2.1.10.7.2.1.9.10	Counter32	0
dot3StatsExcessiveCollisions.11	.1.3.6.1.2.1.10.7.2.1.9.11	Counter32	0

Name	OID	Value Type	Value Example
dot3StatsExcessiveCollisions.12	.1.3.6.1.2.1.10.7.2.1.9.12	Counter32	0
dot3StatsExcessiveCollisions.13	.1.3.6.1.2.1.10.7.2.1.9.13	Counter32	0
dot3StatsExcessiveCollisions.14	.1.3.6.1.2.1.10.7.2.1.9.14	Counter32	0
dot3StatsExcessiveCollisions.15	.1.3.6.1.2.1.10.7.2.1.9.15	Counter32	0
dot3StatsExcessiveCollisions.16	.1.3.6.1.2.1.10.7.2.1.9.16	Counter32	0
dot3StatsExcessiveCollisions.17	.1.3.6.1.2.1.10.7.2.1.9.17	Counter32	0
dot3StatsExcessiveCollisions.18	.1.3.6.1.2.1.10.7.2.1.9.18	Counter32	0
dot3StatsExcessiveCollisions.19	.1.3.6.1.2.1.10.7.2.1.9.19	Counter32	0
dot3StatsExcessiveCollisions.20	.1.3.6.1.2.1.10.7.2.1.9.20	Counter32	0
dot3StatsExcessiveCollisions.21	.1.3.6.1.2.1.10.7.2.1.9.21	Counter32	0
dot3StatsExcessiveCollisions.22	.1.3.6.1.2.1.10.7.2.1.9.22	Counter32	0
dot3StatsExcessiveCollisions.23	.1.3.6.1.2.1.10.7.2.1.9.23	Counter32	0
dot3StatsExcessiveCollisions.24	.1.3.6.1.2.1.10.7.2.1.9.24	Counter32	0
dot3StatsExcessiveCollisions.25	.1.3.6.1.2.1.10.7.2.1.9.25	Counter32	0
dot3StatsExcessiveCollisions.26	.1.3.6.1.2.1.10.7.2.1.9.26	Counter32	0
dot3StatsExcessiveCollisions.27	.1.3.6.1.2.1.10.7.2.1.9.27	Counter32	0
dot3StatsExcessiveCollisions.28	.1.3.6.1.2.1.10.7.2.1.9.28	Counter32	0
dot3StatsInternalMacTransmitsErrors.1	.1.3.6.1.2.1.10.7.2.1.10.1	Counter32	0
dot3StatsInternalMacTransmitsErrors.2	.1.3.6.1.2.1.10.7.2.1.10.2	Counter32	0
dot3StatsInternalMacTransmitsErrors.3	.1.3.6.1.2.1.10.7.2.1.10.3	Counter32	0
dot3StatsInternalMacTransmitsErrors.4	.1.3.6.1.2.1.10.7.2.1.10.4	Counter32	0
dot3StatsInternalMacTransmitsErrors.5	.1.3.6.1.2.1.10.7.2.1.10.5	Counter32	0
dot3StatsInternalMacTransmitsErrors.6	.1.3.6.1.2.1.10.7.2.1.10.6	Counter32	0

Name	OID	Value Type	Value Example
dot3StatsInternalMacTransmits.7	.1.3.6.1.2.1.10.7.2.1.10.7	Counter32	0
dot3StatsInternalMacTransmits.8	.1.3.6.1.2.1.10.7.2.1.10.8	Counter32	0
dot3StatsInternalMacTransmits.9	.1.3.6.1.2.1.10.7.2.1.10.9	Counter32	0
dot3StatsInternalMacTransmits.10	.1.3.6.1.2.1.10.7.2.1.10.10	Counter32	0
dot3StatsInternalMacTransmits.11	.1.3.6.1.2.1.10.7.2.1.10.11	Counter32	0
dot3StatsInternalMacTransmits.12	.1.3.6.1.2.1.10.7.2.1.10.12	Counter32	0
dot3StatsInternalMacTransmits.13	.1.3.6.1.2.1.10.7.2.1.10.13	Counter32	0
dot3StatsInternalMacTransmits.14	.1.3.6.1.2.1.10.7.2.1.10.14	Counter32	0
dot3StatsInternalMacTransmits.15	.1.3.6.1.2.1.10.7.2.1.10.15	Counter32	0
dot3StatsInternalMacTransmits.16	.1.3.6.1.2.1.10.7.2.1.10.16	Counter32	0
dot3StatsInternalMacTransmits.17	.1.3.6.1.2.1.10.7.2.1.10.17	Counter32	0
dot3StatsInternalMacTransmits.18	.1.3.6.1.2.1.10.7.2.1.10.18	Counter32	0
dot3StatsInternalMacTransmits.19	.1.3.6.1.2.1.10.7.2.1.10.19	Counter32	0
dot3StatsInternalMacTransmits.20	.1.3.6.1.2.1.10.7.2.1.10.20	Counter32	0
dot3StatsInternalMacTransmits.21	.1.3.6.1.2.1.10.7.2.1.10.21	Counter32	0
dot3StatsInternalMacTransmits.22	.1.3.6.1.2.1.10.7.2.1.10.22	Counter32	0
dot3StatsInternalMacTransmits.23	.1.3.6.1.2.1.10.7.2.1.10.23	Counter32	0
dot3StatsInternalMacTransmits.24	.1.3.6.1.2.1.10.7.2.1.10.24	Counter32	0

Name	OID	Value Type	Value Example
dot3StatsInternalMacTransmits.25	.1.3.6.1.2.1.10.7.2.1.10.25	Counter32	0
dot3StatsInternalMacTransmits.26	.1.3.6.1.2.1.10.7.2.1.10.26	Counter32	0
dot3StatsInternalMacTransmits.27	.1.3.6.1.2.1.10.7.2.1.10.27	Counter32	0
dot3StatsInternalMacTransmits.28	.1.3.6.1.2.1.10.7.2.1.10.28	Counter32	0
dot3StatsCarrierSenseErrors.1	.1.3.6.1.2.1.10.7.2.1.11.1	Counter32	0
dot3StatsCarrierSenseErrors.2	.1.3.6.1.2.1.10.7.2.1.11.2	Counter32	0
dot3StatsCarrierSenseErrors.3	.1.3.6.1.2.1.10.7.2.1.11.3	Counter32	0
dot3StatsCarrierSenseErrors.4	.1.3.6.1.2.1.10.7.2.1.11.4	Counter32	0
dot3StatsCarrierSenseErrors.5	.1.3.6.1.2.1.10.7.2.1.11.5	Counter32	0
dot3StatsCarrierSenseErrors.6	.1.3.6.1.2.1.10.7.2.1.11.6	Counter32	0
dot3StatsCarrierSenseErrors.7	.1.3.6.1.2.1.10.7.2.1.11.7	Counter32	0
dot3StatsCarrierSenseErrors.8	.1.3.6.1.2.1.10.7.2.1.11.8	Counter32	0
dot3StatsCarrierSenseErrors.9	.1.3.6.1.2.1.10.7.2.1.11.9	Counter32	0
dot3StatsCarrierSenseErrors.10	.1.3.6.1.2.1.10.7.2.1.11.10	Counter32	0
dot3StatsCarrierSenseErrors.11	.1.3.6.1.2.1.10.7.2.1.11.11	Counter32	0
dot3StatsCarrierSenseErrors.12	.1.3.6.1.2.1.10.7.2.1.11.12	Counter32	0
dot3StatsCarrierSenseErrors.13	.1.3.6.1.2.1.10.7.2.1.11.13	Counter32	0
dot3StatsCarrierSenseErrors.14	.1.3.6.1.2.1.10.7.2.1.11.14	Counter32	0
dot3StatsCarrierSenseErrors.15	.1.3.6.1.2.1.10.7.2.1.11.15	Counter32	0
dot3StatsCarrierSenseErrors.16	.1.3.6.1.2.1.10.7.2.1.11.16	Counter32	0
dot3StatsCarrierSenseErrors.17	.1.3.6.1.2.1.10.7.2.1.11.17	Counter32	0
dot3StatsCarrierSenseErrors.18	.1.3.6.1.2.1.10.7.2.1.11.18	Counter32	0
dot3StatsCarrierSenseErrors.19	.1.3.6.1.2.1.10.7.2.1.11.19	Counter32	0
dot3StatsCarrierSenseErrors.20	.1.3.6.1.2.1.10.7.2.1.11.20	Counter32	0
dot3StatsCarrierSenseErrors.21	.1.3.6.1.2.1.10.7.2.1.11.21	Counter32	0
dot3StatsCarrierSenseErrors.22	.1.3.6.1.2.1.10.7.2.1.11.22	Counter32	0
dot3StatsCarrierSenseErrors.23	.1.3.6.1.2.1.10.7.2.1.11.23	Counter32	0

Name	OID	Value Type	Value Example
dot3StatsCarrierSenseErrors.24	.1.3.6.1.2.1.10.7.2.1.11.24	Counter32	0
dot3StatsCarrierSenseErrors.25	.1.3.6.1.2.1.10.7.2.1.11.25	Counter32	0
dot3StatsCarrierSenseErrors.26	.1.3.6.1.2.1.10.7.2.1.11.26	Counter32	0
dot3StatsCarrierSenseErrors.27	.1.3.6.1.2.1.10.7.2.1.11.27	Counter32	0
dot3StatsCarrierSenseErrors.28	.1.3.6.1.2.1.10.7.2.1.11.28	Counter32	0
dot3StatsFrameTooLong.1	.1.3.6.1.2.1.10.7.2.1.13.1	Counter32	0
dot3StatsFrameTooLong.2	.1.3.6.1.2.1.10.7.2.1.13.2	Counter32	0
dot3StatsFrameTooLong.3	.1.3.6.1.2.1.10.7.2.1.13.3	Counter32	0
dot3StatsFrameTooLong.4	.1.3.6.1.2.1.10.7.2.1.13.4	Counter32	0
dot3StatsFrameTooLong.5	.1.3.6.1.2.1.10.7.2.1.13.5	Counter32	0
dot3StatsFrameTooLong.6	.1.3.6.1.2.1.10.7.2.1.13.6	Counter32	0
dot3StatsFrameTooLong.7	.1.3.6.1.2.1.10.7.2.1.13.7	Counter32	0
dot3StatsFrameTooLong.8	.1.3.6.1.2.1.10.7.2.1.13.8	Counter32	0
dot3StatsFrameTooLong.9	.1.3.6.1.2.1.10.7.2.1.13.9	Counter32	0
dot3StatsFrameTooLong.10	.1.3.6.1.2.1.10.7.2.1.13.10	Counter32	0
dot3StatsFrameTooLong.11	.1.3.6.1.2.1.10.7.2.1.13.11	Counter32	0
dot3StatsFrameTooLong.12	.1.3.6.1.2.1.10.7.2.1.13.12	Counter32	0
dot3StatsFrameTooLong.13	.1.3.6.1.2.1.10.7.2.1.13.13	Counter32	0
dot3StatsFrameTooLong.14	.1.3.6.1.2.1.10.7.2.1.13.14	Counter32	0
dot3StatsFrameTooLong.15	.1.3.6.1.2.1.10.7.2.1.13.15	Counter32	0
dot3StatsFrameTooLong.16	.1.3.6.1.2.1.10.7.2.1.13.16	Counter32	0
dot3StatsFrameTooLong.17	.1.3.6.1.2.1.10.7.2.1.13.17	Counter32	0
dot3StatsFrameTooLong.18	.1.3.6.1.2.1.10.7.2.1.13.18	Counter32	0
dot3StatsFrameTooLong.19	.1.3.6.1.2.1.10.7.2.1.13.19	Counter32	0
dot3StatsFrameTooLong.20	.1.3.6.1.2.1.10.7.2.1.13.20	Counter32	0
dot3StatsFrameTooLong.21	.1.3.6.1.2.1.10.7.2.1.13.21	Counter32	0
dot3StatsFrameTooLong.22	.1.3.6.1.2.1.10.7.2.1.13.22	Counter32	0
dot3StatsFrameTooLong.23	.1.3.6.1.2.1.10.7.2.1.13.23	Counter32	0
dot3StatsFrameTooLong.24	.1.3.6.1.2.1.10.7.2.1.13.24	Counter32	0
dot3StatsFrameTooLong.25	.1.3.6.1.2.1.10.7.2.1.13.25	Counter32	0
dot3StatsFrameTooLong.26	.1.3.6.1.2.1.10.7.2.1.13.26	Counter32	0
dot3StatsFrameTooLong.27	.1.3.6.1.2.1.10.7.2.1.13.27	Counter32	0
dot3StatsFrameTooLong.28	.1.3.6.1.2.1.10.7.2.1.13.28	Counter32	0
dot3StatsInternalMacReceiveError s.1	.1.3.6.1.2.1.10.7.2.1.16.1	Counter32	0
dot3StatsInternalMacReceiveError s.2	.1.3.6.1.2.1.10.7.2.1.16.2	Counter32	0

Name	OID	Value Type	Value Example
dot3StatsInternalMacReceive-Error s.3	.1.3.6.1.2.1.10.7.2.1.16.3	Counter32	0
dot3StatsInternalMacReceive-Error s.4	.1.3.6.1.2.1.10.7.2.1.16.4	Counter32	0
dot3StatsInternalMacReceive-Error s.5	.1.3.6.1.2.1.10.7.2.1.16.5	Counter32	0
dot3StatsInternalMacReceive-Error s.6	.1.3.6.1.2.1.10.7.2.1.16.6	Counter32	0
dot3StatsInternalMacReceive-Error s.7	.1.3.6.1.2.1.10.7.2.1.16.7	Counter32	0
dot3StatsInternalMacReceive-Error s.8	.1.3.6.1.2.1.10.7.2.1.16.8	Counter32	0
dot3StatsInternalMacReceive-Error s.9	.1.3.6.1.2.1.10.7.2.1.16.9	Counter32	0
dot3StatsInternalMacReceive-Error s.10	.1.3.6.1.2.1.10.7.2.1.16.10	Counter32	0
dot3StatsInternalMacReceive-Error s.11	.1.3.6.1.2.1.10.7.2.1.16.11	Counter32	0
dot3StatsInternalMacReceive-Error s.12	.1.3.6.1.2.1.10.7.2.1.16.12	Counter32	0
dot3StatsInternalMacReceive-Error s.13	.1.3.6.1.2.1.10.7.2.1.16.13	Counter32	0
dot3StatsInternalMacReceive-Error s.14	.1.3.6.1.2.1.10.7.2.1.16.14	Counter32	0
dot3StatsInternalMacReceive-Error s.15	.1.3.6.1.2.1.10.7.2.1.16.15	Counter32	0
dot3StatsInternalMacReceive-Error s.16	.1.3.6.1.2.1.10.7.2.1.16.16	Counter32	0
dot3StatsInternalMacReceive-Error s.17	.1.3.6.1.2.1.10.7.2.1.16.17	Counter32	0
dot3StatsInternalMacReceive-Error s.18	.1.3.6.1.2.1.10.7.2.1.16.18	Counter32	0
dot3StatsInternalMacReceive-Error s.19	.1.3.6.1.2.1.10.7.2.1.16.19	Counter32	0
dot3StatsInternalMacReceive-Error s.20	.1.3.6.1.2.1.10.7.2.1.16.20	Counter32	0

Name	OID	Value Type	Value Example
dot3StatsInternalMacReceive-Error s.21	.1.3.6.1.2.1.10.7.2.1.16.21	Counter32	0
dot3StatsInternalMacReceive-Error s.22	.1.3.6.1.2.1.10.7.2.1.16.22	Counter32	0
dot3StatsInternalMacReceive-Error s.23	.1.3.6.1.2.1.10.7.2.1.16.23	Counter32	0
dot3StatsInternalMacReceive-Error s.24	.1.3.6.1.2.1.10.7.2.1.16.24	Counter32	0
dot3StatsInternalMacReceive-Error s.25	.1.3.6.1.2.1.10.7.2.1.16.25	Counter32	0
dot3StatsInternalMacReceive-Error s.26	.1.3.6.1.2.1.10.7.2.1.16.26	Counter32	0
dot3StatsInternalMacReceive-Error s.27	.1.3.6.1.2.1.10.7.2.1.16.27	Counter32	0
dot3StatsInternalMacReceive-Error s.28	.1.3.6.1.2.1.10.7.2.1.16.28	Counter32	0
.1.3.6.1.2.1.10.7.2.1.17.1	.1.3.6.1.2.1.10.7.2.1.17.1	OID	.0.0
.1.3.6.1.2.1.10.7.2.1.17.2	.1.3.6.1.2.1.10.7.2.1.17.2	OID	.0.0
.1.3.6.1.2.1.10.7.2.1.17.3	.1.3.6.1.2.1.10.7.2.1.17.3	OID	.0.0
.1.3.6.1.2.1.10.7.2.1.17.4	.1.3.6.1.2.1.10.7.2.1.17.4	OID	.0.0
.1.3.6.1.2.1.10.7.2.1.17.5	.1.3.6.1.2.1.10.7.2.1.17.5	OID	.0.0
.1.3.6.1.2.1.10.7.2.1.17.6	.1.3.6.1.2.1.10.7.2.1.17.6	OID	.0.0
.1.3.6.1.2.1.10.7.2.1.17.7	.1.3.6.1.2.1.10.7.2.1.17.7	OID	.0.0
.1.3.6.1.2.1.10.7.2.1.17.8	.1.3.6.1.2.1.10.7.2.1.17.8	OID	.0.0
.1.3.6.1.2.1.10.7.2.1.17.9	.1.3.6.1.2.1.10.7.2.1.17.9	OID	.0.0
.1.3.6.1.2.1.10.7.2.1.17.10	.1.3.6.1.2.1.10.7.2.1.17.10	OID	.0.0
.1.3.6.1.2.1.10.7.2.1.17.11	.1.3.6.1.2.1.10.7.2.1.17.11	OID	.0.0
.1.3.6.1.2.1.10.7.2.1.17.12	.1.3.6.1.2.1.10.7.2.1.17.12	OID	.0.0
.1.3.6.1.2.1.10.7.2.1.17.13	.1.3.6.1.2.1.10.7.2.1.17.13	OID	.0.0
.1.3.6.1.2.1.10.7.2.1.17.14	.1.3.6.1.2.1.10.7.2.1.17.14	OID	.0.0
.1.3.6.1.2.1.10.7.2.1.17.15	.1.3.6.1.2.1.10.7.2.1.17.15	OID	.0.0
.1.3.6.1.2.1.10.7.2.1.17.16	.1.3.6.1.2.1.10.7.2.1.17.16	OID	.0.0
.1.3.6.1.2.1.10.7.2.1.17.17	.1.3.6.1.2.1.10.7.2.1.17.17	OID	.0.0
.1.3.6.1.2.1.10.7.2.1.17.18	.1.3.6.1.2.1.10.7.2.1.17.18	OID	.0.0
.1.3.6.1.2.1.10.7.2.1.17.19	.1.3.6.1.2.1.10.7.2.1.17.19	OID	.0.0
.1.3.6.1.2.1.10.7.2.1.17.20	.1.3.6.1.2.1.10.7.2.1.17.20	OID	.0.0
.1.3.6.1.2.1.10.7.2.1.17.21	.1.3.6.1.2.1.10.7.2.1.17.21	OID	.0.0
.1.3.6.1.2.1.10.7.2.1.17.22	.1.3.6.1.2.1.10.7.2.1.17.22	OID	.0.0
.1.3.6.1.2.1.10.7.2.1.17.23	.1.3.6.1.2.1.10.7.2.1.17.23	OID	.0.0
.1.3.6.1.2.1.10.7.2.1.17.24	.1.3.6.1.2.1.10.7.2.1.17.24	OID	.0.0

Name	OID	Value Type	Value Example
.1.3.6.1.2.1.10.7.2.1.17.25	.1.3.6.1.2.1.10.7.2.1.17.25	OID	.0.0
.1.3.6.1.2.1.10.7.2.1.17.26	.1.3.6.1.2.1.10.7.2.1.17.26	OID	.0.0
.1.3.6.1.2.1.10.7.2.1.17.27	.1.3.6.1.2.1.10.7.2.1.17.27	OID	.0.0
.1.3.6.1.2.1.10.7.2.1.17.28	.1.3.6.1.2.1.10.7.2.1.17.28	OID	.0.0
.1.3.6.1.2.1.10.7.2.1.18.1	.1.3.6.1.2.1.10.7.2.1.18.1	Counter32	0
.1.3.6.1.2.1.10.7.2.1.18.2	.1.3.6.1.2.1.10.7.2.1.18.2	Counter32	0
.1.3.6.1.2.1.10.7.2.1.18.3	.1.3.6.1.2.1.10.7.2.1.18.3	Counter32	0
.1.3.6.1.2.1.10.7.2.1.18.4	.1.3.6.1.2.1.10.7.2.1.18.4	Counter32	0
.1.3.6.1.2.1.10.7.2.1.18.5	.1.3.6.1.2.1.10.7.2.1.18.5	Counter32	0
.1.3.6.1.2.1.10.7.2.1.18.6	.1.3.6.1.2.1.10.7.2.1.18.6	Counter32	0
.1.3.6.1.2.1.10.7.2.1.18.7	.1.3.6.1.2.1.10.7.2.1.18.7	Counter32	0
.1.3.6.1.2.1.10.7.2.1.18.8	.1.3.6.1.2.1.10.7.2.1.18.8	Counter32	0
.1.3.6.1.2.1.10.7.2.1.18.9	.1.3.6.1.2.1.10.7.2.1.18.9	Counter32	0
.1.3.6.1.2.1.10.7.2.1.18.10	.1.3.6.1.2.1.10.7.2.1.18.10	Counter32	0
.1.3.6.1.2.1.10.7.2.1.18.11	.1.3.6.1.2.1.10.7.2.1.18.11	Counter32	0
.1.3.6.1.2.1.10.7.2.1.18.12	.1.3.6.1.2.1.10.7.2.1.18.12	Counter32	0
.1.3.6.1.2.1.10.7.2.1.18.13	.1.3.6.1.2.1.10.7.2.1.18.13	Counter32	0
.1.3.6.1.2.1.10.7.2.1.18.14	.1.3.6.1.2.1.10.7.2.1.18.14	Counter32	0
.1.3.6.1.2.1.10.7.2.1.18.15	.1.3.6.1.2.1.10.7.2.1.18.15	Counter32	0
.1.3.6.1.2.1.10.7.2.1.18.16	.1.3.6.1.2.1.10.7.2.1.18.16	Counter32	0
.1.3.6.1.2.1.10.7.2.1.18.17	.1.3.6.1.2.1.10.7.2.1.18.17	Counter32	0
.1.3.6.1.2.1.10.7.2.1.18.18	.1.3.6.1.2.1.10.7.2.1.18.18	Counter32	0
.1.3.6.1.2.1.10.7.2.1.18.19	.1.3.6.1.2.1.10.7.2.1.18.19	Counter32	0
.1.3.6.1.2.1.10.7.2.1.18.20	.1.3.6.1.2.1.10.7.2.1.18.20	Counter32	0
.1.3.6.1.2.1.10.7.2.1.18.21	.1.3.6.1.2.1.10.7.2.1.18.21	Counter32	0
.1.3.6.1.2.1.10.7.2.1.18.22	.1.3.6.1.2.1.10.7.2.1.18.22	Counter32	0
.1.3.6.1.2.1.10.7.2.1.18.23	.1.3.6.1.2.1.10.7.2.1.18.23	Counter32	0
.1.3.6.1.2.1.10.7.2.1.18.24	.1.3.6.1.2.1.10.7.2.1.18.24	Counter32	0
.1.3.6.1.2.1.10.7.2.1.18.25	.1.3.6.1.2.1.10.7.2.1.18.25	Counter32	0
.1.3.6.1.2.1.10.7.2.1.18.26	.1.3.6.1.2.1.10.7.2.1.18.26	Counter32	0
.1.3.6.1.2.1.10.7.2.1.18.27	.1.3.6.1.2.1.10.7.2.1.18.27	Counter32	0
.1.3.6.1.2.1.10.7.2.1.18.28	.1.3.6.1.2.1.10.7.2.1.18.28	Counter32	0
.1.3.6.1.2.1.10.7.2.1.19.1	.1.3.6.1.2.1.10.7.2.1.19.1	Integer	1
.1.3.6.1.2.1.10.7.2.1.19.2	.1.3.6.1.2.1.10.7.2.1.19.2	Integer	1
.1.3.6.1.2.1.10.7.2.1.19.3	.1.3.6.1.2.1.10.7.2.1.19.3	Integer	1
.1.3.6.1.2.1.10.7.2.1.19.4	.1.3.6.1.2.1.10.7.2.1.19.4	Integer	1
.1.3.6.1.2.1.10.7.2.1.19.5	.1.3.6.1.2.1.10.7.2.1.19.5	Integer	1
.1.3.6.1.2.1.10.7.2.1.19.6	.1.3.6.1.2.1.10.7.2.1.19.6	Integer	1
.1.3.6.1.2.1.10.7.2.1.19.7	.1.3.6.1.2.1.10.7.2.1.19.7	Integer	1
.1.3.6.1.2.1.10.7.2.1.19.8	.1.3.6.1.2.1.10.7.2.1.19.8	Integer	1
.1.3.6.1.2.1.10.7.2.1.19.9	.1.3.6.1.2.1.10.7.2.1.19.9	Integer	1
.1.3.6.1.2.1.10.7.2.1.19.10	.1.3.6.1.2.1.10.7.2.1.19.10	Integer	1
.1.3.6.1.2.1.10.7.2.1.19.11	.1.3.6.1.2.1.10.7.2.1.19.11	Integer	1

Name	OID	Value Type	Value Example
.1.3.6.1.2.1.10.7.2.1.19.12	.1.3.6.1.2.1.10.7.2.1.19.12	Integer	1
.1.3.6.1.2.1.10.7.2.1.19.13	.1.3.6.1.2.1.10.7.2.1.19.13	Integer	1
.1.3.6.1.2.1.10.7.2.1.19.14	.1.3.6.1.2.1.10.7.2.1.19.14	Integer	1
.1.3.6.1.2.1.10.7.2.1.19.15	.1.3.6.1.2.1.10.7.2.1.19.15	Integer	1
.1.3.6.1.2.1.10.7.2.1.19.16	.1.3.6.1.2.1.10.7.2.1.19.16	Integer	1
.1.3.6.1.2.1.10.7.2.1.19.17	.1.3.6.1.2.1.10.7.2.1.19.17	Integer	1
.1.3.6.1.2.1.10.7.2.1.19.18	.1.3.6.1.2.1.10.7.2.1.19.18	Integer	1
.1.3.6.1.2.1.10.7.2.1.19.19	.1.3.6.1.2.1.10.7.2.1.19.19	Integer	1
.1.3.6.1.2.1.10.7.2.1.19.20	.1.3.6.1.2.1.10.7.2.1.19.20	Integer	1
.1.3.6.1.2.1.10.7.2.1.19.21	.1.3.6.1.2.1.10.7.2.1.19.21	Integer	1
.1.3.6.1.2.1.10.7.2.1.19.22	.1.3.6.1.2.1.10.7.2.1.19.22	Integer	1
.1.3.6.1.2.1.10.7.2.1.19.23	.1.3.6.1.2.1.10.7.2.1.19.23	Integer	1
.1.3.6.1.2.1.10.7.2.1.19.24	.1.3.6.1.2.1.10.7.2.1.19.24	Integer	3
.1.3.6.1.2.1.10.7.2.1.19.25	.1.3.6.1.2.1.10.7.2.1.19.25	Integer	1
.1.3.6.1.2.1.10.7.2.1.19.26	.1.3.6.1.2.1.10.7.2.1.19.26	Integer	1
.1.3.6.1.2.1.10.7.2.1.19.27	.1.3.6.1.2.1.10.7.2.1.19.27	Integer	1
.1.3.6.1.2.1.10.7.2.1.19.28	.1.3.6.1.2.1.10.7.2.1.19.28	Integer	1
.1.3.6.1.2.1.10.7.2.1.20.1	.1.3.6.1.2.1.10.7.2.1.20.1	Integer	2
.1.3.6.1.2.1.10.7.2.1.20.2	.1.3.6.1.2.1.10.7.2.1.20.2	Integer	2
.1.3.6.1.2.1.10.7.2.1.20.3	.1.3.6.1.2.1.10.7.2.1.20.3	Integer	2
.1.3.6.1.2.1.10.7.2.1.20.4	.1.3.6.1.2.1.10.7.2.1.20.4	Integer	2
.1.3.6.1.2.1.10.7.2.1.20.5	.1.3.6.1.2.1.10.7.2.1.20.5	Integer	2
.1.3.6.1.2.1.10.7.2.1.20.6	.1.3.6.1.2.1.10.7.2.1.20.6	Integer	2
.1.3.6.1.2.1.10.7.2.1.20.7	.1.3.6.1.2.1.10.7.2.1.20.7	Integer	2
.1.3.6.1.2.1.10.7.2.1.20.8	.1.3.6.1.2.1.10.7.2.1.20.8	Integer	2
.1.3.6.1.2.1.10.7.2.1.20.9	.1.3.6.1.2.1.10.7.2.1.20.9	Integer	2
.1.3.6.1.2.1.10.7.2.1.20.10	.1.3.6.1.2.1.10.7.2.1.20.10	Integer	2
.1.3.6.1.2.1.10.7.2.1.20.11	.1.3.6.1.2.1.10.7.2.1.20.11	Integer	2
.1.3.6.1.2.1.10.7.2.1.20.12	.1.3.6.1.2.1.10.7.2.1.20.12	Integer	2
.1.3.6.1.2.1.10.7.2.1.20.13	.1.3.6.1.2.1.10.7.2.1.20.13	Integer	2
.1.3.6.1.2.1.10.7.2.1.20.14	.1.3.6.1.2.1.10.7.2.1.20.14	Integer	2
.1.3.6.1.2.1.10.7.2.1.20.15	.1.3.6.1.2.1.10.7.2.1.20.15	Integer	2
.1.3.6.1.2.1.10.7.2.1.20.16	.1.3.6.1.2.1.10.7.2.1.20.16	Integer	2
.1.3.6.1.2.1.10.7.2.1.20.17	.1.3.6.1.2.1.10.7.2.1.20.17	Integer	2
.1.3.6.1.2.1.10.7.2.1.20.18	.1.3.6.1.2.1.10.7.2.1.20.18	Integer	2
.1.3.6.1.2.1.10.7.2.1.20.19	.1.3.6.1.2.1.10.7.2.1.20.19	Integer	2
.1.3.6.1.2.1.10.7.2.1.20.20	.1.3.6.1.2.1.10.7.2.1.20.20	Integer	2
.1.3.6.1.2.1.10.7.2.1.20.21	.1.3.6.1.2.1.10.7.2.1.20.21	Integer	2
.1.3.6.1.2.1.10.7.2.1.20.22	.1.3.6.1.2.1.10.7.2.1.20.22	Integer	2
.1.3.6.1.2.1.10.7.2.1.20.23	.1.3.6.1.2.1.10.7.2.1.20.23	Integer	2
.1.3.6.1.2.1.10.7.2.1.20.24	.1.3.6.1.2.1.10.7.2.1.20.24	Integer	2
.1.3.6.1.2.1.10.7.2.1.20.25	.1.3.6.1.2.1.10.7.2.1.20.25	Integer	2
.1.3.6.1.2.1.10.7.2.1.20.26	.1.3.6.1.2.1.10.7.2.1.20.26	Integer	2

Name	OID	Value Type	Value Example
.1.3.6.1.2.1.10.7.2.1.20.27	.1.3.6.1.2.1.10.7.2.1.20.27	Integer	2
.1.3.6.1.2.1.10.7.2.1.20.28	.1.3.6.1.2.1.10.7.2.1.20.28	Integer	2
.1.3.6.1.2.1.10.7.2.1.21.1	.1.3.6.1.2.1.10.7.2.1.21.1	Integer	3
.1.3.6.1.2.1.10.7.2.1.21.2	.1.3.6.1.2.1.10.7.2.1.21.2	Integer	3
.1.3.6.1.2.1.10.7.2.1.21.3	.1.3.6.1.2.1.10.7.2.1.21.3	Integer	3
.1.3.6.1.2.1.10.7.2.1.21.4	.1.3.6.1.2.1.10.7.2.1.21.4	Integer	3
.1.3.6.1.2.1.10.7.2.1.21.5	.1.3.6.1.2.1.10.7.2.1.21.5	Integer	3
.1.3.6.1.2.1.10.7.2.1.21.6	.1.3.6.1.2.1.10.7.2.1.21.6	Integer	3
.1.3.6.1.2.1.10.7.2.1.21.7	.1.3.6.1.2.1.10.7.2.1.21.7	Integer	3
.1.3.6.1.2.1.10.7.2.1.21.8	.1.3.6.1.2.1.10.7.2.1.21.8	Integer	3
.1.3.6.1.2.1.10.7.2.1.21.9	.1.3.6.1.2.1.10.7.2.1.21.9	Integer	3
.1.3.6.1.2.1.10.7.2.1.21.10	.1.3.6.1.2.1.10.7.2.1.21.10	Integer	3
.1.3.6.1.2.1.10.7.2.1.21.11	.1.3.6.1.2.1.10.7.2.1.21.11	Integer	3
.1.3.6.1.2.1.10.7.2.1.21.12	.1.3.6.1.2.1.10.7.2.1.21.12	Integer	3
.1.3.6.1.2.1.10.7.2.1.21.13	.1.3.6.1.2.1.10.7.2.1.21.13	Integer	3
.1.3.6.1.2.1.10.7.2.1.21.14	.1.3.6.1.2.1.10.7.2.1.21.14	Integer	3
.1.3.6.1.2.1.10.7.2.1.21.15	.1.3.6.1.2.1.10.7.2.1.21.15	Integer	3
.1.3.6.1.2.1.10.7.2.1.21.16	.1.3.6.1.2.1.10.7.2.1.21.16	Integer	3
.1.3.6.1.2.1.10.7.2.1.21.17	.1.3.6.1.2.1.10.7.2.1.21.17	Integer	3
.1.3.6.1.2.1.10.7.2.1.21.18	.1.3.6.1.2.1.10.7.2.1.21.18	Integer	3
.1.3.6.1.2.1.10.7.2.1.21.19	.1.3.6.1.2.1.10.7.2.1.21.19	Integer	3
.1.3.6.1.2.1.10.7.2.1.21.20	.1.3.6.1.2.1.10.7.2.1.21.20	Integer	3
.1.3.6.1.2.1.10.7.2.1.21.21	.1.3.6.1.2.1.10.7.2.1.21.21	Integer	3
.1.3.6.1.2.1.10.7.2.1.21.22	.1.3.6.1.2.1.10.7.2.1.21.22	Integer	3
.1.3.6.1.2.1.10.7.2.1.21.23	.1.3.6.1.2.1.10.7.2.1.21.23	Integer	3
.1.3.6.1.2.1.10.7.2.1.21.24	.1.3.6.1.2.1.10.7.2.1.21.24	Integer	3
.1.3.6.1.2.1.10.7.2.1.21.25	.1.3.6.1.2.1.10.7.2.1.21.25	Integer	3
.1.3.6.1.2.1.10.7.2.1.21.26	.1.3.6.1.2.1.10.7.2.1.21.26	Integer	3
.1.3.6.1.2.1.10.7.2.1.21.27	.1.3.6.1.2.1.10.7.2.1.21.27	Integer	3
.1.3.6.1.2.1.10.7.2.1.21.28	.1.3.6.1.2.1.10.7.2.1.21.28	Integer	3
dot3CollFrequencies.1.1	.1.3.6.1.2.1.10.7.5.1.3.1.1	Counter32	0
dot3CollFrequencies.1.2	.1.3.6.1.2.1.10.7.5.1.3.1.2	Counter32	0
dot3CollFrequencies.1.3	.1.3.6.1.2.1.10.7.5.1.3.1.3	Counter32	0
dot3CollFrequencies.1.4	.1.3.6.1.2.1.10.7.5.1.3.1.4	Counter32	0
dot3CollFrequencies.1.5	.1.3.6.1.2.1.10.7.5.1.3.1.5	Counter32	0
dot3CollFrequencies.1.6	.1.3.6.1.2.1.10.7.5.1.3.1.6	Counter32	0
dot3CollFrequencies.1.7	.1.3.6.1.2.1.10.7.5.1.3.1.7	Counter32	0
dot3CollFrequencies.1.8	.1.3.6.1.2.1.10.7.5.1.3.1.8	Counter32	0
dot3CollFrequencies.1.9	.1.3.6.1.2.1.10.7.5.1.3.1.9	Counter32	0
dot3CollFrequencies.1.10	.1.3.6.1.2.1.10.7.5.1.3.1.10	Counter32	0
dot3CollFrequencies.1.11	.1.3.6.1.2.1.10.7.5.1.3.1.11	Counter32	0
dot3CollFrequencies.1.12	.1.3.6.1.2.1.10.7.5.1.3.1.12	Counter32	0
dot3CollFrequencies.1.13	.1.3.6.1.2.1.10.7.5.1.3.1.13	Counter32	0

Name	OID	Value Type	Value Example
dot3CollFrequencies.1.14	.1.3.6.1.2.1.10.7.5.1.3.1.14	Counter32	0
dot3CollFrequencies.1.15	.1.3.6.1.2.1.10.7.5.1.3.1.15	Counter32	0
dot3CollFrequencies.1.16	.1.3.6.1.2.1.10.7.5.1.3.1.16	Counter32	0
dot3CollFrequencies.2.1	.1.3.6.1.2.1.10.7.5.1.3.2.1	Counter32	0
dot3CollFrequencies.2.2	.1.3.6.1.2.1.10.7.5.1.3.2.2	Counter32	0
dot3CollFrequencies.2.3	.1.3.6.1.2.1.10.7.5.1.3.2.3	Counter32	0
dot3CollFrequencies.2.4	.1.3.6.1.2.1.10.7.5.1.3.2.4	Counter32	0
dot3CollFrequencies.2.5	.1.3.6.1.2.1.10.7.5.1.3.2.5	Counter32	0
dot3CollFrequencies.2.6	.1.3.6.1.2.1.10.7.5.1.3.2.6	Counter32	0
dot3CollFrequencies.2.7	.1.3.6.1.2.1.10.7.5.1.3.2.7	Counter32	0
dot3CollFrequencies.2.8	.1.3.6.1.2.1.10.7.5.1.3.2.8	Counter32	0
dot3CollFrequencies.2.9	.1.3.6.1.2.1.10.7.5.1.3.2.9	Counter32	0
dot3CollFrequencies.2.10	.1.3.6.1.2.1.10.7.5.1.3.2.10	Counter32	0
dot3CollFrequencies.2.11	.1.3.6.1.2.1.10.7.5.1.3.2.11	Counter32	0
dot3CollFrequencies.2.12	.1.3.6.1.2.1.10.7.5.1.3.2.12	Counter32	0
dot3CollFrequencies.2.13	.1.3.6.1.2.1.10.7.5.1.3.2.13	Counter32	0
dot3CollFrequencies.2.14	.1.3.6.1.2.1.10.7.5.1.3.2.14	Counter32	0
dot3CollFrequencies.2.15	.1.3.6.1.2.1.10.7.5.1.3.2.15	Counter32	0
dot3CollFrequencies.2.16	.1.3.6.1.2.1.10.7.5.1.3.2.16	Counter32	0
dot3CollFrequencies.3.1	.1.3.6.1.2.1.10.7.5.1.3.3.1	Counter32	0
dot3CollFrequencies.3.2	.1.3.6.1.2.1.10.7.5.1.3.3.2	Counter32	0
dot3CollFrequencies.3.3	.1.3.6.1.2.1.10.7.5.1.3.3.3	Counter32	0
dot3CollFrequencies.3.4	.1.3.6.1.2.1.10.7.5.1.3.3.4	Counter32	0
dot3CollFrequencies.3.5	.1.3.6.1.2.1.10.7.5.1.3.3.5	Counter32	0
dot3CollFrequencies.3.6	.1.3.6.1.2.1.10.7.5.1.3.3.6	Counter32	0
dot3CollFrequencies.3.7	.1.3.6.1.2.1.10.7.5.1.3.3.7	Counter32	0
dot3CollFrequencies.3.8	.1.3.6.1.2.1.10.7.5.1.3.3.8	Counter32	0
dot3CollFrequencies.3.9	.1.3.6.1.2.1.10.7.5.1.3.3.9	Counter32	0
dot3CollFrequencies.3.10	.1.3.6.1.2.1.10.7.5.1.3.3.10	Counter32	0
dot3CollFrequencies.3.11	.1.3.6.1.2.1.10.7.5.1.3.3.11	Counter32	0
dot3CollFrequencies.3.12	.1.3.6.1.2.1.10.7.5.1.3.3.12	Counter32	0
dot3CollFrequencies.3.13	.1.3.6.1.2.1.10.7.5.1.3.3.13	Counter32	0
dot3CollFrequencies.3.14	.1.3.6.1.2.1.10.7.5.1.3.3.14	Counter32	0
dot3CollFrequencies.3.15	.1.3.6.1.2.1.10.7.5.1.3.3.15	Counter32	0
dot3CollFrequencies.3.16	.1.3.6.1.2.1.10.7.5.1.3.3.16	Counter32	0
dot3CollFrequencies.4.1	.1.3.6.1.2.1.10.7.5.1.3.4.1	Counter32	0
dot3CollFrequencies.4.2	.1.3.6.1.2.1.10.7.5.1.3.4.2	Counter32	0
dot3CollFrequencies.4.3	.1.3.6.1.2.1.10.7.5.1.3.4.3	Counter32	0
dot3CollFrequencies.4.4	.1.3.6.1.2.1.10.7.5.1.3.4.4	Counter32	0
dot3CollFrequencies.4.5	.1.3.6.1.2.1.10.7.5.1.3.4.5	Counter32	0
dot3CollFrequencies.4.6	.1.3.6.1.2.1.10.7.5.1.3.4.6	Counter32	0
dot3CollFrequencies.4.7	.1.3.6.1.2.1.10.7.5.1.3.4.7	Counter32	0
dot3CollFrequencies.4.8	.1.3.6.1.2.1.10.7.5.1.3.4.8	Counter32	0

Name	OID	Value Type	Value Example
dot3CollFrequencies.4.9	.1.3.6.1.2.1.10.7.5.1.3.4.9	Counter32	0
dot3CollFrequencies.4.10	.1.3.6.1.2.1.10.7.5.1.3.4.10	Counter32	0
dot3CollFrequencies.4.11	.1.3.6.1.2.1.10.7.5.1.3.4.11	Counter32	0
dot3CollFrequencies.4.12	.1.3.6.1.2.1.10.7.5.1.3.4.12	Counter32	0
dot3CollFrequencies.4.13	.1.3.6.1.2.1.10.7.5.1.3.4.13	Counter32	0
dot3CollFrequencies.4.14	.1.3.6.1.2.1.10.7.5.1.3.4.14	Counter32	0
dot3CollFrequencies.4.15	.1.3.6.1.2.1.10.7.5.1.3.4.15	Counter32	0
dot3CollFrequencies.4.16	.1.3.6.1.2.1.10.7.5.1.3.4.16	Counter32	0
dot3CollFrequencies.5.1	.1.3.6.1.2.1.10.7.5.1.3.5.1	Counter32	0
dot3CollFrequencies.5.2	.1.3.6.1.2.1.10.7.5.1.3.5.2	Counter32	0
dot3CollFrequencies.5.3	.1.3.6.1.2.1.10.7.5.1.3.5.3	Counter32	0
dot3CollFrequencies.5.4	.1.3.6.1.2.1.10.7.5.1.3.5.4	Counter32	0
dot3CollFrequencies.5.5	.1.3.6.1.2.1.10.7.5.1.3.5.5	Counter32	0
dot3CollFrequencies.5.6	.1.3.6.1.2.1.10.7.5.1.3.5.6	Counter32	0
dot3CollFrequencies.5.7	.1.3.6.1.2.1.10.7.5.1.3.5.7	Counter32	0
dot3CollFrequencies.5.8	.1.3.6.1.2.1.10.7.5.1.3.5.8	Counter32	0
dot3CollFrequencies.5.9	.1.3.6.1.2.1.10.7.5.1.3.5.9	Counter32	0
dot3CollFrequencies.5.10	.1.3.6.1.2.1.10.7.5.1.3.5.10	Counter32	0
dot3CollFrequencies.5.11	.1.3.6.1.2.1.10.7.5.1.3.5.11	Counter32	0
dot3CollFrequencies.5.12	.1.3.6.1.2.1.10.7.5.1.3.5.12	Counter32	0
dot3CollFrequencies.5.13	.1.3.6.1.2.1.10.7.5.1.3.5.13	Counter32	0
dot3CollFrequencies.5.14	.1.3.6.1.2.1.10.7.5.1.3.5.14	Counter32	0
dot3CollFrequencies.5.15	.1.3.6.1.2.1.10.7.5.1.3.5.15	Counter32	0
dot3CollFrequencies.5.16	.1.3.6.1.2.1.10.7.5.1.3.5.16	Counter32	0
dot3CollFrequencies.6.1	.1.3.6.1.2.1.10.7.5.1.3.6.1	Counter32	0
dot3CollFrequencies.6.2	.1.3.6.1.2.1.10.7.5.1.3.6.2	Counter32	0
dot3CollFrequencies.6.3	.1.3.6.1.2.1.10.7.5.1.3.6.3	Counter32	0
dot3CollFrequencies.6.4	.1.3.6.1.2.1.10.7.5.1.3.6.4	Counter32	0
dot3CollFrequencies.6.5	.1.3.6.1.2.1.10.7.5.1.3.6.5	Counter32	0
dot3CollFrequencies.6.6	.1.3.6.1.2.1.10.7.5.1.3.6.6	Counter32	0
dot3CollFrequencies.6.7	.1.3.6.1.2.1.10.7.5.1.3.6.7	Counter32	0
dot3CollFrequencies.6.8	.1.3.6.1.2.1.10.7.5.1.3.6.8	Counter32	0
dot3CollFrequencies.6.9	.1.3.6.1.2.1.10.7.5.1.3.6.9	Counter32	0
dot3CollFrequencies.6.10	.1.3.6.1.2.1.10.7.5.1.3.6.10	Counter32	0
dot3CollFrequencies.6.11	.1.3.6.1.2.1.10.7.5.1.3.6.11	Counter32	0
dot3CollFrequencies.6.12	.1.3.6.1.2.1.10.7.5.1.3.6.12	Counter32	0
dot3CollFrequencies.6.13	.1.3.6.1.2.1.10.7.5.1.3.6.13	Counter32	0
dot3CollFrequencies.6.14	.1.3.6.1.2.1.10.7.5.1.3.6.14	Counter32	0
dot3CollFrequencies.6.15	.1.3.6.1.2.1.10.7.5.1.3.6.15	Counter32	0
dot3CollFrequencies.6.16	.1.3.6.1.2.1.10.7.5.1.3.6.16	Counter32	0
dot3CollFrequencies.7.1	.1.3.6.1.2.1.10.7.5.1.3.7.1	Counter32	0
dot3CollFrequencies.7.2	.1.3.6.1.2.1.10.7.5.1.3.7.2	Counter32	0
dot3CollFrequencies.7.3	.1.3.6.1.2.1.10.7.5.1.3.7.3	Counter32	0

Name	OID	Value Type	Value Example
dot3CollFrequencies.7.4	.1.3.6.1.2.1.10.7.5.1.3.7.4	Counter32	0
dot3CollFrequencies.7.5	.1.3.6.1.2.1.10.7.5.1.3.7.5	Counter32	0
dot3CollFrequencies.7.6	.1.3.6.1.2.1.10.7.5.1.3.7.6	Counter32	0
dot3CollFrequencies.7.7	.1.3.6.1.2.1.10.7.5.1.3.7.7	Counter32	0
dot3CollFrequencies.7.8	.1.3.6.1.2.1.10.7.5.1.3.7.8	Counter32	0
dot3CollFrequencies.7.9	.1.3.6.1.2.1.10.7.5.1.3.7.9	Counter32	0
dot3CollFrequencies.7.10	.1.3.6.1.2.1.10.7.5.1.3.7.10	Counter32	0
dot3CollFrequencies.7.11	.1.3.6.1.2.1.10.7.5.1.3.7.11	Counter32	0
dot3CollFrequencies.7.12	.1.3.6.1.2.1.10.7.5.1.3.7.12	Counter32	0
dot3CollFrequencies.7.13	.1.3.6.1.2.1.10.7.5.1.3.7.13	Counter32	0
dot3CollFrequencies.7.14	.1.3.6.1.2.1.10.7.5.1.3.7.14	Counter32	0
dot3CollFrequencies.7.15	.1.3.6.1.2.1.10.7.5.1.3.7.15	Counter32	0
dot3CollFrequencies.7.16	.1.3.6.1.2.1.10.7.5.1.3.7.16	Counter32	0
dot3CollFrequencies.8.1	.1.3.6.1.2.1.10.7.5.1.3.8.1	Counter32	0
dot3CollFrequencies.8.2	.1.3.6.1.2.1.10.7.5.1.3.8.2	Counter32	0
dot3CollFrequencies.8.3	.1.3.6.1.2.1.10.7.5.1.3.8.3	Counter32	0
dot3CollFrequencies.8.4	.1.3.6.1.2.1.10.7.5.1.3.8.4	Counter32	0
dot3CollFrequencies.8.5	.1.3.6.1.2.1.10.7.5.1.3.8.5	Counter32	0
dot3CollFrequencies.8.6	.1.3.6.1.2.1.10.7.5.1.3.8.6	Counter32	0
dot3CollFrequencies.8.7	.1.3.6.1.2.1.10.7.5.1.3.8.7	Counter32	0
dot3CollFrequencies.8.8	.1.3.6.1.2.1.10.7.5.1.3.8.8	Counter32	0
dot3CollFrequencies.8.9	.1.3.6.1.2.1.10.7.5.1.3.8.9	Counter32	0
dot3CollFrequencies.8.10	.1.3.6.1.2.1.10.7.5.1.3.8.10	Counter32	0
dot3CollFrequencies.8.11	.1.3.6.1.2.1.10.7.5.1.3.8.11	Counter32	0
dot3CollFrequencies.8.12	.1.3.6.1.2.1.10.7.5.1.3.8.12	Counter32	0
dot3CollFrequencies.8.13	.1.3.6.1.2.1.10.7.5.1.3.8.13	Counter32	0
dot3CollFrequencies.8.14	.1.3.6.1.2.1.10.7.5.1.3.8.14	Counter32	0
dot3CollFrequencies.8.15	.1.3.6.1.2.1.10.7.5.1.3.8.15	Counter32	0
dot3CollFrequencies.8.16	.1.3.6.1.2.1.10.7.5.1.3.8.16	Counter32	0
dot3CollFrequencies.9.1	.1.3.6.1.2.1.10.7.5.1.3.9.1	Counter32	0
dot3CollFrequencies.9.2	.1.3.6.1.2.1.10.7.5.1.3.9.2	Counter32	0
dot3CollFrequencies.9.3	.1.3.6.1.2.1.10.7.5.1.3.9.3	Counter32	0
dot3CollFrequencies.9.4	.1.3.6.1.2.1.10.7.5.1.3.9.4	Counter32	0
dot3CollFrequencies.9.5	.1.3.6.1.2.1.10.7.5.1.3.9.5	Counter32	0
dot3CollFrequencies.9.6	.1.3.6.1.2.1.10.7.5.1.3.9.6	Counter32	0
dot3CollFrequencies.9.7	.1.3.6.1.2.1.10.7.5.1.3.9.7	Counter32	0
dot3CollFrequencies.9.8	.1.3.6.1.2.1.10.7.5.1.3.9.8	Counter32	0
dot3CollFrequencies.9.9	.1.3.6.1.2.1.10.7.5.1.3.9.9	Counter32	0
dot3CollFrequencies.9.10	.1.3.6.1.2.1.10.7.5.1.3.9.10	Counter32	0
dot3CollFrequencies.9.11	.1.3.6.1.2.1.10.7.5.1.3.9.11	Counter32	0
dot3CollFrequencies.9.12	.1.3.6.1.2.1.10.7.5.1.3.9.12	Counter32	0
dot3CollFrequencies.9.13	.1.3.6.1.2.1.10.7.5.1.3.9.13	Counter32	0
dot3CollFrequencies.9.14	.1.3.6.1.2.1.10.7.5.1.3.9.14	Counter32	0

Name	OID	Value Type	Value Example
dot3CollFrequencies.9.15	.1.3.6.1.2.1.10.7.5.1.3.9.15	Counter32	0
dot3CollFrequencies.9.16	.1.3.6.1.2.1.10.7.5.1.3.9.16	Counter32	0
dot3CollFrequencies.10.1	.1.3.6.1.2.1.10.7.5.1.3.10.1	Counter32	0
dot3CollFrequencies.10.2	.1.3.6.1.2.1.10.7.5.1.3.10.2	Counter32	0
dot3CollFrequencies.10.3	.1.3.6.1.2.1.10.7.5.1.3.10.3	Counter32	0
dot3CollFrequencies.10.4	.1.3.6.1.2.1.10.7.5.1.3.10.4	Counter32	0
dot3CollFrequencies.10.5	.1.3.6.1.2.1.10.7.5.1.3.10.5	Counter32	0
dot3CollFrequencies.10.6	.1.3.6.1.2.1.10.7.5.1.3.10.6	Counter32	0
dot3CollFrequencies.10.7	.1.3.6.1.2.1.10.7.5.1.3.10.7	Counter32	0
dot3CollFrequencies.10.8	.1.3.6.1.2.1.10.7.5.1.3.10.8	Counter32	0
dot3CollFrequencies.10.9	.1.3.6.1.2.1.10.7.5.1.3.10.9	Counter32	0
dot3CollFrequencies.10.10	.1.3.6.1.2.1.10.7.5.1.3.10.10	Counter32	0
dot3CollFrequencies.10.11	.1.3.6.1.2.1.10.7.5.1.3.10.11	Counter32	0
dot3CollFrequencies.10.12	.1.3.6.1.2.1.10.7.5.1.3.10.12	Counter32	0
dot3CollFrequencies.10.13	.1.3.6.1.2.1.10.7.5.1.3.10.13	Counter32	0
dot3CollFrequencies.10.14	.1.3.6.1.2.1.10.7.5.1.3.10.14	Counter32	0
dot3CollFrequencies.10.15	.1.3.6.1.2.1.10.7.5.1.3.10.15	Counter32	0
dot3CollFrequencies.10.16	.1.3.6.1.2.1.10.7.5.1.3.10.16	Counter32	0
dot3CollFrequencies.11.1	.1.3.6.1.2.1.10.7.5.1.3.11.1	Counter32	0
dot3CollFrequencies.11.2	.1.3.6.1.2.1.10.7.5.1.3.11.2	Counter32	0
dot3CollFrequencies.11.3	.1.3.6.1.2.1.10.7.5.1.3.11.3	Counter32	0
dot3CollFrequencies.11.4	.1.3.6.1.2.1.10.7.5.1.3.11.4	Counter32	0
dot3CollFrequencies.11.5	.1.3.6.1.2.1.10.7.5.1.3.11.5	Counter32	0
dot3CollFrequencies.11.6	.1.3.6.1.2.1.10.7.5.1.3.11.6	Counter32	0
dot3CollFrequencies.11.7	.1.3.6.1.2.1.10.7.5.1.3.11.7	Counter32	0
dot3CollFrequencies.11.8	.1.3.6.1.2.1.10.7.5.1.3.11.8	Counter32	0
dot3CollFrequencies.11.9	.1.3.6.1.2.1.10.7.5.1.3.11.9	Counter32	0
dot3CollFrequencies.11.10	.1.3.6.1.2.1.10.7.5.1.3.11.10	Counter32	0
dot3CollFrequencies.11.11	.1.3.6.1.2.1.10.7.5.1.3.11.11	Counter32	0
dot3CollFrequencies.11.12	.1.3.6.1.2.1.10.7.5.1.3.11.12	Counter32	0
dot3CollFrequencies.11.13	.1.3.6.1.2.1.10.7.5.1.3.11.13	Counter32	0
dot3CollFrequencies.11.14	.1.3.6.1.2.1.10.7.5.1.3.11.14	Counter32	0
dot3CollFrequencies.11.15	.1.3.6.1.2.1.10.7.5.1.3.11.15	Counter32	0
dot3CollFrequencies.11.16	.1.3.6.1.2.1.10.7.5.1.3.11.16	Counter32	0
dot3CollFrequencies.12.1	.1.3.6.1.2.1.10.7.5.1.3.12.1	Counter32	0
dot3CollFrequencies.12.2	.1.3.6.1.2.1.10.7.5.1.3.12.2	Counter32	0
dot3CollFrequencies.12.3	.1.3.6.1.2.1.10.7.5.1.3.12.3	Counter32	0
dot3CollFrequencies.12.4	.1.3.6.1.2.1.10.7.5.1.3.12.4	Counter32	0
dot3CollFrequencies.12.5	.1.3.6.1.2.1.10.7.5.1.3.12.5	Counter32	0
dot3CollFrequencies.12.6	.1.3.6.1.2.1.10.7.5.1.3.12.6	Counter32	0
dot3CollFrequencies.12.7	.1.3.6.1.2.1.10.7.5.1.3.12.7	Counter32	0
dot3CollFrequencies.12.8	.1.3.6.1.2.1.10.7.5.1.3.12.8	Counter32	0
dot3CollFrequencies.12.9	.1.3.6.1.2.1.10.7.5.1.3.12.9	Counter32	0

Name	OID	Value Type	Value Example
dot3CollFrequencies.12.10	.1.3.6.1.2.1.10.7.5.1.3.12.10	Counter32	0
dot3CollFrequencies.12.11	.1.3.6.1.2.1.10.7.5.1.3.12.11	Counter32	0
dot3CollFrequencies.12.12	.1.3.6.1.2.1.10.7.5.1.3.12.12	Counter32	0
dot3CollFrequencies.12.13	.1.3.6.1.2.1.10.7.5.1.3.12.13	Counter32	0
dot3CollFrequencies.12.14	.1.3.6.1.2.1.10.7.5.1.3.12.14	Counter32	0
dot3CollFrequencies.12.15	.1.3.6.1.2.1.10.7.5.1.3.12.15	Counter32	0
dot3CollFrequencies.12.16	.1.3.6.1.2.1.10.7.5.1.3.12.16	Counter32	0
dot3CollFrequencies.13.1	.1.3.6.1.2.1.10.7.5.1.3.13.1	Counter32	0
dot3CollFrequencies.13.2	.1.3.6.1.2.1.10.7.5.1.3.13.2	Counter32	0
dot3CollFrequencies.13.3	.1.3.6.1.2.1.10.7.5.1.3.13.3	Counter32	0
dot3CollFrequencies.13.4	.1.3.6.1.2.1.10.7.5.1.3.13.4	Counter32	0
dot3CollFrequencies.13.5	.1.3.6.1.2.1.10.7.5.1.3.13.5	Counter32	0
dot3CollFrequencies.13.6	.1.3.6.1.2.1.10.7.5.1.3.13.6	Counter32	0
dot3CollFrequencies.13.7	.1.3.6.1.2.1.10.7.5.1.3.13.7	Counter32	0
dot3CollFrequencies.13.8	.1.3.6.1.2.1.10.7.5.1.3.13.8	Counter32	0
dot3CollFrequencies.13.9	.1.3.6.1.2.1.10.7.5.1.3.13.9	Counter32	0
dot3CollFrequencies.13.10	.1.3.6.1.2.1.10.7.5.1.3.13.10	Counter32	0
dot3CollFrequencies.13.11	.1.3.6.1.2.1.10.7.5.1.3.13.11	Counter32	0
dot3CollFrequencies.13.12	.1.3.6.1.2.1.10.7.5.1.3.13.12	Counter32	0
dot3CollFrequencies.13.13	.1.3.6.1.2.1.10.7.5.1.3.13.13	Counter32	0
dot3CollFrequencies.13.14	.1.3.6.1.2.1.10.7.5.1.3.13.14	Counter32	0
dot3CollFrequencies.13.15	.1.3.6.1.2.1.10.7.5.1.3.13.15	Counter32	0
dot3CollFrequencies.13.16	.1.3.6.1.2.1.10.7.5.1.3.13.16	Counter32	0
dot3CollFrequencies.14.1	.1.3.6.1.2.1.10.7.5.1.3.14.1	Counter32	0
dot3CollFrequencies.14.2	.1.3.6.1.2.1.10.7.5.1.3.14.2	Counter32	0
dot3CollFrequencies.14.3	.1.3.6.1.2.1.10.7.5.1.3.14.3	Counter32	0
dot3CollFrequencies.14.4	.1.3.6.1.2.1.10.7.5.1.3.14.4	Counter32	0
dot3CollFrequencies.14.5	.1.3.6.1.2.1.10.7.5.1.3.14.5	Counter32	0
dot3CollFrequencies.14.6	.1.3.6.1.2.1.10.7.5.1.3.14.6	Counter32	0
dot3CollFrequencies.14.7	.1.3.6.1.2.1.10.7.5.1.3.14.7	Counter32	0
dot3CollFrequencies.14.8	.1.3.6.1.2.1.10.7.5.1.3.14.8	Counter32	0
dot3CollFrequencies.14.9	.1.3.6.1.2.1.10.7.5.1.3.14.9	Counter32	0
dot3CollFrequencies.14.10	.1.3.6.1.2.1.10.7.5.1.3.14.10	Counter32	0
dot3CollFrequencies.14.11	.1.3.6.1.2.1.10.7.5.1.3.14.11	Counter32	0
dot3CollFrequencies.14.12	.1.3.6.1.2.1.10.7.5.1.3.14.12	Counter32	0
dot3CollFrequencies.14.13	.1.3.6.1.2.1.10.7.5.1.3.14.13	Counter32	0
dot3CollFrequencies.14.14	.1.3.6.1.2.1.10.7.5.1.3.14.14	Counter32	0
dot3CollFrequencies.14.15	.1.3.6.1.2.1.10.7.5.1.3.14.15	Counter32	0
dot3CollFrequencies.14.16	.1.3.6.1.2.1.10.7.5.1.3.14.16	Counter32	0
dot3CollFrequencies.15.1	.1.3.6.1.2.1.10.7.5.1.3.15.1	Counter32	0
dot3CollFrequencies.15.2	.1.3.6.1.2.1.10.7.5.1.3.15.2	Counter32	0
dot3CollFrequencies.15.3	.1.3.6.1.2.1.10.7.5.1.3.15.3	Counter32	0
dot3CollFrequencies.15.4	.1.3.6.1.2.1.10.7.5.1.3.15.4	Counter32	0

Name	OID	Value Type	Value Example
dot3CollFrequencies.15.5	.1.3.6.1.2.1.10.7.5.1.3.15.5	Counter32	0
dot3CollFrequencies.15.6	.1.3.6.1.2.1.10.7.5.1.3.15.6	Counter32	0
dot3CollFrequencies.15.7	.1.3.6.1.2.1.10.7.5.1.3.15.7	Counter32	0
dot3CollFrequencies.15.8	.1.3.6.1.2.1.10.7.5.1.3.15.8	Counter32	0
dot3CollFrequencies.15.9	.1.3.6.1.2.1.10.7.5.1.3.15.9	Counter32	0
dot3CollFrequencies.15.10	.1.3.6.1.2.1.10.7.5.1.3.15.10	Counter32	0
dot3CollFrequencies.15.11	.1.3.6.1.2.1.10.7.5.1.3.15.11	Counter32	0
dot3CollFrequencies.15.12	.1.3.6.1.2.1.10.7.5.1.3.15.12	Counter32	0
dot3CollFrequencies.15.13	.1.3.6.1.2.1.10.7.5.1.3.15.13	Counter32	0
dot3CollFrequencies.15.14	.1.3.6.1.2.1.10.7.5.1.3.15.14	Counter32	0
dot3CollFrequencies.15.15	.1.3.6.1.2.1.10.7.5.1.3.15.15	Counter32	0
dot3CollFrequencies.15.16	.1.3.6.1.2.1.10.7.5.1.3.15.16	Counter32	0
dot3CollFrequencies.16.1	.1.3.6.1.2.1.10.7.5.1.3.16.1	Counter32	0
dot3CollFrequencies.16.2	.1.3.6.1.2.1.10.7.5.1.3.16.2	Counter32	0
dot3CollFrequencies.16.3	.1.3.6.1.2.1.10.7.5.1.3.16.3	Counter32	0
dot3CollFrequencies.16.4	.1.3.6.1.2.1.10.7.5.1.3.16.4	Counter32	0
dot3CollFrequencies.16.5	.1.3.6.1.2.1.10.7.5.1.3.16.5	Counter32	0
dot3CollFrequencies.16.6	.1.3.6.1.2.1.10.7.5.1.3.16.6	Counter32	0
dot3CollFrequencies.16.7	.1.3.6.1.2.1.10.7.5.1.3.16.7	Counter32	0
dot3CollFrequencies.16.8	.1.3.6.1.2.1.10.7.5.1.3.16.8	Counter32	0
dot3CollFrequencies.16.9	.1.3.6.1.2.1.10.7.5.1.3.16.9	Counter32	0
dot3CollFrequencies.16.10	.1.3.6.1.2.1.10.7.5.1.3.16.10	Counter32	0
dot3CollFrequencies.16.11	.1.3.6.1.2.1.10.7.5.1.3.16.11	Counter32	0
dot3CollFrequencies.16.12	.1.3.6.1.2.1.10.7.5.1.3.16.12	Counter32	0
dot3CollFrequencies.16.13	.1.3.6.1.2.1.10.7.5.1.3.16.13	Counter32	0
dot3CollFrequencies.16.14	.1.3.6.1.2.1.10.7.5.1.3.16.14	Counter32	0
dot3CollFrequencies.16.15	.1.3.6.1.2.1.10.7.5.1.3.16.15	Counter32	0
dot3CollFrequencies.16.16	.1.3.6.1.2.1.10.7.5.1.3.16.16	Counter32	0
dot3CollFrequencies.17.1	.1.3.6.1.2.1.10.7.5.1.3.17.1	Counter32	0
dot3CollFrequencies.17.2	.1.3.6.1.2.1.10.7.5.1.3.17.2	Counter32	0
dot3CollFrequencies.17.3	.1.3.6.1.2.1.10.7.5.1.3.17.3	Counter32	0
dot3CollFrequencies.17.4	.1.3.6.1.2.1.10.7.5.1.3.17.4	Counter32	0
dot3CollFrequencies.17.5	.1.3.6.1.2.1.10.7.5.1.3.17.5	Counter32	0
dot3CollFrequencies.17.6	.1.3.6.1.2.1.10.7.5.1.3.17.6	Counter32	0
dot3CollFrequencies.17.7	.1.3.6.1.2.1.10.7.5.1.3.17.7	Counter32	0
dot3CollFrequencies.17.8	.1.3.6.1.2.1.10.7.5.1.3.17.8	Counter32	0
dot3CollFrequencies.17.9	.1.3.6.1.2.1.10.7.5.1.3.17.9	Counter32	0
dot3CollFrequencies.17.10	.1.3.6.1.2.1.10.7.5.1.3.17.10	Counter32	0
dot3CollFrequencies.17.11	.1.3.6.1.2.1.10.7.5.1.3.17.11	Counter32	0
dot3CollFrequencies.17.12	.1.3.6.1.2.1.10.7.5.1.3.17.12	Counter32	0
dot3CollFrequencies.17.13	.1.3.6.1.2.1.10.7.5.1.3.17.13	Counter32	0
dot3CollFrequencies.17.14	.1.3.6.1.2.1.10.7.5.1.3.17.14	Counter32	0
dot3CollFrequencies.17.15	.1.3.6.1.2.1.10.7.5.1.3.17.15	Counter32	0

Name	OID	Value Type	Value Example
dot3CollFrequencies.17.16	.1.3.6.1.2.1.10.7.5.1.3.17.16	Counter32	0
dot3CollFrequencies.18.1	.1.3.6.1.2.1.10.7.5.1.3.18.1	Counter32	0
dot3CollFrequencies.18.2	.1.3.6.1.2.1.10.7.5.1.3.18.2	Counter32	0
dot3CollFrequencies.18.3	.1.3.6.1.2.1.10.7.5.1.3.18.3	Counter32	0
dot3CollFrequencies.18.4	.1.3.6.1.2.1.10.7.5.1.3.18.4	Counter32	0
dot3CollFrequencies.18.5	.1.3.6.1.2.1.10.7.5.1.3.18.5	Counter32	0
dot3CollFrequencies.18.6	.1.3.6.1.2.1.10.7.5.1.3.18.6	Counter32	0
dot3CollFrequencies.18.7	.1.3.6.1.2.1.10.7.5.1.3.18.7	Counter32	0
dot3CollFrequencies.18.8	.1.3.6.1.2.1.10.7.5.1.3.18.8	Counter32	0
dot3CollFrequencies.18.9	.1.3.6.1.2.1.10.7.5.1.3.18.9	Counter32	0
dot3CollFrequencies.18.10	.1.3.6.1.2.1.10.7.5.1.3.18.10	Counter32	0
dot3CollFrequencies.18.11	.1.3.6.1.2.1.10.7.5.1.3.18.11	Counter32	0
dot3CollFrequencies.18.12	.1.3.6.1.2.1.10.7.5.1.3.18.12	Counter32	0
dot3CollFrequencies.18.13	.1.3.6.1.2.1.10.7.5.1.3.18.13	Counter32	0
dot3CollFrequencies.18.14	.1.3.6.1.2.1.10.7.5.1.3.18.14	Counter32	0
dot3CollFrequencies.18.15	.1.3.6.1.2.1.10.7.5.1.3.18.15	Counter32	0
dot3CollFrequencies.18.16	.1.3.6.1.2.1.10.7.5.1.3.18.16	Counter32	0
dot3CollFrequencies.19.1	.1.3.6.1.2.1.10.7.5.1.3.19.1	Counter32	0
dot3CollFrequencies.19.2	.1.3.6.1.2.1.10.7.5.1.3.19.2	Counter32	0
dot3CollFrequencies.19.3	.1.3.6.1.2.1.10.7.5.1.3.19.3	Counter32	0
dot3CollFrequencies.19.4	.1.3.6.1.2.1.10.7.5.1.3.19.4	Counter32	0
dot3CollFrequencies.19.5	.1.3.6.1.2.1.10.7.5.1.3.19.5	Counter32	0
dot3CollFrequencies.19.6	.1.3.6.1.2.1.10.7.5.1.3.19.6	Counter32	0
dot3CollFrequencies.19.7	.1.3.6.1.2.1.10.7.5.1.3.19.7	Counter32	0
dot3CollFrequencies.19.8	.1.3.6.1.2.1.10.7.5.1.3.19.8	Counter32	0
dot3CollFrequencies.19.9	.1.3.6.1.2.1.10.7.5.1.3.19.9	Counter32	0
dot3CollFrequencies.19.10	.1.3.6.1.2.1.10.7.5.1.3.19.10	Counter32	0
dot3CollFrequencies.19.11	.1.3.6.1.2.1.10.7.5.1.3.19.11	Counter32	0
dot3CollFrequencies.19.12	.1.3.6.1.2.1.10.7.5.1.3.19.12	Counter32	0
dot3CollFrequencies.19.13	.1.3.6.1.2.1.10.7.5.1.3.19.13	Counter32	0
dot3CollFrequencies.19.14	.1.3.6.1.2.1.10.7.5.1.3.19.14	Counter32	0
dot3CollFrequencies.19.15	.1.3.6.1.2.1.10.7.5.1.3.19.15	Counter32	0
dot3CollFrequencies.19.16	.1.3.6.1.2.1.10.7.5.1.3.19.16	Counter32	0
dot3CollFrequencies.20.1	.1.3.6.1.2.1.10.7.5.1.3.20.1	Counter32	0
dot3CollFrequencies.20.2	.1.3.6.1.2.1.10.7.5.1.3.20.2	Counter32	0
dot3CollFrequencies.20.3	.1.3.6.1.2.1.10.7.5.1.3.20.3	Counter32	0
dot3CollFrequencies.20.4	.1.3.6.1.2.1.10.7.5.1.3.20.4	Counter32	0
dot3CollFrequencies.20.5	.1.3.6.1.2.1.10.7.5.1.3.20.5	Counter32	0
dot3CollFrequencies.20.6	.1.3.6.1.2.1.10.7.5.1.3.20.6	Counter32	0
dot3CollFrequencies.20.7	.1.3.6.1.2.1.10.7.5.1.3.20.7	Counter32	0
dot3CollFrequencies.20.8	.1.3.6.1.2.1.10.7.5.1.3.20.8	Counter32	0
dot3CollFrequencies.20.9	.1.3.6.1.2.1.10.7.5.1.3.20.9	Counter32	0
dot3CollFrequencies.20.10	.1.3.6.1.2.1.10.7.5.1.3.20.10	Counter32	0

Name	OID	Value Type	Value Example
dot3CollFrequencies.20.11	.1.3.6.1.2.1.10.7.5.1.3.20.11	Counter32	0
dot3CollFrequencies.20.12	.1.3.6.1.2.1.10.7.5.1.3.20.12	Counter32	0
dot3CollFrequencies.20.13	.1.3.6.1.2.1.10.7.5.1.3.20.13	Counter32	0
dot3CollFrequencies.20.14	.1.3.6.1.2.1.10.7.5.1.3.20.14	Counter32	0
dot3CollFrequencies.20.15	.1.3.6.1.2.1.10.7.5.1.3.20.15	Counter32	0
dot3CollFrequencies.20.16	.1.3.6.1.2.1.10.7.5.1.3.20.16	Counter32	0
dot3CollFrequencies.21.1	.1.3.6.1.2.1.10.7.5.1.3.21.1	Counter32	0
dot3CollFrequencies.21.2	.1.3.6.1.2.1.10.7.5.1.3.21.2	Counter32	0
dot3CollFrequencies.21.3	.1.3.6.1.2.1.10.7.5.1.3.21.3	Counter32	0
dot3CollFrequencies.21.4	.1.3.6.1.2.1.10.7.5.1.3.21.4	Counter32	0
dot3CollFrequencies.21.5	.1.3.6.1.2.1.10.7.5.1.3.21.5	Counter32	0
dot3CollFrequencies.21.6	.1.3.6.1.2.1.10.7.5.1.3.21.6	Counter32	0
dot3CollFrequencies.21.7	.1.3.6.1.2.1.10.7.5.1.3.21.7	Counter32	0
dot3CollFrequencies.21.8	.1.3.6.1.2.1.10.7.5.1.3.21.8	Counter32	0
dot3CollFrequencies.21.9	.1.3.6.1.2.1.10.7.5.1.3.21.9	Counter32	0
dot3CollFrequencies.21.10	.1.3.6.1.2.1.10.7.5.1.3.21.10	Counter32	0
dot3CollFrequencies.21.11	.1.3.6.1.2.1.10.7.5.1.3.21.11	Counter32	0
dot3CollFrequencies.21.12	.1.3.6.1.2.1.10.7.5.1.3.21.12	Counter32	0
dot3CollFrequencies.21.13	.1.3.6.1.2.1.10.7.5.1.3.21.13	Counter32	0
dot3CollFrequencies.21.14	.1.3.6.1.2.1.10.7.5.1.3.21.14	Counter32	0
dot3CollFrequencies.21.15	.1.3.6.1.2.1.10.7.5.1.3.21.15	Counter32	0
dot3CollFrequencies.21.16	.1.3.6.1.2.1.10.7.5.1.3.21.16	Counter32	0
dot3CollFrequencies.22.1	.1.3.6.1.2.1.10.7.5.1.3.22.1	Counter32	0
dot3CollFrequencies.22.2	.1.3.6.1.2.1.10.7.5.1.3.22.2	Counter32	0
dot3CollFrequencies.22.3	.1.3.6.1.2.1.10.7.5.1.3.22.3	Counter32	0
dot3CollFrequencies.22.4	.1.3.6.1.2.1.10.7.5.1.3.22.4	Counter32	0
dot3CollFrequencies.22.5	.1.3.6.1.2.1.10.7.5.1.3.22.5	Counter32	0
dot3CollFrequencies.22.6	.1.3.6.1.2.1.10.7.5.1.3.22.6	Counter32	0
dot3CollFrequencies.22.7	.1.3.6.1.2.1.10.7.5.1.3.22.7	Counter32	0
dot3CollFrequencies.22.8	.1.3.6.1.2.1.10.7.5.1.3.22.8	Counter32	0
dot3CollFrequencies.22.9	.1.3.6.1.2.1.10.7.5.1.3.22.9	Counter32	0
dot3CollFrequencies.22.10	.1.3.6.1.2.1.10.7.5.1.3.22.10	Counter32	0
dot3CollFrequencies.22.11	.1.3.6.1.2.1.10.7.5.1.3.22.11	Counter32	0
dot3CollFrequencies.22.12	.1.3.6.1.2.1.10.7.5.1.3.22.12	Counter32	0
dot3CollFrequencies.22.13	.1.3.6.1.2.1.10.7.5.1.3.22.13	Counter32	0
dot3CollFrequencies.22.14	.1.3.6.1.2.1.10.7.5.1.3.22.14	Counter32	0
dot3CollFrequencies.22.15	.1.3.6.1.2.1.10.7.5.1.3.22.15	Counter32	0
dot3CollFrequencies.22.16	.1.3.6.1.2.1.10.7.5.1.3.22.16	Counter32	0
dot3CollFrequencies.23.1	.1.3.6.1.2.1.10.7.5.1.3.23.1	Counter32	0
dot3CollFrequencies.23.2	.1.3.6.1.2.1.10.7.5.1.3.23.2	Counter32	0
dot3CollFrequencies.23.3	.1.3.6.1.2.1.10.7.5.1.3.23.3	Counter32	0
dot3CollFrequencies.23.4	.1.3.6.1.2.1.10.7.5.1.3.23.4	Counter32	0
dot3CollFrequencies.23.5	.1.3.6.1.2.1.10.7.5.1.3.23.5	Counter32	0

Name	OID	Value Type	Value Example
dot3CollFrequencies.23.6	.1.3.6.1.2.1.10.7.5.1.3.23.6	Counter32	0
dot3CollFrequencies.23.7	.1.3.6.1.2.1.10.7.5.1.3.23.7	Counter32	0
dot3CollFrequencies.23.8	.1.3.6.1.2.1.10.7.5.1.3.23.8	Counter32	0
dot3CollFrequencies.23.9	.1.3.6.1.2.1.10.7.5.1.3.23.9	Counter32	0
dot3CollFrequencies.23.10	.1.3.6.1.2.1.10.7.5.1.3.23.10	Counter32	0
dot3CollFrequencies.23.11	.1.3.6.1.2.1.10.7.5.1.3.23.11	Counter32	0
dot3CollFrequencies.23.12	.1.3.6.1.2.1.10.7.5.1.3.23.12	Counter32	0
dot3CollFrequencies.23.13	.1.3.6.1.2.1.10.7.5.1.3.23.13	Counter32	0
dot3CollFrequencies.23.14	.1.3.6.1.2.1.10.7.5.1.3.23.14	Counter32	0
dot3CollFrequencies.23.15	.1.3.6.1.2.1.10.7.5.1.3.23.15	Counter32	0
dot3CollFrequencies.23.16	.1.3.6.1.2.1.10.7.5.1.3.23.16	Counter32	0
dot3CollFrequencies.24.1	.1.3.6.1.2.1.10.7.5.1.3.24.1	Counter32	0
dot3CollFrequencies.24.2	.1.3.6.1.2.1.10.7.5.1.3.24.2	Counter32	0
dot3CollFrequencies.24.3	.1.3.6.1.2.1.10.7.5.1.3.24.3	Counter32	0
dot3CollFrequencies.24.4	.1.3.6.1.2.1.10.7.5.1.3.24.4	Counter32	0
dot3CollFrequencies.24.5	.1.3.6.1.2.1.10.7.5.1.3.24.5	Counter32	0
dot3CollFrequencies.24.6	.1.3.6.1.2.1.10.7.5.1.3.24.6	Counter32	0
dot3CollFrequencies.24.7	.1.3.6.1.2.1.10.7.5.1.3.24.7	Counter32	0
dot3CollFrequencies.24.8	.1.3.6.1.2.1.10.7.5.1.3.24.8	Counter32	0
dot3CollFrequencies.24.9	.1.3.6.1.2.1.10.7.5.1.3.24.9	Counter32	0
dot3CollFrequencies.24.10	.1.3.6.1.2.1.10.7.5.1.3.24.10	Counter32	0
dot3CollFrequencies.24.11	.1.3.6.1.2.1.10.7.5.1.3.24.11	Counter32	0
dot3CollFrequencies.24.12	.1.3.6.1.2.1.10.7.5.1.3.24.12	Counter32	0
dot3CollFrequencies.24.13	.1.3.6.1.2.1.10.7.5.1.3.24.13	Counter32	0
dot3CollFrequencies.24.14	.1.3.6.1.2.1.10.7.5.1.3.24.14	Counter32	0
dot3CollFrequencies.24.15	.1.3.6.1.2.1.10.7.5.1.3.24.15	Counter32	0
dot3CollFrequencies.24.16	.1.3.6.1.2.1.10.7.5.1.3.24.16	Counter32	0
dot3CollFrequencies.25.1	.1.3.6.1.2.1.10.7.5.1.3.25.1	Counter32	0
dot3CollFrequencies.25.2	.1.3.6.1.2.1.10.7.5.1.3.25.2	Counter32	0
dot3CollFrequencies.25.3	.1.3.6.1.2.1.10.7.5.1.3.25.3	Counter32	0
dot3CollFrequencies.25.4	.1.3.6.1.2.1.10.7.5.1.3.25.4	Counter32	0
dot3CollFrequencies.25.5	.1.3.6.1.2.1.10.7.5.1.3.25.5	Counter32	0
dot3CollFrequencies.25.6	.1.3.6.1.2.1.10.7.5.1.3.25.6	Counter32	0
dot3CollFrequencies.25.7	.1.3.6.1.2.1.10.7.5.1.3.25.7	Counter32	0
dot3CollFrequencies.25.8	.1.3.6.1.2.1.10.7.5.1.3.25.8	Counter32	0
dot3CollFrequencies.25.9	.1.3.6.1.2.1.10.7.5.1.3.25.9	Counter32	0
dot3CollFrequencies.25.10	.1.3.6.1.2.1.10.7.5.1.3.25.10	Counter32	0
dot3CollFrequencies.25.11	.1.3.6.1.2.1.10.7.5.1.3.25.11	Counter32	0
dot3CollFrequencies.25.12	.1.3.6.1.2.1.10.7.5.1.3.25.12	Counter32	0
dot3CollFrequencies.25.13	.1.3.6.1.2.1.10.7.5.1.3.25.13	Counter32	0
dot3CollFrequencies.25.14	.1.3.6.1.2.1.10.7.5.1.3.25.14	Counter32	0
dot3CollFrequencies.25.15	.1.3.6.1.2.1.10.7.5.1.3.25.15	Counter32	0
dot3CollFrequencies.25.16	.1.3.6.1.2.1.10.7.5.1.3.25.16	Counter32	0

Name	OID	Value Type	Value Example
dot3CollFrequencies.26.1	.1.3.6.1.2.1.10.7.5.1.3.26.1	Counter32	0
dot3CollFrequencies.26.2	.1.3.6.1.2.1.10.7.5.1.3.26.2	Counter32	0
dot3CollFrequencies.26.3	.1.3.6.1.2.1.10.7.5.1.3.26.3	Counter32	0
dot3CollFrequencies.26.4	.1.3.6.1.2.1.10.7.5.1.3.26.4	Counter32	0
dot3CollFrequencies.26.5	.1.3.6.1.2.1.10.7.5.1.3.26.5	Counter32	0
dot3CollFrequencies.26.6	.1.3.6.1.2.1.10.7.5.1.3.26.6	Counter32	0
dot3CollFrequencies.26.7	.1.3.6.1.2.1.10.7.5.1.3.26.7	Counter32	0
dot3CollFrequencies.26.8	.1.3.6.1.2.1.10.7.5.1.3.26.8	Counter32	0
dot3CollFrequencies.26.9	.1.3.6.1.2.1.10.7.5.1.3.26.9	Counter32	0
dot3CollFrequencies.26.10	.1.3.6.1.2.1.10.7.5.1.3.26.10	Counter32	0
dot3CollFrequencies.26.11	.1.3.6.1.2.1.10.7.5.1.3.26.11	Counter32	0
dot3CollFrequencies.26.12	.1.3.6.1.2.1.10.7.5.1.3.26.12	Counter32	0
dot3CollFrequencies.26.13	.1.3.6.1.2.1.10.7.5.1.3.26.13	Counter32	0
dot3CollFrequencies.26.14	.1.3.6.1.2.1.10.7.5.1.3.26.14	Counter32	0
dot3CollFrequencies.26.15	.1.3.6.1.2.1.10.7.5.1.3.26.15	Counter32	0
dot3CollFrequencies.26.16	.1.3.6.1.2.1.10.7.5.1.3.26.16	Counter32	0
dot3CollFrequencies.27.1	.1.3.6.1.2.1.10.7.5.1.3.27.1	Counter32	0
dot3CollFrequencies.27.2	.1.3.6.1.2.1.10.7.5.1.3.27.2	Counter32	0
dot3CollFrequencies.27.3	.1.3.6.1.2.1.10.7.5.1.3.27.3	Counter32	0
dot3CollFrequencies.27.4	.1.3.6.1.2.1.10.7.5.1.3.27.4	Counter32	0
dot3CollFrequencies.27.5	.1.3.6.1.2.1.10.7.5.1.3.27.5	Counter32	0
dot3CollFrequencies.27.6	.1.3.6.1.2.1.10.7.5.1.3.27.6	Counter32	0
dot3CollFrequencies.27.7	.1.3.6.1.2.1.10.7.5.1.3.27.7	Counter32	0
dot3CollFrequencies.27.8	.1.3.6.1.2.1.10.7.5.1.3.27.8	Counter32	0
dot3CollFrequencies.27.9	.1.3.6.1.2.1.10.7.5.1.3.27.9	Counter32	0
dot3CollFrequencies.27.10	.1.3.6.1.2.1.10.7.5.1.3.27.10	Counter32	0
dot3CollFrequencies.27.11	.1.3.6.1.2.1.10.7.5.1.3.27.11	Counter32	0
dot3CollFrequencies.27.12	.1.3.6.1.2.1.10.7.5.1.3.27.12	Counter32	0
dot3CollFrequencies.27.13	.1.3.6.1.2.1.10.7.5.1.3.27.13	Counter32	0
dot3CollFrequencies.27.14	.1.3.6.1.2.1.10.7.5.1.3.27.14	Counter32	0
dot3CollFrequencies.27.15	.1.3.6.1.2.1.10.7.5.1.3.27.15	Counter32	0
dot3CollFrequencies.27.16	.1.3.6.1.2.1.10.7.5.1.3.27.16	Counter32	0
dot3CollFrequencies.28.1	.1.3.6.1.2.1.10.7.5.1.3.28.1	Counter32	0
dot3CollFrequencies.28.2	.1.3.6.1.2.1.10.7.5.1.3.28.2	Counter32	0
dot3CollFrequencies.28.3	.1.3.6.1.2.1.10.7.5.1.3.28.3	Counter32	0
dot3CollFrequencies.28.4	.1.3.6.1.2.1.10.7.5.1.3.28.4	Counter32	0
dot3CollFrequencies.28.5	.1.3.6.1.2.1.10.7.5.1.3.28.5	Counter32	0
dot3CollFrequencies.28.6	.1.3.6.1.2.1.10.7.5.1.3.28.6	Counter32	0
dot3CollFrequencies.28.7	.1.3.6.1.2.1.10.7.5.1.3.28.7	Counter32	0
dot3CollFrequencies.28.8	.1.3.6.1.2.1.10.7.5.1.3.28.8	Counter32	0
dot3CollFrequencies.28.9	.1.3.6.1.2.1.10.7.5.1.3.28.9	Counter32	0
dot3CollFrequencies.28.10	.1.3.6.1.2.1.10.7.5.1.3.28.10	Counter32	0
dot3CollFrequencies.28.11	.1.3.6.1.2.1.10.7.5.1.3.28.11	Counter32	0

Name	OID	Value Type	Value Example
dot3CollFrequencies.28.12	.1.3.6.1.2.1.10.7.5.1.3.28.12	Counter32	0
dot3CollFrequencies.28.13	.1.3.6.1.2.1.10.7.5.1.3.28.13	Counter32	0
dot3CollFrequencies.28.14	.1.3.6.1.2.1.10.7.5.1.3.28.14	Counter32	0
dot3CollFrequencies.28.15	.1.3.6.1.2.1.10.7.5.1.3.28.15	Counter32	0
dot3CollFrequencies.28.16	.1.3.6.1.2.1.10.7.5.1.3.28.16	Counter32	0
dot3ControlFunctionsSupported.1	.1.3.6.1.2.1.10.7.9.1.1.1	OctetString	{pause}
dot3ControlFunctionsSupported.2	.1.3.6.1.2.1.10.7.9.1.1.2	OctetString	{pause}
dot3ControlFunctionsSupported.3	.1.3.6.1.2.1.10.7.9.1.1.3	OctetString	{pause}
dot3ControlFunctionsSupported.4	.1.3.6.1.2.1.10.7.9.1.1.4	OctetString	{pause}
dot3ControlFunctionsSupported.5	.1.3.6.1.2.1.10.7.9.1.1.5	OctetString	{pause}
dot3ControlFunctionsSupported.6	.1.3.6.1.2.1.10.7.9.1.1.6	OctetString	{pause}
dot3ControlFunctionsSupported.7	.1.3.6.1.2.1.10.7.9.1.1.7	OctetString	{pause}
dot3ControlFunctionsSupported.8	.1.3.6.1.2.1.10.7.9.1.1.8	OctetString	{pause}
dot3ControlFunctionsSupported.9	.1.3.6.1.2.1.10.7.9.1.1.9	OctetString	{pause}
dot3ControlFunctionsSupported.10	.1.3.6.1.2.1.10.7.9.1.1.10	OctetString	{pause}
dot3ControlFunctionsSupported.11	.1.3.6.1.2.1.10.7.9.1.1.11	OctetString	{pause}
dot3ControlFunctionsSupported.12	.1.3.6.1.2.1.10.7.9.1.1.12	OctetString	{pause}
dot3ControlFunctionsSupported.13	.1.3.6.1.2.1.10.7.9.1.1.13	OctetString	{pause}
dot3ControlFunctionsSupported.14	.1.3.6.1.2.1.10.7.9.1.1.14	OctetString	{pause}
dot3ControlFunctionsSupported.15	.1.3.6.1.2.1.10.7.9.1.1.15	OctetString	{pause}
dot3ControlFunctionsSupported.16	.1.3.6.1.2.1.10.7.9.1.1.16	OctetString	{pause}
dot3ControlFunctionsSupported.17	.1.3.6.1.2.1.10.7.9.1.1.17	OctetString	{pause}
dot3ControlFunctionsSupported.18	.1.3.6.1.2.1.10.7.9.1.1.18	OctetString	{pause}
dot3ControlFunctionsSupported.19	.1.3.6.1.2.1.10.7.9.1.1.19	OctetString	{pause}
dot3ControlFunctionsSupported.20	.1.3.6.1.2.1.10.7.9.1.1.20	OctetString	{pause}
dot3ControlFunctionsSupported.21	.1.3.6.1.2.1.10.7.9.1.1.21	OctetString	{pause}
dot3ControlFunctionsSupported.22	.1.3.6.1.2.1.10.7.9.1.1.22	OctetString	{pause}

Name	OID	Value Type	Value Example
dot3ControlFunctionsSupported.23	.1.3.6.1.2.1.10.7.9.1.1.23	OctetString	{pause}
dot3ControlFunctionsSupported.24	.1.3.6.1.2.1.10.7.9.1.1.24	OctetString	{pause}
dot3ControlFunctionsSupported.25	.1.3.6.1.2.1.10.7.9.1.1.25	OctetString	{pause}
dot3ControlFunctionsSupported.26	.1.3.6.1.2.1.10.7.9.1.1.26	OctetString	{pause}
dot3ControlFunctionsSupported.27	.1.3.6.1.2.1.10.7.9.1.1.27	OctetString	{pause}
dot3ControlFunctionsSupported.28	.1.3.6.1.2.1.10.7.9.1.1.28	OctetString	{pause}
dot3ControlInUnknownOpCodes.1	.1.3.6.1.2.1.10.7.9.1.2.1	Counter32	0
dot3ControlInUnknownOpCodes.2	.1.3.6.1.2.1.10.7.9.1.2.2	Counter32	0
dot3ControlInUnknownOpCodes.3	.1.3.6.1.2.1.10.7.9.1.2.3	Counter32	0
dot3ControlInUnknownOpCodes.4	.1.3.6.1.2.1.10.7.9.1.2.4	Counter32	0
dot3ControlInUnknownOpCodes.5	.1.3.6.1.2.1.10.7.9.1.2.5	Counter32	0
dot3ControlInUnknownOpCodes.6	.1.3.6.1.2.1.10.7.9.1.2.6	Counter32	0
dot3ControlInUnknownOpCodes.7	.1.3.6.1.2.1.10.7.9.1.2.7	Counter32	0
dot3ControlInUnknownOpCodes.8	.1.3.6.1.2.1.10.7.9.1.2.8	Counter32	0
dot3ControlInUnknownOpCodes.9	.1.3.6.1.2.1.10.7.9.1.2.9	Counter32	0
dot3ControlInUnknownOpCodes.10	.1.3.6.1.2.1.10.7.9.1.2.10	Counter32	0
dot3ControlInUnknownOpCodes.11	.1.3.6.1.2.1.10.7.9.1.2.11	Counter32	0
dot3ControlInUnknownOpCodes.12	.1.3.6.1.2.1.10.7.9.1.2.12	Counter32	0
dot3ControlInUnknownOpCodes.13	.1.3.6.1.2.1.10.7.9.1.2.13	Counter32	0
dot3ControlInUnknownOpCodes.14	.1.3.6.1.2.1.10.7.9.1.2.14	Counter32	0
dot3ControlInUnknownOpCodes.15	.1.3.6.1.2.1.10.7.9.1.2.15	Counter32	0
dot3ControlInUnknownOpCodes.16	.1.3.6.1.2.1.10.7.9.1.2.16	Counter32	0
dot3ControlInUnknownOpCodes.17	.1.3.6.1.2.1.10.7.9.1.2.17	Counter32	0
dot3ControlInUnknownOpCodes.18	.1.3.6.1.2.1.10.7.9.1.2.18	Counter32	0
dot3ControlInUnknownOpCodes.19	.1.3.6.1.2.1.10.7.9.1.2.19	Counter32	0

Name	OID	Value Type	Value Example
dot3ControlInUnknownOpco-des.20	.1.3.6.1.2.1.10.7.9.1.2.20	Counter32	0
dot3ControlInUnknownOpco-des.21	.1.3.6.1.2.1.10.7.9.1.2.21	Counter32	0
dot3ControlInUnknownOpco-des.22	.1.3.6.1.2.1.10.7.9.1.2.22	Counter32	0
dot3ControlInUnknownOpco-des.23	.1.3.6.1.2.1.10.7.9.1.2.23	Counter32	0
dot3ControlInUnknownOpco-des.24	.1.3.6.1.2.1.10.7.9.1.2.24	Counter32	0
dot3ControlInUnknownOpco-des.25	.1.3.6.1.2.1.10.7.9.1.2.25	Counter32	0
dot3ControlInUnknownOpco-des.26	.1.3.6.1.2.1.10.7.9.1.2.26	Counter32	0
dot3ControlInUnknownOpco-des.27	.1.3.6.1.2.1.10.7.9.1.2.27	Counter32	0
dot3ControlInUnknownOpco-des.28	.1.3.6.1.2.1.10.7.9.1.2.28	Counter32	0
dot3PauseAdminMode.1	.1.3.6.1.2.1.10.7.10.1.1.1	Integer	disabled (1)
dot3PauseAdminMode.2	.1.3.6.1.2.1.10.7.10.1.1.2	Integer	disabled (1)
dot3PauseAdminMode.3	.1.3.6.1.2.1.10.7.10.1.1.3	Integer	disabled (1)
dot3PauseAdminMode.4	.1.3.6.1.2.1.10.7.10.1.1.4	Integer	disabled (1)
dot3PauseAdminMode.5	.1.3.6.1.2.1.10.7.10.1.1.5	Integer	disabled (1)
dot3PauseAdminMode.6	.1.3.6.1.2.1.10.7.10.1.1.6	Integer	disabled (1)
dot3PauseAdminMode.7	.1.3.6.1.2.1.10.7.10.1.1.7	Integer	disabled (1)
dot3PauseAdminMode.8	.1.3.6.1.2.1.10.7.10.1.1.8	Integer	disabled (1)
dot3PauseAdminMode.9	.1.3.6.1.2.1.10.7.10.1.1.9	Integer	disabled (1)
dot3PauseAdminMode.10	.1.3.6.1.2.1.10.7.10.1.1.10	Integer	disabled (1)
dot3PauseAdminMode.11	.1.3.6.1.2.1.10.7.10.1.1.11	Integer	disabled (1)
dot3PauseAdminMode.12	.1.3.6.1.2.1.10.7.10.1.1.12	Integer	disabled (1)
dot3PauseAdminMode.13	.1.3.6.1.2.1.10.7.10.1.1.13	Integer	disabled (1)
dot3PauseAdminMode.14	.1.3.6.1.2.1.10.7.10.1.1.14	Integer	disabled (1)
dot3PauseAdminMode.15	.1.3.6.1.2.1.10.7.10.1.1.15	Integer	disabled (1)
dot3PauseAdminMode.16	.1.3.6.1.2.1.10.7.10.1.1.16	Integer	disabled (1)
dot3PauseAdminMode.17	.1.3.6.1.2.1.10.7.10.1.1.17	Integer	disabled (1)
dot3PauseAdminMode.18	.1.3.6.1.2.1.10.7.10.1.1.18	Integer	disabled (1)
dot3PauseAdminMode.19	.1.3.6.1.2.1.10.7.10.1.1.19	Integer	disabled (1)
dot3PauseAdminMode.20	.1.3.6.1.2.1.10.7.10.1.1.20	Integer	disabled (1)
dot3PauseAdminMode.21	.1.3.6.1.2.1.10.7.10.1.1.21	Integer	disabled (1)
dot3PauseAdminMode.22	.1.3.6.1.2.1.10.7.10.1.1.22	Integer	disabled (1)
dot3PauseAdminMode.23	.1.3.6.1.2.1.10.7.10.1.1.23	Integer	disabled (1)
dot3PauseAdminMode.24	.1.3.6.1.2.1.10.7.10.1.1.24	Integer	disabled (1)
dot3PauseAdminMode.25	.1.3.6.1.2.1.10.7.10.1.1.25	Integer	disabled (1)
dot3PauseAdminMode.26	.1.3.6.1.2.1.10.7.10.1.1.26	Integer	disabled (1)
dot3PauseAdminMode.27	.1.3.6.1.2.1.10.7.10.1.1.27	Integer	disabled (1)
dot3PauseAdminMode.28	.1.3.6.1.2.1.10.7.10.1.1.28	Integer	disabled (1)

Name	OID	Value Type	Value Example
dot3PauseOperMode.1	.1.3.6.1.2.1.10.7.10.1.2.1	Integer	disabled (1)
dot3PauseOperMode.2	.1.3.6.1.2.1.10.7.10.1.2.2	Integer	disabled (1)
dot3PauseOperMode.3	.1.3.6.1.2.1.10.7.10.1.2.3	Integer	disabled (1)
dot3PauseOperMode.4	.1.3.6.1.2.1.10.7.10.1.2.4	Integer	disabled (1)
dot3PauseOperMode.5	.1.3.6.1.2.1.10.7.10.1.2.5	Integer	disabled (1)
dot3PauseOperMode.6	.1.3.6.1.2.1.10.7.10.1.2.6	Integer	disabled (1)
dot3PauseOperMode.7	.1.3.6.1.2.1.10.7.10.1.2.7	Integer	disabled (1)
dot3PauseOperMode.8	.1.3.6.1.2.1.10.7.10.1.2.8	Integer	disabled (1)
dot3PauseOperMode.9	.1.3.6.1.2.1.10.7.10.1.2.9	Integer	disabled (1)
dot3PauseOperMode.10	.1.3.6.1.2.1.10.7.10.1.2.10	Integer	disabled (1)
dot3PauseOperMode.11	.1.3.6.1.2.1.10.7.10.1.2.11	Integer	disabled (1)
dot3PauseOperMode.12	.1.3.6.1.2.1.10.7.10.1.2.12	Integer	disabled (1)
dot3PauseOperMode.13	.1.3.6.1.2.1.10.7.10.1.2.13	Integer	disabled (1)
dot3PauseOperMode.14	.1.3.6.1.2.1.10.7.10.1.2.14	Integer	disabled (1)
dot3PauseOperMode.15	.1.3.6.1.2.1.10.7.10.1.2.15	Integer	disabled (1)
dot3PauseOperMode.16	.1.3.6.1.2.1.10.7.10.1.2.16	Integer	disabled (1)
dot3PauseOperMode.17	.1.3.6.1.2.1.10.7.10.1.2.17	Integer	disabled (1)
dot3PauseOperMode.18	.1.3.6.1.2.1.10.7.10.1.2.18	Integer	disabled (1)
dot3PauseOperMode.19	.1.3.6.1.2.1.10.7.10.1.2.19	Integer	disabled (1)
dot3PauseOperMode.20	.1.3.6.1.2.1.10.7.10.1.2.20	Integer	disabled (1)
dot3PauseOperMode.21	.1.3.6.1.2.1.10.7.10.1.2.21	Integer	disabled (1)
dot3PauseOperMode.22	.1.3.6.1.2.1.10.7.10.1.2.22	Integer	disabled (1)
dot3PauseOperMode.23	.1.3.6.1.2.1.10.7.10.1.2.23	Integer	disabled (1)
dot3PauseOperMode.24	.1.3.6.1.2.1.10.7.10.1.2.24	Integer	disabled (1)
dot3PauseOperMode.25	.1.3.6.1.2.1.10.7.10.1.2.25	Integer	disabled (1)
dot3PauseOperMode.26	.1.3.6.1.2.1.10.7.10.1.2.26	Integer	disabled (1)
dot3PauseOperMode.27	.1.3.6.1.2.1.10.7.10.1.2.27	Integer	disabled (1)
dot3PauseOperMode.28	.1.3.6.1.2.1.10.7.10.1.2.28	Integer	disabled (1)
dot3InPauseFrames.1	.1.3.6.1.2.1.10.7.10.1.3.1	Counter32	0
dot3InPauseFrames.2	.1.3.6.1.2.1.10.7.10.1.3.2	Counter32	0
dot3InPauseFrames.3	.1.3.6.1.2.1.10.7.10.1.3.3	Counter32	0
dot3InPauseFrames.4	.1.3.6.1.2.1.10.7.10.1.3.4	Counter32	0
dot3InPauseFrames.5	.1.3.6.1.2.1.10.7.10.1.3.5	Counter32	0
dot3InPauseFrames.6	.1.3.6.1.2.1.10.7.10.1.3.6	Counter32	0
dot3InPauseFrames.7	.1.3.6.1.2.1.10.7.10.1.3.7	Counter32	0
dot3InPauseFrames.8	.1.3.6.1.2.1.10.7.10.1.3.8	Counter32	0
dot3InPauseFrames.9	.1.3.6.1.2.1.10.7.10.1.3.9	Counter32	0
dot3InPauseFrames.10	.1.3.6.1.2.1.10.7.10.1.3.10	Counter32	0
dot3InPauseFrames.11	.1.3.6.1.2.1.10.7.10.1.3.11	Counter32	0
dot3InPauseFrames.12	.1.3.6.1.2.1.10.7.10.1.3.12	Counter32	0
dot3InPauseFrames.13	.1.3.6.1.2.1.10.7.10.1.3.13	Counter32	0
dot3InPauseFrames.14	.1.3.6.1.2.1.10.7.10.1.3.14	Counter32	0
dot3InPauseFrames.15	.1.3.6.1.2.1.10.7.10.1.3.15	Counter32	0

Name	OID	Value Type	Value Example
dot3InPauseFrames.16	.1.3.6.1.2.1.10.7.10.1.3.16	Counter32	0
dot3InPauseFrames.17	.1.3.6.1.2.1.10.7.10.1.3.17	Counter32	0
dot3InPauseFrames.18	.1.3.6.1.2.1.10.7.10.1.3.18	Counter32	0
dot3InPauseFrames.19	.1.3.6.1.2.1.10.7.10.1.3.19	Counter32	0
dot3InPauseFrames.20	.1.3.6.1.2.1.10.7.10.1.3.20	Counter32	0
dot3InPauseFrames.21	.1.3.6.1.2.1.10.7.10.1.3.21	Counter32	0
dot3InPauseFrames.22	.1.3.6.1.2.1.10.7.10.1.3.22	Counter32	0
dot3InPauseFrames.23	.1.3.6.1.2.1.10.7.10.1.3.23	Counter32	0
dot3InPauseFrames.24	.1.3.6.1.2.1.10.7.10.1.3.24	Counter32	0
dot3InPauseFrames.25	.1.3.6.1.2.1.10.7.10.1.3.25	Counter32	0
dot3InPauseFrames.26	.1.3.6.1.2.1.10.7.10.1.3.26	Counter32	0
dot3InPauseFrames.27	.1.3.6.1.2.1.10.7.10.1.3.27	Counter32	0
dot3InPauseFrames.28	.1.3.6.1.2.1.10.7.10.1.3.28	Counter32	0
dot3OutPauseFrames.1	.1.3.6.1.2.1.10.7.10.1.4.1	Counter32	0
dot3OutPauseFrames.2	.1.3.6.1.2.1.10.7.10.1.4.2	Counter32	0
dot3OutPauseFrames.3	.1.3.6.1.2.1.10.7.10.1.4.3	Counter32	0
dot3OutPauseFrames.4	.1.3.6.1.2.1.10.7.10.1.4.4	Counter32	0
dot3OutPauseFrames.5	.1.3.6.1.2.1.10.7.10.1.4.5	Counter32	0
dot3OutPauseFrames.6	.1.3.6.1.2.1.10.7.10.1.4.6	Counter32	0
dot3OutPauseFrames.7	.1.3.6.1.2.1.10.7.10.1.4.7	Counter32	0
dot3OutPauseFrames.8	.1.3.6.1.2.1.10.7.10.1.4.8	Counter32	0
dot3OutPauseFrames.9	.1.3.6.1.2.1.10.7.10.1.4.9	Counter32	0
dot3OutPauseFrames.10	.1.3.6.1.2.1.10.7.10.1.4.10	Counter32	0
dot3OutPauseFrames.11	.1.3.6.1.2.1.10.7.10.1.4.11	Counter32	0
dot3OutPauseFrames.12	.1.3.6.1.2.1.10.7.10.1.4.12	Counter32	0
dot3OutPauseFrames.13	.1.3.6.1.2.1.10.7.10.1.4.13	Counter32	0
dot3OutPauseFrames.14	.1.3.6.1.2.1.10.7.10.1.4.14	Counter32	0
dot3OutPauseFrames.15	.1.3.6.1.2.1.10.7.10.1.4.15	Counter32	0
dot3OutPauseFrames.16	.1.3.6.1.2.1.10.7.10.1.4.16	Counter32	0
dot3OutPauseFrames.17	.1.3.6.1.2.1.10.7.10.1.4.17	Counter32	0
dot3OutPauseFrames.18	.1.3.6.1.2.1.10.7.10.1.4.18	Counter32	0
dot3OutPauseFrames.19	.1.3.6.1.2.1.10.7.10.1.4.19	Counter32	0
dot3OutPauseFrames.20	.1.3.6.1.2.1.10.7.10.1.4.20	Counter32	0
dot3OutPauseFrames.21	.1.3.6.1.2.1.10.7.10.1.4.21	Counter32	0
dot3OutPauseFrames.22	.1.3.6.1.2.1.10.7.10.1.4.22	Counter32	0
dot3OutPauseFrames.23	.1.3.6.1.2.1.10.7.10.1.4.23	Counter32	0
dot3OutPauseFrames.24	.1.3.6.1.2.1.10.7.10.1.4.24	Counter32	0
dot3OutPauseFrames.25	.1.3.6.1.2.1.10.7.10.1.4.25	Counter32	0
dot3OutPauseFrames.26	.1.3.6.1.2.1.10.7.10.1.4.26	Counter32	0
dot3OutPauseFrames.27	.1.3.6.1.2.1.10.7.10.1.4.27	Counter32	0
dot3OutPauseFrames.28	.1.3.6.1.2.1.10.7.10.1.4.28	Counter32	0
snmplnPkts.0	.1.3.6.1.2.1.11.1.0	Counter32	2752
snmpOutPkts.0	.1.3.6.1.2.1.11.2.0	Counter32	2751

Name	OID	Value Type	Value Example
snmplnBadVersions.0	.1.3.6.1.2.1.11.3.0	Counter32	1
snmplnBadCommunityNames.0	.1.3.6.1.2.1.11.4.0	Counter32	0
snmplnBadCommunityUses.0	.1.3.6.1.2.1.11.5.0	Counter32	0
snmplnASNParseErrs.0	.1.3.6.1.2.1.11.6.0	Counter32	0
snmplnTooBigs.0	.1.3.6.1.2.1.11.8.0	Counter32	0
snmplnNoSuchNames.0	.1.3.6.1.2.1.11.9.0	Counter32	0
snmplnBadValues.0	.1.3.6.1.2.1.11.10.0	Counter32	0
snmplnReadOnlys.0	.1.3.6.1.2.1.11.11.0	Counter32	0
snmplnGenErrs.0	.1.3.6.1.2.1.11.12.0	Counter32	0
snmplnTotalReqVars.0	.1.3.6.1.2.1.11.13.0	Counter32	2761
snmplnTotalSetVars.0	.1.3.6.1.2.1.11.14.0	Counter32	0
snmplnGetRequests.0	.1.3.6.1.2.1.11.15.0	Counter32	0
snmplnGetNexts.0	.1.3.6.1.2.1.11.16.0	Counter32	2765
snmplnSetRequests.0	.1.3.6.1.2.1.11.17.0	Counter32	0
snmplnGetResponses.0	.1.3.6.1.2.1.11.18.0	Counter32	0
snmplnTraps.0	.1.3.6.1.2.1.11.19.0	Counter32	0
snmpOutTooBigs.0	.1.3.6.1.2.1.11.20.0	Counter32	0
snmpOutNoSuchNames.0	.1.3.6.1.2.1.11.21.0	Counter32	0
snmpOutBadValues.0	.1.3.6.1.2.1.11.22.0	Counter32	0
snmpOutGenErrs.0	.1.3.6.1.2.1.11.24.0	Counter32	0
snmpOutGetRequests.0	.1.3.6.1.2.1.11.25.0	Counter32	0
snmpOutGetNexts.0	.1.3.6.1.2.1.11.26.0	Counter32	0
snmpOutSetRequests.0	.1.3.6.1.2.1.11.27.0	Counter32	0
snmpOutGetResponses.0	.1.3.6.1.2.1.11.28.0	Counter32	2775
snmpOutTraps.0	.1.3.6.1.2.1.11.29.0	Counter32	0
snmpEnableAuthenTraps.0	.1.3.6.1.2.1.11.30.0	Integer	enabled (1)
snmpSilentDrops.0	.1.3.6.1.2.1.11.31.0	Counter32	0
snmpProxyDrops.0	.1.3.6.1.2.1.11.32.0	Counter32	0
dot1dBaseBridgeAddress.0	.1.3.6.1.2.1.17.1.1.0	OctetString	80-85-44-07-B1-1C
dot1dBaseNumPorts.0	.1.3.6.1.2.1.17.1.2.0	Integer	28
dot1dBaseType.0	.1.3.6.1.2.1.17.1.3.0	Integer	transparent-only (2)
dot1dBasePort.1	.1.3.6.1.2.1.17.1.4.1.1.1	Integer	1
dot1dBasePort.2	.1.3.6.1.2.1.17.1.4.1.1.2	Integer	2
dot1dBasePort.3	.1.3.6.1.2.1.17.1.4.1.1.3	Integer	3
dot1dBasePort.4	.1.3.6.1.2.1.17.1.4.1.1.4	Integer	4
dot1dBasePort.5	.1.3.6.1.2.1.17.1.4.1.1.5	Integer	5
dot1dBasePort.6	.1.3.6.1.2.1.17.1.4.1.1.6	Integer	6
dot1dBasePort.7	.1.3.6.1.2.1.17.1.4.1.1.7	Integer	7
dot1dBasePort.8	.1.3.6.1.2.1.17.1.4.1.1.8	Integer	8
dot1dBasePort.9	.1.3.6.1.2.1.17.1.4.1.1.9	Integer	9
dot1dBasePort.10	.1.3.6.1.2.1.17.1.4.1.1.10	Integer	10
dot1dBasePort.11	.1.3.6.1.2.1.17.1.4.1.1.11	Integer	11

Name	OID	Value Type	Value Example
dot1dBasePort.12	.1.3.6.1.2.1.17.1.4.1.1.12	Integer	12
dot1dBasePort.13	.1.3.6.1.2.1.17.1.4.1.1.13	Integer	13
dot1dBasePort.14	.1.3.6.1.2.1.17.1.4.1.1.14	Integer	14
dot1dBasePort.15	.1.3.6.1.2.1.17.1.4.1.1.15	Integer	15
dot1dBasePort.16	.1.3.6.1.2.1.17.1.4.1.1.16	Integer	16
dot1dBasePort.17	.1.3.6.1.2.1.17.1.4.1.1.17	Integer	17
dot1dBasePort.18	.1.3.6.1.2.1.17.1.4.1.1.18	Integer	18
dot1dBasePort.19	.1.3.6.1.2.1.17.1.4.1.1.19	Integer	19
dot1dBasePort.20	.1.3.6.1.2.1.17.1.4.1.1.20	Integer	20
dot1dBasePort.21	.1.3.6.1.2.1.17.1.4.1.1.21	Integer	21
dot1dBasePort.22	.1.3.6.1.2.1.17.1.4.1.1.22	Integer	22
dot1dBasePort.23	.1.3.6.1.2.1.17.1.4.1.1.23	Integer	23
dot1dBasePort.24	.1.3.6.1.2.1.17.1.4.1.1.24	Integer	24
dot1dBasePort.25	.1.3.6.1.2.1.17.1.4.1.1.25	Integer	25
dot1dBasePort.26	.1.3.6.1.2.1.17.1.4.1.1.26	Integer	26
dot1dBasePort.27	.1.3.6.1.2.1.17.1.4.1.1.27	Integer	27
dot1dBasePort.28	.1.3.6.1.2.1.17.1.4.1.1.28	Integer	28
dot1dBasePortIfIndex.1	.1.3.6.1.2.1.17.1.4.1.2.1	Integer	1
dot1dBasePortIfIndex.2	.1.3.6.1.2.1.17.1.4.1.2.2	Integer	2
dot1dBasePortIfIndex.3	.1.3.6.1.2.1.17.1.4.1.2.3	Integer	3
dot1dBasePortIfIndex.4	.1.3.6.1.2.1.17.1.4.1.2.4	Integer	4
dot1dBasePortIfIndex.5	.1.3.6.1.2.1.17.1.4.1.2.5	Integer	5
dot1dBasePortIfIndex.6	.1.3.6.1.2.1.17.1.4.1.2.6	Integer	6
dot1dBasePortIfIndex.7	.1.3.6.1.2.1.17.1.4.1.2.7	Integer	7
dot1dBasePortIfIndex.8	.1.3.6.1.2.1.17.1.4.1.2.8	Integer	8
dot1dBasePortIfIndex.9	.1.3.6.1.2.1.17.1.4.1.2.9	Integer	9
dot1dBasePortIfIndex.10	.1.3.6.1.2.1.17.1.4.1.2.10	Integer	10
dot1dBasePortIfIndex.11	.1.3.6.1.2.1.17.1.4.1.2.11	Integer	11
dot1dBasePortIfIndex.12	.1.3.6.1.2.1.17.1.4.1.2.12	Integer	12
dot1dBasePortIfIndex.13	.1.3.6.1.2.1.17.1.4.1.2.13	Integer	13
dot1dBasePortIfIndex.14	.1.3.6.1.2.1.17.1.4.1.2.14	Integer	14
dot1dBasePortIfIndex.15	.1.3.6.1.2.1.17.1.4.1.2.15	Integer	15
dot1dBasePortIfIndex.16	.1.3.6.1.2.1.17.1.4.1.2.16	Integer	16
dot1dBasePortIfIndex.17	.1.3.6.1.2.1.17.1.4.1.2.17	Integer	17
dot1dBasePortIfIndex.18	.1.3.6.1.2.1.17.1.4.1.2.18	Integer	18
dot1dBasePortIfIndex.19	.1.3.6.1.2.1.17.1.4.1.2.19	Integer	19
dot1dBasePortIfIndex.20	.1.3.6.1.2.1.17.1.4.1.2.20	Integer	20
dot1dBasePortIfIndex.21	.1.3.6.1.2.1.17.1.4.1.2.21	Integer	21
dot1dBasePortIfIndex.22	.1.3.6.1.2.1.17.1.4.1.2.22	Integer	22
dot1dBasePortIfIndex.23	.1.3.6.1.2.1.17.1.4.1.2.23	Integer	23
dot1dBasePortIfIndex.24	.1.3.6.1.2.1.17.1.4.1.2.24	Integer	24
dot1dBasePortIfIndex.25	.1.3.6.1.2.1.17.1.4.1.2.25	Integer	25
dot1dBasePortIfIndex.26	.1.3.6.1.2.1.17.1.4.1.2.26	Integer	26

Name	OID	Value Type	Value Example
dot1dBasePortIfIndex.27	.1.3.6.1.2.1.17.1.4.1.2.27	Integer	27
dot1dBasePortIfIndex.28	.1.3.6.1.2.1.17.1.4.1.2.28	Integer	28
dot1dBasePortCircuit.1	.1.3.6.1.2.1.17.1.4.1.3.1	OID	.0.0
dot1dBasePortCircuit.2	.1.3.6.1.2.1.17.1.4.1.3.2	OID	.0.0
dot1dBasePortCircuit.3	.1.3.6.1.2.1.17.1.4.1.3.3	OID	.0.0
dot1dBasePortCircuit.4	.1.3.6.1.2.1.17.1.4.1.3.4	OID	.0.0
dot1dBasePortCircuit.5	.1.3.6.1.2.1.17.1.4.1.3.5	OID	.0.0
dot1dBasePortCircuit.6	.1.3.6.1.2.1.17.1.4.1.3.6	OID	.0.0
dot1dBasePortCircuit.7	.1.3.6.1.2.1.17.1.4.1.3.7	OID	.0.0
dot1dBasePortCircuit.8	.1.3.6.1.2.1.17.1.4.1.3.8	OID	.0.0
dot1dBasePortCircuit.9	.1.3.6.1.2.1.17.1.4.1.3.9	OID	.0.0
dot1dBasePortCircuit.10	.1.3.6.1.2.1.17.1.4.1.3.10	OID	.0.0
dot1dBasePortCircuit.11	.1.3.6.1.2.1.17.1.4.1.3.11	OID	.0.0
dot1dBasePortCircuit.12	.1.3.6.1.2.1.17.1.4.1.3.12	OID	.0.0
dot1dBasePortCircuit.13	.1.3.6.1.2.1.17.1.4.1.3.13	OID	.0.0
dot1dBasePortCircuit.14	.1.3.6.1.2.1.17.1.4.1.3.14	OID	.0.0
dot1dBasePortCircuit.15	.1.3.6.1.2.1.17.1.4.1.3.15	OID	.0.0
dot1dBasePortCircuit.16	.1.3.6.1.2.1.17.1.4.1.3.16	OID	.0.0
dot1dBasePortCircuit.17	.1.3.6.1.2.1.17.1.4.1.3.17	OID	.0.0
dot1dBasePortCircuit.18	.1.3.6.1.2.1.17.1.4.1.3.18	OID	.0.0
dot1dBasePortCircuit.19	.1.3.6.1.2.1.17.1.4.1.3.19	OID	.0.0
dot1dBasePortCircuit.20	.1.3.6.1.2.1.17.1.4.1.3.20	OID	.0.0
dot1dBasePortCircuit.21	.1.3.6.1.2.1.17.1.4.1.3.21	OID	.0.0
dot1dBasePortCircuit.22	.1.3.6.1.2.1.17.1.4.1.3.22	OID	.0.0
dot1dBasePortCircuit.23	.1.3.6.1.2.1.17.1.4.1.3.23	OID	.0.0
dot1dBasePortCircuit.24	.1.3.6.1.2.1.17.1.4.1.3.24	OID	.0.0
dot1dBasePortCircuit.25	.1.3.6.1.2.1.17.1.4.1.3.25	OID	.0.0
dot1dBasePortCircuit.26	.1.3.6.1.2.1.17.1.4.1.3.26	OID	.0.0
dot1dBasePortCircuit.27	.1.3.6.1.2.1.17.1.4.1.3.27	OID	.0.0
dot1dBasePortCircuit.28	.1.3.6.1.2.1.17.1.4.1.3.28	OID	.0.0
dot1dBasePortDelayExceeded- Discards.1	.1.3.6.1.2.1.17.1.4.1.4.1	Counter32	0
dot1dBasePortDelayExceeded- Discards.2	.1.3.6.1.2.1.17.1.4.1.4.2	Counter32	0
dot1dBasePortDelayExceeded- Discards.3	.1.3.6.1.2.1.17.1.4.1.4.3	Counter32	0
dot1dBasePortDelayExceeded- Discards.4	.1.3.6.1.2.1.17.1.4.1.4.4	Counter32	0
dot1dBasePortDelayExceeded- Discards.5	.1.3.6.1.2.1.17.1.4.1.4.5	Counter32	0

Name	OID	Value Type	Value Example
dot1dBasePortDelayExceeded-Discards.6	.1.3.6.1.2.1.17.1.4.1.4.6	Counter32	0
dot1dBasePortDelayExceeded-Discards.7	.1.3.6.1.2.1.17.1.4.1.4.7	Counter32	0
dot1dBasePortDelayExceeded-Discards.8	.1.3.6.1.2.1.17.1.4.1.4.8	Counter32	0
dot1dBasePortDelayExceeded-Discards.9	.1.3.6.1.2.1.17.1.4.1.4.9	Counter32	0
dot1dBasePortDelayExceeded-Discards.10	.1.3.6.1.2.1.17.1.4.1.4.10	Counter32	0
dot1dBasePortDelayExceeded-Discards.11	.1.3.6.1.2.1.17.1.4.1.4.11	Counter32	0
dot1dBasePortDelayExceeded-Discards.12	.1.3.6.1.2.1.17.1.4.1.4.12	Counter32	0
dot1dBasePortDelayExceeded-Discards.13	.1.3.6.1.2.1.17.1.4.1.4.13	Counter32	0
dot1dBasePortDelayExceeded-Discards.14	.1.3.6.1.2.1.17.1.4.1.4.14	Counter32	0
dot1dBasePortDelayExceeded-Discards.15	.1.3.6.1.2.1.17.1.4.1.4.15	Counter32	0
dot1dBasePortDelayExceeded-Discards.16	.1.3.6.1.2.1.17.1.4.1.4.16	Counter32	0
dot1dBasePortDelayExceeded-Discards.17	.1.3.6.1.2.1.17.1.4.1.4.17	Counter32	0
dot1dBasePortDelayExceeded-Discards.18	.1.3.6.1.2.1.17.1.4.1.4.18	Counter32	0
dot1dBasePortDelayExceeded-Discards.19	.1.3.6.1.2.1.17.1.4.1.4.19	Counter32	0
dot1dBasePortDelayExceeded-Discards.20	.1.3.6.1.2.1.17.1.4.1.4.20	Counter32	0
dot1dBasePortDelayExceeded-Discards.21	.1.3.6.1.2.1.17.1.4.1.4.21	Counter32	0
dot1dBasePortDelayExceeded-Discards.22	.1.3.6.1.2.1.17.1.4.1.4.22	Counter32	0
dot1dBasePortDelayExceeded-Discards.23	.1.3.6.1.2.1.17.1.4.1.4.23	Counter32	0

Name	OID	Value Type	Value Example
dot1dBasePortDelayExceeded- Discards.24	.1.3.6.1.2.1.17.1.4.1.4.24	Counter32	0
dot1dBasePortDelayExceeded- Discards.25	.1.3.6.1.2.1.17.1.4.1.4.25	Counter32	0
dot1dBasePortDelayExceeded- Discards.26	.1.3.6.1.2.1.17.1.4.1.4.26	Counter32	0
dot1dBasePortDelayExceeded- Discards.27	.1.3.6.1.2.1.17.1.4.1.4.27	Counter32	0
dot1dBasePortDelayExceeded- Discards.28	.1.3.6.1.2.1.17.1.4.1.4.28	Counter32	0
dot1dBasePortMtuExceeded- Discards.1	.1.3.6.1.2.1.17.1.4.1.5.1	Counter32	0
dot1dBasePortMtuExceeded- Discards.2	.1.3.6.1.2.1.17.1.4.1.5.2	Counter32	0
dot1dBasePortMtuExceeded- Discards.3	.1.3.6.1.2.1.17.1.4.1.5.3	Counter32	0
dot1dBasePortMtuExceeded- Discards.4	.1.3.6.1.2.1.17.1.4.1.5.4	Counter32	0
dot1dBasePortMtuExceeded- Discards.5	.1.3.6.1.2.1.17.1.4.1.5.5	Counter32	0
dot1dBasePortMtuExceeded- Discards.6	.1.3.6.1.2.1.17.1.4.1.5.6	Counter32	0
dot1dBasePortMtuExceeded- Discards.7	.1.3.6.1.2.1.17.1.4.1.5.7	Counter32	0
dot1dBasePortMtuExceeded- Discards.8	.1.3.6.1.2.1.17.1.4.1.5.8	Counter32	0
dot1dBasePortMtuExceeded- Discards.9	.1.3.6.1.2.1.17.1.4.1.5.9	Counter32	0
dot1dBasePortMtuExceeded- Discards.10	.1.3.6.1.2.1.17.1.4.1.5.10	Counter32	0
dot1dBasePortMtuExceeded- Discards.11	.1.3.6.1.2.1.17.1.4.1.5.11	Counter32	0
dot1dBasePortMtuExceeded- Discards.12	.1.3.6.1.2.1.17.1.4.1.5.12	Counter32	0
dot1dBasePortMtuExceeded- Discards.13	.1.3.6.1.2.1.17.1.4.1.5.13	Counter32	0

Name	OID	Value Type	Value Example
dot1dBasePortMtuExceeded-Discards.14	.1.3.6.1.2.1.17.1.4.1.5.14	Counter32	0
dot1dBasePortMtuExceeded-Discards.15	.1.3.6.1.2.1.17.1.4.1.5.15	Counter32	0
dot1dBasePortMtuExceeded-Discards.16	.1.3.6.1.2.1.17.1.4.1.5.16	Counter32	0
dot1dBasePortMtuExceeded-Discards.17	.1.3.6.1.2.1.17.1.4.1.5.17	Counter32	0
dot1dBasePortMtuExceeded-Discards.18	.1.3.6.1.2.1.17.1.4.1.5.18	Counter32	0
dot1dBasePortMtuExceeded-Discards.19	.1.3.6.1.2.1.17.1.4.1.5.19	Counter32	0
dot1dBasePortMtuExceeded-Discards.20	.1.3.6.1.2.1.17.1.4.1.5.20	Counter32	0
dot1dBasePortMtuExceeded-Discards.21	.1.3.6.1.2.1.17.1.4.1.5.21	Counter32	0
dot1dBasePortMtuExceeded-Discards.22	.1.3.6.1.2.1.17.1.4.1.5.22	Counter32	0
dot1dBasePortMtuExceeded-Discards.23	.1.3.6.1.2.1.17.1.4.1.5.23	Counter32	0
dot1dBasePortMtuExceeded-Discards.24	.1.3.6.1.2.1.17.1.4.1.5.24	Counter32	0
dot1dBasePortMtuExceeded-Discards.25	.1.3.6.1.2.1.17.1.4.1.5.25	Counter32	0
dot1dBasePortMtuExceeded-Discards.26	.1.3.6.1.2.1.17.1.4.1.5.26	Counter32	0
dot1dBasePortMtuExceeded-Discards.27	.1.3.6.1.2.1.17.1.4.1.5.27	Counter32	0
dot1dBasePortMtuExceeded-Discards.28	.1.3.6.1.2.1.17.1.4.1.5.28	Counter32	0
dot1dStpProtocolSpecification.0	.1.3.6.1.2.1.17.2.1.0	Integer	unknown (1)
dot1dStpPriority.0	.1.3.6.1.2.1.17.2.2.0	Integer	32768
dot1dStpTimeSinceTopology-Change.0	.1.3.6.1.2.1.17.2.3.0	TimeTicks	8 minutes 7.59 seconds (48759)
dot1dStpTopChanges.0	.1.3.6.1.2.1.17.2.4.0	Counter32	6632
dot1dStpDesignatedRoot.0	.1.3.6.1.2.1.17.2.5.0	OctetString	40-00-E4-F0-04-73-89-88

Name	OID	Value Type	Value Example
dot1dStpRootCost.0	.1.3.6.1.2.1.17.2.6.0	Integer	20020
dot1dStpRootPort.0	.1.3.6.1.2.1.17.2.7.0	Integer	24
dot1dStpMaxAge.0	.1.3.6.1.2.1.17.2.8.0	Integer	2000
dot1dStpHelloTime.0	.1.3.6.1.2.1.17.2.9.0	Integer	200
dot1dStpHoldTime.0	.1.3.6.1.2.1.17.2.10.0	Integer	0
dot1dStpForwardDelay.0	.1.3.6.1.2.1.17.2.11.0	Integer	1500
dot1dStpBridgeMaxAge.0	.1.3.6.1.2.1.17.2.12.0	Integer	2000
dot1dStpBridgeHelloTime.0	.1.3.6.1.2.1.17.2.13.0	Integer	200
dot1dStpBridgeForwardDe- lay.0	.1.3.6.1.2.1.17.2.14.0	Integer	1500
dot1dStpPort.1	.1.3.6.1.2.1.17.2.15.1.1.1	Integer	1
dot1dStpPort.2	.1.3.6.1.2.1.17.2.15.1.1.2	Integer	2
dot1dStpPort.3	.1.3.6.1.2.1.17.2.15.1.1.3	Integer	3
dot1dStpPort.4	.1.3.6.1.2.1.17.2.15.1.1.4	Integer	4
dot1dStpPort.5	.1.3.6.1.2.1.17.2.15.1.1.5	Integer	5
dot1dStpPort.6	.1.3.6.1.2.1.17.2.15.1.1.6	Integer	6
dot1dStpPort.7	.1.3.6.1.2.1.17.2.15.1.1.7	Integer	7
dot1dStpPort.8	.1.3.6.1.2.1.17.2.15.1.1.8	Integer	8
dot1dStpPort.9	.1.3.6.1.2.1.17.2.15.1.1.9	Integer	9
dot1dStpPort.10	.1.3.6.1.2.1.17.2.15.1.1.10	Integer	10
dot1dStpPort.11	.1.3.6.1.2.1.17.2.15.1.1.11	Integer	11
dot1dStpPort.12	.1.3.6.1.2.1.17.2.15.1.1.12	Integer	12
dot1dStpPort.13	.1.3.6.1.2.1.17.2.15.1.1.13	Integer	13
dot1dStpPort.14	.1.3.6.1.2.1.17.2.15.1.1.14	Integer	14
dot1dStpPort.15	.1.3.6.1.2.1.17.2.15.1.1.15	Integer	15
dot1dStpPort.16	.1.3.6.1.2.1.17.2.15.1.1.16	Integer	16
dot1dStpPort.17	.1.3.6.1.2.1.17.2.15.1.1.17	Integer	17
dot1dStpPort.18	.1.3.6.1.2.1.17.2.15.1.1.18	Integer	18
dot1dStpPort.19	.1.3.6.1.2.1.17.2.15.1.1.19	Integer	19
dot1dStpPort.20	.1.3.6.1.2.1.17.2.15.1.1.20	Integer	20
dot1dStpPort.21	.1.3.6.1.2.1.17.2.15.1.1.21	Integer	21
dot1dStpPort.22	.1.3.6.1.2.1.17.2.15.1.1.22	Integer	22
dot1dStpPort.23	.1.3.6.1.2.1.17.2.15.1.1.23	Integer	23
dot1dStpPort.24	.1.3.6.1.2.1.17.2.15.1.1.24	Integer	24
dot1dStpPort.25	.1.3.6.1.2.1.17.2.15.1.1.25	Integer	25
dot1dStpPort.26	.1.3.6.1.2.1.17.2.15.1.1.26	Integer	26
dot1dStpPort.27	.1.3.6.1.2.1.17.2.15.1.1.27	Integer	27
dot1dStpPort.28	.1.3.6.1.2.1.17.2.15.1.1.28	Integer	28
dot1dStpPortPriority.1	.1.3.6.1.2.1.17.2.15.1.2.1	Integer	128
dot1dStpPortPriority.2	.1.3.6.1.2.1.17.2.15.1.2.2	Integer	128
dot1dStpPortPriority.3	.1.3.6.1.2.1.17.2.15.1.2.3	Integer	128
dot1dStpPortPriority.4	.1.3.6.1.2.1.17.2.15.1.2.4	Integer	128
dot1dStpPortPriority.5	.1.3.6.1.2.1.17.2.15.1.2.5	Integer	128

Name	OID	Value Type	Value Example
dot1dStpPortPriority.6	.1.3.6.1.2.1.17.2.15.1.2.6	Integer	128
dot1dStpPortPriority.7	.1.3.6.1.2.1.17.2.15.1.2.7	Integer	128
dot1dStpPortPriority.8	.1.3.6.1.2.1.17.2.15.1.2.8	Integer	128
dot1dStpPortPriority.9	.1.3.6.1.2.1.17.2.15.1.2.9	Integer	128
dot1dStpPortPriority.10	.1.3.6.1.2.1.17.2.15.1.2.10	Integer	128
dot1dStpPortPriority.11	.1.3.6.1.2.1.17.2.15.1.2.11	Integer	128
dot1dStpPortPriority.12	.1.3.6.1.2.1.17.2.15.1.2.12	Integer	128
dot1dStpPortPriority.13	.1.3.6.1.2.1.17.2.15.1.2.13	Integer	128
dot1dStpPortPriority.14	.1.3.6.1.2.1.17.2.15.1.2.14	Integer	128
dot1dStpPortPriority.15	.1.3.6.1.2.1.17.2.15.1.2.15	Integer	128
dot1dStpPortPriority.16	.1.3.6.1.2.1.17.2.15.1.2.16	Integer	128
dot1dStpPortPriority.17	.1.3.6.1.2.1.17.2.15.1.2.17	Integer	128
dot1dStpPortPriority.18	.1.3.6.1.2.1.17.2.15.1.2.18	Integer	128
dot1dStpPortPriority.19	.1.3.6.1.2.1.17.2.15.1.2.19	Integer	128
dot1dStpPortPriority.20	.1.3.6.1.2.1.17.2.15.1.2.20	Integer	128
dot1dStpPortPriority.21	.1.3.6.1.2.1.17.2.15.1.2.21	Integer	128
dot1dStpPortPriority.22	.1.3.6.1.2.1.17.2.15.1.2.22	Integer	128
dot1dStpPortPriority.23	.1.3.6.1.2.1.17.2.15.1.2.23	Integer	128
dot1dStpPortPriority.24	.1.3.6.1.2.1.17.2.15.1.2.24	Integer	128
dot1dStpPortPriority.25	.1.3.6.1.2.1.17.2.15.1.2.25	Integer	128
dot1dStpPortPriority.26	.1.3.6.1.2.1.17.2.15.1.2.26	Integer	128
dot1dStpPortPriority.27	.1.3.6.1.2.1.17.2.15.1.2.27	Integer	128
dot1dStpPortPriority.28	.1.3.6.1.2.1.17.2.15.1.2.28	Integer	128
dot1dStpPortState.1	.1.3.6.1.2.1.17.2.15.1.3.1	Integer	blocking (2)
dot1dStpPortState.2	.1.3.6.1.2.1.17.2.15.1.3.2	Integer	blocking (2)
dot1dStpPortState.3	.1.3.6.1.2.1.17.2.15.1.3.3	Integer	blocking (2)
dot1dStpPortState.4	.1.3.6.1.2.1.17.2.15.1.3.4	Integer	blocking (2)
dot1dStpPortState.5	.1.3.6.1.2.1.17.2.15.1.3.5	Integer	blocking (2)
dot1dStpPortState.6	.1.3.6.1.2.1.17.2.15.1.3.6	Integer	blocking (2)
dot1dStpPortState.7	.1.3.6.1.2.1.17.2.15.1.3.7	Integer	blocking (2)
dot1dStpPortState.8	.1.3.6.1.2.1.17.2.15.1.3.8	Integer	blocking (2)
dot1dStpPortState.9	.1.3.6.1.2.1.17.2.15.1.3.9	Integer	blocking (2)
dot1dStpPortState.10	.1.3.6.1.2.1.17.2.15.1.3.10	Integer	blocking (2)
dot1dStpPortState.11	.1.3.6.1.2.1.17.2.15.1.3.11	Integer	blocking (2)
dot1dStpPortState.12	.1.3.6.1.2.1.17.2.15.1.3.12	Integer	blocking (2)
dot1dStpPortState.13	.1.3.6.1.2.1.17.2.15.1.3.13	Integer	blocking (2)
dot1dStpPortState.14	.1.3.6.1.2.1.17.2.15.1.3.14	Integer	blocking (2)
dot1dStpPortState.15	.1.3.6.1.2.1.17.2.15.1.3.15	Integer	blocking (2)
dot1dStpPortState.16	.1.3.6.1.2.1.17.2.15.1.3.16	Integer	blocking (2)
dot1dStpPortState.17	.1.3.6.1.2.1.17.2.15.1.3.17	Integer	blocking (2)
dot1dStpPortState.18	.1.3.6.1.2.1.17.2.15.1.3.18	Integer	blocking (2)
dot1dStpPortState.19	.1.3.6.1.2.1.17.2.15.1.3.19	Integer	blocking (2)
dot1dStpPortState.20	.1.3.6.1.2.1.17.2.15.1.3.20	Integer	blocking (2)

Name	OID	Value Type	Value Example
dot1dStpPortState.21	.1.3.6.1.2.1.17.2.15.1.3.21	Integer	blocking (2)
dot1dStpPortState.22	.1.3.6.1.2.1.17.2.15.1.3.22	Integer	blocking (2)
dot1dStpPortState.23	.1.3.6.1.2.1.17.2.15.1.3.23	Integer	blocking (2)
dot1dStpPortState.24	.1.3.6.1.2.1.17.2.15.1.3.24	Integer	forwarding (5)
dot1dStpPortState.25	.1.3.6.1.2.1.17.2.15.1.3.25	Integer	blocking (2)
dot1dStpPortState.26	.1.3.6.1.2.1.17.2.15.1.3.26	Integer	blocking (2)
dot1dStpPortState.27	.1.3.6.1.2.1.17.2.15.1.3.27	Integer	blocking (2)
dot1dStpPortState.28	.1.3.6.1.2.1.17.2.15.1.3.28	Integer	blocking (2)
dot1dStpPortEnable.1	.1.3.6.1.2.1.17.2.15.1.4.1	Integer	enabled (1)
dot1dStpPortEnable.2	.1.3.6.1.2.1.17.2.15.1.4.2	Integer	enabled (1)
dot1dStpPortEnable.3	.1.3.6.1.2.1.17.2.15.1.4.3	Integer	enabled (1)
dot1dStpPortEnable.4	.1.3.6.1.2.1.17.2.15.1.4.4	Integer	enabled (1)
dot1dStpPortEnable.5	.1.3.6.1.2.1.17.2.15.1.4.5	Integer	enabled (1)
dot1dStpPortEnable.6	.1.3.6.1.2.1.17.2.15.1.4.6	Integer	enabled (1)
dot1dStpPortEnable.7	.1.3.6.1.2.1.17.2.15.1.4.7	Integer	enabled (1)
dot1dStpPortEnable.8	.1.3.6.1.2.1.17.2.15.1.4.8	Integer	enabled (1)
dot1dStpPortEnable.9	.1.3.6.1.2.1.17.2.15.1.4.9	Integer	enabled (1)
dot1dStpPortEnable.10	.1.3.6.1.2.1.17.2.15.1.4.10	Integer	enabled (1)
dot1dStpPortEnable.11	.1.3.6.1.2.1.17.2.15.1.4.11	Integer	enabled (1)
dot1dStpPortEnable.12	.1.3.6.1.2.1.17.2.15.1.4.12	Integer	enabled (1)
dot1dStpPortEnable.13	.1.3.6.1.2.1.17.2.15.1.4.13	Integer	enabled (1)
dot1dStpPortEnable.14	.1.3.6.1.2.1.17.2.15.1.4.14	Integer	enabled (1)
dot1dStpPortEnable.15	.1.3.6.1.2.1.17.2.15.1.4.15	Integer	enabled (1)
dot1dStpPortEnable.16	.1.3.6.1.2.1.17.2.15.1.4.16	Integer	enabled (1)
dot1dStpPortEnable.17	.1.3.6.1.2.1.17.2.15.1.4.17	Integer	enabled (1)
dot1dStpPortEnable.18	.1.3.6.1.2.1.17.2.15.1.4.18	Integer	enabled (1)
dot1dStpPortEnable.19	.1.3.6.1.2.1.17.2.15.1.4.19	Integer	enabled (1)
dot1dStpPortEnable.20	.1.3.6.1.2.1.17.2.15.1.4.20	Integer	enabled (1)
dot1dStpPortEnable.21	.1.3.6.1.2.1.17.2.15.1.4.21	Integer	enabled (1)
dot1dStpPortEnable.22	.1.3.6.1.2.1.17.2.15.1.4.22	Integer	enabled (1)
dot1dStpPortEnable.23	.1.3.6.1.2.1.17.2.15.1.4.23	Integer	enabled (1)
dot1dStpPortEnable.24	.1.3.6.1.2.1.17.2.15.1.4.24	Integer	enabled (1)
dot1dStpPortEnable.25	.1.3.6.1.2.1.17.2.15.1.4.25	Integer	enabled (1)
dot1dStpPortEnable.26	.1.3.6.1.2.1.17.2.15.1.4.26	Integer	enabled (1)
dot1dStpPortEnable.27	.1.3.6.1.2.1.17.2.15.1.4.27	Integer	enabled (1)
dot1dStpPortEnable.28	.1.3.6.1.2.1.17.2.15.1.4.28	Integer	enabled (1)
dot1dStpPortPathCost.1	.1.3.6.1.2.1.17.2.15.1.5.1	Integer	65535
dot1dStpPortPathCost.2	.1.3.6.1.2.1.17.2.15.1.5.2	Integer	65535
dot1dStpPortPathCost.3	.1.3.6.1.2.1.17.2.15.1.5.3	Integer	65535
dot1dStpPortPathCost.4	.1.3.6.1.2.1.17.2.15.1.5.4	Integer	65535
dot1dStpPortPathCost.5	.1.3.6.1.2.1.17.2.15.1.5.5	Integer	65535
dot1dStpPortPathCost.6	.1.3.6.1.2.1.17.2.15.1.5.6	Integer	65535
dot1dStpPortPathCost.7	.1.3.6.1.2.1.17.2.15.1.5.7	Integer	65535

Name	OID	Value Type	Value Example
dot1dStpPortPathCost.8	.1.3.6.1.2.1.17.2.15.1.5.8	Integer	65535
dot1dStpPortPathCost.9	.1.3.6.1.2.1.17.2.15.1.5.9	Integer	65535
dot1dStpPortPathCost.10	.1.3.6.1.2.1.17.2.15.1.5.10	Integer	65535
dot1dStpPortPathCost.11	.1.3.6.1.2.1.17.2.15.1.5.11	Integer	65535
dot1dStpPortPathCost.12	.1.3.6.1.2.1.17.2.15.1.5.12	Integer	65535
dot1dStpPortPathCost.13	.1.3.6.1.2.1.17.2.15.1.5.13	Integer	65535
dot1dStpPortPathCost.14	.1.3.6.1.2.1.17.2.15.1.5.14	Integer	65535
dot1dStpPortPathCost.15	.1.3.6.1.2.1.17.2.15.1.5.15	Integer	65535
dot1dStpPortPathCost.16	.1.3.6.1.2.1.17.2.15.1.5.16	Integer	65535
dot1dStpPortPathCost.17	.1.3.6.1.2.1.17.2.15.1.5.17	Integer	65535
dot1dStpPortPathCost.18	.1.3.6.1.2.1.17.2.15.1.5.18	Integer	65535
dot1dStpPortPathCost.19	.1.3.6.1.2.1.17.2.15.1.5.19	Integer	65535
dot1dStpPortPathCost.20	.1.3.6.1.2.1.17.2.15.1.5.20	Integer	65535
dot1dStpPortPathCost.21	.1.3.6.1.2.1.17.2.15.1.5.21	Integer	65535
dot1dStpPortPathCost.22	.1.3.6.1.2.1.17.2.15.1.5.22	Integer	65535
dot1dStpPortPathCost.23	.1.3.6.1.2.1.17.2.15.1.5.23	Integer	65535
dot1dStpPortPathCost.24	.1.3.6.1.2.1.17.2.15.1.5.24	Integer	20
dot1dStpPortPathCost.25	.1.3.6.1.2.1.17.2.15.1.5.25	Integer	65535
dot1dStpPortPathCost.26	.1.3.6.1.2.1.17.2.15.1.5.26	Integer	65535
dot1dStpPortPathCost.27	.1.3.6.1.2.1.17.2.15.1.5.27	Integer	65535
dot1dStpPortPathCost.28	.1.3.6.1.2.1.17.2.15.1.5.28	Integer	65535
dot1dStpPortDesignatedRoot.1	.1.3.6.1.2.1.17.2.15.1.6.1	OctetString	40-00-E4-F0-04-73-89-88
dot1dStpPortDesignatedRoot.2	.1.3.6.1.2.1.17.2.15.1.6.2	OctetString	40-00-E4-F0-04-73-89-88
dot1dStpPortDesignatedRoot.3	.1.3.6.1.2.1.17.2.15.1.6.3	OctetString	40-00-E4-F0-04-73-89-88
dot1dStpPortDesignatedRoot.4	.1.3.6.1.2.1.17.2.15.1.6.4	OctetString	40-00-E4-F0-04-73-89-88
dot1dStpPortDesignatedRoot.5	.1.3.6.1.2.1.17.2.15.1.6.5	OctetString	40-00-E4-F0-04-73-89-88
dot1dStpPortDesignatedRoot.6	.1.3.6.1.2.1.17.2.15.1.6.6	OctetString	40-00-E4-F0-04-73-89-88
dot1dStpPortDesignatedRoot.7	.1.3.6.1.2.1.17.2.15.1.6.7	OctetString	40-00-E4-F0-04-73-89-88
dot1dStpPortDesignatedRoot.8	.1.3.6.1.2.1.17.2.15.1.6.8	OctetString	40-00-E4-F0-04-73-89-88
dot1dStpPortDesignatedRoot.9	.1.3.6.1.2.1.17.2.15.1.6.9	OctetString	40-00-E4-F0-04-73-89-88
dot1dStpPortDesignate- dRoot.10	.1.3.6.1.2.1.17.2.15.1.6.10	OctetString	40-00-E4-F0-04-73-89-88
dot1dStpPortDesignate- dRoot.11	.1.3.6.1.2.1.17.2.15.1.6.11	OctetString	40-00-E4-F0-04-73-89-88
dot1dStpPortDesignate- dRoot.12	.1.3.6.1.2.1.17.2.15.1.6.12	OctetString	40-00-E4-F0-04-73-89-88
dot1dStpPortDesignate- dRoot.13	.1.3.6.1.2.1.17.2.15.1.6.13	OctetString	40-00-E4-F0-04-73-89-88
dot1dStpPortDesignate- dRoot.14	.1.3.6.1.2.1.17.2.15.1.6.14	OctetString	40-00-E4-F0-04-73-89-88
dot1dStpPortDesignate- dRoot.15	.1.3.6.1.2.1.17.2.15.1.6.15	OctetString	40-00-E4-F0-04-73-89-88
dot1dStpPortDesignate- dRoot.16	.1.3.6.1.2.1.17.2.15.1.6.16	OctetString	40-00-E4-F0-04-73-89-88

Name	OID	Value Type	Value Example
dot1dStpPortDesignate- dRoot.17	.1.3.6.1.2.1.17.2.15.1.6.17	OctetString	40-00-E4-F0-04-73-89-88
dot1dStpPortDesignate- dRoot.18	.1.3.6.1.2.1.17.2.15.1.6.18	OctetString	40-00-E4-F0-04-73-89-88
dot1dStpPortDesignate- dRoot.19	.1.3.6.1.2.1.17.2.15.1.6.19	OctetString	40-00-E4-F0-04-73-89-88
dot1dStpPortDesignate- dRoot.20	.1.3.6.1.2.1.17.2.15.1.6.20	OctetString	40-00-E4-F0-04-73-89-88
dot1dStpPortDesignate- dRoot.21	.1.3.6.1.2.1.17.2.15.1.6.21	OctetString	40-00-E4-F0-04-73-89-88
dot1dStpPortDesignate- dRoot.22	.1.3.6.1.2.1.17.2.15.1.6.22	OctetString	40-00-E4-F0-04-73-89-88
dot1dStpPortDesignate- dRoot.23	.1.3.6.1.2.1.17.2.15.1.6.23	OctetString	40-00-E4-F0-04-73-89-88
dot1dStpPortDesignate- dRoot.24	.1.3.6.1.2.1.17.2.15.1.6.24	OctetString	40-00-E4-F0-04-73-89-88
dot1dStpPortDesignate- dRoot.25	.1.3.6.1.2.1.17.2.15.1.6.25	OctetString	40-00-E4-F0-04-73-89-88
dot1dStpPortDesignate- dRoot.26	.1.3.6.1.2.1.17.2.15.1.6.26	OctetString	40-00-E4-F0-04-73-89-88
dot1dStpPortDesignate- dRoot.27	.1.3.6.1.2.1.17.2.15.1.6.27	OctetString	40-00-E4-F0-04-73-89-88
dot1dStpPortDesignate- dRoot.28	.1.3.6.1.2.1.17.2.15.1.6.28	OctetString	40-00-E4-F0-04-73-89-88
dot1dStpPortDesignatedCost.1	.1.3.6.1.2.1.17.2.15.1.7.1	Integer	20020
dot1dStpPortDesignatedCost.2	.1.3.6.1.2.1.17.2.15.1.7.2	Integer	20020
dot1dStpPortDesignatedCost.3	.1.3.6.1.2.1.17.2.15.1.7.3	Integer	20020
dot1dStpPortDesignatedCost.4	.1.3.6.1.2.1.17.2.15.1.7.4	Integer	20020
dot1dStpPortDesignatedCost.5	.1.3.6.1.2.1.17.2.15.1.7.5	Integer	20020
dot1dStpPortDesignatedCost.6	.1.3.6.1.2.1.17.2.15.1.7.6	Integer	20020
dot1dStpPortDesignatedCost.7	.1.3.6.1.2.1.17.2.15.1.7.7	Integer	20020
dot1dStpPortDesignatedCost.8	.1.3.6.1.2.1.17.2.15.1.7.8	Integer	20020
dot1dStpPortDesignatedCost.9	.1.3.6.1.2.1.17.2.15.1.7.9	Integer	20020
dot1dStpPortDesignated- Cost.10	.1.3.6.1.2.1.17.2.15.1.7.10	Integer	20020
dot1dStpPortDesignated- Cost.11	.1.3.6.1.2.1.17.2.15.1.7.11	Integer	20020
dot1dStpPortDesignated- Cost.12	.1.3.6.1.2.1.17.2.15.1.7.12	Integer	20020
dot1dStpPortDesignated- Cost.13	.1.3.6.1.2.1.17.2.15.1.7.13	Integer	20020
dot1dStpPortDesignated- Cost.14	.1.3.6.1.2.1.17.2.15.1.7.14	Integer	20020
dot1dStpPortDesignated- Cost.15	.1.3.6.1.2.1.17.2.15.1.7.15	Integer	20020
dot1dStpPortDesignated- Cost.16	.1.3.6.1.2.1.17.2.15.1.7.16	Integer	20020
dot1dStpPortDesignated- Cost.17	.1.3.6.1.2.1.17.2.15.1.7.17	Integer	20020

Name	OID	Value Type	Value Example
dot1dStpPortDesignated-Cost.18	.1.3.6.1.2.1.17.2.15.1.7.18	Integer	20020
dot1dStpPortDesignated-Cost.19	.1.3.6.1.2.1.17.2.15.1.7.19	Integer	20020
dot1dStpPortDesignated-Cost.20	.1.3.6.1.2.1.17.2.15.1.7.20	Integer	20020
dot1dStpPortDesignated-Cost.21	.1.3.6.1.2.1.17.2.15.1.7.21	Integer	20020
dot1dStpPortDesignated-Cost.22	.1.3.6.1.2.1.17.2.15.1.7.22	Integer	20020
dot1dStpPortDesignated-Cost.23	.1.3.6.1.2.1.17.2.15.1.7.23	Integer	20020
dot1dStpPortDesignated-Cost.24	.1.3.6.1.2.1.17.2.15.1.7.24	Integer	20000
dot1dStpPortDesignated-Cost.25	.1.3.6.1.2.1.17.2.15.1.7.25	Integer	20020
dot1dStpPortDesignated-Cost.26	.1.3.6.1.2.1.17.2.15.1.7.26	Integer	20020
dot1dStpPortDesignated-Cost.27	.1.3.6.1.2.1.17.2.15.1.7.27	Integer	20020
dot1dStpPortDesignated-Cost.28	.1.3.6.1.2.1.17.2.15.1.7.28	Integer	20020
dot1dStpPortDesignated-Bridge.1	.1.3.6.1.2.1.17.2.15.1.8.1	OctetString	80-00-80-85-44-07-B1-1C
dot1dStpPortDesignated-Bridge.2	.1.3.6.1.2.1.17.2.15.1.8.2	OctetString	80-00-80-85-44-07-B1-1C
dot1dStpPortDesignated-Bridge.3	.1.3.6.1.2.1.17.2.15.1.8.3	OctetString	80-00-80-85-44-07-B1-1C
dot1dStpPortDesignated-Bridge.4	.1.3.6.1.2.1.17.2.15.1.8.4	OctetString	80-00-80-85-44-07-B1-1C
dot1dStpPortDesignated-Bridge.5	.1.3.6.1.2.1.17.2.15.1.8.5	OctetString	80-00-80-85-44-07-B1-1C
dot1dStpPortDesignated-Bridge.6	.1.3.6.1.2.1.17.2.15.1.8.6	OctetString	80-00-80-85-44-07-B1-1C
dot1dStpPortDesignated-Bridge.7	.1.3.6.1.2.1.17.2.15.1.8.7	OctetString	80-00-80-85-44-07-B1-1C
dot1dStpPortDesignated-Bridge.8	.1.3.6.1.2.1.17.2.15.1.8.8	OctetString	80-00-80-85-44-07-B1-1C
dot1dStpPortDesignated-Bridge.9	.1.3.6.1.2.1.17.2.15.1.8.9	OctetString	80-00-80-85-44-07-B1-1C
dot1dStpPortDesignated-Bridge.10	.1.3.6.1.2.1.17.2.15.1.8.10	OctetString	80-00-80-85-44-07-B1-1C
dot1dStpPortDesignated-Bridge.11	.1.3.6.1.2.1.17.2.15.1.8.11	OctetString	80-00-80-85-44-07-B1-1C
dot1dStpPortDesignated-Bridge.12	.1.3.6.1.2.1.17.2.15.1.8.12	OctetString	80-00-80-85-44-07-B1-1C
dot1dStpPortDesignated-Bridge.13	.1.3.6.1.2.1.17.2.15.1.8.13	OctetString	80-00-80-85-44-07-B1-1C
dot1dStpPortDesignated-Bridge.14	.1.3.6.1.2.1.17.2.15.1.8.14	OctetString	80-00-80-85-44-07-B1-1C

Name	OID	Value Type	Value Example
dot1dStpPortDesignated-Bridge.15	.1.3.6.1.2.1.17.2.15.1.8.15	OctetString	80-00-80-85-44-07-B1-1C
dot1dStpPortDesignated-Bridge.16	.1.3.6.1.2.1.17.2.15.1.8.16	OctetString	80-00-80-85-44-07-B1-1C
dot1dStpPortDesignated-Bridge.17	.1.3.6.1.2.1.17.2.15.1.8.17	OctetString	80-00-80-85-44-07-B1-1C
dot1dStpPortDesignated-Bridge.18	.1.3.6.1.2.1.17.2.15.1.8.18	OctetString	80-00-80-85-44-07-B1-1C
dot1dStpPortDesignated-Bridge.19	.1.3.6.1.2.1.17.2.15.1.8.19	OctetString	80-00-80-85-44-07-B1-1C
dot1dStpPortDesignated-Bridge.20	.1.3.6.1.2.1.17.2.15.1.8.20	OctetString	80-00-80-85-44-07-B1-1C
dot1dStpPortDesignated-Bridge.21	.1.3.6.1.2.1.17.2.15.1.8.21	OctetString	80-00-80-85-44-07-B1-1C
dot1dStpPortDesignated-Bridge.22	.1.3.6.1.2.1.17.2.15.1.8.22	OctetString	80-00-80-85-44-07-B1-1C
dot1dStpPortDesignated-Bridge.23	.1.3.6.1.2.1.17.2.15.1.8.23	OctetString	80-00-80-85-44-07-B1-1C
dot1dStpPortDesignated-Bridge.24	.1.3.6.1.2.1.17.2.15.1.8.24	OctetString	F0-00-CC-D8-1F-24-2C-6B
dot1dStpPortDesignated-Bridge.25	.1.3.6.1.2.1.17.2.15.1.8.25	OctetString	80-00-80-85-44-07-B1-1C
dot1dStpPortDesignated-Bridge.26	.1.3.6.1.2.1.17.2.15.1.8.26	OctetString	80-00-80-85-44-07-B1-1C
dot1dStpPortDesignated-Bridge.27	.1.3.6.1.2.1.17.2.15.1.8.27	OctetString	80-00-80-85-44-07-B1-1C
dot1dStpPortDesignated-Bridge.28	.1.3.6.1.2.1.17.2.15.1.8.28	OctetString	80-00-80-85-44-07-B1-1C
dot1dStpPortDesignatedPort.1	.1.3.6.1.2.1.17.2.15.1.9.1	OctetString	0x80 01
dot1dStpPortDesignatedPort.2	.1.3.6.1.2.1.17.2.15.1.9.2	OctetString	0x80 02
dot1dStpPortDesignatedPort.3	.1.3.6.1.2.1.17.2.15.1.9.3	OctetString	0x80 03
dot1dStpPortDesignatedPort.4	.1.3.6.1.2.1.17.2.15.1.9.4	OctetString	0x80 04
dot1dStpPortDesignatedPort.5	.1.3.6.1.2.1.17.2.15.1.9.5	OctetString	0x80 05
dot1dStpPortDesignatedPort.6	.1.3.6.1.2.1.17.2.15.1.9.6	OctetString	0x80 06
dot1dStpPortDesignatedPort.7	.1.3.6.1.2.1.17.2.15.1.9.7	OctetString	0x80 07
dot1dStpPortDesignatedPort.8	.1.3.6.1.2.1.17.2.15.1.9.8	OctetString	0x80 08
dot1dStpPortDesignatedPort.9	.1.3.6.1.2.1.17.2.15.1.9.9	OctetString	0x80 09
dot1dStpPortDesignated-Port.10	.1.3.6.1.2.1.17.2.15.1.9.10	OctetString	0x80 0A
dot1dStpPortDesignated-Port.11	.1.3.6.1.2.1.17.2.15.1.9.11	OctetString	0x80 0B
dot1dStpPortDesignated-Port.12	.1.3.6.1.2.1.17.2.15.1.9.12	OctetString	0x80 0C
dot1dStpPortDesignated-Port.13	.1.3.6.1.2.1.17.2.15.1.9.13	OctetString	0x80 0D
dot1dStpPortDesignated-Port.14	.1.3.6.1.2.1.17.2.15.1.9.14	OctetString	0x80 0E
dot1dStpPortDesignated-Port.15	.1.3.6.1.2.1.17.2.15.1.9.15	OctetString	0x80 0F

Name	OID	Value Type	Value Example
dot1dStpPortDesignated-Port.16	.1.3.6.1.2.1.17.2.15.1.9.16	OctetString	0x80 10
dot1dStpPortDesignated-Port.17	.1.3.6.1.2.1.17.2.15.1.9.17	OctetString	0x80 11
dot1dStpPortDesignated-Port.18	.1.3.6.1.2.1.17.2.15.1.9.18	OctetString	0x80 12
dot1dStpPortDesignated-Port.19	.1.3.6.1.2.1.17.2.15.1.9.19	OctetString	0x80 13
dot1dStpPortDesignated-Port.20	.1.3.6.1.2.1.17.2.15.1.9.20	OctetString	0x80 14
dot1dStpPortDesignated-Port.21	.1.3.6.1.2.1.17.2.15.1.9.21	OctetString	0x80 15
dot1dStpPortDesignated-Port.22	.1.3.6.1.2.1.17.2.15.1.9.22	OctetString	0x80 16
dot1dStpPortDesignated-Port.23	.1.3.6.1.2.1.17.2.15.1.9.23	OctetString	0x80 17
dot1dStpPortDesignated-Port.24	.1.3.6.1.2.1.17.2.15.1.9.24	OctetString	0x80 11
dot1dStpPortDesignated-Port.25	.1.3.6.1.2.1.17.2.15.1.9.25	OctetString	0x80 19
dot1dStpPortDesignated-Port.26	.1.3.6.1.2.1.17.2.15.1.9.26	OctetString	0x80 1A
dot1dStpPortDesignated-Port.27	.1.3.6.1.2.1.17.2.15.1.9.27	OctetString	0x80 1B
dot1dStpPortDesignated-Port.28	.1.3.6.1.2.1.17.2.15.1.9.28	OctetString	0x80 1C
dot1dStpPortForwardTransitions.1	.1.3.6.1.2.1.17.2.15.1.10.1	Counter32	0
dot1dStpPortForwardTransitions.2	.1.3.6.1.2.1.17.2.15.1.10.2	Counter32	0
dot1dStpPortForwardTransitions.3	.1.3.6.1.2.1.17.2.15.1.10.3	Counter32	0
dot1dStpPortForwardTransitions.4	.1.3.6.1.2.1.17.2.15.1.10.4	Counter32	0
dot1dStpPortForwardTransitions.5	.1.3.6.1.2.1.17.2.15.1.10.5	Counter32	0
dot1dStpPortForwardTransitions.6	.1.3.6.1.2.1.17.2.15.1.10.6	Counter32	0
dot1dStpPortForwardTransitions.7	.1.3.6.1.2.1.17.2.15.1.10.7	Counter32	0
dot1dStpPortForwardTransitions.8	.1.3.6.1.2.1.17.2.15.1.10.8	Counter32	0
dot1dStpPortForwardTransitions.9	.1.3.6.1.2.1.17.2.15.1.10.9	Counter32	0
dot1dStpPortForwardTransitions.10	.1.3.6.1.2.1.17.2.15.1.10.10	Counter32	0
dot1dStpPortForwardTransitions.11	.1.3.6.1.2.1.17.2.15.1.10.11	Counter32	0

Name	OID	Value Type	Value Example
dot1dStpPortForwardTransitions.12	.1.3.6.1.2.1.17.2.15.1.10.12	Counter32	0
dot1dStpPortForwardTransitions.13	.1.3.6.1.2.1.17.2.15.1.10.13	Counter32	0
dot1dStpPortForwardTransitions.14	.1.3.6.1.2.1.17.2.15.1.10.14	Counter32	0
dot1dStpPortForwardTransitions.15	.1.3.6.1.2.1.17.2.15.1.10.15	Counter32	0
dot1dStpPortForwardTransitions.16	.1.3.6.1.2.1.17.2.15.1.10.16	Counter32	0
dot1dStpPortForwardTransitions.17	.1.3.6.1.2.1.17.2.15.1.10.17	Counter32	0
dot1dStpPortForwardTransitions.18	.1.3.6.1.2.1.17.2.15.1.10.18	Counter32	0
dot1dStpPortForwardTransitions.19	.1.3.6.1.2.1.17.2.15.1.10.19	Counter32	0
dot1dStpPortForwardTransitions.20	.1.3.6.1.2.1.17.2.15.1.10.20	Counter32	0
dot1dStpPortForwardTransitions.21	.1.3.6.1.2.1.17.2.15.1.10.21	Counter32	0
dot1dStpPortForwardTransitions.22	.1.3.6.1.2.1.17.2.15.1.10.22	Counter32	0
dot1dStpPortForwardTransitions.23	.1.3.6.1.2.1.17.2.15.1.10.23	Counter32	0
dot1dStpPortForwardTransitions.24	.1.3.6.1.2.1.17.2.15.1.10.24	Counter32	10
dot1dStpPortForwardTransitions.25	.1.3.6.1.2.1.17.2.15.1.10.25	Counter32	0
dot1dStpPortForwardTransitions.26	.1.3.6.1.2.1.17.2.15.1.10.26	Counter32	0
dot1dStpPortForwardTransitions.27	.1.3.6.1.2.1.17.2.15.1.10.27	Counter32	0
dot1dStpPortForwardTransitions.28	.1.3.6.1.2.1.17.2.15.1.10.28	Counter32	0
dot1dTpAgingTime.0	.1.3.6.1.2.1.17.4.2.0	Integer	300
dot1dDeviceCapabilities.0	.1.3.6.1.2.1.17.6.1.1.0	OctetString	{dot1dTrafficClasses, dot1qStaticEntryIndividualPort, dot1ql-

Name	OID	Value Type	Value Example
			VLCapable, dot1qConfigurablePvidTagging}
dot1dTrafficClassesEnabled.0	.1.3.6.1.2.1.17.6.1.1.2.0	Integer	true (1)
dot1dPortCapabilities.1	.1.3.6.1.2.1.17.6.1.1.4.1.1.1	OctetString	{dot1qDot1qTagging, dot1qIngressFiltering}
dot1dPortCapabilities.2	.1.3.6.1.2.1.17.6.1.1.4.1.1.2	OctetString	{dot1qDot1qTagging, dot1qIngressFiltering}
dot1dPortCapabilities.3	.1.3.6.1.2.1.17.6.1.1.4.1.1.3	OctetString	{dot1qDot1qTagging, dot1qIngressFiltering}
dot1dPortCapabilities.4	.1.3.6.1.2.1.17.6.1.1.4.1.1.4	OctetString	{dot1qDot1qTagging, dot1qIngressFiltering}
dot1dPortCapabilities.5	.1.3.6.1.2.1.17.6.1.1.4.1.1.5	OctetString	{dot1qDot1qTagging, dot1qIngressFiltering}
dot1dPortCapabilities.6	.1.3.6.1.2.1.17.6.1.1.4.1.1.6	OctetString	{dot1qDot1qTagging, dot1qIngressFiltering}
dot1dPortCapabilities.7	.1.3.6.1.2.1.17.6.1.1.4.1.1.7	OctetString	{dot1qDot1qTagging, dot1qIngressFiltering}
dot1dPortCapabilities.8	.1.3.6.1.2.1.17.6.1.1.4.1.1.8	OctetString	{dot1qDot1qTagging, dot1qIngressFiltering}
dot1dPortCapabilities.9	.1.3.6.1.2.1.17.6.1.1.4.1.1.9	OctetString	{dot1qDot1qTagging, dot1qIngressFiltering}
dot1dPortCapabilities.10	.1.3.6.1.2.1.17.6.1.1.4.1.1.10	OctetString	{dot1qDot1qTagging, dot1qIngressFiltering}
dot1dPortCapabilities.11	.1.3.6.1.2.1.17.6.1.1.4.1.1.11	OctetString	{dot1qDot1qTagging, dot1qIngressFiltering}
dot1dPortCapabilities.12	.1.3.6.1.2.1.17.6.1.1.4.1.1.12	OctetString	{dot1qDot1qTagging, dot1qIngressFiltering}
dot1dPortCapabilities.13	.1.3.6.1.2.1.17.6.1.1.4.1.1.13	OctetString	{dot1qDot1qTagging, dot1qIngressFiltering}
dot1dPortCapabilities.14	.1.3.6.1.2.1.17.6.1.1.4.1.1.14	OctetString	{dot1qDot1qTagging, dot1qIngressFiltering}
dot1dPortCapabilities.15	.1.3.6.1.2.1.17.6.1.1.4.1.1.15	OctetString	{dot1qDot1qTagging, dot1qIngressFiltering}
dot1dPortCapabilities.16	.1.3.6.1.2.1.17.6.1.1.4.1.1.16	OctetString	{dot1qDot1qTagging, dot1qIngressFiltering}
dot1dPortCapabilities.17	.1.3.6.1.2.1.17.6.1.1.4.1.1.17	OctetString	{dot1qDot1qTagging, dot1qIngressFiltering}
dot1dPortCapabilities.18	.1.3.6.1.2.1.17.6.1.1.4.1.1.18	OctetString	{dot1qDot1qTagging, dot1qIngressFiltering}
dot1dPortCapabilities.19	.1.3.6.1.2.1.17.6.1.1.4.1.1.19	OctetString	{dot1qDot1qTagging, dot1qIngressFiltering}
dot1dPortCapabilities.20	.1.3.6.1.2.1.17.6.1.1.4.1.1.20	OctetString	{dot1qDot1qTagging, dot1qIngressFiltering}
dot1dPortCapabilities.21	.1.3.6.1.2.1.17.6.1.1.4.1.1.21	OctetString	{dot1qDot1qTagging, dot1qIngressFiltering}
dot1dPortCapabilities.22	.1.3.6.1.2.1.17.6.1.1.4.1.1.22	OctetString	{dot1qDot1qTagging, dot1qIngressFiltering}
dot1dPortCapabilities.23	.1.3.6.1.2.1.17.6.1.1.4.1.1.23	OctetString	{dot1qDot1qTagging, dot1qIngressFiltering}
dot1dPortCapabilities.24	.1.3.6.1.2.1.17.6.1.1.4.1.1.24	OctetString	{dot1qDot1qTagging, dot1qIngressFiltering}

Name	OID	Value Type	Value Example
dot1dPortCapabilities.25	.1.3.6.1.2.1.17.6.1.1.4.1.1.25	OctetString	{dot1qDot1qTagging, dot1qIngressFiltering}
dot1dPortCapabilities.26	.1.3.6.1.2.1.17.6.1.1.4.1.1.26	OctetString	{dot1qDot1qTagging, dot1qIngressFiltering}
dot1dPortCapabilities.27	.1.3.6.1.2.1.17.6.1.1.4.1.1.27	OctetString	{dot1qDot1qTagging, dot1qIngressFiltering}
dot1dPortCapabilities.28	.1.3.6.1.2.1.17.6.1.1.4.1.1.28	OctetString	{dot1qDot1qTagging, dot1qIngressFiltering}
ifMauIfIndex.1.1	.1.3.6.1.2.1.26.2.1.1.1.1.1	Integer	1
ifMauIfIndex.2.1	.1.3.6.1.2.1.26.2.1.1.1.2.1	Integer	2
ifMauIfIndex.3.1	.1.3.6.1.2.1.26.2.1.1.1.3.1	Integer	3
ifMauIfIndex.4.1	.1.3.6.1.2.1.26.2.1.1.1.4.1	Integer	4
ifMauIfIndex.5.1	.1.3.6.1.2.1.26.2.1.1.1.5.1	Integer	5
ifMauIfIndex.6.1	.1.3.6.1.2.1.26.2.1.1.1.6.1	Integer	6
ifMauIfIndex.7.1	.1.3.6.1.2.1.26.2.1.1.1.7.1	Integer	7
ifMauIfIndex.8.1	.1.3.6.1.2.1.26.2.1.1.1.8.1	Integer	8
ifMauIfIndex.9.1	.1.3.6.1.2.1.26.2.1.1.1.9.1	Integer	9
ifMauIfIndex.10.1	.1.3.6.1.2.1.26.2.1.1.1.10.1	Integer	10
ifMauIfIndex.11.1	.1.3.6.1.2.1.26.2.1.1.1.11.1	Integer	11
ifMauIfIndex.12.1	.1.3.6.1.2.1.26.2.1.1.1.12.1	Integer	12
ifMauIfIndex.13.1	.1.3.6.1.2.1.26.2.1.1.1.13.1	Integer	13
ifMauIfIndex.14.1	.1.3.6.1.2.1.26.2.1.1.1.14.1	Integer	14
ifMauIfIndex.15.1	.1.3.6.1.2.1.26.2.1.1.1.15.1	Integer	15
ifMauIfIndex.16.1	.1.3.6.1.2.1.26.2.1.1.1.16.1	Integer	16
ifMauIfIndex.17.1	.1.3.6.1.2.1.26.2.1.1.1.17.1	Integer	17
ifMauIfIndex.18.1	.1.3.6.1.2.1.26.2.1.1.1.18.1	Integer	18
ifMauIfIndex.19.1	.1.3.6.1.2.1.26.2.1.1.1.19.1	Integer	19
ifMauIfIndex.20.1	.1.3.6.1.2.1.26.2.1.1.1.20.1	Integer	20
ifMauIfIndex.21.1	.1.3.6.1.2.1.26.2.1.1.1.21.1	Integer	21
ifMauIfIndex.22.1	.1.3.6.1.2.1.26.2.1.1.1.22.1	Integer	22
ifMauIfIndex.23.1	.1.3.6.1.2.1.26.2.1.1.1.23.1	Integer	23
ifMauIfIndex.24.1	.1.3.6.1.2.1.26.2.1.1.1.24.1	Integer	24
ifMauIfIndex.25.1	.1.3.6.1.2.1.26.2.1.1.1.25.1	Integer	25
ifMauIfIndex.26.1	.1.3.6.1.2.1.26.2.1.1.1.26.1	Integer	26
ifMauIfIndex.27.1	.1.3.6.1.2.1.26.2.1.1.1.27.1	Integer	27
ifMauIfIndex.28.1	.1.3.6.1.2.1.26.2.1.1.1.28.1	Integer	28
ifMauIndex.1.1	.1.3.6.1.2.1.26.2.1.1.2.1.1	Integer	1
ifMauIndex.2.1	.1.3.6.1.2.1.26.2.1.1.2.2.1	Integer	1
ifMauIndex.3.1	.1.3.6.1.2.1.26.2.1.1.2.3.1	Integer	1
ifMauIndex.4.1	.1.3.6.1.2.1.26.2.1.1.2.4.1	Integer	1
ifMauIndex.5.1	.1.3.6.1.2.1.26.2.1.1.2.5.1	Integer	1
ifMauIndex.6.1	.1.3.6.1.2.1.26.2.1.1.2.6.1	Integer	1
ifMauIndex.7.1	.1.3.6.1.2.1.26.2.1.1.2.7.1	Integer	1
ifMauIndex.8.1	.1.3.6.1.2.1.26.2.1.1.2.8.1	Integer	1

Name	OID	Value Type	Value Example
ifMauIndex.9.1	.1.3.6.1.2.1.26.2.1.1.2.9.1	Integer	1
ifMauIndex.10.1	.1.3.6.1.2.1.26.2.1.1.2.10.1	Integer	1
ifMauIndex.11.1	.1.3.6.1.2.1.26.2.1.1.2.11.1	Integer	1
ifMauIndex.12.1	.1.3.6.1.2.1.26.2.1.1.2.12.1	Integer	1
ifMauIndex.13.1	.1.3.6.1.2.1.26.2.1.1.2.13.1	Integer	1
ifMauIndex.14.1	.1.3.6.1.2.1.26.2.1.1.2.14.1	Integer	1
ifMauIndex.15.1	.1.3.6.1.2.1.26.2.1.1.2.15.1	Integer	1
ifMauIndex.16.1	.1.3.6.1.2.1.26.2.1.1.2.16.1	Integer	1
ifMauIndex.17.1	.1.3.6.1.2.1.26.2.1.1.2.17.1	Integer	1
ifMauIndex.18.1	.1.3.6.1.2.1.26.2.1.1.2.18.1	Integer	1
ifMauIndex.19.1	.1.3.6.1.2.1.26.2.1.1.2.19.1	Integer	1
ifMauIndex.20.1	.1.3.6.1.2.1.26.2.1.1.2.20.1	Integer	1
ifMauIndex.21.1	.1.3.6.1.2.1.26.2.1.1.2.21.1	Integer	1
ifMauIndex.22.1	.1.3.6.1.2.1.26.2.1.1.2.22.1	Integer	1
ifMauIndex.23.1	.1.3.6.1.2.1.26.2.1.1.2.23.1	Integer	1
ifMauIndex.24.1	.1.3.6.1.2.1.26.2.1.1.2.24.1	Integer	1
ifMauIndex.25.1	.1.3.6.1.2.1.26.2.1.1.2.25.1	Integer	1
ifMauIndex.26.1	.1.3.6.1.2.1.26.2.1.1.2.26.1	Integer	1
ifMauIndex.27.1	.1.3.6.1.2.1.26.2.1.1.2.27.1	Integer	1
ifMauIndex.28.1	.1.3.6.1.2.1.26.2.1.1.2.28.1	Integer	1
ifMauType.1.1	.1.3.6.1.2.1.26.2.1.1.3.1.1	OID	.0.0
ifMauType.2.1	.1.3.6.1.2.1.26.2.1.1.3.2.1	OID	.0.0
ifMauType.3.1	.1.3.6.1.2.1.26.2.1.1.3.3.1	OID	.0.0
ifMauType.4.1	.1.3.6.1.2.1.26.2.1.1.3.4.1	OID	.0.0
ifMauType.5.1	.1.3.6.1.2.1.26.2.1.1.3.5.1	OID	.0.0
ifMauType.6.1	.1.3.6.1.2.1.26.2.1.1.3.6.1	OID	.0.0
ifMauType.7.1	.1.3.6.1.2.1.26.2.1.1.3.7.1	OID	.0.0
ifMauType.8.1	.1.3.6.1.2.1.26.2.1.1.3.8.1	OID	.0.0
ifMauType.9.1	.1.3.6.1.2.1.26.2.1.1.3.9.1	OID	.0.0
ifMauType.10.1	.1.3.6.1.2.1.26.2.1.1.3.10.1	OID	.0.0
ifMauType.11.1	.1.3.6.1.2.1.26.2.1.1.3.11.1	OID	.0.0
ifMauType.12.1	.1.3.6.1.2.1.26.2.1.1.3.12.1	OID	.0.0
ifMauType.13.1	.1.3.6.1.2.1.26.2.1.1.3.13.1	OID	.0.0
ifMauType.14.1	.1.3.6.1.2.1.26.2.1.1.3.14.1	OID	.0.0
ifMauType.15.1	.1.3.6.1.2.1.26.2.1.1.3.15.1	OID	.0.0
ifMauType.16.1	.1.3.6.1.2.1.26.2.1.1.3.16.1	OID	.0.0
ifMauType.17.1	.1.3.6.1.2.1.26.2.1.1.3.17.1	OID	.0.0
ifMauType.18.1	.1.3.6.1.2.1.26.2.1.1.3.18.1	OID	.0.0
ifMauType.19.1	.1.3.6.1.2.1.26.2.1.1.3.19.1	OID	.0.0
ifMauType.20.1	.1.3.6.1.2.1.26.2.1.1.3.20.1	OID	.0.0
ifMauType.21.1	.1.3.6.1.2.1.26.2.1.1.3.21.1	OID	.0.0
ifMauType.22.1	.1.3.6.1.2.1.26.2.1.1.3.22.1	OID	.0.0
ifMauType.23.1	.1.3.6.1.2.1.26.2.1.1.3.23.1	OID	.0.0

Name	OID	Value Type	Value Example
ifMauType.24.1	.1.3.6.1.2.1.26.2.1.1.3.24.1	OID	dot3MauType1000BaseTFD
ifMauType.25.1	.1.3.6.1.2.1.26.2.1.1.3.25.1	OID	.0.0
ifMauType.26.1	.1.3.6.1.2.1.26.2.1.1.3.26.1	OID	.0.0
ifMauType.27.1	.1.3.6.1.2.1.26.2.1.1.3.27.1	OID	.0.0
ifMauType.28.1	.1.3.6.1.2.1.26.2.1.1.3.28.1	OID	.0.0
ifMauStatus.1.1	.1.3.6.1.2.1.26.2.1.1.4.1.1	Integer	shutdown (5)
ifMauStatus.2.1	.1.3.6.1.2.1.26.2.1.1.4.2.1	Integer	shutdown (5)
ifMauStatus.3.1	.1.3.6.1.2.1.26.2.1.1.4.3.1	Integer	shutdown (5)
ifMauStatus.4.1	.1.3.6.1.2.1.26.2.1.1.4.4.1	Integer	shutdown (5)
ifMauStatus.5.1	.1.3.6.1.2.1.26.2.1.1.4.5.1	Integer	shutdown (5)
ifMauStatus.6.1	.1.3.6.1.2.1.26.2.1.1.4.6.1	Integer	shutdown (5)
ifMauStatus.7.1	.1.3.6.1.2.1.26.2.1.1.4.7.1	Integer	shutdown (5)
ifMauStatus.8.1	.1.3.6.1.2.1.26.2.1.1.4.8.1	Integer	shutdown (5)
ifMauStatus.9.1	.1.3.6.1.2.1.26.2.1.1.4.9.1	Integer	shutdown (5)
ifMauStatus.10.1	.1.3.6.1.2.1.26.2.1.1.4.10.1	Integer	shutdown (5)
ifMauStatus.11.1	.1.3.6.1.2.1.26.2.1.1.4.11.1	Integer	shutdown (5)
ifMauStatus.12.1	.1.3.6.1.2.1.26.2.1.1.4.12.1	Integer	shutdown (5)
ifMauStatus.13.1	.1.3.6.1.2.1.26.2.1.1.4.13.1	Integer	shutdown (5)
ifMauStatus.14.1	.1.3.6.1.2.1.26.2.1.1.4.14.1	Integer	shutdown (5)
ifMauStatus.15.1	.1.3.6.1.2.1.26.2.1.1.4.15.1	Integer	shutdown (5)
ifMauStatus.16.1	.1.3.6.1.2.1.26.2.1.1.4.16.1	Integer	shutdown (5)
ifMauStatus.17.1	.1.3.6.1.2.1.26.2.1.1.4.17.1	Integer	shutdown (5)
ifMauStatus.18.1	.1.3.6.1.2.1.26.2.1.1.4.18.1	Integer	shutdown (5)
ifMauStatus.19.1	.1.3.6.1.2.1.26.2.1.1.4.19.1	Integer	shutdown (5)
ifMauStatus.20.1	.1.3.6.1.2.1.26.2.1.1.4.20.1	Integer	shutdown (5)
ifMauStatus.21.1	.1.3.6.1.2.1.26.2.1.1.4.21.1	Integer	shutdown (5)
ifMauStatus.22.1	.1.3.6.1.2.1.26.2.1.1.4.22.1	Integer	shutdown (5)
ifMauStatus.23.1	.1.3.6.1.2.1.26.2.1.1.4.23.1	Integer	shutdown (5)
ifMauStatus.24.1	.1.3.6.1.2.1.26.2.1.1.4.24.1	Integer	operational (3)
ifMauStatus.25.1	.1.3.6.1.2.1.26.2.1.1.4.25.1	Integer	shutdown (5)
ifMauStatus.26.1	.1.3.6.1.2.1.26.2.1.1.4.26.1	Integer	shutdown (5)
ifMauStatus.27.1	.1.3.6.1.2.1.26.2.1.1.4.27.1	Integer	shutdown (5)
ifMauStatus.28.1	.1.3.6.1.2.1.26.2.1.1.4.28.1	Integer	shutdown (5)
ifMauMediaAvailable.1.1	.1.3.6.1.2.1.26.2.1.1.5.1.1	Integer	notAvailable (4)
ifMauMediaAvailable.2.1	.1.3.6.1.2.1.26.2.1.1.5.2.1	Integer	notAvailable (4)
ifMauMediaAvailable.3.1	.1.3.6.1.2.1.26.2.1.1.5.3.1	Integer	notAvailable (4)
ifMauMediaAvailable.4.1	.1.3.6.1.2.1.26.2.1.1.5.4.1	Integer	notAvailable (4)
ifMauMediaAvailable.5.1	.1.3.6.1.2.1.26.2.1.1.5.5.1	Integer	notAvailable (4)
ifMauMediaAvailable.6.1	.1.3.6.1.2.1.26.2.1.1.5.6.1	Integer	notAvailable (4)
ifMauMediaAvailable.7.1	.1.3.6.1.2.1.26.2.1.1.5.7.1	Integer	notAvailable (4)
ifMauMediaAvailable.8.1	.1.3.6.1.2.1.26.2.1.1.5.8.1	Integer	notAvailable (4)
ifMauMediaAvailable.9.1	.1.3.6.1.2.1.26.2.1.1.5.9.1	Integer	notAvailable (4)
ifMauMediaAvailable.10.1	.1.3.6.1.2.1.26.2.1.1.5.10.1	Integer	notAvailable (4)

Name	OID	Value Type	Value Example
ifMauMediaAvailable.11.1	.1.3.6.1.2.1.26.2.1.1.5.11.1	Integer	notAvailable (4)
ifMauMediaAvailable.12.1	.1.3.6.1.2.1.26.2.1.1.5.12.1	Integer	notAvailable (4)
ifMauMediaAvailable.13.1	.1.3.6.1.2.1.26.2.1.1.5.13.1	Integer	notAvailable (4)
ifMauMediaAvailable.14.1	.1.3.6.1.2.1.26.2.1.1.5.14.1	Integer	notAvailable (4)
ifMauMediaAvailable.15.1	.1.3.6.1.2.1.26.2.1.1.5.15.1	Integer	notAvailable (4)
ifMauMediaAvailable.16.1	.1.3.6.1.2.1.26.2.1.1.5.16.1	Integer	notAvailable (4)
ifMauMediaAvailable.17.1	.1.3.6.1.2.1.26.2.1.1.5.17.1	Integer	notAvailable (4)
ifMauMediaAvailable.18.1	.1.3.6.1.2.1.26.2.1.1.5.18.1	Integer	notAvailable (4)
ifMauMediaAvailable.19.1	.1.3.6.1.2.1.26.2.1.1.5.19.1	Integer	notAvailable (4)
ifMauMediaAvailable.20.1	.1.3.6.1.2.1.26.2.1.1.5.20.1	Integer	notAvailable (4)
ifMauMediaAvailable.21.1	.1.3.6.1.2.1.26.2.1.1.5.21.1	Integer	notAvailable (4)
ifMauMediaAvailable.22.1	.1.3.6.1.2.1.26.2.1.1.5.22.1	Integer	notAvailable (4)
ifMauMediaAvailable.23.1	.1.3.6.1.2.1.26.2.1.1.5.23.1	Integer	notAvailable (4)
ifMauMediaAvailable.24.1	.1.3.6.1.2.1.26.2.1.1.5.24.1	Integer	available (3)
ifMauMediaAvailable.25.1	.1.3.6.1.2.1.26.2.1.1.5.25.1	Integer	notAvailable (4)
ifMauMediaAvailable.26.1	.1.3.6.1.2.1.26.2.1.1.5.26.1	Integer	notAvailable (4)
ifMauMediaAvailable.27.1	.1.3.6.1.2.1.26.2.1.1.5.27.1	Integer	notAvailable (4)
ifMauMediaAvailable.28.1	.1.3.6.1.2.1.26.2.1.1.5.28.1	Integer	notAvailable (4)
ifMauMediaAvailableStateExits.1.1	.1.3.6.1.2.1.26.2.1.1.6.1.1	Counter32	0
ifMauMediaAvailableStateExits.2.1	.1.3.6.1.2.1.26.2.1.1.6.2.1	Counter32	0
ifMauMediaAvailableStateExits.3.1	.1.3.6.1.2.1.26.2.1.1.6.3.1	Counter32	0
ifMauMediaAvailableStateExits.4.1	.1.3.6.1.2.1.26.2.1.1.6.4.1	Counter32	0
ifMauMediaAvailableStateExits.5.1	.1.3.6.1.2.1.26.2.1.1.6.5.1	Counter32	0
ifMauMediaAvailableStateExits.6.1	.1.3.6.1.2.1.26.2.1.1.6.6.1	Counter32	0
ifMauMediaAvailableStateExits.7.1	.1.3.6.1.2.1.26.2.1.1.6.7.1	Counter32	0
ifMauMediaAvailableStateExits.8.1	.1.3.6.1.2.1.26.2.1.1.6.8.1	Counter32	0
ifMauMediaAvailableStateExits.9.1	.1.3.6.1.2.1.26.2.1.1.6.9.1	Counter32	0
ifMauMediaAvailableStateExits.10.1	.1.3.6.1.2.1.26.2.1.1.6.10.1	Counter32	0

Name	OID	Value Type	Value Example
ifMauMediaAvailableStateExits.11 .1	.1.3.6.1.2.1.26.2.1.1.6.11.1	Counter32	0
ifMauMediaAvailableStateExits.12 .1	.1.3.6.1.2.1.26.2.1.1.6.12.1	Counter32	0
ifMauMediaAvailableStateExits.13 .1	.1.3.6.1.2.1.26.2.1.1.6.13.1	Counter32	0
ifMauMediaAvailableStateExits.14 .1	.1.3.6.1.2.1.26.2.1.1.6.14.1	Counter32	0
ifMauMediaAvailableStateExits.15 .1	.1.3.6.1.2.1.26.2.1.1.6.15.1	Counter32	0
ifMauMediaAvailableStateExits.16 .1	.1.3.6.1.2.1.26.2.1.1.6.16.1	Counter32	0
ifMauMediaAvailableStateExits.17 .1	.1.3.6.1.2.1.26.2.1.1.6.17.1	Counter32	0
ifMauMediaAvailableStateExits.18 .1	.1.3.6.1.2.1.26.2.1.1.6.18.1	Counter32	0
ifMauMediaAvailableStateExits.19 .1	.1.3.6.1.2.1.26.2.1.1.6.19.1	Counter32	0
ifMauMediaAvailableStateExits.20 .1	.1.3.6.1.2.1.26.2.1.1.6.20.1	Counter32	0
ifMauMediaAvailableStateExits.21 .1	.1.3.6.1.2.1.26.2.1.1.6.21.1	Counter32	0
ifMauMediaAvailableStateExits.22 .1	.1.3.6.1.2.1.26.2.1.1.6.22.1	Counter32	0
ifMauMediaAvailableStateExits.23 .1	.1.3.6.1.2.1.26.2.1.1.6.23.1	Counter32	0
ifMauMediaAvailableStateExits.24 .1	.1.3.6.1.2.1.26.2.1.1.6.24.1	Counter32	0
ifMauMediaAvailableStateExits.25 .1	.1.3.6.1.2.1.26.2.1.1.6.25.1	Counter32	0
ifMauMediaAvailableStateExits.26 .1	.1.3.6.1.2.1.26.2.1.1.6.26.1	Counter32	0
ifMauMediaAvailableStateExits.27 .1	.1.3.6.1.2.1.26.2.1.1.6.27.1	Counter32	0
ifMauMediaAvailableStateExits.28 .1	.1.3.6.1.2.1.26.2.1.1.6.28.1	Counter32	0

Name	OID	Value Type	Value Example
ifMauJabberState.1.1	.1.3.6.1.2.1.26.2.1.1.7.1.1	Integer	other (1)
ifMauJabberState.2.1	.1.3.6.1.2.1.26.2.1.1.7.2.1	Integer	other (1)
ifMauJabberState.3.1	.1.3.6.1.2.1.26.2.1.1.7.3.1	Integer	other (1)
ifMauJabberState.4.1	.1.3.6.1.2.1.26.2.1.1.7.4.1	Integer	other (1)
ifMauJabberState.5.1	.1.3.6.1.2.1.26.2.1.1.7.5.1	Integer	other (1)
ifMauJabberState.6.1	.1.3.6.1.2.1.26.2.1.1.7.6.1	Integer	other (1)
ifMauJabberState.7.1	.1.3.6.1.2.1.26.2.1.1.7.7.1	Integer	other (1)
ifMauJabberState.8.1	.1.3.6.1.2.1.26.2.1.1.7.8.1	Integer	other (1)
ifMauJabberState.9.1	.1.3.6.1.2.1.26.2.1.1.7.9.1	Integer	other (1)
ifMauJabberState.10.1	.1.3.6.1.2.1.26.2.1.1.7.10.1	Integer	other (1)
ifMauJabberState.11.1	.1.3.6.1.2.1.26.2.1.1.7.11.1	Integer	other (1)
ifMauJabberState.12.1	.1.3.6.1.2.1.26.2.1.1.7.12.1	Integer	other (1)
ifMauJabberState.13.1	.1.3.6.1.2.1.26.2.1.1.7.13.1	Integer	other (1)
ifMauJabberState.14.1	.1.3.6.1.2.1.26.2.1.1.7.14.1	Integer	other (1)
ifMauJabberState.15.1	.1.3.6.1.2.1.26.2.1.1.7.15.1	Integer	other (1)
ifMauJabberState.16.1	.1.3.6.1.2.1.26.2.1.1.7.16.1	Integer	other (1)
ifMauJabberState.17.1	.1.3.6.1.2.1.26.2.1.1.7.17.1	Integer	other (1)
ifMauJabberState.18.1	.1.3.6.1.2.1.26.2.1.1.7.18.1	Integer	other (1)
ifMauJabberState.19.1	.1.3.6.1.2.1.26.2.1.1.7.19.1	Integer	other (1)
ifMauJabberState.20.1	.1.3.6.1.2.1.26.2.1.1.7.20.1	Integer	other (1)
ifMauJabberState.21.1	.1.3.6.1.2.1.26.2.1.1.7.21.1	Integer	other (1)
ifMauJabberState.22.1	.1.3.6.1.2.1.26.2.1.1.7.22.1	Integer	other (1)
ifMauJabberState.23.1	.1.3.6.1.2.1.26.2.1.1.7.23.1	Integer	other (1)
ifMauJabberState.24.1	.1.3.6.1.2.1.26.2.1.1.7.24.1	Integer	other (1)
ifMauJabberState.25.1	.1.3.6.1.2.1.26.2.1.1.7.25.1	Integer	other (1)
ifMauJabberState.26.1	.1.3.6.1.2.1.26.2.1.1.7.26.1	Integer	other (1)
ifMauJabberState.27.1	.1.3.6.1.2.1.26.2.1.1.7.27.1	Integer	other (1)
ifMauJabberState.28.1	.1.3.6.1.2.1.26.2.1.1.7.28.1	Integer	other (1)
ifMauJabberingStateEnters.1.1	.1.3.6.1.2.1.26.2.1.1.8.1.1	Counter32	0
ifMauJabberingStateEnters.2.1	.1.3.6.1.2.1.26.2.1.1.8.2.1	Counter32	0
ifMauJabberingStateEnters.3.1	.1.3.6.1.2.1.26.2.1.1.8.3.1	Counter32	0
ifMauJabberingStateEnters.4.1	.1.3.6.1.2.1.26.2.1.1.8.4.1	Counter32	0
ifMauJabberingStateEnters.5.1	.1.3.6.1.2.1.26.2.1.1.8.5.1	Counter32	0
ifMauJabberingStateEnters.6.1	.1.3.6.1.2.1.26.2.1.1.8.6.1	Counter32	0
ifMauJabberingStateEnters.7.1	.1.3.6.1.2.1.26.2.1.1.8.7.1	Counter32	0
ifMauJabberingStateEnters.8.1	.1.3.6.1.2.1.26.2.1.1.8.8.1	Counter32	0
ifMauJabberingStateEnters.9.1	.1.3.6.1.2.1.26.2.1.1.8.9.1	Counter32	0
ifMauJabberingStateEnters.10.1	.1.3.6.1.2.1.26.2.1.1.8.10.1	Counter32	0
ifMauJabberingStateEnters.11.1	.1.3.6.1.2.1.26.2.1.1.8.11.1	Counter32	0
ifMauJabberingStateEnters.12.1	.1.3.6.1.2.1.26.2.1.1.8.12.1	Counter32	0

Name	OID	Value Type	Value Example
ifMauJabberingStateEnters.13.1	.1.3.6.1.2.1.26.2.1.1.8.13.1	Counter32	0
ifMauJabberingStateEnters.14.1	.1.3.6.1.2.1.26.2.1.1.8.14.1	Counter32	0
ifMauJabberingStateEnters.15.1	.1.3.6.1.2.1.26.2.1.1.8.15.1	Counter32	0
ifMauJabberingStateEnters.16.1	.1.3.6.1.2.1.26.2.1.1.8.16.1	Counter32	0
ifMauJabberingStateEnters.17.1	.1.3.6.1.2.1.26.2.1.1.8.17.1	Counter32	0
ifMauJabberingStateEnters.18.1	.1.3.6.1.2.1.26.2.1.1.8.18.1	Counter32	0
ifMauJabberingStateEnters.19.1	.1.3.6.1.2.1.26.2.1.1.8.19.1	Counter32	0
ifMauJabberingStateEnters.20.1	.1.3.6.1.2.1.26.2.1.1.8.20.1	Counter32	0
ifMauJabberingStateEnters.21.1	.1.3.6.1.2.1.26.2.1.1.8.21.1	Counter32	0
ifMauJabberingStateEnters.22.1	.1.3.6.1.2.1.26.2.1.1.8.22.1	Counter32	0
ifMauJabberingStateEnters.23.1	.1.3.6.1.2.1.26.2.1.1.8.23.1	Counter32	0
ifMauJabberingStateEnters.24.1	.1.3.6.1.2.1.26.2.1.1.8.24.1	Counter32	0
ifMauJabberingStateEnters.25.1	.1.3.6.1.2.1.26.2.1.1.8.25.1	Counter32	0
ifMauJabberingStateEnters.26.1	.1.3.6.1.2.1.26.2.1.1.8.26.1	Counter32	0
ifMauJabberingStateEnters.27.1	.1.3.6.1.2.1.26.2.1.1.8.27.1	Counter32	0
ifMauJabberingStateEnters.28.1	.1.3.6.1.2.1.26.2.1.1.8.28.1	Counter32	0
ifMauFalseCarriers.1.1	.1.3.6.1.2.1.26.2.1.1.9.1.1	Counter32	0
ifMauFalseCarriers.2.1	.1.3.6.1.2.1.26.2.1.1.9.2.1	Counter32	0
ifMauFalseCarriers.3.1	.1.3.6.1.2.1.26.2.1.1.9.3.1	Counter32	0
ifMauFalseCarriers.4.1	.1.3.6.1.2.1.26.2.1.1.9.4.1	Counter32	0
ifMauFalseCarriers.5.1	.1.3.6.1.2.1.26.2.1.1.9.5.1	Counter32	0
ifMauFalseCarriers.6.1	.1.3.6.1.2.1.26.2.1.1.9.6.1	Counter32	0
ifMauFalseCarriers.7.1	.1.3.6.1.2.1.26.2.1.1.9.7.1	Counter32	0
ifMauFalseCarriers.8.1	.1.3.6.1.2.1.26.2.1.1.9.8.1	Counter32	0
ifMauFalseCarriers.9.1	.1.3.6.1.2.1.26.2.1.1.9.9.1	Counter32	0
ifMauFalseCarriers.10.1	.1.3.6.1.2.1.26.2.1.1.9.10.1	Counter32	0
ifMauFalseCarriers.11.1	.1.3.6.1.2.1.26.2.1.1.9.11.1	Counter32	0
ifMauFalseCarriers.12.1	.1.3.6.1.2.1.26.2.1.1.9.12.1	Counter32	0
ifMauFalseCarriers.13.1	.1.3.6.1.2.1.26.2.1.1.9.13.1	Counter32	0
ifMauFalseCarriers.14.1	.1.3.6.1.2.1.26.2.1.1.9.14.1	Counter32	0
ifMauFalseCarriers.15.1	.1.3.6.1.2.1.26.2.1.1.9.15.1	Counter32	0
ifMauFalseCarriers.16.1	.1.3.6.1.2.1.26.2.1.1.9.16.1	Counter32	0

Name	OID	Value Type	Value Example
ifMauFalseCarriers.17.1	.1.3.6.1.2.1.26.2.1.1.9.17.1	Counter32	0
ifMauFalseCarriers.18.1	.1.3.6.1.2.1.26.2.1.1.9.18.1	Counter32	0
ifMauFalseCarriers.19.1	.1.3.6.1.2.1.26.2.1.1.9.19.1	Counter32	0
ifMauFalseCarriers.20.1	.1.3.6.1.2.1.26.2.1.1.9.20.1	Counter32	0
ifMauFalseCarriers.21.1	.1.3.6.1.2.1.26.2.1.1.9.21.1	Counter32	0
ifMauFalseCarriers.22.1	.1.3.6.1.2.1.26.2.1.1.9.22.1	Counter32	0
ifMauFalseCarriers.23.1	.1.3.6.1.2.1.26.2.1.1.9.23.1	Counter32	0
ifMauFalseCarriers.24.1	.1.3.6.1.2.1.26.2.1.1.9.24.1	Counter32	0
ifMauFalseCarriers.25.1	.1.3.6.1.2.1.26.2.1.1.9.25.1	Counter32	0
ifMauFalseCarriers.26.1	.1.3.6.1.2.1.26.2.1.1.9.26.1	Counter32	0
ifMauFalseCarriers.27.1	.1.3.6.1.2.1.26.2.1.1.9.27.1	Counter32	0
ifMauFalseCarriers.28.1	.1.3.6.1.2.1.26.2.1.1.9.28.1	Counter32	0
ifMauTypeList.1.1	.1.3.6.1.2.1.26.2.1.1.10.1.1	Integer	1
ifMauTypeList.2.1	.1.3.6.1.2.1.26.2.1.1.10.2.1	Integer	1
ifMauTypeList.3.1	.1.3.6.1.2.1.26.2.1.1.10.3.1	Integer	1
ifMauTypeList.4.1	.1.3.6.1.2.1.26.2.1.1.10.4.1	Integer	1
ifMauTypeList.5.1	.1.3.6.1.2.1.26.2.1.1.10.5.1	Integer	1
ifMauTypeList.6.1	.1.3.6.1.2.1.26.2.1.1.10.6.1	Integer	1
ifMauTypeList.7.1	.1.3.6.1.2.1.26.2.1.1.10.7.1	Integer	1
ifMauTypeList.8.1	.1.3.6.1.2.1.26.2.1.1.10.8.1	Integer	1
ifMauTypeList.9.1	.1.3.6.1.2.1.26.2.1.1.10.9.1	Integer	1
ifMauTypeList.10.1	.1.3.6.1.2.1.26.2.1.1.10.10.1	Integer	1
ifMauTypeList.11.1	.1.3.6.1.2.1.26.2.1.1.10.11.1	Integer	1
ifMauTypeList.12.1	.1.3.6.1.2.1.26.2.1.1.10.12.1	Integer	1
ifMauTypeList.13.1	.1.3.6.1.2.1.26.2.1.1.10.13.1	Integer	1
ifMauTypeList.14.1	.1.3.6.1.2.1.26.2.1.1.10.14.1	Integer	1
ifMauTypeList.15.1	.1.3.6.1.2.1.26.2.1.1.10.15.1	Integer	1
ifMauTypeList.16.1	.1.3.6.1.2.1.26.2.1.1.10.16.1	Integer	1
ifMauTypeList.17.1	.1.3.6.1.2.1.26.2.1.1.10.17.1	Integer	1
ifMauTypeList.18.1	.1.3.6.1.2.1.26.2.1.1.10.18.1	Integer	1
ifMauTypeList.19.1	.1.3.6.1.2.1.26.2.1.1.10.19.1	Integer	1
ifMauTypeList.20.1	.1.3.6.1.2.1.26.2.1.1.10.20.1	Integer	1
ifMauTypeList.21.1	.1.3.6.1.2.1.26.2.1.1.10.21.1	Integer	1
ifMauTypeList.22.1	.1.3.6.1.2.1.26.2.1.1.10.22.1	Integer	1
ifMauTypeList.23.1	.1.3.6.1.2.1.26.2.1.1.10.23.1	Integer	1
ifMauTypeList.24.1	.1.3.6.1.2.1.26.2.1.1.10.24.1	Integer	1
ifMauTypeList.25.1	.1.3.6.1.2.1.26.2.1.1.10.25.1	Integer	1
ifMauTypeList.26.1	.1.3.6.1.2.1.26.2.1.1.10.26.1	Integer	1
ifMauTypeList.27.1	.1.3.6.1.2.1.26.2.1.1.10.27.1	Integer	1
ifMauTypeList.28.1	.1.3.6.1.2.1.26.2.1.1.10.28.1	Integer	1
ifMauDefaultType.1.1	.1.3.6.1.2.1.26.2.1.1.11.1.1	OID	dot3MauType1000BaseTFD
ifMauDefaultType.2.1	.1.3.6.1.2.1.26.2.1.1.11.2.1	OID	dot3MauType1000BaseTFD
ifMauDefaultType.3.1	.1.3.6.1.2.1.26.2.1.1.11.3.1	OID	dot3MauType1000BaseTFD

Name	OID	Value Type	Value Example
ifMauDefaultType.4.1	.1.3.6.1.2.1.26.2.1.1.11.4.1	OID	dot3MauType1000BaseTFD
ifMauDefaultType.5.1	.1.3.6.1.2.1.26.2.1.1.11.5.1	OID	dot3MauType1000BaseTFD
ifMauDefaultType.6.1	.1.3.6.1.2.1.26.2.1.1.11.6.1	OID	dot3MauType1000BaseTFD
ifMauDefaultType.7.1	.1.3.6.1.2.1.26.2.1.1.11.7.1	OID	dot3MauType1000BaseTFD
ifMauDefaultType.8.1	.1.3.6.1.2.1.26.2.1.1.11.8.1	OID	dot3MauType1000BaseTFD
ifMauDefaultType.9.1	.1.3.6.1.2.1.26.2.1.1.11.9.1	OID	dot3MauType1000BaseTFD
ifMauDefaultType.10.1	.1.3.6.1.2.1.26.2.1.1.11.10.1	OID	dot3MauType1000BaseTFD
ifMauDefaultType.11.1	.1.3.6.1.2.1.26.2.1.1.11.11.1	OID	dot3MauType1000BaseTFD
ifMauDefaultType.12.1	.1.3.6.1.2.1.26.2.1.1.11.12.1	OID	dot3MauType1000BaseTFD
ifMauDefaultType.13.1	.1.3.6.1.2.1.26.2.1.1.11.13.1	OID	dot3MauType1000BaseTFD
ifMauDefaultType.14.1	.1.3.6.1.2.1.26.2.1.1.11.14.1	OID	dot3MauType1000BaseTFD
ifMauDefaultType.15.1	.1.3.6.1.2.1.26.2.1.1.11.15.1	OID	dot3MauType1000BaseTFD
ifMauDefaultType.16.1	.1.3.6.1.2.1.26.2.1.1.11.16.1	OID	dot3MauType1000BaseTFD
ifMauDefaultType.17.1	.1.3.6.1.2.1.26.2.1.1.11.17.1	OID	dot3MauType1000BaseTFD
ifMauDefaultType.18.1	.1.3.6.1.2.1.26.2.1.1.11.18.1	OID	dot3MauType1000BaseTFD
ifMauDefaultType.19.1	.1.3.6.1.2.1.26.2.1.1.11.19.1	OID	dot3MauType1000BaseTFD
ifMauDefaultType.20.1	.1.3.6.1.2.1.26.2.1.1.11.20.1	OID	dot3MauType1000BaseTFD
ifMauDefaultType.21.1	.1.3.6.1.2.1.26.2.1.1.11.21.1	OID	dot3MauType1000BaseTFD
ifMauDefaultType.22.1	.1.3.6.1.2.1.26.2.1.1.11.22.1	OID	dot3MauType1000BaseTFD
ifMauDefaultType.23.1	.1.3.6.1.2.1.26.2.1.1.11.23.1	OID	dot3MauType1000BaseTFD
ifMauDefaultType.24.1	.1.3.6.1.2.1.26.2.1.1.11.24.1	OID	dot3MauType1000BaseTFD
ifMauDefaultType.25.1	.1.3.6.1.2.1.26.2.1.1.11.25.1	OID	.0.0
ifMauDefaultType.26.1	.1.3.6.1.2.1.26.2.1.1.11.26.1	OID	.0.0
ifMauDefaultType.27.1	.1.3.6.1.2.1.26.2.1.1.11.27.1	OID	.0.0
ifMauDefaultType.28.1	.1.3.6.1.2.1.26.2.1.1.11.28.1	OID	.0.0
ifMauAutoNegSupported.1.1	.1.3.6.1.2.1.26.2.1.1.12.1.1	Integer	true (1)
ifMauAutoNegSupported.2.1	.1.3.6.1.2.1.26.2.1.1.12.2.1	Integer	true (1)
ifMauAutoNegSupported.3.1	.1.3.6.1.2.1.26.2.1.1.12.3.1	Integer	true (1)
ifMauAutoNegSupported.4.1	.1.3.6.1.2.1.26.2.1.1.12.4.1	Integer	true (1)
ifMauAutoNegSupported.5.1	.1.3.6.1.2.1.26.2.1.1.12.5.1	Integer	true (1)
ifMauAutoNegSupported.6.1	.1.3.6.1.2.1.26.2.1.1.12.6.1	Integer	true (1)
ifMauAutoNegSupported.7.1	.1.3.6.1.2.1.26.2.1.1.12.7.1	Integer	true (1)
ifMauAutoNegSupported.8.1	.1.3.6.1.2.1.26.2.1.1.12.8.1	Integer	true (1)
ifMauAutoNegSupported.9.1	.1.3.6.1.2.1.26.2.1.1.12.9.1	Integer	true (1)
ifMauAutoNegSupported.10.1	.1.3.6.1.2.1.26.2.1.1.12.10.1	Integer	true (1)
ifMauAutoNegSupported.11.1	.1.3.6.1.2.1.26.2.1.1.12.11.1	Integer	true (1)
ifMauAutoNegSupported.12.1	.1.3.6.1.2.1.26.2.1.1.12.12.1	Integer	true (1)
ifMauAutoNegSupported.13.1	.1.3.6.1.2.1.26.2.1.1.12.13.1	Integer	true (1)
ifMauAutoNegSupported.14.1	.1.3.6.1.2.1.26.2.1.1.12.14.1	Integer	true (1)
ifMauAutoNegSupported.15.1	.1.3.6.1.2.1.26.2.1.1.12.15.1	Integer	true (1)
ifMauAutoNegSupported.16.1	.1.3.6.1.2.1.26.2.1.1.12.16.1	Integer	true (1)
ifMauAutoNegSupported.17.1	.1.3.6.1.2.1.26.2.1.1.12.17.1	Integer	true (1)
ifMauAutoNegSupported.18.1	.1.3.6.1.2.1.26.2.1.1.12.18.1	Integer	true (1)

Name	OID	Value Type	Value Example
ifMauAutoNegSupported.19.1	.1.3.6.1.2.1.26.2.1.1.12.19.1	Integer	true (1)
ifMauAutoNegSupported.20.1	.1.3.6.1.2.1.26.2.1.1.12.20.1	Integer	true (1)
ifMauAutoNegSupported.21.1	.1.3.6.1.2.1.26.2.1.1.12.21.1	Integer	true (1)
ifMauAutoNegSupported.22.1	.1.3.6.1.2.1.26.2.1.1.12.22.1	Integer	true (1)
ifMauAutoNegSupported.23.1	.1.3.6.1.2.1.26.2.1.1.12.23.1	Integer	true (1)
ifMauAutoNegSupported.24.1	.1.3.6.1.2.1.26.2.1.1.12.24.1	Integer	true (1)
ifMauAutoNegSupported.25.1	.1.3.6.1.2.1.26.2.1.1.12.25.1	Integer	true (1)
ifMauAutoNegSupported.26.1	.1.3.6.1.2.1.26.2.1.1.12.26.1	Integer	true (1)
ifMauAutoNegSupported.27.1	.1.3.6.1.2.1.26.2.1.1.12.27.1	Integer	true (1)
ifMauAutoNegSupported.28.1	.1.3.6.1.2.1.26.2.1.1.12.28.1	Integer	true (1)
ifMauTypeListBits.1.1	.1.3.6.1.2.1.26.2.1.1.13.1.1	OctetString	{b10baseTHD, b10baseTFD, b100baseTXHD, b100baseTXFD, b1000baseTFD}
ifMauTypeListBits.2.1	.1.3.6.1.2.1.26.2.1.1.13.2.1	OctetString	{b10baseTHD, b10baseTFD, b100baseTXHD, b100baseTXFD, b1000baseTFD}
ifMauTypeListBits.3.1	.1.3.6.1.2.1.26.2.1.1.13.3.1	OctetString	{b10baseTHD, b10baseTFD, b100baseTXHD, b100baseTXFD, b1000baseTFD}
ifMauTypeListBits.4.1	.1.3.6.1.2.1.26.2.1.1.13.4.1	OctetString	{b10baseTHD, b10baseTFD, b100baseTXHD, b100baseTXFD, b1000baseTFD}
ifMauTypeListBits.5.1	.1.3.6.1.2.1.26.2.1.1.13.5.1	OctetString	{b10baseTHD, b10baseTFD, b100baseTXHD, b100baseTXFD, b1000baseTFD}
ifMauTypeListBits.6.1	.1.3.6.1.2.1.26.2.1.1.13.6.1	OctetString	{b10baseTHD, b10baseTFD, b100baseTXHD, b100baseTXFD, b1000baseTFD}
ifMauTypeListBits.7.1	.1.3.6.1.2.1.26.2.1.1.13.7.1	OctetString	{b10baseTHD, b10baseTFD, b100baseTXHD, b100baseTXFD, b1000baseTFD}
ifMauTypeListBits.8.1	.1.3.6.1.2.1.26.2.1.1.13.8.1	OctetString	{b10baseTHD, b10baseTFD, b100baseTXHD, b100baseTXFD, b1000baseTFD}
ifMauTypeListBits.9.1	.1.3.6.1.2.1.26.2.1.1.13.9.1	OctetString	{b10baseTHD, b10baseTFD, b100baseTXHD, b100baseTXFD, b1000baseTFD}
ifMauTypeListBits.10.1	.1.3.6.1.2.1.26.2.1.1.13.10.1	OctetString	{b10baseTHD, b10baseTFD, b100baseTXHD, b100baseTXFD, b1000baseTFD}
ifMauTypeListBits.11.1	.1.3.6.1.2.1.26.2.1.1.13.11.1	OctetString	{b10baseTHD, b10baseTFD, b100baseTXHD, b100baseTXFD, b1000baseTFD}
ifMauTypeListBits.12.1	.1.3.6.1.2.1.26.2.1.1.13.12.1	OctetString	{b10baseTHD, b10baseTFD, b100baseTXHD, b100baseTXFD, b1000baseTFD}
ifMauTypeListBits.13.1	.1.3.6.1.2.1.26.2.1.1.13.13.1	OctetString	{b10baseTHD, b10baseTFD, b100baseTXHD, b100baseTXFD, b1000baseTFD}

Name	OID	Value Type	Value Example
ifMauTypeListBits.14.1	.1.3.6.1.2.1.26.2.1.1.13.14.1	OctetString	{b10baseTHD, b10baseTFD, b100baseTXHD, b100baseTXFD, b1000baseTFD}
ifMauTypeListBits.15.1	.1.3.6.1.2.1.26.2.1.1.13.15.1	OctetString	{b10baseTHD, b10baseTFD, b100baseTXHD, b100baseTXFD, b1000baseTFD}
ifMauTypeListBits.16.1	.1.3.6.1.2.1.26.2.1.1.13.16.1	OctetString	{b10baseTHD, b10baseTFD, b100baseTXHD, b100baseTXFD, b1000baseTFD}
ifMauTypeListBits.17.1	.1.3.6.1.2.1.26.2.1.1.13.17.1	OctetString	{b10baseTHD, b10baseTFD, b100baseTXHD, b100baseTXFD, b1000baseTFD}
ifMauTypeListBits.18.1	.1.3.6.1.2.1.26.2.1.1.13.18.1	OctetString	{b10baseTHD, b10baseTFD, b100baseTXHD, b100baseTXFD, b1000baseTFD}
ifMauTypeListBits.19.1	.1.3.6.1.2.1.26.2.1.1.13.19.1	OctetString	{b10baseTHD, b10baseTFD, b100baseTXHD, b100baseTXFD, b1000baseTFD}
ifMauTypeListBits.20.1	.1.3.6.1.2.1.26.2.1.1.13.20.1	OctetString	{b10baseTHD, b10baseTFD, b100baseTXHD, b100baseTXFD, b1000baseTFD}
ifMauTypeListBits.21.1	.1.3.6.1.2.1.26.2.1.1.13.21.1	OctetString	{b10baseTHD, b10baseTFD, b100baseTXHD, b100baseTXFD, b1000baseTFD}
ifMauTypeListBits.22.1	.1.3.6.1.2.1.26.2.1.1.13.22.1	OctetString	{b10baseTHD, b10baseTFD, b100baseTXHD, b100baseTXFD, b1000baseTFD}
ifMauTypeListBits.23.1	.1.3.6.1.2.1.26.2.1.1.13.23.1	OctetString	{b10baseTHD, b10baseTFD, b100baseTXHD, b100baseTXFD, b1000baseTFD}
ifMauTypeListBits.24.1	.1.3.6.1.2.1.26.2.1.1.13.24.1	OctetString	{b1000baseTFD}
ifMauTypeListBits.25.1	.1.3.6.1.2.1.26.2.1.1.13.25.1	OctetString	{bOther}
ifMauTypeListBits.26.1	.1.3.6.1.2.1.26.2.1.1.13.26.1	OctetString	{bOther}
ifMauTypeListBits.27.1	.1.3.6.1.2.1.26.2.1.1.13.27.1	OctetString	{bOther}
ifMauTypeListBits.28.1	.1.3.6.1.2.1.26.2.1.1.13.28.1	OctetString	{bOther}
ifJackType.1.1.1	.1.3.6.1.2.1.26.2.2.1.2.1.1.1	Integer	rj45 (2)
ifJackType.2.1.1	.1.3.6.1.2.1.26.2.2.1.2.2.1.1	Integer	rj45 (2)
ifJackType.3.1.1	.1.3.6.1.2.1.26.2.2.1.2.3.1.1	Integer	rj45 (2)
ifJackType.4.1.1	.1.3.6.1.2.1.26.2.2.1.2.4.1.1	Integer	rj45 (2)
ifJackType.5.1.1	.1.3.6.1.2.1.26.2.2.1.2.5.1.1	Integer	rj45 (2)
ifJackType.6.1.1	.1.3.6.1.2.1.26.2.2.1.2.6.1.1	Integer	rj45 (2)
ifJackType.7.1.1	.1.3.6.1.2.1.26.2.2.1.2.7.1.1	Integer	rj45 (2)
ifJackType.8.1.1	.1.3.6.1.2.1.26.2.2.1.2.8.1.1	Integer	rj45 (2)
ifJackType.9.1.1	.1.3.6.1.2.1.26.2.2.1.2.9.1.1	Integer	rj45 (2)
ifJackType.10.1.1	.1.3.6.1.2.1.26.2.2.1.2.10.1.1	Integer	rj45 (2)
ifJackType.11.1.1	.1.3.6.1.2.1.26.2.2.1.2.11.1.1	Integer	rj45 (2)
ifJackType.12.1.1	.1.3.6.1.2.1.26.2.2.1.2.12.1.1	Integer	rj45 (2)
ifJackType.13.1.1	.1.3.6.1.2.1.26.2.2.1.2.13.1.1	Integer	rj45 (2)
ifJackType.14.1.1	.1.3.6.1.2.1.26.2.2.1.2.14.1.1	Integer	rj45 (2)

Name	OID	Value Type	Value Example
ifJackType.15.1.1	.1.3.6.1.2.1.26.2.2.1.2.15.1.1	Integer	rj45 (2)
ifJackType.16.1.1	.1.3.6.1.2.1.26.2.2.1.2.16.1.1	Integer	rj45 (2)
ifJackType.17.1.1	.1.3.6.1.2.1.26.2.2.1.2.17.1.1	Integer	rj45 (2)
ifJackType.18.1.1	.1.3.6.1.2.1.26.2.2.1.2.18.1.1	Integer	rj45 (2)
ifJackType.19.1.1	.1.3.6.1.2.1.26.2.2.1.2.19.1.1	Integer	rj45 (2)
ifJackType.20.1.1	.1.3.6.1.2.1.26.2.2.1.2.20.1.1	Integer	rj45 (2)
ifJackType.21.1.1	.1.3.6.1.2.1.26.2.2.1.2.21.1.1	Integer	rj45 (2)
ifJackType.22.1.1	.1.3.6.1.2.1.26.2.2.1.2.22.1.1	Integer	rj45 (2)
ifJackType.23.1.1	.1.3.6.1.2.1.26.2.2.1.2.23.1.1	Integer	rj45 (2)
ifJackType.24.1.1	.1.3.6.1.2.1.26.2.2.1.2.24.1.1	Integer	rj45 (2)
ifJackType.25.1.1	.1.3.6.1.2.1.26.2.2.1.2.25.1.1	Integer	other (1)
ifJackType.26.1.1	.1.3.6.1.2.1.26.2.2.1.2.26.1.1	Integer	other (1)
ifJackType.27.1.1	.1.3.6.1.2.1.26.2.2.1.2.27.1.1	Integer	other (1)
ifJackType.28.1.1	.1.3.6.1.2.1.26.2.2.1.2.28.1.1	Integer	other (1)
ifMauAutoNegAdminStatus.1.1	.1.3.6.1.2.1.26.5.1.1.1.1.1	Integer	enabled (1)
ifMauAutoNegAdminStatus.2.1	.1.3.6.1.2.1.26.5.1.1.1.2.1	Integer	enabled (1)
ifMauAutoNegAdminStatus.3.1	.1.3.6.1.2.1.26.5.1.1.1.3.1	Integer	enabled (1)
ifMauAutoNegAdminStatus.4.1	.1.3.6.1.2.1.26.5.1.1.1.4.1	Integer	enabled (1)
ifMauAutoNegAdminStatus.5.1	.1.3.6.1.2.1.26.5.1.1.1.5.1	Integer	enabled (1)
ifMauAutoNegAdminStatus.6.1	.1.3.6.1.2.1.26.5.1.1.1.6.1	Integer	enabled (1)
ifMauAutoNegAdminStatus.7.1	.1.3.6.1.2.1.26.5.1.1.1.7.1	Integer	enabled (1)
ifMauAutoNegAdminStatus.8.1	.1.3.6.1.2.1.26.5.1.1.1.8.1	Integer	enabled (1)
ifMauAutoNegAdminStatus.9.1	.1.3.6.1.2.1.26.5.1.1.1.9.1	Integer	enabled (1)
ifMauAutoNegAdminSta- tus.10.1	.1.3.6.1.2.1.26.5.1.1.1.10.1	Integer	enabled (1)
ifMauAutoNegAdminSta- tus.11.1	.1.3.6.1.2.1.26.5.1.1.1.11.1	Integer	enabled (1)
ifMauAutoNegAdminSta- tus.12.1	.1.3.6.1.2.1.26.5.1.1.1.12.1	Integer	enabled (1)
ifMauAutoNegAdminSta- tus.13.1	.1.3.6.1.2.1.26.5.1.1.1.13.1	Integer	enabled (1)
ifMauAutoNegAdminSta- tus.14.1	.1.3.6.1.2.1.26.5.1.1.1.14.1	Integer	enabled (1)
ifMauAutoNegAdminSta- tus.15.1	.1.3.6.1.2.1.26.5.1.1.1.15.1	Integer	enabled (1)
ifMauAutoNegAdminSta- tus.16.1	.1.3.6.1.2.1.26.5.1.1.1.16.1	Integer	enabled (1)
ifMauAutoNegAdminSta- tus.17.1	.1.3.6.1.2.1.26.5.1.1.1.17.1	Integer	enabled (1)
ifMauAutoNegAdminSta- tus.18.1	.1.3.6.1.2.1.26.5.1.1.1.18.1	Integer	enabled (1)
ifMauAutoNegAdminSta- tus.19.1	.1.3.6.1.2.1.26.5.1.1.1.19.1	Integer	enabled (1)
ifMauAutoNegAdminSta- tus.20.1	.1.3.6.1.2.1.26.5.1.1.1.20.1	Integer	enabled (1)
ifMauAutoNegAdminSta- tus.21.1	.1.3.6.1.2.1.26.5.1.1.1.21.1	Integer	enabled (1)

Name	OID	Value Type	Value Example
ifMauAutoNegAdminStatus.22.1	.1.3.6.1.2.1.26.5.1.1.1.22.1	Integer	enabled (1)
ifMauAutoNegAdminStatus.23.1	.1.3.6.1.2.1.26.5.1.1.1.23.1	Integer	enabled (1)
ifMauAutoNegAdminStatus.24.1	.1.3.6.1.2.1.26.5.1.1.1.24.1	Integer	enabled (1)
ifMauAutoNegAdminStatus.25.1	.1.3.6.1.2.1.26.5.1.1.1.25.1	Integer	disabled (2)
ifMauAutoNegAdminStatus.26.1	.1.3.6.1.2.1.26.5.1.1.1.26.1	Integer	disabled (2)
ifMauAutoNegAdminStatus.27.1	.1.3.6.1.2.1.26.5.1.1.1.27.1	Integer	disabled (2)
ifMauAutoNegAdminStatus.28.1	.1.3.6.1.2.1.26.5.1.1.1.28.1	Integer	disabled (2)
ifMauAutoNegRemoteSignaling.1.1	.1.3.6.1.2.1.26.5.1.1.2.1.1	Integer	notdetected (2)
ifMauAutoNegRemoteSignaling.2.1	.1.3.6.1.2.1.26.5.1.1.2.2.1	Integer	notdetected (2)
ifMauAutoNegRemoteSignaling.3.1	.1.3.6.1.2.1.26.5.1.1.2.3.1	Integer	notdetected (2)
ifMauAutoNegRemoteSignaling.4.1	.1.3.6.1.2.1.26.5.1.1.2.4.1	Integer	notdetected (2)
ifMauAutoNegRemoteSignaling.5.1	.1.3.6.1.2.1.26.5.1.1.2.5.1	Integer	notdetected (2)
ifMauAutoNegRemoteSignaling.6.1	.1.3.6.1.2.1.26.5.1.1.2.6.1	Integer	notdetected (2)
ifMauAutoNegRemoteSignaling.7.1	.1.3.6.1.2.1.26.5.1.1.2.7.1	Integer	notdetected (2)
ifMauAutoNegRemoteSignaling.8.1	.1.3.6.1.2.1.26.5.1.1.2.8.1	Integer	notdetected (2)
ifMauAutoNegRemoteSignaling.9.1	.1.3.6.1.2.1.26.5.1.1.2.9.1	Integer	notdetected (2)
ifMauAutoNegRemoteSignaling.10.1	.1.3.6.1.2.1.26.5.1.1.2.10.1	Integer	notdetected (2)
ifMauAutoNegRemoteSignaling.11.1	.1.3.6.1.2.1.26.5.1.1.2.11.1	Integer	notdetected (2)
ifMauAutoNegRemoteSignaling.12.1	.1.3.6.1.2.1.26.5.1.1.2.12.1	Integer	notdetected (2)
ifMauAutoNegRemoteSignaling.13.1	.1.3.6.1.2.1.26.5.1.1.2.13.1	Integer	notdetected (2)
ifMauAutoNegRemoteSignaling.14.1	.1.3.6.1.2.1.26.5.1.1.2.14.1	Integer	notdetected (2)
ifMauAutoNegRemoteSignaling.15.1	.1.3.6.1.2.1.26.5.1.1.2.15.1	Integer	notdetected (2)
ifMauAutoNegRemoteSignaling.16.1	.1.3.6.1.2.1.26.5.1.1.2.16.1	Integer	notdetected (2)
ifMauAutoNegRemoteSignaling.17.1	.1.3.6.1.2.1.26.5.1.1.2.17.1	Integer	notdetected (2)
ifMauAutoNegRemoteSignaling.18.1	.1.3.6.1.2.1.26.5.1.1.2.18.1	Integer	notdetected (2)

Name	OID	Value Type	Value Example
ifMauAutoNegRemoteSignaling.19.1	.1.3.6.1.2.1.26.5.1.1.2.19.1	Integer	notdetected (2)
ifMauAutoNegRemoteSignaling.20.1	.1.3.6.1.2.1.26.5.1.1.2.20.1	Integer	notdetected (2)
ifMauAutoNegRemoteSignaling.21.1	.1.3.6.1.2.1.26.5.1.1.2.21.1	Integer	notdetected (2)
ifMauAutoNegRemoteSignaling.22.1	.1.3.6.1.2.1.26.5.1.1.2.22.1	Integer	notdetected (2)
ifMauAutoNegRemoteSignaling.23.1	.1.3.6.1.2.1.26.5.1.1.2.23.1	Integer	notdetected (2)
ifMauAutoNegRemoteSignaling.24.1	.1.3.6.1.2.1.26.5.1.1.2.24.1	Integer	notdetected (2)
ifMauAutoNegRemoteSignaling.25.1	.1.3.6.1.2.1.26.5.1.1.2.25.1	Integer	notdetected (2)
ifMauAutoNegRemoteSignaling.26.1	.1.3.6.1.2.1.26.5.1.1.2.26.1	Integer	notdetected (2)
ifMauAutoNegRemoteSignaling.27.1	.1.3.6.1.2.1.26.5.1.1.2.27.1	Integer	notdetected (2)
ifMauAutoNegRemoteSignaling.28.1	.1.3.6.1.2.1.26.5.1.1.2.28.1	Integer	notdetected (2)
ifMauAutoNegConfig.1.1	.1.3.6.1.2.1.26.5.1.1.4.1.1	Integer	other (1)
ifMauAutoNegConfig.2.1	.1.3.6.1.2.1.26.5.1.1.4.2.1	Integer	other (1)
ifMauAutoNegConfig.3.1	.1.3.6.1.2.1.26.5.1.1.4.3.1	Integer	other (1)
ifMauAutoNegConfig.4.1	.1.3.6.1.2.1.26.5.1.1.4.4.1	Integer	other (1)
ifMauAutoNegConfig.5.1	.1.3.6.1.2.1.26.5.1.1.4.5.1	Integer	other (1)
ifMauAutoNegConfig.6.1	.1.3.6.1.2.1.26.5.1.1.4.6.1	Integer	other (1)
ifMauAutoNegConfig.7.1	.1.3.6.1.2.1.26.5.1.1.4.7.1	Integer	other (1)
ifMauAutoNegConfig.8.1	.1.3.6.1.2.1.26.5.1.1.4.8.1	Integer	other (1)
ifMauAutoNegConfig.9.1	.1.3.6.1.2.1.26.5.1.1.4.9.1	Integer	other (1)
ifMauAutoNegConfig.10.1	.1.3.6.1.2.1.26.5.1.1.4.10.1	Integer	other (1)
ifMauAutoNegConfig.11.1	.1.3.6.1.2.1.26.5.1.1.4.11.1	Integer	other (1)
ifMauAutoNegConfig.12.1	.1.3.6.1.2.1.26.5.1.1.4.12.1	Integer	other (1)
ifMauAutoNegConfig.13.1	.1.3.6.1.2.1.26.5.1.1.4.13.1	Integer	other (1)
ifMauAutoNegConfig.14.1	.1.3.6.1.2.1.26.5.1.1.4.14.1	Integer	other (1)
ifMauAutoNegConfig.15.1	.1.3.6.1.2.1.26.5.1.1.4.15.1	Integer	other (1)
ifMauAutoNegConfig.16.1	.1.3.6.1.2.1.26.5.1.1.4.16.1	Integer	other (1)
ifMauAutoNegConfig.17.1	.1.3.6.1.2.1.26.5.1.1.4.17.1	Integer	other (1)
ifMauAutoNegConfig.18.1	.1.3.6.1.2.1.26.5.1.1.4.18.1	Integer	other (1)
ifMauAutoNegConfig.19.1	.1.3.6.1.2.1.26.5.1.1.4.19.1	Integer	other (1)
ifMauAutoNegConfig.20.1	.1.3.6.1.2.1.26.5.1.1.4.20.1	Integer	other (1)
ifMauAutoNegConfig.21.1	.1.3.6.1.2.1.26.5.1.1.4.21.1	Integer	other (1)
ifMauAutoNegConfig.22.1	.1.3.6.1.2.1.26.5.1.1.4.22.1	Integer	other (1)
ifMauAutoNegConfig.23.1	.1.3.6.1.2.1.26.5.1.1.4.23.1	Integer	other (1)
ifMauAutoNegConfig.24.1	.1.3.6.1.2.1.26.5.1.1.4.24.1	Integer	complete (3)
ifMauAutoNegConfig.25.1	.1.3.6.1.2.1.26.5.1.1.4.25.1	Integer	disabled (4)
ifMauAutoNegConfig.26.1	.1.3.6.1.2.1.26.5.1.1.4.26.1	Integer	disabled (4)

Name	OID	Value Type	Value Example
ifMauAutoNegConfig.27.1	.1.3.6.1.2.1.26.5.1.1.4.27.1	Integer	disabled (4)
ifMauAutoNegConfig.28.1	.1.3.6.1.2.1.26.5.1.1.4.28.1	Integer	disabled (4)
ifMauAutoNegCapability.1.1	.1.3.6.1.2.1.26.5.1.1.5.1.1	Integer	0
ifMauAutoNegCapability.2.1	.1.3.6.1.2.1.26.5.1.1.5.2.1	Integer	0
ifMauAutoNegCapability.3.1	.1.3.6.1.2.1.26.5.1.1.5.3.1	Integer	0
ifMauAutoNegCapability.4.1	.1.3.6.1.2.1.26.5.1.1.5.4.1	Integer	0
ifMauAutoNegCapability.5.1	.1.3.6.1.2.1.26.5.1.1.5.5.1	Integer	0
ifMauAutoNegCapability.6.1	.1.3.6.1.2.1.26.5.1.1.5.6.1	Integer	0
ifMauAutoNegCapability.7.1	.1.3.6.1.2.1.26.5.1.1.5.7.1	Integer	0
ifMauAutoNegCapability.8.1	.1.3.6.1.2.1.26.5.1.1.5.8.1	Integer	0
ifMauAutoNegCapability.9.1	.1.3.6.1.2.1.26.5.1.1.5.9.1	Integer	0
ifMauAutoNegCapability.10.1	.1.3.6.1.2.1.26.5.1.1.5.10.1	Integer	0
ifMauAutoNegCapability.11.1	.1.3.6.1.2.1.26.5.1.1.5.11.1	Integer	0
ifMauAutoNegCapability.12.1	.1.3.6.1.2.1.26.5.1.1.5.12.1	Integer	0
ifMauAutoNegCapability.13.1	.1.3.6.1.2.1.26.5.1.1.5.13.1	Integer	0
ifMauAutoNegCapability.14.1	.1.3.6.1.2.1.26.5.1.1.5.14.1	Integer	0
ifMauAutoNegCapability.15.1	.1.3.6.1.2.1.26.5.1.1.5.15.1	Integer	0
ifMauAutoNegCapability.16.1	.1.3.6.1.2.1.26.5.1.1.5.16.1	Integer	0
ifMauAutoNegCapability.17.1	.1.3.6.1.2.1.26.5.1.1.5.17.1	Integer	0
ifMauAutoNegCapability.18.1	.1.3.6.1.2.1.26.5.1.1.5.18.1	Integer	0
ifMauAutoNegCapability.19.1	.1.3.6.1.2.1.26.5.1.1.5.19.1	Integer	0
ifMauAutoNegCapability.20.1	.1.3.6.1.2.1.26.5.1.1.5.20.1	Integer	0
ifMauAutoNegCapability.21.1	.1.3.6.1.2.1.26.5.1.1.5.21.1	Integer	0
ifMauAutoNegCapability.22.1	.1.3.6.1.2.1.26.5.1.1.5.22.1	Integer	0
ifMauAutoNegCapability.23.1	.1.3.6.1.2.1.26.5.1.1.5.23.1	Integer	0
ifMauAutoNegCapability.24.1	.1.3.6.1.2.1.26.5.1.1.5.24.1	Integer	0
ifMauAutoNegCapability.25.1	.1.3.6.1.2.1.26.5.1.1.5.25.1	Integer	0
ifMauAutoNegCapability.26.1	.1.3.6.1.2.1.26.5.1.1.5.26.1	Integer	0
ifMauAutoNegCapability.27.1	.1.3.6.1.2.1.26.5.1.1.5.27.1	Integer	0
ifMauAutoNegCapability.28.1	.1.3.6.1.2.1.26.5.1.1.5.28.1	Integer	0
ifMauAutoNegCapAdvertised.1.1	.1.3.6.1.2.1.26.5.1.1.6.1.1	Integer	0
ifMauAutoNegCapAdvertised.2.1	.1.3.6.1.2.1.26.5.1.1.6.2.1	Integer	0
ifMauAutoNegCapAdvertised.3.1	.1.3.6.1.2.1.26.5.1.1.6.3.1	Integer	0
ifMauAutoNegCapAdvertised.4.1	.1.3.6.1.2.1.26.5.1.1.6.4.1	Integer	0
ifMauAutoNegCapAdvertised.5.1	.1.3.6.1.2.1.26.5.1.1.6.5.1	Integer	0
ifMauAutoNegCapAdvertised.6.1	.1.3.6.1.2.1.26.5.1.1.6.6.1	Integer	0
ifMauAutoNegCapAdvertised.7.1	.1.3.6.1.2.1.26.5.1.1.6.7.1	Integer	0

Name	OID	Value Type	Value Example
ifMauAutoNegCapAdvertised.8.1	.1.3.6.1.2.1.26.5.1.1.6.8.1	Integer	0
ifMauAutoNegCapAdvertised.9.1	.1.3.6.1.2.1.26.5.1.1.6.9.1	Integer	0
ifMauAutoNegCapAdvertised.10.1	.1.3.6.1.2.1.26.5.1.1.6.10.1	Integer	0
ifMauAutoNegCapAdvertised.11.1	.1.3.6.1.2.1.26.5.1.1.6.11.1	Integer	0
ifMauAutoNegCapAdvertised.12.1	.1.3.6.1.2.1.26.5.1.1.6.12.1	Integer	0
ifMauAutoNegCapAdvertised.13.1	.1.3.6.1.2.1.26.5.1.1.6.13.1	Integer	0
ifMauAutoNegCapAdvertised.14.1	.1.3.6.1.2.1.26.5.1.1.6.14.1	Integer	0
ifMauAutoNegCapAdvertised.15.1	.1.3.6.1.2.1.26.5.1.1.6.15.1	Integer	0
ifMauAutoNegCapAdvertised.16.1	.1.3.6.1.2.1.26.5.1.1.6.16.1	Integer	0
ifMauAutoNegCapAdvertised.17.1	.1.3.6.1.2.1.26.5.1.1.6.17.1	Integer	0
ifMauAutoNegCapAdvertised.18.1	.1.3.6.1.2.1.26.5.1.1.6.18.1	Integer	0
ifMauAutoNegCapAdvertised.19.1	.1.3.6.1.2.1.26.5.1.1.6.19.1	Integer	0
ifMauAutoNegCapAdvertised.20.1	.1.3.6.1.2.1.26.5.1.1.6.20.1	Integer	0
ifMauAutoNegCapAdvertised.21.1	.1.3.6.1.2.1.26.5.1.1.6.21.1	Integer	0
ifMauAutoNegCapAdvertised.22.1	.1.3.6.1.2.1.26.5.1.1.6.22.1	Integer	0
ifMauAutoNegCapAdvertised.23.1	.1.3.6.1.2.1.26.5.1.1.6.23.1	Integer	0
ifMauAutoNegCapAdvertised.24.1	.1.3.6.1.2.1.26.5.1.1.6.24.1	Integer	0
ifMauAutoNegCapAdvertised.25.1	.1.3.6.1.2.1.26.5.1.1.6.25.1	Integer	0
ifMauAutoNegCapAdvertised.26.1	.1.3.6.1.2.1.26.5.1.1.6.26.1	Integer	0
ifMauAutoNegCapAdvertised.27.1	.1.3.6.1.2.1.26.5.1.1.6.27.1	Integer	0
ifMauAutoNegCapAdvertised.28.1	.1.3.6.1.2.1.26.5.1.1.6.28.1	Integer	0
ifMauAutoNegCapReceived.1.1	.1.3.6.1.2.1.26.5.1.1.7.1.1	Integer	0
ifMauAutoNegCapReceived.2.1	.1.3.6.1.2.1.26.5.1.1.7.2.1	Integer	0
ifMauAutoNegCapReceived.3.1	.1.3.6.1.2.1.26.5.1.1.7.3.1	Integer	0
ifMauAutoNegCapReceived.4.1	.1.3.6.1.2.1.26.5.1.1.7.4.1	Integer	0
ifMauAutoNegCapReceived.5.1	.1.3.6.1.2.1.26.5.1.1.7.5.1	Integer	0
ifMauAutoNegCapReceived.6.1	.1.3.6.1.2.1.26.5.1.1.7.6.1	Integer	0
ifMauAutoNegCapReceived.7.1	.1.3.6.1.2.1.26.5.1.1.7.7.1	Integer	0

Name	OID	Value Type	Value Example
ifMauAutoNegCapReceived.8.1	.1.3.6.1.2.1.26.5.1.1.7.8.1	Integer	0
ifMauAutoNegCapReceived.9.1	.1.3.6.1.2.1.26.5.1.1.7.9.1	Integer	0
ifMauAutoNegCapReceived.10.1	.1.3.6.1.2.1.26.5.1.1.7.10.1	Integer	0
ifMauAutoNegCapReceived.11.1	.1.3.6.1.2.1.26.5.1.1.7.11.1	Integer	0
ifMauAutoNegCapReceived.12.1	.1.3.6.1.2.1.26.5.1.1.7.12.1	Integer	0
ifMauAutoNegCapReceived.13.1	.1.3.6.1.2.1.26.5.1.1.7.13.1	Integer	0
ifMauAutoNegCapReceived.14.1	.1.3.6.1.2.1.26.5.1.1.7.14.1	Integer	0
ifMauAutoNegCapReceived.15.1	.1.3.6.1.2.1.26.5.1.1.7.15.1	Integer	0
ifMauAutoNegCapReceived.16.1	.1.3.6.1.2.1.26.5.1.1.7.16.1	Integer	0
ifMauAutoNegCapReceived.17.1	.1.3.6.1.2.1.26.5.1.1.7.17.1	Integer	0
ifMauAutoNegCapReceived.18.1	.1.3.6.1.2.1.26.5.1.1.7.18.1	Integer	0
ifMauAutoNegCapReceived.19.1	.1.3.6.1.2.1.26.5.1.1.7.19.1	Integer	0
ifMauAutoNegCapReceived.20.1	.1.3.6.1.2.1.26.5.1.1.7.20.1	Integer	0
ifMauAutoNegCapReceived.21.1	.1.3.6.1.2.1.26.5.1.1.7.21.1	Integer	0
ifMauAutoNegCapReceived.22.1	.1.3.6.1.2.1.26.5.1.1.7.22.1	Integer	0
ifMauAutoNegCapReceived.23.1	.1.3.6.1.2.1.26.5.1.1.7.23.1	Integer	0
ifMauAutoNegCapReceived.24.1	.1.3.6.1.2.1.26.5.1.1.7.24.1	Integer	0
ifMauAutoNegCapReceived.25.1	.1.3.6.1.2.1.26.5.1.1.7.25.1	Integer	0
ifMauAutoNegCapReceived.26.1	.1.3.6.1.2.1.26.5.1.1.7.26.1	Integer	0
ifMauAutoNegCapReceived.27.1	.1.3.6.1.2.1.26.5.1.1.7.27.1	Integer	0
ifMauAutoNegCapReceived.28.1	.1.3.6.1.2.1.26.5.1.1.7.28.1	Integer	0
ifMauAutoNegRestart.1.1	.1.3.6.1.2.1.26.5.1.1.8.1.1	Integer	norestart (2)
ifMauAutoNegRestart.2.1	.1.3.6.1.2.1.26.5.1.1.8.2.1	Integer	norestart (2)
ifMauAutoNegRestart.3.1	.1.3.6.1.2.1.26.5.1.1.8.3.1	Integer	norestart (2)
ifMauAutoNegRestart.4.1	.1.3.6.1.2.1.26.5.1.1.8.4.1	Integer	norestart (2)
ifMauAutoNegRestart.5.1	.1.3.6.1.2.1.26.5.1.1.8.5.1	Integer	norestart (2)
ifMauAutoNegRestart.6.1	.1.3.6.1.2.1.26.5.1.1.8.6.1	Integer	norestart (2)
ifMauAutoNegRestart.7.1	.1.3.6.1.2.1.26.5.1.1.8.7.1	Integer	norestart (2)
ifMauAutoNegRestart.8.1	.1.3.6.1.2.1.26.5.1.1.8.8.1	Integer	norestart (2)
ifMauAutoNegRestart.9.1	.1.3.6.1.2.1.26.5.1.1.8.9.1	Integer	norestart (2)

Name	OID	Value Type	Value Example
ifMauAutoNegRestart.10.1	.1.3.6.1.2.1.26.5.1.1.8.10.1	Integer	norestart (2)
ifMauAutoNegRestart.11.1	.1.3.6.1.2.1.26.5.1.1.8.11.1	Integer	norestart (2)
ifMauAutoNegRestart.12.1	.1.3.6.1.2.1.26.5.1.1.8.12.1	Integer	norestart (2)
ifMauAutoNegRestart.13.1	.1.3.6.1.2.1.26.5.1.1.8.13.1	Integer	norestart (2)
ifMauAutoNegRestart.14.1	.1.3.6.1.2.1.26.5.1.1.8.14.1	Integer	norestart (2)
ifMauAutoNegRestart.15.1	.1.3.6.1.2.1.26.5.1.1.8.15.1	Integer	norestart (2)
ifMauAutoNegRestart.16.1	.1.3.6.1.2.1.26.5.1.1.8.16.1	Integer	norestart (2)
ifMauAutoNegRestart.17.1	.1.3.6.1.2.1.26.5.1.1.8.17.1	Integer	norestart (2)
ifMauAutoNegRestart.18.1	.1.3.6.1.2.1.26.5.1.1.8.18.1	Integer	norestart (2)
ifMauAutoNegRestart.19.1	.1.3.6.1.2.1.26.5.1.1.8.19.1	Integer	norestart (2)
ifMauAutoNegRestart.20.1	.1.3.6.1.2.1.26.5.1.1.8.20.1	Integer	norestart (2)
ifMauAutoNegRestart.21.1	.1.3.6.1.2.1.26.5.1.1.8.21.1	Integer	norestart (2)
ifMauAutoNegRestart.22.1	.1.3.6.1.2.1.26.5.1.1.8.22.1	Integer	norestart (2)
ifMauAutoNegRestart.23.1	.1.3.6.1.2.1.26.5.1.1.8.23.1	Integer	norestart (2)
ifMauAutoNegRestart.24.1	.1.3.6.1.2.1.26.5.1.1.8.24.1	Integer	norestart (2)
ifMauAutoNegRestart.25.1	.1.3.6.1.2.1.26.5.1.1.8.25.1	Integer	norestart (2)
ifMauAutoNegRestart.26.1	.1.3.6.1.2.1.26.5.1.1.8.26.1	Integer	norestart (2)
ifMauAutoNegRestart.27.1	.1.3.6.1.2.1.26.5.1.1.8.27.1	Integer	norestart (2)
ifMauAutoNegRestart.28.1	.1.3.6.1.2.1.26.5.1.1.8.28.1	Integer	norestart (2)
ifMauAutoNegCapability-Bits.1.1	.1.3.6.1.2.1.26.5.1.1.9.1.1	OctetString	{}
ifMauAutoNegCapability-Bits.2.1	.1.3.6.1.2.1.26.5.1.1.9.2.1	OctetString	{}
ifMauAutoNegCapability-Bits.3.1	.1.3.6.1.2.1.26.5.1.1.9.3.1	OctetString	{}
ifMauAutoNegCapability-Bits.4.1	.1.3.6.1.2.1.26.5.1.1.9.4.1	OctetString	{}
ifMauAutoNegCapability-Bits.5.1	.1.3.6.1.2.1.26.5.1.1.9.5.1	OctetString	{}
ifMauAutoNegCapability-Bits.6.1	.1.3.6.1.2.1.26.5.1.1.9.6.1	OctetString	{}
ifMauAutoNegCapability-Bits.7.1	.1.3.6.1.2.1.26.5.1.1.9.7.1	OctetString	{}
ifMauAutoNegCapability-Bits.8.1	.1.3.6.1.2.1.26.5.1.1.9.8.1	OctetString	{}
ifMauAutoNegCapability-Bits.9.1	.1.3.6.1.2.1.26.5.1.1.9.9.1	OctetString	{}
ifMauAutoNegCapability-Bits.10.1	.1.3.6.1.2.1.26.5.1.1.9.10.1	OctetString	{}
ifMauAutoNegCapability-Bits.11.1	.1.3.6.1.2.1.26.5.1.1.9.11.1	OctetString	{}
ifMauAutoNegCapability-Bits.12.1	.1.3.6.1.2.1.26.5.1.1.9.12.1	OctetString	{}
ifMauAutoNegCapability-Bits.13.1	.1.3.6.1.2.1.26.5.1.1.9.13.1	OctetString	{}
ifMauAutoNegCapability-Bits.14.1	.1.3.6.1.2.1.26.5.1.1.9.14.1	OctetString	{}

Name	OID	Value Type	Value Example
ifMauAutoNegCapability-Bits.15.1	.1.3.6.1.2.1.26.5.1.1.9.15.1	OctetString	{}
ifMauAutoNegCapability-Bits.16.1	.1.3.6.1.2.1.26.5.1.1.9.16.1	OctetString	{}
ifMauAutoNegCapability-Bits.17.1	.1.3.6.1.2.1.26.5.1.1.9.17.1	OctetString	{}
ifMauAutoNegCapability-Bits.18.1	.1.3.6.1.2.1.26.5.1.1.9.18.1	OctetString	{}
ifMauAutoNegCapability-Bits.19.1	.1.3.6.1.2.1.26.5.1.1.9.19.1	OctetString	{}
ifMauAutoNegCapability-Bits.20.1	.1.3.6.1.2.1.26.5.1.1.9.20.1	OctetString	{}
ifMauAutoNegCapability-Bits.21.1	.1.3.6.1.2.1.26.5.1.1.9.21.1	OctetString	{}
ifMauAutoNegCapability-Bits.22.1	.1.3.6.1.2.1.26.5.1.1.9.22.1	OctetString	{}
ifMauAutoNegCapability-Bits.23.1	.1.3.6.1.2.1.26.5.1.1.9.23.1	OctetString	{}
ifMauAutoNegCapability-Bits.24.1	.1.3.6.1.2.1.26.5.1.1.9.24.1	OctetString	{}
ifMauAutoNegCapability-Bits.25.1	.1.3.6.1.2.1.26.5.1.1.9.25.1	OctetString	{}
ifMauAutoNegCapability-Bits.26.1	.1.3.6.1.2.1.26.5.1.1.9.26.1	OctetString	{}
ifMauAutoNegCapability-Bits.27.1	.1.3.6.1.2.1.26.5.1.1.9.27.1	OctetString	{}
ifMauAutoNegCapability-Bits.28.1	.1.3.6.1.2.1.26.5.1.1.9.28.1	OctetString	{}
ifMauAutoNegCapAdvertised-Bits.1.1	.1.3.6.1.2.1.26.5.1.1.10.1.1	OctetString	{b10baseT, b10baseTFD, b100baseTX, b100baseTXFD, b1000baseTFD}
ifMauAutoNegCapAdvertised-Bits.2.1	.1.3.6.1.2.1.26.5.1.1.10.2.1	OctetString	{b10baseT, b10baseTFD, b100baseTX, b100baseTXFD, b1000baseTFD}
ifMauAutoNegCapAdvertised-Bits.3.1	.1.3.6.1.2.1.26.5.1.1.10.3.1	OctetString	{b10baseT, b10baseTFD, b100baseTX, b100baseTXFD, b1000baseTFD}
ifMauAutoNegCapAdvertised-Bits.4.1	.1.3.6.1.2.1.26.5.1.1.10.4.1	OctetString	{b10baseT, b10baseTFD, b100baseTX, b100baseTXFD, b1000baseTFD}
ifMauAutoNegCapAdvertised-Bits.5.1	.1.3.6.1.2.1.26.5.1.1.10.5.1	OctetString	{b10baseT, b10baseTFD, b100baseTX, b100baseTXFD, b1000baseTFD}
ifMauAutoNegCapAdvertised-Bits.6.1	.1.3.6.1.2.1.26.5.1.1.10.6.1	OctetString	{b10baseT, b10baseTFD, b100baseTX, b100baseTXFD, b1000baseTFD}
ifMauAutoNegCapAdvertised-Bits.7.1	.1.3.6.1.2.1.26.5.1.1.10.7.1	OctetString	{b10baseT, b10baseTFD, b100baseTX, b100baseTXFD, b1000baseTFD}
ifMauAutoNegCapAdvertised-Bits.8.1	.1.3.6.1.2.1.26.5.1.1.10.8.1	OctetString	{b10baseT, b10baseTFD, b100baseTX, b100baseTXFD, b1000baseTFD}

Name	OID	Value Type	Value Example
ifMauAutoNegCapAdvertised-Bits.9. 1	.1.3.6.1.2.1.26.5.1.1.10.9.1	OctetString	{b10baseT, b10baseTFD, b100-baseTX, b100baseTXFD, b1000-baseTFD}
ifMauAutoNegCapAdvertised-Bits.10 .1	.1.3.6.1.2.1.26.5.1.1.10.10.1	OctetString	{b10baseT, b10baseTFD, b100-baseTX, b100baseTXFD, b1000-baseTFD}
ifMauAutoNegCapAdvertised-Bits.11 .1	.1.3.6.1.2.1.26.5.1.1.10.11.1	OctetString	{b10baseT, b10baseTFD, b100-baseTX, b100baseTXFD, b1000-baseTFD}
ifMauAutoNegCapAdvertised-Bits.12 .1	.1.3.6.1.2.1.26.5.1.1.10.12.1	OctetString	{b10baseT, b10baseTFD, b100-baseTX, b100baseTXFD, b1000-baseTFD}
ifMauAutoNegCapAdvertised-Bits.13 .1	.1.3.6.1.2.1.26.5.1.1.10.13.1	OctetString	{b10baseT, b10baseTFD, b100-baseTX, b100baseTXFD, b1000-baseTFD}
ifMauAutoNegCapAdvertised-Bits.14 .1	.1.3.6.1.2.1.26.5.1.1.10.14.1	OctetString	{b10baseT, b10baseTFD, b100-baseTX, b100baseTXFD, b1000-baseTFD}
ifMauAutoNegCapAdvertised-Bits.15 .1	.1.3.6.1.2.1.26.5.1.1.10.15.1	OctetString	{b10baseT, b10baseTFD, b100-baseTX, b100baseTXFD, b1000-baseTFD}
ifMauAutoNegCapAdvertised-Bits.16 .1	.1.3.6.1.2.1.26.5.1.1.10.16.1	OctetString	{b10baseT, b10baseTFD, b100-baseTX, b100baseTXFD, b1000-baseTFD}
ifMauAutoNegCapAdvertised-Bits.17 .1	.1.3.6.1.2.1.26.5.1.1.10.17.1	OctetString	{b10baseT, b10baseTFD, b100-baseTX, b100baseTXFD, b1000-baseTFD}
ifMauAutoNegCapAdvertised-Bits.18 .1	.1.3.6.1.2.1.26.5.1.1.10.18.1	OctetString	{b10baseT, b10baseTFD, b100-baseTX, b100baseTXFD, b1000-baseTFD}
ifMauAutoNegCapAdvertised-Bits.19 .1	.1.3.6.1.2.1.26.5.1.1.10.19.1	OctetString	{b10baseT, b10baseTFD, b100-baseTX, b100baseTXFD, b1000-baseTFD}
ifMauAutoNegCapAdvertised-Bits.20 .1	.1.3.6.1.2.1.26.5.1.1.10.20.1	OctetString	{b10baseT, b10baseTFD, b100-baseTX, b100baseTXFD, b1000-baseTFD}
ifMauAutoNegCapAdvertised-Bits.21 .1	.1.3.6.1.2.1.26.5.1.1.10.21.1	OctetString	{b10baseT, b10baseTFD, b100-baseTX, b100baseTXFD, b1000-baseTFD}
ifMauAutoNegCapAdvertised-Bits.22 .1	.1.3.6.1.2.1.26.5.1.1.10.22.1	OctetString	{b10baseT, b10baseTFD, b100-baseTX, b100baseTXFD, b1000-baseTFD}
ifMauAutoNegCapAdvertised-Bits.23 .1	.1.3.6.1.2.1.26.5.1.1.10.23.1	OctetString	{b10baseT, b10baseTFD, b100-baseTX, b100baseTXFD, b1000-baseTFD}
ifMauAutoNegCapAdvertised-Bits.24 .1	.1.3.6.1.2.1.26.5.1.1.10.24.1	OctetString	{b10baseT, b10baseTFD, b100-baseTX, b100baseTXFD, b1000-baseTFD}
ifMauAutoNegCapAdvertised-Bits.25 .1	.1.3.6.1.2.1.26.5.1.1.10.25.1	OctetString	{}
ifMauAutoNegCapAdvertised-Bits.26 .1	.1.3.6.1.2.1.26.5.1.1.10.26.1	OctetString	{}

Name	OID	Value Type	Value Example
ifMauAutoNegCapAdvertised-Bits.27.1	.1.3.6.1.2.1.26.5.1.1.10.27.1	OctetString	{}
ifMauAutoNegCapAdvertised-Bits.28.1	.1.3.6.1.2.1.26.5.1.1.10.28.1	OctetString	{}
ifMauAutoNegCapReceived-Bits.1.1	.1.3.6.1.2.1.26.5.1.1.11.1.1	OctetString	{}
ifMauAutoNegCapReceived-Bits.2.1	.1.3.6.1.2.1.26.5.1.1.11.2.1	OctetString	{}
ifMauAutoNegCapReceived-Bits.3.1	.1.3.6.1.2.1.26.5.1.1.11.3.1	OctetString	{}
ifMauAutoNegCapReceived-Bits.4.1	.1.3.6.1.2.1.26.5.1.1.11.4.1	OctetString	{}
ifMauAutoNegCapReceived-Bits.5.1	.1.3.6.1.2.1.26.5.1.1.11.5.1	OctetString	{}
ifMauAutoNegCapReceived-Bits.6.1	.1.3.6.1.2.1.26.5.1.1.11.6.1	OctetString	{}
ifMauAutoNegCapReceived-Bits.7.1	.1.3.6.1.2.1.26.5.1.1.11.7.1	OctetString	{}
ifMauAutoNegCapReceived-Bits.8.1	.1.3.6.1.2.1.26.5.1.1.11.8.1	OctetString	{}
ifMauAutoNegCapReceived-Bits.9.1	.1.3.6.1.2.1.26.5.1.1.11.9.1	OctetString	{}
ifMauAutoNegCapReceived-Bits.10.1	.1.3.6.1.2.1.26.5.1.1.11.10.1	OctetString	{}
ifMauAutoNegCapReceived-Bits.11.1	.1.3.6.1.2.1.26.5.1.1.11.11.1	OctetString	{}
ifMauAutoNegCapReceived-Bits.12.1	.1.3.6.1.2.1.26.5.1.1.11.12.1	OctetString	{}
ifMauAutoNegCapReceived-Bits.13.1	.1.3.6.1.2.1.26.5.1.1.11.13.1	OctetString	{}
ifMauAutoNegCapReceived-Bits.14.1	.1.3.6.1.2.1.26.5.1.1.11.14.1	OctetString	{}
ifMauAutoNegCapReceived-Bits.15.1	.1.3.6.1.2.1.26.5.1.1.11.15.1	OctetString	{}
ifMauAutoNegCapReceived-Bits.16.1	.1.3.6.1.2.1.26.5.1.1.11.16.1	OctetString	{}
ifMauAutoNegCapReceived-Bits.17.1	.1.3.6.1.2.1.26.5.1.1.11.17.1	OctetString	{}
ifMauAutoNegCapReceived-Bits.18.1	.1.3.6.1.2.1.26.5.1.1.11.18.1	OctetString	{}
ifMauAutoNegCapReceived-Bits.19.1	.1.3.6.1.2.1.26.5.1.1.11.19.1	OctetString	{}
ifMauAutoNegCapReceived-Bits.20.1	.1.3.6.1.2.1.26.5.1.1.11.20.1	OctetString	{}
ifMauAutoNegCapReceived-Bits.21.1	.1.3.6.1.2.1.26.5.1.1.11.21.1	OctetString	{}
ifMauAutoNegCapReceived-Bits.22.1	.1.3.6.1.2.1.26.5.1.1.11.22.1	OctetString	{}

Name	OID	Value Type	Value Example
ifMauAutoNegCapReceived-Bits.23.1	.1.3.6.1.2.1.26.5.1.1.11.23.1	OctetString	{}
ifMauAutoNegCapReceived-Bits.24.1	.1.3.6.1.2.1.26.5.1.1.11.24.1	OctetString	{}
ifMauAutoNegCapReceived-Bits.25.1	.1.3.6.1.2.1.26.5.1.1.11.25.1	OctetString	{}
ifMauAutoNegCapReceived-Bits.26.1	.1.3.6.1.2.1.26.5.1.1.11.26.1	OctetString	{}
ifMauAutoNegCapReceived-Bits.27.1	.1.3.6.1.2.1.26.5.1.1.11.27.1	OctetString	{}
ifMauAutoNegCapReceived-Bits.28.1	.1.3.6.1.2.1.26.5.1.1.11.28.1	OctetString	{}
ifMauAutoNegRemoteFaultAdvertise d.1.1	.1.3.6.1.2.1.26.5.1.1.12.1.1	Integer	noError (1)
ifMauAutoNegRemoteFaultAdvertise d.2.1	.1.3.6.1.2.1.26.5.1.1.12.2.1	Integer	noError (1)
ifMauAutoNegRemoteFaultAdvertise d.3.1	.1.3.6.1.2.1.26.5.1.1.12.3.1	Integer	noError (1)
ifMauAutoNegRemoteFaultAdvertise d.4.1	.1.3.6.1.2.1.26.5.1.1.12.4.1	Integer	noError (1)
ifMauAutoNegRemoteFaultAdvertise d.5.1	.1.3.6.1.2.1.26.5.1.1.12.5.1	Integer	noError (1)
ifMauAutoNegRemoteFaultAdvertise d.6.1	.1.3.6.1.2.1.26.5.1.1.12.6.1	Integer	noError (1)
ifMauAutoNegRemoteFaultAdvertise d.7.1	.1.3.6.1.2.1.26.5.1.1.12.7.1	Integer	noError (1)
ifMauAutoNegRemoteFaultAdvertise d.8.1	.1.3.6.1.2.1.26.5.1.1.12.8.1	Integer	noError (1)
ifMauAutoNegRemoteFaultAdvertise d.9.1	.1.3.6.1.2.1.26.5.1.1.12.9.1	Integer	noError (1)
ifMauAutoNegRemoteFaultAdvertise d.10.1	.1.3.6.1.2.1.26.5.1.1.12.10.1	Integer	noError (1)
ifMauAutoNegRemoteFaultAdvertise d.11.1	.1.3.6.1.2.1.26.5.1.1.12.11.1	Integer	noError (1)
ifMauAutoNegRemoteFaultAdvertise d.12.1	.1.3.6.1.2.1.26.5.1.1.12.12.1	Integer	noError (1)
ifMauAutoNegRemoteFaultAdvertise d.13.1	.1.3.6.1.2.1.26.5.1.1.12.13.1	Integer	noError (1)

Name	OID	Value Type	Value Example
ifMauAutoNegRemoteFaultAdvertise d.14.1	.1.3.6.1.2.1.26.5.1.1.12.14.1	Integer	noError (1)
ifMauAutoNegRemoteFaultAdvertise d.15.1	.1.3.6.1.2.1.26.5.1.1.12.15.1	Integer	noError (1)
ifMauAutoNegRemoteFaultAdvertise d.16.1	.1.3.6.1.2.1.26.5.1.1.12.16.1	Integer	noError (1)
ifMauAutoNegRemoteFaultAdvertise d.17.1	.1.3.6.1.2.1.26.5.1.1.12.17.1	Integer	noError (1)
ifMauAutoNegRemoteFaultAdvertise d.18.1	.1.3.6.1.2.1.26.5.1.1.12.18.1	Integer	noError (1)
ifMauAutoNegRemoteFaultAdvertise d.19.1	.1.3.6.1.2.1.26.5.1.1.12.19.1	Integer	noError (1)
ifMauAutoNegRemoteFaultAdvertise d.20.1	.1.3.6.1.2.1.26.5.1.1.12.20.1	Integer	noError (1)
ifMauAutoNegRemoteFaultAdvertise d.21.1	.1.3.6.1.2.1.26.5.1.1.12.21.1	Integer	noError (1)
ifMauAutoNegRemoteFaultAdvertise d.22.1	.1.3.6.1.2.1.26.5.1.1.12.22.1	Integer	noError (1)
ifMauAutoNegRemoteFaultAdvertise d.23.1	.1.3.6.1.2.1.26.5.1.1.12.23.1	Integer	noError (1)
ifMauAutoNegRemoteFaultAdvertise d.24.1	.1.3.6.1.2.1.26.5.1.1.12.24.1	Integer	noError (1)
ifMauAutoNegRemoteFaultAdvertise d.25.1	.1.3.6.1.2.1.26.5.1.1.12.25.1	Integer	noError (1)
ifMauAutoNegRemoteFaultAdvertise d.26.1	.1.3.6.1.2.1.26.5.1.1.12.26.1	Integer	noError (1)
ifMauAutoNegRemoteFaultAdvertise d.27.1	.1.3.6.1.2.1.26.5.1.1.12.27.1	Integer	noError (1)
ifMauAutoNegRemoteFaultAdvertise d.28.1	.1.3.6.1.2.1.26.5.1.1.12.28.1	Integer	noError (1)
ifMauAutoNegRemoteFaultReceived. 1.1	.1.3.6.1.2.1.26.5.1.1.13.1.1	Integer	noError (1)
ifMauAutoNegRemoteFaultReceived. 2.1	.1.3.6.1.2.1.26.5.1.1.13.2.1	Integer	noError (1)
ifMauAutoNegRemoteFaultReceived. 3.1	.1.3.6.1.2.1.26.5.1.1.13.3.1	Integer	noError (1)

Name	OID	Value Type	Value Example
ifMauAutoNegRemoteFaultReceived. 4.1	.1.3.6.1.2.1.26.5.1.1.13.4.1	Integer	noError (1)
ifMauAutoNegRemoteFaultReceived. 5.1	.1.3.6.1.2.1.26.5.1.1.13.5.1	Integer	noError (1)
ifMauAutoNegRemoteFaultReceived. 6.1	.1.3.6.1.2.1.26.5.1.1.13.6.1	Integer	noError (1)
ifMauAutoNegRemoteFaultReceived. 7.1	.1.3.6.1.2.1.26.5.1.1.13.7.1	Integer	noError (1)
ifMauAutoNegRemoteFaultReceived. 8.1	.1.3.6.1.2.1.26.5.1.1.13.8.1	Integer	noError (1)
ifMauAutoNegRemoteFaultReceived. 9.1	.1.3.6.1.2.1.26.5.1.1.13.9.1	Integer	noError (1)
ifMauAutoNegRemoteFaultReceived. 10.1	.1.3.6.1.2.1.26.5.1.1.13.10.1	Integer	noError (1)
ifMauAutoNegRemoteFaultReceived. 11.1	.1.3.6.1.2.1.26.5.1.1.13.11.1	Integer	noError (1)
ifMauAutoNegRemoteFaultReceived. 12.1	.1.3.6.1.2.1.26.5.1.1.13.12.1	Integer	noError (1)
ifMauAutoNegRemoteFaultReceived. 13.1	.1.3.6.1.2.1.26.5.1.1.13.13.1	Integer	noError (1)
ifMauAutoNegRemoteFaultReceived. 14.1	.1.3.6.1.2.1.26.5.1.1.13.14.1	Integer	noError (1)
ifMauAutoNegRemoteFaultReceived. 15.1	.1.3.6.1.2.1.26.5.1.1.13.15.1	Integer	noError (1)
ifMauAutoNegRemoteFaultReceived. 16.1	.1.3.6.1.2.1.26.5.1.1.13.16.1	Integer	noError (1)
ifMauAutoNegRemoteFaultReceived. 17.1	.1.3.6.1.2.1.26.5.1.1.13.17.1	Integer	noError (1)
ifMauAutoNegRemoteFaultReceived. 18.1	.1.3.6.1.2.1.26.5.1.1.13.18.1	Integer	noError (1)
ifMauAutoNegRemoteFaultReceived. 19.1	.1.3.6.1.2.1.26.5.1.1.13.19.1	Integer	noError (1)
ifMauAutoNegRemoteFaultReceived. 20.1	.1.3.6.1.2.1.26.5.1.1.13.20.1	Integer	noError (1)
ifMauAutoNegRemoteFaultReceived. 21.1	.1.3.6.1.2.1.26.5.1.1.13.21.1	Integer	noError (1)

Name	OID	Value Type	Value Example
ifMauAutoNegRemoteFaultReceived. 22.1	.1.3.6.1.2.1.26.5.1.1.13.22.1	Integer	noError (1)
ifMauAutoNegRemoteFaultReceived. 23.1	.1.3.6.1.2.1.26.5.1.1.13.23.1	Integer	noError (1)
ifMauAutoNegRemoteFaultReceived. 24.1	.1.3.6.1.2.1.26.5.1.1.13.24.1	Integer	noError (1)
ifMauAutoNegRemoteFaultReceived. 25.1	.1.3.6.1.2.1.26.5.1.1.13.25.1	Integer	noError (1)
ifMauAutoNegRemoteFaultReceived. 26.1	.1.3.6.1.2.1.26.5.1.1.13.26.1	Integer	noError (1)
ifMauAutoNegRemoteFaultReceived. 27.1	.1.3.6.1.2.1.26.5.1.1.13.27.1	Integer	noError (1)
ifMauAutoNegRemoteFaultReceived. 28.1	.1.3.6.1.2.1.26.5.1.1.13.28.1	Integer	noError (1)
ifName.1	.1.3.6.1.2.1.31.1.1.1.1.1	OctetString	GigabitEthernet1/0/1
ifName.2	.1.3.6.1.2.1.31.1.1.1.1.2	OctetString	GigabitEthernet1/0/2
ifName.3	.1.3.6.1.2.1.31.1.1.1.1.3	OctetString	GigabitEthernet1/0/3
ifName.4	.1.3.6.1.2.1.31.1.1.1.1.4	OctetString	GigabitEthernet1/0/4
ifName.5	.1.3.6.1.2.1.31.1.1.1.1.5	OctetString	GigabitEthernet1/0/5
ifName.6	.1.3.6.1.2.1.31.1.1.1.1.6	OctetString	GigabitEthernet1/0/6
ifName.7	.1.3.6.1.2.1.31.1.1.1.1.7	OctetString	GigabitEthernet1/0/7
ifName.8	.1.3.6.1.2.1.31.1.1.1.1.8	OctetString	GigabitEthernet1/0/8
ifName.9	.1.3.6.1.2.1.31.1.1.1.1.9	OctetString	GigabitEthernet1/0/9
ifName.10	.1.3.6.1.2.1.31.1.1.1.1.10	OctetString	GigabitEthernet1/0/10
ifName.11	.1.3.6.1.2.1.31.1.1.1.1.11	OctetString	GigabitEthernet1/0/11
ifName.12	.1.3.6.1.2.1.31.1.1.1.1.12	OctetString	GigabitEthernet1/0/12
ifName.13	.1.3.6.1.2.1.31.1.1.1.1.13	OctetString	GigabitEthernet1/0/13
ifName.14	.1.3.6.1.2.1.31.1.1.1.1.14	OctetString	GigabitEthernet1/0/14
ifName.15	.1.3.6.1.2.1.31.1.1.1.1.15	OctetString	GigabitEthernet1/0/15
ifName.16	.1.3.6.1.2.1.31.1.1.1.1.16	OctetString	GigabitEthernet1/0/16
ifName.17	.1.3.6.1.2.1.31.1.1.1.1.17	OctetString	GigabitEthernet1/0/17
ifName.18	.1.3.6.1.2.1.31.1.1.1.1.18	OctetString	GigabitEthernet1/0/18
ifName.19	.1.3.6.1.2.1.31.1.1.1.1.19	OctetString	GigabitEthernet1/0/19
ifName.20	.1.3.6.1.2.1.31.1.1.1.1.20	OctetString	GigabitEthernet1/0/20
ifName.21	.1.3.6.1.2.1.31.1.1.1.1.21	OctetString	GigabitEthernet1/0/21
ifName.22	.1.3.6.1.2.1.31.1.1.1.1.22	OctetString	GigabitEthernet1/0/22
ifName.23	.1.3.6.1.2.1.31.1.1.1.1.23	OctetString	GigabitEthernet1/0/23
ifName.24	.1.3.6.1.2.1.31.1.1.1.1.24	OctetString	GigabitEthernet1/0/24
ifName.25	.1.3.6.1.2.1.31.1.1.1.1.25	OctetString	Ten-GigabitEthernet1/0/25
ifName.26	.1.3.6.1.2.1.31.1.1.1.1.26	OctetString	Ten-GigabitEthernet1/0/26

Name	OID	Value Type	Value Example
ifName.27	.1.3.6.1.2.1.31.1.1.1.1.27	OctetString	Ten-GigabitEthernet1/0/27
ifName.28	.1.3.6.1.2.1.31.1.1.1.1.28	OctetString	Ten-GigabitEthernet1/0/28
ifName.632	.1.3.6.1.2.1.31.1.1.1.1.632	OctetString	NULL0
ifName.633	.1.3.6.1.2.1.31.1.1.1.1.633	OctetString	InLoopBack0
ifName.635	.1.3.6.1.2.1.31.1.1.1.1.635	OctetString	Vlan-interface1
ifInMulticastPkts.1	.1.3.6.1.2.1.31.1.1.1.2.1	Counter32	0
ifInMulticastPkts.2	.1.3.6.1.2.1.31.1.1.1.2.2	Counter32	0
ifInMulticastPkts.3	.1.3.6.1.2.1.31.1.1.1.2.3	Counter32	0
ifInMulticastPkts.4	.1.3.6.1.2.1.31.1.1.1.2.4	Counter32	0
ifInMulticastPkts.5	.1.3.6.1.2.1.31.1.1.1.2.5	Counter32	0
ifInMulticastPkts.6	.1.3.6.1.2.1.31.1.1.1.2.6	Counter32	0
ifInMulticastPkts.7	.1.3.6.1.2.1.31.1.1.1.2.7	Counter32	0
ifInMulticastPkts.8	.1.3.6.1.2.1.31.1.1.1.2.8	Counter32	0
ifInMulticastPkts.9	.1.3.6.1.2.1.31.1.1.1.2.9	Counter32	0
ifInMulticastPkts.10	.1.3.6.1.2.1.31.1.1.1.2.10	Counter32	0
ifInMulticastPkts.11	.1.3.6.1.2.1.31.1.1.1.2.11	Counter32	0
ifInMulticastPkts.12	.1.3.6.1.2.1.31.1.1.1.2.12	Counter32	0
ifInMulticastPkts.13	.1.3.6.1.2.1.31.1.1.1.2.13	Counter32	0
ifInMulticastPkts.14	.1.3.6.1.2.1.31.1.1.1.2.14	Counter32	0
ifInMulticastPkts.15	.1.3.6.1.2.1.31.1.1.1.2.15	Counter32	0
ifInMulticastPkts.16	.1.3.6.1.2.1.31.1.1.1.2.16	Counter32	443
ifInMulticastPkts.17	.1.3.6.1.2.1.31.1.1.1.2.17	Counter32	0
ifInMulticastPkts.18	.1.3.6.1.2.1.31.1.1.1.2.18	Counter32	0
ifInMulticastPkts.19	.1.3.6.1.2.1.31.1.1.1.2.19	Counter32	0
ifInMulticastPkts.20	.1.3.6.1.2.1.31.1.1.1.2.20	Counter32	0
ifInMulticastPkts.21	.1.3.6.1.2.1.31.1.1.1.2.21	Counter32	0
ifInMulticastPkts.22	.1.3.6.1.2.1.31.1.1.1.2.22	Counter32	30
ifInMulticastPkts.23	.1.3.6.1.2.1.31.1.1.1.2.23	Counter32	0
ifInMulticastPkts.24	.1.3.6.1.2.1.31.1.1.1.2.24	Counter32	3148070
ifInMulticastPkts.25	.1.3.6.1.2.1.31.1.1.1.2.25	Counter32	0
ifInMulticastPkts.26	.1.3.6.1.2.1.31.1.1.1.2.26	Counter32	0
ifInMulticastPkts.27	.1.3.6.1.2.1.31.1.1.1.2.27	Counter32	0
ifInMulticastPkts.28	.1.3.6.1.2.1.31.1.1.1.2.28	Counter32	0
ifInMulticastPkts.635	.1.3.6.1.2.1.31.1.1.1.2.635	Counter32	0
ifInBroadcastPkts.1	.1.3.6.1.2.1.31.1.1.1.3.1	Counter32	0
ifInBroadcastPkts.2	.1.3.6.1.2.1.31.1.1.1.3.2	Counter32	0
ifInBroadcastPkts.3	.1.3.6.1.2.1.31.1.1.1.3.3	Counter32	0
ifInBroadcastPkts.4	.1.3.6.1.2.1.31.1.1.1.3.4	Counter32	0
ifInBroadcastPkts.5	.1.3.6.1.2.1.31.1.1.1.3.5	Counter32	0
ifInBroadcastPkts.6	.1.3.6.1.2.1.31.1.1.1.3.6	Counter32	0
ifInBroadcastPkts.7	.1.3.6.1.2.1.31.1.1.1.3.7	Counter32	0
ifInBroadcastPkts.8	.1.3.6.1.2.1.31.1.1.1.3.8	Counter32	0
ifInBroadcastPkts.9	.1.3.6.1.2.1.31.1.1.1.3.9	Counter32	0

Name	OID	Value Type	Value Example
ifInBroadcastPkts.10	.1.3.6.1.2.1.31.1.1.1.3.10	Counter32	0
ifInBroadcastPkts.11	.1.3.6.1.2.1.31.1.1.1.3.11	Counter32	0
ifInBroadcastPkts.12	.1.3.6.1.2.1.31.1.1.1.3.12	Counter32	0
ifInBroadcastPkts.13	.1.3.6.1.2.1.31.1.1.1.3.13	Counter32	0
ifInBroadcastPkts.14	.1.3.6.1.2.1.31.1.1.1.3.14	Counter32	0
ifInBroadcastPkts.15	.1.3.6.1.2.1.31.1.1.1.3.15	Counter32	0
ifInBroadcastPkts.16	.1.3.6.1.2.1.31.1.1.1.3.16	Counter32	141
ifInBroadcastPkts.17	.1.3.6.1.2.1.31.1.1.1.3.17	Counter32	0
ifInBroadcastPkts.18	.1.3.6.1.2.1.31.1.1.1.3.18	Counter32	0
ifInBroadcastPkts.19	.1.3.6.1.2.1.31.1.1.1.3.19	Counter32	0
ifInBroadcastPkts.20	.1.3.6.1.2.1.31.1.1.1.3.20	Counter32	0
ifInBroadcastPkts.21	.1.3.6.1.2.1.31.1.1.1.3.21	Counter32	0
ifInBroadcastPkts.22	.1.3.6.1.2.1.31.1.1.1.3.22	Counter32	88
ifInBroadcastPkts.23	.1.3.6.1.2.1.31.1.1.1.3.23	Counter32	0
ifInBroadcastPkts.24	.1.3.6.1.2.1.31.1.1.1.3.24	Counter32	4745637
ifInBroadcastPkts.25	.1.3.6.1.2.1.31.1.1.1.3.25	Counter32	0
ifInBroadcastPkts.26	.1.3.6.1.2.1.31.1.1.1.3.26	Counter32	0
ifInBroadcastPkts.27	.1.3.6.1.2.1.31.1.1.1.3.27	Counter32	0
ifInBroadcastPkts.28	.1.3.6.1.2.1.31.1.1.1.3.28	Counter32	0
ifInBroadcastPkts.635	.1.3.6.1.2.1.31.1.1.1.3.635	Counter32	0
ifOutMulticastPkts.1	.1.3.6.1.2.1.31.1.1.1.4.1	Counter32	0
ifOutMulticastPkts.2	.1.3.6.1.2.1.31.1.1.1.4.2	Counter32	0
ifOutMulticastPkts.3	.1.3.6.1.2.1.31.1.1.1.4.3	Counter32	0
ifOutMulticastPkts.4	.1.3.6.1.2.1.31.1.1.1.4.4	Counter32	0
ifOutMulticastPkts.5	.1.3.6.1.2.1.31.1.1.1.4.5	Counter32	0
ifOutMulticastPkts.6	.1.3.6.1.2.1.31.1.1.1.4.6	Counter32	0
ifOutMulticastPkts.7	.1.3.6.1.2.1.31.1.1.1.4.7	Counter32	0
ifOutMulticastPkts.8	.1.3.6.1.2.1.31.1.1.1.4.8	Counter32	0
ifOutMulticastPkts.9	.1.3.6.1.2.1.31.1.1.1.4.9	Counter32	0
ifOutMulticastPkts.10	.1.3.6.1.2.1.31.1.1.1.4.10	Counter32	0
ifOutMulticastPkts.11	.1.3.6.1.2.1.31.1.1.1.4.11	Counter32	0
ifOutMulticastPkts.12	.1.3.6.1.2.1.31.1.1.1.4.12	Counter32	0
ifOutMulticastPkts.13	.1.3.6.1.2.1.31.1.1.1.4.13	Counter32	0
ifOutMulticastPkts.14	.1.3.6.1.2.1.31.1.1.1.4.14	Counter32	0
ifOutMulticastPkts.15	.1.3.6.1.2.1.31.1.1.1.4.15	Counter32	0
ifOutMulticastPkts.16	.1.3.6.1.2.1.31.1.1.1.4.16	Counter32	718
ifOutMulticastPkts.17	.1.3.6.1.2.1.31.1.1.1.4.17	Counter32	0
ifOutMulticastPkts.18	.1.3.6.1.2.1.31.1.1.1.4.18	Counter32	0
ifOutMulticastPkts.19	.1.3.6.1.2.1.31.1.1.1.4.19	Counter32	0
ifOutMulticastPkts.20	.1.3.6.1.2.1.31.1.1.1.4.20	Counter32	0
ifOutMulticastPkts.21	.1.3.6.1.2.1.31.1.1.1.4.21	Counter32	0
ifOutMulticastPkts.22	.1.3.6.1.2.1.31.1.1.1.4.22	Counter32	8
ifOutMulticastPkts.23	.1.3.6.1.2.1.31.1.1.1.4.23	Counter32	0

Name	OID	Value Type	Value Example
ifOutMulticastPkts.24	.1.3.6.1.2.1.31.1.1.1.4.24	Counter32	38799
ifOutMulticastPkts.25	.1.3.6.1.2.1.31.1.1.1.4.25	Counter32	0
ifOutMulticastPkts.26	.1.3.6.1.2.1.31.1.1.1.4.26	Counter32	0
ifOutMulticastPkts.27	.1.3.6.1.2.1.31.1.1.1.4.27	Counter32	0
ifOutMulticastPkts.28	.1.3.6.1.2.1.31.1.1.1.4.28	Counter32	0
ifOutMulticastPkts.635	.1.3.6.1.2.1.31.1.1.1.4.635	Counter32	0
ifOutBroadcastPkts.1	.1.3.6.1.2.1.31.1.1.1.5.1	Counter32	0
ifOutBroadcastPkts.2	.1.3.6.1.2.1.31.1.1.1.5.2	Counter32	0
ifOutBroadcastPkts.3	.1.3.6.1.2.1.31.1.1.1.5.3	Counter32	0
ifOutBroadcastPkts.4	.1.3.6.1.2.1.31.1.1.1.5.4	Counter32	0
ifOutBroadcastPkts.5	.1.3.6.1.2.1.31.1.1.1.5.5	Counter32	0
ifOutBroadcastPkts.6	.1.3.6.1.2.1.31.1.1.1.5.6	Counter32	0
ifOutBroadcastPkts.7	.1.3.6.1.2.1.31.1.1.1.5.7	Counter32	0
ifOutBroadcastPkts.8	.1.3.6.1.2.1.31.1.1.1.5.8	Counter32	0
ifOutBroadcastPkts.9	.1.3.6.1.2.1.31.1.1.1.5.9	Counter32	0
ifOutBroadcastPkts.10	.1.3.6.1.2.1.31.1.1.1.5.10	Counter32	0
ifOutBroadcastPkts.11	.1.3.6.1.2.1.31.1.1.1.5.11	Counter32	0
ifOutBroadcastPkts.12	.1.3.6.1.2.1.31.1.1.1.5.12	Counter32	0
ifOutBroadcastPkts.13	.1.3.6.1.2.1.31.1.1.1.5.13	Counter32	0
ifOutBroadcastPkts.14	.1.3.6.1.2.1.31.1.1.1.5.14	Counter32	0
ifOutBroadcastPkts.15	.1.3.6.1.2.1.31.1.1.1.5.15	Counter32	0
ifOutBroadcastPkts.16	.1.3.6.1.2.1.31.1.1.1.5.16	Counter32	1067
ifOutBroadcastPkts.17	.1.3.6.1.2.1.31.1.1.1.5.17	Counter32	0
ifOutBroadcastPkts.18	.1.3.6.1.2.1.31.1.1.1.5.18	Counter32	0
ifOutBroadcastPkts.19	.1.3.6.1.2.1.31.1.1.1.5.19	Counter32	0
ifOutBroadcastPkts.20	.1.3.6.1.2.1.31.1.1.1.5.20	Counter32	0
ifOutBroadcastPkts.21	.1.3.6.1.2.1.31.1.1.1.5.21	Counter32	0
ifOutBroadcastPkts.22	.1.3.6.1.2.1.31.1.1.1.5.22	Counter32	0
ifOutBroadcastPkts.23	.1.3.6.1.2.1.31.1.1.1.5.23	Counter32	0
ifOutBroadcastPkts.24	.1.3.6.1.2.1.31.1.1.1.5.24	Counter32	194755
ifOutBroadcastPkts.25	.1.3.6.1.2.1.31.1.1.1.5.25	Counter32	0
ifOutBroadcastPkts.26	.1.3.6.1.2.1.31.1.1.1.5.26	Counter32	0
ifOutBroadcastPkts.27	.1.3.6.1.2.1.31.1.1.1.5.27	Counter32	0
ifOutBroadcastPkts.28	.1.3.6.1.2.1.31.1.1.1.5.28	Counter32	0
ifOutBroadcastPkts.635	.1.3.6.1.2.1.31.1.1.1.5.635	Counter32	0
ifLinkUpDownTrapEnable.1	.1.3.6.1.2.1.31.1.1.1.14.1	Integer	enabled (1)
ifLinkUpDownTrapEnable.2	.1.3.6.1.2.1.31.1.1.1.14.2	Integer	enabled (1)
ifLinkUpDownTrapEnable.3	.1.3.6.1.2.1.31.1.1.1.14.3	Integer	enabled (1)
ifLinkUpDownTrapEnable.4	.1.3.6.1.2.1.31.1.1.1.14.4	Integer	enabled (1)
ifLinkUpDownTrapEnable.5	.1.3.6.1.2.1.31.1.1.1.14.5	Integer	enabled (1)
ifLinkUpDownTrapEnable.6	.1.3.6.1.2.1.31.1.1.1.14.6	Integer	enabled (1)
ifLinkUpDownTrapEnable.7	.1.3.6.1.2.1.31.1.1.1.14.7	Integer	enabled (1)
ifLinkUpDownTrapEnable.8	.1.3.6.1.2.1.31.1.1.1.14.8	Integer	enabled (1)

Name	OID	Value Type	Value Example
ifLinkUpDownTrapEnable.9	.1.3.6.1.2.1.31.1.1.1.14.9	Integer	enabled (1)
ifLinkUpDownTrapEnable.10	.1.3.6.1.2.1.31.1.1.1.14.10	Integer	enabled (1)
ifLinkUpDownTrapEnable.11	.1.3.6.1.2.1.31.1.1.1.14.11	Integer	enabled (1)
ifLinkUpDownTrapEnable.12	.1.3.6.1.2.1.31.1.1.1.14.12	Integer	enabled (1)
ifLinkUpDownTrapEnable.13	.1.3.6.1.2.1.31.1.1.1.14.13	Integer	enabled (1)
ifLinkUpDownTrapEnable.14	.1.3.6.1.2.1.31.1.1.1.14.14	Integer	enabled (1)
ifLinkUpDownTrapEnable.15	.1.3.6.1.2.1.31.1.1.1.14.15	Integer	enabled (1)
ifLinkUpDownTrapEnable.16	.1.3.6.1.2.1.31.1.1.1.14.16	Integer	enabled (1)
ifLinkUpDownTrapEnable.17	.1.3.6.1.2.1.31.1.1.1.14.17	Integer	enabled (1)
ifLinkUpDownTrapEnable.18	.1.3.6.1.2.1.31.1.1.1.14.18	Integer	enabled (1)
ifLinkUpDownTrapEnable.19	.1.3.6.1.2.1.31.1.1.1.14.19	Integer	enabled (1)
ifLinkUpDownTrapEnable.20	.1.3.6.1.2.1.31.1.1.1.14.20	Integer	enabled (1)
ifLinkUpDownTrapEnable.21	.1.3.6.1.2.1.31.1.1.1.14.21	Integer	enabled (1)
ifLinkUpDownTrapEnable.22	.1.3.6.1.2.1.31.1.1.1.14.22	Integer	enabled (1)
ifLinkUpDownTrapEnable.23	.1.3.6.1.2.1.31.1.1.1.14.23	Integer	enabled (1)
ifLinkUpDownTrapEnable.24	.1.3.6.1.2.1.31.1.1.1.14.24	Integer	enabled (1)
ifLinkUpDownTrapEnable.25	.1.3.6.1.2.1.31.1.1.1.14.25	Integer	enabled (1)
ifLinkUpDownTrapEnable.26	.1.3.6.1.2.1.31.1.1.1.14.26	Integer	enabled (1)
ifLinkUpDownTrapEnable.27	.1.3.6.1.2.1.31.1.1.1.14.27	Integer	enabled (1)
ifLinkUpDownTrapEnable.28	.1.3.6.1.2.1.31.1.1.1.14.28	Integer	enabled (1)
ifLinkUpDownTrapEnable.632	.1.3.6.1.2.1.31.1.1.1.14.632	Integer	disabled (2)
ifLinkUpDownTrapEnable.633	.1.3.6.1.2.1.31.1.1.1.14.633	Integer	disabled (2)
ifLinkUpDownTrapEnable.635	.1.3.6.1.2.1.31.1.1.1.14.635	Integer	enabled (1)
ifHighSpeed.1	.1.3.6.1.2.1.31.1.1.1.15.1	Gauge	1000
ifHighSpeed.2	.1.3.6.1.2.1.31.1.1.1.15.2	Gauge	1000
ifHighSpeed.3	.1.3.6.1.2.1.31.1.1.1.15.3	Gauge	1000
ifHighSpeed.4	.1.3.6.1.2.1.31.1.1.1.15.4	Gauge	1000
ifHighSpeed.5	.1.3.6.1.2.1.31.1.1.1.15.5	Gauge	1000
ifHighSpeed.6	.1.3.6.1.2.1.31.1.1.1.15.6	Gauge	1000
ifHighSpeed.7	.1.3.6.1.2.1.31.1.1.1.15.7	Gauge	1000
ifHighSpeed.8	.1.3.6.1.2.1.31.1.1.1.15.8	Gauge	1000
ifHighSpeed.9	.1.3.6.1.2.1.31.1.1.1.15.9	Gauge	1000
ifHighSpeed.10	.1.3.6.1.2.1.31.1.1.1.15.10	Gauge	1000
ifHighSpeed.11	.1.3.6.1.2.1.31.1.1.1.15.11	Gauge	1000
ifHighSpeed.12	.1.3.6.1.2.1.31.1.1.1.15.12	Gauge	1000
ifHighSpeed.13	.1.3.6.1.2.1.31.1.1.1.15.13	Gauge	1000
ifHighSpeed.14	.1.3.6.1.2.1.31.1.1.1.15.14	Gauge	1000
ifHighSpeed.15	.1.3.6.1.2.1.31.1.1.1.15.15	Gauge	1000
ifHighSpeed.16	.1.3.6.1.2.1.31.1.1.1.15.16	Gauge	1000
ifHighSpeed.17	.1.3.6.1.2.1.31.1.1.1.15.17	Gauge	1000
ifHighSpeed.18	.1.3.6.1.2.1.31.1.1.1.15.18	Gauge	1000
ifHighSpeed.19	.1.3.6.1.2.1.31.1.1.1.15.19	Gauge	1000
ifHighSpeed.20	.1.3.6.1.2.1.31.1.1.1.15.20	Gauge	1000

Name	OID	Value Type	Value Example
ifHighSpeed.21	.1.3.6.1.2.1.31.1.1.1.15.21	Gauge	1000
ifHighSpeed.22	.1.3.6.1.2.1.31.1.1.1.15.22	Gauge	1000
ifHighSpeed.23	.1.3.6.1.2.1.31.1.1.1.15.23	Gauge	1000
ifHighSpeed.24	.1.3.6.1.2.1.31.1.1.1.15.24	Gauge	1000
ifHighSpeed.25	.1.3.6.1.2.1.31.1.1.1.15.25	Gauge	10000
ifHighSpeed.26	.1.3.6.1.2.1.31.1.1.1.15.26	Gauge	10000
ifHighSpeed.27	.1.3.6.1.2.1.31.1.1.1.15.27	Gauge	10000
ifHighSpeed.28	.1.3.6.1.2.1.31.1.1.1.15.28	Gauge	10000
ifHighSpeed.632	.1.3.6.1.2.1.31.1.1.1.15.632	Gauge	1000
ifHighSpeed.633	.1.3.6.1.2.1.31.1.1.1.15.633	Gauge	0
ifHighSpeed.635	.1.3.6.1.2.1.31.1.1.1.15.635	Gauge	10000
ifPromiscuousMode.1	.1.3.6.1.2.1.31.1.1.1.16.1	Integer	false (2)
ifPromiscuousMode.2	.1.3.6.1.2.1.31.1.1.1.16.2	Integer	false (2)
ifPromiscuousMode.3	.1.3.6.1.2.1.31.1.1.1.16.3	Integer	false (2)
ifPromiscuousMode.4	.1.3.6.1.2.1.31.1.1.1.16.4	Integer	false (2)
ifPromiscuousMode.5	.1.3.6.1.2.1.31.1.1.1.16.5	Integer	false (2)
ifPromiscuousMode.6	.1.3.6.1.2.1.31.1.1.1.16.6	Integer	false (2)
ifPromiscuousMode.7	.1.3.6.1.2.1.31.1.1.1.16.7	Integer	false (2)
ifPromiscuousMode.8	.1.3.6.1.2.1.31.1.1.1.16.8	Integer	false (2)
ifPromiscuousMode.9	.1.3.6.1.2.1.31.1.1.1.16.9	Integer	false (2)
ifPromiscuousMode.10	.1.3.6.1.2.1.31.1.1.1.16.10	Integer	false (2)
ifPromiscuousMode.11	.1.3.6.1.2.1.31.1.1.1.16.11	Integer	false (2)
ifPromiscuousMode.12	.1.3.6.1.2.1.31.1.1.1.16.12	Integer	false (2)
ifPromiscuousMode.13	.1.3.6.1.2.1.31.1.1.1.16.13	Integer	false (2)
ifPromiscuousMode.14	.1.3.6.1.2.1.31.1.1.1.16.14	Integer	false (2)
ifPromiscuousMode.15	.1.3.6.1.2.1.31.1.1.1.16.15	Integer	false (2)
ifPromiscuousMode.16	.1.3.6.1.2.1.31.1.1.1.16.16	Integer	false (2)
ifPromiscuousMode.17	.1.3.6.1.2.1.31.1.1.1.16.17	Integer	false (2)
ifPromiscuousMode.18	.1.3.6.1.2.1.31.1.1.1.16.18	Integer	false (2)
ifPromiscuousMode.19	.1.3.6.1.2.1.31.1.1.1.16.19	Integer	false (2)
ifPromiscuousMode.20	.1.3.6.1.2.1.31.1.1.1.16.20	Integer	false (2)
ifPromiscuousMode.21	.1.3.6.1.2.1.31.1.1.1.16.21	Integer	false (2)
ifPromiscuousMode.22	.1.3.6.1.2.1.31.1.1.1.16.22	Integer	false (2)
ifPromiscuousMode.23	.1.3.6.1.2.1.31.1.1.1.16.23	Integer	false (2)
ifPromiscuousMode.24	.1.3.6.1.2.1.31.1.1.1.16.24	Integer	false (2)
ifPromiscuousMode.25	.1.3.6.1.2.1.31.1.1.1.16.25	Integer	false (2)
ifPromiscuousMode.26	.1.3.6.1.2.1.31.1.1.1.16.26	Integer	false (2)
ifPromiscuousMode.27	.1.3.6.1.2.1.31.1.1.1.16.27	Integer	false (2)
ifPromiscuousMode.28	.1.3.6.1.2.1.31.1.1.1.16.28	Integer	false (2)
ifPromiscuousMode.632	.1.3.6.1.2.1.31.1.1.1.16.632	Integer	false (2)
ifPromiscuousMode.633	.1.3.6.1.2.1.31.1.1.1.16.633	Integer	false (2)
ifPromiscuousMode.635	.1.3.6.1.2.1.31.1.1.1.16.635	Integer	false (2)
ifConnectorPresent.1	.1.3.6.1.2.1.31.1.1.1.17.1	Integer	true (1)

Name	OID	Value Type	Value Example
ifConnectorPresent.2	.1.3.6.1.2.1.31.1.1.1.17.2	Integer	true (1)
ifConnectorPresent.3	.1.3.6.1.2.1.31.1.1.1.17.3	Integer	true (1)
ifConnectorPresent.4	.1.3.6.1.2.1.31.1.1.1.17.4	Integer	true (1)
ifConnectorPresent.5	.1.3.6.1.2.1.31.1.1.1.17.5	Integer	true (1)
ifConnectorPresent.6	.1.3.6.1.2.1.31.1.1.1.17.6	Integer	true (1)
ifConnectorPresent.7	.1.3.6.1.2.1.31.1.1.1.17.7	Integer	true (1)
ifConnectorPresent.8	.1.3.6.1.2.1.31.1.1.1.17.8	Integer	true (1)
ifConnectorPresent.9	.1.3.6.1.2.1.31.1.1.1.17.9	Integer	true (1)
ifConnectorPresent.10	.1.3.6.1.2.1.31.1.1.1.17.10	Integer	true (1)
ifConnectorPresent.11	.1.3.6.1.2.1.31.1.1.1.17.11	Integer	true (1)
ifConnectorPresent.12	.1.3.6.1.2.1.31.1.1.1.17.12	Integer	true (1)
ifConnectorPresent.13	.1.3.6.1.2.1.31.1.1.1.17.13	Integer	true (1)
ifConnectorPresent.14	.1.3.6.1.2.1.31.1.1.1.17.14	Integer	true (1)
ifConnectorPresent.15	.1.3.6.1.2.1.31.1.1.1.17.15	Integer	true (1)
ifConnectorPresent.16	.1.3.6.1.2.1.31.1.1.1.17.16	Integer	true (1)
ifConnectorPresent.17	.1.3.6.1.2.1.31.1.1.1.17.17	Integer	true (1)
ifConnectorPresent.18	.1.3.6.1.2.1.31.1.1.1.17.18	Integer	true (1)
ifConnectorPresent.19	.1.3.6.1.2.1.31.1.1.1.17.19	Integer	true (1)
ifConnectorPresent.20	.1.3.6.1.2.1.31.1.1.1.17.20	Integer	true (1)
ifConnectorPresent.21	.1.3.6.1.2.1.31.1.1.1.17.21	Integer	true (1)
ifConnectorPresent.22	.1.3.6.1.2.1.31.1.1.1.17.22	Integer	true (1)
ifConnectorPresent.23	.1.3.6.1.2.1.31.1.1.1.17.23	Integer	true (1)
ifConnectorPresent.24	.1.3.6.1.2.1.31.1.1.1.17.24	Integer	true (1)
ifConnectorPresent.25	.1.3.6.1.2.1.31.1.1.1.17.25	Integer	true (1)
ifConnectorPresent.26	.1.3.6.1.2.1.31.1.1.1.17.26	Integer	true (1)
ifConnectorPresent.27	.1.3.6.1.2.1.31.1.1.1.17.27	Integer	true (1)
ifConnectorPresent.28	.1.3.6.1.2.1.31.1.1.1.17.28	Integer	true (1)
ifConnectorPresent.632	.1.3.6.1.2.1.31.1.1.1.17.632	Integer	false (2)
ifConnectorPresent.633	.1.3.6.1.2.1.31.1.1.1.17.633	Integer	false (2)
ifConnectorPresent.635	.1.3.6.1.2.1.31.1.1.1.17.635	Integer	false (2)
ifAlias.1	.1.3.6.1.2.1.31.1.1.1.18.1	OctetString	GigabitEthernet1/0/1 Interface
ifAlias.2	.1.3.6.1.2.1.31.1.1.1.18.2	OctetString	GigabitEthernet1/0/2 Interface
ifAlias.3	.1.3.6.1.2.1.31.1.1.1.18.3	OctetString	GigabitEthernet1/0/3 Interface
ifAlias.4	.1.3.6.1.2.1.31.1.1.1.18.4	OctetString	GigabitEthernet1/0/4 Interface
ifAlias.5	.1.3.6.1.2.1.31.1.1.1.18.5	OctetString	GigabitEthernet1/0/5 Interface
ifAlias.6	.1.3.6.1.2.1.31.1.1.1.18.6	OctetString	GigabitEthernet1/0/6 Interface
ifAlias.7	.1.3.6.1.2.1.31.1.1.1.18.7	OctetString	GigabitEthernet1/0/7 Interface
ifAlias.8	.1.3.6.1.2.1.31.1.1.1.18.8	OctetString	GigabitEthernet1/0/8 Interface
ifAlias.9	.1.3.6.1.2.1.31.1.1.1.18.9	OctetString	GigabitEthernet1/0/9 Interface
ifAlias.10	.1.3.6.1.2.1.31.1.1.1.18.10	OctetString	GigabitEthernet1/0/10 Interface
ifAlias.11	.1.3.6.1.2.1.31.1.1.1.18.11	OctetString	GigabitEthernet1/0/11 Interface

Name	OID	Value Type	Value Example
ifAlias.12	.1.3.6.1.2.1.31.1.1.1.18.12	OctetString	GigabitEthernet1/0/12 Interface
ifAlias.13	.1.3.6.1.2.1.31.1.1.1.18.13	OctetString	GigabitEthernet1/0/13 Interface
ifAlias.14	.1.3.6.1.2.1.31.1.1.1.18.14	OctetString	GigabitEthernet1/0/14 Interface
ifAlias.15	.1.3.6.1.2.1.31.1.1.1.18.15	OctetString	GigabitEthernet1/0/15 Interface
ifAlias.16	.1.3.6.1.2.1.31.1.1.1.18.16	OctetString	GigabitEthernet1/0/16 Interface
ifAlias.17	.1.3.6.1.2.1.31.1.1.1.18.17	OctetString	GigabitEthernet1/0/17 Interface
ifAlias.18	.1.3.6.1.2.1.31.1.1.1.18.18	OctetString	GigabitEthernet1/0/18 Interface
ifAlias.19	.1.3.6.1.2.1.31.1.1.1.18.19	OctetString	GigabitEthernet1/0/19 Interface
ifAlias.20	.1.3.6.1.2.1.31.1.1.1.18.20	OctetString	GigabitEthernet1/0/20 Interface
ifAlias.21	.1.3.6.1.2.1.31.1.1.1.18.21	OctetString	GigabitEthernet1/0/21 Interface
ifAlias.22	.1.3.6.1.2.1.31.1.1.1.18.22	OctetString	GigabitEthernet1/0/22 Interface
ifAlias.23	.1.3.6.1.2.1.31.1.1.1.18.23	OctetString	GigabitEthernet1/0/23 Interface
ifAlias.24	.1.3.6.1.2.1.31.1.1.1.18.24	OctetString	GigabitEthernet1/0/24 Interface
ifAlias.25	.1.3.6.1.2.1.31.1.1.1.18.25	OctetString	Ten-GigabitEthernet1/0/25 Interface
ifAlias.26	.1.3.6.1.2.1.31.1.1.1.18.26	OctetString	Ten-GigabitEthernet1/0/26 Interface
ifAlias.27	.1.3.6.1.2.1.31.1.1.1.18.27	OctetString	Ten-GigabitEthernet1/0/27 Interface
ifAlias.28	.1.3.6.1.2.1.31.1.1.1.18.28	OctetString	Ten-GigabitEthernet1/0/28 Interface
ifAlias.632	.1.3.6.1.2.1.31.1.1.1.18.632	OctetString	NULL0 Interface
ifAlias.633	.1.3.6.1.2.1.31.1.1.1.18.633	OctetString	InLoopBack0 Interface
ifAlias.635	.1.3.6.1.2.1.31.1.1.1.18.635	OctetString	Vlan-interface1 Interface
ifCounterDiscontinuityTime.1	.1.3.6.1.2.1.31.1.1.1.19.1	TimeTicks	0 millisecond (0)
ifCounterDiscontinuityTime.2	.1.3.6.1.2.1.31.1.1.1.19.2	TimeTicks	0 millisecond (0)
ifCounterDiscontinuityTime.3	.1.3.6.1.2.1.31.1.1.1.19.3	TimeTicks	0 millisecond (0)
ifCounterDiscontinuityTime.4	.1.3.6.1.2.1.31.1.1.1.19.4	TimeTicks	0 millisecond (0)
ifCounterDiscontinuityTime.5	.1.3.6.1.2.1.31.1.1.1.19.5	TimeTicks	0 millisecond (0)
ifCounterDiscontinuityTime.6	.1.3.6.1.2.1.31.1.1.1.19.6	TimeTicks	0 millisecond (0)
ifCounterDiscontinuityTime.7	.1.3.6.1.2.1.31.1.1.1.19.7	TimeTicks	0 millisecond (0)
ifCounterDiscontinuityTime.8	.1.3.6.1.2.1.31.1.1.1.19.8	TimeTicks	0 millisecond (0)
ifCounterDiscontinuityTime.9	.1.3.6.1.2.1.31.1.1.1.19.9	TimeTicks	0 millisecond (0)
ifCounterDiscontinuityTime.10	.1.3.6.1.2.1.31.1.1.1.19.10	TimeTicks	0 millisecond (0)
ifCounterDiscontinuityTime.11	.1.3.6.1.2.1.31.1.1.1.19.11	TimeTicks	0 millisecond (0)

Name	OID	Value Type	Value Example
ifCounterDiscontinuityTime.12	.1.3.6.1.2.1.31.1.1.1.19.12	TimeTicks	0 millisecond (0)
ifCounterDiscontinuityTime.13	.1.3.6.1.2.1.31.1.1.1.19.13	TimeTicks	0 millisecond (0)
ifCounterDiscontinuityTime.14	.1.3.6.1.2.1.31.1.1.1.19.14	TimeTicks	0 millisecond (0)
ifCounterDiscontinuityTime.15	.1.3.6.1.2.1.31.1.1.1.19.15	TimeTicks	0 millisecond (0)
ifCounterDiscontinuityTime.16	.1.3.6.1.2.1.31.1.1.1.19.16	TimeTicks	0 millisecond (0)
ifCounterDiscontinuityTime.17	.1.3.6.1.2.1.31.1.1.1.19.17	TimeTicks	0 millisecond (0)
ifCounterDiscontinuityTime.18	.1.3.6.1.2.1.31.1.1.1.19.18	TimeTicks	0 millisecond (0)
ifCounterDiscontinuityTime.19	.1.3.6.1.2.1.31.1.1.1.19.19	TimeTicks	0 millisecond (0)
ifCounterDiscontinuityTime.20	.1.3.6.1.2.1.31.1.1.1.19.20	TimeTicks	0 millisecond (0)
ifCounterDiscontinuityTime.21	.1.3.6.1.2.1.31.1.1.1.19.21	TimeTicks	0 millisecond (0)
ifCounterDiscontinuityTime.22	.1.3.6.1.2.1.31.1.1.1.19.22	TimeTicks	0 millisecond (0)
ifCounterDiscontinuityTime.23	.1.3.6.1.2.1.31.1.1.1.19.23	TimeTicks	0 millisecond (0)
ifCounterDiscontinuityTime.24	.1.3.6.1.2.1.31.1.1.1.19.24	TimeTicks	0 millisecond (0)
ifCounterDiscontinuityTime.25	.1.3.6.1.2.1.31.1.1.1.19.25	TimeTicks	0 millisecond (0)
ifCounterDiscontinuityTime.26	.1.3.6.1.2.1.31.1.1.1.19.26	TimeTicks	0 millisecond (0)
ifCounterDiscontinuityTime.27	.1.3.6.1.2.1.31.1.1.1.19.27	TimeTicks	0 millisecond (0)
ifCounterDiscontinuityTime.28	.1.3.6.1.2.1.31.1.1.1.19.28	TimeTicks	0 millisecond (0)
ifCounterDiscontinuity-Time.632	.1.3.6.1.2.1.31.1.1.1.19.632	TimeTicks	0 millisecond (0)
ifCounterDiscontinuity-Time.633	.1.3.6.1.2.1.31.1.1.1.19.633	TimeTicks	0 millisecond (0)
ifCounterDiscontinuity-Time.635	.1.3.6.1.2.1.31.1.1.1.19.635	TimeTicks	0 millisecond (0)
ifRcvAddressStatus.1.6.128.133.6 8.7.177.28	.1.3.6.1.2.1.31.1.4.1.2.1.6.128. 133.68.7.177.28	Integer	active (1)
ifRcvAddressStatus.2.6.128.133.6 8.7.177.28	.1.3.6.1.2.1.31.1.4.1.2.2.6.128. 133.68.7.177.28	Integer	active (1)
ifRcvAddressStatus.3.6.128.133.6 8.7.177.28	.1.3.6.1.2.1.31.1.4.1.2.3.6.128. 133.68.7.177.28	Integer	active (1)
ifRcvAddressStatus.4.6.128.133.6 8.7.177.28	.1.3.6.1.2.1.31.1.4.1.2.4.6.128. 133.68.7.177.28	Integer	active (1)
ifRcvAddressStatus.5.6.128.133.6 8.7.177.28	.1.3.6.1.2.1.31.1.4.1.2.5.6.128. 133.68.7.177.28	Integer	active (1)
ifRcvAddressStatus.6.6.128.133.6 8.7.177.28	.1.3.6.1.2.1.31.1.4.1.2.6.6.128. 133.68.7.177.28	Integer	active (1)
ifRcvAddressStatus.7.6.128.133.6 8.7.177.28	.1.3.6.1.2.1.31.1.4.1.2.7.6.128. 133.68.7.177.28	Integer	active (1)
ifRcvAddressStatus.8.6.128.133.6 8.7.177.28	.1.3.6.1.2.1.31.1.4.1.2.8.6.128. 133.68.7.177.28	Integer	active (1)

Name	OID	Value Type	Value Example
ifRcvAddressStatus.9.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.2.9.6.128.133.68.7.177.28	Integer	active (1)
ifRcvAddressStatus.10.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.2.10.6.128.133.68.7.177.28	Integer	active (1)
ifRcvAddressStatus.11.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.2.11.6.128.133.68.7.177.28	Integer	active (1)
ifRcvAddressStatus.12.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.2.12.6.128.133.68.7.177.28	Integer	active (1)
ifRcvAddressStatus.13.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.2.13.6.128.133.68.7.177.28	Integer	active (1)
ifRcvAddressStatus.14.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.2.14.6.128.133.68.7.177.28	Integer	active (1)
ifRcvAddressStatus.15.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.2.15.6.128.133.68.7.177.28	Integer	active (1)
ifRcvAddressStatus.16.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.2.16.6.128.133.68.7.177.28	Integer	active (1)
ifRcvAddressStatus.17.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.2.17.6.128.133.68.7.177.28	Integer	active (1)
ifRcvAddressStatus.18.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.2.18.6.128.133.68.7.177.28	Integer	active (1)
ifRcvAddressStatus.19.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.2.19.6.128.133.68.7.177.28	Integer	active (1)
ifRcvAddressStatus.20.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.2.20.6.128.133.68.7.177.28	Integer	active (1)
ifRcvAddressStatus.21.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.2.21.6.128.133.68.7.177.28	Integer	active (1)
ifRcvAddressStatus.22.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.2.22.6.128.133.68.7.177.28	Integer	active (1)
ifRcvAddressStatus.23.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.2.23.6.128.133.68.7.177.28	Integer	active (1)
ifRcvAddressStatus.24.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.2.24.6.128.133.68.7.177.28	Integer	active (1)
ifRcvAddressStatus.25.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.2.25.6.128.133.68.7.177.28	Integer	active (1)
ifRcvAddressStatus.26.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.2.26.6.128.133.68.7.177.28	Integer	active (1)

Name	OID	Value Type	Value Example
ifRcvAddressStatus.27.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.2.27.6.128.133.68.7.177.28	Integer	active (1)
ifRcvAddressStatus.28.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.2.28.6.128.133.68.7.177.28	Integer	active (1)
ifRcvAddressType.1.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.3.1.6.128.133.68.7.177.28	Integer	nonVolatile (3)
ifRcvAddressType.2.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.3.2.6.128.133.68.7.177.28	Integer	nonVolatile (3)
ifRcvAddressType.3.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.3.3.6.128.133.68.7.177.28	Integer	nonVolatile (3)
ifRcvAddressType.4.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.3.4.6.128.133.68.7.177.28	Integer	nonVolatile (3)
ifRcvAddressType.5.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.3.5.6.128.133.68.7.177.28	Integer	nonVolatile (3)
ifRcvAddressType.6.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.3.6.6.128.133.68.7.177.28	Integer	nonVolatile (3)
ifRcvAddressType.7.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.3.7.6.128.133.68.7.177.28	Integer	nonVolatile (3)
ifRcvAddressType.8.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.3.8.6.128.133.68.7.177.28	Integer	nonVolatile (3)
ifRcvAddressType.9.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.3.9.6.128.133.68.7.177.28	Integer	nonVolatile (3)
ifRcvAddressType.10.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.3.10.6.128.133.68.7.177.28	Integer	nonVolatile (3)
ifRcvAddressType.11.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.3.11.6.128.133.68.7.177.28	Integer	nonVolatile (3)
ifRcvAddressType.12.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.3.12.6.128.133.68.7.177.28	Integer	nonVolatile (3)
ifRcvAddressType.13.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.3.13.6.128.133.68.7.177.28	Integer	nonVolatile (3)
ifRcvAddressType.14.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.3.14.6.128.133.68.7.177.28	Integer	nonVolatile (3)
ifRcvAddressType.15.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.3.15.6.128.133.68.7.177.28	Integer	nonVolatile (3)
ifRcvAddressType.16.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.3.16.6.128.133.68.7.177.28	Integer	nonVolatile (3)

Name	OID	Value Type	Value Example
ifRcvAddressType.17.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.3.17.6.128.133.68.7.177.28	Integer	nonVolatile (3)
ifRcvAddressType.18.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.3.18.6.128.133.68.7.177.28	Integer	nonVolatile (3)
ifRcvAddressType.19.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.3.19.6.128.133.68.7.177.28	Integer	nonVolatile (3)
ifRcvAddressType.20.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.3.20.6.128.133.68.7.177.28	Integer	nonVolatile (3)
ifRcvAddressType.21.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.3.21.6.128.133.68.7.177.28	Integer	nonVolatile (3)
ifRcvAddressType.22.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.3.22.6.128.133.68.7.177.28	Integer	nonVolatile (3)
ifRcvAddressType.23.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.3.23.6.128.133.68.7.177.28	Integer	nonVolatile (3)
ifRcvAddressType.24.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.3.24.6.128.133.68.7.177.28	Integer	nonVolatile (3)
ifRcvAddressType.25.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.3.25.6.128.133.68.7.177.28	Integer	nonVolatile (3)
ifRcvAddressType.26.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.3.26.6.128.133.68.7.177.28	Integer	nonVolatile (3)
ifRcvAddressType.27.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.3.27.6.128.133.68.7.177.28	Integer	nonVolatile (3)
ifRcvAddressType.28.6.128.133.68.7.177.28	.1.3.6.1.2.1.31.1.4.1.3.28.6.128.133.68.7.177.28	Integer	nonVolatile (3)
ifTableLastChange.0	.1.3.6.1.2.1.31.1.5.0	TimeTicks	47.75 seconds (4775)
entPhysicalDescr.1	.1.3.6.1.2.1.47.1.1.1.1.2.1	OctetString	INTELBRAS
entPhysicalDescr.2	.1.3.6.1.2.1.47.1.1.1.1.2.2	OctetString	INTELBRAS S3328G-B Software Version 7.1.070
entPhysicalDescr.12	.1.3.6.1.2.1.47.1.1.1.1.2.12	OctetString	CONTAINER LEVEL1
entPhysicalDescr.13	.1.3.6.1.2.1.47.1.1.1.1.2.13	OctetString	CONTAINER LEVEL1
entPhysicalDescr.14	.1.3.6.1.2.1.47.1.1.1.1.2.14	OctetString	CONTAINER LEVEL1
entPhysicalDescr.15	.1.3.6.1.2.1.47.1.1.1.1.2.15	OctetString	CONTAINER LEVEL1
entPhysicalDescr.16	.1.3.6.1.2.1.47.1.1.1.1.2.16	OctetString	CONTAINER LEVEL1
entPhysicalDescr.17	.1.3.6.1.2.1.47.1.1.1.1.2.17	OctetString	CONTAINER LEVEL1
entPhysicalDescr.18	.1.3.6.1.2.1.47.1.1.1.1.2.18	OctetString	CONTAINER LEVEL1
entPhysicalDescr.19	.1.3.6.1.2.1.47.1.1.1.1.2.19	OctetString	CONTAINER LEVEL1
entPhysicalDescr.20	.1.3.6.1.2.1.47.1.1.1.1.2.20	OctetString	CONTAINER LEVEL1
entPhysicalDescr.21	.1.3.6.1.2.1.47.1.1.1.1.2.21	OctetString	CONTAINER LEVEL1
entPhysicalDescr.22	.1.3.6.1.2.1.47.1.1.1.1.2.22	OctetString	CONTAINER LEVEL1

Name	OID	Value Type	Value Example
entPhysicalDescr.23	.1.3.6.1.2.1.47.1.1.1.1.2.23	OctetString	CONTAINER LEVEL1
entPhysicalDescr.24	.1.3.6.1.2.1.47.1.1.1.1.2.24	OctetString	CONTAINER LEVEL1
entPhysicalDescr.25	.1.3.6.1.2.1.47.1.1.1.1.2.25	OctetString	CONTAINER LEVEL1
entPhysicalDescr.26	.1.3.6.1.2.1.47.1.1.1.1.2.26	OctetString	CONTAINER LEVEL1
entPhysicalDescr.27	.1.3.6.1.2.1.47.1.1.1.1.2.27	OctetString	CONTAINER LEVEL1
entPhysicalDescr.28	.1.3.6.1.2.1.47.1.1.1.1.2.28	OctetString	CONTAINER LEVEL1
entPhysicalDescr.29	.1.3.6.1.2.1.47.1.1.1.1.2.29	OctetString	CONTAINER LEVEL1
entPhysicalDescr.30	.1.3.6.1.2.1.47.1.1.1.1.2.30	OctetString	CONTAINER LEVEL1
entPhysicalDescr.31	.1.3.6.1.2.1.47.1.1.1.1.2.31	OctetString	CONTAINER LEVEL1
entPhysicalDescr.212	.1.3.6.1.2.1.47.1.1.1.1.2.212	OctetString	MODULE LEVEL1
entPhysicalDescr.213	.1.3.6.1.2.1.47.1.1.1.1.2.213	OctetString	PSU
entPhysicalDescr.216	.1.3.6.1.2.1.47.1.1.1.1.2.216	OctetString	FAN UNIT
entPhysicalDescr.220	.1.3.6.1.2.1.47.1.1.1.1.2.220	OctetString	SENSOR
entPhysicalDescr.221	.1.3.6.1.2.1.47.1.1.1.1.2.221	OctetString	SENSOR
entPhysicalDescr.222	.1.3.6.1.2.1.47.1.1.1.1.2.222	OctetString	SENSOR
entPhysicalDescr.223	.1.3.6.1.2.1.47.1.1.1.1.2.223	OctetString	SENSOR
entPhysicalDescr.412	.1.3.6.1.2.1.47.1.1.1.1.2.412	OctetString	CONTAINER LEVEL2
entPhysicalDescr.413	.1.3.6.1.2.1.47.1.1.1.1.2.413	OctetString	CONTAINER LEVEL2
entPhysicalDescr.414	.1.3.6.1.2.1.47.1.1.1.1.2.414	OctetString	CONTAINER LEVEL2
entPhysicalDescr.442	.1.3.6.1.2.1.47.1.1.1.1.2.442	OctetString	MODULE LEVEL2
entPhysicalDescr.472	.1.3.6.1.2.1.47.1.1.1.1.2.472	OctetString	GigabitEthernet1/0/1
entPhysicalDescr.473	.1.3.6.1.2.1.47.1.1.1.1.2.473	OctetString	GigabitEthernet1/0/2
entPhysicalDescr.474	.1.3.6.1.2.1.47.1.1.1.1.2.474	OctetString	GigabitEthernet1/0/3
entPhysicalDescr.475	.1.3.6.1.2.1.47.1.1.1.1.2.475	OctetString	GigabitEthernet1/0/4
entPhysicalDescr.476	.1.3.6.1.2.1.47.1.1.1.1.2.476	OctetString	GigabitEthernet1/0/5
entPhysicalDescr.477	.1.3.6.1.2.1.47.1.1.1.1.2.477	OctetString	GigabitEthernet1/0/6
entPhysicalDescr.478	.1.3.6.1.2.1.47.1.1.1.1.2.478	OctetString	GigabitEthernet1/0/7
entPhysicalDescr.479	.1.3.6.1.2.1.47.1.1.1.1.2.479	OctetString	GigabitEthernet1/0/8
entPhysicalDescr.480	.1.3.6.1.2.1.47.1.1.1.1.2.480	OctetString	GigabitEthernet1/0/9
entPhysicalDescr.481	.1.3.6.1.2.1.47.1.1.1.1.2.481	OctetString	GigabitEthernet1/0/10
entPhysicalDescr.482	.1.3.6.1.2.1.47.1.1.1.1.2.482	OctetString	GigabitEthernet1/0/11
entPhysicalDescr.483	.1.3.6.1.2.1.47.1.1.1.1.2.483	OctetString	GigabitEthernet1/0/12
entPhysicalDescr.484	.1.3.6.1.2.1.47.1.1.1.1.2.484	OctetString	GigabitEthernet1/0/13
entPhysicalDescr.485	.1.3.6.1.2.1.47.1.1.1.1.2.485	OctetString	GigabitEthernet1/0/14
entPhysicalDescr.486	.1.3.6.1.2.1.47.1.1.1.1.2.486	OctetString	GigabitEthernet1/0/15
entPhysicalDescr.487	.1.3.6.1.2.1.47.1.1.1.1.2.487	OctetString	GigabitEthernet1/0/16
entPhysicalDescr.488	.1.3.6.1.2.1.47.1.1.1.1.2.488	OctetString	GigabitEthernet1/0/17
entPhysicalDescr.489	.1.3.6.1.2.1.47.1.1.1.1.2.489	OctetString	GigabitEthernet1/0/18
entPhysicalDescr.490	.1.3.6.1.2.1.47.1.1.1.1.2.490	OctetString	GigabitEthernet1/0/19
entPhysicalDescr.491	.1.3.6.1.2.1.47.1.1.1.1.2.491	OctetString	GigabitEthernet1/0/20
entPhysicalDescr.492	.1.3.6.1.2.1.47.1.1.1.1.2.492	OctetString	GigabitEthernet1/0/21
entPhysicalDescr.493	.1.3.6.1.2.1.47.1.1.1.1.2.493	OctetString	GigabitEthernet1/0/22
entPhysicalDescr.494	.1.3.6.1.2.1.47.1.1.1.1.2.494	OctetString	GigabitEthernet1/0/23

Name	OID	Value Type	Value Example
entPhysicalDescr.495	.1.3.6.1.2.1.47.1.1.1.1.2.495	OctetString	GigabitEthernet1/0/24
entPhysicalDescr.496	.1.3.6.1.2.1.47.1.1.1.1.2.496	OctetString	Ten-GigabitEthernet1/0/25
entPhysicalDescr.497	.1.3.6.1.2.1.47.1.1.1.1.2.497	OctetString	Ten-GigabitEthernet1/0/26
entPhysicalDescr.498	.1.3.6.1.2.1.47.1.1.1.1.2.498	OctetString	Ten-GigabitEthernet1/0/27
entPhysicalDescr.499	.1.3.6.1.2.1.47.1.1.1.1.2.499	OctetString	Ten-GigabitEthernet1/0/28
entPhysicalDescr.2052	.1.3.6.1.2.1.47.1.1.1.1.2.2052	OctetString	CPU dev
entPhysicalVendorType.1	.1.3.6.1.2.1.47.1.1.1.1.3.1	OID	.0.0
entPhysicalVendorType.2	.1.3.6.1.2.1.47.1.1.1.1.3.2	OID	ib-S3328G-B
entPhysicalVendorType.12	.1.3.6.1.2.1.47.1.1.1.1.3.12	OID	.0.0
entPhysicalVendorType.13	.1.3.6.1.2.1.47.1.1.1.1.3.13	OID	.0.0
entPhysicalVendorType.14	.1.3.6.1.2.1.47.1.1.1.1.3.14	OID	.0.0
entPhysicalVendorType.15	.1.3.6.1.2.1.47.1.1.1.1.3.15	OID	.0.0
entPhysicalVendorType.16	.1.3.6.1.2.1.47.1.1.1.1.3.16	OID	.0.0
entPhysicalVendorType.17	.1.3.6.1.2.1.47.1.1.1.1.3.17	OID	.0.0
entPhysicalVendorType.18	.1.3.6.1.2.1.47.1.1.1.1.3.18	OID	.0.0
entPhysicalVendorType.19	.1.3.6.1.2.1.47.1.1.1.1.3.19	OID	.0.0
entPhysicalVendorType.20	.1.3.6.1.2.1.47.1.1.1.1.3.20	OID	.0.0
entPhysicalVendorType.21	.1.3.6.1.2.1.47.1.1.1.1.3.21	OID	.0.0
entPhysicalVendorType.22	.1.3.6.1.2.1.47.1.1.1.1.3.22	OID	.0.0
entPhysicalVendorType.23	.1.3.6.1.2.1.47.1.1.1.1.3.23	OID	.0.0
entPhysicalVendorType.24	.1.3.6.1.2.1.47.1.1.1.1.3.24	OID	.0.0
entPhysicalVendorType.25	.1.3.6.1.2.1.47.1.1.1.1.3.25	OID	.0.0
entPhysicalVendorType.26	.1.3.6.1.2.1.47.1.1.1.1.3.26	OID	.0.0
entPhysicalVendorType.27	.1.3.6.1.2.1.47.1.1.1.1.3.27	OID	.0.0
entPhysicalVendorType.28	.1.3.6.1.2.1.47.1.1.1.1.3.28	OID	.0.0
entPhysicalVendorType.29	.1.3.6.1.2.1.47.1.1.1.1.3.29	OID	.0.0
entPhysicalVendorType.30	.1.3.6.1.2.1.47.1.1.1.1.3.30	OID	.0.0
entPhysicalVendorType.31	.1.3.6.1.2.1.47.1.1.1.1.3.31	OID	.0.0
entPhysicalVendorType.212	.1.3.6.1.2.1.47.1.1.1.1.3.212	OID	.0.0
entPhysicalVendorType.213	.1.3.6.1.2.1.47.1.1.1.1.3.213	OID	.1.3.6.1.4.1.26138.2.3.126.10.3.1.6.2
entPhysicalVendorType.216	.1.3.6.1.2.1.47.1.1.1.1.3.216	OID	.0.0
entPhysicalVendorType.220	.1.3.6.1.2.1.47.1.1.1.1.3.220	OID	.0.0
entPhysicalVendorType.221	.1.3.6.1.2.1.47.1.1.1.1.3.221	OID	.0.0
entPhysicalVendorType.222	.1.3.6.1.2.1.47.1.1.1.1.3.222	OID	.0.0
entPhysicalVendorType.223	.1.3.6.1.2.1.47.1.1.1.1.3.223	OID	.0.0
entPhysicalVendorType.412	.1.3.6.1.2.1.47.1.1.1.1.3.412	OID	.0.0
entPhysicalVendorType.413	.1.3.6.1.2.1.47.1.1.1.1.3.413	OID	.0.0
entPhysicalVendorType.414	.1.3.6.1.2.1.47.1.1.1.1.3.414	OID	.0.0
entPhysicalVendorType.442	.1.3.6.1.2.1.47.1.1.1.1.3.442	OID	.0.0
entPhysicalVendorType.472	.1.3.6.1.2.1.47.1.1.1.1.3.472	OID	ibevtPortSw-1000BASE-T
entPhysicalVendorType.473	.1.3.6.1.2.1.47.1.1.1.1.3.473	OID	ibevtPortSw-1000BASE-T
entPhysicalVendorType.474	.1.3.6.1.2.1.47.1.1.1.1.3.474	OID	ibevtPortSw-1000BASE-T
entPhysicalVendorType.475	.1.3.6.1.2.1.47.1.1.1.1.3.475	OID	ibevtPortSw-1000BASE-T

Name	OID	Value Type	Value Example
entPhysicalVendorType.476	.1.3.6.1.2.1.47.1.1.1.1.3.476	OID	ibevtPortSw-1000BASE-T
entPhysicalVendorType.477	.1.3.6.1.2.1.47.1.1.1.1.3.477	OID	ibevtPortSw-1000BASE-T
entPhysicalVendorType.478	.1.3.6.1.2.1.47.1.1.1.1.3.478	OID	ibevtPortSw-1000BASE-T
entPhysicalVendorType.479	.1.3.6.1.2.1.47.1.1.1.1.3.479	OID	ibevtPortSw-1000BASE-T
entPhysicalVendorType.480	.1.3.6.1.2.1.47.1.1.1.1.3.480	OID	ibevtPortSw-1000BASE-T
entPhysicalVendorType.481	.1.3.6.1.2.1.47.1.1.1.1.3.481	OID	ibevtPortSw-1000BASE-T
entPhysicalVendorType.482	.1.3.6.1.2.1.47.1.1.1.1.3.482	OID	ibevtPortSw-1000BASE-T
entPhysicalVendorType.483	.1.3.6.1.2.1.47.1.1.1.1.3.483	OID	ibevtPortSw-1000BASE-T
entPhysicalVendorType.484	.1.3.6.1.2.1.47.1.1.1.1.3.484	OID	ibevtPortSw-1000BASE-T
entPhysicalVendorType.485	.1.3.6.1.2.1.47.1.1.1.1.3.485	OID	ibevtPortSw-1000BASE-T
entPhysicalVendorType.486	.1.3.6.1.2.1.47.1.1.1.1.3.486	OID	ibevtPortSw-1000BASE-T
entPhysicalVendorType.487	.1.3.6.1.2.1.47.1.1.1.1.3.487	OID	ibevtPortSw-1000BASE-T
entPhysicalVendorType.488	.1.3.6.1.2.1.47.1.1.1.1.3.488	OID	ibevtPortSw-1000BASE-T
entPhysicalVendorType.489	.1.3.6.1.2.1.47.1.1.1.1.3.489	OID	ibevtPortSw-1000BASE-T
entPhysicalVendorType.490	.1.3.6.1.2.1.47.1.1.1.1.3.490	OID	ibevtPortSw-1000BASE-T
entPhysicalVendorType.491	.1.3.6.1.2.1.47.1.1.1.1.3.491	OID	ibevtPortSw-1000BASE-T
entPhysicalVendorType.492	.1.3.6.1.2.1.47.1.1.1.1.3.492	OID	ibevtPortSw-1000BASE-T
entPhysicalVendorType.493	.1.3.6.1.2.1.47.1.1.1.1.3.493	OID	ibevtPortSw-1000BASE-T
entPhysicalVendorType.494	.1.3.6.1.2.1.47.1.1.1.1.3.494	OID	ibevtPortSw-1000BASE-T
entPhysicalVendorType.495	.1.3.6.1.2.1.47.1.1.1.1.3.495	OID	ibevtPortSw-1000BASE-T
entPhysicalVendorType.496	.1.3.6.1.2.1.47.1.1.1.1.3.496	OID	ibevtPortSw-SFP-PLUS-NO-CONNECTOR
entPhysicalVendorType.497	.1.3.6.1.2.1.47.1.1.1.1.3.497	OID	ibevtPortSw-SFP-PLUS-NO-CONNECTOR
entPhysicalVendorType.498	.1.3.6.1.2.1.47.1.1.1.1.3.498	OID	ibevtPortSw-SFP-PLUS-NO-CONNECTOR
entPhysicalVendorType.499	.1.3.6.1.2.1.47.1.1.1.1.3.499	OID	ibevtPortSw-SFP-PLUS-NO-CONNECTOR
entPhysicalVendorType.2052	.1.3.6.1.2.1.47.1.1.1.1.3.2052	OID	.0.0
entPhysicalContainedIn.1	.1.3.6.1.2.1.47.1.1.1.1.4.1	Integer	0
entPhysicalContainedIn.2	.1.3.6.1.2.1.47.1.1.1.1.4.2	Integer	1
entPhysicalContainedIn.12	.1.3.6.1.2.1.47.1.1.1.1.4.12	Integer	2
entPhysicalContainedIn.13	.1.3.6.1.2.1.47.1.1.1.1.4.13	Integer	2
entPhysicalContainedIn.14	.1.3.6.1.2.1.47.1.1.1.1.4.14	Integer	2
entPhysicalContainedIn.15	.1.3.6.1.2.1.47.1.1.1.1.4.15	Integer	2
entPhysicalContainedIn.16	.1.3.6.1.2.1.47.1.1.1.1.4.16	Integer	2
entPhysicalContainedIn.17	.1.3.6.1.2.1.47.1.1.1.1.4.17	Integer	2
entPhysicalContainedIn.18	.1.3.6.1.2.1.47.1.1.1.1.4.18	Integer	2
entPhysicalContainedIn.19	.1.3.6.1.2.1.47.1.1.1.1.4.19	Integer	2
entPhysicalContainedIn.20	.1.3.6.1.2.1.47.1.1.1.1.4.20	Integer	2
entPhysicalContainedIn.21	.1.3.6.1.2.1.47.1.1.1.1.4.21	Integer	2
entPhysicalContainedIn.22	.1.3.6.1.2.1.47.1.1.1.1.4.22	Integer	2
entPhysicalContainedIn.23	.1.3.6.1.2.1.47.1.1.1.1.4.23	Integer	2
entPhysicalContainedIn.24	.1.3.6.1.2.1.47.1.1.1.1.4.24	Integer	2

Name	OID	Value Type	Value Example
entPhysicalContainedIn.25	.1.3.6.1.2.1.47.1.1.1.1.4.25	Integer	2
entPhysicalContainedIn.26	.1.3.6.1.2.1.47.1.1.1.1.4.26	Integer	2
entPhysicalContainedIn.27	.1.3.6.1.2.1.47.1.1.1.1.4.27	Integer	2
entPhysicalContainedIn.28	.1.3.6.1.2.1.47.1.1.1.1.4.28	Integer	2
entPhysicalContainedIn.29	.1.3.6.1.2.1.47.1.1.1.1.4.29	Integer	2
entPhysicalContainedIn.30	.1.3.6.1.2.1.47.1.1.1.1.4.30	Integer	2
entPhysicalContainedIn.31	.1.3.6.1.2.1.47.1.1.1.1.4.31	Integer	2
entPhysicalContainedIn.212	.1.3.6.1.2.1.47.1.1.1.1.4.212	Integer	12
entPhysicalContainedIn.213	.1.3.6.1.2.1.47.1.1.1.1.4.213	Integer	13
entPhysicalContainedIn.216	.1.3.6.1.2.1.47.1.1.1.1.4.216	Integer	16
entPhysicalContainedIn.220	.1.3.6.1.2.1.47.1.1.1.1.4.220	Integer	20
entPhysicalContainedIn.221	.1.3.6.1.2.1.47.1.1.1.1.4.221	Integer	21
entPhysicalContainedIn.222	.1.3.6.1.2.1.47.1.1.1.1.4.222	Integer	22
entPhysicalContainedIn.223	.1.3.6.1.2.1.47.1.1.1.1.4.223	Integer	23
entPhysicalContainedIn.412	.1.3.6.1.2.1.47.1.1.1.1.4.412	Integer	212
entPhysicalContainedIn.413	.1.3.6.1.2.1.47.1.1.1.1.4.413	Integer	212
entPhysicalContainedIn.414	.1.3.6.1.2.1.47.1.1.1.1.4.414	Integer	212
entPhysicalContainedIn.442	.1.3.6.1.2.1.47.1.1.1.1.4.442	Integer	412
entPhysicalContainedIn.472	.1.3.6.1.2.1.47.1.1.1.1.4.472	Integer	442
entPhysicalContainedIn.473	.1.3.6.1.2.1.47.1.1.1.1.4.473	Integer	442
entPhysicalContainedIn.474	.1.3.6.1.2.1.47.1.1.1.1.4.474	Integer	442
entPhysicalContainedIn.475	.1.3.6.1.2.1.47.1.1.1.1.4.475	Integer	442
entPhysicalContainedIn.476	.1.3.6.1.2.1.47.1.1.1.1.4.476	Integer	442
entPhysicalContainedIn.477	.1.3.6.1.2.1.47.1.1.1.1.4.477	Integer	442
entPhysicalContainedIn.478	.1.3.6.1.2.1.47.1.1.1.1.4.478	Integer	442
entPhysicalContainedIn.479	.1.3.6.1.2.1.47.1.1.1.1.4.479	Integer	442
entPhysicalContainedIn.480	.1.3.6.1.2.1.47.1.1.1.1.4.480	Integer	442
entPhysicalContainedIn.481	.1.3.6.1.2.1.47.1.1.1.1.4.481	Integer	442
entPhysicalContainedIn.482	.1.3.6.1.2.1.47.1.1.1.1.4.482	Integer	442
entPhysicalContainedIn.483	.1.3.6.1.2.1.47.1.1.1.1.4.483	Integer	442
entPhysicalContainedIn.484	.1.3.6.1.2.1.47.1.1.1.1.4.484	Integer	442
entPhysicalContainedIn.485	.1.3.6.1.2.1.47.1.1.1.1.4.485	Integer	442
entPhysicalContainedIn.486	.1.3.6.1.2.1.47.1.1.1.1.4.486	Integer	442
entPhysicalContainedIn.487	.1.3.6.1.2.1.47.1.1.1.1.4.487	Integer	442
entPhysicalContainedIn.488	.1.3.6.1.2.1.47.1.1.1.1.4.488	Integer	442
entPhysicalContainedIn.489	.1.3.6.1.2.1.47.1.1.1.1.4.489	Integer	442
entPhysicalContainedIn.490	.1.3.6.1.2.1.47.1.1.1.1.4.490	Integer	442
entPhysicalContainedIn.491	.1.3.6.1.2.1.47.1.1.1.1.4.491	Integer	442
entPhysicalContainedIn.492	.1.3.6.1.2.1.47.1.1.1.1.4.492	Integer	442
entPhysicalContainedIn.493	.1.3.6.1.2.1.47.1.1.1.1.4.493	Integer	442
entPhysicalContainedIn.494	.1.3.6.1.2.1.47.1.1.1.1.4.494	Integer	442
entPhysicalContainedIn.495	.1.3.6.1.2.1.47.1.1.1.1.4.495	Integer	442
entPhysicalContainedIn.496	.1.3.6.1.2.1.47.1.1.1.1.4.496	Integer	442

Name	OID	Value Type	Value Example
entPhysicalContainedIn.497	.1.3.6.1.2.1.47.1.1.1.1.4.497	Integer	442
entPhysicalContainedIn.498	.1.3.6.1.2.1.47.1.1.1.1.4.498	Integer	442
entPhysicalContainedIn.499	.1.3.6.1.2.1.47.1.1.1.1.4.499	Integer	442
entPhysicalContainedIn.2052	.1.3.6.1.2.1.47.1.1.1.1.4.2052	Integer	473
entPhysicalClass.1	.1.3.6.1.2.1.47.1.1.1.1.5.1	Integer	stack (11)
entPhysicalClass.2	.1.3.6.1.2.1.47.1.1.1.1.5.2	Integer	chassis (3)
entPhysicalClass.12	.1.3.6.1.2.1.47.1.1.1.1.5.12	Integer	container (5)
entPhysicalClass.13	.1.3.6.1.2.1.47.1.1.1.1.5.13	Integer	container (5)
entPhysicalClass.14	.1.3.6.1.2.1.47.1.1.1.1.5.14	Integer	container (5)
entPhysicalClass.15	.1.3.6.1.2.1.47.1.1.1.1.5.15	Integer	container (5)
entPhysicalClass.16	.1.3.6.1.2.1.47.1.1.1.1.5.16	Integer	container (5)
entPhysicalClass.17	.1.3.6.1.2.1.47.1.1.1.1.5.17	Integer	container (5)
entPhysicalClass.18	.1.3.6.1.2.1.47.1.1.1.1.5.18	Integer	container (5)
entPhysicalClass.19	.1.3.6.1.2.1.47.1.1.1.1.5.19	Integer	container (5)
entPhysicalClass.20	.1.3.6.1.2.1.47.1.1.1.1.5.20	Integer	container (5)
entPhysicalClass.21	.1.3.6.1.2.1.47.1.1.1.1.5.21	Integer	container (5)
entPhysicalClass.22	.1.3.6.1.2.1.47.1.1.1.1.5.22	Integer	container (5)
entPhysicalClass.23	.1.3.6.1.2.1.47.1.1.1.1.5.23	Integer	container (5)
entPhysicalClass.24	.1.3.6.1.2.1.47.1.1.1.1.5.24	Integer	container (5)
entPhysicalClass.25	.1.3.6.1.2.1.47.1.1.1.1.5.25	Integer	container (5)
entPhysicalClass.26	.1.3.6.1.2.1.47.1.1.1.1.5.26	Integer	container (5)
entPhysicalClass.27	.1.3.6.1.2.1.47.1.1.1.1.5.27	Integer	container (5)
entPhysicalClass.28	.1.3.6.1.2.1.47.1.1.1.1.5.28	Integer	container (5)
entPhysicalClass.29	.1.3.6.1.2.1.47.1.1.1.1.5.29	Integer	container (5)
entPhysicalClass.30	.1.3.6.1.2.1.47.1.1.1.1.5.30	Integer	container (5)
entPhysicalClass.31	.1.3.6.1.2.1.47.1.1.1.1.5.31	Integer	container (5)
entPhysicalClass.212	.1.3.6.1.2.1.47.1.1.1.1.5.212	Integer	module (9)
entPhysicalClass.213	.1.3.6.1.2.1.47.1.1.1.1.5.213	Integer	powerSupply (6)
entPhysicalClass.216	.1.3.6.1.2.1.47.1.1.1.1.5.216	Integer	fan (7)
entPhysicalClass.220	.1.3.6.1.2.1.47.1.1.1.1.5.220	Integer	sensor (8)
entPhysicalClass.221	.1.3.6.1.2.1.47.1.1.1.1.5.221	Integer	sensor (8)
entPhysicalClass.222	.1.3.6.1.2.1.47.1.1.1.1.5.222	Integer	sensor (8)
entPhysicalClass.223	.1.3.6.1.2.1.47.1.1.1.1.5.223	Integer	sensor (8)
entPhysicalClass.412	.1.3.6.1.2.1.47.1.1.1.1.5.412	Integer	container (5)
entPhysicalClass.413	.1.3.6.1.2.1.47.1.1.1.1.5.413	Integer	container (5)
entPhysicalClass.414	.1.3.6.1.2.1.47.1.1.1.1.5.414	Integer	container (5)
entPhysicalClass.442	.1.3.6.1.2.1.47.1.1.1.1.5.442	Integer	module (9)
entPhysicalClass.472	.1.3.6.1.2.1.47.1.1.1.1.5.472	Integer	port (10)
entPhysicalClass.473	.1.3.6.1.2.1.47.1.1.1.1.5.473	Integer	port (10)
entPhysicalClass.474	.1.3.6.1.2.1.47.1.1.1.1.5.474	Integer	port (10)
entPhysicalClass.475	.1.3.6.1.2.1.47.1.1.1.1.5.475	Integer	port (10)
entPhysicalClass.476	.1.3.6.1.2.1.47.1.1.1.1.5.476	Integer	port (10)
entPhysicalClass.477	.1.3.6.1.2.1.47.1.1.1.1.5.477	Integer	port (10)

Name	OID	Value Type	Value Example
entPhysicalClass.478	.1.3.6.1.2.1.47.1.1.1.1.5.478	Integer	port (10)
entPhysicalClass.479	.1.3.6.1.2.1.47.1.1.1.1.5.479	Integer	port (10)
entPhysicalClass.480	.1.3.6.1.2.1.47.1.1.1.1.5.480	Integer	port (10)
entPhysicalClass.481	.1.3.6.1.2.1.47.1.1.1.1.5.481	Integer	port (10)
entPhysicalClass.482	.1.3.6.1.2.1.47.1.1.1.1.5.482	Integer	port (10)
entPhysicalClass.483	.1.3.6.1.2.1.47.1.1.1.1.5.483	Integer	port (10)
entPhysicalClass.484	.1.3.6.1.2.1.47.1.1.1.1.5.484	Integer	port (10)
entPhysicalClass.485	.1.3.6.1.2.1.47.1.1.1.1.5.485	Integer	port (10)
entPhysicalClass.486	.1.3.6.1.2.1.47.1.1.1.1.5.486	Integer	port (10)
entPhysicalClass.487	.1.3.6.1.2.1.47.1.1.1.1.5.487	Integer	port (10)
entPhysicalClass.488	.1.3.6.1.2.1.47.1.1.1.1.5.488	Integer	port (10)
entPhysicalClass.489	.1.3.6.1.2.1.47.1.1.1.1.5.489	Integer	port (10)
entPhysicalClass.490	.1.3.6.1.2.1.47.1.1.1.1.5.490	Integer	port (10)
entPhysicalClass.491	.1.3.6.1.2.1.47.1.1.1.1.5.491	Integer	port (10)
entPhysicalClass.492	.1.3.6.1.2.1.47.1.1.1.1.5.492	Integer	port (10)
entPhysicalClass.493	.1.3.6.1.2.1.47.1.1.1.1.5.493	Integer	port (10)
entPhysicalClass.494	.1.3.6.1.2.1.47.1.1.1.1.5.494	Integer	port (10)
entPhysicalClass.495	.1.3.6.1.2.1.47.1.1.1.1.5.495	Integer	port (10)
entPhysicalClass.496	.1.3.6.1.2.1.47.1.1.1.1.5.496	Integer	port (10)
entPhysicalClass.497	.1.3.6.1.2.1.47.1.1.1.1.5.497	Integer	port (10)
entPhysicalClass.498	.1.3.6.1.2.1.47.1.1.1.1.5.498	Integer	port (10)
entPhysicalClass.499	.1.3.6.1.2.1.47.1.1.1.1.5.499	Integer	port (10)
entPhysicalClass.2052	.1.3.6.1.2.1.47.1.1.1.1.5.2052	Integer	cpu (12)
entPhysicalParentRelPos.1	.1.3.6.1.2.1.47.1.1.1.1.6.1	Integer	-1
entPhysicalParentRelPos.2	.1.3.6.1.2.1.47.1.1.1.1.6.2	Integer	1
entPhysicalParentRelPos.12	.1.3.6.1.2.1.47.1.1.1.1.6.12	Integer	1
entPhysicalParentRelPos.13	.1.3.6.1.2.1.47.1.1.1.1.6.13	Integer	2
entPhysicalParentRelPos.14	.1.3.6.1.2.1.47.1.1.1.1.6.14	Integer	3
entPhysicalParentRelPos.15	.1.3.6.1.2.1.47.1.1.1.1.6.15	Integer	4
entPhysicalParentRelPos.16	.1.3.6.1.2.1.47.1.1.1.1.6.16	Integer	5
entPhysicalParentRelPos.17	.1.3.6.1.2.1.47.1.1.1.1.6.17	Integer	6
entPhysicalParentRelPos.18	.1.3.6.1.2.1.47.1.1.1.1.6.18	Integer	7
entPhysicalParentRelPos.19	.1.3.6.1.2.1.47.1.1.1.1.6.19	Integer	8
entPhysicalParentRelPos.20	.1.3.6.1.2.1.47.1.1.1.1.6.20	Integer	9
entPhysicalParentRelPos.21	.1.3.6.1.2.1.47.1.1.1.1.6.21	Integer	10
entPhysicalParentRelPos.22	.1.3.6.1.2.1.47.1.1.1.1.6.22	Integer	11
entPhysicalParentRelPos.23	.1.3.6.1.2.1.47.1.1.1.1.6.23	Integer	12
entPhysicalParentRelPos.24	.1.3.6.1.2.1.47.1.1.1.1.6.24	Integer	13
entPhysicalParentRelPos.25	.1.3.6.1.2.1.47.1.1.1.1.6.25	Integer	14
entPhysicalParentRelPos.26	.1.3.6.1.2.1.47.1.1.1.1.6.26	Integer	15
entPhysicalParentRelPos.27	.1.3.6.1.2.1.47.1.1.1.1.6.27	Integer	16
entPhysicalParentRelPos.28	.1.3.6.1.2.1.47.1.1.1.1.6.28	Integer	17
entPhysicalParentRelPos.29	.1.3.6.1.2.1.47.1.1.1.1.6.29	Integer	18

Name	OID	Value Type	Value Example
entPhysicalParentRelPos.30	.1.3.6.1.2.1.47.1.1.1.1.6.30	Integer	19
entPhysicalParentRelPos.31	.1.3.6.1.2.1.47.1.1.1.1.6.31	Integer	20
entPhysicalParentRelPos.212	.1.3.6.1.2.1.47.1.1.1.1.6.212	Integer	1
entPhysicalParentRelPos.213	.1.3.6.1.2.1.47.1.1.1.1.6.213	Integer	1
entPhysicalParentRelPos.216	.1.3.6.1.2.1.47.1.1.1.1.6.216	Integer	1
entPhysicalParentRelPos.220	.1.3.6.1.2.1.47.1.1.1.1.6.220	Integer	1
entPhysicalParentRelPos.221	.1.3.6.1.2.1.47.1.1.1.1.6.221	Integer	1
entPhysicalParentRelPos.222	.1.3.6.1.2.1.47.1.1.1.1.6.222	Integer	1
entPhysicalParentRelPos.223	.1.3.6.1.2.1.47.1.1.1.1.6.223	Integer	1
entPhysicalParentRelPos.412	.1.3.6.1.2.1.47.1.1.1.1.6.412	Integer	1
entPhysicalParentRelPos.413	.1.3.6.1.2.1.47.1.1.1.1.6.413	Integer	2
entPhysicalParentRelPos.414	.1.3.6.1.2.1.47.1.1.1.1.6.414	Integer	3
entPhysicalParentRelPos.442	.1.3.6.1.2.1.47.1.1.1.1.6.442	Integer	1
entPhysicalParentRelPos.472	.1.3.6.1.2.1.47.1.1.1.1.6.472	Integer	1
entPhysicalParentRelPos.473	.1.3.6.1.2.1.47.1.1.1.1.6.473	Integer	2
entPhysicalParentRelPos.474	.1.3.6.1.2.1.47.1.1.1.1.6.474	Integer	3
entPhysicalParentRelPos.475	.1.3.6.1.2.1.47.1.1.1.1.6.475	Integer	4
entPhysicalParentRelPos.476	.1.3.6.1.2.1.47.1.1.1.1.6.476	Integer	5
entPhysicalParentRelPos.477	.1.3.6.1.2.1.47.1.1.1.1.6.477	Integer	6
entPhysicalParentRelPos.478	.1.3.6.1.2.1.47.1.1.1.1.6.478	Integer	7
entPhysicalParentRelPos.479	.1.3.6.1.2.1.47.1.1.1.1.6.479	Integer	8
entPhysicalParentRelPos.480	.1.3.6.1.2.1.47.1.1.1.1.6.480	Integer	9
entPhysicalParentRelPos.481	.1.3.6.1.2.1.47.1.1.1.1.6.481	Integer	10
entPhysicalParentRelPos.482	.1.3.6.1.2.1.47.1.1.1.1.6.482	Integer	11
entPhysicalParentRelPos.483	.1.3.6.1.2.1.47.1.1.1.1.6.483	Integer	12
entPhysicalParentRelPos.484	.1.3.6.1.2.1.47.1.1.1.1.6.484	Integer	13
entPhysicalParentRelPos.485	.1.3.6.1.2.1.47.1.1.1.1.6.485	Integer	14
entPhysicalParentRelPos.486	.1.3.6.1.2.1.47.1.1.1.1.6.486	Integer	15
entPhysicalParentRelPos.487	.1.3.6.1.2.1.47.1.1.1.1.6.487	Integer	16
entPhysicalParentRelPos.488	.1.3.6.1.2.1.47.1.1.1.1.6.488	Integer	17
entPhysicalParentRelPos.489	.1.3.6.1.2.1.47.1.1.1.1.6.489	Integer	18
entPhysicalParentRelPos.490	.1.3.6.1.2.1.47.1.1.1.1.6.490	Integer	19
entPhysicalParentRelPos.491	.1.3.6.1.2.1.47.1.1.1.1.6.491	Integer	20
entPhysicalParentRelPos.492	.1.3.6.1.2.1.47.1.1.1.1.6.492	Integer	21
entPhysicalParentRelPos.493	.1.3.6.1.2.1.47.1.1.1.1.6.493	Integer	22
entPhysicalParentRelPos.494	.1.3.6.1.2.1.47.1.1.1.1.6.494	Integer	23
entPhysicalParentRelPos.495	.1.3.6.1.2.1.47.1.1.1.1.6.495	Integer	24
entPhysicalParentRelPos.496	.1.3.6.1.2.1.47.1.1.1.1.6.496	Integer	25
entPhysicalParentRelPos.497	.1.3.6.1.2.1.47.1.1.1.1.6.497	Integer	26
entPhysicalParentRelPos.498	.1.3.6.1.2.1.47.1.1.1.1.6.498	Integer	27
entPhysicalParentRelPos.499	.1.3.6.1.2.1.47.1.1.1.1.6.499	Integer	28
entPhysicalParentRelPos.2052	.1.3.6.1.2.1.47.1.1.1.1.6.2052	Integer	1
entPhysicalName.1	.1.3.6.1.2.1.47.1.1.1.1.7.1	OctetString	STACK 1

Name	OID	Value Type	Value Example
entPhysicalName.2	.1.3.6.1.2.1.47.1.1.1.1.7.2	OctetString	S3300G
entPhysicalName.12	.1.3.6.1.2.1.47.1.1.1.1.7.12	OctetString	Level 1 Container #1
entPhysicalName.13	.1.3.6.1.2.1.47.1.1.1.1.7.13	OctetString	Level 1 Container #2
entPhysicalName.14	.1.3.6.1.2.1.47.1.1.1.1.7.14	OctetString	Level 1 Container #3
entPhysicalName.15	.1.3.6.1.2.1.47.1.1.1.1.7.15	OctetString	Level 1 Container #4
entPhysicalName.16	.1.3.6.1.2.1.47.1.1.1.1.7.16	OctetString	Level 1 Container #5
entPhysicalName.17	.1.3.6.1.2.1.47.1.1.1.1.7.17	OctetString	Level 1 Container #6
entPhysicalName.18	.1.3.6.1.2.1.47.1.1.1.1.7.18	OctetString	Level 1 Container #7
entPhysicalName.19	.1.3.6.1.2.1.47.1.1.1.1.7.19	OctetString	Level 1 Container #8
entPhysicalName.20	.1.3.6.1.2.1.47.1.1.1.1.7.20	OctetString	Level 1 Container #9
entPhysicalName.21	.1.3.6.1.2.1.47.1.1.1.1.7.21	OctetString	Level 1 Container #10
entPhysicalName.22	.1.3.6.1.2.1.47.1.1.1.1.7.22	OctetString	Level 1 Container #11
entPhysicalName.23	.1.3.6.1.2.1.47.1.1.1.1.7.23	OctetString	Level 1 Container #12
entPhysicalName.24	.1.3.6.1.2.1.47.1.1.1.1.7.24	OctetString	Level 1 Container #13
entPhysicalName.25	.1.3.6.1.2.1.47.1.1.1.1.7.25	OctetString	Level 1 Container #14
entPhysicalName.26	.1.3.6.1.2.1.47.1.1.1.1.7.26	OctetString	Level 1 Container #15
entPhysicalName.27	.1.3.6.1.2.1.47.1.1.1.1.7.27	OctetString	Level 1 Container #16
entPhysicalName.28	.1.3.6.1.2.1.47.1.1.1.1.7.28	OctetString	Level 1 Container #17
entPhysicalName.29	.1.3.6.1.2.1.47.1.1.1.1.7.29	OctetString	Level 1 Container #18
entPhysicalName.30	.1.3.6.1.2.1.47.1.1.1.1.7.30	OctetString	Level 1 Container #19
entPhysicalName.31	.1.3.6.1.2.1.47.1.1.1.1.7.31	OctetString	Level 1 Container #20
entPhysicalName.212	.1.3.6.1.2.1.47.1.1.1.1.7.212	OctetString	Board
entPhysicalName.213	.1.3.6.1.2.1.47.1.1.1.1.7.213	OctetString	PSU 1
entPhysicalName.216	.1.3.6.1.2.1.47.1.1.1.1.7.216	OctetString	FAN 1
entPhysicalName.220	.1.3.6.1.2.1.47.1.1.1.1.7.220	OctetString	SENSOR 1
entPhysicalName.221	.1.3.6.1.2.1.47.1.1.1.1.7.221	OctetString	SENSOR 2
entPhysicalName.222	.1.3.6.1.2.1.47.1.1.1.1.7.222	OctetString	SENSOR 3
entPhysicalName.223	.1.3.6.1.2.1.47.1.1.1.1.7.223	OctetString	SENSOR 4
entPhysicalName.412	.1.3.6.1.2.1.47.1.1.1.1.7.412	OctetString	Level 2 Virtual Container #0
entPhysicalName.413	.1.3.6.1.2.1.47.1.1.1.1.7.413	OctetString	Level 2 Virtual Container #1
entPhysicalName.414	.1.3.6.1.2.1.47.1.1.1.1.7.414	OctetString	Level 2 Virtual Container #2
entPhysicalName.442	.1.3.6.1.2.1.47.1.1.1.1.7.442	OctetString	SubCard0
entPhysicalName.472	.1.3.6.1.2.1.47.1.1.1.1.7.472	OctetString	GigabitEthernet1/0/1
entPhysicalName.473	.1.3.6.1.2.1.47.1.1.1.1.7.473	OctetString	GigabitEthernet1/0/2
entPhysicalName.474	.1.3.6.1.2.1.47.1.1.1.1.7.474	OctetString	GigabitEthernet1/0/3
entPhysicalName.475	.1.3.6.1.2.1.47.1.1.1.1.7.475	OctetString	GigabitEthernet1/0/4
entPhysicalName.476	.1.3.6.1.2.1.47.1.1.1.1.7.476	OctetString	GigabitEthernet1/0/5
entPhysicalName.477	.1.3.6.1.2.1.47.1.1.1.1.7.477	OctetString	GigabitEthernet1/0/6
entPhysicalName.478	.1.3.6.1.2.1.47.1.1.1.1.7.478	OctetString	GigabitEthernet1/0/7
entPhysicalName.479	.1.3.6.1.2.1.47.1.1.1.1.7.479	OctetString	GigabitEthernet1/0/8
entPhysicalName.480	.1.3.6.1.2.1.47.1.1.1.1.7.480	OctetString	GigabitEthernet1/0/9
entPhysicalName.481	.1.3.6.1.2.1.47.1.1.1.1.7.481	OctetString	GigabitEthernet1/0/10
entPhysicalName.482	.1.3.6.1.2.1.47.1.1.1.1.7.482	OctetString	GigabitEthernet1/0/11

Name	OID	Value Type	Value Example
entPhysicalName.483	.1.3.6.1.2.1.47.1.1.1.1.7.483	OctetString	GigabitEthernet1/0/12
entPhysicalName.484	.1.3.6.1.2.1.47.1.1.1.1.7.484	OctetString	GigabitEthernet1/0/13
entPhysicalName.485	.1.3.6.1.2.1.47.1.1.1.1.7.485	OctetString	GigabitEthernet1/0/14
entPhysicalName.486	.1.3.6.1.2.1.47.1.1.1.1.7.486	OctetString	GigabitEthernet1/0/15
entPhysicalName.487	.1.3.6.1.2.1.47.1.1.1.1.7.487	OctetString	GigabitEthernet1/0/16
entPhysicalName.488	.1.3.6.1.2.1.47.1.1.1.1.7.488	OctetString	GigabitEthernet1/0/17
entPhysicalName.489	.1.3.6.1.2.1.47.1.1.1.1.7.489	OctetString	GigabitEthernet1/0/18
entPhysicalName.490	.1.3.6.1.2.1.47.1.1.1.1.7.490	OctetString	GigabitEthernet1/0/19
entPhysicalName.491	.1.3.6.1.2.1.47.1.1.1.1.7.491	OctetString	GigabitEthernet1/0/20
entPhysicalName.492	.1.3.6.1.2.1.47.1.1.1.1.7.492	OctetString	GigabitEthernet1/0/21
entPhysicalName.493	.1.3.6.1.2.1.47.1.1.1.1.7.493	OctetString	GigabitEthernet1/0/22
entPhysicalName.494	.1.3.6.1.2.1.47.1.1.1.1.7.494	OctetString	GigabitEthernet1/0/23
entPhysicalName.495	.1.3.6.1.2.1.47.1.1.1.1.7.495	OctetString	GigabitEthernet1/0/24
entPhysicalName.496	.1.3.6.1.2.1.47.1.1.1.1.7.496	OctetString	Ten-GigabitEthernet1/0/25
entPhysicalName.497	.1.3.6.1.2.1.47.1.1.1.1.7.497	OctetString	Ten-GigabitEthernet1/0/26
entPhysicalName.498	.1.3.6.1.2.1.47.1.1.1.1.7.498	OctetString	Ten-GigabitEthernet1/0/27
entPhysicalName.499	.1.3.6.1.2.1.47.1.1.1.1.7.499	OctetString	Ten-GigabitEthernet1/0/28
entPhysicalName.2052	.1.3.6.1.2.1.47.1.1.1.1.7.2052	OctetString	CPU dev
entPhysicalHardwareRev.1	.1.3.6.1.2.1.47.1.1.1.1.8.1	OctetString	
entPhysicalHardwareRev.2	.1.3.6.1.2.1.47.1.1.1.1.8.2	OctetString	Ver.B
entPhysicalHardwareRev.12	.1.3.6.1.2.1.47.1.1.1.1.8.12	OctetString	
entPhysicalHardwareRev.13	.1.3.6.1.2.1.47.1.1.1.1.8.13	OctetString	
entPhysicalHardwareRev.14	.1.3.6.1.2.1.47.1.1.1.1.8.14	OctetString	
entPhysicalHardwareRev.15	.1.3.6.1.2.1.47.1.1.1.1.8.15	OctetString	
entPhysicalHardwareRev.16	.1.3.6.1.2.1.47.1.1.1.1.8.16	OctetString	
entPhysicalHardwareRev.17	.1.3.6.1.2.1.47.1.1.1.1.8.17	OctetString	
entPhysicalHardwareRev.18	.1.3.6.1.2.1.47.1.1.1.1.8.18	OctetString	
entPhysicalHardwareRev.19	.1.3.6.1.2.1.47.1.1.1.1.8.19	OctetString	
entPhysicalHardwareRev.20	.1.3.6.1.2.1.47.1.1.1.1.8.20	OctetString	
entPhysicalHardwareRev.21	.1.3.6.1.2.1.47.1.1.1.1.8.21	OctetString	
entPhysicalHardwareRev.22	.1.3.6.1.2.1.47.1.1.1.1.8.22	OctetString	
entPhysicalHardwareRev.23	.1.3.6.1.2.1.47.1.1.1.1.8.23	OctetString	
entPhysicalHardwareRev.24	.1.3.6.1.2.1.47.1.1.1.1.8.24	OctetString	
entPhysicalHardwareRev.25	.1.3.6.1.2.1.47.1.1.1.1.8.25	OctetString	
entPhysicalHardwareRev.26	.1.3.6.1.2.1.47.1.1.1.1.8.26	OctetString	
entPhysicalHardwareRev.27	.1.3.6.1.2.1.47.1.1.1.1.8.27	OctetString	
entPhysicalHardwareRev.28	.1.3.6.1.2.1.47.1.1.1.1.8.28	OctetString	
entPhysicalHardwareRev.29	.1.3.6.1.2.1.47.1.1.1.1.8.29	OctetString	
entPhysicalHardwareRev.30	.1.3.6.1.2.1.47.1.1.1.1.8.30	OctetString	
entPhysicalHardwareRev.31	.1.3.6.1.2.1.47.1.1.1.1.8.31	OctetString	
entPhysicalHardwareRev.212	.1.3.6.1.2.1.47.1.1.1.1.8.212	OctetString	Ver.B
entPhysicalHardwareRev.213	.1.3.6.1.2.1.47.1.1.1.1.8.213	OctetString	
entPhysicalHardwareRev.216	.1.3.6.1.2.1.47.1.1.1.1.8.216	OctetString	

Name	OID	Value Type	Value Example
entPhysicalHardwareRev.220	.1.3.6.1.2.1.47.1.1.1.1.8.220	OctetString	
entPhysicalHardwareRev.221	.1.3.6.1.2.1.47.1.1.1.1.8.221	OctetString	
entPhysicalHardwareRev.222	.1.3.6.1.2.1.47.1.1.1.1.8.222	OctetString	
entPhysicalHardwareRev.223	.1.3.6.1.2.1.47.1.1.1.1.8.223	OctetString	
entPhysicalHardwareRev.412	.1.3.6.1.2.1.47.1.1.1.1.8.412	OctetString	
entPhysicalHardwareRev.413	.1.3.6.1.2.1.47.1.1.1.1.8.413	OctetString	
entPhysicalHardwareRev.414	.1.3.6.1.2.1.47.1.1.1.1.8.414	OctetString	
entPhysicalHardwareRev.442	.1.3.6.1.2.1.47.1.1.1.1.8.442	OctetString	Ver.B
entPhysicalHardwareRev.472	.1.3.6.1.2.1.47.1.1.1.1.8.472	OctetString	
entPhysicalHardwareRev.473	.1.3.6.1.2.1.47.1.1.1.1.8.473	OctetString	
entPhysicalHardwareRev.474	.1.3.6.1.2.1.47.1.1.1.1.8.474	OctetString	
entPhysicalHardwareRev.475	.1.3.6.1.2.1.47.1.1.1.1.8.475	OctetString	
entPhysicalHardwareRev.476	.1.3.6.1.2.1.47.1.1.1.1.8.476	OctetString	
entPhysicalHardwareRev.477	.1.3.6.1.2.1.47.1.1.1.1.8.477	OctetString	
entPhysicalHardwareRev.478	.1.3.6.1.2.1.47.1.1.1.1.8.478	OctetString	
entPhysicalHardwareRev.479	.1.3.6.1.2.1.47.1.1.1.1.8.479	OctetString	
entPhysicalHardwareRev.480	.1.3.6.1.2.1.47.1.1.1.1.8.480	OctetString	
entPhysicalHardwareRev.481	.1.3.6.1.2.1.47.1.1.1.1.8.481	OctetString	
entPhysicalHardwareRev.482	.1.3.6.1.2.1.47.1.1.1.1.8.482	OctetString	
entPhysicalHardwareRev.483	.1.3.6.1.2.1.47.1.1.1.1.8.483	OctetString	
entPhysicalHardwareRev.484	.1.3.6.1.2.1.47.1.1.1.1.8.484	OctetString	
entPhysicalHardwareRev.485	.1.3.6.1.2.1.47.1.1.1.1.8.485	OctetString	
entPhysicalHardwareRev.486	.1.3.6.1.2.1.47.1.1.1.1.8.486	OctetString	
entPhysicalHardwareRev.487	.1.3.6.1.2.1.47.1.1.1.1.8.487	OctetString	
entPhysicalHardwareRev.488	.1.3.6.1.2.1.47.1.1.1.1.8.488	OctetString	
entPhysicalHardwareRev.489	.1.3.6.1.2.1.47.1.1.1.1.8.489	OctetString	
entPhysicalHardwareRev.490	.1.3.6.1.2.1.47.1.1.1.1.8.490	OctetString	
entPhysicalHardwareRev.491	.1.3.6.1.2.1.47.1.1.1.1.8.491	OctetString	
entPhysicalHardwareRev.492	.1.3.6.1.2.1.47.1.1.1.1.8.492	OctetString	
entPhysicalHardwareRev.493	.1.3.6.1.2.1.47.1.1.1.1.8.493	OctetString	
entPhysicalHardwareRev.494	.1.3.6.1.2.1.47.1.1.1.1.8.494	OctetString	
entPhysicalHardwareRev.495	.1.3.6.1.2.1.47.1.1.1.1.8.495	OctetString	
entPhysicalHardwareRev.496	.1.3.6.1.2.1.47.1.1.1.1.8.496	OctetString	
entPhysicalHardwareRev.497	.1.3.6.1.2.1.47.1.1.1.1.8.497	OctetString	
entPhysicalHardwareRev.498	.1.3.6.1.2.1.47.1.1.1.1.8.498	OctetString	
entPhysicalHardwareRev.499	.1.3.6.1.2.1.47.1.1.1.1.8.499	OctetString	
entPhysicalHardwareRev.2052	.1.3.6.1.2.1.47.1.1.1.1.8.2052	OctetString	
entPhysicalFirmwareRev.1	.1.3.6.1.2.1.47.1.1.1.1.9.1	OctetString	
entPhysicalFirmwareRev.2	.1.3.6.1.2.1.47.1.1.1.1.9.2	OctetString	155
entPhysicalFirmwareRev.12	.1.3.6.1.2.1.47.1.1.1.1.9.12	OctetString	
entPhysicalFirmwareRev.13	.1.3.6.1.2.1.47.1.1.1.1.9.13	OctetString	
entPhysicalFirmwareRev.14	.1.3.6.1.2.1.47.1.1.1.1.9.14	OctetString	
entPhysicalFirmwareRev.15	.1.3.6.1.2.1.47.1.1.1.1.9.15	OctetString	

Name	OID	Value Type	Value Example
entPhysicalFirmwareRev.16	.1.3.6.1.2.1.47.1.1.1.1.9.16	OctetString	
entPhysicalFirmwareRev.17	.1.3.6.1.2.1.47.1.1.1.1.9.17	OctetString	
entPhysicalFirmwareRev.18	.1.3.6.1.2.1.47.1.1.1.1.9.18	OctetString	
entPhysicalFirmwareRev.19	.1.3.6.1.2.1.47.1.1.1.1.9.19	OctetString	
entPhysicalFirmwareRev.20	.1.3.6.1.2.1.47.1.1.1.1.9.20	OctetString	
entPhysicalFirmwareRev.21	.1.3.6.1.2.1.47.1.1.1.1.9.21	OctetString	
entPhysicalFirmwareRev.22	.1.3.6.1.2.1.47.1.1.1.1.9.22	OctetString	
entPhysicalFirmwareRev.23	.1.3.6.1.2.1.47.1.1.1.1.9.23	OctetString	
entPhysicalFirmwareRev.24	.1.3.6.1.2.1.47.1.1.1.1.9.24	OctetString	
entPhysicalFirmwareRev.25	.1.3.6.1.2.1.47.1.1.1.1.9.25	OctetString	
entPhysicalFirmwareRev.26	.1.3.6.1.2.1.47.1.1.1.1.9.26	OctetString	
entPhysicalFirmwareRev.27	.1.3.6.1.2.1.47.1.1.1.1.9.27	OctetString	
entPhysicalFirmwareRev.28	.1.3.6.1.2.1.47.1.1.1.1.9.28	OctetString	
entPhysicalFirmwareRev.29	.1.3.6.1.2.1.47.1.1.1.1.9.29	OctetString	
entPhysicalFirmwareRev.30	.1.3.6.1.2.1.47.1.1.1.1.9.30	OctetString	
entPhysicalFirmwareRev.31	.1.3.6.1.2.1.47.1.1.1.1.9.31	OctetString	
entPhysicalFirmwareRev.212	.1.3.6.1.2.1.47.1.1.1.1.9.212	OctetString	155
entPhysicalFirmwareRev.213	.1.3.6.1.2.1.47.1.1.1.1.9.213	OctetString	
entPhysicalFirmwareRev.216	.1.3.6.1.2.1.47.1.1.1.1.9.216	OctetString	
entPhysicalFirmwareRev.220	.1.3.6.1.2.1.47.1.1.1.1.9.220	OctetString	
entPhysicalFirmwareRev.221	.1.3.6.1.2.1.47.1.1.1.1.9.221	OctetString	
entPhysicalFirmwareRev.222	.1.3.6.1.2.1.47.1.1.1.1.9.222	OctetString	
entPhysicalFirmwareRev.223	.1.3.6.1.2.1.47.1.1.1.1.9.223	OctetString	
entPhysicalFirmwareRev.412	.1.3.6.1.2.1.47.1.1.1.1.9.412	OctetString	
entPhysicalFirmwareRev.413	.1.3.6.1.2.1.47.1.1.1.1.9.413	OctetString	
entPhysicalFirmwareRev.414	.1.3.6.1.2.1.47.1.1.1.1.9.414	OctetString	
entPhysicalFirmwareRev.442	.1.3.6.1.2.1.47.1.1.1.1.9.442	OctetString	
entPhysicalFirmwareRev.472	.1.3.6.1.2.1.47.1.1.1.1.9.472	OctetString	
entPhysicalFirmwareRev.473	.1.3.6.1.2.1.47.1.1.1.1.9.473	OctetString	
entPhysicalFirmwareRev.474	.1.3.6.1.2.1.47.1.1.1.1.9.474	OctetString	
entPhysicalFirmwareRev.475	.1.3.6.1.2.1.47.1.1.1.1.9.475	OctetString	
entPhysicalFirmwareRev.476	.1.3.6.1.2.1.47.1.1.1.1.9.476	OctetString	
entPhysicalFirmwareRev.477	.1.3.6.1.2.1.47.1.1.1.1.9.477	OctetString	
entPhysicalFirmwareRev.478	.1.3.6.1.2.1.47.1.1.1.1.9.478	OctetString	
entPhysicalFirmwareRev.479	.1.3.6.1.2.1.47.1.1.1.1.9.479	OctetString	
entPhysicalFirmwareRev.480	.1.3.6.1.2.1.47.1.1.1.1.9.480	OctetString	
entPhysicalFirmwareRev.481	.1.3.6.1.2.1.47.1.1.1.1.9.481	OctetString	
entPhysicalFirmwareRev.482	.1.3.6.1.2.1.47.1.1.1.1.9.482	OctetString	
entPhysicalFirmwareRev.483	.1.3.6.1.2.1.47.1.1.1.1.9.483	OctetString	
entPhysicalFirmwareRev.484	.1.3.6.1.2.1.47.1.1.1.1.9.484	OctetString	
entPhysicalFirmwareRev.485	.1.3.6.1.2.1.47.1.1.1.1.9.485	OctetString	
entPhysicalFirmwareRev.486	.1.3.6.1.2.1.47.1.1.1.1.9.486	OctetString	
entPhysicalFirmwareRev.487	.1.3.6.1.2.1.47.1.1.1.1.9.487	OctetString	

Name	OID	Value Type	Value Example
entPhysicalFirmwareRev.488	.1.3.6.1.2.1.47.1.1.1.1.9.488	OctetString	
entPhysicalFirmwareRev.489	.1.3.6.1.2.1.47.1.1.1.1.9.489	OctetString	
entPhysicalFirmwareRev.490	.1.3.6.1.2.1.47.1.1.1.1.9.490	OctetString	
entPhysicalFirmwareRev.491	.1.3.6.1.2.1.47.1.1.1.1.9.491	OctetString	
entPhysicalFirmwareRev.492	.1.3.6.1.2.1.47.1.1.1.1.9.492	OctetString	
entPhysicalFirmwareRev.493	.1.3.6.1.2.1.47.1.1.1.1.9.493	OctetString	
entPhysicalFirmwareRev.494	.1.3.6.1.2.1.47.1.1.1.1.9.494	OctetString	
entPhysicalFirmwareRev.495	.1.3.6.1.2.1.47.1.1.1.1.9.495	OctetString	
entPhysicalFirmwareRev.496	.1.3.6.1.2.1.47.1.1.1.1.9.496	OctetString	
entPhysicalFirmwareRev.497	.1.3.6.1.2.1.47.1.1.1.1.9.497	OctetString	
entPhysicalFirmwareRev.498	.1.3.6.1.2.1.47.1.1.1.1.9.498	OctetString	
entPhysicalFirmwareRev.499	.1.3.6.1.2.1.47.1.1.1.1.9.499	OctetString	
entPhysicalFirmwareRev.2052	.1.3.6.1.2.1.47.1.1.1.1.9.2052	OctetString	
entPhysicalSoftwareRev.1	.1.3.6.1.2.1.47.1.1.1.1.10.1	OctetString	
entPhysicalSoftwareRev.2	.1.3.6.1.2.1.47.1.1.1.1.10.2	OctetString	7.1.070 Release 6358P03
entPhysicalSoftwareRev.12	.1.3.6.1.2.1.47.1.1.1.1.10.12	OctetString	
entPhysicalSoftwareRev.13	.1.3.6.1.2.1.47.1.1.1.1.10.13	OctetString	
entPhysicalSoftwareRev.14	.1.3.6.1.2.1.47.1.1.1.1.10.14	OctetString	
entPhysicalSoftwareRev.15	.1.3.6.1.2.1.47.1.1.1.1.10.15	OctetString	
entPhysicalSoftwareRev.16	.1.3.6.1.2.1.47.1.1.1.1.10.16	OctetString	
entPhysicalSoftwareRev.17	.1.3.6.1.2.1.47.1.1.1.1.10.17	OctetString	
entPhysicalSoftwareRev.18	.1.3.6.1.2.1.47.1.1.1.1.10.18	OctetString	
entPhysicalSoftwareRev.19	.1.3.6.1.2.1.47.1.1.1.1.10.19	OctetString	
entPhysicalSoftwareRev.20	.1.3.6.1.2.1.47.1.1.1.1.10.20	OctetString	
entPhysicalSoftwareRev.21	.1.3.6.1.2.1.47.1.1.1.1.10.21	OctetString	
entPhysicalSoftwareRev.22	.1.3.6.1.2.1.47.1.1.1.1.10.22	OctetString	
entPhysicalSoftwareRev.23	.1.3.6.1.2.1.47.1.1.1.1.10.23	OctetString	
entPhysicalSoftwareRev.24	.1.3.6.1.2.1.47.1.1.1.1.10.24	OctetString	
entPhysicalSoftwareRev.25	.1.3.6.1.2.1.47.1.1.1.1.10.25	OctetString	
entPhysicalSoftwareRev.26	.1.3.6.1.2.1.47.1.1.1.1.10.26	OctetString	
entPhysicalSoftwareRev.27	.1.3.6.1.2.1.47.1.1.1.1.10.27	OctetString	
entPhysicalSoftwareRev.28	.1.3.6.1.2.1.47.1.1.1.1.10.28	OctetString	
entPhysicalSoftwareRev.29	.1.3.6.1.2.1.47.1.1.1.1.10.29	OctetString	
entPhysicalSoftwareRev.30	.1.3.6.1.2.1.47.1.1.1.1.10.30	OctetString	
entPhysicalSoftwareRev.31	.1.3.6.1.2.1.47.1.1.1.1.10.31	OctetString	
entPhysicalSoftwareRev.212	.1.3.6.1.2.1.47.1.1.1.1.10.212	OctetString	V600R007B03D097SP03
entPhysicalSoftwareRev.213	.1.3.6.1.2.1.47.1.1.1.1.10.213	OctetString	
entPhysicalSoftwareRev.216	.1.3.6.1.2.1.47.1.1.1.1.10.216	OctetString	
entPhysicalSoftwareRev.220	.1.3.6.1.2.1.47.1.1.1.1.10.220	OctetString	
entPhysicalSoftwareRev.221	.1.3.6.1.2.1.47.1.1.1.1.10.221	OctetString	
entPhysicalSoftwareRev.222	.1.3.6.1.2.1.47.1.1.1.1.10.222	OctetString	
entPhysicalSoftwareRev.223	.1.3.6.1.2.1.47.1.1.1.1.10.223	OctetString	
entPhysicalSoftwareRev.412	.1.3.6.1.2.1.47.1.1.1.1.10.412	OctetString	

Name	OID	Value Type	Value Example
entPhysicalSoftwareRev.413	.1.3.6.1.2.1.47.1.1.1.1.10.413	OctetString	
entPhysicalSoftwareRev.414	.1.3.6.1.2.1.47.1.1.1.1.10.414	OctetString	
entPhysicalSoftwareRev.442	.1.3.6.1.2.1.47.1.1.1.1.10.442	OctetString	
entPhysicalSoftwareRev.472	.1.3.6.1.2.1.47.1.1.1.1.10.472	OctetString	
entPhysicalSoftwareRev.473	.1.3.6.1.2.1.47.1.1.1.1.10.473	OctetString	
entPhysicalSoftwareRev.474	.1.3.6.1.2.1.47.1.1.1.1.10.474	OctetString	
entPhysicalSoftwareRev.475	.1.3.6.1.2.1.47.1.1.1.1.10.475	OctetString	
entPhysicalSoftwareRev.476	.1.3.6.1.2.1.47.1.1.1.1.10.476	OctetString	
entPhysicalSoftwareRev.477	.1.3.6.1.2.1.47.1.1.1.1.10.477	OctetString	
entPhysicalSoftwareRev.478	.1.3.6.1.2.1.47.1.1.1.1.10.478	OctetString	
entPhysicalSoftwareRev.479	.1.3.6.1.2.1.47.1.1.1.1.10.479	OctetString	
entPhysicalSoftwareRev.480	.1.3.6.1.2.1.47.1.1.1.1.10.480	OctetString	
entPhysicalSoftwareRev.481	.1.3.6.1.2.1.47.1.1.1.1.10.481	OctetString	
entPhysicalSoftwareRev.482	.1.3.6.1.2.1.47.1.1.1.1.10.482	OctetString	
entPhysicalSoftwareRev.483	.1.3.6.1.2.1.47.1.1.1.1.10.483	OctetString	
entPhysicalSoftwareRev.484	.1.3.6.1.2.1.47.1.1.1.1.10.484	OctetString	
entPhysicalSoftwareRev.485	.1.3.6.1.2.1.47.1.1.1.1.10.485	OctetString	
entPhysicalSoftwareRev.486	.1.3.6.1.2.1.47.1.1.1.1.10.486	OctetString	
entPhysicalSoftwareRev.487	.1.3.6.1.2.1.47.1.1.1.1.10.487	OctetString	
entPhysicalSoftwareRev.488	.1.3.6.1.2.1.47.1.1.1.1.10.488	OctetString	
entPhysicalSoftwareRev.489	.1.3.6.1.2.1.47.1.1.1.1.10.489	OctetString	
entPhysicalSoftwareRev.490	.1.3.6.1.2.1.47.1.1.1.1.10.490	OctetString	
entPhysicalSoftwareRev.491	.1.3.6.1.2.1.47.1.1.1.1.10.491	OctetString	
entPhysicalSoftwareRev.492	.1.3.6.1.2.1.47.1.1.1.1.10.492	OctetString	
entPhysicalSoftwareRev.493	.1.3.6.1.2.1.47.1.1.1.1.10.493	OctetString	
entPhysicalSoftwareRev.494	.1.3.6.1.2.1.47.1.1.1.1.10.494	OctetString	
entPhysicalSoftwareRev.495	.1.3.6.1.2.1.47.1.1.1.1.10.495	OctetString	
entPhysicalSoftwareRev.496	.1.3.6.1.2.1.47.1.1.1.1.10.496	OctetString	
entPhysicalSoftwareRev.497	.1.3.6.1.2.1.47.1.1.1.1.10.497	OctetString	
entPhysicalSoftwareRev.498	.1.3.6.1.2.1.47.1.1.1.1.10.498	OctetString	
entPhysicalSoftwareRev.499	.1.3.6.1.2.1.47.1.1.1.1.10.499	OctetString	
entPhysicalSoftwareRev.2052	.1.3.6.1.2.1.47.1.1.1.1.10.2052	OctetString	
entPhysicalSerialNum.1	.1.3.6.1.2.1.47.1.1.1.1.11.1	OctetString	
entPhysicalSerialNum.2	.1.3.6.1.2.1.47.1.1.1.1.11.2	OctetString	219801A5XP923BQ0001C
entPhysicalSerialNum.12	.1.3.6.1.2.1.47.1.1.1.1.11.12	OctetString	
entPhysicalSerialNum.13	.1.3.6.1.2.1.47.1.1.1.1.11.13	OctetString	
entPhysicalSerialNum.14	.1.3.6.1.2.1.47.1.1.1.1.11.14	OctetString	
entPhysicalSerialNum.15	.1.3.6.1.2.1.47.1.1.1.1.11.15	OctetString	
entPhysicalSerialNum.16	.1.3.6.1.2.1.47.1.1.1.1.11.16	OctetString	
entPhysicalSerialNum.17	.1.3.6.1.2.1.47.1.1.1.1.11.17	OctetString	
entPhysicalSerialNum.18	.1.3.6.1.2.1.47.1.1.1.1.11.18	OctetString	
entPhysicalSerialNum.19	.1.3.6.1.2.1.47.1.1.1.1.11.19	OctetString	
entPhysicalSerialNum.20	.1.3.6.1.2.1.47.1.1.1.1.11.20	OctetString	

Name	OID	Value Type	Value Example
entPhysicalSerialNum.21	.1.3.6.1.2.1.47.1.1.1.1.11.21	OctetString	
entPhysicalSerialNum.22	.1.3.6.1.2.1.47.1.1.1.1.11.22	OctetString	
entPhysicalSerialNum.23	.1.3.6.1.2.1.47.1.1.1.1.11.23	OctetString	
entPhysicalSerialNum.24	.1.3.6.1.2.1.47.1.1.1.1.11.24	OctetString	
entPhysicalSerialNum.25	.1.3.6.1.2.1.47.1.1.1.1.11.25	OctetString	
entPhysicalSerialNum.26	.1.3.6.1.2.1.47.1.1.1.1.11.26	OctetString	
entPhysicalSerialNum.27	.1.3.6.1.2.1.47.1.1.1.1.11.27	OctetString	
entPhysicalSerialNum.28	.1.3.6.1.2.1.47.1.1.1.1.11.28	OctetString	
entPhysicalSerialNum.29	.1.3.6.1.2.1.47.1.1.1.1.11.29	OctetString	
entPhysicalSerialNum.30	.1.3.6.1.2.1.47.1.1.1.1.11.30	OctetString	
entPhysicalSerialNum.31	.1.3.6.1.2.1.47.1.1.1.1.11.31	OctetString	
entPhysicalSerialNum.212	.1.3.6.1.2.1.47.1.1.1.1.11.212	OctetString	219801A5XP923BQ0001C
entPhysicalSerialNum.213	.1.3.6.1.2.1.47.1.1.1.1.11.213	OctetString	
entPhysicalSerialNum.216	.1.3.6.1.2.1.47.1.1.1.1.11.216	OctetString	
entPhysicalSerialNum.220	.1.3.6.1.2.1.47.1.1.1.1.11.220	OctetString	
entPhysicalSerialNum.221	.1.3.6.1.2.1.47.1.1.1.1.11.221	OctetString	
entPhysicalSerialNum.222	.1.3.6.1.2.1.47.1.1.1.1.11.222	OctetString	
entPhysicalSerialNum.223	.1.3.6.1.2.1.47.1.1.1.1.11.223	OctetString	
entPhysicalSerialNum.412	.1.3.6.1.2.1.47.1.1.1.1.11.412	OctetString	
entPhysicalSerialNum.413	.1.3.6.1.2.1.47.1.1.1.1.11.413	OctetString	
entPhysicalSerialNum.414	.1.3.6.1.2.1.47.1.1.1.1.11.414	OctetString	
entPhysicalSerialNum.442	.1.3.6.1.2.1.47.1.1.1.1.11.442	OctetString	
entPhysicalSerialNum.472	.1.3.6.1.2.1.47.1.1.1.1.11.472	OctetString	
entPhysicalSerialNum.473	.1.3.6.1.2.1.47.1.1.1.1.11.473	OctetString	
entPhysicalSerialNum.474	.1.3.6.1.2.1.47.1.1.1.1.11.474	OctetString	
entPhysicalSerialNum.475	.1.3.6.1.2.1.47.1.1.1.1.11.475	OctetString	
entPhysicalSerialNum.476	.1.3.6.1.2.1.47.1.1.1.1.11.476	OctetString	
entPhysicalSerialNum.477	.1.3.6.1.2.1.47.1.1.1.1.11.477	OctetString	
entPhysicalSerialNum.478	.1.3.6.1.2.1.47.1.1.1.1.11.478	OctetString	
entPhysicalSerialNum.479	.1.3.6.1.2.1.47.1.1.1.1.11.479	OctetString	
entPhysicalSerialNum.480	.1.3.6.1.2.1.47.1.1.1.1.11.480	OctetString	
entPhysicalSerialNum.481	.1.3.6.1.2.1.47.1.1.1.1.11.481	OctetString	
entPhysicalSerialNum.482	.1.3.6.1.2.1.47.1.1.1.1.11.482	OctetString	
entPhysicalSerialNum.483	.1.3.6.1.2.1.47.1.1.1.1.11.483	OctetString	
entPhysicalSerialNum.484	.1.3.6.1.2.1.47.1.1.1.1.11.484	OctetString	
entPhysicalSerialNum.485	.1.3.6.1.2.1.47.1.1.1.1.11.485	OctetString	
entPhysicalSerialNum.486	.1.3.6.1.2.1.47.1.1.1.1.11.486	OctetString	
entPhysicalSerialNum.487	.1.3.6.1.2.1.47.1.1.1.1.11.487	OctetString	
entPhysicalSerialNum.488	.1.3.6.1.2.1.47.1.1.1.1.11.488	OctetString	
entPhysicalSerialNum.489	.1.3.6.1.2.1.47.1.1.1.1.11.489	OctetString	
entPhysicalSerialNum.490	.1.3.6.1.2.1.47.1.1.1.1.11.490	OctetString	
entPhysicalSerialNum.491	.1.3.6.1.2.1.47.1.1.1.1.11.491	OctetString	
entPhysicalSerialNum.492	.1.3.6.1.2.1.47.1.1.1.1.11.492	OctetString	

Name	OID	Value Type	Value Example
entPhysicalSerialNum.493	.1.3.6.1.2.1.47.1.1.1.1.11.493	OctetString	
entPhysicalSerialNum.494	.1.3.6.1.2.1.47.1.1.1.1.11.494	OctetString	
entPhysicalSerialNum.495	.1.3.6.1.2.1.47.1.1.1.1.11.495	OctetString	
entPhysicalSerialNum.496	.1.3.6.1.2.1.47.1.1.1.1.11.496	OctetString	
entPhysicalSerialNum.497	.1.3.6.1.2.1.47.1.1.1.1.11.497	OctetString	
entPhysicalSerialNum.498	.1.3.6.1.2.1.47.1.1.1.1.11.498	OctetString	
entPhysicalSerialNum.499	.1.3.6.1.2.1.47.1.1.1.1.11.499	OctetString	
entPhysicalSerialNum.2052	.1.3.6.1.2.1.47.1.1.1.1.11.2052	OctetString	
entPhysicalMfgName.1	.1.3.6.1.2.1.47.1.1.1.1.12.1	OctetString	INTELBRAS
entPhysicalMfgName.2	.1.3.6.1.2.1.47.1.1.1.1.12.2	OctetString	INTELBRAS
entPhysicalMfgName.12	.1.3.6.1.2.1.47.1.1.1.1.12.12	OctetString	INTELBRAS
entPhysicalMfgName.13	.1.3.6.1.2.1.47.1.1.1.1.12.13	OctetString	INTELBRAS
entPhysicalMfgName.14	.1.3.6.1.2.1.47.1.1.1.1.12.14	OctetString	INTELBRAS
entPhysicalMfgName.15	.1.3.6.1.2.1.47.1.1.1.1.12.15	OctetString	INTELBRAS
entPhysicalMfgName.16	.1.3.6.1.2.1.47.1.1.1.1.12.16	OctetString	INTELBRAS
entPhysicalMfgName.17	.1.3.6.1.2.1.47.1.1.1.1.12.17	OctetString	INTELBRAS
entPhysicalMfgName.18	.1.3.6.1.2.1.47.1.1.1.1.12.18	OctetString	INTELBRAS
entPhysicalMfgName.19	.1.3.6.1.2.1.47.1.1.1.1.12.19	OctetString	INTELBRAS
entPhysicalMfgName.20	.1.3.6.1.2.1.47.1.1.1.1.12.20	OctetString	INTELBRAS
entPhysicalMfgName.21	.1.3.6.1.2.1.47.1.1.1.1.12.21	OctetString	INTELBRAS
entPhysicalMfgName.22	.1.3.6.1.2.1.47.1.1.1.1.12.22	OctetString	INTELBRAS
entPhysicalMfgName.23	.1.3.6.1.2.1.47.1.1.1.1.12.23	OctetString	INTELBRAS
entPhysicalMfgName.24	.1.3.6.1.2.1.47.1.1.1.1.12.24	OctetString	INTELBRAS
entPhysicalMfgName.25	.1.3.6.1.2.1.47.1.1.1.1.12.25	OctetString	INTELBRAS
entPhysicalMfgName.26	.1.3.6.1.2.1.47.1.1.1.1.12.26	OctetString	INTELBRAS
entPhysicalMfgName.27	.1.3.6.1.2.1.47.1.1.1.1.12.27	OctetString	INTELBRAS
entPhysicalMfgName.28	.1.3.6.1.2.1.47.1.1.1.1.12.28	OctetString	INTELBRAS
entPhysicalMfgName.29	.1.3.6.1.2.1.47.1.1.1.1.12.29	OctetString	INTELBRAS
entPhysicalMfgName.30	.1.3.6.1.2.1.47.1.1.1.1.12.30	OctetString	INTELBRAS
entPhysicalMfgName.31	.1.3.6.1.2.1.47.1.1.1.1.12.31	OctetString	INTELBRAS
entPhysicalMfgName.212	.1.3.6.1.2.1.47.1.1.1.1.12.212	OctetString	INTELBRAS
entPhysicalMfgName.213	.1.3.6.1.2.1.47.1.1.1.1.12.213	OctetString	INTELBRAS
entPhysicalMfgName.216	.1.3.6.1.2.1.47.1.1.1.1.12.216	OctetString	INTELBRAS
entPhysicalMfgName.220	.1.3.6.1.2.1.47.1.1.1.1.12.220	OctetString	INTELBRAS
entPhysicalMfgName.221	.1.3.6.1.2.1.47.1.1.1.1.12.221	OctetString	INTELBRAS
entPhysicalMfgName.222	.1.3.6.1.2.1.47.1.1.1.1.12.222	OctetString	INTELBRAS
entPhysicalMfgName.223	.1.3.6.1.2.1.47.1.1.1.1.12.223	OctetString	INTELBRAS
entPhysicalMfgName.412	.1.3.6.1.2.1.47.1.1.1.1.12.412	OctetString	INTELBRAS
entPhysicalMfgName.413	.1.3.6.1.2.1.47.1.1.1.1.12.413	OctetString	INTELBRAS
entPhysicalMfgName.414	.1.3.6.1.2.1.47.1.1.1.1.12.414	OctetString	INTELBRAS
entPhysicalMfgName.442	.1.3.6.1.2.1.47.1.1.1.1.12.442	OctetString	INTELBRAS
entPhysicalMfgName.472	.1.3.6.1.2.1.47.1.1.1.1.12.472	OctetString	INTELBRAS
entPhysicalMfgName.473	.1.3.6.1.2.1.47.1.1.1.1.12.473	OctetString	INTELBRAS

Name	OID	Value Type	Value Example
entPhysicalMfgName.474	.1.3.6.1.2.1.47.1.1.1.1.12.474	OctetString	INTELBRAS
entPhysicalMfgName.475	.1.3.6.1.2.1.47.1.1.1.1.12.475	OctetString	INTELBRAS
entPhysicalMfgName.476	.1.3.6.1.2.1.47.1.1.1.1.12.476	OctetString	INTELBRAS
entPhysicalMfgName.477	.1.3.6.1.2.1.47.1.1.1.1.12.477	OctetString	INTELBRAS
entPhysicalMfgName.478	.1.3.6.1.2.1.47.1.1.1.1.12.478	OctetString	INTELBRAS
entPhysicalMfgName.479	.1.3.6.1.2.1.47.1.1.1.1.12.479	OctetString	INTELBRAS
entPhysicalMfgName.480	.1.3.6.1.2.1.47.1.1.1.1.12.480	OctetString	INTELBRAS
entPhysicalMfgName.481	.1.3.6.1.2.1.47.1.1.1.1.12.481	OctetString	INTELBRAS
entPhysicalMfgName.482	.1.3.6.1.2.1.47.1.1.1.1.12.482	OctetString	INTELBRAS
entPhysicalMfgName.483	.1.3.6.1.2.1.47.1.1.1.1.12.483	OctetString	INTELBRAS
entPhysicalMfgName.484	.1.3.6.1.2.1.47.1.1.1.1.12.484	OctetString	INTELBRAS
entPhysicalMfgName.485	.1.3.6.1.2.1.47.1.1.1.1.12.485	OctetString	INTELBRAS
entPhysicalMfgName.486	.1.3.6.1.2.1.47.1.1.1.1.12.486	OctetString	INTELBRAS
entPhysicalMfgName.487	.1.3.6.1.2.1.47.1.1.1.1.12.487	OctetString	INTELBRAS
entPhysicalMfgName.488	.1.3.6.1.2.1.47.1.1.1.1.12.488	OctetString	INTELBRAS
entPhysicalMfgName.489	.1.3.6.1.2.1.47.1.1.1.1.12.489	OctetString	INTELBRAS
entPhysicalMfgName.490	.1.3.6.1.2.1.47.1.1.1.1.12.490	OctetString	INTELBRAS
entPhysicalMfgName.491	.1.3.6.1.2.1.47.1.1.1.1.12.491	OctetString	INTELBRAS
entPhysicalMfgName.492	.1.3.6.1.2.1.47.1.1.1.1.12.492	OctetString	INTELBRAS
entPhysicalMfgName.493	.1.3.6.1.2.1.47.1.1.1.1.12.493	OctetString	INTELBRAS
entPhysicalMfgName.494	.1.3.6.1.2.1.47.1.1.1.1.12.494	OctetString	INTELBRAS
entPhysicalMfgName.495	.1.3.6.1.2.1.47.1.1.1.1.12.495	OctetString	INTELBRAS
entPhysicalMfgName.496	.1.3.6.1.2.1.47.1.1.1.1.12.496	OctetString	INTELBRAS
entPhysicalMfgName.497	.1.3.6.1.2.1.47.1.1.1.1.12.497	OctetString	INTELBRAS
entPhysicalMfgName.498	.1.3.6.1.2.1.47.1.1.1.1.12.498	OctetString	INTELBRAS
entPhysicalMfgName.499	.1.3.6.1.2.1.47.1.1.1.1.12.499	OctetString	INTELBRAS
entPhysicalMfgName.2052	.1.3.6.1.2.1.47.1.1.1.1.12.2052	OctetString	INTELBRAS
entPhysicalModelName.1	.1.3.6.1.2.1.47.1.1.1.1.13.1	OctetString	
entPhysicalModelName.2	.1.3.6.1.2.1.47.1.1.1.1.13.2	OctetString	INTELBRAS S3328G-B
entPhysicalModelName.12	.1.3.6.1.2.1.47.1.1.1.1.13.12	OctetString	
entPhysicalModelName.13	.1.3.6.1.2.1.47.1.1.1.1.13.13	OctetString	
entPhysicalModelName.14	.1.3.6.1.2.1.47.1.1.1.1.13.14	OctetString	
entPhysicalModelName.15	.1.3.6.1.2.1.47.1.1.1.1.13.15	OctetString	
entPhysicalModelName.16	.1.3.6.1.2.1.47.1.1.1.1.13.16	OctetString	
entPhysicalModelName.17	.1.3.6.1.2.1.47.1.1.1.1.13.17	OctetString	
entPhysicalModelName.18	.1.3.6.1.2.1.47.1.1.1.1.13.18	OctetString	
entPhysicalModelName.19	.1.3.6.1.2.1.47.1.1.1.1.13.19	OctetString	
entPhysicalModelName.20	.1.3.6.1.2.1.47.1.1.1.1.13.20	OctetString	
entPhysicalModelName.21	.1.3.6.1.2.1.47.1.1.1.1.13.21	OctetString	
entPhysicalModelName.22	.1.3.6.1.2.1.47.1.1.1.1.13.22	OctetString	
entPhysicalModelName.23	.1.3.6.1.2.1.47.1.1.1.1.13.23	OctetString	
entPhysicalModelName.24	.1.3.6.1.2.1.47.1.1.1.1.13.24	OctetString	
entPhysicalModelName.25	.1.3.6.1.2.1.47.1.1.1.1.13.25	OctetString	

Name	OID	Value Type	Value Example
entPhysicalModelName.26	.1.3.6.1.2.1.47.1.1.1.1.13.26	OctetString	
entPhysicalModelName.27	.1.3.6.1.2.1.47.1.1.1.1.13.27	OctetString	
entPhysicalModelName.28	.1.3.6.1.2.1.47.1.1.1.1.13.28	OctetString	
entPhysicalModelName.29	.1.3.6.1.2.1.47.1.1.1.1.13.29	OctetString	
entPhysicalModelName.30	.1.3.6.1.2.1.47.1.1.1.1.13.30	OctetString	
entPhysicalModelName.31	.1.3.6.1.2.1.47.1.1.1.1.13.31	OctetString	
entPhysicalModelName.212	.1.3.6.1.2.1.47.1.1.1.1.13.212	OctetString	INTELBRAS S3328G-B
entPhysicalModelName.213	.1.3.6.1.2.1.47.1.1.1.1.13.213	OctetString	
entPhysicalModelName.216	.1.3.6.1.2.1.47.1.1.1.1.13.216	OctetString	
entPhysicalModelName.220	.1.3.6.1.2.1.47.1.1.1.1.13.220	OctetString	
entPhysicalModelName.221	.1.3.6.1.2.1.47.1.1.1.1.13.221	OctetString	
entPhysicalModelName.222	.1.3.6.1.2.1.47.1.1.1.1.13.222	OctetString	
entPhysicalModelName.223	.1.3.6.1.2.1.47.1.1.1.1.13.223	OctetString	
entPhysicalModelName.412	.1.3.6.1.2.1.47.1.1.1.1.13.412	OctetString	
entPhysicalModelName.413	.1.3.6.1.2.1.47.1.1.1.1.13.413	OctetString	
entPhysicalModelName.414	.1.3.6.1.2.1.47.1.1.1.1.13.414	OctetString	
entPhysicalModelName.442	.1.3.6.1.2.1.47.1.1.1.1.13.442	OctetString	
entPhysicalModelName.472	.1.3.6.1.2.1.47.1.1.1.1.13.472	OctetString	
entPhysicalModelName.473	.1.3.6.1.2.1.47.1.1.1.1.13.473	OctetString	
entPhysicalModelName.474	.1.3.6.1.2.1.47.1.1.1.1.13.474	OctetString	
entPhysicalModelName.475	.1.3.6.1.2.1.47.1.1.1.1.13.475	OctetString	
entPhysicalModelName.476	.1.3.6.1.2.1.47.1.1.1.1.13.476	OctetString	
entPhysicalModelName.477	.1.3.6.1.2.1.47.1.1.1.1.13.477	OctetString	
entPhysicalModelName.478	.1.3.6.1.2.1.47.1.1.1.1.13.478	OctetString	
entPhysicalModelName.479	.1.3.6.1.2.1.47.1.1.1.1.13.479	OctetString	
entPhysicalModelName.480	.1.3.6.1.2.1.47.1.1.1.1.13.480	OctetString	
entPhysicalModelName.481	.1.3.6.1.2.1.47.1.1.1.1.13.481	OctetString	
entPhysicalModelName.482	.1.3.6.1.2.1.47.1.1.1.1.13.482	OctetString	
entPhysicalModelName.483	.1.3.6.1.2.1.47.1.1.1.1.13.483	OctetString	
entPhysicalModelName.484	.1.3.6.1.2.1.47.1.1.1.1.13.484	OctetString	
entPhysicalModelName.485	.1.3.6.1.2.1.47.1.1.1.1.13.485	OctetString	
entPhysicalModelName.486	.1.3.6.1.2.1.47.1.1.1.1.13.486	OctetString	
entPhysicalModelName.487	.1.3.6.1.2.1.47.1.1.1.1.13.487	OctetString	
entPhysicalModelName.488	.1.3.6.1.2.1.47.1.1.1.1.13.488	OctetString	
entPhysicalModelName.489	.1.3.6.1.2.1.47.1.1.1.1.13.489	OctetString	
entPhysicalModelName.490	.1.3.6.1.2.1.47.1.1.1.1.13.490	OctetString	
entPhysicalModelName.491	.1.3.6.1.2.1.47.1.1.1.1.13.491	OctetString	
entPhysicalModelName.492	.1.3.6.1.2.1.47.1.1.1.1.13.492	OctetString	
entPhysicalModelName.493	.1.3.6.1.2.1.47.1.1.1.1.13.493	OctetString	
entPhysicalModelName.494	.1.3.6.1.2.1.47.1.1.1.1.13.494	OctetString	
entPhysicalModelName.495	.1.3.6.1.2.1.47.1.1.1.1.13.495	OctetString	
entPhysicalModelName.496	.1.3.6.1.2.1.47.1.1.1.1.13.496	OctetString	
entPhysicalModelName.497	.1.3.6.1.2.1.47.1.1.1.1.13.497	OctetString	

Name	OID	Value Type	Value Example
entPhysicalModelName.498	.1.3.6.1.2.1.47.1.1.1.1.13.498	OctetString	
entPhysicalModelName.499	.1.3.6.1.2.1.47.1.1.1.1.13.499	OctetString	
entPhysicalModelName.2052	.1.3.6.1.2.1.47.1.1.1.1.13.2052	OctetString	
entPhysicalAlias.1	.1.3.6.1.2.1.47.1.1.1.1.14.1	OctetString	
entPhysicalAlias.2	.1.3.6.1.2.1.47.1.1.1.1.14.2	OctetString	
entPhysicalAlias.12	.1.3.6.1.2.1.47.1.1.1.1.14.12	OctetString	
entPhysicalAlias.13	.1.3.6.1.2.1.47.1.1.1.1.14.13	OctetString	
entPhysicalAlias.14	.1.3.6.1.2.1.47.1.1.1.1.14.14	OctetString	
entPhysicalAlias.15	.1.3.6.1.2.1.47.1.1.1.1.14.15	OctetString	
entPhysicalAlias.16	.1.3.6.1.2.1.47.1.1.1.1.14.16	OctetString	
entPhysicalAlias.17	.1.3.6.1.2.1.47.1.1.1.1.14.17	OctetString	
entPhysicalAlias.18	.1.3.6.1.2.1.47.1.1.1.1.14.18	OctetString	
entPhysicalAlias.19	.1.3.6.1.2.1.47.1.1.1.1.14.19	OctetString	
entPhysicalAlias.20	.1.3.6.1.2.1.47.1.1.1.1.14.20	OctetString	
entPhysicalAlias.21	.1.3.6.1.2.1.47.1.1.1.1.14.21	OctetString	
entPhysicalAlias.22	.1.3.6.1.2.1.47.1.1.1.1.14.22	OctetString	
entPhysicalAlias.23	.1.3.6.1.2.1.47.1.1.1.1.14.23	OctetString	
entPhysicalAlias.24	.1.3.6.1.2.1.47.1.1.1.1.14.24	OctetString	
entPhysicalAlias.25	.1.3.6.1.2.1.47.1.1.1.1.14.25	OctetString	
entPhysicalAlias.26	.1.3.6.1.2.1.47.1.1.1.1.14.26	OctetString	
entPhysicalAlias.27	.1.3.6.1.2.1.47.1.1.1.1.14.27	OctetString	
entPhysicalAlias.28	.1.3.6.1.2.1.47.1.1.1.1.14.28	OctetString	
entPhysicalAlias.29	.1.3.6.1.2.1.47.1.1.1.1.14.29	OctetString	
entPhysicalAlias.30	.1.3.6.1.2.1.47.1.1.1.1.14.30	OctetString	
entPhysicalAlias.31	.1.3.6.1.2.1.47.1.1.1.1.14.31	OctetString	
entPhysicalAlias.212	.1.3.6.1.2.1.47.1.1.1.1.14.212	OctetString	
entPhysicalAlias.213	.1.3.6.1.2.1.47.1.1.1.1.14.213	OctetString	
entPhysicalAlias.216	.1.3.6.1.2.1.47.1.1.1.1.14.216	OctetString	
entPhysicalAlias.220	.1.3.6.1.2.1.47.1.1.1.1.14.220	OctetString	
entPhysicalAlias.221	.1.3.6.1.2.1.47.1.1.1.1.14.221	OctetString	
entPhysicalAlias.222	.1.3.6.1.2.1.47.1.1.1.1.14.222	OctetString	
entPhysicalAlias.223	.1.3.6.1.2.1.47.1.1.1.1.14.223	OctetString	
entPhysicalAlias.412	.1.3.6.1.2.1.47.1.1.1.1.14.412	OctetString	
entPhysicalAlias.413	.1.3.6.1.2.1.47.1.1.1.1.14.413	OctetString	
entPhysicalAlias.414	.1.3.6.1.2.1.47.1.1.1.1.14.414	OctetString	
entPhysicalAlias.442	.1.3.6.1.2.1.47.1.1.1.1.14.442	OctetString	
entPhysicalAlias.472	.1.3.6.1.2.1.47.1.1.1.1.14.472	OctetString	
entPhysicalAlias.473	.1.3.6.1.2.1.47.1.1.1.1.14.473	OctetString	
entPhysicalAlias.474	.1.3.6.1.2.1.47.1.1.1.1.14.474	OctetString	
entPhysicalAlias.475	.1.3.6.1.2.1.47.1.1.1.1.14.475	OctetString	
entPhysicalAlias.476	.1.3.6.1.2.1.47.1.1.1.1.14.476	OctetString	
entPhysicalAlias.477	.1.3.6.1.2.1.47.1.1.1.1.14.477	OctetString	
entPhysicalAlias.478	.1.3.6.1.2.1.47.1.1.1.1.14.478	OctetString	

Name	OID	Value Type	Value Example
entPhysicalAlias.479	.1.3.6.1.2.1.47.1.1.1.1.14.479	OctetString	
entPhysicalAlias.480	.1.3.6.1.2.1.47.1.1.1.1.14.480	OctetString	
entPhysicalAlias.481	.1.3.6.1.2.1.47.1.1.1.1.14.481	OctetString	
entPhysicalAlias.482	.1.3.6.1.2.1.47.1.1.1.1.14.482	OctetString	
entPhysicalAlias.483	.1.3.6.1.2.1.47.1.1.1.1.14.483	OctetString	
entPhysicalAlias.484	.1.3.6.1.2.1.47.1.1.1.1.14.484	OctetString	
entPhysicalAlias.485	.1.3.6.1.2.1.47.1.1.1.1.14.485	OctetString	
entPhysicalAlias.486	.1.3.6.1.2.1.47.1.1.1.1.14.486	OctetString	
entPhysicalAlias.487	.1.3.6.1.2.1.47.1.1.1.1.14.487	OctetString	
entPhysicalAlias.488	.1.3.6.1.2.1.47.1.1.1.1.14.488	OctetString	
entPhysicalAlias.489	.1.3.6.1.2.1.47.1.1.1.1.14.489	OctetString	
entPhysicalAlias.490	.1.3.6.1.2.1.47.1.1.1.1.14.490	OctetString	
entPhysicalAlias.491	.1.3.6.1.2.1.47.1.1.1.1.14.491	OctetString	
entPhysicalAlias.492	.1.3.6.1.2.1.47.1.1.1.1.14.492	OctetString	
entPhysicalAlias.493	.1.3.6.1.2.1.47.1.1.1.1.14.493	OctetString	
entPhysicalAlias.494	.1.3.6.1.2.1.47.1.1.1.1.14.494	OctetString	
entPhysicalAlias.495	.1.3.6.1.2.1.47.1.1.1.1.14.495	OctetString	
entPhysicalAlias.496	.1.3.6.1.2.1.47.1.1.1.1.14.496	OctetString	
entPhysicalAlias.497	.1.3.6.1.2.1.47.1.1.1.1.14.497	OctetString	
entPhysicalAlias.498	.1.3.6.1.2.1.47.1.1.1.1.14.498	OctetString	
entPhysicalAlias.499	.1.3.6.1.2.1.47.1.1.1.1.14.499	OctetString	
entPhysicalAlias.2052	.1.3.6.1.2.1.47.1.1.1.1.14.2052	OctetString	
entPhysicalAssetID.1	.1.3.6.1.2.1.47.1.1.1.1.15.1	OctetString	
entPhysicalAssetID.2	.1.3.6.1.2.1.47.1.1.1.1.15.2	OctetString	
entPhysicalAssetID.12	.1.3.6.1.2.1.47.1.1.1.1.15.12	OctetString	
entPhysicalAssetID.13	.1.3.6.1.2.1.47.1.1.1.1.15.13	OctetString	
entPhysicalAssetID.14	.1.3.6.1.2.1.47.1.1.1.1.15.14	OctetString	
entPhysicalAssetID.15	.1.3.6.1.2.1.47.1.1.1.1.15.15	OctetString	
entPhysicalAssetID.16	.1.3.6.1.2.1.47.1.1.1.1.15.16	OctetString	
entPhysicalAssetID.17	.1.3.6.1.2.1.47.1.1.1.1.15.17	OctetString	
entPhysicalAssetID.18	.1.3.6.1.2.1.47.1.1.1.1.15.18	OctetString	
entPhysicalAssetID.19	.1.3.6.1.2.1.47.1.1.1.1.15.19	OctetString	
entPhysicalAssetID.20	.1.3.6.1.2.1.47.1.1.1.1.15.20	OctetString	
entPhysicalAssetID.21	.1.3.6.1.2.1.47.1.1.1.1.15.21	OctetString	
entPhysicalAssetID.22	.1.3.6.1.2.1.47.1.1.1.1.15.22	OctetString	
entPhysicalAssetID.23	.1.3.6.1.2.1.47.1.1.1.1.15.23	OctetString	
entPhysicalAssetID.24	.1.3.6.1.2.1.47.1.1.1.1.15.24	OctetString	
entPhysicalAssetID.25	.1.3.6.1.2.1.47.1.1.1.1.15.25	OctetString	
entPhysicalAssetID.26	.1.3.6.1.2.1.47.1.1.1.1.15.26	OctetString	
entPhysicalAssetID.27	.1.3.6.1.2.1.47.1.1.1.1.15.27	OctetString	
entPhysicalAssetID.28	.1.3.6.1.2.1.47.1.1.1.1.15.28	OctetString	
entPhysicalAssetID.29	.1.3.6.1.2.1.47.1.1.1.1.15.29	OctetString	
entPhysicalAssetID.30	.1.3.6.1.2.1.47.1.1.1.1.15.30	OctetString	

Name	OID	Value Type	Value Example
entPhysicalAssetID.31	.1.3.6.1.2.1.47.1.1.1.1.15.31	OctetString	
entPhysicalAssetID.212	.1.3.6.1.2.1.47.1.1.1.1.15.212	OctetString	
entPhysicalAssetID.213	.1.3.6.1.2.1.47.1.1.1.1.15.213	OctetString	
entPhysicalAssetID.216	.1.3.6.1.2.1.47.1.1.1.1.15.216	OctetString	
entPhysicalAssetID.220	.1.3.6.1.2.1.47.1.1.1.1.15.220	OctetString	
entPhysicalAssetID.221	.1.3.6.1.2.1.47.1.1.1.1.15.221	OctetString	
entPhysicalAssetID.222	.1.3.6.1.2.1.47.1.1.1.1.15.222	OctetString	
entPhysicalAssetID.223	.1.3.6.1.2.1.47.1.1.1.1.15.223	OctetString	
entPhysicalAssetID.412	.1.3.6.1.2.1.47.1.1.1.1.15.412	OctetString	
entPhysicalAssetID.413	.1.3.6.1.2.1.47.1.1.1.1.15.413	OctetString	
entPhysicalAssetID.414	.1.3.6.1.2.1.47.1.1.1.1.15.414	OctetString	
entPhysicalAssetID.442	.1.3.6.1.2.1.47.1.1.1.1.15.442	OctetString	
entPhysicalAssetID.472	.1.3.6.1.2.1.47.1.1.1.1.15.472	OctetString	
entPhysicalAssetID.473	.1.3.6.1.2.1.47.1.1.1.1.15.473	OctetString	
entPhysicalAssetID.474	.1.3.6.1.2.1.47.1.1.1.1.15.474	OctetString	
entPhysicalAssetID.475	.1.3.6.1.2.1.47.1.1.1.1.15.475	OctetString	
entPhysicalAssetID.476	.1.3.6.1.2.1.47.1.1.1.1.15.476	OctetString	
entPhysicalAssetID.477	.1.3.6.1.2.1.47.1.1.1.1.15.477	OctetString	
entPhysicalAssetID.478	.1.3.6.1.2.1.47.1.1.1.1.15.478	OctetString	
entPhysicalAssetID.479	.1.3.6.1.2.1.47.1.1.1.1.15.479	OctetString	
entPhysicalAssetID.480	.1.3.6.1.2.1.47.1.1.1.1.15.480	OctetString	
entPhysicalAssetID.481	.1.3.6.1.2.1.47.1.1.1.1.15.481	OctetString	
entPhysicalAssetID.482	.1.3.6.1.2.1.47.1.1.1.1.15.482	OctetString	
entPhysicalAssetID.483	.1.3.6.1.2.1.47.1.1.1.1.15.483	OctetString	
entPhysicalAssetID.484	.1.3.6.1.2.1.47.1.1.1.1.15.484	OctetString	
entPhysicalAssetID.485	.1.3.6.1.2.1.47.1.1.1.1.15.485	OctetString	
entPhysicalAssetID.486	.1.3.6.1.2.1.47.1.1.1.1.15.486	OctetString	
entPhysicalAssetID.487	.1.3.6.1.2.1.47.1.1.1.1.15.487	OctetString	
entPhysicalAssetID.488	.1.3.6.1.2.1.47.1.1.1.1.15.488	OctetString	
entPhysicalAssetID.489	.1.3.6.1.2.1.47.1.1.1.1.15.489	OctetString	
entPhysicalAssetID.490	.1.3.6.1.2.1.47.1.1.1.1.15.490	OctetString	
entPhysicalAssetID.491	.1.3.6.1.2.1.47.1.1.1.1.15.491	OctetString	
entPhysicalAssetID.492	.1.3.6.1.2.1.47.1.1.1.1.15.492	OctetString	
entPhysicalAssetID.493	.1.3.6.1.2.1.47.1.1.1.1.15.493	OctetString	
entPhysicalAssetID.494	.1.3.6.1.2.1.47.1.1.1.1.15.494	OctetString	
entPhysicalAssetID.495	.1.3.6.1.2.1.47.1.1.1.1.15.495	OctetString	
entPhysicalAssetID.496	.1.3.6.1.2.1.47.1.1.1.1.15.496	OctetString	
entPhysicalAssetID.497	.1.3.6.1.2.1.47.1.1.1.1.15.497	OctetString	
entPhysicalAssetID.498	.1.3.6.1.2.1.47.1.1.1.1.15.498	OctetString	
entPhysicalAssetID.499	.1.3.6.1.2.1.47.1.1.1.1.15.499	OctetString	
entPhysicalAssetID.2052	.1.3.6.1.2.1.47.1.1.1.1.15.2052	OctetString	
entPhysicalIsFRU.1	.1.3.6.1.2.1.47.1.1.1.1.16.1	Integer	false (2)
entPhysicalIsFRU.2	.1.3.6.1.2.1.47.1.1.1.1.16.2	Integer	true (1)

Name	OID	Value Type	Value Example
entPhysicalsFRU.12	.1.3.6.1.2.1.47.1.1.1.1.16.12	Integer	false (2)
entPhysicalsFRU.13	.1.3.6.1.2.1.47.1.1.1.1.16.13	Integer	false (2)
entPhysicalsFRU.14	.1.3.6.1.2.1.47.1.1.1.1.16.14	Integer	false (2)
entPhysicalsFRU.15	.1.3.6.1.2.1.47.1.1.1.1.16.15	Integer	false (2)
entPhysicalsFRU.16	.1.3.6.1.2.1.47.1.1.1.1.16.16	Integer	false (2)
entPhysicalsFRU.17	.1.3.6.1.2.1.47.1.1.1.1.16.17	Integer	false (2)
entPhysicalsFRU.18	.1.3.6.1.2.1.47.1.1.1.1.16.18	Integer	false (2)
entPhysicalsFRU.19	.1.3.6.1.2.1.47.1.1.1.1.16.19	Integer	false (2)
entPhysicalsFRU.20	.1.3.6.1.2.1.47.1.1.1.1.16.20	Integer	false (2)
entPhysicalsFRU.21	.1.3.6.1.2.1.47.1.1.1.1.16.21	Integer	false (2)
entPhysicalsFRU.22	.1.3.6.1.2.1.47.1.1.1.1.16.22	Integer	false (2)
entPhysicalsFRU.23	.1.3.6.1.2.1.47.1.1.1.1.16.23	Integer	false (2)
entPhysicalsFRU.24	.1.3.6.1.2.1.47.1.1.1.1.16.24	Integer	false (2)
entPhysicalsFRU.25	.1.3.6.1.2.1.47.1.1.1.1.16.25	Integer	false (2)
entPhysicalsFRU.26	.1.3.6.1.2.1.47.1.1.1.1.16.26	Integer	false (2)
entPhysicalsFRU.27	.1.3.6.1.2.1.47.1.1.1.1.16.27	Integer	false (2)
entPhysicalsFRU.28	.1.3.6.1.2.1.47.1.1.1.1.16.28	Integer	false (2)
entPhysicalsFRU.29	.1.3.6.1.2.1.47.1.1.1.1.16.29	Integer	false (2)
entPhysicalsFRU.30	.1.3.6.1.2.1.47.1.1.1.1.16.30	Integer	false (2)
entPhysicalsFRU.31	.1.3.6.1.2.1.47.1.1.1.1.16.31	Integer	false (2)
entPhysicalsFRU.212	.1.3.6.1.2.1.47.1.1.1.1.16.212	Integer	false (2)
entPhysicalsFRU.213	.1.3.6.1.2.1.47.1.1.1.1.16.213	Integer	false (2)
entPhysicalsFRU.220	.1.3.6.1.2.1.47.1.1.1.1.16.220	Integer	false (2)
entPhysicalsFRU.221	.1.3.6.1.2.1.47.1.1.1.1.16.221	Integer	false (2)
entPhysicalsFRU.222	.1.3.6.1.2.1.47.1.1.1.1.16.222	Integer	false (2)
entPhysicalsFRU.223	.1.3.6.1.2.1.47.1.1.1.1.16.223	Integer	false (2)
entPhysicalsFRU.412	.1.3.6.1.2.1.47.1.1.1.1.16.412	Integer	false (2)
entPhysicalsFRU.413	.1.3.6.1.2.1.47.1.1.1.1.16.413	Integer	false (2)
entPhysicalsFRU.414	.1.3.6.1.2.1.47.1.1.1.1.16.414	Integer	false (2)
entPhysicalsFRU.442	.1.3.6.1.2.1.47.1.1.1.1.16.442	Integer	true (1)
entPhysicalsFRU.472	.1.3.6.1.2.1.47.1.1.1.1.16.472	Integer	false (2)
entPhysicalsFRU.473	.1.3.6.1.2.1.47.1.1.1.1.16.473	Integer	false (2)
entPhysicalsFRU.474	.1.3.6.1.2.1.47.1.1.1.1.16.474	Integer	false (2)
entPhysicalsFRU.475	.1.3.6.1.2.1.47.1.1.1.1.16.475	Integer	false (2)
entPhysicalsFRU.476	.1.3.6.1.2.1.47.1.1.1.1.16.476	Integer	false (2)
entPhysicalsFRU.477	.1.3.6.1.2.1.47.1.1.1.1.16.477	Integer	false (2)
entPhysicalsFRU.478	.1.3.6.1.2.1.47.1.1.1.1.16.478	Integer	false (2)
entPhysicalsFRU.479	.1.3.6.1.2.1.47.1.1.1.1.16.479	Integer	false (2)
entPhysicalsFRU.480	.1.3.6.1.2.1.47.1.1.1.1.16.480	Integer	false (2)
entPhysicalsFRU.481	.1.3.6.1.2.1.47.1.1.1.1.16.481	Integer	false (2)
entPhysicalsFRU.482	.1.3.6.1.2.1.47.1.1.1.1.16.482	Integer	false (2)
entPhysicalsFRU.483	.1.3.6.1.2.1.47.1.1.1.1.16.483	Integer	false (2)
entPhysicalsFRU.484	.1.3.6.1.2.1.47.1.1.1.1.16.484	Integer	false (2)

Name	OID	Value Type	Value Example
entPhysicalIsFRU.485	.1.3.6.1.2.1.47.1.1.1.1.16.485	Integer	false (2)
entPhysicalIsFRU.486	.1.3.6.1.2.1.47.1.1.1.1.16.486	Integer	false (2)
entPhysicalIsFRU.487	.1.3.6.1.2.1.47.1.1.1.1.16.487	Integer	false (2)
entPhysicalIsFRU.488	.1.3.6.1.2.1.47.1.1.1.1.16.488	Integer	false (2)
entPhysicalIsFRU.489	.1.3.6.1.2.1.47.1.1.1.1.16.489	Integer	false (2)
entPhysicalIsFRU.490	.1.3.6.1.2.1.47.1.1.1.1.16.490	Integer	false (2)
entPhysicalIsFRU.491	.1.3.6.1.2.1.47.1.1.1.1.16.491	Integer	false (2)
entPhysicalIsFRU.492	.1.3.6.1.2.1.47.1.1.1.1.16.492	Integer	false (2)
entPhysicalIsFRU.493	.1.3.6.1.2.1.47.1.1.1.1.16.493	Integer	false (2)
entPhysicalIsFRU.494	.1.3.6.1.2.1.47.1.1.1.1.16.494	Integer	false (2)
entPhysicalIsFRU.495	.1.3.6.1.2.1.47.1.1.1.1.16.495	Integer	false (2)
entPhysicalIsFRU.496	.1.3.6.1.2.1.47.1.1.1.1.16.496	Integer	true (1)
entPhysicalIsFRU.497	.1.3.6.1.2.1.47.1.1.1.1.16.497	Integer	true (1)
entPhysicalIsFRU.498	.1.3.6.1.2.1.47.1.1.1.1.16.498	Integer	true (1)
entPhysicalIsFRU.499	.1.3.6.1.2.1.47.1.1.1.1.16.499	Integer	true (1)
entPhysicalIsFRU.2052	.1.3.6.1.2.1.47.1.1.1.1.16.2052	Integer	false (2)
entPhysicalMfgDate.1	.1.3.6.1.2.1.47.1.1.1.1.17.1	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.2	.1.3.6.1.2.1.47.1.1.1.1.17.2	OctetString	2023-11-28,0:0:0.0
entPhysicalMfgDate.12	.1.3.6.1.2.1.47.1.1.1.1.17.12	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.13	.1.3.6.1.2.1.47.1.1.1.1.17.13	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.14	.1.3.6.1.2.1.47.1.1.1.1.17.14	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.15	.1.3.6.1.2.1.47.1.1.1.1.17.15	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.16	.1.3.6.1.2.1.47.1.1.1.1.17.16	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.17	.1.3.6.1.2.1.47.1.1.1.1.17.17	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.18	.1.3.6.1.2.1.47.1.1.1.1.17.18	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.19	.1.3.6.1.2.1.47.1.1.1.1.17.19	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.20	.1.3.6.1.2.1.47.1.1.1.1.17.20	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.21	.1.3.6.1.2.1.47.1.1.1.1.17.21	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.22	.1.3.6.1.2.1.47.1.1.1.1.17.22	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.23	.1.3.6.1.2.1.47.1.1.1.1.17.23	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.24	.1.3.6.1.2.1.47.1.1.1.1.17.24	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.25	.1.3.6.1.2.1.47.1.1.1.1.17.25	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.26	.1.3.6.1.2.1.47.1.1.1.1.17.26	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.27	.1.3.6.1.2.1.47.1.1.1.1.17.27	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.28	.1.3.6.1.2.1.47.1.1.1.1.17.28	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.29	.1.3.6.1.2.1.47.1.1.1.1.17.29	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.30	.1.3.6.1.2.1.47.1.1.1.1.17.30	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.31	.1.3.6.1.2.1.47.1.1.1.1.17.31	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.212	.1.3.6.1.2.1.47.1.1.1.1.17.212	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.213	.1.3.6.1.2.1.47.1.1.1.1.17.213	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.216	.1.3.6.1.2.1.47.1.1.1.1.17.216	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.220	.1.3.6.1.2.1.47.1.1.1.1.17.220	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.221	.1.3.6.1.2.1.47.1.1.1.1.17.221	OctetString	0-0-0,0:0:0.0

Name	OID	Value Type	Value Example
entPhysicalMfgDate.222	.1.3.6.1.2.1.47.1.1.1.1.17.222	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.223	.1.3.6.1.2.1.47.1.1.1.1.17.223	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.412	.1.3.6.1.2.1.47.1.1.1.1.17.412	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.413	.1.3.6.1.2.1.47.1.1.1.1.17.413	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.414	.1.3.6.1.2.1.47.1.1.1.1.17.414	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.442	.1.3.6.1.2.1.47.1.1.1.1.17.442	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.472	.1.3.6.1.2.1.47.1.1.1.1.17.472	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.473	.1.3.6.1.2.1.47.1.1.1.1.17.473	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.474	.1.3.6.1.2.1.47.1.1.1.1.17.474	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.475	.1.3.6.1.2.1.47.1.1.1.1.17.475	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.476	.1.3.6.1.2.1.47.1.1.1.1.17.476	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.477	.1.3.6.1.2.1.47.1.1.1.1.17.477	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.478	.1.3.6.1.2.1.47.1.1.1.1.17.478	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.479	.1.3.6.1.2.1.47.1.1.1.1.17.479	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.480	.1.3.6.1.2.1.47.1.1.1.1.17.480	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.481	.1.3.6.1.2.1.47.1.1.1.1.17.481	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.482	.1.3.6.1.2.1.47.1.1.1.1.17.482	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.483	.1.3.6.1.2.1.47.1.1.1.1.17.483	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.484	.1.3.6.1.2.1.47.1.1.1.1.17.484	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.485	.1.3.6.1.2.1.47.1.1.1.1.17.485	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.486	.1.3.6.1.2.1.47.1.1.1.1.17.486	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.487	.1.3.6.1.2.1.47.1.1.1.1.17.487	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.488	.1.3.6.1.2.1.47.1.1.1.1.17.488	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.489	.1.3.6.1.2.1.47.1.1.1.1.17.489	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.490	.1.3.6.1.2.1.47.1.1.1.1.17.490	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.491	.1.3.6.1.2.1.47.1.1.1.1.17.491	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.492	.1.3.6.1.2.1.47.1.1.1.1.17.492	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.493	.1.3.6.1.2.1.47.1.1.1.1.17.493	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.494	.1.3.6.1.2.1.47.1.1.1.1.17.494	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.495	.1.3.6.1.2.1.47.1.1.1.1.17.495	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.496	.1.3.6.1.2.1.47.1.1.1.1.17.496	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.497	.1.3.6.1.2.1.47.1.1.1.1.17.497	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.498	.1.3.6.1.2.1.47.1.1.1.1.17.498	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.499	.1.3.6.1.2.1.47.1.1.1.1.17.499	OctetString	0-0-0,0:0:0.0
entPhysicalMfgDate.2052	.1.3.6.1.2.1.47.1.1.1.1.17.2052	OctetString	0-0-0,0:0:0.0
entPhysicalUri.1	.1.3.6.1.2.1.47.1.1.1.1.18.1	OctetString	
entPhysicalUri.2	.1.3.6.1.2.1.47.1.1.1.1.18.2	OctetString	NONE
entPhysicalUri.12	.1.3.6.1.2.1.47.1.1.1.1.18.12	OctetString	
entPhysicalUri.13	.1.3.6.1.2.1.47.1.1.1.1.18.13	OctetString	
entPhysicalUri.14	.1.3.6.1.2.1.47.1.1.1.1.18.14	OctetString	
entPhysicalUri.15	.1.3.6.1.2.1.47.1.1.1.1.18.15	OctetString	
entPhysicalUri.16	.1.3.6.1.2.1.47.1.1.1.1.18.16	OctetString	
entPhysicalUri.17	.1.3.6.1.2.1.47.1.1.1.1.18.17	OctetString	

Name	OID	Value Type	Value Example
entPhysicalUris.18	.1.3.6.1.2.1.47.1.1.1.1.18.18	OctetString	
entPhysicalUris.19	.1.3.6.1.2.1.47.1.1.1.1.18.19	OctetString	
entPhysicalUris.20	.1.3.6.1.2.1.47.1.1.1.1.18.20	OctetString	
entPhysicalUris.21	.1.3.6.1.2.1.47.1.1.1.1.18.21	OctetString	
entPhysicalUris.22	.1.3.6.1.2.1.47.1.1.1.1.18.22	OctetString	
entPhysicalUris.23	.1.3.6.1.2.1.47.1.1.1.1.18.23	OctetString	
entPhysicalUris.24	.1.3.6.1.2.1.47.1.1.1.1.18.24	OctetString	
entPhysicalUris.25	.1.3.6.1.2.1.47.1.1.1.1.18.25	OctetString	
entPhysicalUris.26	.1.3.6.1.2.1.47.1.1.1.1.18.26	OctetString	
entPhysicalUris.27	.1.3.6.1.2.1.47.1.1.1.1.18.27	OctetString	
entPhysicalUris.28	.1.3.6.1.2.1.47.1.1.1.1.18.28	OctetString	
entPhysicalUris.29	.1.3.6.1.2.1.47.1.1.1.1.18.29	OctetString	
entPhysicalUris.30	.1.3.6.1.2.1.47.1.1.1.1.18.30	OctetString	
entPhysicalUris.31	.1.3.6.1.2.1.47.1.1.1.1.18.31	OctetString	
entPhysicalUris.212	.1.3.6.1.2.1.47.1.1.1.1.18.212	OctetString	
entPhysicalUris.213	.1.3.6.1.2.1.47.1.1.1.1.18.213	OctetString	
entPhysicalUris.216	.1.3.6.1.2.1.47.1.1.1.1.18.216	OctetString	
entPhysicalUris.220	.1.3.6.1.2.1.47.1.1.1.1.18.220	OctetString	
entPhysicalUris.221	.1.3.6.1.2.1.47.1.1.1.1.18.221	OctetString	
entPhysicalUris.222	.1.3.6.1.2.1.47.1.1.1.1.18.222	OctetString	
entPhysicalUris.223	.1.3.6.1.2.1.47.1.1.1.1.18.223	OctetString	
entPhysicalUris.412	.1.3.6.1.2.1.47.1.1.1.1.18.412	OctetString	
entPhysicalUris.413	.1.3.6.1.2.1.47.1.1.1.1.18.413	OctetString	
entPhysicalUris.414	.1.3.6.1.2.1.47.1.1.1.1.18.414	OctetString	
entPhysicalUris.442	.1.3.6.1.2.1.47.1.1.1.1.18.442	OctetString	
entPhysicalUris.472	.1.3.6.1.2.1.47.1.1.1.1.18.472	OctetString	
entPhysicalUris.473	.1.3.6.1.2.1.47.1.1.1.1.18.473	OctetString	
entPhysicalUris.474	.1.3.6.1.2.1.47.1.1.1.1.18.474	OctetString	
entPhysicalUris.475	.1.3.6.1.2.1.47.1.1.1.1.18.475	OctetString	
entPhysicalUris.476	.1.3.6.1.2.1.47.1.1.1.1.18.476	OctetString	
entPhysicalUris.477	.1.3.6.1.2.1.47.1.1.1.1.18.477	OctetString	
entPhysicalUris.478	.1.3.6.1.2.1.47.1.1.1.1.18.478	OctetString	
entPhysicalUris.479	.1.3.6.1.2.1.47.1.1.1.1.18.479	OctetString	
entPhysicalUris.480	.1.3.6.1.2.1.47.1.1.1.1.18.480	OctetString	
entPhysicalUris.481	.1.3.6.1.2.1.47.1.1.1.1.18.481	OctetString	
entPhysicalUris.482	.1.3.6.1.2.1.47.1.1.1.1.18.482	OctetString	
entPhysicalUris.483	.1.3.6.1.2.1.47.1.1.1.1.18.483	OctetString	
entPhysicalUris.484	.1.3.6.1.2.1.47.1.1.1.1.18.484	OctetString	
entPhysicalUris.485	.1.3.6.1.2.1.47.1.1.1.1.18.485	OctetString	
entPhysicalUris.486	.1.3.6.1.2.1.47.1.1.1.1.18.486	OctetString	
entPhysicalUris.487	.1.3.6.1.2.1.47.1.1.1.1.18.487	OctetString	
entPhysicalUris.488	.1.3.6.1.2.1.47.1.1.1.1.18.488	OctetString	
entPhysicalUris.489	.1.3.6.1.2.1.47.1.1.1.1.18.489	OctetString	

Name	OID	Value Type	Value Example
entPhysicalUris.490	.1.3.6.1.2.1.47.1.1.1.1.18.490	OctetString	
entPhysicalUris.491	.1.3.6.1.2.1.47.1.1.1.1.18.491	OctetString	
entPhysicalUris.492	.1.3.6.1.2.1.47.1.1.1.1.18.492	OctetString	
entPhysicalUris.493	.1.3.6.1.2.1.47.1.1.1.1.18.493	OctetString	
entPhysicalUris.494	.1.3.6.1.2.1.47.1.1.1.1.18.494	OctetString	
entPhysicalUris.495	.1.3.6.1.2.1.47.1.1.1.1.18.495	OctetString	
entPhysicalUris.496	.1.3.6.1.2.1.47.1.1.1.1.18.496	OctetString	
entPhysicalUris.497	.1.3.6.1.2.1.47.1.1.1.1.18.497	OctetString	
entPhysicalUris.498	.1.3.6.1.2.1.47.1.1.1.1.18.498	OctetString	
entPhysicalUris.499	.1.3.6.1.2.1.47.1.1.1.1.18.499	OctetString	
entPhysicalUris.2052	.1.3.6.1.2.1.47.1.1.1.1.18.2052	OctetString	
entAliasMappingIdentifier.472.0	.1.3.6.1.2.1.47.1.3.2.1.2.472.0	OID	ifIndex.1
entAliasMappingIdentifier.473.0	.1.3.6.1.2.1.47.1.3.2.1.2.473.0	OID	ifIndex.2
entAliasMappingIdentifier.474.0	.1.3.6.1.2.1.47.1.3.2.1.2.474.0	OID	ifIndex.3
entAliasMappingIdentifier.475.0	.1.3.6.1.2.1.47.1.3.2.1.2.475.0	OID	ifIndex.4
entAliasMappingIdentifier.476.0	.1.3.6.1.2.1.47.1.3.2.1.2.476.0	OID	ifIndex.5
entAliasMappingIdentifier.477.0	.1.3.6.1.2.1.47.1.3.2.1.2.477.0	OID	ifIndex.6
entAliasMappingIdentifier.478.0	.1.3.6.1.2.1.47.1.3.2.1.2.478.0	OID	ifIndex.7
entAliasMappingIdentifier.479.0	.1.3.6.1.2.1.47.1.3.2.1.2.479.0	OID	ifIndex.8
entAliasMappingIdentifier.480.0	.1.3.6.1.2.1.47.1.3.2.1.2.480.0	OID	ifIndex.9
entAliasMappingIdentifier.481.0	.1.3.6.1.2.1.47.1.3.2.1.2.481.0	OID	ifIndex.10
entAliasMappingIdentifier.482.0	.1.3.6.1.2.1.47.1.3.2.1.2.482.0	OID	ifIndex.11
entAliasMappingIdentifier.483.0	.1.3.6.1.2.1.47.1.3.2.1.2.483.0	OID	ifIndex.12
entAliasMappingIdentifier.484.0	.1.3.6.1.2.1.47.1.3.2.1.2.484.0	OID	ifIndex.13
entAliasMappingIdentifier.485.0	.1.3.6.1.2.1.47.1.3.2.1.2.485.0	OID	ifIndex.14
entAliasMappingIdentifier.486.0	.1.3.6.1.2.1.47.1.3.2.1.2.486.0	OID	ifIndex.15
entAliasMappingIdentifier.487.0	.1.3.6.1.2.1.47.1.3.2.1.2.487.0	OID	ifIndex.16
entAliasMappingIdentifier.488.0	.1.3.6.1.2.1.47.1.3.2.1.2.488.0	OID	ifIndex.17
entAliasMappingIdentifier.489.0	.1.3.6.1.2.1.47.1.3.2.1.2.489.0	OID	ifIndex.18
entAliasMappingIdentifier.490.0	.1.3.6.1.2.1.47.1.3.2.1.2.490.0	OID	ifIndex.19

Name	OID	Value Type	Value Example
entAliasMappingIdentifier.491.0	.1.3.6.1.2.1.47.1.3.2.1.2.491.0	OID	ifIndex.20
entAliasMappingIdentifier.492.0	.1.3.6.1.2.1.47.1.3.2.1.2.492.0	OID	ifIndex.21
entAliasMappingIdentifier.493.0	.1.3.6.1.2.1.47.1.3.2.1.2.493.0	OID	ifIndex.22
entAliasMappingIdentifier.494.0	.1.3.6.1.2.1.47.1.3.2.1.2.494.0	OID	ifIndex.23
entAliasMappingIdentifier.495.0	.1.3.6.1.2.1.47.1.3.2.1.2.495.0	OID	ifIndex.24
entAliasMappingIdentifier.496.0	.1.3.6.1.2.1.47.1.3.2.1.2.496.0	OID	ifIndex.25
entAliasMappingIdentifier.497.0	.1.3.6.1.2.1.47.1.3.2.1.2.497.0	OID	ifIndex.26
entAliasMappingIdentifier.498.0	.1.3.6.1.2.1.47.1.3.2.1.2.498.0	OID	ifIndex.27
entAliasMappingIdentifier.499.0	.1.3.6.1.2.1.47.1.3.2.1.2.499.0	OID	ifIndex.28
entPhysicalChildIndex.1.2	.1.3.6.1.2.1.47.1.3.3.1.1.1.2	Integer	2
entPhysicalChildIndex.2.12	.1.3.6.1.2.1.47.1.3.3.1.1.2.12	Integer	12
entPhysicalChildIndex.2.13	.1.3.6.1.2.1.47.1.3.3.1.1.2.13	Integer	13
entPhysicalChildIndex.2.14	.1.3.6.1.2.1.47.1.3.3.1.1.2.14	Integer	14
entPhysicalChildIndex.2.15	.1.3.6.1.2.1.47.1.3.3.1.1.2.15	Integer	15
entPhysicalChildIndex.2.16	.1.3.6.1.2.1.47.1.3.3.1.1.2.16	Integer	16
entPhysicalChildIndex.2.17	.1.3.6.1.2.1.47.1.3.3.1.1.2.17	Integer	17
entPhysicalChildIndex.2.18	.1.3.6.1.2.1.47.1.3.3.1.1.2.18	Integer	18
entPhysicalChildIndex.2.19	.1.3.6.1.2.1.47.1.3.3.1.1.2.19	Integer	19
entPhysicalChildIndex.2.20	.1.3.6.1.2.1.47.1.3.3.1.1.2.20	Integer	20
entPhysicalChildIndex.2.21	.1.3.6.1.2.1.47.1.3.3.1.1.2.21	Integer	21
entPhysicalChildIndex.2.22	.1.3.6.1.2.1.47.1.3.3.1.1.2.22	Integer	22
entPhysicalChildIndex.2.23	.1.3.6.1.2.1.47.1.3.3.1.1.2.23	Integer	23
entPhysicalChildIndex.2.24	.1.3.6.1.2.1.47.1.3.3.1.1.2.24	Integer	24
entPhysicalChildIndex.2.25	.1.3.6.1.2.1.47.1.3.3.1.1.2.25	Integer	25
entPhysicalChildIndex.2.26	.1.3.6.1.2.1.47.1.3.3.1.1.2.26	Integer	26
entPhysicalChildIndex.2.27	.1.3.6.1.2.1.47.1.3.3.1.1.2.27	Integer	27
entPhysicalChildIndex.2.28	.1.3.6.1.2.1.47.1.3.3.1.1.2.28	Integer	28
entPhysicalChildIndex.2.29	.1.3.6.1.2.1.47.1.3.3.1.1.2.29	Integer	29
entPhysicalChildIndex.2.30	.1.3.6.1.2.1.47.1.3.3.1.1.2.30	Integer	30
entPhysicalChildIndex.2.31	.1.3.6.1.2.1.47.1.3.3.1.1.2.31	Integer	31
entPhysicalChildIndex.12.212	.1.3.6.1.2.1.47.1.3.3.1.1.12.212	Integer	212
entPhysicalChildIndex.13.213	.1.3.6.1.2.1.47.1.3.3.1.1.13.213	Integer	213
entPhysicalChildIndex.16.216	.1.3.6.1.2.1.47.1.3.3.1.1.16.216	Integer	216
entPhysicalChildIndex.20.220	.1.3.6.1.2.1.47.1.3.3.1.1.20.220	Integer	220
entPhysicalChildIndex.21.221	.1.3.6.1.2.1.47.1.3.3.1.1.21.221	Integer	221
entPhysicalChildIndex.22.222	.1.3.6.1.2.1.47.1.3.3.1.1.22.222	Integer	222
entPhysicalChildIndex.23.223	.1.3.6.1.2.1.47.1.3.3.1.1.23.223	Integer	223

Name	OID	Value Type	Value Example
entPhysicalChildIndex.212.412	.1.3.6.1.2.1.47.1.3.3.1.1.212.412	Integer	412
entPhysicalChildIndex.212.413	.1.3.6.1.2.1.47.1.3.3.1.1.212.413	Integer	413
entPhysicalChildIndex.212.414	.1.3.6.1.2.1.47.1.3.3.1.1.212.414	Integer	414
entPhysicalChildIndex.412.442	.1.3.6.1.2.1.47.1.3.3.1.1.412.442	Integer	442
entPhysicalChildIndex.442.472	.1.3.6.1.2.1.47.1.3.3.1.1.442.472	Integer	472
entPhysicalChildIndex.442.473	.1.3.6.1.2.1.47.1.3.3.1.1.442.473	Integer	473
entPhysicalChildIndex.442.474	.1.3.6.1.2.1.47.1.3.3.1.1.442.474	Integer	474
entPhysicalChildIndex.442.475	.1.3.6.1.2.1.47.1.3.3.1.1.442.475	Integer	475
entPhysicalChildIndex.442.476	.1.3.6.1.2.1.47.1.3.3.1.1.442.476	Integer	476
entPhysicalChildIndex.442.477	.1.3.6.1.2.1.47.1.3.3.1.1.442.477	Integer	477
entPhysicalChildIndex.442.478	.1.3.6.1.2.1.47.1.3.3.1.1.442.478	Integer	478
entPhysicalChildIndex.442.479	.1.3.6.1.2.1.47.1.3.3.1.1.442.479	Integer	479
entPhysicalChildIndex.442.480	.1.3.6.1.2.1.47.1.3.3.1.1.442.480	Integer	480
entPhysicalChildIndex.442.481	.1.3.6.1.2.1.47.1.3.3.1.1.442.481	Integer	481
entPhysicalChildIndex.442.482	.1.3.6.1.2.1.47.1.3.3.1.1.442.482	Integer	482
entPhysicalChildIndex.442.483	.1.3.6.1.2.1.47.1.3.3.1.1.442.483	Integer	483
entPhysicalChildIndex.442.484	.1.3.6.1.2.1.47.1.3.3.1.1.442.484	Integer	484
entPhysicalChildIndex.442.485	.1.3.6.1.2.1.47.1.3.3.1.1.442.485	Integer	485
entPhysicalChildIndex.442.486	.1.3.6.1.2.1.47.1.3.3.1.1.442.486	Integer	486
entPhysicalChildIndex.442.487	.1.3.6.1.2.1.47.1.3.3.1.1.442.487	Integer	487
entPhysicalChildIndex.442.488	.1.3.6.1.2.1.47.1.3.3.1.1.442.488	Integer	488
entPhysicalChildIndex.442.489	.1.3.6.1.2.1.47.1.3.3.1.1.442.489	Integer	489
entPhysicalChildIndex.442.490	.1.3.6.1.2.1.47.1.3.3.1.1.442.490	Integer	490
entPhysicalChildIndex.442.491	.1.3.6.1.2.1.47.1.3.3.1.1.442.491	Integer	491
entPhysicalChildIndex.442.492	.1.3.6.1.2.1.47.1.3.3.1.1.442.492	Integer	492

Name	OID	Value Type	Value Example
ipv6Route-NextHop.255.0.0.0.0.0.0.0.0.0.0.0.8.536870913	.1.3.6.1.2.1.55.1.11.1.5.255.0.0.0.0.0.0.0.0.0.0.8.536870913	OctetString	0x00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
ipv6RouteType.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.1.128.536870912	.1.3.6.1.2.1.55.1.11.1.6.0.0.0.0.0.0.0.0.0.0.0.1.128.536870912	Integer	local (3)
ipv6RouteType.254.128.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.10.536870914	.1.3.6.1.2.1.55.1.11.1.6.254.128.0.0.0.0.0.0.0.0.0.0.10.536870914	Integer	local (3)
ipv6RouteType.255.0.0.0.0.0.0.0.0.0.0.0.8.536870913	.1.3.6.1.2.1.55.1.11.1.6.255.0.0.0.0.0.0.0.0.0.0.8.536870913	Integer	discard (2)
ipv6RouteProtocol.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.1.128.536870912	.1.3.6.1.2.1.55.1.11.1.7.0.0.0.0.0.0.0.0.0.0.0.1.128.536870912	Integer	local (2)
ipv6RouteProtocol.254.128.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.10.536870914	.1.3.6.1.2.1.55.1.11.1.7.254.128.0.0.0.0.0.0.0.0.0.0.10.536870914	Integer	local (2)
ipv6RouteProtocol.255.0.0.0.0.0.0.0.0.0.0.0.8.536870913	.1.3.6.1.2.1.55.1.11.1.7.255.0.0.0.0.0.0.0.0.0.0.8.536870913	Integer	local (2)
ipv6RoutePolicy.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.1.128.536870912	.1.3.6.1.2.1.55.1.11.1.8.0.0.0.0.0.0.0.0.0.0.0.1.128.536870912	Integer	0
ipv6RoutePolicy.254.128.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.10.536870914	.1.3.6.1.2.1.55.1.11.1.8.254.128.0.0.0.0.0.0.0.0.0.0.10.536870914	Integer	0
ipv6RoutePolicy.255.0.0.0.0.0.0.0.0.0.0.0.8.536870913	.1.3.6.1.2.1.55.1.11.1.8.255.0.0.0.0.0.0.0.0.0.0.8.536870913	Integer	0
ipv6RouteAge.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.1.128.536870912	.1.3.6.1.2.1.55.1.11.1.9.0.0.0.0.0.0.0.0.0.0.0.1.128.536870912	Gauge	1226626
ipv6RouteAge.254.128.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.10.536870914	.1.3.6.1.2.1.55.1.11.1.9.254.128.0.0.0.0.0.0.0.0.0.0.10.536870914	Gauge	1226626
ipv6RouteAge.255.0.0.0.0.0.0.0.0.0.0.0.8.536870913	.1.3.6.1.2.1.55.1.11.1.9.255.0.0.0.0.0.0.0.0.0.0.8.536870913	Gauge	1226626
ipv6RouteNextHopRDI.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.1.128.536870912	.1.3.6.1.2.1.55.1.11.1.10.0.0.0.0.0.0.0.0.0.0.0.1.128.536870912	Gauge	0
ipv6RouteNextHopRDI.254.128.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.10.536870914	.1.3.6.1.2.1.55.1.11.1.10.254.128.0.0.0.0.0.0.0.0.0.0.10.536870914	Gauge	0
ipv6RouteNextHopRDI.255.0.0.0.0.0.0.0.0.0.0.0.8.536870913	.1.3.6.1.2.1.55.1.11.1.10.255.0.0.0.0.0.0.0.0.0.0.8.536870913	Gauge	0

Name	OID	Value Type	Value Example
ipv6IfIcmpInNeighborSol- icits.635	.1.3.6.1.2.1.56.1.1.1.12.635	Counter32	0
ipv6IfIcmpInNeighborAdverti- semen ts.635	.1.3.6.1.2.1.56.1.1.1.13.635	Counter32	0
ipv6IfIcmpInRedirects.635	.1.3.6.1.2.1.56.1.1.1.14.635	Counter32	0
ipv6IfIcmpInGroupMembQue- ries.635	.1.3.6.1.2.1.56.1.1.1.15.635	Counter32	0
ipv6IfIcmpInGroupMembRes- ponses.6 35	.1.3.6.1.2.1.56.1.1.1.16.635	Counter32	0
ipv6IfIcmpInGroupMembRe- ductions. 635	.1.3.6.1.2.1.56.1.1.1.17.635	Counter32	0
ipv6IfIcmpOutMsgs.635	.1.3.6.1.2.1.56.1.1.1.18.635	Counter32	0
ipv6IfIcmpOutErrors.635	.1.3.6.1.2.1.56.1.1.1.19.635	Counter32	0
ipv6IfIcmpOutDestUnrea- chs.635	.1.3.6.1.2.1.56.1.1.1.20.635	Counter32	0
ipv6IfIcmpOutAdmin- Prohibs.635	.1.3.6.1.2.1.56.1.1.1.21.635	Counter32	0
ipv6IfIcmpOutTimeExcds.635	.1.3.6.1.2.1.56.1.1.1.22.635	Counter32	0
ipv6IfIcmpOutParmPro- blems.635	.1.3.6.1.2.1.56.1.1.1.23.635	Counter32	0
ipv6IfIcmpOutPktTooBigs.635	.1.3.6.1.2.1.56.1.1.1.24.635	Counter32	0
ipv6IfIcmpOutEchos.635	.1.3.6.1.2.1.56.1.1.1.25.635	Counter32	0
ipv6IfIcmpOutEchoReplies.635	.1.3.6.1.2.1.56.1.1.1.26.635	Counter32	0
ipv6IfIcmpOutRouterSol- icits.635	.1.3.6.1.2.1.56.1.1.1.27.635	Counter32	0
ipv6IfIcmpOutRouterAdvertise- ment s.635	.1.3.6.1.2.1.56.1.1.1.28.635	Counter32	0
ipv6IfIcmpOutNeighborSol- icits.63 5	.1.3.6.1.2.1.56.1.1.1.29.635	Counter32	0
ipv6IfIcmpOutNeighborAdverti- seme nts.635	.1.3.6.1.2.1.56.1.1.1.30.635	Counter32	0
ipv6IfIcmpOutRedirects.635	.1.3.6.1.2.1.56.1.1.1.31.635	Counter32	0
ipv6IfIcmpOutGroupMemb- Queries.63 5	.1.3.6.1.2.1.56.1.1.1.32.635	Counter32	0
ipv6IfIcmpOutGroupMem- bResponses. 635	.1.3.6.1.2.1.56.1.1.1.33.635	Counter32	0
ipv6IfIcmpOutGroupMembRe- ductions .635	.1.3.6.1.2.1.56.1.1.1.34.635	Counter32	0
radiusAuthClientInvalidServe- rAdd resses.0	.1.3.6.1.2.1.67.1.2.1.1.1.0	Counter32	0
radiusAuthClientIdentifier.0	.1.3.6.1.2.1.67.1.2.1.1.2.0	OctetString	INTELBRAS

Name	OID	Value Type	Value Example
radiusAccClientInvalidServerAddreses.0	.1.3.6.1.2.1.67.2.2.1.1.1.0	Counter32	0
radiusAccClientIdentifier.0	.1.3.6.1.2.1.67.2.2.1.1.2.0	OctetString	INTELBRAS
ibSysLocalClock.0	.1.3.6.1.4.1.26138.2.3.1.1.1.0	OctetString	2013-1-15,4:44:41.0,+0:0
ibSysSummerTimeEnable.0	.1.3.6.1.4.1.26138.2.3.1.1.2.1.0	Integer	disable (2)
ibSysSummerTimeZone.0	.1.3.6.1.4.1.26138.2.3.1.1.2.2.0	OctetString	
ibSysSummerTimeMethod.0	.1.3.6.1.4.1.26138.2.3.1.1.2.3.0	Integer	repeating (2)
ibSysSummerTimeStart.0	.1.3.6.1.4.1.26138.2.3.1.1.2.4.0	OctetString	0-0-0,0:0:0.0
ibSysSummerTimeEnd.0	.1.3.6.1.4.1.26138.2.3.1.1.2.5.0	OctetString	0-0-0,0:0:0.0
ibSysSummerTimeOffset.0	.1.3.6.1.4.1.26138.2.3.1.1.2.6.0	Integer	0
ibSysLocalClockString.0	.1.3.6.1.4.1.26138.2.3.1.1.3.0	OctetString	2013-1-15T4:44:41.0Z
ibSysClockProtocol.0	.1.3.6.1.4.1.26138.2.3.1.1.4.1.0	Integer	ntp (2)
ibSysClockProtocolSrcMdc.0	.1.3.6.1.4.1.26138.2.3.1.1.4.2.0	Integer	0
ibSysClockProtocolSrcContext.0	.1.3.6.1.4.1.26138.2.3.1.1.4.3.0	Integer	0
ibSysCurCFGFileIndex.212	.1.3.6.1.4.1.26138.2.3.1.2.1.1.2.212	Integer	13893633
ibSysReloadSchedule.0	.1.3.6.1.4.1.26138.2.3.1.3.1.0	Integer	0
ibSysReloadAction.0	.1.3.6.1.4.1.26138.2.3.1.3.2.0	Integer	reloadUnavailable (1)
ibSysReloadEntity.13893632	.1.3.6.1.4.1.26138.2.3.1.3.3.1.2.13893632	Integer	212
ibSysReloadCfgFile.13893632	.1.3.6.1.4.1.26138.2.3.1.3.3.1.3.13893632	Integer	0
ibSysReloadReason.13893632	.1.3.6.1.4.1.26138.2.3.1.3.3.1.5.13893632	OctetString	Upgrade
ibSysReloadScheduleTime.13893632	.1.3.6.1.4.1.26138.2.3.1.3.3.1.6.13893632	OctetString	2013-1-1,0:1:5.0
ibSysReloadRowStatus.13893632	.1.3.6.1.4.1.26138.2.3.1.3.3.1.7.13893632	Integer	active (1)
ibSysReloadScheduleTagList.13893632	.1.3.6.1.4.1.26138.2.3.1.3.3.1.8.13893632	OctetString	Network-SuperVisor
ibSysReloadTag.0	.1.3.6.1.4.1.26138.2.3.1.3.4.0	OctetString	Network-SuperVisor
ibSysCFGFileNum.0	.1.3.6.1.4.1.26138.2.3.1.5.1.0	Integer	1
ibSysCFGFileName.13893634	.1.3.6.1.4.1.26138.2.3.1.5.2.1.2.13893634	OctetString	startup.cfg
ibSysCFGFileSize.13893634	.1.3.6.1.4.1.26138.2.3.1.5.2.1.3.13893634	Integer	4200
ibSysCFGFileLocation.13893634	.1.3.6.1.4.1.26138.2.3.1.5.2.1.4.13893634	OctetString	flash:/
ibSysBtmLoadMaxNumber.0	.1.3.6.1.4.1.26138.2.3.1.6.1.1.0	Integer	4
ibSysPackageNum.0	.1.3.6.1.4.1.26138.2.3.1.7.1.1.0	Integer	2
ibSysPackageName.13893633	.1.3.6.1.4.1.26138.2.3.1.7.2.1.2.13893633	OctetString	s3300g-ibos710-boot-r6358p03.bin
ibSysPackageName.13893634	.1.3.6.1.4.1.26138.2.3.1.7.2.1.2.13893634	OctetString	s3300g-ibos710-system-r6358p03.bin

Name	OID	Value Type	Value Example
ibSysPackageSize.13893633	.1.3.6.1.4.1.26138.2.3.1.7.2.1.3.13893633	Gauge	6174720
ibSysPackageSize.13893634	.1.3.6.1.4.1.26138.2.3.1.7.2.1.3.13893634	Gauge	58086400
ibSysPackageLocation.13893633	.1.3.6.1.4.1.26138.2.3.1.7.2.1.4.13893633	OctetString	flash:/
ibSysPackageLocation.13893634	.1.3.6.1.4.1.26138.2.3.1.7.2.1.4.13893634	OctetString	flash:/
ibSysPackageType.13893633	.1.3.6.1.4.1.26138.2.3.1.7.2.1.5.13893633	Integer	boot (1)
ibSysPackageType.13893634	.1.3.6.1.4.1.26138.2.3.1.7.2.1.5.13893634	Integer	system (2)
ibSysPackageAttribute.13893633	.1.3.6.1.4.1.26138.2.3.1.7.2.1.6.13893633	Integer	primary (2)
ibSysPackageAttribute.13893634	.1.3.6.1.4.1.26138.2.3.1.7.2.1.6.13893634	Integer	primary (2)
ibSysPackageStatus.13893633	.1.3.6.1.4.1.26138.2.3.1.7.2.1.7.13893633	Integer	active (1)
ibSysPackageStatus.13893634	.1.3.6.1.4.1.26138.2.3.1.7.2.1.7.13893634	Integer	active (1)
ibSysPackageDescription.13893633	.1.3.6.1.4.1.26138.2.3.1.7.2.1.8.13893633	OctetString	boot package
ibSysPackageDescription.13893634	.1.3.6.1.4.1.26138.2.3.1.7.2.1.8.13893634	OctetString	system package
ibSysPackageFeature.13893633	.1.3.6.1.4.1.26138.2.3.1.7.2.1.9.13893633	OctetString	boot
ibSysPackageFeature.13893634	.1.3.6.1.4.1.26138.2.3.1.7.2.1.9.13893634	OctetString	system
ibSysPackageVersion.13893633	.1.3.6.1.4.1.26138.2.3.1.7.2.1.1.0.13893633	OctetString	Release 6358P03
ibSysPackageVersion.13893634	.1.3.6.1.4.1.26138.2.3.1.7.2.1.1.0.13893634	OctetString	Release 6358P03
ibSysPackageLoadAttribute.13893633	.1.3.6.1.4.1.26138.2.3.1.7.2.1.1.1.13893633	Integer	none (1)
ibSysPackageLoadAttribute.13893634	.1.3.6.1.4.1.26138.2.3.1.7.2.1.1.1.13893634	Integer	none (1)
ibSysPackageModel.13893633	.1.3.6.1.4.1.26138.2.3.1.7.2.1.1.2.13893633	OctetString	mpu
ibSysPackageModel.13893634	.1.3.6.1.4.1.26138.2.3.1.7.2.1.1.2.13893634	OctetString	mpu
ibSysPackageOperateEntryLimit.0	.1.3.6.1.4.1.26138.2.3.1.7.3.0	Integer	32
ibSysIpeFileNum.0	.1.3.6.1.4.1.26138.2.3.1.8.1.0	Integer	0
ibSysSetBootImageAction.0	.1.3.6.1.4.1.26138.2.3.1.9.1.1.0	Integer	none (1)
ibSysSetBootImageFileOverWrite.0	.1.3.6.1.4.1.26138.2.3.1.9.1.2.0	Integer	false (2)
ibSysSetBootImageRemoveIpeFile.0	.1.3.6.1.4.1.26138.2.3.1.9.1.3.0	Integer	false (2)
ibSysSetBootImageStatus.0	.1.3.6.1.4.1.26138.2.3.1.9.1.4.0	Integer	none (1)

Name	OID	Value Type	Value Example
ibSysSetBootImageFailedReason.0	.1.3.6.1.4.1.26138.2.3.1.9.1.5.0	OctetString	
ibCfgRunModifiedLast.0	.1.3.6.1.4.1.26138.2.4.1.1.1.0	TimeTicks	340 hours 44 minutes 31.34 seconds (122667134)
ibCfgRunSavedLast.0	.1.3.6.1.4.1.26138.2.4.1.1.2.0	TimeTicks	340 hours 44 minutes 36.33 seconds (122667633)
ibCfgStartModifiedLast.0	.1.3.6.1.4.1.26138.2.4.1.1.3.0	TimeTicks	340 hours 44 minutes 36.58 seconds (122667658)
ibCfgLogLimitedEntries.0	.1.3.6.1.4.1.26138.2.4.1.1.4.0	Integer	10
ibCfgLogDeletedEntries.0	.1.3.6.1.4.1.26138.2.4.1.1.5.0	Counter32	0
ibCfgLogWantBackup.0	.1.3.6.1.4.1.26138.2.4.1.1.6.0	Integer	true (1)
ibCfgLogTime.1	.1.3.6.1.4.1.26138.2.4.1.1.7.1.2.1	TimeTicks	340 hours 44 minutes 36.58 seconds (122667658)
ibCfgLogSrcCmd.1	.1.3.6.1.4.1.26138.2.4.1.1.7.1.3.1	Integer	cmdLine (1)
ibCfgLogSrcData.1	.1.3.6.1.4.1.26138.2.4.1.1.7.1.4.1	Integer	runningData (2)
ibCfgLogDesData.1	.1.3.6.1.4.1.26138.2.4.1.1.7.1.5.1	Integer	startupData (4)
ibCfgLogTerminalType.1	.1.3.6.1.4.1.26138.2.4.1.1.7.1.6.1	Integer	virtual (5)
ibCfgLogTerminalUser.1	.1.3.6.1.4.1.26138.2.4.1.1.7.1.7.1	OctetString	admin
ibCfgLogTerminalNum.1	.1.3.6.1.4.1.26138.2.4.1.1.7.1.8.1	Integer	0
ibCfgLogTerminalLocation.1	.1.3.6.1.4.1.26138.2.4.1.1.7.1.9.1	OctetString	VTY
ibCfgLogCmdSrcAddress.1	.1.3.6.1.4.1.26138.2.4.1.1.7.1.10.1	IpAddress	10.100.65.183
ibCfgLogVirHost.1	.1.3.6.1.4.1.26138.2.4.1.1.7.1.11.1	OctetString	
ibCfgLogUserName.1	.1.3.6.1.4.1.26138.2.4.1.1.7.1.12.1	OctetString	
ibCfgLogServerAddress.1	.1.3.6.1.4.1.26138.2.4.1.1.7.1.13.1	IpAddress	0.0.0.0
ibCfgLogFile.1	.1.3.6.1.4.1.26138.2.4.1.1.7.1.14.1	OctetString	
ibCfgOperateGlobalEntryLimit.0	.1.3.6.1.4.1.26138.2.4.1.2.1.0	Integer	5
ibCfgOperateEntryAgeOutTime.0	.1.3.6.1.4.1.26138.2.4.1.2.2.0	Integer	5
ibCfgOperateResultGlobalEntryLimit.0	.1.3.6.1.4.1.26138.2.4.1.2.3.0	Integer	5
ibCfgExecuteOperateResultEntryLimit.0	.1.3.6.1.4.1.26138.2.4.1.2.6.1.0	Integer	5
ibCfgReset.0	.1.3.6.1.4.1.26138.2.4.1.2.7.0	Integer	normal (1)
ibFlhSupportNum.0	.1.3.6.1.4.1.26138.2.5.1.1.1.0	Integer	32

Name	OID	Value Type	Value Example
ibFlhIndex.13893633	.1.3.6.1.4.1.26138.2.5.1.1.2.1.1.13893633	Integer	13893633
ibFlhSize.13893633	.1.3.6.1.4.1.26138.2.5.1.1.2.1.2.13893633	Integer	257949696
ibFlhName.13893633	.1.3.6.1.4.1.26138.2.5.1.1.2.1.4.13893633	OctetString	flash:
ibFlhKbyteSize.13893633	.1.3.6.1.4.1.26138.2.5.1.1.2.1.1.5.13893633	Integer	251904
ibFlhPartSpace.13893633.1	.1.3.6.1.4.1.26138.2.5.1.1.4.1.1.4.13893633.1	Integer	257949696
ibFlhPartSpace-Free.13893633.1	.1.3.6.1.4.1.26138.2.5.1.1.4.1.1.5.13893633.1	Gauge	189927424
ibFlhPartStatus.13893633.1	.1.3.6.1.4.1.26138.2.5.1.1.4.1.1.8.13893633.1	Integer	readWrite (3)
ibFlhPartName.13893633.1	.1.3.6.1.4.1.26138.2.5.1.1.4.1.1.10.13893633.1	OctetString	flash:
ibFlhPartBootable.13893633.1	.1.3.6.1.4.1.26138.2.5.1.1.4.1.1.13.13893633.1	Integer	true (1)
ibFlhPartPathForGlobalOpt.13893633.1	.1.3.6.1.4.1.26138.2.5.1.1.4.1.1.14.13893633.1	Integer	true (1)
ibFlhFileName.13893633.1.1	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.13893633.1.1	OctetString	flash:/startup.mdb
ibFlhFileName.13893633.1.2	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.13893633.1.2	OctetString	flash:/startup.cfg
ibFlhFileName.13893633.1.3	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.13893633.1.3	OctetString	flash:/ifindex.dat
ibFlhFileName.13893633.1.4	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.13893633.1.4	OctetString	flash:/snmpboots
ibFlhFileName.13893633.1.5	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.13893633.1.5	OctetString	flash:/defaultfile.zip
ibFlhFileName.13893633.1.6	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.13893633.1.6	OctetString	flash:/versionInfo
ibFlhFileName.13893633.1.7	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.13893633.1.7	OctetString	flash:/versionInfo/version0.dat
ibFlhFileName.13893633.1.8	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.13893633.1.8	OctetString	flash:/versionInfo/versionCtl-.dat
ibFlhFileName.13893633.1.9	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.13893633.1.9	OctetString	flash:/pki
ibFlhFileName.13893633.1.10	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.13893633.1.10	OctetString	flash:/pki/https-server.p12
ibFlhFileName.13893633.1.11	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.13893633.1.11	OctetString	flash:/seclog
ibFlhFileName.13893633.1.12	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.13893633.1.12	OctetString	flash:/diagfile
ibFlhFileName.13893633.1.13	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.13893633.1.13	OctetString	flash:/logfile
ibFlhFileName.13893633.1.14	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.13893633.1.14	OctetString	flash:/logfile/logfile.log
ibFlhFileName.13893633.1.15	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1.1.2.13893633.1.15	OctetString	flash:/logfile/SysInfo_reboot

Name	OID	Value Type	Value Example
ibFlhFileName.13893633.1.16	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.2.13893633.1.16	OctetString	flash:/license
ibFlhFileName.13893633.1.17	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.2.13893633.1.17	OctetString	flash:/license/219801A5XP923BQ0001C.- did
ibFlhFileName.13893633.1.18	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.2.13893633.1.18	OctetString	flash:/license/history
ibFlhFileName.13893633.1.19	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.2.13893633.1.19	OctetString	flash:/license/history/DeviceID_20130101000017.did
ibFlhFileName.13893633.1.20	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.2.13893633.1.20	OctetString	flash:/s3300g-ibos710-boot- r6358p03.bin
ibFlhFileName.13893633.1.21	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.2.13893633.1.21	OctetString	flash:/s3300g-ibos710-system- r6358p03.bin
ibFlhFileSize.13893633.1.1	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.3.13893633.1.1	Integer	216292
ibFlhFileSize.13893633.1.2	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.3.13893633.1.2	Integer	4200
ibFlhFileSize.13893633.1.3	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.3.13893633.1.3	Integer	827
ibFlhFileSize.13893633.1.4	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.3.13893633.1.4	Integer	20
ibFlhFileSize.13893633.1.5	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.3.13893633.1.5	Integer	1189574
ibFlhFileSize.13893633.1.6	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.3.13893633.1.6	Integer	2048
ibFlhFileSize.13893633.1.7	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.3.13893633.1.7	Integer	536
ibFlhFileSize.13893633.1.8	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.3.13893633.1.8	Integer	8
ibFlhFileSize.13893633.1.9	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.3.13893633.1.9	Integer	2048
ibFlhFileSize.13893633.1.10	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.3.13893633.1.10	Integer	3230
ibFlhFileSize.13893633.1.11	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.3.13893633.1.11	Integer	2048
ibFlhFileSize.13893633.1.12	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.3.13893633.1.12	Integer	2048
ibFlhFileSize.13893633.1.13	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.3.13893633.1.13	Integer	2048
ibFlhFileSize.13893633.1.14	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.3.13893633.1.14	Integer	984949
ibFlhFileSize.13893633.1.15	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.3.13893633.1.15	Integer	249704
ibFlhFileSize.13893633.1.16	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.3.13893633.1.16	Integer	2048
ibFlhFileSize.13893633.1.17	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.3.13893633.1.17	Integer	1005
ibFlhFileSize.13893633.1.18	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.3.13893633.1.18	Integer	2048
ibFlhFileSize.13893633.1.19	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.3.13893633.1.19	Integer	1005

Name	OID	Value Type	Value Example
ibFlhFileSize.13893633.1.20	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.3.13893633.1.20	Integer	6174720
ibFlhFileSize.13893633.1.21	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.3.13893633.1.21	Integer	58086400
ibFlhFileStatus.13893633.1.1	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.4.13893633.1.1	Integer	valid (3)
ibFlhFileStatus.13893633.1.2	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.4.13893633.1.2	Integer	valid (3)
ibFlhFileStatus.13893633.1.3	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.4.13893633.1.3	Integer	valid (3)
ibFlhFileStatus.13893633.1.4	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.4.13893633.1.4	Integer	valid (3)
ibFlhFileStatus.13893633.1.5	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.4.13893633.1.5	Integer	valid (3)
ibFlhFileStatus.13893633.1.6	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.4.13893633.1.6	Integer	valid (3)
ibFlhFileStatus.13893633.1.7	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.4.13893633.1.7	Integer	valid (3)
ibFlhFileStatus.13893633.1.8	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.4.13893633.1.8	Integer	valid (3)
ibFlhFileStatus.13893633.1.9	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.4.13893633.1.9	Integer	valid (3)
ibFlhFileStatus.13893633.1.10	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.4.13893633.1.10	Integer	valid (3)
ibFlhFileStatus.13893633.1.11	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.4.13893633.1.11	Integer	valid (3)
ibFlhFileStatus.13893633.1.12	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.4.13893633.1.12	Integer	valid (3)
ibFlhFileStatus.13893633.1.13	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.4.13893633.1.13	Integer	valid (3)
ibFlhFileStatus.13893633.1.14	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.4.13893633.1.14	Integer	valid (3)
ibFlhFileStatus.13893633.1.15	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.4.13893633.1.15	Integer	valid (3)
ibFlhFileStatus.13893633.1.16	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.4.13893633.1.16	Integer	valid (3)
ibFlhFileStatus.13893633.1.17	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.4.13893633.1.17	Integer	valid (3)
ibFlhFileStatus.13893633.1.18	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.4.13893633.1.18	Integer	valid (3)
ibFlhFileStatus.13893633.1.19	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.4.13893633.1.19	Integer	valid (3)
ibFlhFileStatus.13893633.1.20	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.4.13893633.1.20	Integer	valid (3)
ibFlhFileStatus.13893633.1.21	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.4.13893633.1.21	Integer	valid (3)
ibFlhFileType.13893633.1.1	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.7.13893633.1.1	Integer	file (1)
ibFlhFileType.13893633.1.2	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.7.13893633.1.2	Integer	file (1)

Name	OID	Value Type	Value Example
ibFlhFileType.13893633.1.3	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.7.13893633.1.3	Integer	file (1)
ibFlhFileType.13893633.1.4	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.7.13893633.1.4	Integer	file (1)
ibFlhFileType.13893633.1.5	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.7.13893633.1.5	Integer	file (1)
ibFlhFileType.13893633.1.6	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.7.13893633.1.6	Integer	directory (2)
ibFlhFileType.13893633.1.7	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.7.13893633.1.7	Integer	file (1)
ibFlhFileType.13893633.1.8	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.7.13893633.1.8	Integer	file (1)
ibFlhFileType.13893633.1.9	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.7.13893633.1.9	Integer	directory (2)
ibFlhFileType.13893633.1.10	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.7.13893633.1.10	Integer	file (1)
ibFlhFileType.13893633.1.11	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.7.13893633.1.11	Integer	directory (2)
ibFlhFileType.13893633.1.12	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.7.13893633.1.12	Integer	directory (2)
ibFlhFileType.13893633.1.13	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.7.13893633.1.13	Integer	directory (2)
ibFlhFileType.13893633.1.14	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.7.13893633.1.14	Integer	file (1)
ibFlhFileType.13893633.1.15	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.7.13893633.1.15	Integer	file (1)
ibFlhFileType.13893633.1.16	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.7.13893633.1.16	Integer	directory (2)
ibFlhFileType.13893633.1.17	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.7.13893633.1.17	Integer	file (1)
ibFlhFileType.13893633.1.18	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.7.13893633.1.18	Integer	directory (2)
ibFlhFileType.13893633.1.19	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.7.13893633.1.19	Integer	file (1)
ibFlhFileType.13893633.1.20	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.7.13893633.1.20	Integer	file (1)
ibFlhFileType.13893633.1.21	.1.3.6.1.4.1.26138.2.5.1.1.4.2.1 .1.7.13893633.1.21	Integer	file (1)
ibEntityExtAdminStatus.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 .1	Integer	notSupported (1)
ibEntityExtAdminStatus.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 .2	Integer	notSupported (1)
ibEntityExtAdminStatus.12	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 .12	Integer	notSupported (1)
ibEntityExtAdminStatus.13	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 .13	Integer	notSupported (1)
ibEntityExtAdminStatus.14	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 .14	Integer	notSupported (1)
ibEntityExtAdminStatus.15	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 .15	Integer	notSupported (1)

Name	OID	Value Type	Value Example
ibEntityExtAdminStatus.16	.1.3.6.1.4.1.26138.2.6.1.1.1.2.16	Integer	notSupported (1)
ibEntityExtAdminStatus.17	.1.3.6.1.4.1.26138.2.6.1.1.1.2.17	Integer	notSupported (1)
ibEntityExtAdminStatus.18	.1.3.6.1.4.1.26138.2.6.1.1.1.2.18	Integer	notSupported (1)
ibEntityExtAdminStatus.19	.1.3.6.1.4.1.26138.2.6.1.1.1.2.19	Integer	notSupported (1)
ibEntityExtAdminStatus.20	.1.3.6.1.4.1.26138.2.6.1.1.1.2.20	Integer	notSupported (1)
ibEntityExtAdminStatus.21	.1.3.6.1.4.1.26138.2.6.1.1.1.2.21	Integer	notSupported (1)
ibEntityExtAdminStatus.22	.1.3.6.1.4.1.26138.2.6.1.1.1.2.22	Integer	notSupported (1)
ibEntityExtAdminStatus.23	.1.3.6.1.4.1.26138.2.6.1.1.1.2.23	Integer	notSupported (1)
ibEntityExtAdminStatus.24	.1.3.6.1.4.1.26138.2.6.1.1.1.2.24	Integer	notSupported (1)
ibEntityExtAdminStatus.25	.1.3.6.1.4.1.26138.2.6.1.1.1.2.25	Integer	notSupported (1)
ibEntityExtAdminStatus.26	.1.3.6.1.4.1.26138.2.6.1.1.1.2.26	Integer	notSupported (1)
ibEntityExtAdminStatus.27	.1.3.6.1.4.1.26138.2.6.1.1.1.2.27	Integer	notSupported (1)
ibEntityExtAdminStatus.28	.1.3.6.1.4.1.26138.2.6.1.1.1.2.28	Integer	notSupported (1)
ibEntityExtAdminStatus.29	.1.3.6.1.4.1.26138.2.6.1.1.1.2.29	Integer	notSupported (1)
ibEntityExtAdminStatus.30	.1.3.6.1.4.1.26138.2.6.1.1.1.2.30	Integer	notSupported (1)
ibEntityExtAdminStatus.31	.1.3.6.1.4.1.26138.2.6.1.1.1.2.31	Integer	notSupported (1)
ibEntityExtAdminStatus.212	.1.3.6.1.4.1.26138.2.6.1.1.1.2.212	Integer	notSupported (1)
ibEntityExtAdminStatus.213	.1.3.6.1.4.1.26138.2.6.1.1.1.2.213	Integer	notSupported (1)
ibEntityExtAdminStatus.216	.1.3.6.1.4.1.26138.2.6.1.1.1.2.216	Integer	notSupported (1)
ibEntityExtAdminStatus.220	.1.3.6.1.4.1.26138.2.6.1.1.1.2.220	Integer	notSupported (1)
ibEntityExtAdminStatus.221	.1.3.6.1.4.1.26138.2.6.1.1.1.2.221	Integer	notSupported (1)
ibEntityExtAdminStatus.222	.1.3.6.1.4.1.26138.2.6.1.1.1.2.222	Integer	notSupported (1)
ibEntityExtAdminStatus.223	.1.3.6.1.4.1.26138.2.6.1.1.1.2.223	Integer	notSupported (1)
ibEntityExtAdminStatus.412	.1.3.6.1.4.1.26138.2.6.1.1.1.2.412	Integer	notSupported (1)
ibEntityExtAdminStatus.413	.1.3.6.1.4.1.26138.2.6.1.1.1.2.413	Integer	notSupported (1)

Name	OID	Value Type	Value Example
ibEntityExtAdminStatus.414	.1.3.6.1.4.1.26138.2.6.1.1.1.2.414	Integer	notSupported (1)
ibEntityExtAdminStatus.442	.1.3.6.1.4.1.26138.2.6.1.1.1.2.442	Integer	notSupported (1)
ibEntityExtAdminStatus.472	.1.3.6.1.4.1.26138.2.6.1.1.1.2.472	Integer	unlocked (4)
ibEntityExtAdminStatus.473	.1.3.6.1.4.1.26138.2.6.1.1.1.2.473	Integer	unlocked (4)
ibEntityExtAdminStatus.474	.1.3.6.1.4.1.26138.2.6.1.1.1.2.474	Integer	unlocked (4)
ibEntityExtAdminStatus.475	.1.3.6.1.4.1.26138.2.6.1.1.1.2.475	Integer	unlocked (4)
ibEntityExtAdminStatus.476	.1.3.6.1.4.1.26138.2.6.1.1.1.2.476	Integer	unlocked (4)
ibEntityExtAdminStatus.477	.1.3.6.1.4.1.26138.2.6.1.1.1.2.477	Integer	unlocked (4)
ibEntityExtAdminStatus.478	.1.3.6.1.4.1.26138.2.6.1.1.1.2.478	Integer	unlocked (4)
ibEntityExtAdminStatus.479	.1.3.6.1.4.1.26138.2.6.1.1.1.2.479	Integer	unlocked (4)
ibEntityExtAdminStatus.480	.1.3.6.1.4.1.26138.2.6.1.1.1.2.480	Integer	unlocked (4)
ibEntityExtAdminStatus.481	.1.3.6.1.4.1.26138.2.6.1.1.1.2.481	Integer	unlocked (4)
ibEntityExtAdminStatus.482	.1.3.6.1.4.1.26138.2.6.1.1.1.2.482	Integer	unlocked (4)
ibEntityExtAdminStatus.483	.1.3.6.1.4.1.26138.2.6.1.1.1.2.483	Integer	unlocked (4)
ibEntityExtAdminStatus.484	.1.3.6.1.4.1.26138.2.6.1.1.1.2.484	Integer	unlocked (4)
ibEntityExtAdminStatus.485	.1.3.6.1.4.1.26138.2.6.1.1.1.2.485	Integer	unlocked (4)
ibEntityExtAdminStatus.486	.1.3.6.1.4.1.26138.2.6.1.1.1.2.486	Integer	unlocked (4)
ibEntityExtAdminStatus.487	.1.3.6.1.4.1.26138.2.6.1.1.1.2.487	Integer	unlocked (4)
ibEntityExtAdminStatus.488	.1.3.6.1.4.1.26138.2.6.1.1.1.2.488	Integer	unlocked (4)
ibEntityExtAdminStatus.489	.1.3.6.1.4.1.26138.2.6.1.1.1.2.489	Integer	unlocked (4)
ibEntityExtAdminStatus.490	.1.3.6.1.4.1.26138.2.6.1.1.1.2.490	Integer	unlocked (4)
ibEntityExtAdminStatus.491	.1.3.6.1.4.1.26138.2.6.1.1.1.2.491	Integer	unlocked (4)
ibEntityExtAdminStatus.492	.1.3.6.1.4.1.26138.2.6.1.1.1.2.492	Integer	unlocked (4)
ibEntityExtAdminStatus.493	.1.3.6.1.4.1.26138.2.6.1.1.1.2.493	Integer	unlocked (4)
ibEntityExtAdminStatus.494	.1.3.6.1.4.1.26138.2.6.1.1.1.2.494	Integer	unlocked (4)

Name	OID	Value Type	Value Example
ibEntityExtAdminStatus.495	.1.3.6.1.4.1.26138.2.6.1.1.1.2.495	Integer	unlocked (4)
ibEntityExtAdminStatus.496	.1.3.6.1.4.1.26138.2.6.1.1.1.2.496	Integer	unlocked (4)
ibEntityExtAdminStatus.497	.1.3.6.1.4.1.26138.2.6.1.1.1.2.497	Integer	unlocked (4)
ibEntityExtAdminStatus.498	.1.3.6.1.4.1.26138.2.6.1.1.1.2.498	Integer	unlocked (4)
ibEntityExtAdminStatus.499	.1.3.6.1.4.1.26138.2.6.1.1.1.2.499	Integer	unlocked (4)
ibEntityExtAdminStatus.2052	.1.3.6.1.4.1.26138.2.6.1.1.1.2.2052	Integer	notSupported (1)
ibEntityExtOperStatus.1	.1.3.6.1.4.1.26138.2.6.1.1.1.3.1	Integer	notSupported (1)
ibEntityExtOperStatus.2	.1.3.6.1.4.1.26138.2.6.1.1.1.3.2	Integer	notSupported (1)
ibEntityExtOperStatus.12	.1.3.6.1.4.1.26138.2.6.1.1.1.3.12	Integer	enabled (3)
ibEntityExtOperStatus.13	.1.3.6.1.4.1.26138.2.6.1.1.1.3.13	Integer	enabled (3)
ibEntityExtOperStatus.14	.1.3.6.1.4.1.26138.2.6.1.1.1.3.14	Integer	enabled (3)
ibEntityExtOperStatus.15	.1.3.6.1.4.1.26138.2.6.1.1.1.3.15	Integer	enabled (3)
ibEntityExtOperStatus.16	.1.3.6.1.4.1.26138.2.6.1.1.1.3.16	Integer	enabled (3)
ibEntityExtOperStatus.17	.1.3.6.1.4.1.26138.2.6.1.1.1.3.17	Integer	enabled (3)
ibEntityExtOperStatus.18	.1.3.6.1.4.1.26138.2.6.1.1.1.3.18	Integer	enabled (3)
ibEntityExtOperStatus.19	.1.3.6.1.4.1.26138.2.6.1.1.1.3.19	Integer	enabled (3)
ibEntityExtOperStatus.20	.1.3.6.1.4.1.26138.2.6.1.1.1.3.20	Integer	enabled (3)
ibEntityExtOperStatus.21	.1.3.6.1.4.1.26138.2.6.1.1.1.3.21	Integer	enabled (3)
ibEntityExtOperStatus.22	.1.3.6.1.4.1.26138.2.6.1.1.1.3.22	Integer	enabled (3)
ibEntityExtOperStatus.23	.1.3.6.1.4.1.26138.2.6.1.1.1.3.23	Integer	enabled (3)
ibEntityExtOperStatus.24	.1.3.6.1.4.1.26138.2.6.1.1.1.3.24	Integer	enabled (3)
ibEntityExtOperStatus.25	.1.3.6.1.4.1.26138.2.6.1.1.1.3.25	Integer	enabled (3)
ibEntityExtOperStatus.26	.1.3.6.1.4.1.26138.2.6.1.1.1.3.26	Integer	enabled (3)
ibEntityExtOperStatus.27	.1.3.6.1.4.1.26138.2.6.1.1.1.3.27	Integer	enabled (3)
ibEntityExtOperStatus.28	.1.3.6.1.4.1.26138.2.6.1.1.1.3.28	Integer	enabled (3)

Name	OID	Value Type	Value Example
ibEntityExtOperStatus.29	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.29	Integer	enabled (3)
ibEntityExtOperStatus.30	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.30	Integer	enabled (3)
ibEntityExtOperStatus.31	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.31	Integer	enabled (3)
ibEntityExtOperStatus.212	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.212	Integer	enabled (3)
ibEntityExtOperStatus.213	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.213	Integer	enabled (3)
ibEntityExtOperStatus.216	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.216	Integer	enabled (3)
ibEntityExtOperStatus.220	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.220	Integer	notSupported (1)
ibEntityExtOperStatus.221	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.221	Integer	notSupported (1)
ibEntityExtOperStatus.222	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.222	Integer	notSupported (1)
ibEntityExtOperStatus.223	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.223	Integer	notSupported (1)
ibEntityExtOperStatus.412	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.412	Integer	enabled (3)
ibEntityExtOperStatus.413	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.413	Integer	notSupported (1)
ibEntityExtOperStatus.414	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.414	Integer	notSupported (1)
ibEntityExtOperStatus.442	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.442	Integer	enabled (3)
ibEntityExtOperStatus.472	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.472	Integer	disabled (2)
ibEntityExtOperStatus.473	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.473	Integer	disabled (2)
ibEntityExtOperStatus.474	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.474	Integer	disabled (2)
ibEntityExtOperStatus.475	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.475	Integer	disabled (2)
ibEntityExtOperStatus.476	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.476	Integer	disabled (2)
ibEntityExtOperStatus.477	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.477	Integer	disabled (2)
ibEntityExtOperStatus.478	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.478	Integer	disabled (2)
ibEntityExtOperStatus.479	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.479	Integer	disabled (2)
ibEntityExtOperStatus.480	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.480	Integer	disabled (2)
ibEntityExtOperStatus.481	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.481	Integer	disabled (2)
ibEntityExtOperStatus.482	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.482	Integer	disabled (2)

Name	OID	Value Type	Value Example
ibEntityExtOperStatus.483	.1.3.6.1.4.1.26138.2.6.1.1.1.3.483	Integer	disabled (2)
ibEntityExtOperStatus.484	.1.3.6.1.4.1.26138.2.6.1.1.1.3.484	Integer	disabled (2)
ibEntityExtOperStatus.485	.1.3.6.1.4.1.26138.2.6.1.1.1.3.485	Integer	disabled (2)
ibEntityExtOperStatus.486	.1.3.6.1.4.1.26138.2.6.1.1.1.3.486	Integer	disabled (2)
ibEntityExtOperStatus.487	.1.3.6.1.4.1.26138.2.6.1.1.1.3.487	Integer	disabled (2)
ibEntityExtOperStatus.488	.1.3.6.1.4.1.26138.2.6.1.1.1.3.488	Integer	disabled (2)
ibEntityExtOperStatus.489	.1.3.6.1.4.1.26138.2.6.1.1.1.3.489	Integer	disabled (2)
ibEntityExtOperStatus.490	.1.3.6.1.4.1.26138.2.6.1.1.1.3.490	Integer	disabled (2)
ibEntityExtOperStatus.491	.1.3.6.1.4.1.26138.2.6.1.1.1.3.491	Integer	disabled (2)
ibEntityExtOperStatus.492	.1.3.6.1.4.1.26138.2.6.1.1.1.3.492	Integer	disabled (2)
ibEntityExtOperStatus.493	.1.3.6.1.4.1.26138.2.6.1.1.1.3.493	Integer	disabled (2)
ibEntityExtOperStatus.494	.1.3.6.1.4.1.26138.2.6.1.1.1.3.494	Integer	disabled (2)
ibEntityExtOperStatus.495	.1.3.6.1.4.1.26138.2.6.1.1.1.3.495	Integer	enabled (3)
ibEntityExtOperStatus.496	.1.3.6.1.4.1.26138.2.6.1.1.1.3.496	Integer	disabled (2)
ibEntityExtOperStatus.497	.1.3.6.1.4.1.26138.2.6.1.1.1.3.497	Integer	disabled (2)
ibEntityExtOperStatus.498	.1.3.6.1.4.1.26138.2.6.1.1.1.3.498	Integer	disabled (2)
ibEntityExtOperStatus.499	.1.3.6.1.4.1.26138.2.6.1.1.1.3.499	Integer	disabled (2)
ibEntityExtOperStatus.2052	.1.3.6.1.4.1.26138.2.6.1.1.1.3.2052	Integer	notSupported (1)
ibEntityExtStandbyStatus.1	.1.3.6.1.4.1.26138.2.6.1.1.1.4.1	Integer	notSupported (1)
ibEntityExtStandbyStatus.2	.1.3.6.1.4.1.26138.2.6.1.1.1.4.2	Integer	notSupported (1)
ibEntityExtStandbyStatus.12	.1.3.6.1.4.1.26138.2.6.1.1.1.4.12	Integer	notSupported (1)
ibEntityExtStandbyStatus.13	.1.3.6.1.4.1.26138.2.6.1.1.1.4.13	Integer	notSupported (1)
ibEntityExtStandbyStatus.14	.1.3.6.1.4.1.26138.2.6.1.1.1.4.14	Integer	notSupported (1)
ibEntityExtStandbyStatus.15	.1.3.6.1.4.1.26138.2.6.1.1.1.4.15	Integer	notSupported (1)
ibEntityExtStandbyStatus.16	.1.3.6.1.4.1.26138.2.6.1.1.1.4.16	Integer	notSupported (1)

Name	OID	Value Type	Value Example
ibEntityExtStandbyStatus.17	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.17	Integer	notSupported (1)
ibEntityExtStandbyStatus.18	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.18	Integer	notSupported (1)
ibEntityExtStandbyStatus.19	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.19	Integer	notSupported (1)
ibEntityExtStandbyStatus.20	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.20	Integer	notSupported (1)
ibEntityExtStandbyStatus.21	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.21	Integer	notSupported (1)
ibEntityExtStandbyStatus.22	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.22	Integer	notSupported (1)
ibEntityExtStandbyStatus.23	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.23	Integer	notSupported (1)
ibEntityExtStandbyStatus.24	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.24	Integer	notSupported (1)
ibEntityExtStandbyStatus.25	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.25	Integer	notSupported (1)
ibEntityExtStandbyStatus.26	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.26	Integer	notSupported (1)
ibEntityExtStandbyStatus.27	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.27	Integer	notSupported (1)
ibEntityExtStandbyStatus.28	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.28	Integer	notSupported (1)
ibEntityExtStandbyStatus.29	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.29	Integer	notSupported (1)
ibEntityExtStandbyStatus.30	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.30	Integer	notSupported (1)
ibEntityExtStandbyStatus.31	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.31	Integer	notSupported (1)
ibEntityExtStandbyStatus.212	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.212	Integer	providingService (4)
ibEntityExtStandbyStatus.213	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.213	Integer	providingService (4)
ibEntityExtStandbyStatus.216	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.216	Integer	providingService (4)
ibEntityExtStandbyStatus.220	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.220	Integer	notSupported (1)
ibEntityExtStandbyStatus.221	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.221	Integer	notSupported (1)
ibEntityExtStandbyStatus.222	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.222	Integer	notSupported (1)
ibEntityExtStandbyStatus.223	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.223	Integer	notSupported (1)
ibEntityExtStandbyStatus.412	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.412	Integer	notSupported (1)
ibEntityExtStandbyStatus.413	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.413	Integer	notSupported (1)
ibEntityExtStandbyStatus.414	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.414	Integer	notSupported (1)

Name	OID	Value Type	Value Example
ibEntityExtStandbyStatus.442	.1.3.6.1.4.1.26138.2.6.1.1.1.4.442	Integer	providingService (4)
ibEntityExtStandbyStatus.472	.1.3.6.1.4.1.26138.2.6.1.1.1.4.472	Integer	notSupported (1)
ibEntityExtStandbyStatus.473	.1.3.6.1.4.1.26138.2.6.1.1.1.4.473	Integer	notSupported (1)
ibEntityExtStandbyStatus.474	.1.3.6.1.4.1.26138.2.6.1.1.1.4.474	Integer	notSupported (1)
ibEntityExtStandbyStatus.475	.1.3.6.1.4.1.26138.2.6.1.1.1.4.475	Integer	notSupported (1)
ibEntityExtStandbyStatus.476	.1.3.6.1.4.1.26138.2.6.1.1.1.4.476	Integer	notSupported (1)
ibEntityExtStandbyStatus.477	.1.3.6.1.4.1.26138.2.6.1.1.1.4.477	Integer	notSupported (1)
ibEntityExtStandbyStatus.478	.1.3.6.1.4.1.26138.2.6.1.1.1.4.478	Integer	notSupported (1)
ibEntityExtStandbyStatus.479	.1.3.6.1.4.1.26138.2.6.1.1.1.4.479	Integer	notSupported (1)
ibEntityExtStandbyStatus.480	.1.3.6.1.4.1.26138.2.6.1.1.1.4.480	Integer	notSupported (1)
ibEntityExtStandbyStatus.481	.1.3.6.1.4.1.26138.2.6.1.1.1.4.481	Integer	notSupported (1)
ibEntityExtStandbyStatus.482	.1.3.6.1.4.1.26138.2.6.1.1.1.4.482	Integer	notSupported (1)
ibEntityExtStandbyStatus.483	.1.3.6.1.4.1.26138.2.6.1.1.1.4.483	Integer	notSupported (1)
ibEntityExtStandbyStatus.484	.1.3.6.1.4.1.26138.2.6.1.1.1.4.484	Integer	notSupported (1)
ibEntityExtStandbyStatus.485	.1.3.6.1.4.1.26138.2.6.1.1.1.4.485	Integer	notSupported (1)
ibEntityExtStandbyStatus.486	.1.3.6.1.4.1.26138.2.6.1.1.1.4.486	Integer	notSupported (1)
ibEntityExtStandbyStatus.487	.1.3.6.1.4.1.26138.2.6.1.1.1.4.487	Integer	notSupported (1)
ibEntityExtStandbyStatus.488	.1.3.6.1.4.1.26138.2.6.1.1.1.4.488	Integer	notSupported (1)
ibEntityExtStandbyStatus.489	.1.3.6.1.4.1.26138.2.6.1.1.1.4.489	Integer	notSupported (1)
ibEntityExtStandbyStatus.490	.1.3.6.1.4.1.26138.2.6.1.1.1.4.490	Integer	notSupported (1)
ibEntityExtStandbyStatus.491	.1.3.6.1.4.1.26138.2.6.1.1.1.4.491	Integer	notSupported (1)
ibEntityExtStandbyStatus.492	.1.3.6.1.4.1.26138.2.6.1.1.1.4.492	Integer	notSupported (1)
ibEntityExtStandbyStatus.493	.1.3.6.1.4.1.26138.2.6.1.1.1.4.493	Integer	notSupported (1)
ibEntityExtStandbyStatus.494	.1.3.6.1.4.1.26138.2.6.1.1.1.4.494	Integer	notSupported (1)
ibEntityExtStandbyStatus.495	.1.3.6.1.4.1.26138.2.6.1.1.1.4.495	Integer	notSupported (1)

Name	OID	Value Type	Value Example
ibEntityExtStandbyStatus.496	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.496	Integer	notSupported (1)
ibEntityExtStandbyStatus.497	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.497	Integer	notSupported (1)
ibEntityExtStandbyStatus.498	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.498	Integer	notSupported (1)
ibEntityExtStandbyStatus.499	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.499	Integer	notSupported (1)
ibEntityExtStandbyStatus.2052	.1.3.6.1.4.1.26138.2.6.1.1.1.1.4.2052	Integer	notSupported (1)
ibEntityExtAlarmLight.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.1	OctetString	{}
ibEntityExtAlarmLight.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.2	OctetString	{}
ibEntityExtAlarmLight.12	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.12	OctetString	{}
ibEntityExtAlarmLight.13	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.13	OctetString	{}
ibEntityExtAlarmLight.14	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.14	OctetString	{}
ibEntityExtAlarmLight.15	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.15	OctetString	{}
ibEntityExtAlarmLight.16	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.16	OctetString	{}
ibEntityExtAlarmLight.17	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.17	OctetString	{}
ibEntityExtAlarmLight.18	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.18	OctetString	{}
ibEntityExtAlarmLight.19	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.19	OctetString	{}
ibEntityExtAlarmLight.20	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.20	OctetString	{}
ibEntityExtAlarmLight.21	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.21	OctetString	{}
ibEntityExtAlarmLight.22	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.22	OctetString	{}
ibEntityExtAlarmLight.23	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.23	OctetString	{}
ibEntityExtAlarmLight.24	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.24	OctetString	{}
ibEntityExtAlarmLight.25	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.25	OctetString	{}
ibEntityExtAlarmLight.26	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.26	OctetString	{}
ibEntityExtAlarmLight.27	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.27	OctetString	{}
ibEntityExtAlarmLight.28	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.28	OctetString	{}
ibEntityExtAlarmLight.29	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.29	OctetString	{}

Name	OID	Value Type	Value Example
ibEntityExtAlarmLight.30	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.30	OctetString	{}
ibEntityExtAlarmLight.31	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.31	OctetString	{}
ibEntityExtAlarmLight.212	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.212	OctetString	{}
ibEntityExtAlarmLight.213	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.213	OctetString	{}
ibEntityExtAlarmLight.216	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.216	OctetString	{}
ibEntityExtAlarmLight.220	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.220	OctetString	{}
ibEntityExtAlarmLight.221	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.221	OctetString	{}
ibEntityExtAlarmLight.222	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.222	OctetString	{}
ibEntityExtAlarmLight.223	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.223	OctetString	{}
ibEntityExtAlarmLight.412	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.412	OctetString	{}
ibEntityExtAlarmLight.413	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.413	OctetString	{}
ibEntityExtAlarmLight.414	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.414	OctetString	{}
ibEntityExtAlarmLight.442	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.442	OctetString	{}
ibEntityExtAlarmLight.472	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.472	OctetString	{}
ibEntityExtAlarmLight.473	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.473	OctetString	{}
ibEntityExtAlarmLight.474	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.474	OctetString	{}
ibEntityExtAlarmLight.475	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.475	OctetString	{}
ibEntityExtAlarmLight.476	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.476	OctetString	{}
ibEntityExtAlarmLight.477	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.477	OctetString	{}
ibEntityExtAlarmLight.478	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.478	OctetString	{}
ibEntityExtAlarmLight.479	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.479	OctetString	{}
ibEntityExtAlarmLight.480	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.480	OctetString	{}
ibEntityExtAlarmLight.481	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.481	OctetString	{}
ibEntityExtAlarmLight.482	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.482	OctetString	{}
ibEntityExtAlarmLight.483	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.483	OctetString	{}

Name	OID	Value Type	Value Example
ibEntityExtAlarmLight.484	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.484	OctetString	{}
ibEntityExtAlarmLight.485	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.485	OctetString	{}
ibEntityExtAlarmLight.486	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.486	OctetString	{}
ibEntityExtAlarmLight.487	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.487	OctetString	{}
ibEntityExtAlarmLight.488	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.488	OctetString	{}
ibEntityExtAlarmLight.489	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.489	OctetString	{}
ibEntityExtAlarmLight.490	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.490	OctetString	{}
ibEntityExtAlarmLight.491	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.491	OctetString	{}
ibEntityExtAlarmLight.492	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.492	OctetString	{}
ibEntityExtAlarmLight.493	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.493	OctetString	{}
ibEntityExtAlarmLight.494	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.494	OctetString	{}
ibEntityExtAlarmLight.495	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.495	OctetString	{}
ibEntityExtAlarmLight.496	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.496	OctetString	{}
ibEntityExtAlarmLight.497	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.497	OctetString	{}
ibEntityExtAlarmLight.498	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.498	OctetString	{}
ibEntityExtAlarmLight.499	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.499	OctetString	{}
ibEntityExtAlarmLight.2052	.1.3.6.1.4.1.26138.2.6.1.1.1.1.5.2052	OctetString	{}
ibEntityExtCpuUsage.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.1	Integer	0
ibEntityExtCpuUsage.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.2	Integer	0
ibEntityExtCpuUsage.12	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.12	Integer	0
ibEntityExtCpuUsage.13	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.13	Integer	0
ibEntityExtCpuUsage.14	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.14	Integer	0
ibEntityExtCpuUsage.15	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.15	Integer	0
ibEntityExtCpuUsage.16	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.16	Integer	0
ibEntityExtCpuUsage.17	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.17	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtCpuUsage.18	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.18	Integer	0
ibEntityExtCpuUsage.19	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.19	Integer	0
ibEntityExtCpuUsage.20	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.20	Integer	0
ibEntityExtCpuUsage.21	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.21	Integer	0
ibEntityExtCpuUsage.22	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.22	Integer	0
ibEntityExtCpuUsage.23	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.23	Integer	0
ibEntityExtCpuUsage.24	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.24	Integer	0
ibEntityExtCpuUsage.25	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.25	Integer	0
ibEntityExtCpuUsage.26	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.26	Integer	0
ibEntityExtCpuUsage.27	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.27	Integer	0
ibEntityExtCpuUsage.28	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.28	Integer	0
ibEntityExtCpuUsage.29	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.29	Integer	0
ibEntityExtCpuUsage.30	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.30	Integer	0
ibEntityExtCpuUsage.31	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.31	Integer	0
ibEntityExtCpuUsage.212	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.212	Integer	66
ibEntityExtCpuUsage.213	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.213	Integer	0
ibEntityExtCpuUsage.216	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.216	Integer	0
ibEntityExtCpuUsage.220	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.220	Integer	0
ibEntityExtCpuUsage.221	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.221	Integer	0
ibEntityExtCpuUsage.222	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.222	Integer	0
ibEntityExtCpuUsage.223	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.223	Integer	0
ibEntityExtCpuUsage.412	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.412	Integer	0
ibEntityExtCpuUsage.413	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.413	Integer	0
ibEntityExtCpuUsage.414	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.414	Integer	0
ibEntityExtCpuUsage.442	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.442	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtCpuUsage.472	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.472	Integer	0
ibEntityExtCpuUsage.473	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.473	Integer	0
ibEntityExtCpuUsage.474	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.474	Integer	0
ibEntityExtCpuUsage.475	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.475	Integer	0
ibEntityExtCpuUsage.476	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.476	Integer	0
ibEntityExtCpuUsage.477	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.477	Integer	0
ibEntityExtCpuUsage.478	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.478	Integer	0
ibEntityExtCpuUsage.479	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.479	Integer	0
ibEntityExtCpuUsage.480	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.480	Integer	0
ibEntityExtCpuUsage.481	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.481	Integer	0
ibEntityExtCpuUsage.482	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.482	Integer	0
ibEntityExtCpuUsage.483	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.483	Integer	0
ibEntityExtCpuUsage.484	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.484	Integer	0
ibEntityExtCpuUsage.485	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.485	Integer	0
ibEntityExtCpuUsage.486	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.486	Integer	0
ibEntityExtCpuUsage.487	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.487	Integer	0
ibEntityExtCpuUsage.488	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.488	Integer	0
ibEntityExtCpuUsage.489	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.489	Integer	0
ibEntityExtCpuUsage.490	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.490	Integer	0
ibEntityExtCpuUsage.491	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.491	Integer	0
ibEntityExtCpuUsage.492	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.492	Integer	0
ibEntityExtCpuUsage.493	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.493	Integer	0
ibEntityExtCpuUsage.494	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.494	Integer	0
ibEntityExtCpuUsage.495	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.495	Integer	0
ibEntityExtCpuUsage.496	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.496	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtCpuUsage.497	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.497	Integer	0
ibEntityExtCpuUsage.498	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.498	Integer	0
ibEntityExtCpuUsage.499	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.499	Integer	0
ibEntityExtCpuUsage.2052	.1.3.6.1.4.1.26138.2.6.1.1.1.1.6.2052	Integer	0
ibEntityExtCpuUsageThreshhold.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.1	Integer	0
ibEntityExtCpuUsageThreshhold.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.2	Integer	0
ibEntityExtCpuUsageThreshhold.12	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.12	Integer	0
ibEntityExtCpuUsageThreshhold.13	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.13	Integer	0
ibEntityExtCpuUsageThreshhold.14	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.14	Integer	0
ibEntityExtCpuUsageThreshhold.15	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.15	Integer	0
ibEntityExtCpuUsageThreshhold.16	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.16	Integer	0
ibEntityExtCpuUsageThreshhold.17	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.17	Integer	0
ibEntityExtCpuUsageThreshhold.18	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.18	Integer	0
ibEntityExtCpuUsageThreshhold.19	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.19	Integer	0
ibEntityExtCpuUsageThreshhold.20	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.20	Integer	0
ibEntityExtCpuUsageThreshhold.21	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.21	Integer	0
ibEntityExtCpuUsageThreshhold.22	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.22	Integer	0
ibEntityExtCpuUsageThreshhold.23	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.23	Integer	0
ibEntityExtCpuUsageThreshhold.24	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.24	Integer	0
ibEntityExtCpuUsageThreshhold.25	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.25	Integer	0
ibEntityExtCpuUsageThreshhold.26	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.26	Integer	0
ibEntityExtCpuUsageThreshhold.27	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.27	Integer	0
ibEntityExtCpuUsageThreshhold.28	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.28	Integer	0
ibEntityExtCpuUsageThreshhold.29	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.29	Integer	0
ibEntityExtCpuUsageThreshhold.30	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.30	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtCpuUsageThreshold.31	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.31	Integer	0
ibEntityExtCpuUsageThreshold.212	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.212	Integer	99
ibEntityExtCpuUsageThreshold.213	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.213	Integer	0
ibEntityExtCpuUsageThreshold.216	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.216	Integer	0
ibEntityExtCpuUsageThreshold.220	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.220	Integer	0
ibEntityExtCpuUsageThreshold.221	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.221	Integer	0
ibEntityExtCpuUsageThreshold.222	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.222	Integer	0
ibEntityExtCpuUsageThreshold.223	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.223	Integer	0
ibEntityExtCpuUsageThreshold.412	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.412	Integer	0
ibEntityExtCpuUsageThreshold.413	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.413	Integer	0
ibEntityExtCpuUsageThreshold.414	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.414	Integer	0
ibEntityExtCpuUsageThreshold.442	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.442	Integer	0
ibEntityExtCpuUsageThreshold.472	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.472	Integer	0
ibEntityExtCpuUsageThreshold.473	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.473	Integer	0
ibEntityExtCpuUsageThreshold.474	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.474	Integer	0
ibEntityExtCpuUsageThreshold.475	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.475	Integer	0
ibEntityExtCpuUsageThreshold.476	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.476	Integer	0
ibEntityExtCpuUsageThreshold.477	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.477	Integer	0
ibEntityExtCpuUsageThreshold.478	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.478	Integer	0
ibEntityExtCpuUsageThreshold.479	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.479	Integer	0
ibEntityExtCpuUsageThreshold.480	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.480	Integer	0
ibEntityExtCpuUsageThreshold.481	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.481	Integer	0
ibEntityExtCpuUsageThreshold.482	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.482	Integer	0
ibEntityExtCpuUsageThreshold.483	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.483	Integer	0
ibEntityExtCpuUsageThreshold.484	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.484	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtCpuUsageThreshold.485	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.485	Integer	0
ibEntityExtCpuUsageThreshold.486	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.486	Integer	0
ibEntityExtCpuUsageThreshold.487	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.487	Integer	0
ibEntityExtCpuUsageThreshold.488	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.488	Integer	0
ibEntityExtCpuUsageThreshold.489	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.489	Integer	0
ibEntityExtCpuUsageThreshold.490	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.490	Integer	0
ibEntityExtCpuUsageThreshold.491	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.491	Integer	0
ibEntityExtCpuUsageThreshold.492	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.492	Integer	0
ibEntityExtCpuUsageThreshold.493	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.493	Integer	0
ibEntityExtCpuUsageThreshold.494	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.494	Integer	0
ibEntityExtCpuUsageThreshold.495	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.495	Integer	0
ibEntityExtCpuUsageThreshold.496	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.496	Integer	0
ibEntityExtCpuUsageThreshold.497	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.497	Integer	0
ibEntityExtCpuUsageThreshold.498	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.498	Integer	0
ibEntityExtCpuUsageThreshold.499	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.499	Integer	0
ibEntityExtCpuUsageThreshold.2052	.1.3.6.1.4.1.26138.2.6.1.1.1.1.7.2052	Integer	0
ibEntityExtMemUsage.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.1	Integer	0
ibEntityExtMemUsage.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.2	Integer	0
ibEntityExtMemUsage.12	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.12	Integer	0
ibEntityExtMemUsage.13	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.13	Integer	0
ibEntityExtMemUsage.14	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.14	Integer	0
ibEntityExtMemUsage.15	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.15	Integer	0
ibEntityExtMemUsage.16	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.16	Integer	0
ibEntityExtMemUsage.17	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.17	Integer	0
ibEntityExtMemUsage.18	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.18	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtMemUsage.19	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.19	Integer	0
ibEntityExtMemUsage.20	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.20	Integer	0
ibEntityExtMemUsage.21	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.21	Integer	0
ibEntityExtMemUsage.22	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.22	Integer	0
ibEntityExtMemUsage.23	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.23	Integer	0
ibEntityExtMemUsage.24	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.24	Integer	0
ibEntityExtMemUsage.25	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.25	Integer	0
ibEntityExtMemUsage.26	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.26	Integer	0
ibEntityExtMemUsage.27	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.27	Integer	0
ibEntityExtMemUsage.28	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.28	Integer	0
ibEntityExtMemUsage.29	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.29	Integer	0
ibEntityExtMemUsage.30	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.30	Integer	0
ibEntityExtMemUsage.31	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.31	Integer	0
ibEntityExtMemUsage.212	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.212	Integer	70
ibEntityExtMemUsage.213	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.213	Integer	0
ibEntityExtMemUsage.216	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.216	Integer	0
ibEntityExtMemUsage.220	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.220	Integer	0
ibEntityExtMemUsage.221	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.221	Integer	0
ibEntityExtMemUsage.222	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.222	Integer	0
ibEntityExtMemUsage.223	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.223	Integer	0
ibEntityExtMemUsage.412	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.412	Integer	0
ibEntityExtMemUsage.413	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.413	Integer	0
ibEntityExtMemUsage.414	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.414	Integer	0
ibEntityExtMemUsage.442	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.442	Integer	0
ibEntityExtMemUsage.472	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.472	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtMemUsage.473	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.473	Integer	0
ibEntityExtMemUsage.474	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.474	Integer	0
ibEntityExtMemUsage.475	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.475	Integer	0
ibEntityExtMemUsage.476	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.476	Integer	0
ibEntityExtMemUsage.477	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.477	Integer	0
ibEntityExtMemUsage.478	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.478	Integer	0
ibEntityExtMemUsage.479	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.479	Integer	0
ibEntityExtMemUsage.480	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.480	Integer	0
ibEntityExtMemUsage.481	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.481	Integer	0
ibEntityExtMemUsage.482	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.482	Integer	0
ibEntityExtMemUsage.483	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.483	Integer	0
ibEntityExtMemUsage.484	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.484	Integer	0
ibEntityExtMemUsage.485	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.485	Integer	0
ibEntityExtMemUsage.486	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.486	Integer	0
ibEntityExtMemUsage.487	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.487	Integer	0
ibEntityExtMemUsage.488	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.488	Integer	0
ibEntityExtMemUsage.489	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.489	Integer	0
ibEntityExtMemUsage.490	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.490	Integer	0
ibEntityExtMemUsage.491	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.491	Integer	0
ibEntityExtMemUsage.492	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.492	Integer	0
ibEntityExtMemUsage.493	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.493	Integer	0
ibEntityExtMemUsage.494	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.494	Integer	0
ibEntityExtMemUsage.495	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.495	Integer	0
ibEntityExtMemUsage.496	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.496	Integer	0
ibEntityExtMemUsage.497	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.497	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtMemUsage.498	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.498	Integer	0
ibEntityExtMemUsage.499	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.499	Integer	0
ibEntityExtMemUsage.2052	.1.3.6.1.4.1.26138.2.6.1.1.1.1.8.2052	Integer	0
ibEntityExtMemUsageThreshhold.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.1	Integer	0
ibEntityExtMemUsageThreshhold.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.2	Integer	0
ibEntityExtMemUsageThreshhold.12	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.12	Integer	0
ibEntityExtMemUsageThreshhold.13	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.13	Integer	0
ibEntityExtMemUsageThreshhold.14	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.14	Integer	0
ibEntityExtMemUsageThreshhold.15	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.15	Integer	0
ibEntityExtMemUsageThreshhold.16	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.16	Integer	0
ibEntityExtMemUsageThreshhold.17	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.17	Integer	0
ibEntityExtMemUsageThreshhold.18	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.18	Integer	0
ibEntityExtMemUsageThreshhold.19	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.19	Integer	0
ibEntityExtMemUsageThreshhold.20	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.20	Integer	0
ibEntityExtMemUsageThreshhold.21	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.21	Integer	0
ibEntityExtMemUsageThreshhold.22	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.22	Integer	0
ibEntityExtMemUsageThreshhold.23	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.23	Integer	0
ibEntityExtMemUsageThreshhold.24	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.24	Integer	0
ibEntityExtMemUsageThreshhold.25	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.25	Integer	0
ibEntityExtMemUsageThreshhold.26	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.26	Integer	0
ibEntityExtMemUsageThreshhold.27	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.27	Integer	0
ibEntityExtMemUsageThreshhold.28	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.28	Integer	0
ibEntityExtMemUsageThreshhold.29	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.29	Integer	0
ibEntityExtMemUsageThreshhold.30	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.30	Integer	0
ibEntityExtMemUsageThreshhold.31	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.31	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtMemUsageThreshold.212	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.212	Integer	100
ibEntityExtMemUsageThreshold.213	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.213	Integer	0
ibEntityExtMemUsageThreshold.216	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.216	Integer	0
ibEntityExtMemUsageThreshold.220	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.220	Integer	0
ibEntityExtMemUsageThreshold.221	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.221	Integer	0
ibEntityExtMemUsageThreshold.222	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.222	Integer	0
ibEntityExtMemUsageThreshold.223	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.223	Integer	0
ibEntityExtMemUsageThreshold.412	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.412	Integer	0
ibEntityExtMemUsageThreshold.413	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.413	Integer	0
ibEntityExtMemUsageThreshold.414	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.414	Integer	0
ibEntityExtMemUsageThreshold.442	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.442	Integer	0
ibEntityExtMemUsageThreshold.472	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.472	Integer	0
ibEntityExtMemUsageThreshold.473	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.473	Integer	0
ibEntityExtMemUsageThreshold.474	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.474	Integer	0
ibEntityExtMemUsageThreshold.475	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.475	Integer	0
ibEntityExtMemUsageThreshold.476	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.476	Integer	0
ibEntityExtMemUsageThreshold.477	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.477	Integer	0
ibEntityExtMemUsageThreshold.478	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.478	Integer	0
ibEntityExtMemUsageThreshold.479	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.479	Integer	0
ibEntityExtMemUsageThreshold.480	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.480	Integer	0
ibEntityExtMemUsageThreshold.481	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.481	Integer	0
ibEntityExtMemUsageThreshold.482	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.482	Integer	0
ibEntityExtMemUsageThreshold.483	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.483	Integer	0
ibEntityExtMemUsageThreshold.484	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.484	Integer	0
ibEntityExtMemUsageThreshold.485	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.485	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtMemUsageThreshold.486	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.486	Integer	0
ibEntityExtMemUsageThreshold.487	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.487	Integer	0
ibEntityExtMemUsageThreshold.488	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.488	Integer	0
ibEntityExtMemUsageThreshold.489	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.489	Integer	0
ibEntityExtMemUsageThreshold.490	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.490	Integer	0
ibEntityExtMemUsageThreshold.491	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.491	Integer	0
ibEntityExtMemUsageThreshold.492	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.492	Integer	0
ibEntityExtMemUsageThreshold.493	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.493	Integer	0
ibEntityExtMemUsageThreshold.494	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.494	Integer	0
ibEntityExtMemUsageThreshold.495	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.495	Integer	0
ibEntityExtMemUsageThreshold.496	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.496	Integer	0
ibEntityExtMemUsageThreshold.497	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.497	Integer	0
ibEntityExtMemUsageThreshold.498	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.498	Integer	0
ibEntityExtMemUsageThreshold.499	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.499	Integer	0
ibEntityExtMemUsageThreshold.2052	.1.3.6.1.4.1.26138.2.6.1.1.1.1.9.2052	Integer	0
ibEntityExtMemSize.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.1	Gauge	0
ibEntityExtMemSize.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.2	Gauge	0
ibEntityExtMemSize.12	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.12	Gauge	0
ibEntityExtMemSize.13	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.13	Gauge	0
ibEntityExtMemSize.14	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.14	Gauge	0
ibEntityExtMemSize.15	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.15	Gauge	0
ibEntityExtMemSize.16	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.16	Gauge	0
ibEntityExtMemSize.17	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.17	Gauge	0
ibEntityExtMemSize.18	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.18	Gauge	0
ibEntityExtMemSize.19	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.19	Gauge	0

Name	OID	Value Type	Value Example
ibEntityExtMemSize.20	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.20	Gauge	0
ibEntityExtMemSize.21	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.21	Gauge	0
ibEntityExtMemSize.22	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.22	Gauge	0
ibEntityExtMemSize.23	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.23	Gauge	0
ibEntityExtMemSize.24	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.24	Gauge	0
ibEntityExtMemSize.25	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.25	Gauge	0
ibEntityExtMemSize.26	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.26	Gauge	0
ibEntityExtMemSize.27	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.27	Gauge	0
ibEntityExtMemSize.28	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.28	Gauge	0
ibEntityExtMemSize.29	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.29	Gauge	0
ibEntityExtMemSize.30	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.30	Gauge	0
ibEntityExtMemSize.31	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.31	Gauge	0
ibEntityExtMemSize.212	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.212	Gauge	518561792
ibEntityExtMemSize.213	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.213	Gauge	0
ibEntityExtMemSize.216	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.216	Gauge	0
ibEntityExtMemSize.220	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.220	Gauge	0
ibEntityExtMemSize.221	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.221	Gauge	0
ibEntityExtMemSize.222	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.222	Gauge	0
ibEntityExtMemSize.223	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.223	Gauge	0
ibEntityExtMemSize.412	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.412	Gauge	0
ibEntityExtMemSize.413	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.413	Gauge	0
ibEntityExtMemSize.414	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.414	Gauge	0
ibEntityExtMemSize.442	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.442	Gauge	0
ibEntityExtMemSize.472	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.472	Gauge	0
ibEntityExtMemSize.473	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.473	Gauge	0

Name	OID	Value Type	Value Example
ibEntityExtMemSize.474	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.474	Gauge	0
ibEntityExtMemSize.475	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.475	Gauge	0
ibEntityExtMemSize.476	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.476	Gauge	0
ibEntityExtMemSize.477	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.477	Gauge	0
ibEntityExtMemSize.478	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.478	Gauge	0
ibEntityExtMemSize.479	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.479	Gauge	0
ibEntityExtMemSize.480	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.480	Gauge	0
ibEntityExtMemSize.481	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.481	Gauge	0
ibEntityExtMemSize.482	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.482	Gauge	0
ibEntityExtMemSize.483	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.483	Gauge	0
ibEntityExtMemSize.484	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.484	Gauge	0
ibEntityExtMemSize.485	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.485	Gauge	0
ibEntityExtMemSize.486	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.486	Gauge	0
ibEntityExtMemSize.487	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.487	Gauge	0
ibEntityExtMemSize.488	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.488	Gauge	0
ibEntityExtMemSize.489	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.489	Gauge	0
ibEntityExtMemSize.490	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.490	Gauge	0
ibEntityExtMemSize.491	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.491	Gauge	0
ibEntityExtMemSize.492	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.492	Gauge	0
ibEntityExtMemSize.493	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.493	Gauge	0
ibEntityExtMemSize.494	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.494	Gauge	0
ibEntityExtMemSize.495	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.495	Gauge	0
ibEntityExtMemSize.496	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.496	Gauge	0
ibEntityExtMemSize.497	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.497	Gauge	0
ibEntityExtMemSize.498	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.498	Gauge	0

Name	OID	Value Type	Value Example
ibEntityExtMemSize.499	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.499	Gauge	0
ibEntityExtMemSize.2052	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.0.2052	Gauge	0
ibEntityExtUpTime.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.1.2	Integer	1226713
ibEntityExtTemperature.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.1	Integer	65535
ibEntityExtTemperature.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.2	Integer	65535
ibEntityExtTemperature.12	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.12	Integer	65535
ibEntityExtTemperature.13	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.13	Integer	65535
ibEntityExtTemperature.14	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.14	Integer	65535
ibEntityExtTemperature.15	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.15	Integer	65535
ibEntityExtTemperature.16	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.16	Integer	65535
ibEntityExtTemperature.17	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.17	Integer	65535
ibEntityExtTemperature.18	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.18	Integer	65535
ibEntityExtTemperature.19	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.19	Integer	65535
ibEntityExtTemperature.20	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.20	Integer	65535
ibEntityExtTemperature.21	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.21	Integer	65535
ibEntityExtTemperature.22	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.22	Integer	65535
ibEntityExtTemperature.23	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.23	Integer	65535
ibEntityExtTemperature.24	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.24	Integer	65535
ibEntityExtTemperature.25	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.25	Integer	65535
ibEntityExtTemperature.26	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.26	Integer	65535
ibEntityExtTemperature.27	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.27	Integer	65535
ibEntityExtTemperature.28	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.28	Integer	65535
ibEntityExtTemperature.29	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.29	Integer	65535
ibEntityExtTemperature.30	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.30	Integer	65535
ibEntityExtTemperature.31	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.31	Integer	65535

Name	OID	Value Type	Value Example
ibEntityExtTemperature.212	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.212	Integer	66
ibEntityExtTemperature.213	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.213	Integer	65535
ibEntityExtTemperature.216	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.216	Integer	65535
ibEntityExtTemperature.220	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.220	Integer	66
ibEntityExtTemperature.221	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.221	Integer	46
ibEntityExtTemperature.222	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.222	Integer	52
ibEntityExtTemperature.223	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.223	Integer	59
ibEntityExtTemperature.412	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.412	Integer	65535
ibEntityExtTemperature.413	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.413	Integer	65535
ibEntityExtTemperature.414	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.414	Integer	65535
ibEntityExtTemperature.442	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.442	Integer	66
ibEntityExtTemperature.472	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.472	Integer	65535
ibEntityExtTemperature.473	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.473	Integer	65535
ibEntityExtTemperature.474	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.474	Integer	65535
ibEntityExtTemperature.475	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.475	Integer	65535
ibEntityExtTemperature.476	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.476	Integer	65535
ibEntityExtTemperature.477	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.477	Integer	65535
ibEntityExtTemperature.478	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.478	Integer	65535
ibEntityExtTemperature.479	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.479	Integer	65535
ibEntityExtTemperature.480	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.480	Integer	65535
ibEntityExtTemperature.481	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.481	Integer	65535
ibEntityExtTemperature.482	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.482	Integer	65535
ibEntityExtTemperature.483	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.483	Integer	65535
ibEntityExtTemperature.484	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.484	Integer	65535
ibEntityExtTemperature.485	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.485	Integer	65535

Name	OID	Value Type	Value Example
ibEntityExtTemperature.486	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.486	Integer	65535
ibEntityExtTemperature.487	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.487	Integer	65535
ibEntityExtTemperature.488	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.488	Integer	65535
ibEntityExtTemperature.489	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.489	Integer	65535
ibEntityExtTemperature.490	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.490	Integer	65535
ibEntityExtTemperature.491	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.491	Integer	65535
ibEntityExtTemperature.492	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.492	Integer	65535
ibEntityExtTemperature.493	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.493	Integer	65535
ibEntityExtTemperature.494	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.494	Integer	65535
ibEntityExtTemperature.495	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.495	Integer	65535
ibEntityExtTemperature.496	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.496	Integer	65535
ibEntityExtTemperature.497	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.497	Integer	65535
ibEntityExtTemperature.498	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.498	Integer	65535
ibEntityExtTemperature.499	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.499	Integer	65535
ibEntityExtTemperature.2052	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.2.2052	Integer	65535
ibEntityExtTemperatureThreshold.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.3.1	Integer	65535
ibEntityExtTemperatureThreshold.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.3.2	Integer	65535
ibEntityExtTemperatureThreshold.12	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.3.12	Integer	65535
ibEntityExtTemperatureThreshold.13	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.3.13	Integer	65535
ibEntityExtTemperatureThreshold.14	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.3.14	Integer	65535
ibEntityExtTemperatureThreshold.15	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.3.15	Integer	65535
ibEntityExtTemperatureThreshold.16	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.3.16	Integer	65535

Name	OID	Value Type	Value Example
ibEntityExtTemperatureThreshold. 17	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.17	Integer	65535
ibEntityExtTemperatureThreshold. 18	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.18	Integer	65535
ibEntityExtTemperatureThreshold. 19	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.19	Integer	65535
ibEntityExtTemperatureThreshold. 20	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.20	Integer	65535
ibEntityExtTemperatureThreshold. 21	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.21	Integer	65535
ibEntityExtTemperatureThreshold. 22	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.22	Integer	65535
ibEntityExtTemperatureThreshold. 23	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.23	Integer	65535
ibEntityExtTemperatureThreshold. 24	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.24	Integer	65535
ibEntityExtTemperatureThreshold. 25	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.25	Integer	65535
ibEntityExtTemperatureThreshold. 26	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.26	Integer	65535
ibEntityExtTemperatureThreshold. 27	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.27	Integer	65535
ibEntityExtTemperatureThreshold. 28	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.28	Integer	65535
ibEntityExtTemperatureThreshold. 29	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.29	Integer	65535
ibEntityExtTemperatureThreshold. 30	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.30	Integer	65535
ibEntityExtTemperatureThreshold. 31	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.31	Integer	65535
ibEntityExtTemperatureThreshold. 212	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.212	Integer	65535
ibEntityExtTemperatureThreshold. 213	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.213	Integer	65535
ibEntityExtTemperatureThreshold. 216	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.216	Integer	65535

Name	OID	Value Type	Value Example
ibEntityExtTemperatureThreshold. 220	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.220	Integer	84
ibEntityExtTemperatureThreshold. 221	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.221	Integer	100
ibEntityExtTemperatureThreshold. 222	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.222	Integer	100
ibEntityExtTemperatureThreshold. 223	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.223	Integer	100
ibEntityExtTemperatureThreshold. 412	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.412	Integer	65535
ibEntityExtTemperatureThreshold. 413	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.413	Integer	65535
ibEntityExtTemperatureThreshold. 414	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.414	Integer	65535
ibEntityExtTemperatureThreshold. 442	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.442	Integer	65535
ibEntityExtTemperatureThreshold. 472	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.472	Integer	65535
ibEntityExtTemperatureThreshold. 473	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.473	Integer	65535
ibEntityExtTemperatureThreshold. 474	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.474	Integer	65535
ibEntityExtTemperatureThreshold. 475	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.475	Integer	65535
ibEntityExtTemperatureThreshold. 476	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.476	Integer	65535
ibEntityExtTemperatureThreshold. 477	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.477	Integer	65535
ibEntityExtTemperatureThreshold. 478	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.478	Integer	65535
ibEntityExtTemperatureThreshold. 479	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.479	Integer	65535
ibEntityExtTemperatureThreshold. 480	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.480	Integer	65535
ibEntityExtTemperatureThreshold. 481	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.481	Integer	65535

Name	OID	Value Type	Value Example
ibEntityExtTemperatureThreshold. 482	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.482	Integer	65535
ibEntityExtTemperatureThreshold. 483	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.483	Integer	65535
ibEntityExtTemperatureThreshold. 484	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.484	Integer	65535
ibEntityExtTemperatureThreshold. 485	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.485	Integer	65535
ibEntityExtTemperatureThreshold. 486	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.486	Integer	65535
ibEntityExtTemperatureThreshold. 487	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.487	Integer	65535
ibEntityExtTemperatureThreshold. 488	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.488	Integer	65535
ibEntityExtTemperatureThreshold. 489	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.489	Integer	65535
ibEntityExtTemperatureThreshold. 490	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.490	Integer	65535
ibEntityExtTemperatureThreshold. 491	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.491	Integer	65535
ibEntityExtTemperatureThreshold. 492	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.492	Integer	65535
ibEntityExtTemperatureThreshold. 493	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.493	Integer	65535
ibEntityExtTemperatureThreshold. 494	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.494	Integer	65535
ibEntityExtTemperatureThreshold. 495	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.495	Integer	65535
ibEntityExtTemperatureThreshold. 496	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.496	Integer	65535
ibEntityExtTemperatureThreshold. 497	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.497	Integer	65535
ibEntityExtTemperatureThreshold. 498	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.498	Integer	65535
ibEntityExtTemperatureThreshold. 499	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 3.499	Integer	65535

Name	OID	Value Type	Value Example
ibEntityExtTemperatureThreshold.2052	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.3.2052	Integer	65535
ibEntityExtVoltage.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.1	Integer	0
ibEntityExtVoltage.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.2	Integer	0
ibEntityExtVoltage.12	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.12	Integer	0
ibEntityExtVoltage.13	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.13	Integer	0
ibEntityExtVoltage.14	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.14	Integer	0
ibEntityExtVoltage.15	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.15	Integer	0
ibEntityExtVoltage.16	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.16	Integer	0
ibEntityExtVoltage.17	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.17	Integer	0
ibEntityExtVoltage.18	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.18	Integer	0
ibEntityExtVoltage.19	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.19	Integer	0
ibEntityExtVoltage.20	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.20	Integer	0
ibEntityExtVoltage.21	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.21	Integer	0
ibEntityExtVoltage.22	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.22	Integer	0
ibEntityExtVoltage.23	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.23	Integer	0
ibEntityExtVoltage.24	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.24	Integer	0
ibEntityExtVoltage.25	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.25	Integer	0
ibEntityExtVoltage.26	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.26	Integer	0
ibEntityExtVoltage.27	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.27	Integer	0
ibEntityExtVoltage.28	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.28	Integer	0
ibEntityExtVoltage.29	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.29	Integer	0
ibEntityExtVoltage.30	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.30	Integer	0
ibEntityExtVoltage.31	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.31	Integer	0
ibEntityExtVoltage.212	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.212	Integer	0
ibEntityExtVoltage.213	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.213	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtVoltage.216	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.216	Integer	0
ibEntityExtVoltage.220	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.220	Integer	0
ibEntityExtVoltage.221	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.221	Integer	0
ibEntityExtVoltage.222	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.222	Integer	0
ibEntityExtVoltage.223	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.223	Integer	0
ibEntityExtVoltage.412	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.412	Integer	0
ibEntityExtVoltage.413	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.413	Integer	0
ibEntityExtVoltage.414	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.414	Integer	0
ibEntityExtVoltage.442	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.442	Integer	0
ibEntityExtVoltage.472	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.472	Integer	0
ibEntityExtVoltage.473	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.473	Integer	0
ibEntityExtVoltage.474	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.474	Integer	0
ibEntityExtVoltage.475	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.475	Integer	0
ibEntityExtVoltage.476	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.476	Integer	0
ibEntityExtVoltage.477	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.477	Integer	0
ibEntityExtVoltage.478	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.478	Integer	0
ibEntityExtVoltage.479	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.479	Integer	0
ibEntityExtVoltage.480	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.480	Integer	0
ibEntityExtVoltage.481	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.481	Integer	0
ibEntityExtVoltage.482	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.482	Integer	0
ibEntityExtVoltage.483	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.483	Integer	0
ibEntityExtVoltage.484	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.484	Integer	0
ibEntityExtVoltage.485	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.485	Integer	0
ibEntityExtVoltage.486	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.486	Integer	0
ibEntityExtVoltage.487	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.487	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtVoltage.488	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.488	Integer	0
ibEntityExtVoltage.489	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.489	Integer	0
ibEntityExtVoltage.490	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.490	Integer	0
ibEntityExtVoltage.491	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.491	Integer	0
ibEntityExtVoltage.492	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.492	Integer	0
ibEntityExtVoltage.493	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.493	Integer	0
ibEntityExtVoltage.494	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.494	Integer	0
ibEntityExtVoltage.495	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.495	Integer	0
ibEntityExtVoltage.496	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.496	Integer	0
ibEntityExtVoltage.497	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.497	Integer	0
ibEntityExtVoltage.498	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.498	Integer	0
ibEntityExtVoltage.499	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.499	Integer	0
ibEntityExtVoltage.2052	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.4.2052	Integer	0
ibEntityExtVoltageLowThreshold.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.1	Integer	0
ibEntityExtVoltageLowThreshold.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.2	Integer	0
ibEntityExtVoltageLowThreshold.1 2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.12	Integer	0
ibEntityExtVoltageLowThreshold.1 3	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.13	Integer	0
ibEntityExtVoltageLowThreshold.1 4	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.14	Integer	0
ibEntityExtVoltageLowThreshold.1 5	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.15	Integer	0
ibEntityExtVoltageLowThreshold.1 6	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.16	Integer	0
ibEntityExtVoltageLowThreshold.1 7	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.17	Integer	0
ibEntityExtVoltageLowThreshold.1 8	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.18	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtVoltageLowThreshold.19	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.19	Integer	0
ibEntityExtVoltageLowThreshold.20	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.20	Integer	0
ibEntityExtVoltageLowThreshold.21	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.21	Integer	0
ibEntityExtVoltageLowThreshold.22	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.22	Integer	0
ibEntityExtVoltageLowThreshold.23	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.23	Integer	0
ibEntityExtVoltageLowThreshold.24	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.24	Integer	0
ibEntityExtVoltageLowThreshold.25	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.25	Integer	0
ibEntityExtVoltageLowThreshold.26	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.26	Integer	0
ibEntityExtVoltageLowThreshold.27	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.27	Integer	0
ibEntityExtVoltageLowThreshold.28	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.28	Integer	0
ibEntityExtVoltageLowThreshold.29	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.29	Integer	0
ibEntityExtVoltageLowThreshold.30	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.30	Integer	0
ibEntityExtVoltageLowThreshold.31	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.31	Integer	0
ibEntityExtVoltageLowThreshold.212	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.212	Integer	0
ibEntityExtVoltageLowThreshold.213	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.213	Integer	0
ibEntityExtVoltageLowThreshold.216	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.216	Integer	0
ibEntityExtVoltageLowThreshold.220	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.220	Integer	0
ibEntityExtVoltageLowThreshold.221	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.221	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtVoltageLowThreshold.222	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.222	Integer	0
ibEntityExtVoltageLowThreshold.223	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.223	Integer	0
ibEntityExtVoltageLowThreshold.412	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.412	Integer	0
ibEntityExtVoltageLowThreshold.413	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.413	Integer	0
ibEntityExtVoltageLowThreshold.414	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.414	Integer	0
ibEntityExtVoltageLowThreshold.442	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.442	Integer	0
ibEntityExtVoltageLowThreshold.472	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.472	Integer	0
ibEntityExtVoltageLowThreshold.473	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.473	Integer	0
ibEntityExtVoltageLowThreshold.474	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.474	Integer	0
ibEntityExtVoltageLowThreshold.475	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.475	Integer	0
ibEntityExtVoltageLowThreshold.476	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.476	Integer	0
ibEntityExtVoltageLowThreshold.477	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.477	Integer	0
ibEntityExtVoltageLowThreshold.478	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.478	Integer	0
ibEntityExtVoltageLowThreshold.479	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.479	Integer	0
ibEntityExtVoltageLowThreshold.480	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.480	Integer	0
ibEntityExtVoltageLowThreshold.481	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.481	Integer	0
ibEntityExtVoltageLowThreshold.482	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.482	Integer	0
ibEntityExtVoltageLowThreshold.483	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.483	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtVoltageLowThreshold.484	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.484	Integer	0
ibEntityExtVoltageLowThreshold.485	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.485	Integer	0
ibEntityExtVoltageLowThreshold.486	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.486	Integer	0
ibEntityExtVoltageLowThreshold.487	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.487	Integer	0
ibEntityExtVoltageLowThreshold.488	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.488	Integer	0
ibEntityExtVoltageLowThreshold.489	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.489	Integer	0
ibEntityExtVoltageLowThreshold.490	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.490	Integer	0
ibEntityExtVoltageLowThreshold.491	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.491	Integer	0
ibEntityExtVoltageLowThreshold.492	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.492	Integer	0
ibEntityExtVoltageLowThreshold.493	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.493	Integer	0
ibEntityExtVoltageLowThreshold.494	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.494	Integer	0
ibEntityExtVoltageLowThreshold.495	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.495	Integer	0
ibEntityExtVoltageLowThreshold.496	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.496	Integer	0
ibEntityExtVoltageLowThreshold.497	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.497	Integer	0
ibEntityExtVoltageLowThreshold.498	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.498	Integer	0
ibEntityExtVoltageLowThreshold.499	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.499	Integer	0
ibEntityExtVoltageLowThreshold.2052	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.5.2052	Integer	0
ibEntityExtVoltageHighThreshold.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.6.1	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtVoltageHighThreshold. 2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.2	Integer	0
ibEntityExtVoltageHighThreshold. 12	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.12	Integer	0
ibEntityExtVoltageHighThreshold. 13	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.13	Integer	0
ibEntityExtVoltageHighThreshold. 14	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.14	Integer	0
ibEntityExtVoltageHighThreshold. 15	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.15	Integer	0
ibEntityExtVoltageHighThreshold. 16	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.16	Integer	0
ibEntityExtVoltageHighThreshold. 17	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.17	Integer	0
ibEntityExtVoltageHighThreshold. 18	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.18	Integer	0
ibEntityExtVoltageHighThreshold. 19	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.19	Integer	0
ibEntityExtVoltageHighThreshold. 20	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.20	Integer	0
ibEntityExtVoltageHighThreshold. 21	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.21	Integer	0
ibEntityExtVoltageHighThreshold. 22	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.22	Integer	0
ibEntityExtVoltageHighThreshold. 23	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.23	Integer	0
ibEntityExtVoltageHighThreshold. 24	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.24	Integer	0
ibEntityExtVoltageHighThreshold. 25	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.25	Integer	0
ibEntityExtVoltageHighThreshold. 26	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.26	Integer	0
ibEntityExtVoltageHighThreshold. 27	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.27	Integer	0
ibEntityExtVoltageHighThreshold. 28	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.28	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtVoltageHighThreshold. 29	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.29	Integer	0
ibEntityExtVoltageHighThreshold. 30	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.30	Integer	0
ibEntityExtVoltageHighThreshold. 31	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.31	Integer	0
ibEntityExtVoltageHighThreshold. 212	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.212	Integer	0
ibEntityExtVoltageHighThreshold. 213	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.213	Integer	0
ibEntityExtVoltageHighThreshold. 216	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.216	Integer	0
ibEntityExtVoltageHighThreshold. 220	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.220	Integer	0
ibEntityExtVoltageHighThreshold. 221	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.221	Integer	0
ibEntityExtVoltageHighThreshold. 222	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.222	Integer	0
ibEntityExtVoltageHighThreshold. 223	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.223	Integer	0
ibEntityExtVoltageHighThreshold. 412	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.412	Integer	0
ibEntityExtVoltageHighThreshold. 413	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.413	Integer	0
ibEntityExtVoltageHighThreshold. 414	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.414	Integer	0
ibEntityExtVoltageHighThreshold. 442	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.442	Integer	0
ibEntityExtVoltageHighThreshold. 472	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.472	Integer	0
ibEntityExtVoltageHighThreshold. 473	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.473	Integer	0
ibEntityExtVoltageHighThreshold. 474	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.474	Integer	0
ibEntityExtVoltageHighThreshold. 475	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.475	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtVoltageHighThreshold. 476	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.476	Integer	0
ibEntityExtVoltageHighThreshold. 477	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.477	Integer	0
ibEntityExtVoltageHighThreshold. 478	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.478	Integer	0
ibEntityExtVoltageHighThreshold. 479	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.479	Integer	0
ibEntityExtVoltageHighThreshold. 480	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.480	Integer	0
ibEntityExtVoltageHighThreshold. 481	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.481	Integer	0
ibEntityExtVoltageHighThreshold. 482	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.482	Integer	0
ibEntityExtVoltageHighThreshold. 483	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.483	Integer	0
ibEntityExtVoltageHighThreshold. 484	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.484	Integer	0
ibEntityExtVoltageHighThreshold. 485	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.485	Integer	0
ibEntityExtVoltageHighThreshold. 486	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.486	Integer	0
ibEntityExtVoltageHighThreshold. 487	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.487	Integer	0
ibEntityExtVoltageHighThreshold. 488	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.488	Integer	0
ibEntityExtVoltageHighThreshold. 489	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.489	Integer	0
ibEntityExtVoltageHighThreshold. 490	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.490	Integer	0
ibEntityExtVoltageHighThreshold. 491	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.491	Integer	0
ibEntityExtVoltageHighThreshold. 492	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.492	Integer	0
ibEntityExtVoltageHighThreshold. 493	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1 6.493	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtVoltageHighThreshold.494	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.6.494	Integer	0
ibEntityExtVoltageHighThreshold.495	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.6.495	Integer	0
ibEntityExtVoltageHighThreshold.496	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.6.496	Integer	0
ibEntityExtVoltageHighThreshold.497	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.6.497	Integer	0
ibEntityExtVoltageHighThreshold.498	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.6.498	Integer	0
ibEntityExtVoltageHighThreshold.499	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.6.499	Integer	0
ibEntityExtVoltageHighThreshold.2052	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.6.2052	Integer	0
ibEntityExtCriticalTemperatureThreshold.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.1	Integer	65535
ibEntityExtCriticalTemperatureThreshold.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.2	Integer	65535
ibEntityExtCriticalTemperatureThreshold.12	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.12	Integer	65535
ibEntityExtCriticalTemperatureThreshold.13	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.13	Integer	65535
ibEntityExtCriticalTemperatureThreshold.14	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.14	Integer	65535
ibEntityExtCriticalTemperatureThreshold.15	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.15	Integer	65535
ibEntityExtCriticalTemperatureThreshold.16	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.16	Integer	65535
ibEntityExtCriticalTemperatureThreshold.17	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.17	Integer	65535
ibEntityExtCriticalTemperatureThreshold.18	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.18	Integer	65535
ibEntityExtCriticalTemperatureThreshold.19	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.19	Integer	65535
ibEntityExtCriticalTemperatureThreshold.20	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.20	Integer	65535

Name	OID	Value Type	Value Example
ibEntityExtCriticalTemperatureThreshold.21	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.21	Integer	65535
ibEntityExtCriticalTemperatureThreshold.22	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.22	Integer	65535
ibEntityExtCriticalTemperatureThreshold.23	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.23	Integer	65535
ibEntityExtCriticalTemperatureThreshold.24	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.24	Integer	65535
ibEntityExtCriticalTemperatureThreshold.25	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.25	Integer	65535
ibEntityExtCriticalTemperatureThreshold.26	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.26	Integer	65535
ibEntityExtCriticalTemperatureThreshold.27	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.27	Integer	65535
ibEntityExtCriticalTemperatureThreshold.28	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.28	Integer	65535
ibEntityExtCriticalTemperatureThreshold.29	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.29	Integer	65535
ibEntityExtCriticalTemperatureThreshold.30	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.30	Integer	65535
ibEntityExtCriticalTemperatureThreshold.31	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.31	Integer	65535
ibEntityExtCriticalTemperatureThreshold.212	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.212	Integer	65535
ibEntityExtCriticalTemperatureThreshold.213	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.213	Integer	65535
ibEntityExtCriticalTemperatureThreshold.216	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.216	Integer	65535
ibEntityExtCriticalTemperatureThreshold.220	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.220	Integer	98
ibEntityExtCriticalTemperatureThreshold.221	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.221	Integer	110
ibEntityExtCriticalTemperatureThreshold.222	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.222	Integer	110
ibEntityExtCriticalTemperatureThreshold.223	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.223	Integer	110

Name	OID	Value Type	Value Example
ibEntityExtCriticalTemperatureThreshold.412	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.412	Integer	65535
ibEntityExtCriticalTemperatureThreshold.413	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.413	Integer	65535
ibEntityExtCriticalTemperatureThreshold.414	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.414	Integer	65535
ibEntityExtCriticalTemperatureThreshold.442	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.442	Integer	65535
ibEntityExtCriticalTemperatureThreshold.472	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.472	Integer	65535
ibEntityExtCriticalTemperatureThreshold.473	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.473	Integer	65535
ibEntityExtCriticalTemperatureThreshold.474	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.474	Integer	65535
ibEntityExtCriticalTemperatureThreshold.475	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.475	Integer	65535
ibEntityExtCriticalTemperatureThreshold.476	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.476	Integer	65535
ibEntityExtCriticalTemperatureThreshold.477	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.477	Integer	65535
ibEntityExtCriticalTemperatureThreshold.478	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.478	Integer	65535
ibEntityExtCriticalTemperatureThreshold.479	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.479	Integer	65535
ibEntityExtCriticalTemperatureThreshold.480	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.480	Integer	65535
ibEntityExtCriticalTemperatureThreshold.481	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.481	Integer	65535
ibEntityExtCriticalTemperatureThreshold.482	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.482	Integer	65535
ibEntityExtCriticalTemperatureThreshold.483	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.483	Integer	65535
ibEntityExtCriticalTemperatureThreshold.484	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.484	Integer	65535
ibEntityExtCriticalTemperatureThreshold.485	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.485	Integer	65535

Name	OID	Value Type	Value Example
ibEntityExtCriticalTemperatureThreshold.486	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.486	Integer	65535
ibEntityExtCriticalTemperatureThreshold.487	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.487	Integer	65535
ibEntityExtCriticalTemperatureThreshold.488	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.488	Integer	65535
ibEntityExtCriticalTemperatureThreshold.489	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.489	Integer	65535
ibEntityExtCriticalTemperatureThreshold.490	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.490	Integer	65535
ibEntityExtCriticalTemperatureThreshold.491	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.491	Integer	65535
ibEntityExtCriticalTemperatureThreshold.492	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.492	Integer	65535
ibEntityExtCriticalTemperatureThreshold.493	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.493	Integer	65535
ibEntityExtCriticalTemperatureThreshold.494	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.494	Integer	65535
ibEntityExtCriticalTemperatureThreshold.495	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.495	Integer	65535
ibEntityExtCriticalTemperatureThreshold.496	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.496	Integer	65535
ibEntityExtCriticalTemperatureThreshold.497	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.497	Integer	65535
ibEntityExtCriticalTemperatureThreshold.498	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.498	Integer	65535
ibEntityExtCriticalTemperatureThreshold.499	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.499	Integer	65535
ibEntityExtCriticalTemperatureThreshold.2052	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.7.2052	Integer	65535
ibEntityExtMacAddress.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.1	OctetString	80-85-44-07-B1-1C
ibEntityExtMacAddress.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.2	OctetString	80-85-44-07-B1-1C
ibEntityExtMacAddress.12	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.12	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.13	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.13	OctetString	00-00-00-00-00-00

Name	OID	Value Type	Value Example
ibEntityExtMacAddress.14	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.14	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.15	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.15	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.16	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.16	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.17	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.17	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.18	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.18	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.19	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.19	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.20	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.20	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.21	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.21	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.22	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.22	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.23	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.23	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.24	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.24	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.25	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.25	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.26	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.26	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.27	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.27	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.28	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.28	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.29	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.29	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.30	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.30	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.31	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.31	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.212	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.212	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.213	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.213	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.216	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.216	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.220	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.220	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.221	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.221	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.222	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.222	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.223	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.223	OctetString	00-00-00-00-00-00

Name	OID	Value Type	Value Example
ibEntityExtMacAddress.412	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.412	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.413	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.413	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.414	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.414	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.442	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.442	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.472	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.472	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.473	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.473	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.474	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.474	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.475	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.475	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.476	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.476	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.477	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.477	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.478	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.478	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.479	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.479	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.480	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.480	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.481	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.481	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.482	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.482	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.483	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.483	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.484	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.484	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.485	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.485	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.486	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.486	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.487	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.487	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.488	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.488	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.489	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.489	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.490	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.490	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.491	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.491	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.492	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.492	OctetString	00-00-00-00-00-00

Name	OID	Value Type	Value Example
ibEntityExtMacAddress.493	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.493	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.494	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.494	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.495	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.495	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.496	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.496	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.497	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.497	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.498	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.498	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.499	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.499	OctetString	00-00-00-00-00-00
ibEntityExtMacAddress.2052	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.8.2052	OctetString	00-00-00-00-00-00
ibEntityExtErrorStatus.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.1	Integer	normal (2)
ibEntityExtErrorStatus.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.2	Integer	normal (2)
ibEntityExtErrorStatus.12	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.12	Integer	normal (2)
ibEntityExtErrorStatus.13	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.13	Integer	normal (2)
ibEntityExtErrorStatus.14	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.14	Integer	normal (2)
ibEntityExtErrorStatus.15	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.15	Integer	normal (2)
ibEntityExtErrorStatus.16	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.16	Integer	normal (2)
ibEntityExtErrorStatus.17	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.17	Integer	normal (2)
ibEntityExtErrorStatus.18	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.18	Integer	normal (2)
ibEntityExtErrorStatus.19	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.19	Integer	normal (2)
ibEntityExtErrorStatus.20	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.20	Integer	normal (2)
ibEntityExtErrorStatus.21	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.21	Integer	normal (2)
ibEntityExtErrorStatus.22	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.22	Integer	normal (2)
ibEntityExtErrorStatus.23	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.23	Integer	normal (2)
ibEntityExtErrorStatus.24	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.24	Integer	normal (2)
ibEntityExtErrorStatus.25	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.25	Integer	normal (2)
ibEntityExtErrorStatus.26	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.26	Integer	normal (2)

Name	OID	Value Type	Value Example
ibEntityExtErrorStatus.27	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.27	Integer	normal (2)
ibEntityExtErrorStatus.28	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.28	Integer	normal (2)
ibEntityExtErrorStatus.29	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.29	Integer	normal (2)
ibEntityExtErrorStatus.30	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.30	Integer	normal (2)
ibEntityExtErrorStatus.31	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.31	Integer	normal (2)
ibEntityExtErrorStatus.212	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.212	Integer	normal (2)
ibEntityExtErrorStatus.213	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.213	Integer	normal (2)
ibEntityExtErrorStatus.216	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.216	Integer	normal (2)
ibEntityExtErrorStatus.220	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.220	Integer	normal (2)
ibEntityExtErrorStatus.221	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.221	Integer	normal (2)
ibEntityExtErrorStatus.222	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.222	Integer	notSupported (1)
ibEntityExtErrorStatus.223	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.223	Integer	notSupported (1)
ibEntityExtErrorStatus.412	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.412	Integer	normal (2)
ibEntityExtErrorStatus.413	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.413	Integer	normal (2)
ibEntityExtErrorStatus.414	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.414	Integer	normal (2)
ibEntityExtErrorStatus.442	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.442	Integer	normal (2)
ibEntityExtErrorStatus.472	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.472	Integer	normal (2)
ibEntityExtErrorStatus.473	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.473	Integer	normal (2)
ibEntityExtErrorStatus.474	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.474	Integer	normal (2)
ibEntityExtErrorStatus.475	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.475	Integer	normal (2)
ibEntityExtErrorStatus.476	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.476	Integer	normal (2)
ibEntityExtErrorStatus.477	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.477	Integer	normal (2)
ibEntityExtErrorStatus.478	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.478	Integer	normal (2)
ibEntityExtErrorStatus.479	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.479	Integer	normal (2)
ibEntityExtErrorStatus.480	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.480	Integer	normal (2)

Name	OID	Value Type	Value Example
ibEntityExtErrorStatus.481	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.481	Integer	normal (2)
ibEntityExtErrorStatus.482	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.482	Integer	normal (2)
ibEntityExtErrorStatus.483	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.483	Integer	normal (2)
ibEntityExtErrorStatus.484	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.484	Integer	normal (2)
ibEntityExtErrorStatus.485	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.485	Integer	normal (2)
ibEntityExtErrorStatus.486	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.486	Integer	normal (2)
ibEntityExtErrorStatus.487	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.487	Integer	normal (2)
ibEntityExtErrorStatus.488	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.488	Integer	normal (2)
ibEntityExtErrorStatus.489	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.489	Integer	normal (2)
ibEntityExtErrorStatus.490	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.490	Integer	normal (2)
ibEntityExtErrorStatus.491	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.491	Integer	normal (2)
ibEntityExtErrorStatus.492	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.492	Integer	normal (2)
ibEntityExtErrorStatus.493	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.493	Integer	normal (2)
ibEntityExtErrorStatus.494	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.494	Integer	normal (2)
ibEntityExtErrorStatus.495	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.495	Integer	normal (2)
ibEntityExtErrorStatus.496	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.496	Integer	normal (2)
ibEntityExtErrorStatus.497	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.497	Integer	normal (2)
ibEntityExtErrorStatus.498	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.498	Integer	normal (2)
ibEntityExtErrorStatus.499	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.499	Integer	normal (2)
ibEntityExtErrorStatus.2052	.1.3.6.1.4.1.26138.2.6.1.1.1.1.1.9.2052	Integer	normal (2)
ibEntityExtCpuMaxUsage.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.0.1	Integer	0
ibEntityExtCpuMaxUsage.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.0.2	Integer	0
ibEntityExtCpuMaxUsage.12	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.0.12	Integer	0
ibEntityExtCpuMaxUsage.13	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.0.13	Integer	0
ibEntityExtCpuMaxUsage.14	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.0.14	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtCpuMaxUsage.15	.1.3.6.1.4.1.26138.2.6.1.1.1.2 0.15	Integer	0
ibEntityExtCpuMaxUsage.16	.1.3.6.1.4.1.26138.2.6.1.1.1.2 0.16	Integer	0
ibEntityExtCpuMaxUsage.17	.1.3.6.1.4.1.26138.2.6.1.1.1.2 0.17	Integer	0
ibEntityExtCpuMaxUsage.18	.1.3.6.1.4.1.26138.2.6.1.1.1.2 0.18	Integer	0
ibEntityExtCpuMaxUsage.19	.1.3.6.1.4.1.26138.2.6.1.1.1.2 0.19	Integer	0
ibEntityExtCpuMaxUsage.20	.1.3.6.1.4.1.26138.2.6.1.1.1.2 0.20	Integer	0
ibEntityExtCpuMaxUsage.21	.1.3.6.1.4.1.26138.2.6.1.1.1.2 0.21	Integer	0
ibEntityExtCpuMaxUsage.22	.1.3.6.1.4.1.26138.2.6.1.1.1.2 0.22	Integer	0
ibEntityExtCpuMaxUsage.23	.1.3.6.1.4.1.26138.2.6.1.1.1.2 0.23	Integer	0
ibEntityExtCpuMaxUsage.24	.1.3.6.1.4.1.26138.2.6.1.1.1.2 0.24	Integer	0
ibEntityExtCpuMaxUsage.25	.1.3.6.1.4.1.26138.2.6.1.1.1.2 0.25	Integer	0
ibEntityExtCpuMaxUsage.26	.1.3.6.1.4.1.26138.2.6.1.1.1.2 0.26	Integer	0
ibEntityExtCpuMaxUsage.27	.1.3.6.1.4.1.26138.2.6.1.1.1.2 0.27	Integer	0
ibEntityExtCpuMaxUsage.28	.1.3.6.1.4.1.26138.2.6.1.1.1.2 0.28	Integer	0
ibEntityExtCpuMaxUsage.29	.1.3.6.1.4.1.26138.2.6.1.1.1.2 0.29	Integer	0
ibEntityExtCpuMaxUsage.30	.1.3.6.1.4.1.26138.2.6.1.1.1.2 0.30	Integer	0
ibEntityExtCpuMaxUsage.31	.1.3.6.1.4.1.26138.2.6.1.1.1.2 0.31	Integer	0
ibEntityExtCpuMaxUsage.212	.1.3.6.1.4.1.26138.2.6.1.1.1.2 0.212	Integer	69
ibEntityExtCpuMaxUsage.213	.1.3.6.1.4.1.26138.2.6.1.1.1.2 0.213	Integer	0
ibEntityExtCpuMaxUsage.216	.1.3.6.1.4.1.26138.2.6.1.1.1.2 0.216	Integer	0
ibEntityExtCpuMaxUsage.220	.1.3.6.1.4.1.26138.2.6.1.1.1.2 0.220	Integer	0
ibEntityExtCpuMaxUsage.221	.1.3.6.1.4.1.26138.2.6.1.1.1.2 0.221	Integer	0
ibEntityExtCpuMaxUsage.222	.1.3.6.1.4.1.26138.2.6.1.1.1.2 0.222	Integer	0
ibEntityExtCpuMaxUsage.223	.1.3.6.1.4.1.26138.2.6.1.1.1.2 0.223	Integer	0
ibEntityExtCpuMaxUsage.412	.1.3.6.1.4.1.26138.2.6.1.1.1.2 0.412	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtCpuMaxUsage.413	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.413	Integer	0
ibEntityExtCpuMaxUsage.414	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.414	Integer	0
ibEntityExtCpuMaxUsage.442	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.442	Integer	0
ibEntityExtCpuMaxUsage.472	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.472	Integer	0
ibEntityExtCpuMaxUsage.473	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.473	Integer	0
ibEntityExtCpuMaxUsage.474	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.474	Integer	0
ibEntityExtCpuMaxUsage.475	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.475	Integer	0
ibEntityExtCpuMaxUsage.476	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.476	Integer	0
ibEntityExtCpuMaxUsage.477	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.477	Integer	0
ibEntityExtCpuMaxUsage.478	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.478	Integer	0
ibEntityExtCpuMaxUsage.479	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.479	Integer	0
ibEntityExtCpuMaxUsage.480	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.480	Integer	0
ibEntityExtCpuMaxUsage.481	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.481	Integer	0
ibEntityExtCpuMaxUsage.482	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.482	Integer	0
ibEntityExtCpuMaxUsage.483	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.483	Integer	0
ibEntityExtCpuMaxUsage.484	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.484	Integer	0
ibEntityExtCpuMaxUsage.485	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.485	Integer	0
ibEntityExtCpuMaxUsage.486	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.486	Integer	0
ibEntityExtCpuMaxUsage.487	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.487	Integer	0
ibEntityExtCpuMaxUsage.488	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.488	Integer	0
ibEntityExtCpuMaxUsage.489	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.489	Integer	0
ibEntityExtCpuMaxUsage.490	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.490	Integer	0
ibEntityExtCpuMaxUsage.491	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.491	Integer	0
ibEntityExtCpuMaxUsage.492	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.492	Integer	0
ibEntityExtCpuMaxUsage.493	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.493	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtCpuMaxUsage.494	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.494	Integer	0
ibEntityExtCpuMaxUsage.495	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.495	Integer	0
ibEntityExtCpuMaxUsage.496	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.496	Integer	0
ibEntityExtCpuMaxUsage.497	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.497	Integer	0
ibEntityExtCpuMaxUsage.498	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.498	Integer	0
ibEntityExtCpuMaxUsage.499	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.499	Integer	0
ibEntityExtCpuMaxUsage.2052	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 0.2052	Integer	0
ibEntityExtLowerTemperatureThresh hold.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.1	Integer	65535
ibEntityExtLowerTemperatureThresh hold.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.2	Integer	65535
ibEntityExtLowerTemperatureThresh hold.12	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.12	Integer	65535
ibEntityExtLowerTemperatureThresh hold.13	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.13	Integer	65535
ibEntityExtLowerTemperatureThresh hold.14	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.14	Integer	65535
ibEntityExtLowerTemperatureThresh hold.15	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.15	Integer	65535
ibEntityExtLowerTemperatureThresh hold.16	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.16	Integer	65535
ibEntityExtLowerTemperatureThresh hold.17	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.17	Integer	65535
ibEntityExtLowerTemperatureThresh hold.18	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.18	Integer	65535
ibEntityExtLowerTemperatureThresh hold.19	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.19	Integer	65535
ibEntityExtLowerTemperatureThresh hold.20	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.20	Integer	65535
ibEntityExtLowerTemperatureThresh hold.21	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.21	Integer	65535
ibEntityExtLowerTemperatureThresh hold.22	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.22	Integer	65535

Name	OID	Value Type	Value Example
ibEntityExtLowerTemperatureThreshold.23	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.23	Integer	65535
ibEntityExtLowerTemperatureThreshold.24	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.24	Integer	65535
ibEntityExtLowerTemperatureThreshold.25	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.25	Integer	65535
ibEntityExtLowerTemperatureThreshold.26	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.26	Integer	65535
ibEntityExtLowerTemperatureThreshold.27	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.27	Integer	65535
ibEntityExtLowerTemperatureThreshold.28	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.28	Integer	65535
ibEntityExtLowerTemperatureThreshold.29	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.29	Integer	65535
ibEntityExtLowerTemperatureThreshold.30	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.30	Integer	65535
ibEntityExtLowerTemperatureThreshold.31	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.31	Integer	65535
ibEntityExtLowerTemperatureThreshold.212	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.212	Integer	65535
ibEntityExtLowerTemperatureThreshold.213	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.213	Integer	65535
ibEntityExtLowerTemperatureThreshold.216	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.216	Integer	65535
ibEntityExtLowerTemperatureThreshold.220	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.220	Integer	0
ibEntityExtLowerTemperatureThreshold.221	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.221	Integer	0
ibEntityExtLowerTemperatureThreshold.222	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.222	Integer	0
ibEntityExtLowerTemperatureThreshold.223	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.223	Integer	0
ibEntityExtLowerTemperatureThreshold.412	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.412	Integer	65535
ibEntityExtLowerTemperatureThreshold.413	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.1.413	Integer	65535

Name	OID	Value Type	Value Example
ibEntityExtLowerTemperatureThresh hold.414	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.414	Integer	65535
ibEntityExtLowerTemperatureThresh hold.442	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.442	Integer	65535
ibEntityExtLowerTemperatureThresh hold.472	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.472	Integer	65535
ibEntityExtLowerTemperatureThresh hold.473	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.473	Integer	65535
ibEntityExtLowerTemperatureThresh hold.474	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.474	Integer	65535
ibEntityExtLowerTemperatureThresh hold.475	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.475	Integer	65535
ibEntityExtLowerTemperatureThresh hold.476	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.476	Integer	65535
ibEntityExtLowerTemperatureThresh hold.477	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.477	Integer	65535
ibEntityExtLowerTemperatureThresh hold.478	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.478	Integer	65535
ibEntityExtLowerTemperatureThresh hold.479	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.479	Integer	65535
ibEntityExtLowerTemperatureThresh hold.480	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.480	Integer	65535
ibEntityExtLowerTemperatureThresh hold.481	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.481	Integer	65535
ibEntityExtLowerTemperatureThresh hold.482	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.482	Integer	65535
ibEntityExtLowerTemperatureThresh hold.483	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.483	Integer	65535
ibEntityExtLowerTemperatureThresh hold.484	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.484	Integer	65535
ibEntityExtLowerTemperatureThresh hold.485	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.485	Integer	65535
ibEntityExtLowerTemperatureThresh hold.486	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.486	Integer	65535
ibEntityExtLowerTemperatureThresh hold.487	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.487	Integer	65535

Name	OID	Value Type	Value Example
ibEntityExtLowerTemperatureThreshold.488	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.488	Integer	65535
ibEntityExtLowerTemperatureThreshold.489	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.489	Integer	65535
ibEntityExtLowerTemperatureThreshold.490	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.490	Integer	65535
ibEntityExtLowerTemperatureThreshold.491	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.491	Integer	65535
ibEntityExtLowerTemperatureThreshold.492	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.492	Integer	65535
ibEntityExtLowerTemperatureThreshold.493	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.493	Integer	65535
ibEntityExtLowerTemperatureThreshold.494	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.494	Integer	65535
ibEntityExtLowerTemperatureThreshold.495	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.495	Integer	65535
ibEntityExtLowerTemperatureThreshold.496	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.496	Integer	65535
ibEntityExtLowerTemperatureThreshold.497	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.497	Integer	65535
ibEntityExtLowerTemperatureThreshold.498	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.498	Integer	65535
ibEntityExtLowerTemperatureThreshold.499	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.499	Integer	65535
ibEntityExtLowerTemperatureThreshold.2052	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 1.2052	Integer	65535
ibEntityExtShutdownTemperatureThreshold.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 2.1	Integer	65535
ibEntityExtShutdownTemperatureThreshold.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 2.2	Integer	65535
ibEntityExtShutdownTemperatureThreshold.12	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 2.12	Integer	65535
ibEntityExtShutdownTemperatureThreshold.13	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 2.13	Integer	65535
ibEntityExtShutdownTemperatureThreshold.14	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 2.14	Integer	65535

Name	OID	Value Type	Value Example
ibEntityExtShutdownTemperatureThreshold.15	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.15	Integer	65535
ibEntityExtShutdownTemperatureThreshold.16	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.16	Integer	65535
ibEntityExtShutdownTemperatureThreshold.17	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.17	Integer	65535
ibEntityExtShutdownTemperatureThreshold.18	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.18	Integer	65535
ibEntityExtShutdownTemperatureThreshold.19	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.19	Integer	65535
ibEntityExtShutdownTemperatureThreshold.20	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.20	Integer	65535
ibEntityExtShutdownTemperatureThreshold.21	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.21	Integer	65535
ibEntityExtShutdownTemperatureThreshold.22	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.22	Integer	65535
ibEntityExtShutdownTemperatureThreshold.23	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.23	Integer	65535
ibEntityExtShutdownTemperatureThreshold.24	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.24	Integer	65535
ibEntityExtShutdownTemperatureThreshold.25	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.25	Integer	65535
ibEntityExtShutdownTemperatureThreshold.26	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.26	Integer	65535
ibEntityExtShutdownTemperatureThreshold.27	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.27	Integer	65535
ibEntityExtShutdownTemperatureThreshold.28	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.28	Integer	65535
ibEntityExtShutdownTemperatureThreshold.29	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.29	Integer	65535
ibEntityExtShutdownTemperatureThreshold.30	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.30	Integer	65535
ibEntityExtShutdownTemperatureThreshold.31	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.31	Integer	65535
ibEntityExtShutdownTemperatureThreshold.212	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.212	Integer	65535

Name	OID	Value Type	Value Example
ibEntityExtShutdownTemperatureThreshold.213	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.213	Integer	65535
ibEntityExtShutdownTemperatureThreshold.216	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.216	Integer	65535
ibEntityExtShutdownTemperatureThreshold.220	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.220	Integer	105
ibEntityExtShutdownTemperatureThreshold.221	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.221	Integer	65535
ibEntityExtShutdownTemperatureThreshold.222	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.222	Integer	65535
ibEntityExtShutdownTemperatureThreshold.223	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.223	Integer	65535
ibEntityExtShutdownTemperatureThreshold.412	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.412	Integer	65535
ibEntityExtShutdownTemperatureThreshold.413	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.413	Integer	65535
ibEntityExtShutdownTemperatureThreshold.414	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.414	Integer	65535
ibEntityExtShutdownTemperatureThreshold.442	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.442	Integer	65535
ibEntityExtShutdownTemperatureThreshold.472	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.472	Integer	65535
ibEntityExtShutdownTemperatureThreshold.473	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.473	Integer	65535
ibEntityExtShutdownTemperatureThreshold.474	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.474	Integer	65535
ibEntityExtShutdownTemperatureThreshold.475	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.475	Integer	65535
ibEntityExtShutdownTemperatureThreshold.476	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.476	Integer	65535
ibEntityExtShutdownTemperatureThreshold.477	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.477	Integer	65535
ibEntityExtShutdownTemperatureThreshold.478	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.478	Integer	65535
ibEntityExtShutdownTemperatureThreshold.479	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.479	Integer	65535

Name	OID	Value Type	Value Example
ibEntityExtShutdownTemperatureThreshold.480	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.480	Integer	65535
ibEntityExtShutdownTemperatureThreshold.481	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.481	Integer	65535
ibEntityExtShutdownTemperatureThreshold.482	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.482	Integer	65535
ibEntityExtShutdownTemperatureThreshold.483	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.483	Integer	65535
ibEntityExtShutdownTemperatureThreshold.484	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.484	Integer	65535
ibEntityExtShutdownTemperatureThreshold.485	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.485	Integer	65535
ibEntityExtShutdownTemperatureThreshold.486	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.486	Integer	65535
ibEntityExtShutdownTemperatureThreshold.487	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.487	Integer	65535
ibEntityExtShutdownTemperatureThreshold.488	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.488	Integer	65535
ibEntityExtShutdownTemperatureThreshold.489	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.489	Integer	65535
ibEntityExtShutdownTemperatureThreshold.490	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.490	Integer	65535
ibEntityExtShutdownTemperatureThreshold.491	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.491	Integer	65535
ibEntityExtShutdownTemperatureThreshold.492	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.492	Integer	65535
ibEntityExtShutdownTemperatureThreshold.493	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.493	Integer	65535
ibEntityExtShutdownTemperatureThreshold.494	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.494	Integer	65535
ibEntityExtShutdownTemperatureThreshold.495	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.495	Integer	65535
ibEntityExtShutdownTemperatureThreshold.496	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.496	Integer	65535
ibEntityExtShutdownTemperatureThreshold.497	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.497	Integer	65535

Name	OID	Value Type	Value Example
ibEntityExtShutdownTemperatureThreshold.498	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.498	Integer	65535
ibEntityExtShutdownTemperatureThreshold.499	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.499	Integer	65535
ibEntityExtShutdownTemperatureThreshold.2052	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.2.2052	Integer	65535
ibEntityExtPhyMemSize.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.3.1	Gauge	0
ibEntityExtPhyMemSize.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.3.2	Gauge	0
ibEntityExtPhyMemSize.12	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.3.12	Gauge	0
ibEntityExtPhyMemSize.13	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.3.13	Gauge	0
ibEntityExtPhyMemSize.14	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.3.14	Gauge	0
ibEntityExtPhyMemSize.15	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.3.15	Gauge	0
ibEntityExtPhyMemSize.16	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.3.16	Gauge	0
ibEntityExtPhyMemSize.17	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.3.17	Gauge	0
ibEntityExtPhyMemSize.18	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.3.18	Gauge	0
ibEntityExtPhyMemSize.19	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.3.19	Gauge	0
ibEntityExtPhyMemSize.20	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.3.20	Gauge	0
ibEntityExtPhyMemSize.21	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.3.21	Gauge	0
ibEntityExtPhyMemSize.22	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.3.22	Gauge	0
ibEntityExtPhyMemSize.23	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.3.23	Gauge	0
ibEntityExtPhyMemSize.24	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.3.24	Gauge	0
ibEntityExtPhyMemSize.25	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.3.25	Gauge	0
ibEntityExtPhyMemSize.26	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.3.26	Gauge	0
ibEntityExtPhyMemSize.27	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.3.27	Gauge	0
ibEntityExtPhyMemSize.28	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.3.28	Gauge	0
ibEntityExtPhyMemSize.29	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.3.29	Gauge	0
ibEntityExtPhyMemSize.30	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.3.30	Gauge	0

Name	OID	Value Type	Value Example
ibEntityExtPhyMemSize.31	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.31	Gauge	0
ibEntityExtPhyMemSize.212	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.212	Gauge	512
ibEntityExtPhyMemSize.213	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.213	Gauge	0
ibEntityExtPhyMemSize.216	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.216	Gauge	0
ibEntityExtPhyMemSize.220	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.220	Gauge	0
ibEntityExtPhyMemSize.221	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.221	Gauge	0
ibEntityExtPhyMemSize.222	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.222	Gauge	0
ibEntityExtPhyMemSize.223	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.223	Gauge	0
ibEntityExtPhyMemSize.412	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.412	Gauge	0
ibEntityExtPhyMemSize.413	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.413	Gauge	0
ibEntityExtPhyMemSize.414	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.414	Gauge	0
ibEntityExtPhyMemSize.442	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.442	Gauge	0
ibEntityExtPhyMemSize.472	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.472	Gauge	0
ibEntityExtPhyMemSize.473	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.473	Gauge	0
ibEntityExtPhyMemSize.474	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.474	Gauge	0
ibEntityExtPhyMemSize.475	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.475	Gauge	0
ibEntityExtPhyMemSize.476	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.476	Gauge	0
ibEntityExtPhyMemSize.477	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.477	Gauge	0
ibEntityExtPhyMemSize.478	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.478	Gauge	0
ibEntityExtPhyMemSize.479	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.479	Gauge	0
ibEntityExtPhyMemSize.480	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.480	Gauge	0
ibEntityExtPhyMemSize.481	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.481	Gauge	0
ibEntityExtPhyMemSize.482	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.482	Gauge	0
ibEntityExtPhyMemSize.483	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.483	Gauge	0
ibEntityExtPhyMemSize.484	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.484	Gauge	0

Name	OID	Value Type	Value Example
ibEntityExtPhyMemSize.485	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.485	Gauge	0
ibEntityExtPhyMemSize.486	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.486	Gauge	0
ibEntityExtPhyMemSize.487	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.487	Gauge	0
ibEntityExtPhyMemSize.488	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.488	Gauge	0
ibEntityExtPhyMemSize.489	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.489	Gauge	0
ibEntityExtPhyMemSize.490	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.490	Gauge	0
ibEntityExtPhyMemSize.491	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.491	Gauge	0
ibEntityExtPhyMemSize.492	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.492	Gauge	0
ibEntityExtPhyMemSize.493	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.493	Gauge	0
ibEntityExtPhyMemSize.494	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.494	Gauge	0
ibEntityExtPhyMemSize.495	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.495	Gauge	0
ibEntityExtPhyMemSize.496	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.496	Gauge	0
ibEntityExtPhyMemSize.497	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.497	Gauge	0
ibEntityExtPhyMemSize.498	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.498	Gauge	0
ibEntityExtPhyMemSize.499	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.499	Gauge	0
ibEntityExtPhyMemSize.2052	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 3.2052	Gauge	0
ibEntityExtPhyCpuFrequency.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.1	Integer	0
ibEntityExtPhyCpuFrequency.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.2	Integer	0
ibEntityExtPhyCpuFrequency.12	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.12	Integer	0
ibEntityExtPhyCpuFrequency.13	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.13	Integer	0
ibEntityExtPhyCpuFrequency.14	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.14	Integer	0
ibEntityExtPhyCpuFrequency.15	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.15	Integer	0
ibEntityExtPhyCpuFrequency.16	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.16	Integer	0
ibEntityExtPhyCpuFrequency.17	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.17	Integer	0
ibEntityExtPhyCpuFrequency.18	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.18	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtPhyCpuFrequency.19	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.4.19	Integer	0
ibEntityExtPhyCpuFrequency.20	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.4.20	Integer	0
ibEntityExtPhyCpuFrequency.21	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.4.21	Integer	0
ibEntityExtPhyCpuFrequency.22	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.4.22	Integer	0
ibEntityExtPhyCpuFrequency.23	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.4.23	Integer	0
ibEntityExtPhyCpuFrequency.24	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.4.24	Integer	0
ibEntityExtPhyCpuFrequency.25	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.4.25	Integer	0
ibEntityExtPhyCpuFrequency.26	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.4.26	Integer	0
ibEntityExtPhyCpuFrequency.27	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.4.27	Integer	0
ibEntityExtPhyCpuFrequency.28	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.4.28	Integer	0
ibEntityExtPhyCpuFrequency.29	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.4.29	Integer	0
ibEntityExtPhyCpuFrequency.30	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.4.30	Integer	0
ibEntityExtPhyCpuFrequency.31	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.4.31	Integer	0
ibEntityExtPhyCpuFrequency.212	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.4.212	Integer	0
ibEntityExtPhyCpuFrequency.213	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.4.213	Integer	0
ibEntityExtPhyCpuFrequency.216	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.4.216	Integer	0
ibEntityExtPhyCpuFrequency.220	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.4.220	Integer	0
ibEntityExtPhyCpuFrequency.221	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.4.221	Integer	0
ibEntityExtPhyCpuFrequency.222	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.4.222	Integer	0
ibEntityExtPhyCpuFrequency.223	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.4.223	Integer	0
ibEntityExtPhyCpuFrequency.412	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.4.412	Integer	0
ibEntityExtPhyCpuFrequency.413	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.4.413	Integer	0
ibEntityExtPhyCpuFrequency.414	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.4.414	Integer	0
ibEntityExtPhyCpuFrequency.442	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.4.442	Integer	0
ibEntityExtPhyCpuFrequency.472	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2.4.472	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtPhyCpuFrequency.473	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.473	Integer	0
ibEntityExtPhyCpuFrequency.474	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.474	Integer	0
ibEntityExtPhyCpuFrequency.475	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.475	Integer	0
ibEntityExtPhyCpuFrequency.476	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.476	Integer	0
ibEntityExtPhyCpuFrequency.477	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.477	Integer	0
ibEntityExtPhyCpuFrequency.478	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.478	Integer	0
ibEntityExtPhyCpuFrequency.479	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.479	Integer	0
ibEntityExtPhyCpuFrequency.480	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.480	Integer	0
ibEntityExtPhyCpuFrequency.481	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.481	Integer	0
ibEntityExtPhyCpuFrequency.482	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.482	Integer	0
ibEntityExtPhyCpuFrequency.483	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.483	Integer	0
ibEntityExtPhyCpuFrequency.484	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.484	Integer	0
ibEntityExtPhyCpuFrequency.485	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.485	Integer	0
ibEntityExtPhyCpuFrequency.486	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.486	Integer	0
ibEntityExtPhyCpuFrequency.487	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.487	Integer	0
ibEntityExtPhyCpuFrequency.488	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.488	Integer	0
ibEntityExtPhyCpuFrequency.489	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.489	Integer	0
ibEntityExtPhyCpuFrequency.490	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.490	Integer	0
ibEntityExtPhyCpuFrequency.491	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.491	Integer	0
ibEntityExtPhyCpuFrequency.492	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.492	Integer	0
ibEntityExtPhyCpuFrequency.493	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.493	Integer	0
ibEntityExtPhyCpuFrequency.494	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.494	Integer	0
ibEntityExtPhyCpuFrequency.495	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.495	Integer	0
ibEntityExtPhyCpuFrequency.496	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.496	Integer	0
ibEntityExtPhyCpuFrequency.497	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 4.497	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtPhyCpuFrequency.498	.1.3.6.1.4.1.26138.2.6.1.1.1.2.4.498	Integer	0
ibEntityExtPhyCpuFrequency.499	.1.3.6.1.4.1.26138.2.6.1.1.1.2.4.499	Integer	0
ibEntityExtPhyCpuFrequency.2052	.1.3.6.1.4.1.26138.2.6.1.1.1.2.4.2052	Integer	0
ibEntityExtFirstUsedDate.1	.1.3.6.1.4.1.26138.2.6.1.1.1.2.5.1	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.2	.1.3.6.1.4.1.26138.2.6.1.1.1.2.5.2	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.12	.1.3.6.1.4.1.26138.2.6.1.1.1.2.5.12	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.13	.1.3.6.1.4.1.26138.2.6.1.1.1.2.5.13	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.14	.1.3.6.1.4.1.26138.2.6.1.1.1.2.5.14	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.15	.1.3.6.1.4.1.26138.2.6.1.1.1.2.5.15	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.16	.1.3.6.1.4.1.26138.2.6.1.1.1.2.5.16	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.17	.1.3.6.1.4.1.26138.2.6.1.1.1.2.5.17	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.18	.1.3.6.1.4.1.26138.2.6.1.1.1.2.5.18	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.19	.1.3.6.1.4.1.26138.2.6.1.1.1.2.5.19	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.20	.1.3.6.1.4.1.26138.2.6.1.1.1.2.5.20	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.21	.1.3.6.1.4.1.26138.2.6.1.1.1.2.5.21	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.22	.1.3.6.1.4.1.26138.2.6.1.1.1.2.5.22	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.23	.1.3.6.1.4.1.26138.2.6.1.1.1.2.5.23	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.24	.1.3.6.1.4.1.26138.2.6.1.1.1.2.5.24	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.25	.1.3.6.1.4.1.26138.2.6.1.1.1.2.5.25	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.26	.1.3.6.1.4.1.26138.2.6.1.1.1.2.5.26	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.27	.1.3.6.1.4.1.26138.2.6.1.1.1.2.5.27	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.28	.1.3.6.1.4.1.26138.2.6.1.1.1.2.5.28	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.29	.1.3.6.1.4.1.26138.2.6.1.1.1.2.5.29	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.30	.1.3.6.1.4.1.26138.2.6.1.1.1.2.5.30	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.31	.1.3.6.1.4.1.26138.2.6.1.1.1.2.5.31	OctetString	0-0-0,0:0:0.0

Name	OID	Value Type	Value Example
ibEntityExtFirstUsedDate.212	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 5.212	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.213	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 5.213	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.216	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 5.216	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.220	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 5.220	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.221	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 5.221	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.222	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 5.222	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.223	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 5.223	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.412	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 5.412	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.413	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 5.413	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.414	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 5.414	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.442	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 5.442	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.472	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 5.472	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.473	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 5.473	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.474	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 5.474	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.475	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 5.475	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.476	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 5.476	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.477	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 5.477	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.478	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 5.478	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.479	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 5.479	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.480	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 5.480	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.481	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 5.481	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.482	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 5.482	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.483	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 5.483	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.484	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 5.484	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.485	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 5.485	OctetString	0-0-0,0:0:0.0

Name	OID	Value Type	Value Example
ibEntityExtFirstUsedDate.486	.1.3.6.1.4.1.26138.2.6.1.1.1.2 5.486	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.487	.1.3.6.1.4.1.26138.2.6.1.1.1.2 5.487	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.488	.1.3.6.1.4.1.26138.2.6.1.1.1.2 5.488	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.489	.1.3.6.1.4.1.26138.2.6.1.1.1.2 5.489	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.490	.1.3.6.1.4.1.26138.2.6.1.1.1.2 5.490	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.491	.1.3.6.1.4.1.26138.2.6.1.1.1.2 5.491	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.492	.1.3.6.1.4.1.26138.2.6.1.1.1.2 5.492	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.493	.1.3.6.1.4.1.26138.2.6.1.1.1.2 5.493	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.494	.1.3.6.1.4.1.26138.2.6.1.1.1.2 5.494	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.495	.1.3.6.1.4.1.26138.2.6.1.1.1.2 5.495	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.496	.1.3.6.1.4.1.26138.2.6.1.1.1.2 5.496	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.497	.1.3.6.1.4.1.26138.2.6.1.1.1.2 5.497	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.498	.1.3.6.1.4.1.26138.2.6.1.1.1.2 5.498	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.499	.1.3.6.1.4.1.26138.2.6.1.1.1.2 5.499	OctetString	0-0-0,0:0:0.0
ibEntityExtFirstUsedDate.2052	.1.3.6.1.4.1.26138.2.6.1.1.1.2 5.2052	OctetString	0-0-0,0:0:0.0
ibEntityExtCpuAvgUsage.1	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.1	Integer	0
ibEntityExtCpuAvgUsage.2	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.2	Integer	0
ibEntityExtCpuAvgUsage.12	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.12	Integer	0
ibEntityExtCpuAvgUsage.13	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.13	Integer	0
ibEntityExtCpuAvgUsage.14	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.14	Integer	0
ibEntityExtCpuAvgUsage.15	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.15	Integer	0
ibEntityExtCpuAvgUsage.16	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.16	Integer	0
ibEntityExtCpuAvgUsage.17	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.17	Integer	0
ibEntityExtCpuAvgUsage.18	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.18	Integer	0
ibEntityExtCpuAvgUsage.19	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.19	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtCpuAvgUsage.20	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 6.20	Integer	0
ibEntityExtCpuAvgUsage.21	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 6.21	Integer	0
ibEntityExtCpuAvgUsage.22	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 6.22	Integer	0
ibEntityExtCpuAvgUsage.23	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 6.23	Integer	0
ibEntityExtCpuAvgUsage.24	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 6.24	Integer	0
ibEntityExtCpuAvgUsage.25	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 6.25	Integer	0
ibEntityExtCpuAvgUsage.26	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 6.26	Integer	0
ibEntityExtCpuAvgUsage.27	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 6.27	Integer	0
ibEntityExtCpuAvgUsage.28	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 6.28	Integer	0
ibEntityExtCpuAvgUsage.29	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 6.29	Integer	0
ibEntityExtCpuAvgUsage.30	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 6.30	Integer	0
ibEntityExtCpuAvgUsage.31	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 6.31	Integer	0
ibEntityExtCpuAvgUsage.212	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 6.212	Integer	5
ibEntityExtCpuAvgUsage.213	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 6.213	Integer	0
ibEntityExtCpuAvgUsage.216	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 6.216	Integer	0
ibEntityExtCpuAvgUsage.220	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 6.220	Integer	0
ibEntityExtCpuAvgUsage.221	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 6.221	Integer	0
ibEntityExtCpuAvgUsage.222	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 6.222	Integer	0
ibEntityExtCpuAvgUsage.223	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 6.223	Integer	0
ibEntityExtCpuAvgUsage.412	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 6.412	Integer	0
ibEntityExtCpuAvgUsage.413	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 6.413	Integer	0
ibEntityExtCpuAvgUsage.414	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 6.414	Integer	0
ibEntityExtCpuAvgUsage.442	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 6.442	Integer	0
ibEntityExtCpuAvgUsage.472	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 6.472	Integer	0
ibEntityExtCpuAvgUsage.473	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 6.473	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtCpuAvgUsage.474	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.474	Integer	0
ibEntityExtCpuAvgUsage.475	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.475	Integer	0
ibEntityExtCpuAvgUsage.476	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.476	Integer	0
ibEntityExtCpuAvgUsage.477	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.477	Integer	0
ibEntityExtCpuAvgUsage.478	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.478	Integer	0
ibEntityExtCpuAvgUsage.479	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.479	Integer	0
ibEntityExtCpuAvgUsage.480	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.480	Integer	0
ibEntityExtCpuAvgUsage.481	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.481	Integer	0
ibEntityExtCpuAvgUsage.482	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.482	Integer	0
ibEntityExtCpuAvgUsage.483	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.483	Integer	0
ibEntityExtCpuAvgUsage.484	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.484	Integer	0
ibEntityExtCpuAvgUsage.485	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.485	Integer	0
ibEntityExtCpuAvgUsage.486	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.486	Integer	0
ibEntityExtCpuAvgUsage.487	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.487	Integer	0
ibEntityExtCpuAvgUsage.488	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.488	Integer	0
ibEntityExtCpuAvgUsage.489	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.489	Integer	0
ibEntityExtCpuAvgUsage.490	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.490	Integer	0
ibEntityExtCpuAvgUsage.491	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.491	Integer	0
ibEntityExtCpuAvgUsage.492	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.492	Integer	0
ibEntityExtCpuAvgUsage.493	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.493	Integer	0
ibEntityExtCpuAvgUsage.494	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.494	Integer	0
ibEntityExtCpuAvgUsage.495	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.495	Integer	0
ibEntityExtCpuAvgUsage.496	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.496	Integer	0
ibEntityExtCpuAvgUsage.497	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.497	Integer	0
ibEntityExtCpuAvgUsage.498	.1.3.6.1.4.1.26138.2.6.1.1.1.2 6.498	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtCpuAvgUsage.499	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 6.499	Integer	0
ibEntityExtCpuAvgUsage.2052	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 6.2052	Integer	0
ibEntityExtMemAvgUsage.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.1	Integer	0
ibEntityExtMemAvgUsage.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.2	Integer	0
ibEntityExtMemAvgUsage.12	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.12	Integer	0
ibEntityExtMemAvgUsage.13	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.13	Integer	0
ibEntityExtMemAvgUsage.14	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.14	Integer	0
ibEntityExtMemAvgUsage.15	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.15	Integer	0
ibEntityExtMemAvgUsage.16	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.16	Integer	0
ibEntityExtMemAvgUsage.17	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.17	Integer	0
ibEntityExtMemAvgUsage.18	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.18	Integer	0
ibEntityExtMemAvgUsage.19	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.19	Integer	0
ibEntityExtMemAvgUsage.20	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.20	Integer	0
ibEntityExtMemAvgUsage.21	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.21	Integer	0
ibEntityExtMemAvgUsage.22	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.22	Integer	0
ibEntityExtMemAvgUsage.23	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.23	Integer	0
ibEntityExtMemAvgUsage.24	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.24	Integer	0
ibEntityExtMemAvgUsage.25	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.25	Integer	0
ibEntityExtMemAvgUsage.26	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.26	Integer	0
ibEntityExtMemAvgUsage.27	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.27	Integer	0
ibEntityExtMemAvgUsage.28	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.28	Integer	0
ibEntityExtMemAvgUsage.29	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.29	Integer	0
ibEntityExtMemAvgUsage.30	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.30	Integer	0
ibEntityExtMemAvgUsage.31	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.31	Integer	0
ibEntityExtMemAvgUsage.212	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.212	Integer	66

Name	OID	Value Type	Value Example
ibEntityExtMemAvgUsage.213	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.213	Integer	0
ibEntityExtMemAvgUsage.216	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.216	Integer	0
ibEntityExtMemAvgUsage.220	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.220	Integer	0
ibEntityExtMemAvgUsage.221	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.221	Integer	0
ibEntityExtMemAvgUsage.222	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.222	Integer	0
ibEntityExtMemAvgUsage.223	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.223	Integer	0
ibEntityExtMemAvgUsage.412	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.412	Integer	0
ibEntityExtMemAvgUsage.413	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.413	Integer	0
ibEntityExtMemAvgUsage.414	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.414	Integer	0
ibEntityExtMemAvgUsage.442	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.442	Integer	0
ibEntityExtMemAvgUsage.472	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.472	Integer	0
ibEntityExtMemAvgUsage.473	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.473	Integer	0
ibEntityExtMemAvgUsage.474	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.474	Integer	0
ibEntityExtMemAvgUsage.475	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.475	Integer	0
ibEntityExtMemAvgUsage.476	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.476	Integer	0
ibEntityExtMemAvgUsage.477	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.477	Integer	0
ibEntityExtMemAvgUsage.478	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.478	Integer	0
ibEntityExtMemAvgUsage.479	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.479	Integer	0
ibEntityExtMemAvgUsage.480	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.480	Integer	0
ibEntityExtMemAvgUsage.481	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.481	Integer	0
ibEntityExtMemAvgUsage.482	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.482	Integer	0
ibEntityExtMemAvgUsage.483	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.483	Integer	0
ibEntityExtMemAvgUsage.484	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.484	Integer	0
ibEntityExtMemAvgUsage.485	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.485	Integer	0
ibEntityExtMemAvgUsage.486	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.486	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtMemAvgUsage.487	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.487	Integer	0
ibEntityExtMemAvgUsage.488	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.488	Integer	0
ibEntityExtMemAvgUsage.489	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.489	Integer	0
ibEntityExtMemAvgUsage.490	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.490	Integer	0
ibEntityExtMemAvgUsage.491	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.491	Integer	0
ibEntityExtMemAvgUsage.492	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.492	Integer	0
ibEntityExtMemAvgUsage.493	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.493	Integer	0
ibEntityExtMemAvgUsage.494	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.494	Integer	0
ibEntityExtMemAvgUsage.495	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.495	Integer	0
ibEntityExtMemAvgUsage.496	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.496	Integer	0
ibEntityExtMemAvgUsage.497	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.497	Integer	0
ibEntityExtMemAvgUsage.498	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.498	Integer	0
ibEntityExtMemAvgUsage.499	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.499	Integer	0
ibEntityExtMemAvgUsage.2052	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 7.2052	Integer	0
ibEntityExtMemType.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.1	OctetString	
ibEntityExtMemType.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.2	OctetString	
ibEntityExtMemType.12	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.12	OctetString	
ibEntityExtMemType.13	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.13	OctetString	
ibEntityExtMemType.14	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.14	OctetString	
ibEntityExtMemType.15	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.15	OctetString	
ibEntityExtMemType.16	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.16	OctetString	
ibEntityExtMemType.17	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.17	OctetString	
ibEntityExtMemType.18	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.18	OctetString	
ibEntityExtMemType.19	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.19	OctetString	
ibEntityExtMemType.20	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.20	OctetString	

Name	OID	Value Type	Value Example
ibEntityExtMemType.21	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.21	OctetString	
ibEntityExtMemType.22	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.22	OctetString	
ibEntityExtMemType.23	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.23	OctetString	
ibEntityExtMemType.24	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.24	OctetString	
ibEntityExtMemType.25	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.25	OctetString	
ibEntityExtMemType.26	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.26	OctetString	
ibEntityExtMemType.27	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.27	OctetString	
ibEntityExtMemType.28	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.28	OctetString	
ibEntityExtMemType.29	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.29	OctetString	
ibEntityExtMemType.30	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.30	OctetString	
ibEntityExtMemType.31	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.31	OctetString	
ibEntityExtMemType.212	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.212	OctetString	
ibEntityExtMemType.213	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.213	OctetString	
ibEntityExtMemType.216	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.216	OctetString	
ibEntityExtMemType.220	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.220	OctetString	
ibEntityExtMemType.221	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.221	OctetString	
ibEntityExtMemType.222	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.222	OctetString	
ibEntityExtMemType.223	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.223	OctetString	
ibEntityExtMemType.412	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.412	OctetString	
ibEntityExtMemType.413	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.413	OctetString	
ibEntityExtMemType.414	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.414	OctetString	
ibEntityExtMemType.442	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.442	OctetString	
ibEntityExtMemType.472	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.472	OctetString	
ibEntityExtMemType.473	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.473	OctetString	
ibEntityExtMemType.474	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.474	OctetString	

Name	OID	Value Type	Value Example
ibEntityExtMemType.475	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.475	OctetString	
ibEntityExtMemType.476	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.476	OctetString	
ibEntityExtMemType.477	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.477	OctetString	
ibEntityExtMemType.478	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.478	OctetString	
ibEntityExtMemType.479	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.479	OctetString	
ibEntityExtMemType.480	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.480	OctetString	
ibEntityExtMemType.481	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.481	OctetString	
ibEntityExtMemType.482	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.482	OctetString	
ibEntityExtMemType.483	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.483	OctetString	
ibEntityExtMemType.484	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.484	OctetString	
ibEntityExtMemType.485	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.485	OctetString	
ibEntityExtMemType.486	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.486	OctetString	
ibEntityExtMemType.487	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.487	OctetString	
ibEntityExtMemType.488	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.488	OctetString	
ibEntityExtMemType.489	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.489	OctetString	
ibEntityExtMemType.490	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.490	OctetString	
ibEntityExtMemType.491	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.491	OctetString	
ibEntityExtMemType.492	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.492	OctetString	
ibEntityExtMemType.493	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.493	OctetString	
ibEntityExtMemType.494	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.494	OctetString	
ibEntityExtMemType.495	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.495	OctetString	
ibEntityExtMemType.496	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.496	OctetString	
ibEntityExtMemType.497	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.497	OctetString	
ibEntityExtMemType.498	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.498	OctetString	
ibEntityExtMemType.499	.1.3.6.1.4.1.26138.2.6.1.1.1.1.2 8.499	OctetString	

Name	OID	Value Type	Value Example
ibEntityExtMemType.2052	.1.3.6.1.4.1.26138.2.6.1.1.1.2 8.2052	OctetString	
ibEntityExtCpuUsageIn1Minute.1	.1.3.6.1.4.1.26138.2.6.1.1.1.3 3.1	Integer	0
ibEntityExtCpuUsageIn1Minute.2	.1.3.6.1.4.1.26138.2.6.1.1.1.3 3.2	Integer	0
ibEntityExtCpuUsageIn1Minute.12	.1.3.6.1.4.1.26138.2.6.1.1.1.3 3.12	Integer	0
ibEntityExtCpuUsageIn1Minute.13	.1.3.6.1.4.1.26138.2.6.1.1.1.3 3.13	Integer	0
ibEntityExtCpuUsageIn1Minute.14	.1.3.6.1.4.1.26138.2.6.1.1.1.3 3.14	Integer	0
ibEntityExtCpuUsageIn1Minute.15	.1.3.6.1.4.1.26138.2.6.1.1.1.3 3.15	Integer	0
ibEntityExtCpuUsageIn1Minute.16	.1.3.6.1.4.1.26138.2.6.1.1.1.3 3.16	Integer	0
ibEntityExtCpuUsageIn1Minute.17	.1.3.6.1.4.1.26138.2.6.1.1.1.3 3.17	Integer	0
ibEntityExtCpuUsageIn1Minute.18	.1.3.6.1.4.1.26138.2.6.1.1.1.3 3.18	Integer	0
ibEntityExtCpuUsageIn1Minute.19	.1.3.6.1.4.1.26138.2.6.1.1.1.3 3.19	Integer	0
ibEntityExtCpuUsageIn1Minute.20	.1.3.6.1.4.1.26138.2.6.1.1.1.3 3.20	Integer	0
ibEntityExtCpuUsageIn1Minute.21	.1.3.6.1.4.1.26138.2.6.1.1.1.3 3.21	Integer	0
ibEntityExtCpuUsageIn1Minute.22	.1.3.6.1.4.1.26138.2.6.1.1.1.3 3.22	Integer	0
ibEntityExtCpuUsageIn1Minute.23	.1.3.6.1.4.1.26138.2.6.1.1.1.3 3.23	Integer	0
ibEntityExtCpuUsageIn1Minute.24	.1.3.6.1.4.1.26138.2.6.1.1.1.3 3.24	Integer	0
ibEntityExtCpuUsageIn1Minute.25	.1.3.6.1.4.1.26138.2.6.1.1.1.3 3.25	Integer	0
ibEntityExtCpuUsageIn1Minute.26	.1.3.6.1.4.1.26138.2.6.1.1.1.3 3.26	Integer	0
ibEntityExtCpuUsageIn1Minute.27	.1.3.6.1.4.1.26138.2.6.1.1.1.3 3.27	Integer	0
ibEntityExtCpuUsageIn1Minute.28	.1.3.6.1.4.1.26138.2.6.1.1.1.3 3.28	Integer	0
ibEntityExtCpuUsageIn1Minute.29	.1.3.6.1.4.1.26138.2.6.1.1.1.3 3.29	Integer	0
ibEntityExtCpuUsageIn1Minute.30	.1.3.6.1.4.1.26138.2.6.1.1.1.3 3.30	Integer	0
ibEntityExtCpuUsageIn1Minute.31	.1.3.6.1.4.1.26138.2.6.1.1.1.3 3.31	Integer	0
ibEntityExtCpuUsageIn1Minute.212	.1.3.6.1.4.1.26138.2.6.1.1.1.3 3.212	Integer	16
ibEntityExtCpuUsageIn1Minute.213	.1.3.6.1.4.1.26138.2.6.1.1.1.3 3.213	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtCpuUsageIn1Minute.216	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.216	Integer	0
ibEntityExtCpuUsageIn1Minute.220	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.220	Integer	0
ibEntityExtCpuUsageIn1Minute.221	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.221	Integer	0
ibEntityExtCpuUsageIn1Minute.222	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.222	Integer	0
ibEntityExtCpuUsageIn1Minute.223	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.223	Integer	0
ibEntityExtCpuUsageIn1Minute.412	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.412	Integer	0
ibEntityExtCpuUsageIn1Minute.413	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.413	Integer	0
ibEntityExtCpuUsageIn1Minute.414	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.414	Integer	0
ibEntityExtCpuUsageIn1Minute.442	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.442	Integer	0
ibEntityExtCpuUsageIn1Minute.472	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.472	Integer	0
ibEntityExtCpuUsageIn1Minute.473	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.473	Integer	0
ibEntityExtCpuUsageIn1Minute.474	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.474	Integer	0
ibEntityExtCpuUsageIn1Minute.475	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.475	Integer	0
ibEntityExtCpuUsageIn1Minute.476	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.476	Integer	0
ibEntityExtCpuUsageIn1Minute.477	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.477	Integer	0
ibEntityExtCpuUsageIn1Minute.478	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.478	Integer	0
ibEntityExtCpuUsageIn1Minute.479	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.479	Integer	0
ibEntityExtCpuUsageIn1Minute.480	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.480	Integer	0
ibEntityExtCpuUsageIn1Minute.481	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.481	Integer	0
ibEntityExtCpuUsageIn1Minute.482	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.482	Integer	0
ibEntityExtCpuUsageIn1Minute.483	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.483	Integer	0
ibEntityExtCpuUsageIn1Minute.484	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.484	Integer	0
ibEntityExtCpuUsageIn1Minute.485	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.485	Integer	0
ibEntityExtCpuUsageIn1Minute.486	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.486	Integer	0
ibEntityExtCpuUsageIn1Minute.487	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.487	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtCpuUsageIn1Minute.488	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.488	Integer	0
ibEntityExtCpuUsageIn1Minute.489	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.489	Integer	0
ibEntityExtCpuUsageIn1Minute.490	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.490	Integer	0
ibEntityExtCpuUsageIn1Minute.491	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.491	Integer	0
ibEntityExtCpuUsageIn1Minute.492	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.492	Integer	0
ibEntityExtCpuUsageIn1Minute.493	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.493	Integer	0
ibEntityExtCpuUsageIn1Minute.494	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.494	Integer	0
ibEntityExtCpuUsageIn1Minute.495	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.495	Integer	0
ibEntityExtCpuUsageIn1Minute.496	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.496	Integer	0
ibEntityExtCpuUsageIn1Minute.497	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.497	Integer	0
ibEntityExtCpuUsageIn1Minute.498	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.498	Integer	0
ibEntityExtCpuUsageIn1Minute.499	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.499	Integer	0
ibEntityExtCpuUsageIn1Minute.2052	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 3.2052	Integer	0
ibEntityExtCpuUsageIn5Minutes.1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.1	Integer	0
ibEntityExtCpuUsageIn5Minutes.2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.2	Integer	0
ibEntityExtCpuUsageIn5Minutes.12	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.12	Integer	0
ibEntityExtCpuUsageIn5Minutes.13	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.13	Integer	0
ibEntityExtCpuUsageIn5Minutes.14	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.14	Integer	0
ibEntityExtCpuUsageIn5Minutes.15	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.15	Integer	0
ibEntityExtCpuUsageIn5Minutes.16	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.16	Integer	0
ibEntityExtCpuUsageIn5Minutes.17	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.17	Integer	0
ibEntityExtCpuUsageIn5Minutes.18	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.18	Integer	0
ibEntityExtCpuUsageIn5Minutes.19	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.19	Integer	0
ibEntityExtCpuUsageIn5Minutes.20	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.20	Integer	0
ibEntityExtCpuUsageIn5Minutes.21	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.21	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtCpuUsageIn5Minutes.22	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.22	Integer	0
ibEntityExtCpuUsageIn5Minutes.23	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.23	Integer	0
ibEntityExtCpuUsageIn5Minutes.24	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.24	Integer	0
ibEntityExtCpuUsageIn5Minutes.25	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.25	Integer	0
ibEntityExtCpuUsageIn5Minutes.26	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.26	Integer	0
ibEntityExtCpuUsageIn5Minutes.27	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.27	Integer	0
ibEntityExtCpuUsageIn5Minutes.28	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.28	Integer	0
ibEntityExtCpuUsageIn5Minutes.29	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.29	Integer	0
ibEntityExtCpuUsageIn5Minutes.30	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.30	Integer	0
ibEntityExtCpuUsageIn5Minutes.31	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.31	Integer	0
ibEntityExtCpuUsageIn5Minutes.21 2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.212	Integer	5
ibEntityExtCpuUsageIn5Minutes.21 3	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.213	Integer	0
ibEntityExtCpuUsageIn5Minutes.21 6	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.216	Integer	0
ibEntityExtCpuUsageIn5Minutes.22 0	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.220	Integer	0
ibEntityExtCpuUsageIn5Minutes.22 1	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.221	Integer	0
ibEntityExtCpuUsageIn5Minutes.22 2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.222	Integer	0
ibEntityExtCpuUsageIn5Minutes.22 3	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.223	Integer	0
ibEntityExtCpuUsageIn5Minutes.41 2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.412	Integer	0
ibEntityExtCpuUsageIn5Minutes.41 3	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.413	Integer	0
ibEntityExtCpuUsageIn5Minutes.41 4	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.414	Integer	0
ibEntityExtCpuUsageIn5Minutes.44 2	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3 4.442	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtCpuUsageIn5Minutes.472	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.472	Integer	0
ibEntityExtCpuUsageIn5Minutes.473	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.473	Integer	0
ibEntityExtCpuUsageIn5Minutes.474	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.474	Integer	0
ibEntityExtCpuUsageIn5Minutes.475	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.475	Integer	0
ibEntityExtCpuUsageIn5Minutes.476	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.476	Integer	0
ibEntityExtCpuUsageIn5Minutes.477	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.477	Integer	0
ibEntityExtCpuUsageIn5Minutes.478	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.478	Integer	0
ibEntityExtCpuUsageIn5Minutes.479	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.479	Integer	0
ibEntityExtCpuUsageIn5Minutes.480	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.480	Integer	0
ibEntityExtCpuUsageIn5Minutes.481	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.481	Integer	0
ibEntityExtCpuUsageIn5Minutes.482	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.482	Integer	0
ibEntityExtCpuUsageIn5Minutes.483	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.483	Integer	0
ibEntityExtCpuUsageIn5Minutes.484	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.484	Integer	0
ibEntityExtCpuUsageIn5Minutes.485	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.485	Integer	0
ibEntityExtCpuUsageIn5Minutes.486	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.486	Integer	0
ibEntityExtCpuUsageIn5Minutes.487	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.487	Integer	0
ibEntityExtCpuUsageIn5Minutes.488	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.488	Integer	0
ibEntityExtCpuUsageIn5Minutes.489	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.489	Integer	0

Name	OID	Value Type	Value Example
ibEntityExtCpuUsageIn5Minutes.490	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.490	Integer	0
ibEntityExtCpuUsageIn5Minutes.491	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.491	Integer	0
ibEntityExtCpuUsageIn5Minutes.492	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.492	Integer	0
ibEntityExtCpuUsageIn5Minutes.493	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.493	Integer	0
ibEntityExtCpuUsageIn5Minutes.494	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.494	Integer	0
ibEntityExtCpuUsageIn5Minutes.495	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.495	Integer	0
ibEntityExtCpuUsageIn5Minutes.496	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.496	Integer	0
ibEntityExtCpuUsageIn5Minutes.497	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.497	Integer	0
ibEntityExtCpuUsageIn5Minutes.498	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.498	Integer	0
ibEntityExtCpuUsageIn5Minutes.499	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.499	Integer	0
ibEntityExtCpuUsageIn5Minutes.2052	.1.3.6.1.4.1.26138.2.6.1.1.1.1.3.4.2052	Integer	0
ibEntityExtManuSerialNum.1	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.1	OctetString	
ibEntityExtManuSerialNum.2	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.2	OctetString	219801A5XP923BQ0001C
ibEntityExtManuSerialNum.12	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.12	OctetString	
ibEntityExtManuSerialNum.13	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.13	OctetString	
ibEntityExtManuSerialNum.14	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.14	OctetString	
ibEntityExtManuSerialNum.15	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.15	OctetString	
ibEntityExtManuSerialNum.16	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.16	OctetString	
ibEntityExtManuSerialNum.17	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.17	OctetString	
ibEntityExtManuSerialNum.18	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.18	OctetString	
ibEntityExtManuSerialNum.19	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.19	OctetString	

Name	OID	Value Type	Value Example
ibEntityExtManuSerialNum.20	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2 .20	OctetString	
ibEntityExtManuSerialNum.21	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2 .21	OctetString	
ibEntityExtManuSerialNum.22	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2 .22	OctetString	
ibEntityExtManuSerialNum.23	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2 .23	OctetString	
ibEntityExtManuSerialNum.24	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2 .24	OctetString	
ibEntityExtManuSerialNum.25	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2 .25	OctetString	
ibEntityExtManuSerialNum.26	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2 .26	OctetString	
ibEntityExtManuSerialNum.27	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2 .27	OctetString	
ibEntityExtManuSerialNum.28	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2 .28	OctetString	
ibEntityExtManuSerialNum.29	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2 .29	OctetString	
ibEntityExtManuSerialNum.30	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2 .30	OctetString	
ibEntityExtManuSerialNum.31	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2 .31	OctetString	
ibEntityExtManuSerialNum.212	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2 .212	OctetString	
ibEntityExtManuSerialNum.213	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2 .213	OctetString	
ibEntityExtManuSerialNum.216	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2 .216	OctetString	
ibEntityExtManuSerialNum.220	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2 .220	OctetString	
ibEntityExtManuSerialNum.221	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2 .221	OctetString	
ibEntityExtManuSerialNum.222	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2 .222	OctetString	
ibEntityExtManuSerialNum.223	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2 .223	OctetString	
ibEntityExtManuSerialNum.412	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2 .412	OctetString	
ibEntityExtManuSerialNum.413	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2 .413	OctetString	
ibEntityExtManuSerialNum.414	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2 .414	OctetString	
ibEntityExtManuSerialNum.442	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2 .442	OctetString	
ibEntityExtManuSerialNum.472	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2 .472	OctetString	
ibEntityExtManuSerialNum.473	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2 .473	OctetString	

Name	OID	Value Type	Value Example
ibEntityExtManuSerialNum.474	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.474	OctetString	
ibEntityExtManuSerialNum.475	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.475	OctetString	
ibEntityExtManuSerialNum.476	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.476	OctetString	
ibEntityExtManuSerialNum.477	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.477	OctetString	
ibEntityExtManuSerialNum.478	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.478	OctetString	
ibEntityExtManuSerialNum.479	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.479	OctetString	
ibEntityExtManuSerialNum.480	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.480	OctetString	
ibEntityExtManuSerialNum.481	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.481	OctetString	
ibEntityExtManuSerialNum.482	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.482	OctetString	
ibEntityExtManuSerialNum.483	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.483	OctetString	
ibEntityExtManuSerialNum.484	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.484	OctetString	
ibEntityExtManuSerialNum.485	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.485	OctetString	
ibEntityExtManuSerialNum.486	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.486	OctetString	
ibEntityExtManuSerialNum.487	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.487	OctetString	
ibEntityExtManuSerialNum.488	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.488	OctetString	
ibEntityExtManuSerialNum.489	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.489	OctetString	
ibEntityExtManuSerialNum.490	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.490	OctetString	
ibEntityExtManuSerialNum.491	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.491	OctetString	
ibEntityExtManuSerialNum.492	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.492	OctetString	
ibEntityExtManuSerialNum.493	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.493	OctetString	
ibEntityExtManuSerialNum.494	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.494	OctetString	
ibEntityExtManuSerialNum.495	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.495	OctetString	
ibEntityExtManuSerialNum.496	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.496	OctetString	
ibEntityExtManuSerialNum.497	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.497	OctetString	
ibEntityExtManuSerialNum.498	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.498	OctetString	

Name	OID	Value Type	Value Example
ibEntityExtManuSerialNum.499	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.499	OctetString	
ibEntityExtManuSerial-Num.2052	.1.3.6.1.4.1.26138.2.6.1.2.1.1.2.2052	OctetString	
ibEntityExtManuBuildInfo.1	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.1	OctetString	
ibEntityExtManuBuildInfo.2	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.2	OctetString	00.00.00
ibEntityExtManuBuildInfo.12	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.12	OctetString	
ibEntityExtManuBuildInfo.13	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.13	OctetString	
ibEntityExtManuBuildInfo.14	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.14	OctetString	
ibEntityExtManuBuildInfo.15	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.15	OctetString	
ibEntityExtManuBuildInfo.16	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.16	OctetString	
ibEntityExtManuBuildInfo.17	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.17	OctetString	
ibEntityExtManuBuildInfo.18	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.18	OctetString	
ibEntityExtManuBuildInfo.19	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.19	OctetString	
ibEntityExtManuBuildInfo.20	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.20	OctetString	
ibEntityExtManuBuildInfo.21	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.21	OctetString	
ibEntityExtManuBuildInfo.22	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.22	OctetString	
ibEntityExtManuBuildInfo.23	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.23	OctetString	
ibEntityExtManuBuildInfo.24	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.24	OctetString	
ibEntityExtManuBuildInfo.25	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.25	OctetString	
ibEntityExtManuBuildInfo.26	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.26	OctetString	
ibEntityExtManuBuildInfo.27	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.27	OctetString	
ibEntityExtManuBuildInfo.28	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.28	OctetString	
ibEntityExtManuBuildInfo.29	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.29	OctetString	
ibEntityExtManuBuildInfo.30	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.30	OctetString	
ibEntityExtManuBuildInfo.31	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.31	OctetString	
ibEntityExtManuBuildInfo.212	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.212	OctetString	

Name	OID	Value Type	Value Example
ibEntityExtManuBuildInfo.213	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.213	OctetString	
ibEntityExtManuBuildInfo.216	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.216	OctetString	
ibEntityExtManuBuildInfo.220	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.220	OctetString	
ibEntityExtManuBuildInfo.221	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.221	OctetString	
ibEntityExtManuBuildInfo.222	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.222	OctetString	
ibEntityExtManuBuildInfo.223	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.223	OctetString	
ibEntityExtManuBuildInfo.412	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.412	OctetString	
ibEntityExtManuBuildInfo.413	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.413	OctetString	
ibEntityExtManuBuildInfo.414	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.414	OctetString	
ibEntityExtManuBuildInfo.442	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.442	OctetString	
ibEntityExtManuBuildInfo.472	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.472	OctetString	
ibEntityExtManuBuildInfo.473	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.473	OctetString	
ibEntityExtManuBuildInfo.474	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.474	OctetString	
ibEntityExtManuBuildInfo.475	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.475	OctetString	
ibEntityExtManuBuildInfo.476	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.476	OctetString	
ibEntityExtManuBuildInfo.477	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.477	OctetString	
ibEntityExtManuBuildInfo.478	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.478	OctetString	
ibEntityExtManuBuildInfo.479	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.479	OctetString	
ibEntityExtManuBuildInfo.480	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.480	OctetString	
ibEntityExtManuBuildInfo.481	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.481	OctetString	
ibEntityExtManuBuildInfo.482	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.482	OctetString	
ibEntityExtManuBuildInfo.483	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.483	OctetString	
ibEntityExtManuBuildInfo.484	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.484	OctetString	
ibEntityExtManuBuildInfo.485	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.485	OctetString	
ibEntityExtManuBuildInfo.486	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.486	OctetString	

Name	OID	Value Type	Value Example
ibEntityExtManuBuildInfo.487	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.487	OctetString	
ibEntityExtManuBuildInfo.488	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.488	OctetString	
ibEntityExtManuBuildInfo.489	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.489	OctetString	
ibEntityExtManuBuildInfo.490	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.490	OctetString	
ibEntityExtManuBuildInfo.491	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.491	OctetString	
ibEntityExtManuBuildInfo.492	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.492	OctetString	
ibEntityExtManuBuildInfo.493	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.493	OctetString	
ibEntityExtManuBuildInfo.494	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.494	OctetString	
ibEntityExtManuBuildInfo.495	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.495	OctetString	
ibEntityExtManuBuildInfo.496	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.496	OctetString	
ibEntityExtManuBuildInfo.497	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.497	OctetString	
ibEntityExtManuBuildInfo.498	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.498	OctetString	
ibEntityExtManuBuildInfo.499	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.499	OctetString	
ibEntityExtManuBuildInfo.2052	.1.3.6.1.4.1.26138.2.6.1.2.1.1.3.2052	OctetString	
ibEntityExtManuBOM.1	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.1	OctetString	
ibEntityExtManuBOM.2	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.2	OctetString	9801A5XP
ibEntityExtManuBOM.12	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.12	OctetString	
ibEntityExtManuBOM.13	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.13	OctetString	
ibEntityExtManuBOM.14	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.14	OctetString	
ibEntityExtManuBOM.15	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.15	OctetString	
ibEntityExtManuBOM.16	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.16	OctetString	
ibEntityExtManuBOM.17	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.17	OctetString	
ibEntityExtManuBOM.18	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.18	OctetString	
ibEntityExtManuBOM.19	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.19	OctetString	
ibEntityExtManuBOM.20	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.20	OctetString	

Name	OID	Value Type	Value Example
ibEntityExtManuBOM.21	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.21	OctetString	
ibEntityExtManuBOM.22	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.22	OctetString	
ibEntityExtManuBOM.23	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.23	OctetString	
ibEntityExtManuBOM.24	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.24	OctetString	
ibEntityExtManuBOM.25	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.25	OctetString	
ibEntityExtManuBOM.26	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.26	OctetString	
ibEntityExtManuBOM.27	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.27	OctetString	
ibEntityExtManuBOM.28	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.28	OctetString	
ibEntityExtManuBOM.29	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.29	OctetString	
ibEntityExtManuBOM.30	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.30	OctetString	
ibEntityExtManuBOM.31	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.31	OctetString	
ibEntityExtManuBOM.212	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.212	OctetString	
ibEntityExtManuBOM.213	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.213	OctetString	
ibEntityExtManuBOM.216	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.216	OctetString	
ibEntityExtManuBOM.220	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.220	OctetString	
ibEntityExtManuBOM.221	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.221	OctetString	
ibEntityExtManuBOM.222	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.222	OctetString	
ibEntityExtManuBOM.223	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.223	OctetString	
ibEntityExtManuBOM.412	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.412	OctetString	
ibEntityExtManuBOM.413	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.413	OctetString	
ibEntityExtManuBOM.414	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.414	OctetString	
ibEntityExtManuBOM.442	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.442	OctetString	
ibEntityExtManuBOM.472	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.472	OctetString	
ibEntityExtManuBOM.473	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.473	OctetString	
ibEntityExtManuBOM.474	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.474	OctetString	

Name	OID	Value Type	Value Example
ibEntityExtManuBOM.475	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.475	OctetString	
ibEntityExtManuBOM.476	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.476	OctetString	
ibEntityExtManuBOM.477	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.477	OctetString	
ibEntityExtManuBOM.478	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.478	OctetString	
ibEntityExtManuBOM.479	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.479	OctetString	
ibEntityExtManuBOM.480	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.480	OctetString	
ibEntityExtManuBOM.481	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.481	OctetString	
ibEntityExtManuBOM.482	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.482	OctetString	
ibEntityExtManuBOM.483	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.483	OctetString	
ibEntityExtManuBOM.484	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.484	OctetString	
ibEntityExtManuBOM.485	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.485	OctetString	
ibEntityExtManuBOM.486	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.486	OctetString	
ibEntityExtManuBOM.487	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.487	OctetString	
ibEntityExtManuBOM.488	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.488	OctetString	
ibEntityExtManuBOM.489	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.489	OctetString	
ibEntityExtManuBOM.490	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.490	OctetString	
ibEntityExtManuBOM.491	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.491	OctetString	
ibEntityExtManuBOM.492	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.492	OctetString	
ibEntityExtManuBOM.493	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.493	OctetString	
ibEntityExtManuBOM.494	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.494	OctetString	
ibEntityExtManuBOM.495	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.495	OctetString	
ibEntityExtManuBOM.496	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.496	OctetString	
ibEntityExtManuBOM.497	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.497	OctetString	
ibEntityExtManuBOM.498	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.498	OctetString	
ibEntityExtManuBOM.499	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.499	OctetString	

Name	OID	Value Type	Value Example
ibEntityExtManuBOM.2052	.1.3.6.1.4.1.26138.2.6.1.2.1.1.4.2052	OctetString	
ibEntityExtMacAddressCount.1	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.1	Gauge	0
ibEntityExtMacAddressCount.2	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.2	Gauge	72
ibEntityExtMacAddress-Count.12	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.12	Gauge	0
ibEntityExtMacAddress-Count.13	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.13	Gauge	0
ibEntityExtMacAddress-Count.14	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.14	Gauge	0
ibEntityExtMacAddress-Count.15	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.15	Gauge	0
ibEntityExtMacAddress-Count.16	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.16	Gauge	0
ibEntityExtMacAddress-Count.17	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.17	Gauge	0
ibEntityExtMacAddress-Count.18	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.18	Gauge	0
ibEntityExtMacAddress-Count.19	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.19	Gauge	0
ibEntityExtMacAddress-Count.20	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.20	Gauge	0
ibEntityExtMacAddress-Count.21	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.21	Gauge	0
ibEntityExtMacAddress-Count.22	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.22	Gauge	0
ibEntityExtMacAddress-Count.23	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.23	Gauge	0
ibEntityExtMacAddress-Count.24	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.24	Gauge	0
ibEntityExtMacAddress-Count.25	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.25	Gauge	0
ibEntityExtMacAddress-Count.26	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.26	Gauge	0
ibEntityExtMacAddress-Count.27	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.27	Gauge	0
ibEntityExtMacAddress-Count.28	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.28	Gauge	0
ibEntityExtMacAddress-Count.29	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.29	Gauge	0
ibEntityExtMacAddress-Count.30	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.30	Gauge	0
ibEntityExtMacAddress-Count.31	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.31	Gauge	0
ibEntityExtMacAddress-Count.212	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.212	Gauge	0
ibEntityExtMacAddress-Count.213	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.213	Gauge	0

Name	OID	Value Type	Value Example
ibEntityExtMacAddress-Count.216	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.216	Gauge	0
ibEntityExtMacAddress-Count.220	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.220	Gauge	0
ibEntityExtMacAddress-Count.221	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.221	Gauge	0
ibEntityExtMacAddress-Count.222	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.222	Gauge	0
ibEntityExtMacAddress-Count.223	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.223	Gauge	0
ibEntityExtMacAddress-Count.412	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.412	Gauge	0
ibEntityExtMacAddress-Count.413	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.413	Gauge	0
ibEntityExtMacAddress-Count.414	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.414	Gauge	0
ibEntityExtMacAddress-Count.442	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.442	Gauge	0
ibEntityExtMacAddress-Count.472	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.472	Gauge	1
ibEntityExtMacAddress-Count.473	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.473	Gauge	1
ibEntityExtMacAddress-Count.474	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.474	Gauge	1
ibEntityExtMacAddress-Count.475	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.475	Gauge	1
ibEntityExtMacAddress-Count.476	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.476	Gauge	1
ibEntityExtMacAddress-Count.477	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.477	Gauge	1
ibEntityExtMacAddress-Count.478	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.478	Gauge	1
ibEntityExtMacAddress-Count.479	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.479	Gauge	1
ibEntityExtMacAddress-Count.480	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.480	Gauge	1
ibEntityExtMacAddress-Count.481	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.481	Gauge	1
ibEntityExtMacAddress-Count.482	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.482	Gauge	1
ibEntityExtMacAddress-Count.483	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.483	Gauge	1
ibEntityExtMacAddress-Count.484	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.484	Gauge	1
ibEntityExtMacAddress-Count.485	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.485	Gauge	1
ibEntityExtMacAddress-Count.486	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.486	Gauge	1
ibEntityExtMacAddress-Count.487	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.487	Gauge	1

Name	OID	Value Type	Value Example
ibEntityExtMacAddress-Count.488	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.488	Gauge	1
ibEntityExtMacAddress-Count.489	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.489	Gauge	1
ibEntityExtMacAddress-Count.490	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.490	Gauge	1
ibEntityExtMacAddress-Count.491	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.491	Gauge	1
ibEntityExtMacAddress-Count.492	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.492	Gauge	1
ibEntityExtMacAddress-Count.493	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.493	Gauge	1
ibEntityExtMacAddress-Count.494	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.494	Gauge	1
ibEntityExtMacAddress-Count.495	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.495	Gauge	1
ibEntityExtMacAddress-Count.496	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.496	Gauge	1
ibEntityExtMacAddress-Count.497	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.497	Gauge	1
ibEntityExtMacAddress-Count.498	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.498	Gauge	1
ibEntityExtMacAddress-Count.499	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.499	Gauge	1
ibEntityExtMacAddress-Count.2052	.1.3.6.1.4.1.26138.2.6.1.2.1.1.5.2052	Gauge	0
ibProcessID.1	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.1	Gauge	1
ibProcessID.2	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.2	Gauge	2
ibProcessID.3	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.3	Gauge	3
ibProcessID.4	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.4	Gauge	4
ibProcessID.5	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.5	Gauge	5
ibProcessID.6	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.6	Gauge	6
ibProcessID.7	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.7	Gauge	7
ibProcessID.9	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.9	Gauge	9
ibProcessID.10	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.10	Gauge	10
ibProcessID.11	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.11	Gauge	11
ibProcessID.12	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.12	Gauge	12
ibProcessID.13	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.13	Gauge	13

Name	OID	Value Type	Value Example
ibProcessID.14	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .14	Gauge	14
ibProcessID.15	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .15	Gauge	15
ibProcessID.16	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .16	Gauge	16
ibProcessID.17	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .17	Gauge	17
ibProcessID.47	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .47	Gauge	47
ibProcessID.48	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .48	Gauge	48
ibProcessID.49	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .49	Gauge	49
ibProcessID.50	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .50	Gauge	50
ibProcessID.51	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .51	Gauge	51
ibProcessID.52	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .52	Gauge	52
ibProcessID.53	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .53	Gauge	53
ibProcessID.54	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .54	Gauge	54
ibProcessID.55	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .55	Gauge	55
ibProcessID.56	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .56	Gauge	56
ibProcessID.57	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .57	Gauge	57
ibProcessID.58	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .58	Gauge	58
ibProcessID.59	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .59	Gauge	59
ibProcessID.64	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .64	Gauge	64
ibProcessID.65	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .65	Gauge	65
ibProcessID.66	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .66	Gauge	66
ibProcessID.67	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .67	Gauge	67
ibProcessID.68	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .68	Gauge	68
ibProcessID.69	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .69	Gauge	69
ibProcessID.70	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .70	Gauge	70
ibProcessID.71	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .71	Gauge	71

Name	OID	Value Type	Value Example
ibProcessID.72	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.72	Gauge	72
ibProcessID.75	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.75	Gauge	75
ibProcessID.76	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.76	Gauge	76
ibProcessID.77	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.77	Gauge	77
ibProcessID.78	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.78	Gauge	78
ibProcessID.79	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.79	Gauge	79
ibProcessID.80	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.80	Gauge	80
ibProcessID.81	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.81	Gauge	81
ibProcessID.82	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.82	Gauge	82
ibProcessID.83	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.83	Gauge	83
ibProcessID.84	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.84	Gauge	84
ibProcessID.85	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.85	Gauge	85
ibProcessID.86	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.86	Gauge	86
ibProcessID.87	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.87	Gauge	87
ibProcessID.88	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.88	Gauge	88
ibProcessID.89	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.89	Gauge	89
ibProcessID.90	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.90	Gauge	90
ibProcessID.91	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.91	Gauge	91
ibProcessID.92	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.92	Gauge	92
ibProcessID.93	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.93	Gauge	93
ibProcessID.94	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.94	Gauge	94
ibProcessID.95	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.95	Gauge	95
ibProcessID.96	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.96	Gauge	96
ibProcessID.97	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.97	Gauge	97
ibProcessID.98	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.98	Gauge	98

Name	OID	Value Type	Value Example
ibProcessID.99	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.99	Gauge	99
ibProcessID.100	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.100	Gauge	100
ibProcessID.101	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.101	Gauge	101
ibProcessID.102	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.102	Gauge	102
ibProcessID.103	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.103	Gauge	103
ibProcessID.104	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.104	Gauge	104
ibProcessID.105	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.105	Gauge	105
ibProcessID.106	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.106	Gauge	106
ibProcessID.109	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.109	Gauge	109
ibProcessID.110	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.110	Gauge	110
ibProcessID.113	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.113	Gauge	113
ibProcessID.116	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.116	Gauge	116
ibProcessID.130	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.130	Gauge	130
ibProcessID.131	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.131	Gauge	131
ibProcessID.132	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.132	Gauge	132
ibProcessID.133	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.133	Gauge	133
ibProcessID.134	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.134	Gauge	134
ibProcessID.137	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.137	Gauge	137
ibProcessID.138	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.138	Gauge	138
ibProcessID.139	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.139	Gauge	139
ibProcessID.140	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.140	Gauge	140
ibProcessID.141	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.141	Gauge	141
ibProcessID.142	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.142	Gauge	142
ibProcessID.143	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.143	Gauge	143
ibProcessID.144	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.144	Gauge	144

Name	OID	Value Type	Value Example
ibProcessID.145	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .145	Gauge	145
ibProcessID.146	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .146	Gauge	146
ibProcessID.147	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .147	Gauge	147
ibProcessID.148	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .148	Gauge	148
ibProcessID.149	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .149	Gauge	149
ibProcessID.152	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .152	Gauge	152
ibProcessID.156	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .156	Gauge	156
ibProcessID.157	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .157	Gauge	157
ibProcessID.159	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .159	Gauge	159
ibProcessID.160	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .160	Gauge	160
ibProcessID.162	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .162	Gauge	162
ibProcessID.163	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .163	Gauge	163
ibProcessID.164	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .164	Gauge	164
ibProcessID.165	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .165	Gauge	165
ibProcessID.167	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .167	Gauge	167
ibProcessID.172	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .172	Gauge	172
ibProcessID.173	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .173	Gauge	173
ibProcessID.177	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .177	Gauge	177
ibProcessID.178	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .178	Gauge	178
ibProcessID.179	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .179	Gauge	179
ibProcessID.193	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .193	Gauge	193
ibProcessID.194	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .194	Gauge	194
ibProcessID.195	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .195	Gauge	195
ibProcessID.196	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .196	Gauge	196
ibProcessID.197	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .197	Gauge	197

Name	OID	Value Type	Value Example
ibProcessID.198	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.198	Gauge	198
ibProcessID.199	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.199	Gauge	199
ibProcessID.201	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.201	Gauge	201
ibProcessID.203	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.203	Gauge	203
ibProcessID.204	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.204	Gauge	204
ibProcessID.205	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.205	Gauge	205
ibProcessID.212	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.212	Gauge	212
ibProcessID.221	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.221	Gauge	221
ibProcessID.229	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.229	Gauge	229
ibProcessID.230	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.230	Gauge	230
ibProcessID.236	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.236	Gauge	236
ibProcessID.240	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.240	Gauge	240
ibProcessID.241	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.241	Gauge	241
ibProcessID.242	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.242	Gauge	242
ibProcessID.243	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.243	Gauge	243
ibProcessID.244	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.244	Gauge	244
ibProcessID.245	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.245	Gauge	245
ibProcessID.246	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.246	Gauge	246
ibProcessID.247	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.247	Gauge	247
ibProcessID.248	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.248	Gauge	248
ibProcessID.249	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.249	Gauge	249
ibProcessID.250	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.250	Gauge	250
ibProcessID.251	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.251	Gauge	251
ibProcessID.252	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.252	Gauge	252
ibProcessID.253	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.253	Gauge	253

Name	OID	Value Type	Value Example
ibProcessID.254	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .254	Gauge	254
ibProcessID.263	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .263	Gauge	263
ibProcessID.264	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .264	Gauge	264
ibProcessID.268	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .268	Gauge	268
ibProcessID.270	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .270	Gauge	270
ibProcessID.271	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .271	Gauge	271
ibProcessID.273	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .273	Gauge	273
ibProcessID.275	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .275	Gauge	275
ibProcessID.285	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .285	Gauge	285
ibProcessID.287	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .287	Gauge	287
ibProcessID.289	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .289	Gauge	289
ibProcessID.291	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .291	Gauge	291
ibProcessID.293	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .293	Gauge	293
ibProcessID.295	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .295	Gauge	295
ibProcessID.297	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .297	Gauge	297
ibProcessID.299	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .299	Gauge	299
ibProcessID.301	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .301	Gauge	301
ibProcessID.303	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .303	Gauge	303
ibProcessID.305	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .305	Gauge	305
ibProcessID.307	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .307	Gauge	307
ibProcessID.309	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .309	Gauge	309
ibProcessID.311	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .311	Gauge	311
ibProcessID.314	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .314	Gauge	314
ibProcessID.316	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .316	Gauge	316
ibProcessID.318	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1 .318	Gauge	318

Name	OID	Value Type	Value Example
ibProcessID.320	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.320	Gauge	320
ibProcessID.322	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.322	Gauge	322
ibProcessID.324	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.324	Gauge	324
ibProcessID.326	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.326	Gauge	326
ibProcessID.328	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.328	Gauge	328
ibProcessID.330	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.330	Gauge	330
ibProcessID.332	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.332	Gauge	332
ibProcessID.334	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.334	Gauge	334
ibProcessID.336	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.336	Gauge	336
ibProcessID.338	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.338	Gauge	338
ibProcessID.340	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.340	Gauge	340
ibProcessID.342	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.342	Gauge	342
ibProcessID.344	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.344	Gauge	344
ibProcessID.346	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.346	Gauge	346
ibProcessID.348	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.348	Gauge	348
ibProcessID.350	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.350	Gauge	350
ibProcessID.352	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.352	Gauge	352
ibProcessID.354	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.354	Gauge	354
ibProcessID.356	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.356	Gauge	356
ibProcessID.358	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.358	Gauge	358
ibProcessID.360	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.360	Gauge	360
ibProcessID.362	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.362	Gauge	362
ibProcessID.364	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.364	Gauge	364
ibProcessID.366	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.366	Gauge	366
ibProcessID.368	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.368	Gauge	368

Name	OID	Value Type	Value Example
ibProcessID.370	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.370	Gauge	370
ibProcessID.372	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.372	Gauge	372
ibProcessID.374	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.374	Gauge	374
ibProcessID.376	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.376	Gauge	376
ibProcessID.378	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.378	Gauge	378
ibProcessID.380	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.380	Gauge	380
ibProcessID.382	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.382	Gauge	382
ibProcessID.384	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.384	Gauge	384
ibProcessID.386	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.386	Gauge	386
ibProcessID.388	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.388	Gauge	388
ibProcessID.390	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.390	Gauge	390
ibProcessID.392	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.392	Gauge	392
ibProcessID.395	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.395	Gauge	395
ibProcessID.397	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.397	Gauge	397
ibProcessID.399	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.399	Gauge	399
ibProcessID.401	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.401	Gauge	401
ibProcessID.403	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.403	Gauge	403
ibProcessID.406	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.406	Gauge	406
ibProcessID.409	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.409	Gauge	409
ibProcessID.412	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.412	Gauge	412
ibProcessID.415	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.415	Gauge	415
ibProcessID.417	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.417	Gauge	417
ibProcessID.419	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.419	Gauge	419
ibProcessID.421	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.421	Gauge	421
ibProcessID.423	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.423	Gauge	423

Name	OID	Value Type	Value Example
ibProcessID.425	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.425	Gauge	425
ibProcessID.427	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.427	Gauge	427
ibProcessID.430	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.430	Gauge	430
ibProcessID.432	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.432	Gauge	432
ibProcessID.633	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.633	Gauge	633
ibProcessID.634	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.634	Gauge	634
ibProcessID.636	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.636	Gauge	636
ibProcessID.637	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.637	Gauge	637
ibProcessID.640	.1.3.6.1.4.1.26138.2.6.1.4.1.1.1.640	Gauge	640
ibProcessName.1	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.1	OctetString	scmd
ibProcessName.2	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.2	OctetString	kthreadd
ibProcessName.3	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.3	OctetString	migration/0
ibProcessName.4	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.4	OctetString	ksoftirqd/0
ibProcessName.5	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.5	OctetString	watchdog/0
ibProcessName.6	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.6	OctetString	events/0
ibProcessName.7	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.7	OctetString	khelper
ibProcessName.9	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.9	OctetString	kblockd/0
ibProcessName.10	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.10	OctetString	khubd
ibProcessName.11	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.11	OctetString	kseriod
ibProcessName.12	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.12	OctetString	vzmond
ibProcessName.13	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.13	OctetString	pdflush
ibProcessName.14	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.14	OctetString	pdflush
ibProcessName.15	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.15	OctetString	kswapd0
ibProcessName.16	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.16	OctetString	aio/0
ibProcessName.17	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.17	OctetString	mtddblockd

Name	OID	Value Type	Value Example
ibProcessName.47	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.47	OctetString	TMTH
ibProcessName.48	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.48	OctetString	dGDB
ibProcessName.49	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.49	OctetString	DSTK
ibProcessName.50	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.50	OctetString	DST2
ibProcessName.51	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.51	OctetString	DST3
ibProcessName.52	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.52	OctetString	TSTK
ibProcessName.53	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.53	OctetString	DrvD
ibProcessName.54	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.54	OctetString	DSYN
ibProcessName.55	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.55	OctetString	DIPC
ibProcessName.56	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.56	OctetString	TXAT
ibProcessName.57	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.57	OctetString	DVP
ibProcessName.58	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.58	OctetString	DDEV
ibProcessName.59	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.59	OctetString	DTIM
ibProcessName.64	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.64	OctetString	IntTask
ibProcessName.65	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.65	OctetString	evHndl_0
ibProcessName.66	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.66	OctetString	evHndl_1
ibProcessName.67	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.67	OctetString	evHndl_2
ibProcessName.68	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.68	OctetString	evHndl_3
ibProcessName.69	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.69	OctetString	evHndl_4
ibProcessName.70	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.70	OctetString	evHndl_5
ibProcessName.71	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.71	OctetString	evHndl_6
ibProcessName.72	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.72	OctetString	evHndl_9
ibProcessName.75	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.75	OctetString	DQIT
ibProcessName.76	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.76	OctetString	PIEE
ibProcessName.77	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.77	OctetString	STAT

Name	OID	Value Type	Value Example
ibProcessName.78	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.78	OctetString	D_MI
ibProcessName.79	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.79	OctetString	BUF_
ibProcessName.80	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.80	OctetString	FMCK
ibProcessName.81	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.81	OctetString	T_DM
ibProcessName.82	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.82	OctetString	mIPC
ibProcessName.83	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.83	OctetString	TMCS
ibProcessName.84	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.84	OctetString	NAEvHndl
ibProcessName.85	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.85	OctetString	TMCC
ibProcessName.86	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.86	OctetString	DARP
ibProcessName.87	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.87	OctetString	T_ST
ibProcessName.88	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.88	OctetString	TMCN
ibProcessName.89	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.89	OctetString	T_SI
ibProcessName.90	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.90	OctetString	IPSG
ibProcessName.91	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.91	OctetString	TL3P
ibProcessName.92	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.92	OctetString	MRFS
ibProcessName.93	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.93	OctetString	IPMC
ibProcessName.94	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.94	OctetString	SCAR
ibProcessName.95	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.95	OctetString	TxQ/0
ibProcessName.96	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.96	OctetString	TxQ/1
ibProcessName.97	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.97	OctetString	TxQ/2
ibProcessName.98	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.98	OctetString	TxQ/3
ibProcessName.99	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.99	OctetString	TxQ/4
ibProcessName.100	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.100	OctetString	TxQ/5
ibProcessName.101	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.101	OctetString	TxQ/6
ibProcessName.102	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.102	OctetString	TxQ/7

Name	OID	Value Type	Value Example
ibProcessName.103	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.103	OctetString	TxF/7
ibProcessName.104	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.104	OctetString	D_UN
ibProcessName.105	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.105	OctetString	RSF0
ibProcessName.106	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.106	OctetString	DRSM
ibProcessName.109	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.109	OctetString	ICM1
ibProcessName.110	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.110	OctetString	ICM2
ibProcessName.113	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.113	OctetString	PMOT
ibProcessName.116	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.116	OctetString	lipc_topology
ibProcessName.130	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.130	OctetString	LOAD
ibProcessName.131	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.131	OctetString	LOADProc
ibProcessName.132	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.132	OctetString	kdlipc
ibProcessName.133	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.133	OctetString	krpc_event
ibProcessName.134	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.134	OctetString	krpc_serv
ibProcessName.137	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.137	OctetString	STM_Main
ibProcessName.138	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.138	OctetString	hellopkt
ibProcessName.139	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.139	OctetString	timesyncs
ibProcessName.140	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.140	OctetString	lipc_portevt
ibProcessName.141	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.141	OctetString	kevent
ibProcessName.142	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.142	OctetString	kifupdown
ibProcessName.143	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.143	OctetString	kifbufmon
ibProcessName.144	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.144	OctetString	DRVR
ibProcessName.145	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.145	OctetString	OPTK
ibProcessName.146	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.146	OctetString	kmac/1
ibProcessName.147	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.147	OctetString	kipfs/1
ibProcessName.148	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.148	OctetString	kip6fs/1

Name	OID	Value Type	Value Example
ibProcessName.149	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.149	OctetString	mbuf_main
ibProcessName.152	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.152	OctetString	sock/1
ibProcessName.156	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.156	OctetString	ciocld
ibProcessName.157	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.157	OctetString	fsd
ibProcessName.159	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.159	OctetString	licd
ibProcessName.160	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.160	OctetString	dbmd
ibProcessName.162	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.162	OctetString	resmond
ibProcessName.163	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.163	OctetString	diagd
ibProcessName.164	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.164	OctetString	had
ibProcessName.165	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.165	OctetString	syslogd
ibProcessName.167	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.167	OctetString	devd
ibProcessName.172	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.172	OctetString	ifmgr
ibProcessName.173	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.173	OctetString	edev
ibProcessName.177	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.177	OctetString	licxcvrd
ibProcessName.178	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.178	OctetString	cryptomgrd
ibProcessName.179	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.179	OctetString	licsynd
ibProcessName.193	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.193	OctetString	ifmond
ibProcessName.194	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.194	OctetString	aprd
ibProcessName.195	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.195	OctetString	comsh
ibProcessName.196	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.196	OctetString	sysmand
ibProcessName.197	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.197	OctetString	lauthd
ibProcessName.198	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.198	OctetString	ttymgrd
ibProcessName.199	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.199	OctetString	aaad
ibProcessName.201	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.201	OctetString	laggd
ibProcessName.203	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.203	OctetString	tranged

Name	OID	Value Type	Value Example
ibProcessName.204	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.204	OctetString	vland
ibProcessName.205	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.205	OctetString	httpredrd
ibProcessName.212	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.212	OctetString	aclmgrd
ibProcessName.221	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.221	OctetString	qosd
ibProcessName.229	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.229	OctetString	ethd
ibProcessName.230	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.230	OctetString	coppd
ibProcessName.236	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.236	OctetString	wsald
ibProcessName.240	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.240	OctetString	cmdevmonitord
ibProcessName.241	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.241	OctetString	cmtnlmgrd
ibProcessName.242	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.242	OctetString	dhcpcd
ibProcessName.243	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.243	OctetString	dhcpc6d
ibProcessName.244	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.244	OctetString	dnscd
ibProcessName.245	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.245	OctetString	httpd
ibProcessName.246	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.246	OctetString	ip6stackd
ibProcessName.247	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.247	OctetString	ipstackd
ibProcessName.248	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.248	OctetString	lldpd
ibProcessName.249	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.249	OctetString	routed
ibProcessName.250	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.250	OctetString	routed
ibProcessName.251	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.251	OctetString	stpd
ibProcessName.252	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.252	OctetString	telnetd
ibProcessName.253	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.253	OctetString	telnetd
ibProcessName.254	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.254	OctetString	xmlcfgd
ibProcessName.263	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.263	OctetString	staticrtd
ibProcessName.264	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.264	OctetString	staticrtd
ibProcessName.268	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.268	OctetString	kND/1

Name	OID	Value Type	Value Example
ibProcessName.270	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.270	OctetString	kwadj6/1
ibProcessName.271	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.271	OctetString	kfib/1
ibProcessName.273	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.273	OctetString	karp/1
ibProcessName.275	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.275	OctetString	kwadj/1
ibProcessName.285	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.285	OctetString	loop0
ibProcessName.287	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.287	OctetString	loop1
ibProcessName.289	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.289	OctetString	loop2
ibProcessName.291	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.291	OctetString	loop3
ibProcessName.293	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.293	OctetString	loop4
ibProcessName.295	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.295	OctetString	loop5
ibProcessName.297	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.297	OctetString	loop6
ibProcessName.299	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.299	OctetString	loop7
ibProcessName.301	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.301	OctetString	loop8
ibProcessName.303	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.303	OctetString	loop9
ibProcessName.305	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.305	OctetString	loop10
ibProcessName.307	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.307	OctetString	loop11
ibProcessName.309	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.309	OctetString	loop12
ibProcessName.311	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.311	OctetString	loop13
ibProcessName.314	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.314	OctetString	loop14
ibProcessName.316	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.316	OctetString	loop15
ibProcessName.318	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.318	OctetString	loop16
ibProcessName.320	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.320	OctetString	loop17
ibProcessName.322	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.322	OctetString	loop18
ibProcessName.324	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.324	OctetString	loop19
ibProcessName.326	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.326	OctetString	loop20

Name	OID	Value Type	Value Example
ibProcessName.328	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.328	OctetString	loop21
ibProcessName.330	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.330	OctetString	loop22
ibProcessName.332	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.332	OctetString	loop23
ibProcessName.334	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.334	OctetString	loop24
ibProcessName.336	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.336	OctetString	loop25
ibProcessName.338	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.338	OctetString	loop26
ibProcessName.340	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.340	OctetString	loop27
ibProcessName.342	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.342	OctetString	loop28
ibProcessName.344	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.344	OctetString	loop29
ibProcessName.346	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.346	OctetString	loop30
ibProcessName.348	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.348	OctetString	loop31
ibProcessName.350	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.350	OctetString	loop32
ibProcessName.352	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.352	OctetString	loop33
ibProcessName.354	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.354	OctetString	loop34
ibProcessName.356	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.356	OctetString	loop35
ibProcessName.358	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.358	OctetString	loop36
ibProcessName.360	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.360	OctetString	loop37
ibProcessName.362	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.362	OctetString	loop38
ibProcessName.364	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.364	OctetString	loop39
ibProcessName.366	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.366	OctetString	loop40
ibProcessName.368	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.368	OctetString	loop41
ibProcessName.370	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.370	OctetString	loop42
ibProcessName.372	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.372	OctetString	loop43
ibProcessName.374	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.374	OctetString	loop44
ibProcessName.376	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.376	OctetString	loop45

Name	OID	Value Type	Value Example
ibProcessName.378	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.378	OctetString	loop46
ibProcessName.380	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.380	OctetString	loop47
ibProcessName.382	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.382	OctetString	loop48
ibProcessName.384	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.384	OctetString	loop49
ibProcessName.386	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.386	OctetString	loop50
ibProcessName.388	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.388	OctetString	loop51
ibProcessName.390	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.390	OctetString	loop52
ibProcessName.392	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.392	OctetString	loop53
ibProcessName.395	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.395	OctetString	loop54
ibProcessName.397	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.397	OctetString	loop55
ibProcessName.399	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.399	OctetString	loop56
ibProcessName.401	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.401	OctetString	loop57
ibProcessName.403	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.403	OctetString	loop58
ibProcessName.406	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.406	OctetString	loop59
ibProcessName.409	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.409	OctetString	loop60
ibProcessName.412	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.412	OctetString	loop61
ibProcessName.415	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.415	OctetString	loop62
ibProcessName.417	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.417	OctetString	loop63
ibProcessName.419	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.419	OctetString	loop64
ibProcessName.421	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.421	OctetString	loop65
ibProcessName.423	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.423	OctetString	loop66
ibProcessName.425	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.425	OctetString	loop67
ibProcessName.427	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.427	OctetString	loop68
ibProcessName.430	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.430	OctetString	loop69
ibProcessName.432	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.432	OctetString	loop70

Name	OID	Value Type	Value Example
ibProcessName.633	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.633	OctetString	telnetd
ibProcessName.634	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.634	OctetString	login
ibProcessName.636	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.636	OctetString	comshc
ibProcessName.637	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.637	OctetString	comsh
ibProcessName.640	.1.3.6.1.4.1.26138.2.6.1.4.1.1.2.640	OctetString	snmpd
ibProcessUtil5Min.1	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.1	Gauge	0
ibProcessUtil5Min.2	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.2	Gauge	0
ibProcessUtil5Min.3	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.3	Gauge	0
ibProcessUtil5Min.4	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.4	Gauge	0
ibProcessUtil5Min.5	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.5	Gauge	0
ibProcessUtil5Min.6	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.6	Gauge	0
ibProcessUtil5Min.7	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.7	Gauge	0
ibProcessUtil5Min.9	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.9	Gauge	0
ibProcessUtil5Min.10	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.10	Gauge	0
ibProcessUtil5Min.11	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.11	Gauge	0
ibProcessUtil5Min.12	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.12	Gauge	0
ibProcessUtil5Min.13	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.13	Gauge	0
ibProcessUtil5Min.14	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.14	Gauge	0
ibProcessUtil5Min.15	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.15	Gauge	0
ibProcessUtil5Min.16	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.16	Gauge	0
ibProcessUtil5Min.17	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.17	Gauge	0
ibProcessUtil5Min.47	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.47	Gauge	0
ibProcessUtil5Min.48	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.48	Gauge	0
ibProcessUtil5Min.49	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.49	Gauge	0
ibProcessUtil5Min.50	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.50	Gauge	0

Name	OID	Value Type	Value Example
ibProcessUtil5Min.51	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.51	Gauge	0
ibProcessUtil5Min.52	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.52	Gauge	0
ibProcessUtil5Min.53	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.53	Gauge	0
ibProcessUtil5Min.54	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.54	Gauge	0
ibProcessUtil5Min.55	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.55	Gauge	0
ibProcessUtil5Min.56	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.56	Gauge	0
ibProcessUtil5Min.57	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.57	Gauge	0
ibProcessUtil5Min.58	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.58	Gauge	0
ibProcessUtil5Min.59	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.59	Gauge	0
ibProcessUtil5Min.64	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.64	Gauge	0
ibProcessUtil5Min.65	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.65	Gauge	0
ibProcessUtil5Min.66	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.66	Gauge	0
ibProcessUtil5Min.67	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.67	Gauge	0
ibProcessUtil5Min.68	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.68	Gauge	0
ibProcessUtil5Min.69	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.69	Gauge	0
ibProcessUtil5Min.70	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.70	Gauge	0
ibProcessUtil5Min.71	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.71	Gauge	0
ibProcessUtil5Min.72	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.72	Gauge	0
ibProcessUtil5Min.75	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.75	Gauge	0
ibProcessUtil5Min.76	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.76	Gauge	0
ibProcessUtil5Min.77	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.77	Gauge	0
ibProcessUtil5Min.78	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.78	Gauge	0
ibProcessUtil5Min.79	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.79	Gauge	0
ibProcessUtil5Min.80	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.80	Gauge	0
ibProcessUtil5Min.81	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.81	Gauge	0

Name	OID	Value Type	Value Example
ibProcessUtil5Min.82	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.82	Gauge	0
ibProcessUtil5Min.83	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.83	Gauge	0
ibProcessUtil5Min.84	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.84	Gauge	0
ibProcessUtil5Min.85	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.85	Gauge	0
ibProcessUtil5Min.86	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.86	Gauge	0
ibProcessUtil5Min.87	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.87	Gauge	0
ibProcessUtil5Min.88	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.88	Gauge	0
ibProcessUtil5Min.89	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.89	Gauge	0
ibProcessUtil5Min.90	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.90	Gauge	0
ibProcessUtil5Min.91	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.91	Gauge	0
ibProcessUtil5Min.92	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.92	Gauge	0
ibProcessUtil5Min.93	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.93	Gauge	0
ibProcessUtil5Min.94	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.94	Gauge	0
ibProcessUtil5Min.95	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.95	Gauge	0
ibProcessUtil5Min.96	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.96	Gauge	0
ibProcessUtil5Min.97	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.97	Gauge	0
ibProcessUtil5Min.98	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.98	Gauge	0
ibProcessUtil5Min.99	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.99	Gauge	0
ibProcessUtil5Min.100	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.100	Gauge	0
ibProcessUtil5Min.101	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.101	Gauge	0
ibProcessUtil5Min.102	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.102	Gauge	0
ibProcessUtil5Min.103	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.103	Gauge	0
ibProcessUtil5Min.104	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.104	Gauge	0
ibProcessUtil5Min.105	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.105	Gauge	0
ibProcessUtil5Min.106	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.106	Gauge	0

Name	OID	Value Type	Value Example
ibProcessUtil5Min.109	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.109	Gauge	0
ibProcessUtil5Min.110	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.110	Gauge	0
ibProcessUtil5Min.113	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.113	Gauge	0
ibProcessUtil5Min.116	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.116	Gauge	0
ibProcessUtil5Min.130	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.130	Gauge	0
ibProcessUtil5Min.131	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.131	Gauge	0
ibProcessUtil5Min.132	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.132	Gauge	0
ibProcessUtil5Min.133	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.133	Gauge	0
ibProcessUtil5Min.134	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.134	Gauge	0
ibProcessUtil5Min.137	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.137	Gauge	0
ibProcessUtil5Min.138	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.138	Gauge	0
ibProcessUtil5Min.139	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.139	Gauge	0
ibProcessUtil5Min.140	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.140	Gauge	0
ibProcessUtil5Min.141	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.141	Gauge	0
ibProcessUtil5Min.142	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.142	Gauge	0
ibProcessUtil5Min.143	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.143	Gauge	0
ibProcessUtil5Min.144	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.144	Gauge	0
ibProcessUtil5Min.145	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.145	Gauge	0
ibProcessUtil5Min.146	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.146	Gauge	0
ibProcessUtil5Min.147	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.147	Gauge	0
ibProcessUtil5Min.148	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.148	Gauge	0
ibProcessUtil5Min.149	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.149	Gauge	0
ibProcessUtil5Min.152	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.152	Gauge	0
ibProcessUtil5Min.156	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.156	Gauge	0
ibProcessUtil5Min.157	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.157	Gauge	0

Name	OID	Value Type	Value Example
ibProcessUtil5Min.159	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.159	Gauge	0
ibProcessUtil5Min.160	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.160	Gauge	0
ibProcessUtil5Min.162	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.162	Gauge	0
ibProcessUtil5Min.163	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.163	Gauge	1
ibProcessUtil5Min.164	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.164	Gauge	0
ibProcessUtil5Min.165	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.165	Gauge	0
ibProcessUtil5Min.167	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.167	Gauge	0
ibProcessUtil5Min.172	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.172	Gauge	0
ibProcessUtil5Min.173	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.173	Gauge	0
ibProcessUtil5Min.177	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.177	Gauge	0
ibProcessUtil5Min.178	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.178	Gauge	0
ibProcessUtil5Min.179	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.179	Gauge	0
ibProcessUtil5Min.193	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.193	Gauge	0
ibProcessUtil5Min.194	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.194	Gauge	0
ibProcessUtil5Min.195	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.195	Gauge	0
ibProcessUtil5Min.196	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.196	Gauge	0
ibProcessUtil5Min.197	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.197	Gauge	0
ibProcessUtil5Min.198	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.198	Gauge	0
ibProcessUtil5Min.199	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.199	Gauge	0
ibProcessUtil5Min.201	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.201	Gauge	0
ibProcessUtil5Min.203	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.203	Gauge	0
ibProcessUtil5Min.204	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.204	Gauge	0
ibProcessUtil5Min.205	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.205	Gauge	0
ibProcessUtil5Min.212	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.212	Gauge	0
ibProcessUtil5Min.221	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.221	Gauge	0

Name	OID	Value Type	Value Example
ibProcessUtil5Min.229	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.229	Gauge	0
ibProcessUtil5Min.230	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.230	Gauge	0
ibProcessUtil5Min.236	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.236	Gauge	0
ibProcessUtil5Min.240	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.240	Gauge	0
ibProcessUtil5Min.241	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.241	Gauge	0
ibProcessUtil5Min.242	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.242	Gauge	0
ibProcessUtil5Min.243	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.243	Gauge	0
ibProcessUtil5Min.244	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.244	Gauge	0
ibProcessUtil5Min.245	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.245	Gauge	0
ibProcessUtil5Min.246	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.246	Gauge	0
ibProcessUtil5Min.247	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.247	Gauge	0
ibProcessUtil5Min.248	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.248	Gauge	0
ibProcessUtil5Min.249	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.249	Gauge	0
ibProcessUtil5Min.250	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.250	Gauge	0
ibProcessUtil5Min.251	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.251	Gauge	0
ibProcessUtil5Min.252	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.252	Gauge	0
ibProcessUtil5Min.253	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.253	Gauge	0
ibProcessUtil5Min.254	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.254	Gauge	0
ibProcessUtil5Min.263	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.263	Gauge	0
ibProcessUtil5Min.264	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.264	Gauge	0
ibProcessUtil5Min.268	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.268	Gauge	0
ibProcessUtil5Min.270	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.270	Gauge	0
ibProcessUtil5Min.271	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.271	Gauge	0
ibProcessUtil5Min.273	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.273	Gauge	0
ibProcessUtil5Min.275	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.275	Gauge	0

Name	OID	Value Type	Value Example
ibProcessUtil5Min.285	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.285	Gauge	0
ibProcessUtil5Min.287	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.287	Gauge	0
ibProcessUtil5Min.289	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.289	Gauge	0
ibProcessUtil5Min.291	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.291	Gauge	0
ibProcessUtil5Min.293	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.293	Gauge	0
ibProcessUtil5Min.295	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.295	Gauge	0
ibProcessUtil5Min.297	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.297	Gauge	0
ibProcessUtil5Min.299	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.299	Gauge	0
ibProcessUtil5Min.301	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.301	Gauge	0
ibProcessUtil5Min.303	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.303	Gauge	0
ibProcessUtil5Min.305	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.305	Gauge	0
ibProcessUtil5Min.307	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.307	Gauge	0
ibProcessUtil5Min.309	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.309	Gauge	0
ibProcessUtil5Min.311	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.311	Gauge	0
ibProcessUtil5Min.314	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.314	Gauge	0
ibProcessUtil5Min.316	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.316	Gauge	0
ibProcessUtil5Min.318	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.318	Gauge	0
ibProcessUtil5Min.320	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.320	Gauge	0
ibProcessUtil5Min.322	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.322	Gauge	0
ibProcessUtil5Min.324	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.324	Gauge	0
ibProcessUtil5Min.326	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.326	Gauge	0
ibProcessUtil5Min.328	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.328	Gauge	0
ibProcessUtil5Min.330	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.330	Gauge	0
ibProcessUtil5Min.332	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.332	Gauge	0
ibProcessUtil5Min.334	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.334	Gauge	0

Name	OID	Value Type	Value Example
ibProcessUtil5Min.336	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.336	Gauge	0
ibProcessUtil5Min.338	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.338	Gauge	0
ibProcessUtil5Min.340	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.340	Gauge	0
ibProcessUtil5Min.342	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.342	Gauge	0
ibProcessUtil5Min.344	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.344	Gauge	0
ibProcessUtil5Min.346	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.346	Gauge	0
ibProcessUtil5Min.348	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.348	Gauge	0
ibProcessUtil5Min.350	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.350	Gauge	0
ibProcessUtil5Min.352	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.352	Gauge	0
ibProcessUtil5Min.354	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.354	Gauge	0
ibProcessUtil5Min.356	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.356	Gauge	0
ibProcessUtil5Min.358	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.358	Gauge	0
ibProcessUtil5Min.360	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.360	Gauge	0
ibProcessUtil5Min.362	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.362	Gauge	0
ibProcessUtil5Min.364	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.364	Gauge	0
ibProcessUtil5Min.366	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.366	Gauge	0
ibProcessUtil5Min.368	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.368	Gauge	0
ibProcessUtil5Min.370	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.370	Gauge	0
ibProcessUtil5Min.372	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.372	Gauge	0
ibProcessUtil5Min.374	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.374	Gauge	0
ibProcessUtil5Min.376	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.376	Gauge	0
ibProcessUtil5Min.378	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.378	Gauge	0
ibProcessUtil5Min.380	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.380	Gauge	0
ibProcessUtil5Min.382	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.382	Gauge	0
ibProcessUtil5Min.384	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.384	Gauge	0

Name	OID	Value Type	Value Example
ibProcessUtil5Min.386	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.386	Gauge	0
ibProcessUtil5Min.388	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.388	Gauge	0
ibProcessUtil5Min.390	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.390	Gauge	0
ibProcessUtil5Min.392	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.392	Gauge	0
ibProcessUtil5Min.395	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.395	Gauge	0
ibProcessUtil5Min.397	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.397	Gauge	0
ibProcessUtil5Min.399	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.399	Gauge	0
ibProcessUtil5Min.401	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.401	Gauge	0
ibProcessUtil5Min.403	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.403	Gauge	0
ibProcessUtil5Min.406	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.406	Gauge	0
ibProcessUtil5Min.409	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.409	Gauge	0
ibProcessUtil5Min.412	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.412	Gauge	0
ibProcessUtil5Min.415	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.415	Gauge	0
ibProcessUtil5Min.417	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.417	Gauge	0
ibProcessUtil5Min.419	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.419	Gauge	0
ibProcessUtil5Min.421	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.421	Gauge	0
ibProcessUtil5Min.423	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.423	Gauge	0
ibProcessUtil5Min.425	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.425	Gauge	0
ibProcessUtil5Min.427	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.427	Gauge	0
ibProcessUtil5Min.430	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.430	Gauge	0
ibProcessUtil5Min.432	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.432	Gauge	0
ibProcessUtil5Min.633	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.633	Gauge	0
ibProcessUtil5Min.634	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.634	Gauge	0
ibProcessUtil5Min.636	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.636	Gauge	0
ibProcessUtil5Min.637	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.637	Gauge	0

Name	OID	Value Type	Value Example
ibProcessUtil5Min.640	.1.3.6.1.4.1.26138.2.6.1.4.1.1.3.640	Gauge	3
ibAclMib2ObjectsCapabilities.0	.1.3.6.1.4.1.26138.2.8.2.1.1.3.0	OctetString	{ibAclMib2ObjectsCapabilities, ibAclMib2CapabilityTable, ibAclNumberGroupTable, ibAclIPAcIAdvancedTable, ibAclMACTable, ibAclEnUserTable, ibAclMib2-ProcessingStatus}
ibAclMib2ProcessingStatus.0	.1.3.6.1.4.1.26138.2.8.2.1.1.4.0	Integer	done (2)
ibAclMib2ResourceThreshold.0	.1.3.6.1.4.1.26138.2.8.2.1.1.5.0	Integer	0
ibAclMib2ResourceLogInterval.0	.1.3.6.1.4.1.26138.2.8.2.1.1.6.0	Integer	5
ibAclMib2Characteristics-Desc.1.0.3.2	.1.3.6.1.4.1.26138.2.8.2.1.2.1.5.1.0.3.2	OctetString	
ibAclMib2Characteristics-Desc.1.0.3.4	.1.3.6.1.4.1.26138.2.8.2.1.2.1.5.1.0.3.4	OctetString	
ibAclMib2Characteristics-Desc.1.0.3.5	.1.3.6.1.4.1.26138.2.8.2.1.2.1.5.1.0.3.5	OctetString	
ibAclMib2Characteristics-Desc.1.0.3.6	.1.3.6.1.4.1.26138.2.8.2.1.2.1.5.1.0.3.6	OctetString	
ibAclMib2CharacteristicsValue.1.0.3.2	.1.3.6.1.4.1.26138.2.8.2.1.2.1.6.1.0.3.2	Gauge	20
ibAclMib2CharacteristicsValue.1.0.3.4	.1.3.6.1.4.1.26138.2.8.2.1.2.1.6.1.0.3.4	Gauge	20
ibAclMib2CharacteristicsValue.1.0.3.5	.1.3.6.1.4.1.26138.2.8.2.1.2.1.6.1.0.3.5	Gauge	40
ibAclMib2CharacteristicsValue.1.0.3.6	.1.3.6.1.4.1.26138.2.8.2.1.2.1.6.1.0.3.6	Gauge	10
ibAclPortRange.0.1.0.1	.1.3.6.1.4.1.26138.2.8.2.5.1.1.5.0.1.0.1	OctetString	GigabitEthernet1/0/1 to GigabitEthernet1/0/24, Ten-GigabitEthernet1/0/25 to Ten-GigabitEthernet1/0/28
ibAclPortRange.0.1.0.3	.1.3.6.1.4.1.26138.2.8.2.5.1.1.5.0.1.0.3	OctetString	GigabitEthernet1/0/1 to GigabitEthernet1/0/24, Ten-GigabitEthernet1/0/25 to Ten-GigabitEthernet1/0/28
ibAclPortRange.0.1.0.4	.1.3.6.1.4.1.26138.2.8.2.5.1.1.5.0.1.0.4	OctetString	GigabitEthernet1/0/1 to GigabitEthernet1/0/24, Ten-GigabitEthernet1/0/25 to Ten-GigabitEthernet1/0/28
ibAclPortRange.0.1.0.5	.1.3.6.1.4.1.26138.2.8.2.5.1.1.5.0.1.0.5	OctetString	GigabitEthernet1/0/1 to GigabitEthernet1/0/24, Ten-GigabitEthernet1/0/25 to Ten-GigabitEthernet1/0/28

Name	OID	Value Type	Value Example
ibAclPortRange.0.1.0.6	.1.3.6.1.4.1.26138.2.8.2.5.1.1.5 .0.1.0.6	OctetString	GigabitEthernet1/0/1 to GigabitEthernet1/0/24, Ten-GigabitEthernet1/0/25 to Ten-GigabitEthernet1/0/28
ibAclPortRange.0.1.0.7	.1.3.6.1.4.1.26138.2.8.2.5.1.1.5 .0.1.0.7	OctetString	GigabitEthernet1/0/1 to GigabitEthernet1/0/24, Ten-GigabitEthernet1/0/25 to Ten-GigabitEthernet1/0/28
ibAclResourceTotal.0.1.0.1	.1.3.6.1.4.1.26138.2.8.2.5.1.1.6 .0.1.0.1	Gauge	256
ibAclResourceTotal.0.1.0.3	.1.3.6.1.4.1.26138.2.8.2.5.1.1.6 .0.1.0.3	Gauge	512
ibAclResourceTotal.0.1.0.4	.1.3.6.1.4.1.26138.2.8.2.5.1.1.6 .0.1.0.4	Gauge	512
ibAclResourceTotal.0.1.0.5	.1.3.6.1.4.1.26138.2.8.2.5.1.1.6 .0.1.0.5	Gauge	656
ibAclResourceTotal.0.1.0.6	.1.3.6.1.4.1.26138.2.8.2.5.1.1.6 .0.1.0.6	Gauge	768
ibAclResourceTotal.0.1.0.7	.1.3.6.1.4.1.26138.2.8.2.5.1.1.6 .0.1.0.7	Gauge	128
ibAclResourceReserved.0.1.0.1	.1.3.6.1.4.1.26138.2.8.2.5.1.1.7 .0.1.0.1	Gauge	0
ibAclResourceReserved.0.1.0.3	.1.3.6.1.4.1.26138.2.8.2.5.1.1.7 .0.1.0.3	Gauge	16
ibAclResourceReserved.0.1.0.4	.1.3.6.1.4.1.26138.2.8.2.5.1.1.7 .0.1.0.4	Gauge	16
ibAclResourceReserved.0.1.0.5	.1.3.6.1.4.1.26138.2.8.2.5.1.1.7 .0.1.0.5	Gauge	16
ibAclResourceReserved.0.1.0.6	.1.3.6.1.4.1.26138.2.8.2.5.1.1.7 .0.1.0.6	Gauge	0
ibAclResourceReserved.0.1.0.7	.1.3.6.1.4.1.26138.2.8.2.5.1.1.7 .0.1.0.7	Gauge	0
ibAclResourceConfigured.0.1.0.1	.1.3.6.1.4.1.26138.2.8.2.5.1.1.8 .0.1.0.1	Gauge	1
ibAclResourceConfigured.0.1.0.3	.1.3.6.1.4.1.26138.2.8.2.5.1.1.8 .0.1.0.3	Gauge	0
ibAclResourceConfigured.0.1.0.4	.1.3.6.1.4.1.26138.2.8.2.5.1.1.8 .0.1.0.4	Gauge	0
ibAclResourceConfigured.0.1.0.5	.1.3.6.1.4.1.26138.2.8.2.5.1.1.8 .0.1.0.5	Gauge	0
ibAclResourceConfigured.0.1.0.6	.1.3.6.1.4.1.26138.2.8.2.5.1.1.8 .0.1.0.6	Gauge	0
ibAclResourceConfigured.0.1.0.7	.1.3.6.1.4.1.26138.2.8.2.5.1.1.8 .0.1.0.7	Gauge	0
ibAclResourceUsagePercent.0.1.0.1	.1.3.6.1.4.1.26138.2.8.2.5.1.1.9 .0.1.0.1	Gauge	0
ibAclResourceUsagePercent.0.1.0.3	.1.3.6.1.4.1.26138.2.8.2.5.1.1.9 .0.1.0.3	Gauge	3

Name	OID	Value Type	Value Example
ibAclResourceUsagePer- cent.0.1.0. 4	.1.3.6.1.4.1.26138.2.8.2.5.1.1.9 .0.1.0.4	Gauge	3
ibAclResourceUsagePer- cent.0.1.0. 5	.1.3.6.1.4.1.26138.2.8.2.5.1.1.9 .0.1.0.5	Gauge	2
ibAclResourceUsagePer- cent.0.1.0. 6	.1.3.6.1.4.1.26138.2.8.2.5.1.1.9 .0.1.0.6	Gauge	0
ibAclResourceUsagePer- cent.0.1.0. 7	.1.3.6.1.4.1.26138.2.8.2.5.1.1.9 .0.1.0.7	Gauge	0
ibAclResourceTypeDescrip- tion.0.1 .0.1	.1.3.6.1.4.1.26138.2.8.2.5.1.1.1 0.0.1.0.1	OctetString	TTI ACL
ibAclResourceTypeDescrip- tion.0.1 .0.3	.1.3.6.1.4.1.26138.2.8.2.5.1.1.1 0.0.1.0.3	OctetString	PCL ReservedACL
ibAclResourceTypeDescrip- tion.0.1 .0.4	.1.3.6.1.4.1.26138.2.8.2.5.1.1.1 0.0.1.0.4	OctetString	PCL ACL
ibAclResourceTypeDescrip- tion.0.1 .0.5	.1.3.6.1.4.1.26138.2.8.2.5.1.1.1 0.0.1.0.5	OctetString	IPCL Counter
ibAclResourceTypeDescrip- tion.0.1 .0.6	.1.3.6.1.4.1.26138.2.8.2.5.1.1.1 0.0.1.0.6	OctetString	IPCL Meter
ibAclResourceTypeDescrip- tion.0.1 .0.7	.1.3.6.1.4.1.26138.2.8.2.5.1.1.1 0.0.1.0.7	OctetString	EPCL Meter
ibPfilterDefaultAction.0	.1.3.6.1.4.1.26138.2.8.3.1.1.0	Integer	permit (1)
ibPfilterProcessingStatus.0	.1.3.6.1.4.1.26138.2.8.3.1.2.0	Integer	done (2)
ibVoiceVlanOuiAd- dress.0.1.227.0. 0.0	.1.3.6.1.4.1.26138.2.9.1.1.1.0.1 .227.0.0.0	OctetString	00-01-E3-00-00-00
ibVoiceVlanOuiAd- dress.0.3.107.0. 0.0	.1.3.6.1.4.1.26138.2.9.1.1.1.0.3 .107.0.0.0	OctetString	00-03-6B-00-00-00
ibVoiceVlanOuiAd- dress.0.4.13.0.0 .0	.1.3.6.1.4.1.26138.2.9.1.1.1.0.4 .13.0.0.0	OctetString	00-04-0D-00-00-00
ibVoiceVlanOuiAd- dress.0.15.226.0 .0.0	.1.3.6.1.4.1.26138.2.9.1.1.1.0.1 5.226.0.0.0	OctetString	00-0F-E2-00-00-00
ibVoiceVlanOuiAd- dress.0.96.185.0 .0.0	.1.3.6.1.4.1.26138.2.9.1.1.1.0.9 6.185.0.0.0	OctetString	00-60-B9-00-00-00
ibVoiceVlanOuiAd- dress.0.208.30.0 .0.0	.1.3.6.1.4.1.26138.2.9.1.1.1.0.2 08.30.0.0.0	OctetString	00-D0-1E-00-00-00
ibVoiceVlanOuiAd- dress.0.224.117. 0.0.0	.1.3.6.1.4.1.26138.2.9.1.1.1.0.2 24.117.0.0.0	OctetString	00-E0-75-00-00-00

Name	OID	Value Type	Value Example
ibVoiceVlanOuiAddress.0.224.187.0.0.0	.1.3.6.1.4.1.26138.2.9.1.1.1.0.2 24.187.0.0.0	OctetString	00-E0-BB-00-00-00
ibVoiceVlanOuiMask.0.1.227.0.0.0	.1.3.6.1.4.1.26138.2.9.1.1.2.0.1 .227.0.0.0	OctetString	FF-FF-FF-00-00-00
ibVoiceVlanOuiMask.0.3.107.0.0.0	.1.3.6.1.4.1.26138.2.9.1.1.2.0.3 .107.0.0.0	OctetString	FF-FF-FF-00-00-00
ibVoiceVlanOuiMask.0.4.13.0.0.0	.1.3.6.1.4.1.26138.2.9.1.1.2.0.4 .13.0.0.0	OctetString	FF-FF-FF-00-00-00
ibVoiceVlanOuiMask.0.15.226.0.0.0	.1.3.6.1.4.1.26138.2.9.1.1.2.0.1 5.226.0.0.0	OctetString	FF-FF-FF-00-00-00
ibVoiceVlanOuiMask.0.96.185.0.0.0	.1.3.6.1.4.1.26138.2.9.1.1.2.0.9 6.185.0.0.0	OctetString	FF-FF-FF-00-00-00
ibVoiceVlanOuiMask.0.208.30.0.0.0	.1.3.6.1.4.1.26138.2.9.1.1.2.0.2 08.30.0.0.0	OctetString	FF-FF-FF-00-00-00
ibVoiceVlanOuiMask.0.224.117.0.0.0	.1.3.6.1.4.1.26138.2.9.1.1.2.0.2 24.117.0.0.0	OctetString	FF-FF-FF-00-00-00
ibVoiceVlanOuiMask.0.224.187.0.0.0	.1.3.6.1.4.1.26138.2.9.1.1.2.0.2 24.187.0.0.0	OctetString	FF-FF-FF-00-00-00
ibVoiceVlanOuiDescription.0.1.227.0.0.0	.1.3.6.1.4.1.26138.2.9.1.1.3.0.1 .227.0.0.0	OctetString	Siemens phone
ibVoiceVlanOuiDescription.0.3.107.0.0.0	.1.3.6.1.4.1.26138.2.9.1.1.3.0.3 .107.0.0.0	OctetString	Cisco phone
ibVoiceVlanOuiDescription.0.4.13.0.0.0	.1.3.6.1.4.1.26138.2.9.1.1.3.0.4 .13.0.0.0	OctetString	Avaya phone
ibVoiceVlanOuiDescription.0.15.226.0.0.0	.1.3.6.1.4.1.26138.2.9.1.1.3.0.1 5.226.0.0.0	OctetString	H3C Aolynk phone
ibVoiceVlanOuiDescription.0.96.185.0.0.0	.1.3.6.1.4.1.26138.2.9.1.1.3.0.9 6.185.0.0.0	OctetString	Philips/NEC phone
ibVoiceVlanOuiDescription.0.208.30.0.0.0	.1.3.6.1.4.1.26138.2.9.1.1.3.0.2 08.30.0.0.0	OctetString	Pingtel phone
ibVoiceVlanOuiDescription.0.224.117.0.0.0	.1.3.6.1.4.1.26138.2.9.1.1.3.0.2 24.117.0.0.0	OctetString	Polycom phone
ibVoiceVlanOuiDescription.0.224.187.0.0.0	.1.3.6.1.4.1.26138.2.9.1.1.3.0.2 24.187.0.0.0	OctetString	3Com phone
ibVoiceVlanOuiRowStatus.0.1.227.0.0.0	.1.3.6.1.4.1.26138.2.9.1.1.4.0.1 .227.0.0.0	Integer	active (1)
ibVoiceVlanOuiRowStatus.0.3.107.0.0.0	.1.3.6.1.4.1.26138.2.9.1.1.4.0.3 .107.0.0.0	Integer	active (1)

Name	OID	Value Type	Value Example
ibVoiceVlanOuiRowStatus.0.4.13.0.0.0	.1.3.6.1.4.1.26138.2.9.1.1.4.0.4.13.0.0.0	Integer	active (1)
ibVoiceVlanOuiRowStatus.0.15.226.0.0.0	.1.3.6.1.4.1.26138.2.9.1.1.4.0.15.226.0.0.0	Integer	active (1)
ibVoiceVlanOuiRowStatus.0.96.185.0.0.0	.1.3.6.1.4.1.26138.2.9.1.1.4.0.96.185.0.0.0	Integer	active (1)
ibVoiceVlanOuiRowStatus.0.208.30.0.0.0	.1.3.6.1.4.1.26138.2.9.1.1.4.0.208.30.0.0.0	Integer	active (1)
ibVoiceVlanOuiRowStatus.0.224.117.0.0.0	.1.3.6.1.4.1.26138.2.9.1.1.4.0.224.117.0.0.0	Integer	active (1)
ibVoiceVlanOuiRowStatus.0.224.187.0.0.0	.1.3.6.1.4.1.26138.2.9.1.1.4.0.224.187.0.0.0	Integer	active (1)
ibVoiceVlanAgingTime.0	.1.3.6.1.4.1.26138.2.9.4.0	Integer	1440
ibVoiceVlanSecurityState.0	.1.3.6.1.4.1.26138.2.9.6.0	Integer	security (1)
ibUserMaxNum.0	.1.3.6.1.4.1.26138.2.12.1.3.0	Integer	1024
ibUserCurrNum.0	.1.3.6.1.4.1.26138.2.12.1.4.0	Integer	0
ibUserIndexIndicator.0	.1.3.6.1.4.1.26138.2.12.1.5.0	Integer	1
ibUserGroupInfoRowStatus.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.12.2.1.1.2.6.115.121.115.116.101.109	Integer	active (1)
ibRdPrimUdpPort.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.1.1.3.6.115.121.115.116.101.109	Integer	1812
ibRdPrimState.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.1.1.4.6.115.121.115.116.101.109	Integer	block (2)
ibRdSecUdpPort.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.1.1.6.6.115.121.115.116.101.109	Integer	1812
ibRdSecState.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.1.1.7.6.115.121.115.116.101.109	Integer	block (2)
ibRdKey.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.1.1.8.6.115.121.115.116.101.109	OctetString	
ibRdRetry.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.1.1.9.6.115.121.115.116.101.109	Integer	3
ibRdTimeout.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.1.1.10.6.115.121.115.116.101.109	Integer	3
ibRdPrimAuthIpAddrType.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.1.1.11.6.115.121.115.116.101.109	Integer	ipv4 (1)
ibRdPrimAuthIpAddr.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.1.1.12.6.115.121.115.116.101.109	OctetString	0.0.0.0

Name	OID	Value Type	Value Example
ibRdSecAuthIpAddrType.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.1.1.13 .6.115.121.115.116.101.109	Integer	ipv4 (1)
ibRdSecAuthIpAddr.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.1.1.14 .6.115.121.115.116.101.109	OctetString	0.0.0.0
ibRdQuietTime.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.1.1.16 .6.115.121.115.116.101.109	Integer	5
ibRdUserNameFormat.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.1.1.17 .6.115.121.115.116.101.109	Integer	withoutdomain (1)
ibRdRowStatus.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.1.1.18 .6.115.121.115.116.101.109	Integer	active (1)
ibRdSecKey.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.1.1.19 .6.115.121.115.116.101.109	OctetString	
ibRdPrimVpnName.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.1.1.20 .6.115.121.115.116.101.109	OctetString	
ibRdSecVpnName.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.1.1.21 .6.115.121.115.116.101.109	OctetString	
ibRdAuthNasIpAddr.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.1.1.23 .6.115.121.115.116.101.109	IpAddress	0.0.0.0
ibRdAuthNasIpv6Addr.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.1.1.24 .6.115.121.115.116.101.109	OctetString	0x00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
ibRdPrimAcclpAddrType.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.2.1.2 .6.115.121.115.116.101.109	Integer	ipv4 (1)
ibRdPrimAcclpAddr.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.2.1.3 .6.115.121.115.116.101.109	OctetString	0.0.0.0
ibRdPrimAccUdpPort.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.2.1.4 .6.115.121.115.116.101.109	Integer	1813
ibRdPrimAccS-tate.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.2.1.5 .6.115.121.115.116.101.109	Integer	block (2)
ibRdSecAcclpAddrType.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.2.1.6 .6.115.121.115.116.101.109	Integer	ipv4 (1)
ibRdSecAcclpAddr.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.2.1.7 .6.115.121.115.116.101.109	OctetString	0.0.0.0
ibRdSecAccUdpPort.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.2.1.8 .6.115.121.115.116.101.109	Integer	1813
ibRdSecAccS-tate.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.2.1.9 .6.115.121.115.116.101.109	Integer	block (2)

Name	OID	Value Type	Value Example
ibRdAccKey.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.2.1.10 .6.115.121.115.116.101.109	OctetString	
ibRdAccRetry.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.2.1.11 .6.115.121.115.116.101.109	Integer	3
ibRdAccTimeout.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.2.1.12 .6.115.121.115.116.101.109	Integer	3
ibRdAccQuietTime.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.2.1.14 .6.115.121.115.116.101.109	Integer	5
ibRdAccRealTime.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.2.1.16 .6.115.121.115.116.101.109	Integer	12
ibRdAccRealTimeRetry.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.2.1.17 .6.115.121.115.116.101.109	Integer	5
ibRdAccDataFlowUnit.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.2.1.20 .6.115.121.115.116.101.109	Integer	byte (1)
ibRdAccPacketUnit.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.2.1.21 .6.115.121.115.116.101.109	Integer	onePacket (1)
ibRdAccRowStatus.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.2.1.22 .6.115.121.115.116.101.109	Integer	active (1)
ibRdAccOnEnable.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.2.1.23 .6.115.121.115.116.101.109	Integer	false (2)
ibRdAccOnSendTimes.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.2.1.24 .6.115.121.115.116.101.109	Integer	50
ibRdAccOnSendInterval.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.2.1.25 .6.115.121.115.116.101.109	Integer	3
ibRdSecAccKey.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.2.1.26 .6.115.121.115.116.101.109	OctetString	
ibRdPrimAccVpnName.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.2.1.27 .6.115.121.115.116.101.109	OctetString	
ibRdSecAccVpnName.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.2.1.28 .6.115.121.115.116.101.109	OctetString	
ibRdAccNasIpAddr.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.2.1.30 .6.115.121.115.116.101.109	IpAddress	0.0.0.0
ibRdAccNasIpv6Addr.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.2.1.31 .6.115.121.115.116.101.109	OctetString	0x00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
ibRdAccRealTimeUnit.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.13.1.2.1.32 .6.115.121.115.116.101.109	Integer	minute (0)

Name	OID	Value Type	Value Example
ibRadiusAuthErrThreshold.0	.1.3.6.1.4.1.26138.2.13.1.3.1.0	Gauge	30
ibProtocolNumAllVlan.0	.1.3.6.1.4.1.26138.2.16.1.1.0	Integer	65504
ibProtocolNumPerVlan.0	.1.3.6.1.4.1.26138.2.16.1.2.0	Integer	16
ibSSHServerVersion.0	.1.3.6.1.4.1.26138.2.22.1.1.1.1.0	OctetString	2.0
ibSSHServerCompatibleSSH1x.0	.1.3.6.1.4.1.26138.2.22.1.1.1.2.0	Integer	disableCompatibleSSH1x (2)
ibSSHServerRekeyInterval.0	.1.3.6.1.4.1.26138.2.22.1.1.1.3.0	Integer	0
ibSSHServerAuthRetries.0	.1.3.6.1.4.1.26138.2.22.1.1.1.4.0	Integer	3
ibSSHServerAuthTimeout.0	.1.3.6.1.4.1.26138.2.22.1.1.1.5.0	Integer	60
ibSFTPServerIdleTimeout.0	.1.3.6.1.4.1.26138.2.22.1.1.1.6.0	Integer	10
ibSSHServerEnable.0	.1.3.6.1.4.1.26138.2.22.1.1.1.7.0	Integer	disableSSHServer (2)
ibSFTPServerEnable.0	.1.3.6.1.4.1.26138.2.22.1.1.1.8.0	Integer	disableSFTPService (2)
ibSTelnetServerEnable.0	.1.3.6.1.4.1.26138.2.22.1.1.1.9.0	Integer	disableSTelnetServer (2)
ibSCPServerEnable.0	.1.3.6.1.4.1.26138.2.22.1.1.1.10.0	Integer	disableSCPService (2)
ibTrapConfigName.1	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.1	OctetString	TemperatureTooHighTrap
ibTrapConfigName.2	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.2	OctetString	TemperTooHighRecovTrap
ibTrapConfigName.3	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.3	OctetString	SystemColdStartTrap
ibTrapConfigName.4	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.4	OctetString	SystemWarmStartTrap
ibTrapConfigName.5	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.5	OctetString	PowerOffTrap
ibTrapConfigName.6	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.6	OctetString	PowerOffRecovTrap
ibTrapConfigName.7	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.7	OctetString	APCPUusageTooHighTrap
ibTrapConfigName.8	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.8	OctetString	APMemUsageTooHighTrap
ibTrapConfigName.9	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.9	OctetString	APCPUusageTooHighRecov-Trap
ibTrapConfigName.10	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.10	OctetString	APMemUsageTooHighRecov-Trap
ibTrapConfigName.11	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.11	OctetString	PortalServerUnavailableTrap
ibTrapConfigName.12	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.12	OctetString	PortalServerAvailableTrap
ibTrapConfigName.13	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.13	OctetString	IPAddChangeTrap

Name	OID	Value Type	Value Example
ibTrapConfigName.14	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.14	OctetString	ACHeartbeatTrap
ibTrapConfigName.15	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.15	OctetString	ConfigurationErrorTrap
ibTrapConfigName.16	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.16	OctetString	ACCPUUsageTooHighTrap
ibTrapConfigName.17	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.17	OctetString	ACMemUsageTooHighTrap
ibTrapConfigName.18	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.18	OctetString	TemperatureTooHighTrap2
ibTrapConfigName.19	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.19	OctetString	TemperatureTooHighRecov-Trap2
ibTrapConfigName.20	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.20	OctetString	ACCPUUsageTooHighRecov-Trap
ibTrapConfigName.21	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.21	OctetString	ACMemUsageTooHighRecov-Trap
ibTrapConfigName.22	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.22	OctetString	RadiusAuthServerUnavailable-Trap
ibTrapConfigName.23	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.23	OctetString	RadiusAuthServerAvailable-Trap
ibTrapConfigName.24	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.24	OctetString	RadioAccServerUnavailable-Trap
ibTrapConfigName.25	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.25	OctetString	RadiusAccServerAvailableTrap
ibTrapConfigName.26	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.26	OctetString	UserWithInvalidCertificateIn-breakNetworkTrap
ibTrapConfigName.27	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.27	OctetString	StationReplayAttackTrap
ibTrapConfigName.28	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.28	OctetString	TamperAttackTrap
ibTrapConfigName.29	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.29	OctetString	LowSafeLevelAttackTrap
ibTrapConfigName.30	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.30	OctetString	AddressRedirectionAttackTrap
ibTrapConfigName.31	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.31	OctetString	APMtWorkModeChgTrap
ibTrapConfigName.32	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.32	OctetString	ModuleTroubleTrap
ibTrapConfigName.33	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.33	OctetString	RadioDownTrap
ibTrapConfigName.34	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.34	OctetString	APStaFullTrap
ibTrapConfigName.35	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.35	OctetString	APMtRdoChanlChgTrap
ibTrapConfigName.36	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.36	OctetString	StaAuthErrorTrap
ibTrapConfigName.37	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.37	OctetString	StAssociationFailTrap
ibTrapConfigName.38	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.38	OctetString	SSIDkeyConflictTrap

Name	OID	Value Type	Value Example
ibTrapConfigName.39	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.39	OctetString	RadioDownRecovTrap
ibTrapConfigName.40	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.40	OctetString	APStaFullRecoverTrap
ibTrapConfigName.41	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.41	OctetString	APModuleTroubleClearTrap
ibTrapConfigName.42	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.42	OctetString	StationDisconnectTrap
ibTrapConfigName.43	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.43	OctetString	StaAuthSuccTrap
ibTrapConfigName.44	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.44	OctetString	StaDeAssocTrap
ibTrapConfigName.45	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.45	OctetString	StaDeauthenticateTrap
ibTrapConfigName.46	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.46	OctetString	WIDSDetectRogueTrap
ibTrapConfigName.47	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.47	OctetString	WIDSUnauthorSSIDTrap
ibTrapConfigName.48	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.48	OctetString	WIDSDetectAttack
ibTrapConfigName.49	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.49	OctetString	AdjacentChAPInterfDetected-Trap
ibTrapConfigName.50	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.50	OctetString	AdjacentChAPInterfClearTrap
ibTrapConfigName.51	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.51	OctetString	CoChAPInterfDetectedTrap
ibTrapConfigName.52	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.52	OctetString	StaInterfDetectedTrap
ibTrapConfigName.53	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.53	OctetString	OtherDeviceInterfDetected-Trap
ibTrapConfigName.54	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.54	OctetString	DFSFreeCountBelowThreshhd-Trap
ibTrapConfigName.55	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.55	OctetString	DFSFreeCntBelowThrRecov
ibTrapConfigName.56	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.56	OctetString	CoChAPInterfClearTrap
ibTrapConfigName.57	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.57	OctetString	StaInterfClearTrap
ibTrapConfigName.58	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.58	OctetString	OtherDevIntClearTrap
ibTrapConfigName.59	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.59	OctetString	APOfflineTrap
ibTrapConfigName.60	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.60	OctetString	ACTurnToBackupDeviceTrap
ibTrapConfigName.61	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.61	OctetString	APSWUpdateFailTrap
ibTrapConfigName.62	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.62	OctetString	APACTimeSyncFailureTrap
ibTrapConfigName.63	.1.3.6.1.4.1.26138.2.38.1.8.1.1.2.63	OctetString	APOnlineTrap

Name	OID	Value Type	Value Example
ibTrapConfigDescr.1	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.1	OctetString	TemperatureTooHighTrap
ibTrapConfigDescr.2	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.2	OctetString	TemperTooHighRecovTrap
ibTrapConfigDescr.3	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.3	OctetString	SystemColdStartTrap
ibTrapConfigDescr.4	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.4	OctetString	SystemWarmStartTrap
ibTrapConfigDescr.5	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.5	OctetString	PowerOffTrap
ibTrapConfigDescr.6	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.6	OctetString	PowerOffRecovTrap
ibTrapConfigDescr.7	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.7	OctetString	APCPUusageTooHighTrap
ibTrapConfigDescr.8	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.8	OctetString	APMemUsageTooHighTrap
ibTrapConfigDescr.9	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.9	OctetString	APCPUusageTooHighRecov-Trap
ibTrapConfigDescr.10	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.10	OctetString	APMemUsageTooHighRecov-Trap
ibTrapConfigDescr.11	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.11	OctetString	PortalServerUnavailableTrap
ibTrapConfigDescr.12	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.12	OctetString	PortalServerAvailableTrap
ibTrapConfigDescr.13	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.13	OctetString	IPAddChangeTrap
ibTrapConfigDescr.14	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.14	OctetString	ACHeartbeatTrap
ibTrapConfigDescr.15	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.15	OctetString	ConfigurationErrorTrap
ibTrapConfigDescr.16	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.16	OctetString	ACCPUusageTooHighTrap
ibTrapConfigDescr.17	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.17	OctetString	ACMemUsageTooHighTrap
ibTrapConfigDescr.18	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.18	OctetString	TemperatureTooHighTrap2
ibTrapConfigDescr.19	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.19	OctetString	TemperatureTooHighRecov-Trap2
ibTrapConfigDescr.20	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.20	OctetString	ACCPUusageTooHighRecov-Trap
ibTrapConfigDescr.21	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.21	OctetString	ACMemUsageTooHighRecov-Trap
ibTrapConfigDescr.22	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.22	OctetString	RadiusAuthServerUnavailable-Trap
ibTrapConfigDescr.23	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.23	OctetString	RadiusAuthServerAvailable-Trap
ibTrapConfigDescr.24	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.24	OctetString	RadioAccServerUnavailable-Trap
ibTrapConfigDescr.25	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.25	OctetString	RadiusAccServerAvailableTrap

Name	OID	Value Type	Value Example
ibTrapConfigDescr.26	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.26	OctetString	UserWithInvalidCertificateIn-breakNetworkTrap
ibTrapConfigDescr.27	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.27	OctetString	StationReplayAttackTrap
ibTrapConfigDescr.28	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.28	OctetString	TamperAttackTrap
ibTrapConfigDescr.29	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.29	OctetString	LowSafeLevelAttackTrap
ibTrapConfigDescr.30	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.30	OctetString	AddressRedirectionAttackTrap
ibTrapConfigDescr.31	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.31	OctetString	APMtWorkModeChgTrap
ibTrapConfigDescr.32	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.32	OctetString	ModuleTroubleTrap
ibTrapConfigDescr.33	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.33	OctetString	RadioDownTrap
ibTrapConfigDescr.34	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.34	OctetString	APStaFullTrap
ibTrapConfigDescr.35	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.35	OctetString	APMtRdoChanlChgTrap
ibTrapConfigDescr.36	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.36	OctetString	StaAuthErrorTrap
ibTrapConfigDescr.37	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.37	OctetString	StAssociationFailTrap
ibTrapConfigDescr.38	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.38	OctetString	SSIDkeyConflictTrap
ibTrapConfigDescr.39	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.39	OctetString	RadioDownRecovTrap
ibTrapConfigDescr.40	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.40	OctetString	APStaFullRecoverTrap
ibTrapConfigDescr.41	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.41	OctetString	APModuleTroubleClearTrap
ibTrapConfigDescr.42	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.42	OctetString	StationDisconnectTrap
ibTrapConfigDescr.43	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.43	OctetString	StaAuthSuccTrap
ibTrapConfigDescr.44	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.44	OctetString	StaDeAssocTrap
ibTrapConfigDescr.45	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.45	OctetString	StaDeauthenticateTrap
ibTrapConfigDescr.46	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.46	OctetString	WIDSDetectRogueTrap
ibTrapConfigDescr.47	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.47	OctetString	WIDSUnauthorSSIDTrap
ibTrapConfigDescr.48	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.48	OctetString	WIDSDetectAttack
ibTrapConfigDescr.49	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.49	OctetString	AdjacentChAPInterfDetected-Trap
ibTrapConfigDescr.50	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.50	OctetString	AdjacentChAPInterfClearTrap

Name	OID	Value Type	Value Example
ibTrapConfigDescr.51	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.51	OctetString	CoChAPInterfDetectedTrap
ibTrapConfigDescr.52	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.52	OctetString	StaInterfDetectedTrap
ibTrapConfigDescr.53	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.53	OctetString	OtherDeviceInterfDetected-Trap
ibTrapConfigDescr.54	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.54	OctetString	DFSFreeCountBelowThreshhd-Trap
ibTrapConfigDescr.55	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.55	OctetString	DFSFreeCntBelowThrRecov
ibTrapConfigDescr.56	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.56	OctetString	CoChAPInterfClearTrap
ibTrapConfigDescr.57	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.57	OctetString	StaInterfClearTrap
ibTrapConfigDescr.58	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.58	OctetString	OtherDevIntClearTrap
ibTrapConfigDescr.59	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.59	OctetString	APOfflineTrap
ibTrapConfigDescr.60	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.60	OctetString	ACTurnToBackupDeviceTrap
ibTrapConfigDescr.61	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.61	OctetString	APSWUpdateFailTrap
ibTrapConfigDescr.62	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.62	OctetString	APACTimeSyncFailureTrap
ibTrapConfigDescr.63	.1.3.6.1.4.1.26138.2.38.1.8.1.1.3.63	OctetString	APOnlineTrap
ibTrapConfigSwitch.1	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.1	Integer	enable (1)
ibTrapConfigSwitch.2	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.2	Integer	enable (1)
ibTrapConfigSwitch.3	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.3	Integer	enable (1)
ibTrapConfigSwitch.4	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.4	Integer	enable (1)
ibTrapConfigSwitch.5	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.5	Integer	enable (1)
ibTrapConfigSwitch.6	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.6	Integer	enable (1)
ibTrapConfigSwitch.7	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.7	Integer	enable (1)
ibTrapConfigSwitch.8	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.8	Integer	enable (1)
ibTrapConfigSwitch.9	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.9	Integer	enable (1)
ibTrapConfigSwitch.10	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.10	Integer	enable (1)
ibTrapConfigSwitch.11	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.11	Integer	enable (1)
ibTrapConfigSwitch.12	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.12	Integer	enable (1)

Name	OID	Value Type	Value Example
ibTrapConfigSwitch.13	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.13	Integer	enable (1)
ibTrapConfigSwitch.14	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.14	Integer	enable (1)
ibTrapConfigSwitch.15	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.15	Integer	enable (1)
ibTrapConfigSwitch.16	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.16	Integer	enable (1)
ibTrapConfigSwitch.17	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.17	Integer	enable (1)
ibTrapConfigSwitch.18	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.18	Integer	enable (1)
ibTrapConfigSwitch.19	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.19	Integer	enable (1)
ibTrapConfigSwitch.20	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.20	Integer	enable (1)
ibTrapConfigSwitch.21	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.21	Integer	enable (1)
ibTrapConfigSwitch.22	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.22	Integer	enable (1)
ibTrapConfigSwitch.23	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.23	Integer	enable (1)
ibTrapConfigSwitch.24	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.24	Integer	enable (1)
ibTrapConfigSwitch.25	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.25	Integer	enable (1)
ibTrapConfigSwitch.26	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.26	Integer	enable (1)
ibTrapConfigSwitch.27	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.27	Integer	enable (1)
ibTrapConfigSwitch.28	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.28	Integer	enable (1)
ibTrapConfigSwitch.29	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.29	Integer	enable (1)
ibTrapConfigSwitch.30	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.30	Integer	enable (1)
ibTrapConfigSwitch.31	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.31	Integer	enable (1)
ibTrapConfigSwitch.32	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.32	Integer	enable (1)
ibTrapConfigSwitch.33	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.33	Integer	enable (1)
ibTrapConfigSwitch.34	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.34	Integer	enable (1)
ibTrapConfigSwitch.35	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.35	Integer	enable (1)
ibTrapConfigSwitch.36	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.36	Integer	enable (1)
ibTrapConfigSwitch.37	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.37	Integer	enable (1)

Name	OID	Value Type	Value Example
ibTrapConfigSwitch.38	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.38	Integer	enable (1)
ibTrapConfigSwitch.39	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.39	Integer	enable (1)
ibTrapConfigSwitch.40	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.40	Integer	enable (1)
ibTrapConfigSwitch.41	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.41	Integer	enable (1)
ibTrapConfigSwitch.42	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.42	Integer	enable (1)
ibTrapConfigSwitch.43	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.43	Integer	enable (1)
ibTrapConfigSwitch.44	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.44	Integer	enable (1)
ibTrapConfigSwitch.45	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.45	Integer	enable (1)
ibTrapConfigSwitch.46	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.46	Integer	enable (1)
ibTrapConfigSwitch.47	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.47	Integer	enable (1)
ibTrapConfigSwitch.48	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.48	Integer	enable (1)
ibTrapConfigSwitch.49	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.49	Integer	enable (1)
ibTrapConfigSwitch.50	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.50	Integer	enable (1)
ibTrapConfigSwitch.51	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.51	Integer	enable (1)
ibTrapConfigSwitch.52	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.52	Integer	enable (1)
ibTrapConfigSwitch.53	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.53	Integer	enable (1)
ibTrapConfigSwitch.54	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.54	Integer	enable (1)
ibTrapConfigSwitch.55	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.55	Integer	enable (1)
ibTrapConfigSwitch.56	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.56	Integer	enable (1)
ibTrapConfigSwitch.57	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.57	Integer	enable (1)
ibTrapConfigSwitch.58	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.58	Integer	enable (1)
ibTrapConfigSwitch.59	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.59	Integer	enable (1)
ibTrapConfigSwitch.60	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.60	Integer	enable (1)
ibTrapConfigSwitch.61	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.61	Integer	enable (1)
ibTrapConfigSwitch.62	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.62	Integer	enable (1)

Name	OID	Value Type	Value Example
ibTrapConfigSwitch.63	.1.3.6.1.4.1.26138.2.38.1.8.1.1.4.63	Integer	enable (1)
ibIfShutDownInterval.0	.1.3.6.1.4.1.26138.2.40.1.2.0	Integer	30
ibIfStatFlowInterval.1	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.1	Integer	300
ibIfStatFlowInterval.2	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.2	Integer	300
ibIfStatFlowInterval.3	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.3	Integer	300
ibIfStatFlowInterval.4	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.4	Integer	300
ibIfStatFlowInterval.5	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.5	Integer	300
ibIfStatFlowInterval.6	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.6	Integer	300
ibIfStatFlowInterval.7	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.7	Integer	300
ibIfStatFlowInterval.8	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.8	Integer	300
ibIfStatFlowInterval.9	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.9	Integer	300
ibIfStatFlowInterval.10	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.10	Integer	300
ibIfStatFlowInterval.11	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.11	Integer	300
ibIfStatFlowInterval.12	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.12	Integer	300
ibIfStatFlowInterval.13	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.13	Integer	300
ibIfStatFlowInterval.14	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.14	Integer	300
ibIfStatFlowInterval.15	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.15	Integer	300
ibIfStatFlowInterval.16	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.16	Integer	300
ibIfStatFlowInterval.17	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.17	Integer	300
ibIfStatFlowInterval.18	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.18	Integer	300
ibIfStatFlowInterval.19	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.19	Integer	300
ibIfStatFlowInterval.20	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.20	Integer	300
ibIfStatFlowInterval.21	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.21	Integer	300
ibIfStatFlowInterval.22	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.22	Integer	300
ibIfStatFlowInterval.23	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.23	Integer	300
ibIfStatFlowInterval.24	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.1.24	Integer	300

Name	OID	Value Type	Value Example
ibLfStatFlowInterval.25	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.25	Integer	300
ibLfStatFlowInterval.26	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.26	Integer	300
ibLfStatFlowInterval.27	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.27	Integer	300
ibLfStatFlowInterval.28	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.28	Integer	300
ibLfStatFlowInterval.632	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.632	Integer	300
ibLfStatFlowInterval.633	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.633	Integer	300
ibLfStatFlowInterval.635	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.635	Integer	300
ibLfStatFlowInBits.1	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.1	Gauge	0
ibLfStatFlowInBits.2	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.2	Gauge	0
ibLfStatFlowInBits.3	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.3	Gauge	0
ibLfStatFlowInBits.4	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.4	Gauge	0
ibLfStatFlowInBits.5	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.5	Gauge	0
ibLfStatFlowInBits.6	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.6	Gauge	0
ibLfStatFlowInBits.7	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.7	Gauge	0
ibLfStatFlowInBits.8	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.8	Gauge	0
ibLfStatFlowInBits.9	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.9	Gauge	0
ibLfStatFlowInBits.10	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.10	Gauge	0
ibLfStatFlowInBits.11	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.11	Gauge	0
ibLfStatFlowInBits.12	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.12	Gauge	0
ibLfStatFlowInBits.13	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.13	Gauge	0
ibLfStatFlowInBits.14	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.14	Gauge	0
ibLfStatFlowInBits.15	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.15	Gauge	0
ibLfStatFlowInBits.16	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.16	Gauge	0
ibLfStatFlowInBits.17	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.17	Gauge	0
ibLfStatFlowInBits.18	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.18	Gauge	0

Name	OID	Value Type	Value Example
ibLfStatFlowInBits.19	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.19	Gauge	0
ibLfStatFlowInBits.20	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.20	Gauge	0
ibLfStatFlowInBits.21	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.21	Gauge	0
ibLfStatFlowInBits.22	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.22	Gauge	0
ibLfStatFlowInBits.23	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.23	Gauge	0
ibLfStatFlowInBits.24	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.24	Gauge	8516272
ibLfStatFlowInBits.25	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.25	Gauge	0
ibLfStatFlowInBits.26	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.26	Gauge	0
ibLfStatFlowInBits.27	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.27	Gauge	0
ibLfStatFlowInBits.28	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.28	Gauge	0
ibLfStatFlowInBits.632	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.632	Gauge	0
ibLfStatFlowInBits.633	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.633	Gauge	0
ibLfStatFlowInBits.635	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.2.635	Gauge	0
ibLfStatFlowOutBits.1	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.1	Gauge	0
ibLfStatFlowOutBits.2	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.2	Gauge	0
ibLfStatFlowOutBits.3	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.3	Gauge	0
ibLfStatFlowOutBits.4	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.4	Gauge	0
ibLfStatFlowOutBits.5	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.5	Gauge	0
ibLfStatFlowOutBits.6	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.6	Gauge	0
ibLfStatFlowOutBits.7	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.7	Gauge	0
ibLfStatFlowOutBits.8	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.8	Gauge	0
ibLfStatFlowOutBits.9	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.9	Gauge	0
ibLfStatFlowOutBits.10	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.10	Gauge	0
ibLfStatFlowOutBits.11	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.11	Gauge	0
ibLfStatFlowOutBits.12	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.12	Gauge	0

Name	OID	Value Type	Value Example
ibLfStatFlowOutBits.13	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.13	Gauge	0
ibLfStatFlowOutBits.14	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.14	Gauge	0
ibLfStatFlowOutBits.15	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.15	Gauge	0
ibLfStatFlowOutBits.16	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.16	Gauge	0
ibLfStatFlowOutBits.17	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.17	Gauge	0
ibLfStatFlowOutBits.18	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.18	Gauge	0
ibLfStatFlowOutBits.19	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.19	Gauge	0
ibLfStatFlowOutBits.20	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.20	Gauge	0
ibLfStatFlowOutBits.21	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.21	Gauge	0
ibLfStatFlowOutBits.22	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.22	Gauge	0
ibLfStatFlowOutBits.23	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.23	Gauge	0
ibLfStatFlowOutBits.24	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.24	Gauge	7143912
ibLfStatFlowOutBits.25	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.25	Gauge	0
ibLfStatFlowOutBits.26	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.26	Gauge	0
ibLfStatFlowOutBits.27	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.27	Gauge	0
ibLfStatFlowOutBits.28	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.28	Gauge	0
ibLfStatFlowOutBits.632	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.632	Gauge	0
ibLfStatFlowOutBits.633	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.633	Gauge	0
ibLfStatFlowOutBits.635	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.3.635	Gauge	0
ibLfStatFlowInPkts.1	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.1	Gauge	0
ibLfStatFlowInPkts.2	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.2	Gauge	0
ibLfStatFlowInPkts.3	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.3	Gauge	0
ibLfStatFlowInPkts.4	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.4	Gauge	0
ibLfStatFlowInPkts.5	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.5	Gauge	0
ibLfStatFlowInPkts.6	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.6	Gauge	0

Name	OID	Value Type	Value Example
ibLfStatFlowInPkts.7	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.7	Gauge	0
ibLfStatFlowInPkts.8	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.8	Gauge	0
ibLfStatFlowInPkts.9	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.9	Gauge	0
ibLfStatFlowInPkts.10	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.10	Gauge	0
ibLfStatFlowInPkts.11	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.11	Gauge	0
ibLfStatFlowInPkts.12	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.12	Gauge	0
ibLfStatFlowInPkts.13	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.13	Gauge	0
ibLfStatFlowInPkts.14	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.14	Gauge	0
ibLfStatFlowInPkts.15	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.15	Gauge	0
ibLfStatFlowInPkts.16	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.16	Gauge	0
ibLfStatFlowInPkts.17	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.17	Gauge	0
ibLfStatFlowInPkts.18	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.18	Gauge	0
ibLfStatFlowInPkts.19	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.19	Gauge	0
ibLfStatFlowInPkts.20	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.20	Gauge	0
ibLfStatFlowInPkts.21	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.21	Gauge	0
ibLfStatFlowInPkts.22	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.22	Gauge	0
ibLfStatFlowInPkts.23	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.23	Gauge	0
ibLfStatFlowInPkts.24	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.24	Gauge	9911
ibLfStatFlowInPkts.25	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.25	Gauge	0
ibLfStatFlowInPkts.26	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.26	Gauge	0
ibLfStatFlowInPkts.27	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.27	Gauge	0
ibLfStatFlowInPkts.28	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.28	Gauge	0
ibLfStatFlowInPkts.632	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.632	Gauge	0
ibLfStatFlowInPkts.633	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.633	Gauge	0
ibLfStatFlowInPkts.635	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.4.635	Gauge	0

Name	OID	Value Type	Value Example
ibLfStatFlowOutPkts.1	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.1	Gauge	0
ibLfStatFlowOutPkts.2	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.2	Gauge	0
ibLfStatFlowOutPkts.3	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.3	Gauge	0
ibLfStatFlowOutPkts.4	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.4	Gauge	0
ibLfStatFlowOutPkts.5	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.5	Gauge	0
ibLfStatFlowOutPkts.6	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.6	Gauge	0
ibLfStatFlowOutPkts.7	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.7	Gauge	0
ibLfStatFlowOutPkts.8	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.8	Gauge	0
ibLfStatFlowOutPkts.9	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.9	Gauge	0
ibLfStatFlowOutPkts.10	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.10	Gauge	0
ibLfStatFlowOutPkts.11	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.11	Gauge	0
ibLfStatFlowOutPkts.12	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.12	Gauge	0
ibLfStatFlowOutPkts.13	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.13	Gauge	0
ibLfStatFlowOutPkts.14	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.14	Gauge	0
ibLfStatFlowOutPkts.15	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.15	Gauge	0
ibLfStatFlowOutPkts.16	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.16	Gauge	0
ibLfStatFlowOutPkts.17	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.17	Gauge	0
ibLfStatFlowOutPkts.18	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.18	Gauge	0
ibLfStatFlowOutPkts.19	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.19	Gauge	0
ibLfStatFlowOutPkts.20	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.20	Gauge	0
ibLfStatFlowOutPkts.21	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.21	Gauge	0
ibLfStatFlowOutPkts.22	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.22	Gauge	0
ibLfStatFlowOutPkts.23	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.23	Gauge	0
ibLfStatFlowOutPkts.24	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.24	Gauge	8651
ibLfStatFlowOutPkts.25	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.25	Gauge	0

Name	OID	Value Type	Value Example
ibIfStatFlowOutPkts.26	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.26	Gauge	0
ibIfStatFlowOutPkts.27	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.27	Gauge	0
ibIfStatFlowOutPkts.28	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.28	Gauge	0
ibIfStatFlowOutPkts.632	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.632	Gauge	0
ibIfStatFlowOutPkts.633	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.633	Gauge	0
ibIfStatFlowOutPkts.635	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.5.635	Gauge	0
ibIfStatFlowInBytes.1	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.1	Gauge	0
ibIfStatFlowInBytes.2	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.2	Gauge	0
ibIfStatFlowInBytes.3	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.3	Gauge	0
ibIfStatFlowInBytes.4	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.4	Gauge	0
ibIfStatFlowInBytes.5	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.5	Gauge	0
ibIfStatFlowInBytes.6	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.6	Gauge	0
ibIfStatFlowInBytes.7	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.7	Gauge	0
ibIfStatFlowInBytes.8	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.8	Gauge	0
ibIfStatFlowInBytes.9	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.9	Gauge	0
ibIfStatFlowInBytes.10	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.10	Gauge	0
ibIfStatFlowInBytes.11	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.11	Gauge	0
ibIfStatFlowInBytes.12	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.12	Gauge	0
ibIfStatFlowInBytes.13	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.13	Gauge	0
ibIfStatFlowInBytes.14	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.14	Gauge	0
ibIfStatFlowInBytes.15	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.15	Gauge	0
ibIfStatFlowInBytes.16	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.16	Gauge	0
ibIfStatFlowInBytes.17	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.17	Gauge	0
ibIfStatFlowInBytes.18	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.18	Gauge	0
ibIfStatFlowInBytes.19	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.19	Gauge	0

Name	OID	Value Type	Value Example
ibIfStatFlowInBytes.20	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.20	Gauge	0
ibIfStatFlowInBytes.21	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.21	Gauge	0
ibIfStatFlowInBytes.22	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.22	Gauge	0
ibIfStatFlowInBytes.23	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.23	Gauge	0
ibIfStatFlowInBytes.24	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.24	Gauge	1064534
ibIfStatFlowInBytes.25	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.25	Gauge	0
ibIfStatFlowInBytes.26	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.26	Gauge	0
ibIfStatFlowInBytes.27	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.27	Gauge	0
ibIfStatFlowInBytes.28	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.28	Gauge	0
ibIfStatFlowInBytes.632	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.632	Gauge	0
ibIfStatFlowInBytes.633	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.633	Gauge	0
ibIfStatFlowInBytes.635	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.6.635	Gauge	0
ibIfStatFlowOutBytes.1	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.1	Gauge	0
ibIfStatFlowOutBytes.2	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.2	Gauge	0
ibIfStatFlowOutBytes.3	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.3	Gauge	0
ibIfStatFlowOutBytes.4	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.4	Gauge	0
ibIfStatFlowOutBytes.5	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.5	Gauge	0
ibIfStatFlowOutBytes.6	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.6	Gauge	0
ibIfStatFlowOutBytes.7	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.7	Gauge	0
ibIfStatFlowOutBytes.8	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.8	Gauge	0
ibIfStatFlowOutBytes.9	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.9	Gauge	0
ibIfStatFlowOutBytes.10	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.10	Gauge	0
ibIfStatFlowOutBytes.11	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.11	Gauge	0
ibIfStatFlowOutBytes.12	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.12	Gauge	0
ibIfStatFlowOutBytes.13	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.13	Gauge	0

Name	OID	Value Type	Value Example
ibIfStatFlowOutBytes.14	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.14	Gauge	0
ibIfStatFlowOutBytes.15	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.15	Gauge	0
ibIfStatFlowOutBytes.16	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.16	Gauge	0
ibIfStatFlowOutBytes.17	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.17	Gauge	0
ibIfStatFlowOutBytes.18	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.18	Gauge	0
ibIfStatFlowOutBytes.19	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.19	Gauge	0
ibIfStatFlowOutBytes.20	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.20	Gauge	0
ibIfStatFlowOutBytes.21	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.21	Gauge	0
ibIfStatFlowOutBytes.22	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.22	Gauge	0
ibIfStatFlowOutBytes.23	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.23	Gauge	0
ibIfStatFlowOutBytes.24	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.24	Gauge	892989
ibIfStatFlowOutBytes.25	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.25	Gauge	0
ibIfStatFlowOutBytes.26	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.26	Gauge	0
ibIfStatFlowOutBytes.27	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.27	Gauge	0
ibIfStatFlowOutBytes.28	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.28	Gauge	0
ibIfStatFlowOutBytes.632	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.632	Gauge	0
ibIfStatFlowOutBytes.633	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.633	Gauge	0
ibIfStatFlowOutBytes.635	.1.3.6.1.4.1.26138.2.40.2.1.2.1.1.7.635	Gauge	0
ibIfSpeedStatInterval.1	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.1	Integer	300
ibIfSpeedStatInterval.2	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.2	Integer	300
ibIfSpeedStatInterval.3	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.3	Integer	300
ibIfSpeedStatInterval.4	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.4	Integer	300
ibIfSpeedStatInterval.5	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.5	Integer	300
ibIfSpeedStatInterval.6	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.6	Integer	300
ibIfSpeedStatInterval.7	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.7	Integer	300

Name	OID	Value Type	Value Example
ibLfSpeedStatInterval.8	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.8	Integer	300
ibLfSpeedStatInterval.9	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.9	Integer	300
ibLfSpeedStatInterval.10	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.10	Integer	300
ibLfSpeedStatInterval.11	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.11	Integer	300
ibLfSpeedStatInterval.12	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.12	Integer	300
ibLfSpeedStatInterval.13	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.13	Integer	300
ibLfSpeedStatInterval.14	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.14	Integer	300
ibLfSpeedStatInterval.15	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.15	Integer	300
ibLfSpeedStatInterval.16	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.16	Integer	300
ibLfSpeedStatInterval.17	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.17	Integer	300
ibLfSpeedStatInterval.18	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.18	Integer	300
ibLfSpeedStatInterval.19	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.19	Integer	300
ibLfSpeedStatInterval.20	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.20	Integer	300
ibLfSpeedStatInterval.21	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.21	Integer	300
ibLfSpeedStatInterval.22	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.22	Integer	300
ibLfSpeedStatInterval.23	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.23	Integer	300
ibLfSpeedStatInterval.24	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.24	Integer	300
ibLfSpeedStatInterval.25	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.25	Integer	300
ibLfSpeedStatInterval.26	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.26	Integer	300
ibLfSpeedStatInterval.27	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.27	Integer	300
ibLfSpeedStatInterval.28	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.28	Integer	300
ibLfSpeedStatInterval.632	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.632	Integer	300
ibLfSpeedStatInterval.633	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.1.633	Integer	300
ibLfSpeedStatInPkts.1	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.1	Gauge	0
ibLfSpeedStatInPkts.2	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.2	Gauge	0

Name	OID	Value Type	Value Example
ibLfSpeedStatInPkts.3	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.3	Gauge	0
ibLfSpeedStatInPkts.4	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.4	Gauge	0
ibLfSpeedStatInPkts.5	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.5	Gauge	0
ibLfSpeedStatInPkts.6	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.6	Gauge	0
ibLfSpeedStatInPkts.7	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.7	Gauge	0
ibLfSpeedStatInPkts.8	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.8	Gauge	0
ibLfSpeedStatInPkts.9	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.9	Gauge	0
ibLfSpeedStatInPkts.10	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.10	Gauge	0
ibLfSpeedStatInPkts.11	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.11	Gauge	0
ibLfSpeedStatInPkts.12	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.12	Gauge	0
ibLfSpeedStatInPkts.13	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.13	Gauge	0
ibLfSpeedStatInPkts.14	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.14	Gauge	0
ibLfSpeedStatInPkts.15	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.15	Gauge	0
ibLfSpeedStatInPkts.16	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.16	Gauge	0
ibLfSpeedStatInPkts.17	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.17	Gauge	0
ibLfSpeedStatInPkts.18	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.18	Gauge	0
ibLfSpeedStatInPkts.19	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.19	Gauge	0
ibLfSpeedStatInPkts.20	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.20	Gauge	0
ibLfSpeedStatInPkts.21	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.21	Gauge	0
ibLfSpeedStatInPkts.22	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.22	Gauge	0
ibLfSpeedStatInPkts.23	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.23	Gauge	0
ibLfSpeedStatInPkts.24	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.24	Gauge	30
ibLfSpeedStatInPkts.25	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.25	Gauge	0
ibLfSpeedStatInPkts.26	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.26	Gauge	0
ibLfSpeedStatInPkts.27	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.27	Gauge	0

Name	OID	Value Type	Value Example
ibLfSpeedStatInPkts.28	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.28	Gauge	0
ibLfSpeedStatInPkts.632	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.632	Gauge	0
ibLfSpeedStatInPkts.633	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.2.633	Gauge	0
ibLfSpeedStatOutPkts.1	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.1	Gauge	0
ibLfSpeedStatOutPkts.2	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.2	Gauge	0
ibLfSpeedStatOutPkts.3	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.3	Gauge	0
ibLfSpeedStatOutPkts.4	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.4	Gauge	0
ibLfSpeedStatOutPkts.5	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.5	Gauge	0
ibLfSpeedStatOutPkts.6	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.6	Gauge	0
ibLfSpeedStatOutPkts.7	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.7	Gauge	0
ibLfSpeedStatOutPkts.8	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.8	Gauge	0
ibLfSpeedStatOutPkts.9	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.9	Gauge	0
ibLfSpeedStatOutPkts.10	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.10	Gauge	0
ibLfSpeedStatOutPkts.11	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.11	Gauge	0
ibLfSpeedStatOutPkts.12	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.12	Gauge	0
ibLfSpeedStatOutPkts.13	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.13	Gauge	0
ibLfSpeedStatOutPkts.14	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.14	Gauge	0
ibLfSpeedStatOutPkts.15	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.15	Gauge	0
ibLfSpeedStatOutPkts.16	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.16	Gauge	0
ibLfSpeedStatOutPkts.17	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.17	Gauge	0
ibLfSpeedStatOutPkts.18	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.18	Gauge	0
ibLfSpeedStatOutPkts.19	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.19	Gauge	0
ibLfSpeedStatOutPkts.20	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.20	Gauge	0
ibLfSpeedStatOutPkts.21	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.21	Gauge	0
ibLfSpeedStatOutPkts.22	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.22	Gauge	0

Name	OID	Value Type	Value Example
ibLfSpeedStatOutPkts.23	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.23	Gauge	0
ibLfSpeedStatOutPkts.24	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.24	Gauge	27
ibLfSpeedStatOutPkts.25	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.25	Gauge	0
ibLfSpeedStatOutPkts.26	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.26	Gauge	0
ibLfSpeedStatOutPkts.27	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.27	Gauge	0
ibLfSpeedStatOutPkts.28	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.28	Gauge	0
ibLfSpeedStatOutPkts.632	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.632	Gauge	0
ibLfSpeedStatOutPkts.633	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.3.633	Gauge	0
ibLfSpeedStatInBytes.1	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.1	Gauge	0
ibLfSpeedStatInBytes.2	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.2	Gauge	0
ibLfSpeedStatInBytes.3	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.3	Gauge	0
ibLfSpeedStatInBytes.4	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.4	Gauge	0
ibLfSpeedStatInBytes.5	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.5	Gauge	0
ibLfSpeedStatInBytes.6	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.6	Gauge	0
ibLfSpeedStatInBytes.7	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.7	Gauge	0
ibLfSpeedStatInBytes.8	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.8	Gauge	0
ibLfSpeedStatInBytes.9	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.9	Gauge	0
ibLfSpeedStatInBytes.10	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.10	Gauge	0
ibLfSpeedStatInBytes.11	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.11	Gauge	0
ibLfSpeedStatInBytes.12	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.12	Gauge	0
ibLfSpeedStatInBytes.13	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.13	Gauge	0
ibLfSpeedStatInBytes.14	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.14	Gauge	0
ibLfSpeedStatInBytes.15	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.15	Gauge	0
ibLfSpeedStatInBytes.16	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.16	Gauge	0
ibLfSpeedStatInBytes.17	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.17	Gauge	0

Name	OID	Value Type	Value Example
ibLfSpeedStatInBytes.18	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.18	Gauge	0
ibLfSpeedStatInBytes.19	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.19	Gauge	0
ibLfSpeedStatInBytes.20	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.20	Gauge	0
ibLfSpeedStatInBytes.21	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.21	Gauge	0
ibLfSpeedStatInBytes.22	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.22	Gauge	0
ibLfSpeedStatInBytes.23	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.23	Gauge	0
ibLfSpeedStatInBytes.24	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.24	Gauge	3324
ibLfSpeedStatInBytes.25	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.25	Gauge	0
ibLfSpeedStatInBytes.26	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.26	Gauge	0
ibLfSpeedStatInBytes.27	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.27	Gauge	0
ibLfSpeedStatInBytes.28	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.28	Gauge	0
ibLfSpeedStatInBytes.632	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.632	Gauge	0
ibLfSpeedStatInBytes.633	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.4.633	Gauge	0
ibLfSpeedStatOutBytes.1	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.1	Gauge	0
ibLfSpeedStatOutBytes.2	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.2	Gauge	0
ibLfSpeedStatOutBytes.3	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.3	Gauge	0
ibLfSpeedStatOutBytes.4	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.4	Gauge	0
ibLfSpeedStatOutBytes.5	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.5	Gauge	0
ibLfSpeedStatOutBytes.6	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.6	Gauge	0
ibLfSpeedStatOutBytes.7	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.7	Gauge	0
ibLfSpeedStatOutBytes.8	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.8	Gauge	0
ibLfSpeedStatOutBytes.9	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.9	Gauge	0
ibLfSpeedStatOutBytes.10	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.10	Gauge	0
ibLfSpeedStatOutBytes.11	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.11	Gauge	0
ibLfSpeedStatOutBytes.12	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.12	Gauge	0

Name	OID	Value Type	Value Example
ibLfSpeedStatOutBytes.13	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.13	Gauge	0
ibLfSpeedStatOutBytes.14	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.14	Gauge	0
ibLfSpeedStatOutBytes.15	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.15	Gauge	0
ibLfSpeedStatOutBytes.16	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.16	Gauge	0
ibLfSpeedStatOutBytes.17	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.17	Gauge	0
ibLfSpeedStatOutBytes.18	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.18	Gauge	0
ibLfSpeedStatOutBytes.19	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.19	Gauge	0
ibLfSpeedStatOutBytes.20	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.20	Gauge	0
ibLfSpeedStatOutBytes.21	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.21	Gauge	0
ibLfSpeedStatOutBytes.22	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.22	Gauge	0
ibLfSpeedStatOutBytes.23	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.23	Gauge	0
ibLfSpeedStatOutBytes.24	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.24	Gauge	2788
ibLfSpeedStatOutBytes.25	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.25	Gauge	0
ibLfSpeedStatOutBytes.26	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.26	Gauge	0
ibLfSpeedStatOutBytes.27	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.27	Gauge	0
ibLfSpeedStatOutBytes.28	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.28	Gauge	0
ibLfSpeedStatOutBytes.632	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.632	Gauge	0
ibLfSpeedStatOutBytes.633	.1.3.6.1.4.1.26138.2.40.2.1.2.2.1.5.633	Gauge	0
ibLfLinkMode.1	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.1	Integer	bridgeMode (1)
ibLfLinkMode.2	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.2	Integer	bridgeMode (1)
ibLfLinkMode.3	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.3	Integer	bridgeMode (1)
ibLfLinkMode.4	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.4	Integer	bridgeMode (1)
ibLfLinkMode.5	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.5	Integer	bridgeMode (1)
ibLfLinkMode.6	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.6	Integer	bridgeMode (1)
ibLfLinkMode.7	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.7	Integer	bridgeMode (1)

Name	OID	Value Type	Value Example
ibLfLinkMode.8	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.8	Integer	bridgeMode (1)
ibLfLinkMode.9	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.9	Integer	bridgeMode (1)
ibLfLinkMode.10	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.10	Integer	bridgeMode (1)
ibLfLinkMode.11	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.11	Integer	bridgeMode (1)
ibLfLinkMode.12	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.12	Integer	bridgeMode (1)
ibLfLinkMode.13	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.13	Integer	bridgeMode (1)
ibLfLinkMode.14	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.14	Integer	bridgeMode (1)
ibLfLinkMode.15	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.15	Integer	bridgeMode (1)
ibLfLinkMode.16	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.16	Integer	bridgeMode (1)
ibLfLinkMode.17	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.17	Integer	bridgeMode (1)
ibLfLinkMode.18	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.18	Integer	bridgeMode (1)
ibLfLinkMode.19	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.19	Integer	bridgeMode (1)
ibLfLinkMode.20	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.20	Integer	bridgeMode (1)
ibLfLinkMode.21	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.21	Integer	bridgeMode (1)
ibLfLinkMode.22	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.22	Integer	bridgeMode (1)
ibLfLinkMode.23	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.23	Integer	bridgeMode (1)
ibLfLinkMode.24	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.24	Integer	bridgeMode (1)
ibLfLinkMode.25	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.25	Integer	bridgeMode (1)
ibLfLinkMode.26	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.26	Integer	bridgeMode (1)
ibLfLinkMode.27	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.27	Integer	bridgeMode (1)
ibLfLinkMode.28	.1.3.6.1.4.1.26138.2.40.2.2.3.1.2.28	Integer	bridgeMode (1)
ibLfLinkModeSwitchSupport.1	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.1	Integer	true (1)
ibLfLinkModeSwitchSupport.2	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.2	Integer	true (1)
ibLfLinkModeSwitchSupport.3	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.3	Integer	true (1)
ibLfLinkModeSwitchSupport.4	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.4	Integer	true (1)

Name	OID	Value Type	Value Example
ibLfLinkModeSwitchSupport.5	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.5	Integer	true (1)
ibLfLinkModeSwitchSupport.6	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.6	Integer	true (1)
ibLfLinkModeSwitchSupport.7	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.7	Integer	true (1)
ibLfLinkModeSwitchSupport.8	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.8	Integer	true (1)
ibLfLinkModeSwitchSupport.9	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.9	Integer	true (1)
ibLfLinkModeSwitchSupport.10	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.10	Integer	true (1)
ibLfLinkModeSwitchSupport.11	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.11	Integer	true (1)
ibLfLinkModeSwitchSupport.12	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.12	Integer	true (1)
ibLfLinkModeSwitchSupport.13	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.13	Integer	true (1)
ibLfLinkModeSwitchSupport.14	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.14	Integer	true (1)
ibLfLinkModeSwitchSupport.15	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.15	Integer	true (1)
ibLfLinkModeSwitchSupport.16	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.16	Integer	true (1)
ibLfLinkModeSwitchSupport.17	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.17	Integer	true (1)
ibLfLinkModeSwitchSupport.18	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.18	Integer	true (1)
ibLfLinkModeSwitchSupport.19	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.19	Integer	true (1)
ibLfLinkModeSwitchSupport.20	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.20	Integer	true (1)
ibLfLinkModeSwitchSupport.21	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.21	Integer	true (1)
ibLfLinkModeSwitchSupport.22	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.22	Integer	true (1)
ibLfLinkModeSwitchSupport.23	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.23	Integer	true (1)
ibLfLinkModeSwitchSupport.24	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.24	Integer	true (1)
ibLfLinkModeSwitchSupport.25	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.25	Integer	true (1)
ibLfLinkModeSwitchSupport.26	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.26	Integer	true (1)
ibLfLinkModeSwitchSupport.27	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.27	Integer	true (1)
ibLfLinkModeSwitchSupport.28	.1.3.6.1.4.1.26138.2.40.2.2.3.1.3.28	Integer	true (1)
ibLfPortType.25	.1.3.6.1.4.1.26138.2.40.2.2.4.1.2.25	Integer	other (1)

Name	OID	Value Type	Value Example
iblfPortType.26	.1.3.6.1.4.1.26138.2.40.2.2.4.1.2.26	Integer	other (1)
iblfPortType.27	.1.3.6.1.4.1.26138.2.40.2.2.4.1.2.27	Integer	other (1)
iblfPortType.28	.1.3.6.1.4.1.26138.2.40.2.2.4.1.2.28	Integer	other (1)
iblfQueld.1.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.1.1	Integer	que0 (1)
iblfQueld.1.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.1.2	Integer	que1 (2)
iblfQueld.1.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.1.3	Integer	que2 (3)
iblfQueld.1.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.1.4	Integer	que3 (4)
iblfQueld.1.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.1.5	Integer	que4 (5)
iblfQueld.1.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.1.6	Integer	que5 (6)
iblfQueld.1.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.1.7	Integer	que6 (7)
iblfQueld.1.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.1.8	Integer	que7 (8)
iblfQueld.2.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.2.1	Integer	que0 (1)
iblfQueld.2.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.2.2	Integer	que1 (2)
iblfQueld.2.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.2.3	Integer	que2 (3)
iblfQueld.2.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.2.4	Integer	que3 (4)
iblfQueld.2.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.2.5	Integer	que4 (5)
iblfQueld.2.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.2.6	Integer	que5 (6)
iblfQueld.2.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.2.7	Integer	que6 (7)
iblfQueld.2.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.2.8	Integer	que7 (8)
iblfQueld.3.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.3.1	Integer	que0 (1)
iblfQueld.3.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.3.2	Integer	que1 (2)
iblfQueld.3.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.3.3	Integer	que2 (3)
iblfQueld.3.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.3.4	Integer	que3 (4)
iblfQueld.3.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.3.5	Integer	que4 (5)
iblfQueld.3.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.3.6	Integer	que5 (6)

Name	OID	Value Type	Value Example
iblfQueld.3.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.3.7	Integer	que6 (7)
iblfQueld.3.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.3.8	Integer	que7 (8)
iblfQueld.4.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.4.1	Integer	que0 (1)
iblfQueld.4.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.4.2	Integer	que1 (2)
iblfQueld.4.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.4.3	Integer	que2 (3)
iblfQueld.4.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.4.4	Integer	que3 (4)
iblfQueld.4.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.4.5	Integer	que4 (5)
iblfQueld.4.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.4.6	Integer	que5 (6)
iblfQueld.4.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.4.7	Integer	que6 (7)
iblfQueld.4.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.4.8	Integer	que7 (8)
iblfQueld.5.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.5.1	Integer	que0 (1)
iblfQueld.5.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.5.2	Integer	que1 (2)
iblfQueld.5.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.5.3	Integer	que2 (3)
iblfQueld.5.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.5.4	Integer	que3 (4)
iblfQueld.5.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.5.5	Integer	que4 (5)
iblfQueld.5.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.5.6	Integer	que5 (6)
iblfQueld.5.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.5.7	Integer	que6 (7)
iblfQueld.5.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.5.8	Integer	que7 (8)
iblfQueld.6.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.6.1	Integer	que0 (1)
iblfQueld.6.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.6.2	Integer	que1 (2)
iblfQueld.6.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.6.3	Integer	que2 (3)
iblfQueld.6.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.6.4	Integer	que3 (4)
iblfQueld.6.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.6.5	Integer	que4 (5)
iblfQueld.6.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.6.6	Integer	que5 (6)
iblfQueld.6.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.6.7	Integer	que6 (7)

Name	OID	Value Type	Value Example
iblfQueld.6.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.6.8	Integer	que7 (8)
iblfQueld.7.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.7.1	Integer	que0 (1)
iblfQueld.7.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.7.2	Integer	que1 (2)
iblfQueld.7.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.7.3	Integer	que2 (3)
iblfQueld.7.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.7.4	Integer	que3 (4)
iblfQueld.7.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.7.5	Integer	que4 (5)
iblfQueld.7.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.7.6	Integer	que5 (6)
iblfQueld.7.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.7.7	Integer	que6 (7)
iblfQueld.7.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.7.8	Integer	que7 (8)
iblfQueld.8.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.8.1	Integer	que0 (1)
iblfQueld.8.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.8.2	Integer	que1 (2)
iblfQueld.8.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.8.3	Integer	que2 (3)
iblfQueld.8.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.8.4	Integer	que3 (4)
iblfQueld.8.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.8.5	Integer	que4 (5)
iblfQueld.8.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.8.6	Integer	que5 (6)
iblfQueld.8.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.8.7	Integer	que6 (7)
iblfQueld.8.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.8.8	Integer	que7 (8)
iblfQueld.9.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.9.1	Integer	que0 (1)
iblfQueld.9.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.9.2	Integer	que1 (2)
iblfQueld.9.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.9.3	Integer	que2 (3)
iblfQueld.9.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.9.4	Integer	que3 (4)
iblfQueld.9.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.9.5	Integer	que4 (5)
iblfQueld.9.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.9.6	Integer	que5 (6)
iblfQueld.9.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.9.7	Integer	que6 (7)
iblfQueld.9.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.9.8	Integer	que7 (8)

Name	OID	Value Type	Value Example
iblfQueld.10.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.10.1	Integer	que0 (1)
iblfQueld.10.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.10.2	Integer	que1 (2)
iblfQueld.10.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.10.3	Integer	que2 (3)
iblfQueld.10.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.10.4	Integer	que3 (4)
iblfQueld.10.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.10.5	Integer	que4 (5)
iblfQueld.10.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.10.6	Integer	que5 (6)
iblfQueld.10.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.10.7	Integer	que6 (7)
iblfQueld.10.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.10.8	Integer	que7 (8)
iblfQueld.11.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.11.1	Integer	que0 (1)
iblfQueld.11.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.11.2	Integer	que1 (2)
iblfQueld.11.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.11.3	Integer	que2 (3)
iblfQueld.11.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.11.4	Integer	que3 (4)
iblfQueld.11.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.11.5	Integer	que4 (5)
iblfQueld.11.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.11.6	Integer	que5 (6)
iblfQueld.11.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.11.7	Integer	que6 (7)
iblfQueld.11.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.11.8	Integer	que7 (8)
iblfQueld.12.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.12.1	Integer	que0 (1)
iblfQueld.12.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.12.2	Integer	que1 (2)
iblfQueld.12.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.12.3	Integer	que2 (3)
iblfQueld.12.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.12.4	Integer	que3 (4)
iblfQueld.12.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.12.5	Integer	que4 (5)
iblfQueld.12.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.12.6	Integer	que5 (6)
iblfQueld.12.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.12.7	Integer	que6 (7)
iblfQueld.12.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.12.8	Integer	que7 (8)
iblfQueld.13.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.13.1	Integer	que0 (1)

Name	OID	Value Type	Value Example
iblfQueld.13.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.13.2	Integer	que1 (2)
iblfQueld.13.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.13.3	Integer	que2 (3)
iblfQueld.13.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.13.4	Integer	que3 (4)
iblfQueld.13.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.13.5	Integer	que4 (5)
iblfQueld.13.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.13.6	Integer	que5 (6)
iblfQueld.13.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.13.7	Integer	que6 (7)
iblfQueld.13.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.13.8	Integer	que7 (8)
iblfQueld.14.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.14.1	Integer	que0 (1)
iblfQueld.14.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.14.2	Integer	que1 (2)
iblfQueld.14.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.14.3	Integer	que2 (3)
iblfQueld.14.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.14.4	Integer	que3 (4)
iblfQueld.14.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.14.5	Integer	que4 (5)
iblfQueld.14.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.14.6	Integer	que5 (6)
iblfQueld.14.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.14.7	Integer	que6 (7)
iblfQueld.14.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.14.8	Integer	que7 (8)
iblfQueld.15.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.15.1	Integer	que0 (1)
iblfQueld.15.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.15.2	Integer	que1 (2)
iblfQueld.15.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.15.3	Integer	que2 (3)
iblfQueld.15.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.15.4	Integer	que3 (4)
iblfQueld.15.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.15.5	Integer	que4 (5)
iblfQueld.15.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.15.6	Integer	que5 (6)
iblfQueld.15.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.15.7	Integer	que6 (7)
iblfQueld.15.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.15.8	Integer	que7 (8)
iblfQueld.16.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.16.1	Integer	que0 (1)
iblfQueld.16.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.16.2	Integer	que1 (2)

Name	OID	Value Type	Value Example
iblfQueld.16.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.16.3	Integer	que2 (3)
iblfQueld.16.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.16.4	Integer	que3 (4)
iblfQueld.16.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.16.5	Integer	que4 (5)
iblfQueld.16.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.16.6	Integer	que5 (6)
iblfQueld.16.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.16.7	Integer	que6 (7)
iblfQueld.16.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.16.8	Integer	que7 (8)
iblfQueld.17.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.17.1	Integer	que0 (1)
iblfQueld.17.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.17.2	Integer	que1 (2)
iblfQueld.17.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.17.3	Integer	que2 (3)
iblfQueld.17.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.17.4	Integer	que3 (4)
iblfQueld.17.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.17.5	Integer	que4 (5)
iblfQueld.17.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.17.6	Integer	que5 (6)
iblfQueld.17.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.17.7	Integer	que6 (7)
iblfQueld.17.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.17.8	Integer	que7 (8)
iblfQueld.18.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.18.1	Integer	que0 (1)
iblfQueld.18.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.18.2	Integer	que1 (2)
iblfQueld.18.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.18.3	Integer	que2 (3)
iblfQueld.18.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.18.4	Integer	que3 (4)
iblfQueld.18.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.18.5	Integer	que4 (5)
iblfQueld.18.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.18.6	Integer	que5 (6)
iblfQueld.18.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.18.7	Integer	que6 (7)
iblfQueld.18.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.18.8	Integer	que7 (8)
iblfQueld.19.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.19.1	Integer	que0 (1)
iblfQueld.19.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.19.2	Integer	que1 (2)
iblfQueld.19.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.19.3	Integer	que2 (3)

Name	OID	Value Type	Value Example
iblfQueld.19.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.19.4	Integer	que3 (4)
iblfQueld.19.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.19.5	Integer	que4 (5)
iblfQueld.19.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.19.6	Integer	que5 (6)
iblfQueld.19.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.19.7	Integer	que6 (7)
iblfQueld.19.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.19.8	Integer	que7 (8)
iblfQueld.20.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.20.1	Integer	que0 (1)
iblfQueld.20.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.20.2	Integer	que1 (2)
iblfQueld.20.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.20.3	Integer	que2 (3)
iblfQueld.20.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.20.4	Integer	que3 (4)
iblfQueld.20.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.20.5	Integer	que4 (5)
iblfQueld.20.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.20.6	Integer	que5 (6)
iblfQueld.20.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.20.7	Integer	que6 (7)
iblfQueld.20.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.20.8	Integer	que7 (8)
iblfQueld.21.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.21.1	Integer	que0 (1)
iblfQueld.21.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.21.2	Integer	que1 (2)
iblfQueld.21.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.21.3	Integer	que2 (3)
iblfQueld.21.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.21.4	Integer	que3 (4)
iblfQueld.21.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.21.5	Integer	que4 (5)
iblfQueld.21.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.21.6	Integer	que5 (6)
iblfQueld.21.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.21.7	Integer	que6 (7)
iblfQueld.21.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.21.8	Integer	que7 (8)
iblfQueld.22.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.22.1	Integer	que0 (1)
iblfQueld.22.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.22.2	Integer	que1 (2)
iblfQueld.22.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.22.3	Integer	que2 (3)
iblfQueld.22.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.22.4	Integer	que3 (4)

Name	OID	Value Type	Value Example
iblfQueld.22.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.22.5	Integer	que4 (5)
iblfQueld.22.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.22.6	Integer	que5 (6)
iblfQueld.22.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.22.7	Integer	que6 (7)
iblfQueld.22.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.22.8	Integer	que7 (8)
iblfQueld.23.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.23.1	Integer	que0 (1)
iblfQueld.23.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.23.2	Integer	que1 (2)
iblfQueld.23.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.23.3	Integer	que2 (3)
iblfQueld.23.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.23.4	Integer	que3 (4)
iblfQueld.23.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.23.5	Integer	que4 (5)
iblfQueld.23.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.23.6	Integer	que5 (6)
iblfQueld.23.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.23.7	Integer	que6 (7)
iblfQueld.23.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.23.8	Integer	que7 (8)
iblfQueld.24.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.24.1	Integer	que0 (1)
iblfQueld.24.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.24.2	Integer	que1 (2)
iblfQueld.24.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.24.3	Integer	que2 (3)
iblfQueld.24.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.24.4	Integer	que3 (4)
iblfQueld.24.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.24.5	Integer	que4 (5)
iblfQueld.24.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.24.6	Integer	que5 (6)
iblfQueld.24.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.24.7	Integer	que6 (7)
iblfQueld.24.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.24.8	Integer	que7 (8)
iblfQueld.25.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.25.1	Integer	que0 (1)
iblfQueld.25.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.25.2	Integer	que1 (2)
iblfQueld.25.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.25.3	Integer	que2 (3)
iblfQueld.25.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.25.4	Integer	que3 (4)
iblfQueld.25.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.25.5	Integer	que4 (5)

Name	OID	Value Type	Value Example
iblfQueld.25.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.25.6	Integer	que5 (6)
iblfQueld.25.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.25.7	Integer	que6 (7)
iblfQueld.25.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.25.8	Integer	que7 (8)
iblfQueld.26.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.26.1	Integer	que0 (1)
iblfQueld.26.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.26.2	Integer	que1 (2)
iblfQueld.26.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.26.3	Integer	que2 (3)
iblfQueld.26.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.26.4	Integer	que3 (4)
iblfQueld.26.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.26.5	Integer	que4 (5)
iblfQueld.26.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.26.6	Integer	que5 (6)
iblfQueld.26.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.26.7	Integer	que6 (7)
iblfQueld.26.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.26.8	Integer	que7 (8)
iblfQueld.27.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.27.1	Integer	que0 (1)
iblfQueld.27.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.27.2	Integer	que1 (2)
iblfQueld.27.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.27.3	Integer	que2 (3)
iblfQueld.27.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.27.4	Integer	que3 (4)
iblfQueld.27.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.27.5	Integer	que4 (5)
iblfQueld.27.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.27.6	Integer	que5 (6)
iblfQueld.27.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.27.7	Integer	que6 (7)
iblfQueld.27.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.27.8	Integer	que7 (8)
iblfQueld.28.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.28.1	Integer	que0 (1)
iblfQueld.28.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.28.2	Integer	que1 (2)
iblfQueld.28.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.28.3	Integer	que2 (3)
iblfQueld.28.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.28.4	Integer	que3 (4)
iblfQueld.28.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.28.5	Integer	que4 (5)
iblfQueld.28.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.28.6	Integer	que5 (6)

Name	OID	Value Type	Value Example
iblfQueId.28.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.28.7	Integer	que6 (7)
iblfQueId.28.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.1.28.8	Integer	que7 (8)
iblfQueOutUcastTotal.1.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.1.1	Gauge	0
iblfQueOutUcastTotal.1.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.1.2	Gauge	0
iblfQueOutUcastTotal.1.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.1.3	Gauge	0
iblfQueOutUcastTotal.1.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.1.4	Gauge	0
iblfQueOutUcastTotal.1.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.1.5	Gauge	0
iblfQueOutUcastTotal.1.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.1.6	Gauge	0
iblfQueOutUcastTotal.1.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.1.7	Gauge	0
iblfQueOutUcastTotal.1.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.1.8	Gauge	0
iblfQueOutUcastTotal.2.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.2.1	Gauge	0
iblfQueOutUcastTotal.2.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.2.2	Gauge	0
iblfQueOutUcastTotal.2.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.2.3	Gauge	0
iblfQueOutUcastTotal.2.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.2.4	Gauge	0
iblfQueOutUcastTotal.2.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.2.5	Gauge	0
iblfQueOutUcastTotal.2.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.2.6	Gauge	0
iblfQueOutUcastTotal.2.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.2.7	Gauge	0
iblfQueOutUcastTotal.2.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.2.8	Gauge	0
iblfQueOutUcastTotal.3.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.3.1	Gauge	0
iblfQueOutUcastTotal.3.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.3.2	Gauge	0
iblfQueOutUcastTotal.3.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.3.3	Gauge	0
iblfQueOutUcastTotal.3.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.3.4	Gauge	0
iblfQueOutUcastTotal.3.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.3.5	Gauge	0
iblfQueOutUcastTotal.3.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.3.6	Gauge	0
iblfQueOutUcastTotal.3.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.3.7	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastTotal.3.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.3.8	Gauge	0
ibLfQueOutUcastTotal.4.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.4.1	Gauge	0
ibLfQueOutUcastTotal.4.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.4.2	Gauge	0
ibLfQueOutUcastTotal.4.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.4.3	Gauge	0
ibLfQueOutUcastTotal.4.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.4.4	Gauge	0
ibLfQueOutUcastTotal.4.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.4.5	Gauge	0
ibLfQueOutUcastTotal.4.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.4.6	Gauge	0
ibLfQueOutUcastTotal.4.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.4.7	Gauge	0
ibLfQueOutUcastTotal.4.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.4.8	Gauge	0
ibLfQueOutUcastTotal.5.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.5.1	Gauge	0
ibLfQueOutUcastTotal.5.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.5.2	Gauge	0
ibLfQueOutUcastTotal.5.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.5.3	Gauge	0
ibLfQueOutUcastTotal.5.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.5.4	Gauge	0
ibLfQueOutUcastTotal.5.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.5.5	Gauge	0
ibLfQueOutUcastTotal.5.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.5.6	Gauge	0
ibLfQueOutUcastTotal.5.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.5.7	Gauge	0
ibLfQueOutUcastTotal.5.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.5.8	Gauge	0
ibLfQueOutUcastTotal.6.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.6.1	Gauge	0
ibLfQueOutUcastTotal.6.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.6.2	Gauge	0
ibLfQueOutUcastTotal.6.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.6.3	Gauge	0
ibLfQueOutUcastTotal.6.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.6.4	Gauge	0
ibLfQueOutUcastTotal.6.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.6.5	Gauge	0
ibLfQueOutUcastTotal.6.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.6.6	Gauge	0
ibLfQueOutUcastTotal.6.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.6.7	Gauge	0
ibLfQueOutUcastTotal.6.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.6.8	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastTotal.7.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.7.1	Gauge	0
ibLfQueOutUcastTotal.7.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.7.2	Gauge	0
ibLfQueOutUcastTotal.7.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.7.3	Gauge	0
ibLfQueOutUcastTotal.7.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.7.4	Gauge	0
ibLfQueOutUcastTotal.7.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.7.5	Gauge	0
ibLfQueOutUcastTotal.7.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.7.6	Gauge	0
ibLfQueOutUcastTotal.7.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.7.7	Gauge	0
ibLfQueOutUcastTotal.7.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.7.8	Gauge	0
ibLfQueOutUcastTotal.8.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.8.1	Gauge	0
ibLfQueOutUcastTotal.8.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.8.2	Gauge	0
ibLfQueOutUcastTotal.8.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.8.3	Gauge	0
ibLfQueOutUcastTotal.8.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.8.4	Gauge	0
ibLfQueOutUcastTotal.8.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.8.5	Gauge	0
ibLfQueOutUcastTotal.8.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.8.6	Gauge	0
ibLfQueOutUcastTotal.8.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.8.7	Gauge	0
ibLfQueOutUcastTotal.8.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.8.8	Gauge	0
ibLfQueOutUcastTotal.9.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.9.1	Gauge	0
ibLfQueOutUcastTotal.9.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.9.2	Gauge	0
ibLfQueOutUcastTotal.9.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.9.3	Gauge	0
ibLfQueOutUcastTotal.9.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.9.4	Gauge	0
ibLfQueOutUcastTotal.9.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.9.5	Gauge	0
ibLfQueOutUcastTotal.9.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.9.6	Gauge	0
ibLfQueOutUcastTotal.9.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.9.7	Gauge	0
ibLfQueOutUcastTotal.9.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.9.8	Gauge	0
ibLfQueOutUcastTotal.10.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.10.1	Gauge	0

Name	OID	Value Type	Value Example
iblfQueOutUcastTotal.10.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.10.2	Gauge	0
iblfQueOutUcastTotal.10.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.10.3	Gauge	0
iblfQueOutUcastTotal.10.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.10.4	Gauge	0
iblfQueOutUcastTotal.10.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.10.5	Gauge	0
iblfQueOutUcastTotal.10.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.10.6	Gauge	0
iblfQueOutUcastTotal.10.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.10.7	Gauge	0
iblfQueOutUcastTotal.10.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.10.8	Gauge	0
iblfQueOutUcastTotal.11.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.11.1	Gauge	0
iblfQueOutUcastTotal.11.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.11.2	Gauge	0
iblfQueOutUcastTotal.11.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.11.3	Gauge	0
iblfQueOutUcastTotal.11.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.11.4	Gauge	0
iblfQueOutUcastTotal.11.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.11.5	Gauge	0
iblfQueOutUcastTotal.11.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.11.6	Gauge	0
iblfQueOutUcastTotal.11.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.11.7	Gauge	0
iblfQueOutUcastTotal.11.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.11.8	Gauge	0
iblfQueOutUcastTotal.12.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.12.1	Gauge	0
iblfQueOutUcastTotal.12.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.12.2	Gauge	0
iblfQueOutUcastTotal.12.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.12.3	Gauge	0
iblfQueOutUcastTotal.12.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.12.4	Gauge	0
iblfQueOutUcastTotal.12.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.12.5	Gauge	0
iblfQueOutUcastTotal.12.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.12.6	Gauge	0
iblfQueOutUcastTotal.12.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.12.7	Gauge	0
iblfQueOutUcastTotal.12.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.12.8	Gauge	0
iblfQueOutUcastTotal.13.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.13.1	Gauge	0
iblfQueOutUcastTotal.13.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.13.2	Gauge	0

Name	OID	Value Type	Value Example
iblfQueOutUcastTotal.13.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.13.3	Gauge	0
iblfQueOutUcastTotal.13.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.13.4	Gauge	0
iblfQueOutUcastTotal.13.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.13.5	Gauge	0
iblfQueOutUcastTotal.13.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.13.6	Gauge	0
iblfQueOutUcastTotal.13.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.13.7	Gauge	0
iblfQueOutUcastTotal.13.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.13.8	Gauge	0
iblfQueOutUcastTotal.14.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.14.1	Gauge	0
iblfQueOutUcastTotal.14.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.14.2	Gauge	0
iblfQueOutUcastTotal.14.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.14.3	Gauge	0
iblfQueOutUcastTotal.14.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.14.4	Gauge	0
iblfQueOutUcastTotal.14.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.14.5	Gauge	0
iblfQueOutUcastTotal.14.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.14.6	Gauge	0
iblfQueOutUcastTotal.14.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.14.7	Gauge	0
iblfQueOutUcastTotal.14.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.14.8	Gauge	0
iblfQueOutUcastTotal.15.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.15.1	Gauge	0
iblfQueOutUcastTotal.15.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.15.2	Gauge	0
iblfQueOutUcastTotal.15.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.15.3	Gauge	0
iblfQueOutUcastTotal.15.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.15.4	Gauge	0
iblfQueOutUcastTotal.15.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.15.5	Gauge	0
iblfQueOutUcastTotal.15.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.15.6	Gauge	0
iblfQueOutUcastTotal.15.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.15.7	Gauge	0
iblfQueOutUcastTotal.15.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.15.8	Gauge	0
iblfQueOutUcastTotal.16.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.16.1	Gauge	0
iblfQueOutUcastTotal.16.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.16.2	Gauge	0
iblfQueOutUcastTotal.16.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.16.3	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastTotal.16.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.16.4	Gauge	0
ibLfQueOutUcastTotal.16.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.16.5	Gauge	0
ibLfQueOutUcastTotal.16.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.16.6	Gauge	0
ibLfQueOutUcastTotal.16.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.16.7	Gauge	0
ibLfQueOutUcastTotal.16.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.16.8	Gauge	0
ibLfQueOutUcastTotal.17.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.17.1	Gauge	0
ibLfQueOutUcastTotal.17.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.17.2	Gauge	0
ibLfQueOutUcastTotal.17.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.17.3	Gauge	0
ibLfQueOutUcastTotal.17.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.17.4	Gauge	0
ibLfQueOutUcastTotal.17.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.17.5	Gauge	0
ibLfQueOutUcastTotal.17.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.17.6	Gauge	0
ibLfQueOutUcastTotal.17.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.17.7	Gauge	0
ibLfQueOutUcastTotal.17.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.17.8	Gauge	0
ibLfQueOutUcastTotal.18.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.18.1	Gauge	0
ibLfQueOutUcastTotal.18.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.18.2	Gauge	0
ibLfQueOutUcastTotal.18.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.18.3	Gauge	0
ibLfQueOutUcastTotal.18.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.18.4	Gauge	0
ibLfQueOutUcastTotal.18.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.18.5	Gauge	0
ibLfQueOutUcastTotal.18.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.18.6	Gauge	0
ibLfQueOutUcastTotal.18.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.18.7	Gauge	0
ibLfQueOutUcastTotal.18.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.18.8	Gauge	0
ibLfQueOutUcastTotal.19.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.19.1	Gauge	0
ibLfQueOutUcastTotal.19.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.19.2	Gauge	0
ibLfQueOutUcastTotal.19.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.19.3	Gauge	0
ibLfQueOutUcastTotal.19.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.19.4	Gauge	0

Name	OID	Value Type	Value Example
iblfQueOutUcastTotal.19.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.19.5	Gauge	0
iblfQueOutUcastTotal.19.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.19.6	Gauge	0
iblfQueOutUcastTotal.19.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.19.7	Gauge	0
iblfQueOutUcastTotal.19.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.19.8	Gauge	0
iblfQueOutUcastTotal.20.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.20.1	Gauge	0
iblfQueOutUcastTotal.20.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.20.2	Gauge	0
iblfQueOutUcastTotal.20.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.20.3	Gauge	0
iblfQueOutUcastTotal.20.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.20.4	Gauge	0
iblfQueOutUcastTotal.20.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.20.5	Gauge	0
iblfQueOutUcastTotal.20.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.20.6	Gauge	0
iblfQueOutUcastTotal.20.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.20.7	Gauge	0
iblfQueOutUcastTotal.20.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.20.8	Gauge	0
iblfQueOutUcastTotal.21.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.21.1	Gauge	0
iblfQueOutUcastTotal.21.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.21.2	Gauge	0
iblfQueOutUcastTotal.21.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.21.3	Gauge	0
iblfQueOutUcastTotal.21.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.21.4	Gauge	0
iblfQueOutUcastTotal.21.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.21.5	Gauge	0
iblfQueOutUcastTotal.21.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.21.6	Gauge	0
iblfQueOutUcastTotal.21.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.21.7	Gauge	0
iblfQueOutUcastTotal.21.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.21.8	Gauge	0
iblfQueOutUcastTotal.22.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.22.1	Gauge	0
iblfQueOutUcastTotal.22.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.22.2	Gauge	0
iblfQueOutUcastTotal.22.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.22.3	Gauge	0
iblfQueOutUcastTotal.22.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.22.4	Gauge	0
iblfQueOutUcastTotal.22.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.22.5	Gauge	0

Name	OID	Value Type	Value Example
iblfQueOutUcastTotal.22.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.22.6	Gauge	0
iblfQueOutUcastTotal.22.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.22.7	Gauge	0
iblfQueOutUcastTotal.22.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.22.8	Gauge	0
iblfQueOutUcastTotal.23.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.23.1	Gauge	0
iblfQueOutUcastTotal.23.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.23.2	Gauge	0
iblfQueOutUcastTotal.23.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.23.3	Gauge	0
iblfQueOutUcastTotal.23.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.23.4	Gauge	0
iblfQueOutUcastTotal.23.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.23.5	Gauge	0
iblfQueOutUcastTotal.23.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.23.6	Gauge	0
iblfQueOutUcastTotal.23.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.23.7	Gauge	0
iblfQueOutUcastTotal.23.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.23.8	Gauge	0
iblfQueOutUcastTotal.24.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.24.1	Gauge	0
iblfQueOutUcastTotal.24.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.24.2	Gauge	0
iblfQueOutUcastTotal.24.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.24.3	Gauge	0
iblfQueOutUcastTotal.24.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.24.4	Gauge	0
iblfQueOutUcastTotal.24.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.24.5	Gauge	0
iblfQueOutUcastTotal.24.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.24.6	Gauge	0
iblfQueOutUcastTotal.24.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.24.7	Gauge	0
iblfQueOutUcastTotal.24.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.24.8	Gauge	0
iblfQueOutUcastTotal.25.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.25.1	Gauge	0
iblfQueOutUcastTotal.25.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.25.2	Gauge	0
iblfQueOutUcastTotal.25.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.25.3	Gauge	0
iblfQueOutUcastTotal.25.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.25.4	Gauge	0
iblfQueOutUcastTotal.25.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.25.5	Gauge	0
iblfQueOutUcastTotal.25.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.25.6	Gauge	0

Name	OID	Value Type	Value Example
iblfQueOutUcastTotal.25.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.25.7	Gauge	0
iblfQueOutUcastTotal.25.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.25.8	Gauge	0
iblfQueOutUcastTotal.26.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.26.1	Gauge	0
iblfQueOutUcastTotal.26.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.26.2	Gauge	0
iblfQueOutUcastTotal.26.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.26.3	Gauge	0
iblfQueOutUcastTotal.26.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.26.4	Gauge	0
iblfQueOutUcastTotal.26.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.26.5	Gauge	0
iblfQueOutUcastTotal.26.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.26.6	Gauge	0
iblfQueOutUcastTotal.26.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.26.7	Gauge	0
iblfQueOutUcastTotal.26.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.26.8	Gauge	0
iblfQueOutUcastTotal.27.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.27.1	Gauge	0
iblfQueOutUcastTotal.27.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.27.2	Gauge	0
iblfQueOutUcastTotal.27.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.27.3	Gauge	0
iblfQueOutUcastTotal.27.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.27.4	Gauge	0
iblfQueOutUcastTotal.27.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.27.5	Gauge	0
iblfQueOutUcastTotal.27.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.27.6	Gauge	0
iblfQueOutUcastTotal.27.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.27.7	Gauge	0
iblfQueOutUcastTotal.27.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.27.8	Gauge	0
iblfQueOutUcastTotal.28.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.28.1	Gauge	0
iblfQueOutUcastTotal.28.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.28.2	Gauge	0
iblfQueOutUcastTotal.28.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.28.3	Gauge	0
iblfQueOutUcastTotal.28.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.28.4	Gauge	0
iblfQueOutUcastTotal.28.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.28.5	Gauge	0
iblfQueOutUcastTotal.28.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.28.6	Gauge	0
iblfQueOutUcastTotal.28.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.28.7	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastTotal.28.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.2.28.8	Gauge	0
ibLfQueOutUcastFree.1.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.1.1	Gauge	0
ibLfQueOutUcastFree.1.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.1.2	Gauge	0
ibLfQueOutUcastFree.1.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.1.3	Gauge	0
ibLfQueOutUcastFree.1.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.1.4	Gauge	0
ibLfQueOutUcastFree.1.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.1.5	Gauge	0
ibLfQueOutUcastFree.1.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.1.6	Gauge	0
ibLfQueOutUcastFree.1.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.1.7	Gauge	0
ibLfQueOutUcastFree.1.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.1.8	Gauge	0
ibLfQueOutUcastFree.2.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.2.1	Gauge	0
ibLfQueOutUcastFree.2.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.2.2	Gauge	0
ibLfQueOutUcastFree.2.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.2.3	Gauge	0
ibLfQueOutUcastFree.2.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.2.4	Gauge	0
ibLfQueOutUcastFree.2.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.2.5	Gauge	0
ibLfQueOutUcastFree.2.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.2.6	Gauge	0
ibLfQueOutUcastFree.2.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.2.7	Gauge	0
ibLfQueOutUcastFree.2.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.2.8	Gauge	0
ibLfQueOutUcastFree.3.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.3.1	Gauge	0
ibLfQueOutUcastFree.3.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.3.2	Gauge	0
ibLfQueOutUcastFree.3.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.3.3	Gauge	0
ibLfQueOutUcastFree.3.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.3.4	Gauge	0
ibLfQueOutUcastFree.3.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.3.5	Gauge	0
ibLfQueOutUcastFree.3.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.3.6	Gauge	0
ibLfQueOutUcastFree.3.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.3.7	Gauge	0
ibLfQueOutUcastFree.3.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.3.8	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastFree.4.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.4.1	Gauge	0
ibLfQueOutUcastFree.4.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.4.2	Gauge	0
ibLfQueOutUcastFree.4.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.4.3	Gauge	0
ibLfQueOutUcastFree.4.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.4.4	Gauge	0
ibLfQueOutUcastFree.4.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.4.5	Gauge	0
ibLfQueOutUcastFree.4.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.4.6	Gauge	0
ibLfQueOutUcastFree.4.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.4.7	Gauge	0
ibLfQueOutUcastFree.4.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.4.8	Gauge	0
ibLfQueOutUcastFree.5.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.5.1	Gauge	0
ibLfQueOutUcastFree.5.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.5.2	Gauge	0
ibLfQueOutUcastFree.5.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.5.3	Gauge	0
ibLfQueOutUcastFree.5.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.5.4	Gauge	0
ibLfQueOutUcastFree.5.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.5.5	Gauge	0
ibLfQueOutUcastFree.5.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.5.6	Gauge	0
ibLfQueOutUcastFree.5.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.5.7	Gauge	0
ibLfQueOutUcastFree.5.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.5.8	Gauge	0
ibLfQueOutUcastFree.6.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.6.1	Gauge	0
ibLfQueOutUcastFree.6.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.6.2	Gauge	0
ibLfQueOutUcastFree.6.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.6.3	Gauge	0
ibLfQueOutUcastFree.6.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.6.4	Gauge	0
ibLfQueOutUcastFree.6.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.6.5	Gauge	0
ibLfQueOutUcastFree.6.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.6.6	Gauge	0
ibLfQueOutUcastFree.6.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.6.7	Gauge	0
ibLfQueOutUcastFree.6.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.6.8	Gauge	0
ibLfQueOutUcastFree.7.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.7.1	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastFree.7.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.7.2	Gauge	0
ibLfQueOutUcastFree.7.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.7.3	Gauge	0
ibLfQueOutUcastFree.7.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.7.4	Gauge	0
ibLfQueOutUcastFree.7.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.7.5	Gauge	0
ibLfQueOutUcastFree.7.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.7.6	Gauge	0
ibLfQueOutUcastFree.7.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.7.7	Gauge	0
ibLfQueOutUcastFree.7.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.7.8	Gauge	0
ibLfQueOutUcastFree.8.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.8.1	Gauge	0
ibLfQueOutUcastFree.8.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.8.2	Gauge	0
ibLfQueOutUcastFree.8.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.8.3	Gauge	0
ibLfQueOutUcastFree.8.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.8.4	Gauge	0
ibLfQueOutUcastFree.8.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.8.5	Gauge	0
ibLfQueOutUcastFree.8.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.8.6	Gauge	0
ibLfQueOutUcastFree.8.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.8.7	Gauge	0
ibLfQueOutUcastFree.8.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.8.8	Gauge	0
ibLfQueOutUcastFree.9.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.9.1	Gauge	0
ibLfQueOutUcastFree.9.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.9.2	Gauge	0
ibLfQueOutUcastFree.9.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.9.3	Gauge	0
ibLfQueOutUcastFree.9.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.9.4	Gauge	0
ibLfQueOutUcastFree.9.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.9.5	Gauge	0
ibLfQueOutUcastFree.9.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.9.6	Gauge	0
ibLfQueOutUcastFree.9.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.9.7	Gauge	0
ibLfQueOutUcastFree.9.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.9.8	Gauge	0
ibLfQueOutUcastFree.10.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.10.1	Gauge	0
ibLfQueOutUcastFree.10.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.10.2	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastFree.10.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.10.3	Gauge	0
ibLfQueOutUcastFree.10.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.10.4	Gauge	0
ibLfQueOutUcastFree.10.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.10.5	Gauge	0
ibLfQueOutUcastFree.10.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.10.6	Gauge	0
ibLfQueOutUcastFree.10.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.10.7	Gauge	0
ibLfQueOutUcastFree.10.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.10.8	Gauge	0
ibLfQueOutUcastFree.11.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.11.1	Gauge	0
ibLfQueOutUcastFree.11.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.11.2	Gauge	0
ibLfQueOutUcastFree.11.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.11.3	Gauge	0
ibLfQueOutUcastFree.11.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.11.4	Gauge	0
ibLfQueOutUcastFree.11.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.11.5	Gauge	0
ibLfQueOutUcastFree.11.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.11.6	Gauge	0
ibLfQueOutUcastFree.11.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.11.7	Gauge	0
ibLfQueOutUcastFree.11.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.11.8	Gauge	0
ibLfQueOutUcastFree.12.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.12.1	Gauge	0
ibLfQueOutUcastFree.12.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.12.2	Gauge	0
ibLfQueOutUcastFree.12.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.12.3	Gauge	0
ibLfQueOutUcastFree.12.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.12.4	Gauge	0
ibLfQueOutUcastFree.12.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.12.5	Gauge	0
ibLfQueOutUcastFree.12.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.12.6	Gauge	0
ibLfQueOutUcastFree.12.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.12.7	Gauge	0
ibLfQueOutUcastFree.12.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.12.8	Gauge	0
ibLfQueOutUcastFree.13.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.13.1	Gauge	0
ibLfQueOutUcastFree.13.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.13.2	Gauge	0
ibLfQueOutUcastFree.13.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.13.3	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastFree.13.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.13.4	Gauge	0
ibLfQueOutUcastFree.13.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.13.5	Gauge	0
ibLfQueOutUcastFree.13.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.13.6	Gauge	0
ibLfQueOutUcastFree.13.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.13.7	Gauge	0
ibLfQueOutUcastFree.13.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.13.8	Gauge	0
ibLfQueOutUcastFree.14.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.14.1	Gauge	0
ibLfQueOutUcastFree.14.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.14.2	Gauge	0
ibLfQueOutUcastFree.14.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.14.3	Gauge	0
ibLfQueOutUcastFree.14.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.14.4	Gauge	0
ibLfQueOutUcastFree.14.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.14.5	Gauge	0
ibLfQueOutUcastFree.14.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.14.6	Gauge	0
ibLfQueOutUcastFree.14.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.14.7	Gauge	0
ibLfQueOutUcastFree.14.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.14.8	Gauge	0
ibLfQueOutUcastFree.15.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.15.1	Gauge	0
ibLfQueOutUcastFree.15.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.15.2	Gauge	0
ibLfQueOutUcastFree.15.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.15.3	Gauge	0
ibLfQueOutUcastFree.15.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.15.4	Gauge	0
ibLfQueOutUcastFree.15.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.15.5	Gauge	0
ibLfQueOutUcastFree.15.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.15.6	Gauge	0
ibLfQueOutUcastFree.15.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.15.7	Gauge	0
ibLfQueOutUcastFree.15.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.15.8	Gauge	0
ibLfQueOutUcastFree.16.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.16.1	Gauge	0
ibLfQueOutUcastFree.16.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.16.2	Gauge	0
ibLfQueOutUcastFree.16.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.16.3	Gauge	0
ibLfQueOutUcastFree.16.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.16.4	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastFree.16.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.16.5	Gauge	0
ibLfQueOutUcastFree.16.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.16.6	Gauge	0
ibLfQueOutUcastFree.16.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.16.7	Gauge	0
ibLfQueOutUcastFree.16.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.16.8	Gauge	0
ibLfQueOutUcastFree.17.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.17.1	Gauge	0
ibLfQueOutUcastFree.17.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.17.2	Gauge	0
ibLfQueOutUcastFree.17.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.17.3	Gauge	0
ibLfQueOutUcastFree.17.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.17.4	Gauge	0
ibLfQueOutUcastFree.17.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.17.5	Gauge	0
ibLfQueOutUcastFree.17.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.17.6	Gauge	0
ibLfQueOutUcastFree.17.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.17.7	Gauge	0
ibLfQueOutUcastFree.17.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.17.8	Gauge	0
ibLfQueOutUcastFree.18.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.18.1	Gauge	0
ibLfQueOutUcastFree.18.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.18.2	Gauge	0
ibLfQueOutUcastFree.18.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.18.3	Gauge	0
ibLfQueOutUcastFree.18.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.18.4	Gauge	0
ibLfQueOutUcastFree.18.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.18.5	Gauge	0
ibLfQueOutUcastFree.18.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.18.6	Gauge	0
ibLfQueOutUcastFree.18.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.18.7	Gauge	0
ibLfQueOutUcastFree.18.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.18.8	Gauge	0
ibLfQueOutUcastFree.19.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.19.1	Gauge	0
ibLfQueOutUcastFree.19.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.19.2	Gauge	0
ibLfQueOutUcastFree.19.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.19.3	Gauge	0
ibLfQueOutUcastFree.19.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.19.4	Gauge	0
ibLfQueOutUcastFree.19.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.19.5	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastFree.19.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.19.6	Gauge	0
ibLfQueOutUcastFree.19.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.19.7	Gauge	0
ibLfQueOutUcastFree.19.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.19.8	Gauge	0
ibLfQueOutUcastFree.20.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.20.1	Gauge	0
ibLfQueOutUcastFree.20.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.20.2	Gauge	0
ibLfQueOutUcastFree.20.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.20.3	Gauge	0
ibLfQueOutUcastFree.20.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.20.4	Gauge	0
ibLfQueOutUcastFree.20.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.20.5	Gauge	0
ibLfQueOutUcastFree.20.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.20.6	Gauge	0
ibLfQueOutUcastFree.20.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.20.7	Gauge	0
ibLfQueOutUcastFree.20.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.20.8	Gauge	0
ibLfQueOutUcastFree.21.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.21.1	Gauge	0
ibLfQueOutUcastFree.21.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.21.2	Gauge	0
ibLfQueOutUcastFree.21.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.21.3	Gauge	0
ibLfQueOutUcastFree.21.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.21.4	Gauge	0
ibLfQueOutUcastFree.21.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.21.5	Gauge	0
ibLfQueOutUcastFree.21.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.21.6	Gauge	0
ibLfQueOutUcastFree.21.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.21.7	Gauge	0
ibLfQueOutUcastFree.21.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.21.8	Gauge	0
ibLfQueOutUcastFree.22.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.22.1	Gauge	0
ibLfQueOutUcastFree.22.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.22.2	Gauge	0
ibLfQueOutUcastFree.22.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.22.3	Gauge	0
ibLfQueOutUcastFree.22.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.22.4	Gauge	0
ibLfQueOutUcastFree.22.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.22.5	Gauge	0
ibLfQueOutUcastFree.22.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.22.6	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastFree.22.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.22.7	Gauge	0
ibLfQueOutUcastFree.22.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.22.8	Gauge	0
ibLfQueOutUcastFree.23.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.23.1	Gauge	0
ibLfQueOutUcastFree.23.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.23.2	Gauge	0
ibLfQueOutUcastFree.23.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.23.3	Gauge	0
ibLfQueOutUcastFree.23.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.23.4	Gauge	0
ibLfQueOutUcastFree.23.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.23.5	Gauge	0
ibLfQueOutUcastFree.23.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.23.6	Gauge	0
ibLfQueOutUcastFree.23.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.23.7	Gauge	0
ibLfQueOutUcastFree.23.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.23.8	Gauge	0
ibLfQueOutUcastFree.24.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.24.1	Gauge	0
ibLfQueOutUcastFree.24.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.24.2	Gauge	0
ibLfQueOutUcastFree.24.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.24.3	Gauge	0
ibLfQueOutUcastFree.24.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.24.4	Gauge	0
ibLfQueOutUcastFree.24.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.24.5	Gauge	0
ibLfQueOutUcastFree.24.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.24.6	Gauge	0
ibLfQueOutUcastFree.24.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.24.7	Gauge	0
ibLfQueOutUcastFree.24.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.24.8	Gauge	0
ibLfQueOutUcastFree.25.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.25.1	Gauge	0
ibLfQueOutUcastFree.25.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.25.2	Gauge	0
ibLfQueOutUcastFree.25.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.25.3	Gauge	0
ibLfQueOutUcastFree.25.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.25.4	Gauge	0
ibLfQueOutUcastFree.25.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.25.5	Gauge	0
ibLfQueOutUcastFree.25.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.25.6	Gauge	0
ibLfQueOutUcastFree.25.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.25.7	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastFree.25.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.25.8	Gauge	0
ibLfQueOutUcastFree.26.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.26.1	Gauge	0
ibLfQueOutUcastFree.26.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.26.2	Gauge	0
ibLfQueOutUcastFree.26.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.26.3	Gauge	0
ibLfQueOutUcastFree.26.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.26.4	Gauge	0
ibLfQueOutUcastFree.26.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.26.5	Gauge	0
ibLfQueOutUcastFree.26.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.26.6	Gauge	0
ibLfQueOutUcastFree.26.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.26.7	Gauge	0
ibLfQueOutUcastFree.26.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.26.8	Gauge	0
ibLfQueOutUcastFree.27.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.27.1	Gauge	0
ibLfQueOutUcastFree.27.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.27.2	Gauge	0
ibLfQueOutUcastFree.27.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.27.3	Gauge	0
ibLfQueOutUcastFree.27.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.27.4	Gauge	0
ibLfQueOutUcastFree.27.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.27.5	Gauge	0
ibLfQueOutUcastFree.27.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.27.6	Gauge	0
ibLfQueOutUcastFree.27.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.27.7	Gauge	0
ibLfQueOutUcastFree.27.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.27.8	Gauge	0
ibLfQueOutUcastFree.28.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.28.1	Gauge	0
ibLfQueOutUcastFree.28.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.28.2	Gauge	0
ibLfQueOutUcastFree.28.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.28.3	Gauge	0
ibLfQueOutUcastFree.28.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.28.4	Gauge	0
ibLfQueOutUcastFree.28.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.28.5	Gauge	0
ibLfQueOutUcastFree.28.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.28.6	Gauge	0
ibLfQueOutUcastFree.28.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.28.7	Gauge	0
ibLfQueOutUcastFree.28.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.3.28.8	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastUsedRatio.1.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.1.1	Gauge	0
ibLfQueOutUcastUsedRatio.1.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.1.2	Gauge	0
ibLfQueOutUcastUsedRatio.1.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.1.3	Gauge	0
ibLfQueOutUcastUsedRatio.1.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.1.4	Gauge	0
ibLfQueOutUcastUsedRatio.1.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.1.5	Gauge	0
ibLfQueOutUcastUsedRatio.1.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.1.6	Gauge	0
ibLfQueOutUcastUsedRatio.1.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.1.7	Gauge	0
ibLfQueOutUcastUsedRatio.1.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.1.8	Gauge	0
ibLfQueOutUcastUsedRatio.2.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.2.1	Gauge	0
ibLfQueOutUcastUsedRatio.2.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.2.2	Gauge	0
ibLfQueOutUcastUsedRatio.2.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.2.3	Gauge	0
ibLfQueOutUcastUsedRatio.2.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.2.4	Gauge	0
ibLfQueOutUcastUsedRatio.2.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.2.5	Gauge	0
ibLfQueOutUcastUsedRatio.2.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.2.6	Gauge	0
ibLfQueOutUcastUsedRatio.2.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.2.7	Gauge	0
ibLfQueOutUcastUsedRatio.2.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.2.8	Gauge	0
ibLfQueOutUcastUsedRatio.3.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.3.1	Gauge	0
ibLfQueOutUcastUsedRatio.3.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.3.2	Gauge	0
ibLfQueOutUcastUsedRatio.3.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.3.3	Gauge	0
ibLfQueOutUcastUsedRatio.3.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.3.4	Gauge	0
ibLfQueOutUcastUsedRatio.3.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.3.5	Gauge	0
ibLfQueOutUcastUsedRatio.3.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.3.6	Gauge	0
ibLfQueOutUcastUsedRatio.3.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.3.7	Gauge	0
ibLfQueOutUcastUsedRatio.3.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.3.8	Gauge	0
ibLfQueOutUcastUsedRatio.4.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.4.1	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastUsedRatio.4.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.4.2	Gauge	0
ibLfQueOutUcastUsedRatio.4.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.4.3	Gauge	0
ibLfQueOutUcastUsedRatio.4.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.4.4	Gauge	0
ibLfQueOutUcastUsedRatio.4.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.4.5	Gauge	0
ibLfQueOutUcastUsedRatio.4.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.4.6	Gauge	0
ibLfQueOutUcastUsedRatio.4.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.4.7	Gauge	0
ibLfQueOutUcastUsedRatio.4.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.4.8	Gauge	0
ibLfQueOutUcastUsedRatio.5.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.5.1	Gauge	0
ibLfQueOutUcastUsedRatio.5.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.5.2	Gauge	0
ibLfQueOutUcastUsedRatio.5.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.5.3	Gauge	0
ibLfQueOutUcastUsedRatio.5.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.5.4	Gauge	0
ibLfQueOutUcastUsedRatio.5.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.5.5	Gauge	0
ibLfQueOutUcastUsedRatio.5.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.5.6	Gauge	0
ibLfQueOutUcastUsedRatio.5.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.5.7	Gauge	0
ibLfQueOutUcastUsedRatio.5.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.5.8	Gauge	0
ibLfQueOutUcastUsedRatio.6.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.6.1	Gauge	0
ibLfQueOutUcastUsedRatio.6.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.6.2	Gauge	0
ibLfQueOutUcastUsedRatio.6.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.6.3	Gauge	0
ibLfQueOutUcastUsedRatio.6.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.6.4	Gauge	0
ibLfQueOutUcastUsedRatio.6.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.6.5	Gauge	0
ibLfQueOutUcastUsedRatio.6.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.6.6	Gauge	0
ibLfQueOutUcastUsedRatio.6.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.6.7	Gauge	0
ibLfQueOutUcastUsedRatio.6.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.6.8	Gauge	0
ibLfQueOutUcastUsedRatio.7.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.7.1	Gauge	0
ibLfQueOutUcastUsedRatio.7.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.7.2	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastUsedRatio.7.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.7.3	Gauge	0
ibLfQueOutUcastUsedRatio.7.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.7.4	Gauge	0
ibLfQueOutUcastUsedRatio.7.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.7.5	Gauge	0
ibLfQueOutUcastUsedRatio.7.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.7.6	Gauge	0
ibLfQueOutUcastUsedRatio.7.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.7.7	Gauge	0
ibLfQueOutUcastUsedRatio.7.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.7.8	Gauge	0
ibLfQueOutUcastUsedRatio.8.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.8.1	Gauge	0
ibLfQueOutUcastUsedRatio.8.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.8.2	Gauge	0
ibLfQueOutUcastUsedRatio.8.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.8.3	Gauge	0
ibLfQueOutUcastUsedRatio.8.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.8.4	Gauge	0
ibLfQueOutUcastUsedRatio.8.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.8.5	Gauge	0
ibLfQueOutUcastUsedRatio.8.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.8.6	Gauge	0
ibLfQueOutUcastUsedRatio.8.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.8.7	Gauge	0
ibLfQueOutUcastUsedRatio.8.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.8.8	Gauge	0
ibLfQueOutUcastUsedRatio.9.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.9.1	Gauge	0
ibLfQueOutUcastUsedRatio.9.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.9.2	Gauge	0
ibLfQueOutUcastUsedRatio.9.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.9.3	Gauge	0
ibLfQueOutUcastUsedRatio.9.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.9.4	Gauge	0
ibLfQueOutUcastUsedRatio.9.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.9.5	Gauge	0
ibLfQueOutUcastUsedRatio.9.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.9.6	Gauge	0
ibLfQueOutUcastUsedRatio.9.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.9.7	Gauge	0
ibLfQueOutUcastUsedRatio.9.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.9.8	Gauge	0
ibLfQueOutUcastUsedRatio.10.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.10.1	Gauge	0
ibLfQueOutUcastUsedRatio.10.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.10.2	Gauge	0
ibLfQueOutUcastUsedRatio.10.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.10.3	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastUsedRatio.10.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.10.4	Gauge	0
ibLfQueOutUcastUsedRatio.10.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.10.5	Gauge	0
ibLfQueOutUcastUsedRatio.10.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.10.6	Gauge	0
ibLfQueOutUcastUsedRatio.10.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.10.7	Gauge	0
ibLfQueOutUcastUsedRatio.10.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.10.8	Gauge	0
ibLfQueOutUcastUsedRatio.11.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.11.1	Gauge	0
ibLfQueOutUcastUsedRatio.11.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.11.2	Gauge	0
ibLfQueOutUcastUsedRatio.11.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.11.3	Gauge	0
ibLfQueOutUcastUsedRatio.11.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.11.4	Gauge	0
ibLfQueOutUcastUsedRatio.11.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.11.5	Gauge	0
ibLfQueOutUcastUsedRatio.11.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.11.6	Gauge	0
ibLfQueOutUcastUsedRatio.11.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.11.7	Gauge	0
ibLfQueOutUcastUsedRatio.11.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.11.8	Gauge	0
ibLfQueOutUcastUsedRatio.12.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.12.1	Gauge	0
ibLfQueOutUcastUsedRatio.12.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.12.2	Gauge	0
ibLfQueOutUcastUsedRatio.12.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.12.3	Gauge	0
ibLfQueOutUcastUsedRatio.12.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.12.4	Gauge	0
ibLfQueOutUcastUsedRatio.12.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.12.5	Gauge	0
ibLfQueOutUcastUsedRatio.12.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.12.6	Gauge	0
ibLfQueOutUcastUsedRatio.12.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.12.7	Gauge	0
ibLfQueOutUcastUsedRatio.12.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.12.8	Gauge	0
ibLfQueOutUcastUsedRatio.13.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.13.1	Gauge	0
ibLfQueOutUcastUsedRatio.13.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.13.2	Gauge	0
ibLfQueOutUcastUsedRatio.13.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.13.3	Gauge	0
ibLfQueOutUcastUsedRatio.13.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.13.4	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastUsedRatio.13.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.13.5	Gauge	0
ibLfQueOutUcastUsedRatio.13.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.13.6	Gauge	0
ibLfQueOutUcastUsedRatio.13.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.13.7	Gauge	0
ibLfQueOutUcastUsedRatio.13.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.13.8	Gauge	0
ibLfQueOutUcastUsedRatio.14.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.14.1	Gauge	0
ibLfQueOutUcastUsedRatio.14.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.14.2	Gauge	0
ibLfQueOutUcastUsedRatio.14.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.14.3	Gauge	0
ibLfQueOutUcastUsedRatio.14.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.14.4	Gauge	0
ibLfQueOutUcastUsedRatio.14.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.14.5	Gauge	0
ibLfQueOutUcastUsedRatio.14.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.14.6	Gauge	0
ibLfQueOutUcastUsedRatio.14.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.14.7	Gauge	0
ibLfQueOutUcastUsedRatio.14.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.14.8	Gauge	0
ibLfQueOutUcastUsedRatio.15.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.15.1	Gauge	0
ibLfQueOutUcastUsedRatio.15.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.15.2	Gauge	0
ibLfQueOutUcastUsedRatio.15.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.15.3	Gauge	0
ibLfQueOutUcastUsedRatio.15.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.15.4	Gauge	0
ibLfQueOutUcastUsedRatio.15.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.15.5	Gauge	0
ibLfQueOutUcastUsedRatio.15.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.15.6	Gauge	0
ibLfQueOutUcastUsedRatio.15.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.15.7	Gauge	0
ibLfQueOutUcastUsedRatio.15.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.15.8	Gauge	0
ibLfQueOutUcastUsedRatio.16.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.16.1	Gauge	0
ibLfQueOutUcastUsedRatio.16.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.16.2	Gauge	0
ibLfQueOutUcastUsedRatio.16.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.16.3	Gauge	0
ibLfQueOutUcastUsedRatio.16.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.16.4	Gauge	0
ibLfQueOutUcastUsedRatio.16.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.16.5	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastUsedRatio.16.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.16.6	Gauge	0
ibLfQueOutUcastUsedRatio.16.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.16.7	Gauge	0
ibLfQueOutUcastUsedRatio.16.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.16.8	Gauge	0
ibLfQueOutUcastUsedRatio.17.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.17.1	Gauge	0
ibLfQueOutUcastUsedRatio.17.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.17.2	Gauge	0
ibLfQueOutUcastUsedRatio.17.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.17.3	Gauge	0
ibLfQueOutUcastUsedRatio.17.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.17.4	Gauge	0
ibLfQueOutUcastUsedRatio.17.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.17.5	Gauge	0
ibLfQueOutUcastUsedRatio.17.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.17.6	Gauge	0
ibLfQueOutUcastUsedRatio.17.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.17.7	Gauge	0
ibLfQueOutUcastUsedRatio.17.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.17.8	Gauge	0
ibLfQueOutUcastUsedRatio.18.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.18.1	Gauge	0
ibLfQueOutUcastUsedRatio.18.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.18.2	Gauge	0
ibLfQueOutUcastUsedRatio.18.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.18.3	Gauge	0
ibLfQueOutUcastUsedRatio.18.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.18.4	Gauge	0
ibLfQueOutUcastUsedRatio.18.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.18.5	Gauge	0
ibLfQueOutUcastUsedRatio.18.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.18.6	Gauge	0
ibLfQueOutUcastUsedRatio.18.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.18.7	Gauge	0
ibLfQueOutUcastUsedRatio.18.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.18.8	Gauge	0
ibLfQueOutUcastUsedRatio.19.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.19.1	Gauge	0
ibLfQueOutUcastUsedRatio.19.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.19.2	Gauge	0
ibLfQueOutUcastUsedRatio.19.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.19.3	Gauge	0
ibLfQueOutUcastUsedRatio.19.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.19.4	Gauge	0
ibLfQueOutUcastUsedRatio.19.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.19.5	Gauge	0
ibLfQueOutUcastUsedRatio.19.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.19.6	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastUsedRatio.19.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.19.7	Gauge	0
ibLfQueOutUcastUsedRatio.19.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.19.8	Gauge	0
ibLfQueOutUcastUsedRatio.20.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.20.1	Gauge	0
ibLfQueOutUcastUsedRatio.20.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.20.2	Gauge	0
ibLfQueOutUcastUsedRatio.20.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.20.3	Gauge	0
ibLfQueOutUcastUsedRatio.20.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.20.4	Gauge	0
ibLfQueOutUcastUsedRatio.20.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.20.5	Gauge	0
ibLfQueOutUcastUsedRatio.20.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.20.6	Gauge	0
ibLfQueOutUcastUsedRatio.20.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.20.7	Gauge	0
ibLfQueOutUcastUsedRatio.20.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.20.8	Gauge	0
ibLfQueOutUcastUsedRatio.21.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.21.1	Gauge	0
ibLfQueOutUcastUsedRatio.21.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.21.2	Gauge	0
ibLfQueOutUcastUsedRatio.21.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.21.3	Gauge	0
ibLfQueOutUcastUsedRatio.21.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.21.4	Gauge	0
ibLfQueOutUcastUsedRatio.21.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.21.5	Gauge	0
ibLfQueOutUcastUsedRatio.21.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.21.6	Gauge	0
ibLfQueOutUcastUsedRatio.21.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.21.7	Gauge	0
ibLfQueOutUcastUsedRatio.21.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.21.8	Gauge	0
ibLfQueOutUcastUsedRatio.22.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.22.1	Gauge	0
ibLfQueOutUcastUsedRatio.22.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.22.2	Gauge	0
ibLfQueOutUcastUsedRatio.22.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.22.3	Gauge	0
ibLfQueOutUcastUsedRatio.22.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.22.4	Gauge	0
ibLfQueOutUcastUsedRatio.22.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.22.5	Gauge	0
ibLfQueOutUcastUsedRatio.22.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.22.6	Gauge	0
ibLfQueOutUcastUsedRatio.22.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.22.7	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastUsedRatio.22.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.22.8	Gauge	0
ibLfQueOutUcastUsedRatio.23.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.23.1	Gauge	0
ibLfQueOutUcastUsedRatio.23.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.23.2	Gauge	0
ibLfQueOutUcastUsedRatio.23.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.23.3	Gauge	0
ibLfQueOutUcastUsedRatio.23.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.23.4	Gauge	0
ibLfQueOutUcastUsedRatio.23.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.23.5	Gauge	0
ibLfQueOutUcastUsedRatio.23.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.23.6	Gauge	0
ibLfQueOutUcastUsedRatio.23.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.23.7	Gauge	0
ibLfQueOutUcastUsedRatio.23.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.23.8	Gauge	0
ibLfQueOutUcastUsedRatio.24.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.24.1	Gauge	0
ibLfQueOutUcastUsedRatio.24.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.24.2	Gauge	0
ibLfQueOutUcastUsedRatio.24.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.24.3	Gauge	0
ibLfQueOutUcastUsedRatio.24.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.24.4	Gauge	0
ibLfQueOutUcastUsedRatio.24.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.24.5	Gauge	0
ibLfQueOutUcastUsedRatio.24.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.24.6	Gauge	0
ibLfQueOutUcastUsedRatio.24.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.24.7	Gauge	0
ibLfQueOutUcastUsedRatio.24.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.24.8	Gauge	0
ibLfQueOutUcastUsedRatio.25.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.25.1	Gauge	0
ibLfQueOutUcastUsedRatio.25.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.25.2	Gauge	0
ibLfQueOutUcastUsedRatio.25.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.25.3	Gauge	0
ibLfQueOutUcastUsedRatio.25.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.25.4	Gauge	0
ibLfQueOutUcastUsedRatio.25.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.25.5	Gauge	0
ibLfQueOutUcastUsedRatio.25.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.25.6	Gauge	0
ibLfQueOutUcastUsedRatio.25.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.25.7	Gauge	0
ibLfQueOutUcastUsedRatio.25.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.25.8	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastUsedRatio.26.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.26.1	Gauge	0
ibLfQueOutUcastUsedRatio.26.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.26.2	Gauge	0
ibLfQueOutUcastUsedRatio.26.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.26.3	Gauge	0
ibLfQueOutUcastUsedRatio.26.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.26.4	Gauge	0
ibLfQueOutUcastUsedRatio.26.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.26.5	Gauge	0
ibLfQueOutUcastUsedRatio.26.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.26.6	Gauge	0
ibLfQueOutUcastUsedRatio.26.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.26.7	Gauge	0
ibLfQueOutUcastUsedRatio.26.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.26.8	Gauge	0
ibLfQueOutUcastUsedRatio.27.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.27.1	Gauge	0
ibLfQueOutUcastUsedRatio.27.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.27.2	Gauge	0
ibLfQueOutUcastUsedRatio.27.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.27.3	Gauge	0
ibLfQueOutUcastUsedRatio.27.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.27.4	Gauge	0
ibLfQueOutUcastUsedRatio.27.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.27.5	Gauge	0
ibLfQueOutUcastUsedRatio.27.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.27.6	Gauge	0
ibLfQueOutUcastUsedRatio.27.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.27.7	Gauge	0
ibLfQueOutUcastUsedRatio.27.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.27.8	Gauge	0
ibLfQueOutUcastUsedRatio.28.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.28.1	Gauge	0
ibLfQueOutUcastUsedRatio.28.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.28.2	Gauge	0
ibLfQueOutUcastUsedRatio.28.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.28.3	Gauge	0
ibLfQueOutUcastUsedRatio.28.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.28.4	Gauge	0
ibLfQueOutUcastUsedRatio.28.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.28.5	Gauge	0
ibLfQueOutUcastUsedRatio.28.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.28.6	Gauge	0
ibLfQueOutUcastUsedRatio.28.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.28.7	Gauge	0
ibLfQueOutUcastUsedRatio.28.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.4.28.8	Gauge	0
ibLfQueOutUcastUsedPeak.1.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.1.1	Gauge	0

Name	OID	Value Type	Value Example
iblfQueOutUcastUsedPeak.1.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.1.2	Gauge	0
iblfQueOutUcastUsedPeak.1.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.1.3	Gauge	0
iblfQueOutUcastUsedPeak.1.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.1.4	Gauge	0
iblfQueOutUcastUsedPeak.1.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.1.5	Gauge	0
iblfQueOutUcastUsedPeak.1.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.1.6	Gauge	0
iblfQueOutUcastUsedPeak.1.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.1.7	Gauge	0
iblfQueOutUcastUsedPeak.1.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.1.8	Gauge	0
iblfQueOutUcastUsedPeak.2.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.2.1	Gauge	0
iblfQueOutUcastUsedPeak.2.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.2.2	Gauge	0
iblfQueOutUcastUsedPeak.2.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.2.3	Gauge	0
iblfQueOutUcastUsedPeak.2.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.2.4	Gauge	0
iblfQueOutUcastUsedPeak.2.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.2.5	Gauge	0
iblfQueOutUcastUsedPeak.2.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.2.6	Gauge	0
iblfQueOutUcastUsedPeak.2.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.2.7	Gauge	0
iblfQueOutUcastUsedPeak.2.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.2.8	Gauge	0
iblfQueOutUcastUsedPeak.3.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.3.1	Gauge	0
iblfQueOutUcastUsedPeak.3.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.3.2	Gauge	0
iblfQueOutUcastUsedPeak.3.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.3.3	Gauge	0
iblfQueOutUcastUsedPeak.3.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.3.4	Gauge	0
iblfQueOutUcastUsedPeak.3.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.3.5	Gauge	0
iblfQueOutUcastUsedPeak.3.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.3.6	Gauge	0
iblfQueOutUcastUsedPeak.3.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.3.7	Gauge	0
iblfQueOutUcastUsedPeak.3.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.3.8	Gauge	0
iblfQueOutUcastUsedPeak.4.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.4.1	Gauge	0
iblfQueOutUcastUsedPeak.4.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.4.2	Gauge	0

Name	OID	Value Type	Value Example
iblfQueOutUcastUsedPeak.4.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.4.3	Gauge	0
iblfQueOutUcastUsedPeak.4.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.4.4	Gauge	0
iblfQueOutUcastUsedPeak.4.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.4.5	Gauge	0
iblfQueOutUcastUsedPeak.4.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.4.6	Gauge	0
iblfQueOutUcastUsedPeak.4.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.4.7	Gauge	0
iblfQueOutUcastUsedPeak.4.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.4.8	Gauge	0
iblfQueOutUcastUsedPeak.5.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.5.1	Gauge	0
iblfQueOutUcastUsedPeak.5.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.5.2	Gauge	0
iblfQueOutUcastUsedPeak.5.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.5.3	Gauge	0
iblfQueOutUcastUsedPeak.5.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.5.4	Gauge	0
iblfQueOutUcastUsedPeak.5.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.5.5	Gauge	0
iblfQueOutUcastUsedPeak.5.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.5.6	Gauge	0
iblfQueOutUcastUsedPeak.5.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.5.7	Gauge	0
iblfQueOutUcastUsedPeak.5.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.5.8	Gauge	0
iblfQueOutUcastUsedPeak.6.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.6.1	Gauge	0
iblfQueOutUcastUsedPeak.6.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.6.2	Gauge	0
iblfQueOutUcastUsedPeak.6.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.6.3	Gauge	0
iblfQueOutUcastUsedPeak.6.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.6.4	Gauge	0
iblfQueOutUcastUsedPeak.6.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.6.5	Gauge	0
iblfQueOutUcastUsedPeak.6.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.6.6	Gauge	0
iblfQueOutUcastUsedPeak.6.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.6.7	Gauge	0
iblfQueOutUcastUsedPeak.6.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.6.8	Gauge	0
iblfQueOutUcastUsedPeak.7.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.7.1	Gauge	0
iblfQueOutUcastUsedPeak.7.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.7.2	Gauge	0
iblfQueOutUcastUsedPeak.7.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.7.3	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastUsedPeak.7.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.7.4	Gauge	0
ibLfQueOutUcastUsedPeak.7.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.7.5	Gauge	0
ibLfQueOutUcastUsedPeak.7.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.7.6	Gauge	0
ibLfQueOutUcastUsedPeak.7.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.7.7	Gauge	0
ibLfQueOutUcastUsedPeak.7.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.7.8	Gauge	0
ibLfQueOutUcastUsedPeak.8.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.8.1	Gauge	0
ibLfQueOutUcastUsedPeak.8.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.8.2	Gauge	0
ibLfQueOutUcastUsedPeak.8.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.8.3	Gauge	0
ibLfQueOutUcastUsedPeak.8.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.8.4	Gauge	0
ibLfQueOutUcastUsedPeak.8.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.8.5	Gauge	0
ibLfQueOutUcastUsedPeak.8.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.8.6	Gauge	0
ibLfQueOutUcastUsedPeak.8.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.8.7	Gauge	0
ibLfQueOutUcastUsedPeak.8.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.8.8	Gauge	0
ibLfQueOutUcastUsedPeak.9.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.9.1	Gauge	0
ibLfQueOutUcastUsedPeak.9.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.9.2	Gauge	0
ibLfQueOutUcastUsedPeak.9.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.9.3	Gauge	0
ibLfQueOutUcastUsedPeak.9.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.9.4	Gauge	0
ibLfQueOutUcastUsedPeak.9.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.9.5	Gauge	0
ibLfQueOutUcastUsedPeak.9.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.9.6	Gauge	0
ibLfQueOutUcastUsedPeak.9.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.9.7	Gauge	0
ibLfQueOutUcastUsedPeak.9.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.9.8	Gauge	0
ibLfQueOutUcastUsed-Peak.10.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.10.1	Gauge	0
ibLfQueOutUcastUsed-Peak.10.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.10.2	Gauge	0
ibLfQueOutUcastUsed-Peak.10.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.10.3	Gauge	0
ibLfQueOutUcastUsed-Peak.10.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.10.4	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastUsed-Peak.10.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.10.5	Gauge	0
ibLfQueOutUcastUsed-Peak.10.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.10.6	Gauge	0
ibLfQueOutUcastUsed-Peak.10.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.10.7	Gauge	0
ibLfQueOutUcastUsed-Peak.10.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.10.8	Gauge	0
ibLfQueOutUcastUsed-Peak.11.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.11.1	Gauge	0
ibLfQueOutUcastUsed-Peak.11.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.11.2	Gauge	0
ibLfQueOutUcastUsed-Peak.11.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.11.3	Gauge	0
ibLfQueOutUcastUsed-Peak.11.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.11.4	Gauge	0
ibLfQueOutUcastUsed-Peak.11.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.11.5	Gauge	0
ibLfQueOutUcastUsed-Peak.11.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.11.6	Gauge	0
ibLfQueOutUcastUsed-Peak.11.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.11.7	Gauge	0
ibLfQueOutUcastUsed-Peak.11.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.11.8	Gauge	0
ibLfQueOutUcastUsed-Peak.12.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.12.1	Gauge	0
ibLfQueOutUcastUsed-Peak.12.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.12.2	Gauge	0
ibLfQueOutUcastUsed-Peak.12.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.12.3	Gauge	0
ibLfQueOutUcastUsed-Peak.12.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.12.4	Gauge	0
ibLfQueOutUcastUsed-Peak.12.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.12.5	Gauge	0
ibLfQueOutUcastUsed-Peak.12.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.12.6	Gauge	0
ibLfQueOutUcastUsed-Peak.12.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.12.7	Gauge	0
ibLfQueOutUcastUsed-Peak.12.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.12.8	Gauge	0
ibLfQueOutUcastUsed-Peak.13.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.13.1	Gauge	0
ibLfQueOutUcastUsed-Peak.13.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.13.2	Gauge	0
ibLfQueOutUcastUsed-Peak.13.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.13.3	Gauge	0
ibLfQueOutUcastUsed-Peak.13.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.13.4	Gauge	0
ibLfQueOutUcastUsed-Peak.13.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.13.5	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastUsed-Peak.13.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.13.6	Gauge	0
ibLfQueOutUcastUsed-Peak.13.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.13.7	Gauge	0
ibLfQueOutUcastUsed-Peak.13.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.13.8	Gauge	0
ibLfQueOutUcastUsed-Peak.14.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.14.1	Gauge	0
ibLfQueOutUcastUsed-Peak.14.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.14.2	Gauge	0
ibLfQueOutUcastUsed-Peak.14.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.14.3	Gauge	0
ibLfQueOutUcastUsed-Peak.14.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.14.4	Gauge	0
ibLfQueOutUcastUsed-Peak.14.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.14.5	Gauge	0
ibLfQueOutUcastUsed-Peak.14.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.14.6	Gauge	0
ibLfQueOutUcastUsed-Peak.14.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.14.7	Gauge	0
ibLfQueOutUcastUsed-Peak.14.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.14.8	Gauge	0
ibLfQueOutUcastUsed-Peak.15.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.15.1	Gauge	0
ibLfQueOutUcastUsed-Peak.15.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.15.2	Gauge	0
ibLfQueOutUcastUsed-Peak.15.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.15.3	Gauge	0
ibLfQueOutUcastUsed-Peak.15.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.15.4	Gauge	0
ibLfQueOutUcastUsed-Peak.15.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.15.5	Gauge	0
ibLfQueOutUcastUsed-Peak.15.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.15.6	Gauge	0
ibLfQueOutUcastUsed-Peak.15.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.15.7	Gauge	0
ibLfQueOutUcastUsed-Peak.15.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.15.8	Gauge	0
ibLfQueOutUcastUsed-Peak.16.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.16.1	Gauge	0
ibLfQueOutUcastUsed-Peak.16.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.16.2	Gauge	0
ibLfQueOutUcastUsed-Peak.16.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.16.3	Gauge	0
ibLfQueOutUcastUsed-Peak.16.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.16.4	Gauge	0
ibLfQueOutUcastUsed-Peak.16.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.16.5	Gauge	0
ibLfQueOutUcastUsed-Peak.16.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.16.6	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastUsed-Peak.16.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.16.7	Gauge	0
ibLfQueOutUcastUsed-Peak.16.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.16.8	Gauge	0
ibLfQueOutUcastUsed-Peak.17.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.17.1	Gauge	0
ibLfQueOutUcastUsed-Peak.17.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.17.2	Gauge	0
ibLfQueOutUcastUsed-Peak.17.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.17.3	Gauge	0
ibLfQueOutUcastUsed-Peak.17.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.17.4	Gauge	0
ibLfQueOutUcastUsed-Peak.17.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.17.5	Gauge	0
ibLfQueOutUcastUsed-Peak.17.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.17.6	Gauge	0
ibLfQueOutUcastUsed-Peak.17.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.17.7	Gauge	0
ibLfQueOutUcastUsed-Peak.17.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.17.8	Gauge	0
ibLfQueOutUcastUsed-Peak.18.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.18.1	Gauge	0
ibLfQueOutUcastUsed-Peak.18.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.18.2	Gauge	0
ibLfQueOutUcastUsed-Peak.18.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.18.3	Gauge	0
ibLfQueOutUcastUsed-Peak.18.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.18.4	Gauge	0
ibLfQueOutUcastUsed-Peak.18.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.18.5	Gauge	0
ibLfQueOutUcastUsed-Peak.18.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.18.6	Gauge	0
ibLfQueOutUcastUsed-Peak.18.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.18.7	Gauge	0
ibLfQueOutUcastUsed-Peak.18.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.18.8	Gauge	0
ibLfQueOutUcastUsed-Peak.19.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.19.1	Gauge	0
ibLfQueOutUcastUsed-Peak.19.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.19.2	Gauge	0
ibLfQueOutUcastUsed-Peak.19.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.19.3	Gauge	0
ibLfQueOutUcastUsed-Peak.19.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.19.4	Gauge	0
ibLfQueOutUcastUsed-Peak.19.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.19.5	Gauge	0
ibLfQueOutUcastUsed-Peak.19.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.19.6	Gauge	0
ibLfQueOutUcastUsed-Peak.19.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.19.7	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastUsed-Peak.19.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.19.8	Gauge	0
ibLfQueOutUcastUsed-Peak.20.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.20.1	Gauge	0
ibLfQueOutUcastUsed-Peak.20.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.20.2	Gauge	0
ibLfQueOutUcastUsed-Peak.20.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.20.3	Gauge	0
ibLfQueOutUcastUsed-Peak.20.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.20.4	Gauge	0
ibLfQueOutUcastUsed-Peak.20.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.20.5	Gauge	0
ibLfQueOutUcastUsed-Peak.20.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.20.6	Gauge	0
ibLfQueOutUcastUsed-Peak.20.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.20.7	Gauge	0
ibLfQueOutUcastUsed-Peak.20.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.20.8	Gauge	0
ibLfQueOutUcastUsed-Peak.21.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.21.1	Gauge	0
ibLfQueOutUcastUsed-Peak.21.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.21.2	Gauge	0
ibLfQueOutUcastUsed-Peak.21.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.21.3	Gauge	0
ibLfQueOutUcastUsed-Peak.21.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.21.4	Gauge	0
ibLfQueOutUcastUsed-Peak.21.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.21.5	Gauge	0
ibLfQueOutUcastUsed-Peak.21.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.21.6	Gauge	0
ibLfQueOutUcastUsed-Peak.21.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.21.7	Gauge	0
ibLfQueOutUcastUsed-Peak.21.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.21.8	Gauge	0
ibLfQueOutUcastUsed-Peak.22.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.22.1	Gauge	0
ibLfQueOutUcastUsed-Peak.22.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.22.2	Gauge	0
ibLfQueOutUcastUsed-Peak.22.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.22.3	Gauge	0
ibLfQueOutUcastUsed-Peak.22.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.22.4	Gauge	0
ibLfQueOutUcastUsed-Peak.22.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.22.5	Gauge	0
ibLfQueOutUcastUsed-Peak.22.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.22.6	Gauge	0
ibLfQueOutUcastUsed-Peak.22.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.22.7	Gauge	0
ibLfQueOutUcastUsed-Peak.22.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.22.8	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastUsed-Peak.23.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.23.1	Gauge	0
ibLfQueOutUcastUsed-Peak.23.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.23.2	Gauge	0
ibLfQueOutUcastUsed-Peak.23.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.23.3	Gauge	0
ibLfQueOutUcastUsed-Peak.23.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.23.4	Gauge	0
ibLfQueOutUcastUsed-Peak.23.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.23.5	Gauge	0
ibLfQueOutUcastUsed-Peak.23.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.23.6	Gauge	0
ibLfQueOutUcastUsed-Peak.23.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.23.7	Gauge	0
ibLfQueOutUcastUsed-Peak.23.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.23.8	Gauge	0
ibLfQueOutUcastUsed-Peak.24.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.24.1	Gauge	0
ibLfQueOutUcastUsed-Peak.24.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.24.2	Gauge	0
ibLfQueOutUcastUsed-Peak.24.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.24.3	Gauge	0
ibLfQueOutUcastUsed-Peak.24.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.24.4	Gauge	0
ibLfQueOutUcastUsed-Peak.24.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.24.5	Gauge	0
ibLfQueOutUcastUsed-Peak.24.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.24.6	Gauge	0
ibLfQueOutUcastUsed-Peak.24.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.24.7	Gauge	0
ibLfQueOutUcastUsed-Peak.24.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.24.8	Gauge	0
ibLfQueOutUcastUsed-Peak.25.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.25.1	Gauge	0
ibLfQueOutUcastUsed-Peak.25.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.25.2	Gauge	0
ibLfQueOutUcastUsed-Peak.25.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.25.3	Gauge	0
ibLfQueOutUcastUsed-Peak.25.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.25.4	Gauge	0
ibLfQueOutUcastUsed-Peak.25.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.25.5	Gauge	0
ibLfQueOutUcastUsed-Peak.25.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.25.6	Gauge	0
ibLfQueOutUcastUsed-Peak.25.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.25.7	Gauge	0
ibLfQueOutUcastUsed-Peak.25.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.25.8	Gauge	0
ibLfQueOutUcastUsed-Peak.26.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.26.1	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastUsed-Peak.26.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.26.2	Gauge	0
ibLfQueOutUcastUsed-Peak.26.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.26.3	Gauge	0
ibLfQueOutUcastUsed-Peak.26.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.26.4	Gauge	0
ibLfQueOutUcastUsed-Peak.26.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.26.5	Gauge	0
ibLfQueOutUcastUsed-Peak.26.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.26.6	Gauge	0
ibLfQueOutUcastUsed-Peak.26.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.26.7	Gauge	0
ibLfQueOutUcastUsed-Peak.26.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.26.8	Gauge	0
ibLfQueOutUcastUsed-Peak.27.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.27.1	Gauge	0
ibLfQueOutUcastUsed-Peak.27.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.27.2	Gauge	0
ibLfQueOutUcastUsed-Peak.27.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.27.3	Gauge	0
ibLfQueOutUcastUsed-Peak.27.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.27.4	Gauge	0
ibLfQueOutUcastUsed-Peak.27.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.27.5	Gauge	0
ibLfQueOutUcastUsed-Peak.27.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.27.6	Gauge	0
ibLfQueOutUcastUsed-Peak.27.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.27.7	Gauge	0
ibLfQueOutUcastUsed-Peak.27.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.27.8	Gauge	0
ibLfQueOutUcastUsed-Peak.28.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.28.1	Gauge	0
ibLfQueOutUcastUsed-Peak.28.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.28.2	Gauge	0
ibLfQueOutUcastUsed-Peak.28.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.28.3	Gauge	0
ibLfQueOutUcastUsed-Peak.28.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.28.4	Gauge	0
ibLfQueOutUcastUsed-Peak.28.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.28.5	Gauge	0
ibLfQueOutUcastUsed-Peak.28.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.28.6	Gauge	0
ibLfQueOutUcastUsed-Peak.28.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.28.7	Gauge	0
ibLfQueOutUcastUsed-Peak.28.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.5.28.8	Gauge	0
ibLfQueOutUcastThreshold.1.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.1.1	Gauge	0
ibLfQueOutUcastThreshold.1.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.1.2	Gauge	0

Name	OID	Value Type	Value Example
iblfQueOutUcastThreshold.1.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.1.3	Gauge	0
iblfQueOutUcastThreshold.1.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.1.4	Gauge	0
iblfQueOutUcastThreshold.1.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.1.5	Gauge	0
iblfQueOutUcastThreshold.1.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.1.6	Gauge	0
iblfQueOutUcastThreshold.1.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.1.7	Gauge	0
iblfQueOutUcastThreshold.1.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.1.8	Gauge	0
iblfQueOutUcastThreshold.2.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.2.1	Gauge	0
iblfQueOutUcastThreshold.2.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.2.2	Gauge	0
iblfQueOutUcastThreshold.2.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.2.3	Gauge	0
iblfQueOutUcastThreshold.2.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.2.4	Gauge	0
iblfQueOutUcastThreshold.2.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.2.5	Gauge	0
iblfQueOutUcastThreshold.2.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.2.6	Gauge	0
iblfQueOutUcastThreshold.2.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.2.7	Gauge	0
iblfQueOutUcastThreshold.2.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.2.8	Gauge	0
iblfQueOutUcastThreshold.3.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.3.1	Gauge	0
iblfQueOutUcastThreshold.3.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.3.2	Gauge	0
iblfQueOutUcastThreshold.3.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.3.3	Gauge	0
iblfQueOutUcastThreshold.3.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.3.4	Gauge	0
iblfQueOutUcastThreshold.3.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.3.5	Gauge	0
iblfQueOutUcastThreshold.3.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.3.6	Gauge	0
iblfQueOutUcastThreshold.3.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.3.7	Gauge	0
iblfQueOutUcastThreshold.3.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.3.8	Gauge	0
iblfQueOutUcastThreshold.4.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.4.1	Gauge	0
iblfQueOutUcastThreshold.4.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.4.2	Gauge	0
iblfQueOutUcastThreshold.4.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.4.3	Gauge	0

Name	OID	Value Type	Value Example
iblfQueOutUcastThreshold.4.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.4.4	Gauge	0
iblfQueOutUcastThreshold.4.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.4.5	Gauge	0
iblfQueOutUcastThreshold.4.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.4.6	Gauge	0
iblfQueOutUcastThreshold.4.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.4.7	Gauge	0
iblfQueOutUcastThreshold.4.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.4.8	Gauge	0
iblfQueOutUcastThreshold.5.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.5.1	Gauge	0
iblfQueOutUcastThreshold.5.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.5.2	Gauge	0
iblfQueOutUcastThreshold.5.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.5.3	Gauge	0
iblfQueOutUcastThreshold.5.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.5.4	Gauge	0
iblfQueOutUcastThreshold.5.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.5.5	Gauge	0
iblfQueOutUcastThreshold.5.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.5.6	Gauge	0
iblfQueOutUcastThreshold.5.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.5.7	Gauge	0
iblfQueOutUcastThreshold.5.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.5.8	Gauge	0
iblfQueOutUcastThreshold.6.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.6.1	Gauge	0
iblfQueOutUcastThreshold.6.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.6.2	Gauge	0
iblfQueOutUcastThreshold.6.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.6.3	Gauge	0
iblfQueOutUcastThreshold.6.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.6.4	Gauge	0
iblfQueOutUcastThreshold.6.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.6.5	Gauge	0
iblfQueOutUcastThreshold.6.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.6.6	Gauge	0
iblfQueOutUcastThreshold.6.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.6.7	Gauge	0
iblfQueOutUcastThreshold.6.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.6.8	Gauge	0
iblfQueOutUcastThreshold.7.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.7.1	Gauge	0
iblfQueOutUcastThreshold.7.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.7.2	Gauge	0
iblfQueOutUcastThreshold.7.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.7.3	Gauge	0
iblfQueOutUcastThreshold.7.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.7.4	Gauge	0

Name	OID	Value Type	Value Example
iblfQueOutUcastThreshold.7.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.7.5	Gauge	0
iblfQueOutUcastThreshold.7.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.7.6	Gauge	0
iblfQueOutUcastThreshold.7.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.7.7	Gauge	0
iblfQueOutUcastThreshold.7.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.7.8	Gauge	0
iblfQueOutUcastThreshold.8.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.8.1	Gauge	0
iblfQueOutUcastThreshold.8.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.8.2	Gauge	0
iblfQueOutUcastThreshold.8.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.8.3	Gauge	0
iblfQueOutUcastThreshold.8.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.8.4	Gauge	0
iblfQueOutUcastThreshold.8.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.8.5	Gauge	0
iblfQueOutUcastThreshold.8.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.8.6	Gauge	0
iblfQueOutUcastThreshold.8.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.8.7	Gauge	0
iblfQueOutUcastThreshold.8.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.8.8	Gauge	0
iblfQueOutUcastThreshold.9.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.9.1	Gauge	0
iblfQueOutUcastThreshold.9.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.9.2	Gauge	0
iblfQueOutUcastThreshold.9.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.9.3	Gauge	0
iblfQueOutUcastThreshold.9.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.9.4	Gauge	0
iblfQueOutUcastThreshold.9.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.9.5	Gauge	0
iblfQueOutUcastThreshold.9.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.9.6	Gauge	0
iblfQueOutUcastThreshold.9.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.9.7	Gauge	0
iblfQueOutUcastThreshold.9.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.9.8	Gauge	0
iblfQueOutUcastThreshold.10.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.10.1	Gauge	0
iblfQueOutUcastThreshold.10.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.10.2	Gauge	0
iblfQueOutUcastThreshold.10.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.10.3	Gauge	0
iblfQueOutUcastThreshold.10.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.10.4	Gauge	0
iblfQueOutUcastThreshold.10.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.10.5	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastThreshold.10.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.10.6	Gauge	0
ibLfQueOutUcastThreshold.10.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.10.7	Gauge	0
ibLfQueOutUcastThreshold.10.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.10.8	Gauge	0
ibLfQueOutUcastThreshold.11.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.11.1	Gauge	0
ibLfQueOutUcastThreshold.11.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.11.2	Gauge	0
ibLfQueOutUcastThreshold.11.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.11.3	Gauge	0
ibLfQueOutUcastThreshold.11.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.11.4	Gauge	0
ibLfQueOutUcastThreshold.11.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.11.5	Gauge	0
ibLfQueOutUcastThreshold.11.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.11.6	Gauge	0
ibLfQueOutUcastThreshold.11.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.11.7	Gauge	0
ibLfQueOutUcastThreshold.11.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.11.8	Gauge	0
ibLfQueOutUcastThreshold.12.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.12.1	Gauge	0
ibLfQueOutUcastThreshold.12.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.12.2	Gauge	0
ibLfQueOutUcastThreshold.12.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.12.3	Gauge	0
ibLfQueOutUcastThreshold.12.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.12.4	Gauge	0
ibLfQueOutUcastThreshold.12.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.12.5	Gauge	0
ibLfQueOutUcastThreshold.12.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.12.6	Gauge	0
ibLfQueOutUcastThreshold.12.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.12.7	Gauge	0
ibLfQueOutUcastThreshold.12.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.12.8	Gauge	0
ibLfQueOutUcastThreshold.13.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.13.1	Gauge	0
ibLfQueOutUcastThreshold.13.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.13.2	Gauge	0
ibLfQueOutUcastThreshold.13.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.13.3	Gauge	0
ibLfQueOutUcastThreshold.13.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.13.4	Gauge	0
ibLfQueOutUcastThreshold.13.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.13.5	Gauge	0
ibLfQueOutUcastThreshold.13.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.13.6	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastThreshold.13.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.13.7	Gauge	0
ibLfQueOutUcastThreshold.13.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.13.8	Gauge	0
ibLfQueOutUcastThreshold.14.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.14.1	Gauge	0
ibLfQueOutUcastThreshold.14.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.14.2	Gauge	0
ibLfQueOutUcastThreshold.14.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.14.3	Gauge	0
ibLfQueOutUcastThreshold.14.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.14.4	Gauge	0
ibLfQueOutUcastThreshold.14.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.14.5	Gauge	0
ibLfQueOutUcastThreshold.14.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.14.6	Gauge	0
ibLfQueOutUcastThreshold.14.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.14.7	Gauge	0
ibLfQueOutUcastThreshold.14.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.14.8	Gauge	0
ibLfQueOutUcastThreshold.15.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.15.1	Gauge	0
ibLfQueOutUcastThreshold.15.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.15.2	Gauge	0
ibLfQueOutUcastThreshold.15.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.15.3	Gauge	0
ibLfQueOutUcastThreshold.15.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.15.4	Gauge	0
ibLfQueOutUcastThreshold.15.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.15.5	Gauge	0
ibLfQueOutUcastThreshold.15.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.15.6	Gauge	0
ibLfQueOutUcastThreshold.15.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.15.7	Gauge	0
ibLfQueOutUcastThreshold.15.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.15.8	Gauge	0
ibLfQueOutUcastThreshold.16.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.16.1	Gauge	0
ibLfQueOutUcastThreshold.16.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.16.2	Gauge	0
ibLfQueOutUcastThreshold.16.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.16.3	Gauge	0
ibLfQueOutUcastThreshold.16.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.16.4	Gauge	0
ibLfQueOutUcastThreshold.16.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.16.5	Gauge	0
ibLfQueOutUcastThreshold.16.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.16.6	Gauge	0
ibLfQueOutUcastThreshold.16.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.16.7	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastThreshold.16.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.16.8	Gauge	0
ibLfQueOutUcastThreshold.17.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.17.1	Gauge	0
ibLfQueOutUcastThreshold.17.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.17.2	Gauge	0
ibLfQueOutUcastThreshold.17.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.17.3	Gauge	0
ibLfQueOutUcastThreshold.17.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.17.4	Gauge	0
ibLfQueOutUcastThreshold.17.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.17.5	Gauge	0
ibLfQueOutUcastThreshold.17.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.17.6	Gauge	0
ibLfQueOutUcastThreshold.17.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.17.7	Gauge	0
ibLfQueOutUcastThreshold.17.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.17.8	Gauge	0
ibLfQueOutUcastThreshold.18.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.18.1	Gauge	0
ibLfQueOutUcastThreshold.18.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.18.2	Gauge	0
ibLfQueOutUcastThreshold.18.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.18.3	Gauge	0
ibLfQueOutUcastThreshold.18.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.18.4	Gauge	0
ibLfQueOutUcastThreshold.18.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.18.5	Gauge	0
ibLfQueOutUcastThreshold.18.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.18.6	Gauge	0
ibLfQueOutUcastThreshold.18.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.18.7	Gauge	0
ibLfQueOutUcastThreshold.18.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.18.8	Gauge	0
ibLfQueOutUcastThreshold.19.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.19.1	Gauge	0
ibLfQueOutUcastThreshold.19.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.19.2	Gauge	0
ibLfQueOutUcastThreshold.19.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.19.3	Gauge	0
ibLfQueOutUcastThreshold.19.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.19.4	Gauge	0
ibLfQueOutUcastThreshold.19.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.19.5	Gauge	0
ibLfQueOutUcastThreshold.19.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.19.6	Gauge	0
ibLfQueOutUcastThreshold.19.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.19.7	Gauge	0
ibLfQueOutUcastThreshold.19.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.19.8	Gauge	0

Name	OID	Value Type	Value Example
ibIfQueOutUcastThreshold.20.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.20.1	Gauge	0
ibIfQueOutUcastThreshold.20.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.20.2	Gauge	0
ibIfQueOutUcastThreshold.20.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.20.3	Gauge	0
ibIfQueOutUcastThreshold.20.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.20.4	Gauge	0
ibIfQueOutUcastThreshold.20.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.20.5	Gauge	0
ibIfQueOutUcastThreshold.20.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.20.6	Gauge	0
ibIfQueOutUcastThreshold.20.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.20.7	Gauge	0
ibIfQueOutUcastThreshold.20.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.20.8	Gauge	0
ibIfQueOutUcastThreshold.21.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.21.1	Gauge	0
ibIfQueOutUcastThreshold.21.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.21.2	Gauge	0
ibIfQueOutUcastThreshold.21.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.21.3	Gauge	0
ibIfQueOutUcastThreshold.21.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.21.4	Gauge	0
ibIfQueOutUcastThreshold.21.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.21.5	Gauge	0
ibIfQueOutUcastThreshold.21.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.21.6	Gauge	0
ibIfQueOutUcastThreshold.21.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.21.7	Gauge	0
ibIfQueOutUcastThreshold.21.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.21.8	Gauge	0
ibIfQueOutUcastThreshold.22.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.22.1	Gauge	0
ibIfQueOutUcastThreshold.22.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.22.2	Gauge	0
ibIfQueOutUcastThreshold.22.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.22.3	Gauge	0
ibIfQueOutUcastThreshold.22.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.22.4	Gauge	0
ibIfQueOutUcastThreshold.22.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.22.5	Gauge	0
ibIfQueOutUcastThreshold.22.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.22.6	Gauge	0
ibIfQueOutUcastThreshold.22.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.22.7	Gauge	0
ibIfQueOutUcastThreshold.22.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.22.8	Gauge	0
ibIfQueOutUcastThreshold.23.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.23.1	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastThreshold.23.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.23.2	Gauge	0
ibLfQueOutUcastThreshold.23.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.23.3	Gauge	0
ibLfQueOutUcastThreshold.23.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.23.4	Gauge	0
ibLfQueOutUcastThreshold.23.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.23.5	Gauge	0
ibLfQueOutUcastThreshold.23.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.23.6	Gauge	0
ibLfQueOutUcastThreshold.23.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.23.7	Gauge	0
ibLfQueOutUcastThreshold.23.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.23.8	Gauge	0
ibLfQueOutUcastThreshold.24.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.24.1	Gauge	0
ibLfQueOutUcastThreshold.24.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.24.2	Gauge	0
ibLfQueOutUcastThreshold.24.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.24.3	Gauge	0
ibLfQueOutUcastThreshold.24.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.24.4	Gauge	0
ibLfQueOutUcastThreshold.24.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.24.5	Gauge	0
ibLfQueOutUcastThreshold.24.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.24.6	Gauge	0
ibLfQueOutUcastThreshold.24.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.24.7	Gauge	0
ibLfQueOutUcastThreshold.24.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.24.8	Gauge	0
ibLfQueOutUcastThreshold.25.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.25.1	Gauge	0
ibLfQueOutUcastThreshold.25.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.25.2	Gauge	0
ibLfQueOutUcastThreshold.25.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.25.3	Gauge	0
ibLfQueOutUcastThreshold.25.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.25.4	Gauge	0
ibLfQueOutUcastThreshold.25.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.25.5	Gauge	0
ibLfQueOutUcastThreshold.25.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.25.6	Gauge	0
ibLfQueOutUcastThreshold.25.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.25.7	Gauge	0
ibLfQueOutUcastThreshold.25.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.25.8	Gauge	0
ibLfQueOutUcastThreshold.26.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.26.1	Gauge	0
ibLfQueOutUcastThreshold.26.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.26.2	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastThreshold.26.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.26.3	Gauge	0
ibLfQueOutUcastThreshold.26.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.26.4	Gauge	0
ibLfQueOutUcastThreshold.26.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.26.5	Gauge	0
ibLfQueOutUcastThreshold.26.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.26.6	Gauge	0
ibLfQueOutUcastThreshold.26.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.26.7	Gauge	0
ibLfQueOutUcastThreshold.26.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.26.8	Gauge	0
ibLfQueOutUcastThreshold.27.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.27.1	Gauge	0
ibLfQueOutUcastThreshold.27.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.27.2	Gauge	0
ibLfQueOutUcastThreshold.27.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.27.3	Gauge	0
ibLfQueOutUcastThreshold.27.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.27.4	Gauge	0
ibLfQueOutUcastThreshold.27.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.27.5	Gauge	0
ibLfQueOutUcastThreshold.27.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.27.6	Gauge	0
ibLfQueOutUcastThreshold.27.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.27.7	Gauge	0
ibLfQueOutUcastThreshold.27.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.27.8	Gauge	0
ibLfQueOutUcastThreshold.28.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.28.1	Gauge	0
ibLfQueOutUcastThreshold.28.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.28.2	Gauge	0
ibLfQueOutUcastThreshold.28.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.28.3	Gauge	0
ibLfQueOutUcastThreshold.28.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.28.4	Gauge	0
ibLfQueOutUcastThreshold.28.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.28.5	Gauge	0
ibLfQueOutUcastThreshold.28.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.28.6	Gauge	0
ibLfQueOutUcastThreshold.28.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.28.7	Gauge	0
ibLfQueOutUcastThreshold.28.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.6.28.8	Gauge	0
ibLfQueOutUcastOverThres.1.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.1.1	Gauge	0
ibLfQueOutUcastOverThres.1.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.1.2	Gauge	0
ibLfQueOutUcastOverThres.1.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.1.3	Gauge	0

Name	OID	Value Type	Value Example
iblfQueOutUcastOverThres.1.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.1.4	Gauge	0
iblfQueOutUcastOverThres.1.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.1.5	Gauge	0
iblfQueOutUcastOverThres.1.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.1.6	Gauge	0
iblfQueOutUcastOverThres.1.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.1.7	Gauge	0
iblfQueOutUcastOverThres.1.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.1.8	Gauge	0
iblfQueOutUcastOverThres.2.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.2.1	Gauge	0
iblfQueOutUcastOverThres.2.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.2.2	Gauge	0
iblfQueOutUcastOverThres.2.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.2.3	Gauge	0
iblfQueOutUcastOverThres.2.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.2.4	Gauge	0
iblfQueOutUcastOverThres.2.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.2.5	Gauge	0
iblfQueOutUcastOverThres.2.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.2.6	Gauge	0
iblfQueOutUcastOverThres.2.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.2.7	Gauge	0
iblfQueOutUcastOverThres.2.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.2.8	Gauge	0
iblfQueOutUcastOverThres.3.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.3.1	Gauge	0
iblfQueOutUcastOverThres.3.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.3.2	Gauge	0
iblfQueOutUcastOverThres.3.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.3.3	Gauge	0
iblfQueOutUcastOverThres.3.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.3.4	Gauge	0
iblfQueOutUcastOverThres.3.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.3.5	Gauge	0
iblfQueOutUcastOverThres.3.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.3.6	Gauge	0
iblfQueOutUcastOverThres.3.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.3.7	Gauge	0
iblfQueOutUcastOverThres.3.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.3.8	Gauge	0
iblfQueOutUcastOverThres.4.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.4.1	Gauge	0
iblfQueOutUcastOverThres.4.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.4.2	Gauge	0
iblfQueOutUcastOverThres.4.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.4.3	Gauge	0
iblfQueOutUcastOverThres.4.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.4.4	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastOverThres.4.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.4.5	Gauge	0
ibLfQueOutUcastOverThres.4.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.4.6	Gauge	0
ibLfQueOutUcastOverThres.4.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.4.7	Gauge	0
ibLfQueOutUcastOverThres.4.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.4.8	Gauge	0
ibLfQueOutUcastOverThres.5.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.5.1	Gauge	0
ibLfQueOutUcastOverThres.5.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.5.2	Gauge	0
ibLfQueOutUcastOverThres.5.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.5.3	Gauge	0
ibLfQueOutUcastOverThres.5.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.5.4	Gauge	0
ibLfQueOutUcastOverThres.5.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.5.5	Gauge	0
ibLfQueOutUcastOverThres.5.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.5.6	Gauge	0
ibLfQueOutUcastOverThres.5.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.5.7	Gauge	0
ibLfQueOutUcastOverThres.5.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.5.8	Gauge	0
ibLfQueOutUcastOverThres.6.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.6.1	Gauge	0
ibLfQueOutUcastOverThres.6.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.6.2	Gauge	0
ibLfQueOutUcastOverThres.6.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.6.3	Gauge	0
ibLfQueOutUcastOverThres.6.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.6.4	Gauge	0
ibLfQueOutUcastOverThres.6.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.6.5	Gauge	0
ibLfQueOutUcastOverThres.6.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.6.6	Gauge	0
ibLfQueOutUcastOverThres.6.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.6.7	Gauge	0
ibLfQueOutUcastOverThres.6.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.6.8	Gauge	0
ibLfQueOutUcastOverThres.7.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.7.1	Gauge	0
ibLfQueOutUcastOverThres.7.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.7.2	Gauge	0
ibLfQueOutUcastOverThres.7.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.7.3	Gauge	0
ibLfQueOutUcastOverThres.7.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.7.4	Gauge	0
ibLfQueOutUcastOverThres.7.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.7.5	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastOverThres.7.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.7.6	Gauge	0
ibLfQueOutUcastOverThres.7.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.7.7	Gauge	0
ibLfQueOutUcastOverThres.7.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.7.8	Gauge	0
ibLfQueOutUcastOverThres.8.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.8.1	Gauge	0
ibLfQueOutUcastOverThres.8.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.8.2	Gauge	0
ibLfQueOutUcastOverThres.8.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.8.3	Gauge	0
ibLfQueOutUcastOverThres.8.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.8.4	Gauge	0
ibLfQueOutUcastOverThres.8.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.8.5	Gauge	0
ibLfQueOutUcastOverThres.8.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.8.6	Gauge	0
ibLfQueOutUcastOverThres.8.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.8.7	Gauge	0
ibLfQueOutUcastOverThres.8.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.8.8	Gauge	0
ibLfQueOutUcastOverThres.9.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.9.1	Gauge	0
ibLfQueOutUcastOverThres.9.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.9.2	Gauge	0
ibLfQueOutUcastOverThres.9.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.9.3	Gauge	0
ibLfQueOutUcastOverThres.9.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.9.4	Gauge	0
ibLfQueOutUcastOverThres.9.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.9.5	Gauge	0
ibLfQueOutUcastOverThres.9.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.9.6	Gauge	0
ibLfQueOutUcastOverThres.9.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.9.7	Gauge	0
ibLfQueOutUcastOverThres.9.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.9.8	Gauge	0
ibLfQueOutUcastOverThres.10.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.10.1	Gauge	0
ibLfQueOutUcastOverThres.10.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.10.2	Gauge	0
ibLfQueOutUcastOverThres.10.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.10.3	Gauge	0
ibLfQueOutUcastOverThres.10.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.10.4	Gauge	0
ibLfQueOutUcastOverThres.10.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.10.5	Gauge	0
ibLfQueOutUcastOverThres.10.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.10.6	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastOverTh-res.10.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.10.7	Gauge	0
ibLfQueOutUcastOverTh-res.10.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.10.8	Gauge	0
ibLfQueOutUcastOverTh-res.11.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.11.1	Gauge	0
ibLfQueOutUcastOverTh-res.11.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.11.2	Gauge	0
ibLfQueOutUcastOverTh-res.11.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.11.3	Gauge	0
ibLfQueOutUcastOverTh-res.11.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.11.4	Gauge	0
ibLfQueOutUcastOverTh-res.11.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.11.5	Gauge	0
ibLfQueOutUcastOverTh-res.11.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.11.6	Gauge	0
ibLfQueOutUcastOverTh-res.11.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.11.7	Gauge	0
ibLfQueOutUcastOverTh-res.11.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.11.8	Gauge	0
ibLfQueOutUcastOverTh-res.12.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.12.1	Gauge	0
ibLfQueOutUcastOverTh-res.12.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.12.2	Gauge	0
ibLfQueOutUcastOverTh-res.12.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.12.3	Gauge	0
ibLfQueOutUcastOverTh-res.12.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.12.4	Gauge	0
ibLfQueOutUcastOverTh-res.12.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.12.5	Gauge	0
ibLfQueOutUcastOverTh-res.12.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.12.6	Gauge	0
ibLfQueOutUcastOverTh-res.12.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.12.7	Gauge	0
ibLfQueOutUcastOverTh-res.12.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.12.8	Gauge	0
ibLfQueOutUcastOverTh-res.13.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.13.1	Gauge	0
ibLfQueOutUcastOverTh-res.13.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.13.2	Gauge	0
ibLfQueOutUcastOverTh-res.13.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.13.3	Gauge	0
ibLfQueOutUcastOverTh-res.13.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.13.4	Gauge	0
ibLfQueOutUcastOverTh-res.13.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.13.5	Gauge	0
ibLfQueOutUcastOverTh-res.13.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.13.6	Gauge	0
ibLfQueOutUcastOverTh-res.13.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.13.7	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastOverTh-res.13.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.13.8	Gauge	0
ibLfQueOutUcastOverTh-res.14.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.14.1	Gauge	0
ibLfQueOutUcastOverTh-res.14.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.14.2	Gauge	0
ibLfQueOutUcastOverTh-res.14.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.14.3	Gauge	0
ibLfQueOutUcastOverTh-res.14.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.14.4	Gauge	0
ibLfQueOutUcastOverTh-res.14.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.14.5	Gauge	0
ibLfQueOutUcastOverTh-res.14.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.14.6	Gauge	0
ibLfQueOutUcastOverTh-res.14.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.14.7	Gauge	0
ibLfQueOutUcastOverTh-res.14.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.14.8	Gauge	0
ibLfQueOutUcastOverTh-res.15.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.15.1	Gauge	0
ibLfQueOutUcastOverTh-res.15.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.15.2	Gauge	0
ibLfQueOutUcastOverTh-res.15.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.15.3	Gauge	0
ibLfQueOutUcastOverTh-res.15.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.15.4	Gauge	0
ibLfQueOutUcastOverTh-res.15.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.15.5	Gauge	0
ibLfQueOutUcastOverTh-res.15.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.15.6	Gauge	0
ibLfQueOutUcastOverTh-res.15.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.15.7	Gauge	0
ibLfQueOutUcastOverTh-res.15.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.15.8	Gauge	0
ibLfQueOutUcastOverTh-res.16.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.16.1	Gauge	0
ibLfQueOutUcastOverTh-res.16.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.16.2	Gauge	0
ibLfQueOutUcastOverTh-res.16.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.16.3	Gauge	0
ibLfQueOutUcastOverTh-res.16.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.16.4	Gauge	0
ibLfQueOutUcastOverTh-res.16.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.16.5	Gauge	0
ibLfQueOutUcastOverTh-res.16.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.16.6	Gauge	0
ibLfQueOutUcastOverTh-res.16.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.16.7	Gauge	0
ibLfQueOutUcastOverTh-res.16.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.16.8	Gauge	0

Name	OID	Value Type	Value Example
iblfQueOutUcastOverTh-res.17.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.17.1	Gauge	0
iblfQueOutUcastOverTh-res.17.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.17.2	Gauge	0
iblfQueOutUcastOverTh-res.17.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.17.3	Gauge	0
iblfQueOutUcastOverTh-res.17.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.17.4	Gauge	0
iblfQueOutUcastOverTh-res.17.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.17.5	Gauge	0
iblfQueOutUcastOverTh-res.17.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.17.6	Gauge	0
iblfQueOutUcastOverTh-res.17.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.17.7	Gauge	0
iblfQueOutUcastOverTh-res.17.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.17.8	Gauge	0
iblfQueOutUcastOverTh-res.18.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.18.1	Gauge	0
iblfQueOutUcastOverTh-res.18.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.18.2	Gauge	0
iblfQueOutUcastOverTh-res.18.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.18.3	Gauge	0
iblfQueOutUcastOverTh-res.18.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.18.4	Gauge	0
iblfQueOutUcastOverTh-res.18.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.18.5	Gauge	0
iblfQueOutUcastOverTh-res.18.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.18.6	Gauge	0
iblfQueOutUcastOverTh-res.18.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.18.7	Gauge	0
iblfQueOutUcastOverTh-res.18.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.18.8	Gauge	0
iblfQueOutUcastOverTh-res.19.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.19.1	Gauge	0
iblfQueOutUcastOverTh-res.19.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.19.2	Gauge	0
iblfQueOutUcastOverTh-res.19.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.19.3	Gauge	0
iblfQueOutUcastOverTh-res.19.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.19.4	Gauge	0
iblfQueOutUcastOverTh-res.19.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.19.5	Gauge	0
iblfQueOutUcastOverTh-res.19.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.19.6	Gauge	0
iblfQueOutUcastOverTh-res.19.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.19.7	Gauge	0
iblfQueOutUcastOverTh-res.19.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.19.8	Gauge	0
iblfQueOutUcastOverTh-res.20.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.20.1	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastOverTh-res.20.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.20.2	Gauge	0
ibLfQueOutUcastOverTh-res.20.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.20.3	Gauge	0
ibLfQueOutUcastOverTh-res.20.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.20.4	Gauge	0
ibLfQueOutUcastOverTh-res.20.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.20.5	Gauge	0
ibLfQueOutUcastOverTh-res.20.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.20.6	Gauge	0
ibLfQueOutUcastOverTh-res.20.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.20.7	Gauge	0
ibLfQueOutUcastOverTh-res.20.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.20.8	Gauge	0
ibLfQueOutUcastOverTh-res.21.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.21.1	Gauge	0
ibLfQueOutUcastOverTh-res.21.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.21.2	Gauge	0
ibLfQueOutUcastOverTh-res.21.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.21.3	Gauge	0
ibLfQueOutUcastOverTh-res.21.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.21.4	Gauge	0
ibLfQueOutUcastOverTh-res.21.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.21.5	Gauge	0
ibLfQueOutUcastOverTh-res.21.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.21.6	Gauge	0
ibLfQueOutUcastOverTh-res.21.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.21.7	Gauge	0
ibLfQueOutUcastOverTh-res.21.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.21.8	Gauge	0
ibLfQueOutUcastOverTh-res.22.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.22.1	Gauge	0
ibLfQueOutUcastOverTh-res.22.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.22.2	Gauge	0
ibLfQueOutUcastOverTh-res.22.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.22.3	Gauge	0
ibLfQueOutUcastOverTh-res.22.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.22.4	Gauge	0
ibLfQueOutUcastOverTh-res.22.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.22.5	Gauge	0
ibLfQueOutUcastOverTh-res.22.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.22.6	Gauge	0
ibLfQueOutUcastOverTh-res.22.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.22.7	Gauge	0
ibLfQueOutUcastOverTh-res.22.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.22.8	Gauge	0
ibLfQueOutUcastOverTh-res.23.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.23.1	Gauge	0
ibLfQueOutUcastOverTh-res.23.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.23.2	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastOverTh-res.23.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.23.3	Gauge	0
ibLfQueOutUcastOverTh-res.23.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.23.4	Gauge	0
ibLfQueOutUcastOverTh-res.23.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.23.5	Gauge	0
ibLfQueOutUcastOverTh-res.23.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.23.6	Gauge	0
ibLfQueOutUcastOverTh-res.23.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.23.7	Gauge	0
ibLfQueOutUcastOverTh-res.23.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.23.8	Gauge	0
ibLfQueOutUcastOverTh-res.24.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.24.1	Gauge	0
ibLfQueOutUcastOverTh-res.24.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.24.2	Gauge	0
ibLfQueOutUcastOverTh-res.24.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.24.3	Gauge	0
ibLfQueOutUcastOverTh-res.24.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.24.4	Gauge	0
ibLfQueOutUcastOverTh-res.24.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.24.5	Gauge	0
ibLfQueOutUcastOverTh-res.24.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.24.6	Gauge	0
ibLfQueOutUcastOverTh-res.24.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.24.7	Gauge	0
ibLfQueOutUcastOverTh-res.24.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.24.8	Gauge	0
ibLfQueOutUcastOverTh-res.25.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.25.1	Gauge	0
ibLfQueOutUcastOverTh-res.25.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.25.2	Gauge	0
ibLfQueOutUcastOverTh-res.25.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.25.3	Gauge	0
ibLfQueOutUcastOverTh-res.25.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.25.4	Gauge	0
ibLfQueOutUcastOverTh-res.25.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.25.5	Gauge	0
ibLfQueOutUcastOverTh-res.25.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.25.6	Gauge	0
ibLfQueOutUcastOverTh-res.25.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.25.7	Gauge	0
ibLfQueOutUcastOverTh-res.25.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.25.8	Gauge	0
ibLfQueOutUcastOverTh-res.26.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.26.1	Gauge	0
ibLfQueOutUcastOverTh-res.26.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.26.2	Gauge	0
ibLfQueOutUcastOverTh-res.26.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.26.3	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueOutUcastOverTh-res.26.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.26.4	Gauge	0
ibLfQueOutUcastOverTh-res.26.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.26.5	Gauge	0
ibLfQueOutUcastOverTh-res.26.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.26.6	Gauge	0
ibLfQueOutUcastOverTh-res.26.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.26.7	Gauge	0
ibLfQueOutUcastOverTh-res.26.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.26.8	Gauge	0
ibLfQueOutUcastOverTh-res.27.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.27.1	Gauge	0
ibLfQueOutUcastOverTh-res.27.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.27.2	Gauge	0
ibLfQueOutUcastOverTh-res.27.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.27.3	Gauge	0
ibLfQueOutUcastOverTh-res.27.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.27.4	Gauge	0
ibLfQueOutUcastOverTh-res.27.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.27.5	Gauge	0
ibLfQueOutUcastOverTh-res.27.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.27.6	Gauge	0
ibLfQueOutUcastOverTh-res.27.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.27.7	Gauge	0
ibLfQueOutUcastOverTh-res.27.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.27.8	Gauge	0
ibLfQueOutUcastOverTh-res.28.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.28.1	Gauge	0
ibLfQueOutUcastOverTh-res.28.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.28.2	Gauge	0
ibLfQueOutUcastOverTh-res.28.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.28.3	Gauge	0
ibLfQueOutUcastOverTh-res.28.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.28.4	Gauge	0
ibLfQueOutUcastOverTh-res.28.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.28.5	Gauge	0
ibLfQueOutUcastOverTh-res.28.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.28.6	Gauge	0
ibLfQueOutUcastOverTh-res.28.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.28.7	Gauge	0
ibLfQueOutUcastOverTh-res.28.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.7.28.8	Gauge	0
ibLfQueInTotal.1.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.1.1	Gauge	0
ibLfQueInTotal.1.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.1.2	Gauge	0
ibLfQueInTotal.1.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.1.3	Gauge	0
ibLfQueInTotal.1.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.1.4	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnTotal.1.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.1.5	Gauge	0
ibLfQuelnTotal.1.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.1.6	Gauge	0
ibLfQuelnTotal.1.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.1.7	Gauge	0
ibLfQuelnTotal.1.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.1.8	Gauge	0
ibLfQuelnTotal.2.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.2.1	Gauge	0
ibLfQuelnTotal.2.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.2.2	Gauge	0
ibLfQuelnTotal.2.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.2.3	Gauge	0
ibLfQuelnTotal.2.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.2.4	Gauge	0
ibLfQuelnTotal.2.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.2.5	Gauge	0
ibLfQuelnTotal.2.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.2.6	Gauge	0
ibLfQuelnTotal.2.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.2.7	Gauge	0
ibLfQuelnTotal.2.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.2.8	Gauge	0
ibLfQuelnTotal.3.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.3.1	Gauge	0
ibLfQuelnTotal.3.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.3.2	Gauge	0
ibLfQuelnTotal.3.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.3.3	Gauge	0
ibLfQuelnTotal.3.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.3.4	Gauge	0
ibLfQuelnTotal.3.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.3.5	Gauge	0
ibLfQuelnTotal.3.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.3.6	Gauge	0
ibLfQuelnTotal.3.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.3.7	Gauge	0
ibLfQuelnTotal.3.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.3.8	Gauge	0
ibLfQuelnTotal.4.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.4.1	Gauge	0
ibLfQuelnTotal.4.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.4.2	Gauge	0
ibLfQuelnTotal.4.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.4.3	Gauge	0
ibLfQuelnTotal.4.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.4.4	Gauge	0
ibLfQuelnTotal.4.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.4.5	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnTotal.4.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.4.6	Gauge	0
ibLfQuelnTotal.4.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.4.7	Gauge	0
ibLfQuelnTotal.4.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.4.8	Gauge	0
ibLfQuelnTotal.5.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.5.1	Gauge	0
ibLfQuelnTotal.5.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.5.2	Gauge	0
ibLfQuelnTotal.5.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.5.3	Gauge	0
ibLfQuelnTotal.5.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.5.4	Gauge	0
ibLfQuelnTotal.5.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.5.5	Gauge	0
ibLfQuelnTotal.5.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.5.6	Gauge	0
ibLfQuelnTotal.5.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.5.7	Gauge	0
ibLfQuelnTotal.5.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.5.8	Gauge	0
ibLfQuelnTotal.6.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.6.1	Gauge	0
ibLfQuelnTotal.6.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.6.2	Gauge	0
ibLfQuelnTotal.6.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.6.3	Gauge	0
ibLfQuelnTotal.6.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.6.4	Gauge	0
ibLfQuelnTotal.6.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.6.5	Gauge	0
ibLfQuelnTotal.6.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.6.6	Gauge	0
ibLfQuelnTotal.6.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.6.7	Gauge	0
ibLfQuelnTotal.6.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.6.8	Gauge	0
ibLfQuelnTotal.7.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.7.1	Gauge	0
ibLfQuelnTotal.7.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.7.2	Gauge	0
ibLfQuelnTotal.7.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.7.3	Gauge	0
ibLfQuelnTotal.7.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.7.4	Gauge	0
ibLfQuelnTotal.7.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.7.5	Gauge	0
ibLfQuelnTotal.7.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.7.6	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnTotal.7.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.7.7	Gauge	0
ibLfQuelnTotal.7.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.7.8	Gauge	0
ibLfQuelnTotal.8.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.8.1	Gauge	0
ibLfQuelnTotal.8.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.8.2	Gauge	0
ibLfQuelnTotal.8.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.8.3	Gauge	0
ibLfQuelnTotal.8.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.8.4	Gauge	0
ibLfQuelnTotal.8.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.8.5	Gauge	0
ibLfQuelnTotal.8.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.8.6	Gauge	0
ibLfQuelnTotal.8.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.8.7	Gauge	0
ibLfQuelnTotal.8.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.8.8	Gauge	0
ibLfQuelnTotal.9.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.9.1	Gauge	0
ibLfQuelnTotal.9.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.9.2	Gauge	0
ibLfQuelnTotal.9.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.9.3	Gauge	0
ibLfQuelnTotal.9.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.9.4	Gauge	0
ibLfQuelnTotal.9.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.9.5	Gauge	0
ibLfQuelnTotal.9.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.9.6	Gauge	0
ibLfQuelnTotal.9.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.9.7	Gauge	0
ibLfQuelnTotal.9.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.9.8	Gauge	0
ibLfQuelnTotal.10.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.10.1	Gauge	0
ibLfQuelnTotal.10.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.10.2	Gauge	0
ibLfQuelnTotal.10.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.10.3	Gauge	0
ibLfQuelnTotal.10.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.10.4	Gauge	0
ibLfQuelnTotal.10.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.10.5	Gauge	0
ibLfQuelnTotal.10.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.10.6	Gauge	0
ibLfQuelnTotal.10.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.10.7	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnTotal.10.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.10.8	Gauge	0
ibLfQuelnTotal.11.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.11.1	Gauge	0
ibLfQuelnTotal.11.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.11.2	Gauge	0
ibLfQuelnTotal.11.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.11.3	Gauge	0
ibLfQuelnTotal.11.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.11.4	Gauge	0
ibLfQuelnTotal.11.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.11.5	Gauge	0
ibLfQuelnTotal.11.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.11.6	Gauge	0
ibLfQuelnTotal.11.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.11.7	Gauge	0
ibLfQuelnTotal.11.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.11.8	Gauge	0
ibLfQuelnTotal.12.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.12.1	Gauge	0
ibLfQuelnTotal.12.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.12.2	Gauge	0
ibLfQuelnTotal.12.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.12.3	Gauge	0
ibLfQuelnTotal.12.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.12.4	Gauge	0
ibLfQuelnTotal.12.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.12.5	Gauge	0
ibLfQuelnTotal.12.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.12.6	Gauge	0
ibLfQuelnTotal.12.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.12.7	Gauge	0
ibLfQuelnTotal.12.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.12.8	Gauge	0
ibLfQuelnTotal.13.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.13.1	Gauge	0
ibLfQuelnTotal.13.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.13.2	Gauge	0
ibLfQuelnTotal.13.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.13.3	Gauge	0
ibLfQuelnTotal.13.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.13.4	Gauge	0
ibLfQuelnTotal.13.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.13.5	Gauge	0
ibLfQuelnTotal.13.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.13.6	Gauge	0
ibLfQuelnTotal.13.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.13.7	Gauge	0
ibLfQuelnTotal.13.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.13.8	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnTotal.14.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.14.1	Gauge	0
ibLfQuelnTotal.14.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.14.2	Gauge	0
ibLfQuelnTotal.14.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.14.3	Gauge	0
ibLfQuelnTotal.14.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.14.4	Gauge	0
ibLfQuelnTotal.14.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.14.5	Gauge	0
ibLfQuelnTotal.14.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.14.6	Gauge	0
ibLfQuelnTotal.14.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.14.7	Gauge	0
ibLfQuelnTotal.14.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.14.8	Gauge	0
ibLfQuelnTotal.15.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.15.1	Gauge	0
ibLfQuelnTotal.15.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.15.2	Gauge	0
ibLfQuelnTotal.15.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.15.3	Gauge	0
ibLfQuelnTotal.15.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.15.4	Gauge	0
ibLfQuelnTotal.15.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.15.5	Gauge	0
ibLfQuelnTotal.15.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.15.6	Gauge	0
ibLfQuelnTotal.15.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.15.7	Gauge	0
ibLfQuelnTotal.15.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.15.8	Gauge	0
ibLfQuelnTotal.16.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.16.1	Gauge	0
ibLfQuelnTotal.16.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.16.2	Gauge	0
ibLfQuelnTotal.16.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.16.3	Gauge	0
ibLfQuelnTotal.16.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.16.4	Gauge	0
ibLfQuelnTotal.16.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.16.5	Gauge	0
ibLfQuelnTotal.16.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.16.6	Gauge	0
ibLfQuelnTotal.16.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.16.7	Gauge	0
ibLfQuelnTotal.16.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.16.8	Gauge	0
ibLfQuelnTotal.17.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.17.1	Gauge	0

Name	OID	Value Type	Value Example
iblfQuelnTotal.17.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.17.2	Gauge	0
iblfQuelnTotal.17.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.17.3	Gauge	0
iblfQuelnTotal.17.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.17.4	Gauge	0
iblfQuelnTotal.17.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.17.5	Gauge	0
iblfQuelnTotal.17.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.17.6	Gauge	0
iblfQuelnTotal.17.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.17.7	Gauge	0
iblfQuelnTotal.17.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.17.8	Gauge	0
iblfQuelnTotal.18.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.18.1	Gauge	0
iblfQuelnTotal.18.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.18.2	Gauge	0
iblfQuelnTotal.18.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.18.3	Gauge	0
iblfQuelnTotal.18.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.18.4	Gauge	0
iblfQuelnTotal.18.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.18.5	Gauge	0
iblfQuelnTotal.18.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.18.6	Gauge	0
iblfQuelnTotal.18.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.18.7	Gauge	0
iblfQuelnTotal.18.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.18.8	Gauge	0
iblfQuelnTotal.19.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.19.1	Gauge	0
iblfQuelnTotal.19.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.19.2	Gauge	0
iblfQuelnTotal.19.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.19.3	Gauge	0
iblfQuelnTotal.19.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.19.4	Gauge	0
iblfQuelnTotal.19.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.19.5	Gauge	0
iblfQuelnTotal.19.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.19.6	Gauge	0
iblfQuelnTotal.19.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.19.7	Gauge	0
iblfQuelnTotal.19.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.19.8	Gauge	0
iblfQuelnTotal.20.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.20.1	Gauge	0
iblfQuelnTotal.20.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.20.2	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnTotal.20.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.20.3	Gauge	0
ibLfQuelnTotal.20.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.20.4	Gauge	0
ibLfQuelnTotal.20.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.20.5	Gauge	0
ibLfQuelnTotal.20.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.20.6	Gauge	0
ibLfQuelnTotal.20.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.20.7	Gauge	0
ibLfQuelnTotal.20.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.20.8	Gauge	0
ibLfQuelnTotal.21.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.21.1	Gauge	0
ibLfQuelnTotal.21.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.21.2	Gauge	0
ibLfQuelnTotal.21.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.21.3	Gauge	0
ibLfQuelnTotal.21.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.21.4	Gauge	0
ibLfQuelnTotal.21.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.21.5	Gauge	0
ibLfQuelnTotal.21.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.21.6	Gauge	0
ibLfQuelnTotal.21.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.21.7	Gauge	0
ibLfQuelnTotal.21.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.21.8	Gauge	0
ibLfQuelnTotal.22.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.22.1	Gauge	0
ibLfQuelnTotal.22.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.22.2	Gauge	0
ibLfQuelnTotal.22.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.22.3	Gauge	0
ibLfQuelnTotal.22.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.22.4	Gauge	0
ibLfQuelnTotal.22.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.22.5	Gauge	0
ibLfQuelnTotal.22.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.22.6	Gauge	0
ibLfQuelnTotal.22.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.22.7	Gauge	0
ibLfQuelnTotal.22.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.22.8	Gauge	0
ibLfQuelnTotal.23.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.23.1	Gauge	0
ibLfQuelnTotal.23.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.23.2	Gauge	0
ibLfQuelnTotal.23.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.23.3	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnTotal.23.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.23.4	Gauge	0
ibLfQuelnTotal.23.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.23.5	Gauge	0
ibLfQuelnTotal.23.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.23.6	Gauge	0
ibLfQuelnTotal.23.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.23.7	Gauge	0
ibLfQuelnTotal.23.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.23.8	Gauge	0
ibLfQuelnTotal.24.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.24.1	Gauge	0
ibLfQuelnTotal.24.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.24.2	Gauge	0
ibLfQuelnTotal.24.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.24.3	Gauge	0
ibLfQuelnTotal.24.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.24.4	Gauge	0
ibLfQuelnTotal.24.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.24.5	Gauge	0
ibLfQuelnTotal.24.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.24.6	Gauge	0
ibLfQuelnTotal.24.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.24.7	Gauge	0
ibLfQuelnTotal.24.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.24.8	Gauge	0
ibLfQuelnTotal.25.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.25.1	Gauge	0
ibLfQuelnTotal.25.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.25.2	Gauge	0
ibLfQuelnTotal.25.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.25.3	Gauge	0
ibLfQuelnTotal.25.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.25.4	Gauge	0
ibLfQuelnTotal.25.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.25.5	Gauge	0
ibLfQuelnTotal.25.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.25.6	Gauge	0
ibLfQuelnTotal.25.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.25.7	Gauge	0
ibLfQuelnTotal.25.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.25.8	Gauge	0
ibLfQuelnTotal.26.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.26.1	Gauge	0
ibLfQuelnTotal.26.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.26.2	Gauge	0
ibLfQuelnTotal.26.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.26.3	Gauge	0
ibLfQuelnTotal.26.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.26.4	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnTotal.26.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.26.5	Gauge	0
ibLfQuelnTotal.26.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.26.6	Gauge	0
ibLfQuelnTotal.26.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.26.7	Gauge	0
ibLfQuelnTotal.26.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.26.8	Gauge	0
ibLfQuelnTotal.27.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.27.1	Gauge	0
ibLfQuelnTotal.27.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.27.2	Gauge	0
ibLfQuelnTotal.27.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.27.3	Gauge	0
ibLfQuelnTotal.27.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.27.4	Gauge	0
ibLfQuelnTotal.27.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.27.5	Gauge	0
ibLfQuelnTotal.27.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.27.6	Gauge	0
ibLfQuelnTotal.27.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.27.7	Gauge	0
ibLfQuelnTotal.27.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.27.8	Gauge	0
ibLfQuelnTotal.28.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.28.1	Gauge	0
ibLfQuelnTotal.28.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.28.2	Gauge	0
ibLfQuelnTotal.28.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.28.3	Gauge	0
ibLfQuelnTotal.28.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.28.4	Gauge	0
ibLfQuelnTotal.28.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.28.5	Gauge	0
ibLfQuelnTotal.28.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.28.6	Gauge	0
ibLfQuelnTotal.28.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.28.7	Gauge	0
ibLfQuelnTotal.28.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.8.28.8	Gauge	0
ibLfQuelnFree.1.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.1.1	Gauge	0
ibLfQuelnFree.1.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.1.2	Gauge	0
ibLfQuelnFree.1.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.1.3	Gauge	0
ibLfQuelnFree.1.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.1.4	Gauge	0
ibLfQuelnFree.1.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.1.5	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnFree.1.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.1.6	Gauge	0
ibLfQuelnFree.1.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.1.7	Gauge	0
ibLfQuelnFree.1.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.1.8	Gauge	0
ibLfQuelnFree.2.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.2.1	Gauge	0
ibLfQuelnFree.2.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.2.2	Gauge	0
ibLfQuelnFree.2.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.2.3	Gauge	0
ibLfQuelnFree.2.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.2.4	Gauge	0
ibLfQuelnFree.2.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.2.5	Gauge	0
ibLfQuelnFree.2.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.2.6	Gauge	0
ibLfQuelnFree.2.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.2.7	Gauge	0
ibLfQuelnFree.2.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.2.8	Gauge	0
ibLfQuelnFree.3.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.3.1	Gauge	0
ibLfQuelnFree.3.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.3.2	Gauge	0
ibLfQuelnFree.3.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.3.3	Gauge	0
ibLfQuelnFree.3.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.3.4	Gauge	0
ibLfQuelnFree.3.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.3.5	Gauge	0
ibLfQuelnFree.3.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.3.6	Gauge	0
ibLfQuelnFree.3.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.3.7	Gauge	0
ibLfQuelnFree.3.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.3.8	Gauge	0
ibLfQuelnFree.4.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.4.1	Gauge	0
ibLfQuelnFree.4.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.4.2	Gauge	0
ibLfQuelnFree.4.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.4.3	Gauge	0
ibLfQuelnFree.4.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.4.4	Gauge	0
ibLfQuelnFree.4.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.4.5	Gauge	0
ibLfQuelnFree.4.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.4.6	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnFree.4.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.4.7	Gauge	0
ibLfQuelnFree.4.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.4.8	Gauge	0
ibLfQuelnFree.5.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.5.1	Gauge	0
ibLfQuelnFree.5.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.5.2	Gauge	0
ibLfQuelnFree.5.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.5.3	Gauge	0
ibLfQuelnFree.5.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.5.4	Gauge	0
ibLfQuelnFree.5.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.5.5	Gauge	0
ibLfQuelnFree.5.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.5.6	Gauge	0
ibLfQuelnFree.5.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.5.7	Gauge	0
ibLfQuelnFree.5.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.5.8	Gauge	0
ibLfQuelnFree.6.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.6.1	Gauge	0
ibLfQuelnFree.6.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.6.2	Gauge	0
ibLfQuelnFree.6.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.6.3	Gauge	0
ibLfQuelnFree.6.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.6.4	Gauge	0
ibLfQuelnFree.6.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.6.5	Gauge	0
ibLfQuelnFree.6.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.6.6	Gauge	0
ibLfQuelnFree.6.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.6.7	Gauge	0
ibLfQuelnFree.6.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.6.8	Gauge	0
ibLfQuelnFree.7.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.7.1	Gauge	0
ibLfQuelnFree.7.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.7.2	Gauge	0
ibLfQuelnFree.7.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.7.3	Gauge	0
ibLfQuelnFree.7.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.7.4	Gauge	0
ibLfQuelnFree.7.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.7.5	Gauge	0
ibLfQuelnFree.7.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.7.6	Gauge	0
ibLfQuelnFree.7.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.7.7	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnFree.7.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.7.8	Gauge	0
ibLfQuelnFree.8.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.8.1	Gauge	0
ibLfQuelnFree.8.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.8.2	Gauge	0
ibLfQuelnFree.8.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.8.3	Gauge	0
ibLfQuelnFree.8.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.8.4	Gauge	0
ibLfQuelnFree.8.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.8.5	Gauge	0
ibLfQuelnFree.8.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.8.6	Gauge	0
ibLfQuelnFree.8.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.8.7	Gauge	0
ibLfQuelnFree.8.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.8.8	Gauge	0
ibLfQuelnFree.9.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.9.1	Gauge	0
ibLfQuelnFree.9.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.9.2	Gauge	0
ibLfQuelnFree.9.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.9.3	Gauge	0
ibLfQuelnFree.9.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.9.4	Gauge	0
ibLfQuelnFree.9.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.9.5	Gauge	0
ibLfQuelnFree.9.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.9.6	Gauge	0
ibLfQuelnFree.9.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.9.7	Gauge	0
ibLfQuelnFree.9.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.9.8	Gauge	0
ibLfQuelnFree.10.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.10.1	Gauge	0
ibLfQuelnFree.10.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.10.2	Gauge	0
ibLfQuelnFree.10.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.10.3	Gauge	0
ibLfQuelnFree.10.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.10.4	Gauge	0
ibLfQuelnFree.10.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.10.5	Gauge	0
ibLfQuelnFree.10.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.10.6	Gauge	0
ibLfQuelnFree.10.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.10.7	Gauge	0
ibLfQuelnFree.10.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.10.8	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnFree.11.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.11.1	Gauge	0
ibLfQuelnFree.11.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.11.2	Gauge	0
ibLfQuelnFree.11.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.11.3	Gauge	0
ibLfQuelnFree.11.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.11.4	Gauge	0
ibLfQuelnFree.11.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.11.5	Gauge	0
ibLfQuelnFree.11.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.11.6	Gauge	0
ibLfQuelnFree.11.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.11.7	Gauge	0
ibLfQuelnFree.11.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.11.8	Gauge	0
ibLfQuelnFree.12.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.12.1	Gauge	0
ibLfQuelnFree.12.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.12.2	Gauge	0
ibLfQuelnFree.12.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.12.3	Gauge	0
ibLfQuelnFree.12.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.12.4	Gauge	0
ibLfQuelnFree.12.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.12.5	Gauge	0
ibLfQuelnFree.12.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.12.6	Gauge	0
ibLfQuelnFree.12.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.12.7	Gauge	0
ibLfQuelnFree.12.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.12.8	Gauge	0
ibLfQuelnFree.13.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.13.1	Gauge	0
ibLfQuelnFree.13.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.13.2	Gauge	0
ibLfQuelnFree.13.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.13.3	Gauge	0
ibLfQuelnFree.13.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.13.4	Gauge	0
ibLfQuelnFree.13.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.13.5	Gauge	0
ibLfQuelnFree.13.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.13.6	Gauge	0
ibLfQuelnFree.13.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.13.7	Gauge	0
ibLfQuelnFree.13.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.13.8	Gauge	0
ibLfQuelnFree.14.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.14.1	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnFree.14.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.14.2	Gauge	0
ibLfQuelnFree.14.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.14.3	Gauge	0
ibLfQuelnFree.14.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.14.4	Gauge	0
ibLfQuelnFree.14.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.14.5	Gauge	0
ibLfQuelnFree.14.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.14.6	Gauge	0
ibLfQuelnFree.14.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.14.7	Gauge	0
ibLfQuelnFree.14.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.14.8	Gauge	0
ibLfQuelnFree.15.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.15.1	Gauge	0
ibLfQuelnFree.15.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.15.2	Gauge	0
ibLfQuelnFree.15.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.15.3	Gauge	0
ibLfQuelnFree.15.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.15.4	Gauge	0
ibLfQuelnFree.15.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.15.5	Gauge	0
ibLfQuelnFree.15.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.15.6	Gauge	0
ibLfQuelnFree.15.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.15.7	Gauge	0
ibLfQuelnFree.15.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.15.8	Gauge	0
ibLfQuelnFree.16.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.16.1	Gauge	0
ibLfQuelnFree.16.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.16.2	Gauge	0
ibLfQuelnFree.16.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.16.3	Gauge	0
ibLfQuelnFree.16.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.16.4	Gauge	0
ibLfQuelnFree.16.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.16.5	Gauge	0
ibLfQuelnFree.16.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.16.6	Gauge	0
ibLfQuelnFree.16.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.16.7	Gauge	0
ibLfQuelnFree.16.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.16.8	Gauge	0
ibLfQuelnFree.17.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.17.1	Gauge	0
ibLfQuelnFree.17.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.17.2	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnFree.17.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.17.3	Gauge	0
ibLfQuelnFree.17.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.17.4	Gauge	0
ibLfQuelnFree.17.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.17.5	Gauge	0
ibLfQuelnFree.17.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.17.6	Gauge	0
ibLfQuelnFree.17.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.17.7	Gauge	0
ibLfQuelnFree.17.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.17.8	Gauge	0
ibLfQuelnFree.18.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.18.1	Gauge	0
ibLfQuelnFree.18.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.18.2	Gauge	0
ibLfQuelnFree.18.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.18.3	Gauge	0
ibLfQuelnFree.18.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.18.4	Gauge	0
ibLfQuelnFree.18.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.18.5	Gauge	0
ibLfQuelnFree.18.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.18.6	Gauge	0
ibLfQuelnFree.18.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.18.7	Gauge	0
ibLfQuelnFree.18.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.18.8	Gauge	0
ibLfQuelnFree.19.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.19.1	Gauge	0
ibLfQuelnFree.19.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.19.2	Gauge	0
ibLfQuelnFree.19.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.19.3	Gauge	0
ibLfQuelnFree.19.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.19.4	Gauge	0
ibLfQuelnFree.19.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.19.5	Gauge	0
ibLfQuelnFree.19.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.19.6	Gauge	0
ibLfQuelnFree.19.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.19.7	Gauge	0
ibLfQuelnFree.19.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.19.8	Gauge	0
ibLfQuelnFree.20.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.20.1	Gauge	0
ibLfQuelnFree.20.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.20.2	Gauge	0
ibLfQuelnFree.20.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.20.3	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnFree.20.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.20.4	Gauge	0
ibLfQuelnFree.20.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.20.5	Gauge	0
ibLfQuelnFree.20.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.20.6	Gauge	0
ibLfQuelnFree.20.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.20.7	Gauge	0
ibLfQuelnFree.20.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.20.8	Gauge	0
ibLfQuelnFree.21.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.21.1	Gauge	0
ibLfQuelnFree.21.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.21.2	Gauge	0
ibLfQuelnFree.21.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.21.3	Gauge	0
ibLfQuelnFree.21.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.21.4	Gauge	0
ibLfQuelnFree.21.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.21.5	Gauge	0
ibLfQuelnFree.21.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.21.6	Gauge	0
ibLfQuelnFree.21.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.21.7	Gauge	0
ibLfQuelnFree.21.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.21.8	Gauge	0
ibLfQuelnFree.22.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.22.1	Gauge	0
ibLfQuelnFree.22.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.22.2	Gauge	0
ibLfQuelnFree.22.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.22.3	Gauge	0
ibLfQuelnFree.22.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.22.4	Gauge	0
ibLfQuelnFree.22.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.22.5	Gauge	0
ibLfQuelnFree.22.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.22.6	Gauge	0
ibLfQuelnFree.22.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.22.7	Gauge	0
ibLfQuelnFree.22.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.22.8	Gauge	0
ibLfQuelnFree.23.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.23.1	Gauge	0
ibLfQuelnFree.23.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.23.2	Gauge	0
ibLfQuelnFree.23.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.23.3	Gauge	0
ibLfQuelnFree.23.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.23.4	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnFree.23.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.23.5	Gauge	0
ibLfQuelnFree.23.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.23.6	Gauge	0
ibLfQuelnFree.23.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.23.7	Gauge	0
ibLfQuelnFree.23.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.23.8	Gauge	0
ibLfQuelnFree.24.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.24.1	Gauge	0
ibLfQuelnFree.24.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.24.2	Gauge	0
ibLfQuelnFree.24.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.24.3	Gauge	0
ibLfQuelnFree.24.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.24.4	Gauge	0
ibLfQuelnFree.24.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.24.5	Gauge	0
ibLfQuelnFree.24.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.24.6	Gauge	0
ibLfQuelnFree.24.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.24.7	Gauge	0
ibLfQuelnFree.24.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.24.8	Gauge	0
ibLfQuelnFree.25.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.25.1	Gauge	0
ibLfQuelnFree.25.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.25.2	Gauge	0
ibLfQuelnFree.25.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.25.3	Gauge	0
ibLfQuelnFree.25.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.25.4	Gauge	0
ibLfQuelnFree.25.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.25.5	Gauge	0
ibLfQuelnFree.25.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.25.6	Gauge	0
ibLfQuelnFree.25.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.25.7	Gauge	0
ibLfQuelnFree.25.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.25.8	Gauge	0
ibLfQuelnFree.26.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.26.1	Gauge	0
ibLfQuelnFree.26.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.26.2	Gauge	0
ibLfQuelnFree.26.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.26.3	Gauge	0
ibLfQuelnFree.26.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.26.4	Gauge	0
ibLfQuelnFree.26.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.26.5	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnFree.26.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.26.6	Gauge	0
ibLfQuelnFree.26.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.26.7	Gauge	0
ibLfQuelnFree.26.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.26.8	Gauge	0
ibLfQuelnFree.27.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.27.1	Gauge	0
ibLfQuelnFree.27.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.27.2	Gauge	0
ibLfQuelnFree.27.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.27.3	Gauge	0
ibLfQuelnFree.27.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.27.4	Gauge	0
ibLfQuelnFree.27.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.27.5	Gauge	0
ibLfQuelnFree.27.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.27.6	Gauge	0
ibLfQuelnFree.27.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.27.7	Gauge	0
ibLfQuelnFree.27.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.27.8	Gauge	0
ibLfQuelnFree.28.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.28.1	Gauge	0
ibLfQuelnFree.28.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.28.2	Gauge	0
ibLfQuelnFree.28.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.28.3	Gauge	0
ibLfQuelnFree.28.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.28.4	Gauge	0
ibLfQuelnFree.28.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.28.5	Gauge	0
ibLfQuelnFree.28.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.28.6	Gauge	0
ibLfQuelnFree.28.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.28.7	Gauge	0
ibLfQuelnFree.28.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.9.28.8	Gauge	0
ibLfQuelnUsedRatio.1.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.1.1	Gauge	0
ibLfQuelnUsedRatio.1.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.1.2	Gauge	0
ibLfQuelnUsedRatio.1.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.1.3	Gauge	0
ibLfQuelnUsedRatio.1.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.1.4	Gauge	0
ibLfQuelnUsedRatio.1.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.1.5	Gauge	0
ibLfQuelnUsedRatio.1.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.1.6	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInUsedRatio.1.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.1.7	Gauge	0
ibLfQuelInUsedRatio.1.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.1.8	Gauge	0
ibLfQuelInUsedRatio.2.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.2.1	Gauge	0
ibLfQuelInUsedRatio.2.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.2.2	Gauge	0
ibLfQuelInUsedRatio.2.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.2.3	Gauge	0
ibLfQuelInUsedRatio.2.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.2.4	Gauge	0
ibLfQuelInUsedRatio.2.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.2.5	Gauge	0
ibLfQuelInUsedRatio.2.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.2.6	Gauge	0
ibLfQuelInUsedRatio.2.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.2.7	Gauge	0
ibLfQuelInUsedRatio.2.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.2.8	Gauge	0
ibLfQuelInUsedRatio.3.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.3.1	Gauge	0
ibLfQuelInUsedRatio.3.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.3.2	Gauge	0
ibLfQuelInUsedRatio.3.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.3.3	Gauge	0
ibLfQuelInUsedRatio.3.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.3.4	Gauge	0
ibLfQuelInUsedRatio.3.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.3.5	Gauge	0
ibLfQuelInUsedRatio.3.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.3.6	Gauge	0
ibLfQuelInUsedRatio.3.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.3.7	Gauge	0
ibLfQuelInUsedRatio.3.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.3.8	Gauge	0
ibLfQuelInUsedRatio.4.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.4.1	Gauge	0
ibLfQuelInUsedRatio.4.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.4.2	Gauge	0
ibLfQuelInUsedRatio.4.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.4.3	Gauge	0
ibLfQuelInUsedRatio.4.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.4.4	Gauge	0
ibLfQuelInUsedRatio.4.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.4.5	Gauge	0
ibLfQuelInUsedRatio.4.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.4.6	Gauge	0
ibLfQuelInUsedRatio.4.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.4.7	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueInUsedRatio.4.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.4.8	Gauge	0
ibLfQueInUsedRatio.5.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.5.1	Gauge	0
ibLfQueInUsedRatio.5.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.5.2	Gauge	0
ibLfQueInUsedRatio.5.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.5.3	Gauge	0
ibLfQueInUsedRatio.5.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.5.4	Gauge	0
ibLfQueInUsedRatio.5.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.5.5	Gauge	0
ibLfQueInUsedRatio.5.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.5.6	Gauge	0
ibLfQueInUsedRatio.5.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.5.7	Gauge	0
ibLfQueInUsedRatio.5.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.5.8	Gauge	0
ibLfQueInUsedRatio.6.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.6.1	Gauge	0
ibLfQueInUsedRatio.6.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.6.2	Gauge	0
ibLfQueInUsedRatio.6.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.6.3	Gauge	0
ibLfQueInUsedRatio.6.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.6.4	Gauge	0
ibLfQueInUsedRatio.6.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.6.5	Gauge	0
ibLfQueInUsedRatio.6.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.6.6	Gauge	0
ibLfQueInUsedRatio.6.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.6.7	Gauge	0
ibLfQueInUsedRatio.6.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.6.8	Gauge	0
ibLfQueInUsedRatio.7.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.7.1	Gauge	0
ibLfQueInUsedRatio.7.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.7.2	Gauge	0
ibLfQueInUsedRatio.7.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.7.3	Gauge	0
ibLfQueInUsedRatio.7.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.7.4	Gauge	0
ibLfQueInUsedRatio.7.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.7.5	Gauge	0
ibLfQueInUsedRatio.7.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.7.6	Gauge	0
ibLfQueInUsedRatio.7.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.7.7	Gauge	0
ibLfQueInUsedRatio.7.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.7.8	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInUsedRatio.8.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.8.1	Gauge	0
ibLfQuelInUsedRatio.8.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.8.2	Gauge	0
ibLfQuelInUsedRatio.8.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.8.3	Gauge	0
ibLfQuelInUsedRatio.8.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.8.4	Gauge	0
ibLfQuelInUsedRatio.8.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.8.5	Gauge	0
ibLfQuelInUsedRatio.8.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.8.6	Gauge	0
ibLfQuelInUsedRatio.8.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.8.7	Gauge	0
ibLfQuelInUsedRatio.8.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.8.8	Gauge	0
ibLfQuelInUsedRatio.9.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.9.1	Gauge	0
ibLfQuelInUsedRatio.9.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.9.2	Gauge	0
ibLfQuelInUsedRatio.9.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.9.3	Gauge	0
ibLfQuelInUsedRatio.9.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.9.4	Gauge	0
ibLfQuelInUsedRatio.9.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.9.5	Gauge	0
ibLfQuelInUsedRatio.9.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.9.6	Gauge	0
ibLfQuelInUsedRatio.9.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.9.7	Gauge	0
ibLfQuelInUsedRatio.9.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.9.8	Gauge	0
ibLfQuelInUsedRatio.10.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.10.1	Gauge	0
ibLfQuelInUsedRatio.10.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.10.2	Gauge	0
ibLfQuelInUsedRatio.10.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.10.3	Gauge	0
ibLfQuelInUsedRatio.10.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.10.4	Gauge	0
ibLfQuelInUsedRatio.10.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.10.5	Gauge	0
ibLfQuelInUsedRatio.10.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.10.6	Gauge	0
ibLfQuelInUsedRatio.10.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.10.7	Gauge	0
ibLfQuelInUsedRatio.10.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.10.8	Gauge	0
ibLfQuelInUsedRatio.11.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.11.1	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueInUsedRatio.11.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.11.2	Gauge	0
ibLfQueInUsedRatio.11.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.11.3	Gauge	0
ibLfQueInUsedRatio.11.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.11.4	Gauge	0
ibLfQueInUsedRatio.11.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.11.5	Gauge	0
ibLfQueInUsedRatio.11.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.11.6	Gauge	0
ibLfQueInUsedRatio.11.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.11.7	Gauge	0
ibLfQueInUsedRatio.11.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.11.8	Gauge	0
ibLfQueInUsedRatio.12.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.12.1	Gauge	0
ibLfQueInUsedRatio.12.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.12.2	Gauge	0
ibLfQueInUsedRatio.12.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.12.3	Gauge	0
ibLfQueInUsedRatio.12.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.12.4	Gauge	0
ibLfQueInUsedRatio.12.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.12.5	Gauge	0
ibLfQueInUsedRatio.12.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.12.6	Gauge	0
ibLfQueInUsedRatio.12.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.12.7	Gauge	0
ibLfQueInUsedRatio.12.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.12.8	Gauge	0
ibLfQueInUsedRatio.13.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.13.1	Gauge	0
ibLfQueInUsedRatio.13.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.13.2	Gauge	0
ibLfQueInUsedRatio.13.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.13.3	Gauge	0
ibLfQueInUsedRatio.13.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.13.4	Gauge	0
ibLfQueInUsedRatio.13.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.13.5	Gauge	0
ibLfQueInUsedRatio.13.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.13.6	Gauge	0
ibLfQueInUsedRatio.13.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.13.7	Gauge	0
ibLfQueInUsedRatio.13.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.13.8	Gauge	0
ibLfQueInUsedRatio.14.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.14.1	Gauge	0
ibLfQueInUsedRatio.14.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.14.2	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueInUsedRatio.14.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.14.3	Gauge	0
ibLfQueInUsedRatio.14.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.14.4	Gauge	0
ibLfQueInUsedRatio.14.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.14.5	Gauge	0
ibLfQueInUsedRatio.14.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.14.6	Gauge	0
ibLfQueInUsedRatio.14.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.14.7	Gauge	0
ibLfQueInUsedRatio.14.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.14.8	Gauge	0
ibLfQueInUsedRatio.15.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.15.1	Gauge	0
ibLfQueInUsedRatio.15.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.15.2	Gauge	0
ibLfQueInUsedRatio.15.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.15.3	Gauge	0
ibLfQueInUsedRatio.15.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.15.4	Gauge	0
ibLfQueInUsedRatio.15.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.15.5	Gauge	0
ibLfQueInUsedRatio.15.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.15.6	Gauge	0
ibLfQueInUsedRatio.15.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.15.7	Gauge	0
ibLfQueInUsedRatio.15.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.15.8	Gauge	0
ibLfQueInUsedRatio.16.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.16.1	Gauge	0
ibLfQueInUsedRatio.16.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.16.2	Gauge	0
ibLfQueInUsedRatio.16.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.16.3	Gauge	0
ibLfQueInUsedRatio.16.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.16.4	Gauge	0
ibLfQueInUsedRatio.16.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.16.5	Gauge	0
ibLfQueInUsedRatio.16.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.16.6	Gauge	0
ibLfQueInUsedRatio.16.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.16.7	Gauge	0
ibLfQueInUsedRatio.16.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.16.8	Gauge	0
ibLfQueInUsedRatio.17.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.17.1	Gauge	0
ibLfQueInUsedRatio.17.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.17.2	Gauge	0
ibLfQueInUsedRatio.17.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.17.3	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueInUsedRatio.17.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.17.4	Gauge	0
ibLfQueInUsedRatio.17.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.17.5	Gauge	0
ibLfQueInUsedRatio.17.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.17.6	Gauge	0
ibLfQueInUsedRatio.17.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.17.7	Gauge	0
ibLfQueInUsedRatio.17.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.17.8	Gauge	0
ibLfQueInUsedRatio.18.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.18.1	Gauge	0
ibLfQueInUsedRatio.18.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.18.2	Gauge	0
ibLfQueInUsedRatio.18.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.18.3	Gauge	0
ibLfQueInUsedRatio.18.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.18.4	Gauge	0
ibLfQueInUsedRatio.18.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.18.5	Gauge	0
ibLfQueInUsedRatio.18.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.18.6	Gauge	0
ibLfQueInUsedRatio.18.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.18.7	Gauge	0
ibLfQueInUsedRatio.18.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.18.8	Gauge	0
ibLfQueInUsedRatio.19.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.19.1	Gauge	0
ibLfQueInUsedRatio.19.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.19.2	Gauge	0
ibLfQueInUsedRatio.19.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.19.3	Gauge	0
ibLfQueInUsedRatio.19.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.19.4	Gauge	0
ibLfQueInUsedRatio.19.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.19.5	Gauge	0
ibLfQueInUsedRatio.19.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.19.6	Gauge	0
ibLfQueInUsedRatio.19.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.19.7	Gauge	0
ibLfQueInUsedRatio.19.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.19.8	Gauge	0
ibLfQueInUsedRatio.20.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.20.1	Gauge	0
ibLfQueInUsedRatio.20.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.20.2	Gauge	0
ibLfQueInUsedRatio.20.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.20.3	Gauge	0
ibLfQueInUsedRatio.20.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.20.4	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueInUsedRatio.20.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.20.5	Gauge	0
ibLfQueInUsedRatio.20.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.20.6	Gauge	0
ibLfQueInUsedRatio.20.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.20.7	Gauge	0
ibLfQueInUsedRatio.20.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.20.8	Gauge	0
ibLfQueInUsedRatio.21.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.21.1	Gauge	0
ibLfQueInUsedRatio.21.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.21.2	Gauge	0
ibLfQueInUsedRatio.21.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.21.3	Gauge	0
ibLfQueInUsedRatio.21.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.21.4	Gauge	0
ibLfQueInUsedRatio.21.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.21.5	Gauge	0
ibLfQueInUsedRatio.21.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.21.6	Gauge	0
ibLfQueInUsedRatio.21.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.21.7	Gauge	0
ibLfQueInUsedRatio.21.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.21.8	Gauge	0
ibLfQueInUsedRatio.22.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.22.1	Gauge	0
ibLfQueInUsedRatio.22.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.22.2	Gauge	0
ibLfQueInUsedRatio.22.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.22.3	Gauge	0
ibLfQueInUsedRatio.22.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.22.4	Gauge	0
ibLfQueInUsedRatio.22.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.22.5	Gauge	0
ibLfQueInUsedRatio.22.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.22.6	Gauge	0
ibLfQueInUsedRatio.22.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.22.7	Gauge	0
ibLfQueInUsedRatio.22.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.22.8	Gauge	0
ibLfQueInUsedRatio.23.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.23.1	Gauge	0
ibLfQueInUsedRatio.23.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.23.2	Gauge	0
ibLfQueInUsedRatio.23.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.23.3	Gauge	0
ibLfQueInUsedRatio.23.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.23.4	Gauge	0
ibLfQueInUsedRatio.23.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.23.5	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInUsedRatio.23.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.23.6	Gauge	0
ibLfQuelInUsedRatio.23.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.23.7	Gauge	0
ibLfQuelInUsedRatio.23.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.23.8	Gauge	0
ibLfQuelInUsedRatio.24.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.24.1	Gauge	0
ibLfQuelInUsedRatio.24.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.24.2	Gauge	0
ibLfQuelInUsedRatio.24.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.24.3	Gauge	0
ibLfQuelInUsedRatio.24.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.24.4	Gauge	0
ibLfQuelInUsedRatio.24.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.24.5	Gauge	0
ibLfQuelInUsedRatio.24.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.24.6	Gauge	0
ibLfQuelInUsedRatio.24.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.24.7	Gauge	0
ibLfQuelInUsedRatio.24.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.24.8	Gauge	0
ibLfQuelInUsedRatio.25.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.25.1	Gauge	0
ibLfQuelInUsedRatio.25.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.25.2	Gauge	0
ibLfQuelInUsedRatio.25.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.25.3	Gauge	0
ibLfQuelInUsedRatio.25.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.25.4	Gauge	0
ibLfQuelInUsedRatio.25.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.25.5	Gauge	0
ibLfQuelInUsedRatio.25.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.25.6	Gauge	0
ibLfQuelInUsedRatio.25.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.25.7	Gauge	0
ibLfQuelInUsedRatio.25.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.25.8	Gauge	0
ibLfQuelInUsedRatio.26.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.26.1	Gauge	0
ibLfQuelInUsedRatio.26.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.26.2	Gauge	0
ibLfQuelInUsedRatio.26.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.26.3	Gauge	0
ibLfQuelInUsedRatio.26.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.26.4	Gauge	0
ibLfQuelInUsedRatio.26.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.26.5	Gauge	0
ibLfQuelInUsedRatio.26.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.26.6	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueInUsedRatio.26.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.26.7	Gauge	0
ibLfQueInUsedRatio.26.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.26.8	Gauge	0
ibLfQueInUsedRatio.27.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.27.1	Gauge	0
ibLfQueInUsedRatio.27.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.27.2	Gauge	0
ibLfQueInUsedRatio.27.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.27.3	Gauge	0
ibLfQueInUsedRatio.27.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.27.4	Gauge	0
ibLfQueInUsedRatio.27.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.27.5	Gauge	0
ibLfQueInUsedRatio.27.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.27.6	Gauge	0
ibLfQueInUsedRatio.27.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.27.7	Gauge	0
ibLfQueInUsedRatio.27.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.27.8	Gauge	0
ibLfQueInUsedRatio.28.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.28.1	Gauge	0
ibLfQueInUsedRatio.28.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.28.2	Gauge	0
ibLfQueInUsedRatio.28.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.28.3	Gauge	0
ibLfQueInUsedRatio.28.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.28.4	Gauge	0
ibLfQueInUsedRatio.28.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.28.5	Gauge	0
ibLfQueInUsedRatio.28.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.28.6	Gauge	0
ibLfQueInUsedRatio.28.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.28.7	Gauge	0
ibLfQueInUsedRatio.28.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.10.28.8	Gauge	0
ibLfQueInUsedPeak.1.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.1.1	Gauge	0
ibLfQueInUsedPeak.1.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.1.2	Gauge	0
ibLfQueInUsedPeak.1.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.1.3	Gauge	0
ibLfQueInUsedPeak.1.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.1.4	Gauge	0
ibLfQueInUsedPeak.1.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.1.5	Gauge	0
ibLfQueInUsedPeak.1.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.1.6	Gauge	0
ibLfQueInUsedPeak.1.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.1.7	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInUsedPeak.1.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.1.8	Gauge	0
ibLfQuelInUsedPeak.2.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.2.1	Gauge	0
ibLfQuelInUsedPeak.2.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.2.2	Gauge	0
ibLfQuelInUsedPeak.2.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.2.3	Gauge	0
ibLfQuelInUsedPeak.2.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.2.4	Gauge	0
ibLfQuelInUsedPeak.2.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.2.5	Gauge	0
ibLfQuelInUsedPeak.2.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.2.6	Gauge	0
ibLfQuelInUsedPeak.2.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.2.7	Gauge	0
ibLfQuelInUsedPeak.2.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.2.8	Gauge	0
ibLfQuelInUsedPeak.3.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.3.1	Gauge	0
ibLfQuelInUsedPeak.3.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.3.2	Gauge	0
ibLfQuelInUsedPeak.3.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.3.3	Gauge	0
ibLfQuelInUsedPeak.3.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.3.4	Gauge	0
ibLfQuelInUsedPeak.3.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.3.5	Gauge	0
ibLfQuelInUsedPeak.3.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.3.6	Gauge	0
ibLfQuelInUsedPeak.3.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.3.7	Gauge	0
ibLfQuelInUsedPeak.3.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.3.8	Gauge	0
ibLfQuelInUsedPeak.4.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.4.1	Gauge	0
ibLfQuelInUsedPeak.4.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.4.2	Gauge	0
ibLfQuelInUsedPeak.4.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.4.3	Gauge	0
ibLfQuelInUsedPeak.4.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.4.4	Gauge	0
ibLfQuelInUsedPeak.4.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.4.5	Gauge	0
ibLfQuelInUsedPeak.4.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.4.6	Gauge	0
ibLfQuelInUsedPeak.4.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.4.7	Gauge	0
ibLfQuelInUsedPeak.4.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.4.8	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInUsedPeak.5.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.5.1	Gauge	0
ibLfQuelInUsedPeak.5.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.5.2	Gauge	0
ibLfQuelInUsedPeak.5.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.5.3	Gauge	0
ibLfQuelInUsedPeak.5.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.5.4	Gauge	0
ibLfQuelInUsedPeak.5.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.5.5	Gauge	0
ibLfQuelInUsedPeak.5.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.5.6	Gauge	0
ibLfQuelInUsedPeak.5.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.5.7	Gauge	0
ibLfQuelInUsedPeak.5.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.5.8	Gauge	0
ibLfQuelInUsedPeak.6.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.6.1	Gauge	0
ibLfQuelInUsedPeak.6.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.6.2	Gauge	0
ibLfQuelInUsedPeak.6.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.6.3	Gauge	0
ibLfQuelInUsedPeak.6.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.6.4	Gauge	0
ibLfQuelInUsedPeak.6.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.6.5	Gauge	0
ibLfQuelInUsedPeak.6.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.6.6	Gauge	0
ibLfQuelInUsedPeak.6.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.6.7	Gauge	0
ibLfQuelInUsedPeak.6.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.6.8	Gauge	0
ibLfQuelInUsedPeak.7.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.7.1	Gauge	0
ibLfQuelInUsedPeak.7.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.7.2	Gauge	0
ibLfQuelInUsedPeak.7.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.7.3	Gauge	0
ibLfQuelInUsedPeak.7.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.7.4	Gauge	0
ibLfQuelInUsedPeak.7.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.7.5	Gauge	0
ibLfQuelInUsedPeak.7.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.7.6	Gauge	0
ibLfQuelInUsedPeak.7.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.7.7	Gauge	0
ibLfQuelInUsedPeak.7.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.7.8	Gauge	0
ibLfQuelInUsedPeak.8.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.8.1	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInUsedPeak.8.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.8.2	Gauge	0
ibLfQuelInUsedPeak.8.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.8.3	Gauge	0
ibLfQuelInUsedPeak.8.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.8.4	Gauge	0
ibLfQuelInUsedPeak.8.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.8.5	Gauge	0
ibLfQuelInUsedPeak.8.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.8.6	Gauge	0
ibLfQuelInUsedPeak.8.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.8.7	Gauge	0
ibLfQuelInUsedPeak.8.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.8.8	Gauge	0
ibLfQuelInUsedPeak.9.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.9.1	Gauge	0
ibLfQuelInUsedPeak.9.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.9.2	Gauge	0
ibLfQuelInUsedPeak.9.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.9.3	Gauge	0
ibLfQuelInUsedPeak.9.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.9.4	Gauge	0
ibLfQuelInUsedPeak.9.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.9.5	Gauge	0
ibLfQuelInUsedPeak.9.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.9.6	Gauge	0
ibLfQuelInUsedPeak.9.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.9.7	Gauge	0
ibLfQuelInUsedPeak.9.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.9.8	Gauge	0
ibLfQuelInUsedPeak.10.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.10.1	Gauge	0
ibLfQuelInUsedPeak.10.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.10.2	Gauge	0
ibLfQuelInUsedPeak.10.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.10.3	Gauge	0
ibLfQuelInUsedPeak.10.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.10.4	Gauge	0
ibLfQuelInUsedPeak.10.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.10.5	Gauge	0
ibLfQuelInUsedPeak.10.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.10.6	Gauge	0
ibLfQuelInUsedPeak.10.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.10.7	Gauge	0
ibLfQuelInUsedPeak.10.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.10.8	Gauge	0
ibLfQuelInUsedPeak.11.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.11.1	Gauge	0
ibLfQuelInUsedPeak.11.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.11.2	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnUsedPeak.11.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.11.3	Gauge	0
ibLfQuelnUsedPeak.11.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.11.4	Gauge	0
ibLfQuelnUsedPeak.11.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.11.5	Gauge	0
ibLfQuelnUsedPeak.11.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.11.6	Gauge	0
ibLfQuelnUsedPeak.11.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.11.7	Gauge	0
ibLfQuelnUsedPeak.11.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.11.8	Gauge	0
ibLfQuelnUsedPeak.12.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.12.1	Gauge	0
ibLfQuelnUsedPeak.12.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.12.2	Gauge	0
ibLfQuelnUsedPeak.12.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.12.3	Gauge	0
ibLfQuelnUsedPeak.12.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.12.4	Gauge	0
ibLfQuelnUsedPeak.12.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.12.5	Gauge	0
ibLfQuelnUsedPeak.12.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.12.6	Gauge	0
ibLfQuelnUsedPeak.12.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.12.7	Gauge	0
ibLfQuelnUsedPeak.12.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.12.8	Gauge	0
ibLfQuelnUsedPeak.13.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.13.1	Gauge	0
ibLfQuelnUsedPeak.13.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.13.2	Gauge	0
ibLfQuelnUsedPeak.13.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.13.3	Gauge	0
ibLfQuelnUsedPeak.13.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.13.4	Gauge	0
ibLfQuelnUsedPeak.13.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.13.5	Gauge	0
ibLfQuelnUsedPeak.13.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.13.6	Gauge	0
ibLfQuelnUsedPeak.13.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.13.7	Gauge	0
ibLfQuelnUsedPeak.13.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.13.8	Gauge	0
ibLfQuelnUsedPeak.14.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.14.1	Gauge	0
ibLfQuelnUsedPeak.14.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.14.2	Gauge	0
ibLfQuelnUsedPeak.14.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.14.3	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnUsedPeak.14.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.14.4	Gauge	0
ibLfQuelnUsedPeak.14.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.14.5	Gauge	0
ibLfQuelnUsedPeak.14.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.14.6	Gauge	0
ibLfQuelnUsedPeak.14.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.14.7	Gauge	0
ibLfQuelnUsedPeak.14.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.14.8	Gauge	0
ibLfQuelnUsedPeak.15.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.15.1	Gauge	0
ibLfQuelnUsedPeak.15.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.15.2	Gauge	0
ibLfQuelnUsedPeak.15.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.15.3	Gauge	0
ibLfQuelnUsedPeak.15.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.15.4	Gauge	0
ibLfQuelnUsedPeak.15.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.15.5	Gauge	0
ibLfQuelnUsedPeak.15.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.15.6	Gauge	0
ibLfQuelnUsedPeak.15.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.15.7	Gauge	0
ibLfQuelnUsedPeak.15.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.15.8	Gauge	0
ibLfQuelnUsedPeak.16.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.16.1	Gauge	0
ibLfQuelnUsedPeak.16.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.16.2	Gauge	0
ibLfQuelnUsedPeak.16.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.16.3	Gauge	0
ibLfQuelnUsedPeak.16.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.16.4	Gauge	0
ibLfQuelnUsedPeak.16.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.16.5	Gauge	0
ibLfQuelnUsedPeak.16.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.16.6	Gauge	0
ibLfQuelnUsedPeak.16.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.16.7	Gauge	0
ibLfQuelnUsedPeak.16.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.16.8	Gauge	0
ibLfQuelnUsedPeak.17.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.17.1	Gauge	0
ibLfQuelnUsedPeak.17.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.17.2	Gauge	0
ibLfQuelnUsedPeak.17.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.17.3	Gauge	0
ibLfQuelnUsedPeak.17.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.17.4	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnUsedPeak.17.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.17.5	Gauge	0
ibLfQuelnUsedPeak.17.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.17.6	Gauge	0
ibLfQuelnUsedPeak.17.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.17.7	Gauge	0
ibLfQuelnUsedPeak.17.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.17.8	Gauge	0
ibLfQuelnUsedPeak.18.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.18.1	Gauge	0
ibLfQuelnUsedPeak.18.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.18.2	Gauge	0
ibLfQuelnUsedPeak.18.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.18.3	Gauge	0
ibLfQuelnUsedPeak.18.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.18.4	Gauge	0
ibLfQuelnUsedPeak.18.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.18.5	Gauge	0
ibLfQuelnUsedPeak.18.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.18.6	Gauge	0
ibLfQuelnUsedPeak.18.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.18.7	Gauge	0
ibLfQuelnUsedPeak.18.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.18.8	Gauge	0
ibLfQuelnUsedPeak.19.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.19.1	Gauge	0
ibLfQuelnUsedPeak.19.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.19.2	Gauge	0
ibLfQuelnUsedPeak.19.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.19.3	Gauge	0
ibLfQuelnUsedPeak.19.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.19.4	Gauge	0
ibLfQuelnUsedPeak.19.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.19.5	Gauge	0
ibLfQuelnUsedPeak.19.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.19.6	Gauge	0
ibLfQuelnUsedPeak.19.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.19.7	Gauge	0
ibLfQuelnUsedPeak.19.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.19.8	Gauge	0
ibLfQuelnUsedPeak.20.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.20.1	Gauge	0
ibLfQuelnUsedPeak.20.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.20.2	Gauge	0
ibLfQuelnUsedPeak.20.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.20.3	Gauge	0
ibLfQuelnUsedPeak.20.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.20.4	Gauge	0
ibLfQuelnUsedPeak.20.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.20.5	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnUsedPeak.20.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.20.6	Gauge	0
ibLfQuelnUsedPeak.20.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.20.7	Gauge	0
ibLfQuelnUsedPeak.20.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.20.8	Gauge	0
ibLfQuelnUsedPeak.21.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.21.1	Gauge	0
ibLfQuelnUsedPeak.21.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.21.2	Gauge	0
ibLfQuelnUsedPeak.21.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.21.3	Gauge	0
ibLfQuelnUsedPeak.21.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.21.4	Gauge	0
ibLfQuelnUsedPeak.21.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.21.5	Gauge	0
ibLfQuelnUsedPeak.21.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.21.6	Gauge	0
ibLfQuelnUsedPeak.21.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.21.7	Gauge	0
ibLfQuelnUsedPeak.21.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.21.8	Gauge	0
ibLfQuelnUsedPeak.22.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.22.1	Gauge	0
ibLfQuelnUsedPeak.22.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.22.2	Gauge	0
ibLfQuelnUsedPeak.22.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.22.3	Gauge	0
ibLfQuelnUsedPeak.22.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.22.4	Gauge	0
ibLfQuelnUsedPeak.22.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.22.5	Gauge	0
ibLfQuelnUsedPeak.22.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.22.6	Gauge	0
ibLfQuelnUsedPeak.22.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.22.7	Gauge	0
ibLfQuelnUsedPeak.22.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.22.8	Gauge	0
ibLfQuelnUsedPeak.23.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.23.1	Gauge	0
ibLfQuelnUsedPeak.23.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.23.2	Gauge	0
ibLfQuelnUsedPeak.23.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.23.3	Gauge	0
ibLfQuelnUsedPeak.23.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.23.4	Gauge	0
ibLfQuelnUsedPeak.23.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.23.5	Gauge	0
ibLfQuelnUsedPeak.23.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.23.6	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnUsedPeak.23.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.23.7	Gauge	0
ibLfQuelnUsedPeak.23.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.23.8	Gauge	0
ibLfQuelnUsedPeak.24.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.24.1	Gauge	0
ibLfQuelnUsedPeak.24.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.24.2	Gauge	0
ibLfQuelnUsedPeak.24.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.24.3	Gauge	0
ibLfQuelnUsedPeak.24.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.24.4	Gauge	0
ibLfQuelnUsedPeak.24.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.24.5	Gauge	0
ibLfQuelnUsedPeak.24.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.24.6	Gauge	0
ibLfQuelnUsedPeak.24.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.24.7	Gauge	0
ibLfQuelnUsedPeak.24.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.24.8	Gauge	0
ibLfQuelnUsedPeak.25.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.25.1	Gauge	0
ibLfQuelnUsedPeak.25.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.25.2	Gauge	0
ibLfQuelnUsedPeak.25.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.25.3	Gauge	0
ibLfQuelnUsedPeak.25.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.25.4	Gauge	0
ibLfQuelnUsedPeak.25.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.25.5	Gauge	0
ibLfQuelnUsedPeak.25.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.25.6	Gauge	0
ibLfQuelnUsedPeak.25.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.25.7	Gauge	0
ibLfQuelnUsedPeak.25.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.25.8	Gauge	0
ibLfQuelnUsedPeak.26.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.26.1	Gauge	0
ibLfQuelnUsedPeak.26.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.26.2	Gauge	0
ibLfQuelnUsedPeak.26.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.26.3	Gauge	0
ibLfQuelnUsedPeak.26.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.26.4	Gauge	0
ibLfQuelnUsedPeak.26.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.26.5	Gauge	0
ibLfQuelnUsedPeak.26.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.26.6	Gauge	0
ibLfQuelnUsedPeak.26.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.26.7	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInUsedPeak.26.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.26.8	Gauge	0
ibLfQuelInUsedPeak.27.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.27.1	Gauge	0
ibLfQuelInUsedPeak.27.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.27.2	Gauge	0
ibLfQuelInUsedPeak.27.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.27.3	Gauge	0
ibLfQuelInUsedPeak.27.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.27.4	Gauge	0
ibLfQuelInUsedPeak.27.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.27.5	Gauge	0
ibLfQuelInUsedPeak.27.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.27.6	Gauge	0
ibLfQuelInUsedPeak.27.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.27.7	Gauge	0
ibLfQuelInUsedPeak.27.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.27.8	Gauge	0
ibLfQuelInUsedPeak.28.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.28.1	Gauge	0
ibLfQuelInUsedPeak.28.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.28.2	Gauge	0
ibLfQuelInUsedPeak.28.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.28.3	Gauge	0
ibLfQuelInUsedPeak.28.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.28.4	Gauge	0
ibLfQuelInUsedPeak.28.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.28.5	Gauge	0
ibLfQuelInUsedPeak.28.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.28.6	Gauge	0
ibLfQuelInUsedPeak.28.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.28.7	Gauge	0
ibLfQuelInUsedPeak.28.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.11.28.8	Gauge	0
ibLfQuelInThreshold.1.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.1.1	Gauge	0
ibLfQuelInThreshold.1.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.1.2	Gauge	0
ibLfQuelInThreshold.1.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.1.3	Gauge	0
ibLfQuelInThreshold.1.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.1.4	Gauge	0
ibLfQuelInThreshold.1.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.1.5	Gauge	0
ibLfQuelInThreshold.1.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.1.6	Gauge	0
ibLfQuelInThreshold.1.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.1.7	Gauge	0
ibLfQuelInThreshold.1.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.1.8	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnThreshold.2.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.2.1	Gauge	0
ibLfQuelnThreshold.2.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.2.2	Gauge	0
ibLfQuelnThreshold.2.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.2.3	Gauge	0
ibLfQuelnThreshold.2.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.2.4	Gauge	0
ibLfQuelnThreshold.2.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.2.5	Gauge	0
ibLfQuelnThreshold.2.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.2.6	Gauge	0
ibLfQuelnThreshold.2.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.2.7	Gauge	0
ibLfQuelnThreshold.2.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.2.8	Gauge	0
ibLfQuelnThreshold.3.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.3.1	Gauge	0
ibLfQuelnThreshold.3.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.3.2	Gauge	0
ibLfQuelnThreshold.3.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.3.3	Gauge	0
ibLfQuelnThreshold.3.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.3.4	Gauge	0
ibLfQuelnThreshold.3.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.3.5	Gauge	0
ibLfQuelnThreshold.3.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.3.6	Gauge	0
ibLfQuelnThreshold.3.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.3.7	Gauge	0
ibLfQuelnThreshold.3.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.3.8	Gauge	0
ibLfQuelnThreshold.4.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.4.1	Gauge	0
ibLfQuelnThreshold.4.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.4.2	Gauge	0
ibLfQuelnThreshold.4.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.4.3	Gauge	0
ibLfQuelnThreshold.4.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.4.4	Gauge	0
ibLfQuelnThreshold.4.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.4.5	Gauge	0
ibLfQuelnThreshold.4.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.4.6	Gauge	0
ibLfQuelnThreshold.4.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.4.7	Gauge	0
ibLfQuelnThreshold.4.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.4.8	Gauge	0
ibLfQuelnThreshold.5.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.5.1	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInThreshold.5.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.5.2	Gauge	0
ibLfQuelInThreshold.5.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.5.3	Gauge	0
ibLfQuelInThreshold.5.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.5.4	Gauge	0
ibLfQuelInThreshold.5.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.5.5	Gauge	0
ibLfQuelInThreshold.5.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.5.6	Gauge	0
ibLfQuelInThreshold.5.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.5.7	Gauge	0
ibLfQuelInThreshold.5.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.5.8	Gauge	0
ibLfQuelInThreshold.6.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.6.1	Gauge	0
ibLfQuelInThreshold.6.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.6.2	Gauge	0
ibLfQuelInThreshold.6.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.6.3	Gauge	0
ibLfQuelInThreshold.6.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.6.4	Gauge	0
ibLfQuelInThreshold.6.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.6.5	Gauge	0
ibLfQuelInThreshold.6.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.6.6	Gauge	0
ibLfQuelInThreshold.6.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.6.7	Gauge	0
ibLfQuelInThreshold.6.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.6.8	Gauge	0
ibLfQuelInThreshold.7.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.7.1	Gauge	0
ibLfQuelInThreshold.7.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.7.2	Gauge	0
ibLfQuelInThreshold.7.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.7.3	Gauge	0
ibLfQuelInThreshold.7.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.7.4	Gauge	0
ibLfQuelInThreshold.7.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.7.5	Gauge	0
ibLfQuelInThreshold.7.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.7.6	Gauge	0
ibLfQuelInThreshold.7.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.7.7	Gauge	0
ibLfQuelInThreshold.7.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.7.8	Gauge	0
ibLfQuelInThreshold.8.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.8.1	Gauge	0
ibLfQuelInThreshold.8.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.8.2	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInThreshold.8.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.8.3	Gauge	0
ibLfQuelInThreshold.8.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.8.4	Gauge	0
ibLfQuelInThreshold.8.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.8.5	Gauge	0
ibLfQuelInThreshold.8.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.8.6	Gauge	0
ibLfQuelInThreshold.8.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.8.7	Gauge	0
ibLfQuelInThreshold.8.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.8.8	Gauge	0
ibLfQuelInThreshold.9.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.9.1	Gauge	0
ibLfQuelInThreshold.9.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.9.2	Gauge	0
ibLfQuelInThreshold.9.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.9.3	Gauge	0
ibLfQuelInThreshold.9.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.9.4	Gauge	0
ibLfQuelInThreshold.9.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.9.5	Gauge	0
ibLfQuelInThreshold.9.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.9.6	Gauge	0
ibLfQuelInThreshold.9.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.9.7	Gauge	0
ibLfQuelInThreshold.9.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.9.8	Gauge	0
ibLfQuelInThreshold.10.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.10.1	Gauge	0
ibLfQuelInThreshold.10.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.10.2	Gauge	0
ibLfQuelInThreshold.10.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.10.3	Gauge	0
ibLfQuelInThreshold.10.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.10.4	Gauge	0
ibLfQuelInThreshold.10.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.10.5	Gauge	0
ibLfQuelInThreshold.10.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.10.6	Gauge	0
ibLfQuelInThreshold.10.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.10.7	Gauge	0
ibLfQuelInThreshold.10.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.10.8	Gauge	0
ibLfQuelInThreshold.11.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.11.1	Gauge	0
ibLfQuelInThreshold.11.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.11.2	Gauge	0
ibLfQuelInThreshold.11.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.11.3	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInThreshold.11.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.11.4	Gauge	0
ibLfQuelInThreshold.11.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.11.5	Gauge	0
ibLfQuelInThreshold.11.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.11.6	Gauge	0
ibLfQuelInThreshold.11.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.11.7	Gauge	0
ibLfQuelInThreshold.11.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.11.8	Gauge	0
ibLfQuelInThreshold.12.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.12.1	Gauge	0
ibLfQuelInThreshold.12.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.12.2	Gauge	0
ibLfQuelInThreshold.12.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.12.3	Gauge	0
ibLfQuelInThreshold.12.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.12.4	Gauge	0
ibLfQuelInThreshold.12.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.12.5	Gauge	0
ibLfQuelInThreshold.12.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.12.6	Gauge	0
ibLfQuelInThreshold.12.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.12.7	Gauge	0
ibLfQuelInThreshold.12.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.12.8	Gauge	0
ibLfQuelInThreshold.13.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.13.1	Gauge	0
ibLfQuelInThreshold.13.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.13.2	Gauge	0
ibLfQuelInThreshold.13.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.13.3	Gauge	0
ibLfQuelInThreshold.13.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.13.4	Gauge	0
ibLfQuelInThreshold.13.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.13.5	Gauge	0
ibLfQuelInThreshold.13.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.13.6	Gauge	0
ibLfQuelInThreshold.13.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.13.7	Gauge	0
ibLfQuelInThreshold.13.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.13.8	Gauge	0
ibLfQuelInThreshold.14.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.14.1	Gauge	0
ibLfQuelInThreshold.14.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.14.2	Gauge	0
ibLfQuelInThreshold.14.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.14.3	Gauge	0
ibLfQuelInThreshold.14.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.14.4	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInThreshold.14.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.14.5	Gauge	0
ibLfQuelInThreshold.14.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.14.6	Gauge	0
ibLfQuelInThreshold.14.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.14.7	Gauge	0
ibLfQuelInThreshold.14.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.14.8	Gauge	0
ibLfQuelInThreshold.15.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.15.1	Gauge	0
ibLfQuelInThreshold.15.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.15.2	Gauge	0
ibLfQuelInThreshold.15.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.15.3	Gauge	0
ibLfQuelInThreshold.15.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.15.4	Gauge	0
ibLfQuelInThreshold.15.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.15.5	Gauge	0
ibLfQuelInThreshold.15.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.15.6	Gauge	0
ibLfQuelInThreshold.15.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.15.7	Gauge	0
ibLfQuelInThreshold.15.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.15.8	Gauge	0
ibLfQuelInThreshold.16.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.16.1	Gauge	0
ibLfQuelInThreshold.16.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.16.2	Gauge	0
ibLfQuelInThreshold.16.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.16.3	Gauge	0
ibLfQuelInThreshold.16.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.16.4	Gauge	0
ibLfQuelInThreshold.16.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.16.5	Gauge	0
ibLfQuelInThreshold.16.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.16.6	Gauge	0
ibLfQuelInThreshold.16.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.16.7	Gauge	0
ibLfQuelInThreshold.16.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.16.8	Gauge	0
ibLfQuelInThreshold.17.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.17.1	Gauge	0
ibLfQuelInThreshold.17.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.17.2	Gauge	0
ibLfQuelInThreshold.17.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.17.3	Gauge	0
ibLfQuelInThreshold.17.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.17.4	Gauge	0
ibLfQuelInThreshold.17.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.17.5	Gauge	0

Name	OID	Value Type	Value Example
iblfQuelnThreshold.17.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.17.6	Gauge	0
iblfQuelnThreshold.17.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.17.7	Gauge	0
iblfQuelnThreshold.17.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.17.8	Gauge	0
iblfQuelnThreshold.18.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.18.1	Gauge	0
iblfQuelnThreshold.18.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.18.2	Gauge	0
iblfQuelnThreshold.18.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.18.3	Gauge	0
iblfQuelnThreshold.18.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.18.4	Gauge	0
iblfQuelnThreshold.18.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.18.5	Gauge	0
iblfQuelnThreshold.18.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.18.6	Gauge	0
iblfQuelnThreshold.18.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.18.7	Gauge	0
iblfQuelnThreshold.18.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.18.8	Gauge	0
iblfQuelnThreshold.19.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.19.1	Gauge	0
iblfQuelnThreshold.19.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.19.2	Gauge	0
iblfQuelnThreshold.19.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.19.3	Gauge	0
iblfQuelnThreshold.19.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.19.4	Gauge	0
iblfQuelnThreshold.19.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.19.5	Gauge	0
iblfQuelnThreshold.19.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.19.6	Gauge	0
iblfQuelnThreshold.19.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.19.7	Gauge	0
iblfQuelnThreshold.19.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.19.8	Gauge	0
iblfQuelnThreshold.20.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.20.1	Gauge	0
iblfQuelnThreshold.20.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.20.2	Gauge	0
iblfQuelnThreshold.20.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.20.3	Gauge	0
iblfQuelnThreshold.20.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.20.4	Gauge	0
iblfQuelnThreshold.20.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.20.5	Gauge	0
iblfQuelnThreshold.20.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.20.6	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInThreshold.20.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.20.7	Gauge	0
ibLfQuelInThreshold.20.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.20.8	Gauge	0
ibLfQuelInThreshold.21.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.21.1	Gauge	0
ibLfQuelInThreshold.21.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.21.2	Gauge	0
ibLfQuelInThreshold.21.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.21.3	Gauge	0
ibLfQuelInThreshold.21.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.21.4	Gauge	0
ibLfQuelInThreshold.21.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.21.5	Gauge	0
ibLfQuelInThreshold.21.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.21.6	Gauge	0
ibLfQuelInThreshold.21.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.21.7	Gauge	0
ibLfQuelInThreshold.21.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.21.8	Gauge	0
ibLfQuelInThreshold.22.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.22.1	Gauge	0
ibLfQuelInThreshold.22.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.22.2	Gauge	0
ibLfQuelInThreshold.22.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.22.3	Gauge	0
ibLfQuelInThreshold.22.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.22.4	Gauge	0
ibLfQuelInThreshold.22.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.22.5	Gauge	0
ibLfQuelInThreshold.22.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.22.6	Gauge	0
ibLfQuelInThreshold.22.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.22.7	Gauge	0
ibLfQuelInThreshold.22.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.22.8	Gauge	0
ibLfQuelInThreshold.23.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.23.1	Gauge	0
ibLfQuelInThreshold.23.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.23.2	Gauge	0
ibLfQuelInThreshold.23.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.23.3	Gauge	0
ibLfQuelInThreshold.23.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.23.4	Gauge	0
ibLfQuelInThreshold.23.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.23.5	Gauge	0
ibLfQuelInThreshold.23.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.23.6	Gauge	0
ibLfQuelInThreshold.23.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.23.7	Gauge	0

Name	OID	Value Type	Value Example
iblfQuelnThreshold.23.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.23.8	Gauge	0
iblfQuelnThreshold.24.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.24.1	Gauge	0
iblfQuelnThreshold.24.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.24.2	Gauge	0
iblfQuelnThreshold.24.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.24.3	Gauge	0
iblfQuelnThreshold.24.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.24.4	Gauge	0
iblfQuelnThreshold.24.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.24.5	Gauge	0
iblfQuelnThreshold.24.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.24.6	Gauge	0
iblfQuelnThreshold.24.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.24.7	Gauge	0
iblfQuelnThreshold.24.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.24.8	Gauge	0
iblfQuelnThreshold.25.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.25.1	Gauge	0
iblfQuelnThreshold.25.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.25.2	Gauge	0
iblfQuelnThreshold.25.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.25.3	Gauge	0
iblfQuelnThreshold.25.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.25.4	Gauge	0
iblfQuelnThreshold.25.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.25.5	Gauge	0
iblfQuelnThreshold.25.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.25.6	Gauge	0
iblfQuelnThreshold.25.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.25.7	Gauge	0
iblfQuelnThreshold.25.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.25.8	Gauge	0
iblfQuelnThreshold.26.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.26.1	Gauge	0
iblfQuelnThreshold.26.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.26.2	Gauge	0
iblfQuelnThreshold.26.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.26.3	Gauge	0
iblfQuelnThreshold.26.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.26.4	Gauge	0
iblfQuelnThreshold.26.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.26.5	Gauge	0
iblfQuelnThreshold.26.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.26.6	Gauge	0
iblfQuelnThreshold.26.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.26.7	Gauge	0
iblfQuelnThreshold.26.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.26.8	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInThreshold.27.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.27.1	Gauge	0
ibLfQuelInThreshold.27.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.27.2	Gauge	0
ibLfQuelInThreshold.27.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.27.3	Gauge	0
ibLfQuelInThreshold.27.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.27.4	Gauge	0
ibLfQuelInThreshold.27.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.27.5	Gauge	0
ibLfQuelInThreshold.27.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.27.6	Gauge	0
ibLfQuelInThreshold.27.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.27.7	Gauge	0
ibLfQuelInThreshold.27.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.27.8	Gauge	0
ibLfQuelInThreshold.28.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.28.1	Gauge	0
ibLfQuelInThreshold.28.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.28.2	Gauge	0
ibLfQuelInThreshold.28.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.28.3	Gauge	0
ibLfQuelInThreshold.28.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.28.4	Gauge	0
ibLfQuelInThreshold.28.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.28.5	Gauge	0
ibLfQuelInThreshold.28.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.28.6	Gauge	0
ibLfQuelInThreshold.28.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.28.7	Gauge	0
ibLfQuelInThreshold.28.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.12.28.8	Gauge	0
ibLfQuelInOverThres.1.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.1.1	Gauge	0
ibLfQuelInOverThres.1.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.1.2	Gauge	0
ibLfQuelInOverThres.1.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.1.3	Gauge	0
ibLfQuelInOverThres.1.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.1.4	Gauge	0
ibLfQuelInOverThres.1.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.1.5	Gauge	0
ibLfQuelInOverThres.1.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.1.6	Gauge	0
ibLfQuelInOverThres.1.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.1.7	Gauge	0
ibLfQuelInOverThres.1.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.1.8	Gauge	0
ibLfQuelInOverThres.2.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.2.1	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnOverThres.2.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.2.2	Gauge	0
ibLfQuelnOverThres.2.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.2.3	Gauge	0
ibLfQuelnOverThres.2.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.2.4	Gauge	0
ibLfQuelnOverThres.2.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.2.5	Gauge	0
ibLfQuelnOverThres.2.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.2.6	Gauge	0
ibLfQuelnOverThres.2.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.2.7	Gauge	0
ibLfQuelnOverThres.2.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.2.8	Gauge	0
ibLfQuelnOverThres.3.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.3.1	Gauge	0
ibLfQuelnOverThres.3.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.3.2	Gauge	0
ibLfQuelnOverThres.3.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.3.3	Gauge	0
ibLfQuelnOverThres.3.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.3.4	Gauge	0
ibLfQuelnOverThres.3.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.3.5	Gauge	0
ibLfQuelnOverThres.3.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.3.6	Gauge	0
ibLfQuelnOverThres.3.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.3.7	Gauge	0
ibLfQuelnOverThres.3.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.3.8	Gauge	0
ibLfQuelnOverThres.4.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.4.1	Gauge	0
ibLfQuelnOverThres.4.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.4.2	Gauge	0
ibLfQuelnOverThres.4.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.4.3	Gauge	0
ibLfQuelnOverThres.4.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.4.4	Gauge	0
ibLfQuelnOverThres.4.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.4.5	Gauge	0
ibLfQuelnOverThres.4.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.4.6	Gauge	0
ibLfQuelnOverThres.4.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.4.7	Gauge	0
ibLfQuelnOverThres.4.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.4.8	Gauge	0
ibLfQuelnOverThres.5.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.5.1	Gauge	0
ibLfQuelnOverThres.5.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.5.2	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnOverThres.5.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.5.3	Gauge	0
ibLfQuelnOverThres.5.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.5.4	Gauge	0
ibLfQuelnOverThres.5.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.5.5	Gauge	0
ibLfQuelnOverThres.5.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.5.6	Gauge	0
ibLfQuelnOverThres.5.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.5.7	Gauge	0
ibLfQuelnOverThres.5.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.5.8	Gauge	0
ibLfQuelnOverThres.6.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.6.1	Gauge	0
ibLfQuelnOverThres.6.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.6.2	Gauge	0
ibLfQuelnOverThres.6.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.6.3	Gauge	0
ibLfQuelnOverThres.6.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.6.4	Gauge	0
ibLfQuelnOverThres.6.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.6.5	Gauge	0
ibLfQuelnOverThres.6.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.6.6	Gauge	0
ibLfQuelnOverThres.6.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.6.7	Gauge	0
ibLfQuelnOverThres.6.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.6.8	Gauge	0
ibLfQuelnOverThres.7.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.7.1	Gauge	0
ibLfQuelnOverThres.7.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.7.2	Gauge	0
ibLfQuelnOverThres.7.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.7.3	Gauge	0
ibLfQuelnOverThres.7.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.7.4	Gauge	0
ibLfQuelnOverThres.7.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.7.5	Gauge	0
ibLfQuelnOverThres.7.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.7.6	Gauge	0
ibLfQuelnOverThres.7.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.7.7	Gauge	0
ibLfQuelnOverThres.7.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.7.8	Gauge	0
ibLfQuelnOverThres.8.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.8.1	Gauge	0
ibLfQuelnOverThres.8.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.8.2	Gauge	0
ibLfQuelnOverThres.8.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.8.3	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnOverThres.8.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.8.4	Gauge	0
ibLfQuelnOverThres.8.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.8.5	Gauge	0
ibLfQuelnOverThres.8.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.8.6	Gauge	0
ibLfQuelnOverThres.8.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.8.7	Gauge	0
ibLfQuelnOverThres.8.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.8.8	Gauge	0
ibLfQuelnOverThres.9.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.9.1	Gauge	0
ibLfQuelnOverThres.9.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.9.2	Gauge	0
ibLfQuelnOverThres.9.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.9.3	Gauge	0
ibLfQuelnOverThres.9.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.9.4	Gauge	0
ibLfQuelnOverThres.9.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.9.5	Gauge	0
ibLfQuelnOverThres.9.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.9.6	Gauge	0
ibLfQuelnOverThres.9.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.9.7	Gauge	0
ibLfQuelnOverThres.9.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.9.8	Gauge	0
ibLfQuelnOverThres.10.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.10.1	Gauge	0
ibLfQuelnOverThres.10.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.10.2	Gauge	0
ibLfQuelnOverThres.10.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.10.3	Gauge	0
ibLfQuelnOverThres.10.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.10.4	Gauge	0
ibLfQuelnOverThres.10.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.10.5	Gauge	0
ibLfQuelnOverThres.10.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.10.6	Gauge	0
ibLfQuelnOverThres.10.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.10.7	Gauge	0
ibLfQuelnOverThres.10.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.10.8	Gauge	0
ibLfQuelnOverThres.11.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.11.1	Gauge	0
ibLfQuelnOverThres.11.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.11.2	Gauge	0
ibLfQuelnOverThres.11.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.11.3	Gauge	0
ibLfQuelnOverThres.11.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.11.4	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnOverThres.11.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.11.5	Gauge	0
ibLfQuelnOverThres.11.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.11.6	Gauge	0
ibLfQuelnOverThres.11.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.11.7	Gauge	0
ibLfQuelnOverThres.11.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.11.8	Gauge	0
ibLfQuelnOverThres.12.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.12.1	Gauge	0
ibLfQuelnOverThres.12.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.12.2	Gauge	0
ibLfQuelnOverThres.12.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.12.3	Gauge	0
ibLfQuelnOverThres.12.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.12.4	Gauge	0
ibLfQuelnOverThres.12.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.12.5	Gauge	0
ibLfQuelnOverThres.12.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.12.6	Gauge	0
ibLfQuelnOverThres.12.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.12.7	Gauge	0
ibLfQuelnOverThres.12.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.12.8	Gauge	0
ibLfQuelnOverThres.13.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.13.1	Gauge	0
ibLfQuelnOverThres.13.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.13.2	Gauge	0
ibLfQuelnOverThres.13.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.13.3	Gauge	0
ibLfQuelnOverThres.13.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.13.4	Gauge	0
ibLfQuelnOverThres.13.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.13.5	Gauge	0
ibLfQuelnOverThres.13.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.13.6	Gauge	0
ibLfQuelnOverThres.13.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.13.7	Gauge	0
ibLfQuelnOverThres.13.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.13.8	Gauge	0
ibLfQuelnOverThres.14.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.14.1	Gauge	0
ibLfQuelnOverThres.14.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.14.2	Gauge	0
ibLfQuelnOverThres.14.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.14.3	Gauge	0
ibLfQuelnOverThres.14.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.14.4	Gauge	0
ibLfQuelnOverThres.14.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.14.5	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnOverThres.14.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.14.6	Gauge	0
ibLfQuelnOverThres.14.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.14.7	Gauge	0
ibLfQuelnOverThres.14.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.14.8	Gauge	0
ibLfQuelnOverThres.15.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.15.1	Gauge	0
ibLfQuelnOverThres.15.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.15.2	Gauge	0
ibLfQuelnOverThres.15.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.15.3	Gauge	0
ibLfQuelnOverThres.15.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.15.4	Gauge	0
ibLfQuelnOverThres.15.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.15.5	Gauge	0
ibLfQuelnOverThres.15.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.15.6	Gauge	0
ibLfQuelnOverThres.15.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.15.7	Gauge	0
ibLfQuelnOverThres.15.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.15.8	Gauge	0
ibLfQuelnOverThres.16.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.16.1	Gauge	0
ibLfQuelnOverThres.16.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.16.2	Gauge	0
ibLfQuelnOverThres.16.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.16.3	Gauge	0
ibLfQuelnOverThres.16.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.16.4	Gauge	0
ibLfQuelnOverThres.16.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.16.5	Gauge	0
ibLfQuelnOverThres.16.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.16.6	Gauge	0
ibLfQuelnOverThres.16.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.16.7	Gauge	0
ibLfQuelnOverThres.16.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.16.8	Gauge	0
ibLfQuelnOverThres.17.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.17.1	Gauge	0
ibLfQuelnOverThres.17.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.17.2	Gauge	0
ibLfQuelnOverThres.17.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.17.3	Gauge	0
ibLfQuelnOverThres.17.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.17.4	Gauge	0
ibLfQuelnOverThres.17.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.17.5	Gauge	0
ibLfQuelnOverThres.17.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.17.6	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnOverThres.17.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.17.7	Gauge	0
ibLfQuelnOverThres.17.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.17.8	Gauge	0
ibLfQuelnOverThres.18.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.18.1	Gauge	0
ibLfQuelnOverThres.18.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.18.2	Gauge	0
ibLfQuelnOverThres.18.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.18.3	Gauge	0
ibLfQuelnOverThres.18.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.18.4	Gauge	0
ibLfQuelnOverThres.18.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.18.5	Gauge	0
ibLfQuelnOverThres.18.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.18.6	Gauge	0
ibLfQuelnOverThres.18.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.18.7	Gauge	0
ibLfQuelnOverThres.18.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.18.8	Gauge	0
ibLfQuelnOverThres.19.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.19.1	Gauge	0
ibLfQuelnOverThres.19.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.19.2	Gauge	0
ibLfQuelnOverThres.19.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.19.3	Gauge	0
ibLfQuelnOverThres.19.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.19.4	Gauge	0
ibLfQuelnOverThres.19.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.19.5	Gauge	0
ibLfQuelnOverThres.19.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.19.6	Gauge	0
ibLfQuelnOverThres.19.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.19.7	Gauge	0
ibLfQuelnOverThres.19.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.19.8	Gauge	0
ibLfQuelnOverThres.20.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.20.1	Gauge	0
ibLfQuelnOverThres.20.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.20.2	Gauge	0
ibLfQuelnOverThres.20.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.20.3	Gauge	0
ibLfQuelnOverThres.20.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.20.4	Gauge	0
ibLfQuelnOverThres.20.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.20.5	Gauge	0
ibLfQuelnOverThres.20.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.20.6	Gauge	0
ibLfQuelnOverThres.20.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.20.7	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnOverThres.20.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.20.8	Gauge	0
ibLfQuelnOverThres.21.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.21.1	Gauge	0
ibLfQuelnOverThres.21.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.21.2	Gauge	0
ibLfQuelnOverThres.21.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.21.3	Gauge	0
ibLfQuelnOverThres.21.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.21.4	Gauge	0
ibLfQuelnOverThres.21.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.21.5	Gauge	0
ibLfQuelnOverThres.21.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.21.6	Gauge	0
ibLfQuelnOverThres.21.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.21.7	Gauge	0
ibLfQuelnOverThres.21.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.21.8	Gauge	0
ibLfQuelnOverThres.22.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.22.1	Gauge	0
ibLfQuelnOverThres.22.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.22.2	Gauge	0
ibLfQuelnOverThres.22.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.22.3	Gauge	0
ibLfQuelnOverThres.22.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.22.4	Gauge	0
ibLfQuelnOverThres.22.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.22.5	Gauge	0
ibLfQuelnOverThres.22.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.22.6	Gauge	0
ibLfQuelnOverThres.22.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.22.7	Gauge	0
ibLfQuelnOverThres.22.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.22.8	Gauge	0
ibLfQuelnOverThres.23.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.23.1	Gauge	0
ibLfQuelnOverThres.23.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.23.2	Gauge	0
ibLfQuelnOverThres.23.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.23.3	Gauge	0
ibLfQuelnOverThres.23.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.23.4	Gauge	0
ibLfQuelnOverThres.23.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.23.5	Gauge	0
ibLfQuelnOverThres.23.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.23.6	Gauge	0
ibLfQuelnOverThres.23.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.23.7	Gauge	0
ibLfQuelnOverThres.23.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.23.8	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnOverThres.24.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.24.1	Gauge	0
ibLfQuelnOverThres.24.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.24.2	Gauge	0
ibLfQuelnOverThres.24.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.24.3	Gauge	0
ibLfQuelnOverThres.24.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.24.4	Gauge	0
ibLfQuelnOverThres.24.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.24.5	Gauge	0
ibLfQuelnOverThres.24.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.24.6	Gauge	0
ibLfQuelnOverThres.24.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.24.7	Gauge	0
ibLfQuelnOverThres.24.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.24.8	Gauge	0
ibLfQuelnOverThres.25.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.25.1	Gauge	0
ibLfQuelnOverThres.25.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.25.2	Gauge	0
ibLfQuelnOverThres.25.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.25.3	Gauge	0
ibLfQuelnOverThres.25.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.25.4	Gauge	0
ibLfQuelnOverThres.25.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.25.5	Gauge	0
ibLfQuelnOverThres.25.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.25.6	Gauge	0
ibLfQuelnOverThres.25.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.25.7	Gauge	0
ibLfQuelnOverThres.25.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.25.8	Gauge	0
ibLfQuelnOverThres.26.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.26.1	Gauge	0
ibLfQuelnOverThres.26.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.26.2	Gauge	0
ibLfQuelnOverThres.26.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.26.3	Gauge	0
ibLfQuelnOverThres.26.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.26.4	Gauge	0
ibLfQuelnOverThres.26.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.26.5	Gauge	0
ibLfQuelnOverThres.26.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.26.6	Gauge	0
ibLfQuelnOverThres.26.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.26.7	Gauge	0
ibLfQuelnOverThres.26.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.26.8	Gauge	0
ibLfQuelnOverThres.27.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.27.1	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnOverThres.27.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.27.2	Gauge	0
ibLfQuelnOverThres.27.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.27.3	Gauge	0
ibLfQuelnOverThres.27.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.27.4	Gauge	0
ibLfQuelnOverThres.27.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.27.5	Gauge	0
ibLfQuelnOverThres.27.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.27.6	Gauge	0
ibLfQuelnOverThres.27.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.27.7	Gauge	0
ibLfQuelnOverThres.27.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.27.8	Gauge	0
ibLfQuelnOverThres.28.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.28.1	Gauge	0
ibLfQuelnOverThres.28.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.28.2	Gauge	0
ibLfQuelnOverThres.28.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.28.3	Gauge	0
ibLfQuelnOverThres.28.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.28.4	Gauge	0
ibLfQuelnOverThres.28.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.28.5	Gauge	0
ibLfQuelnOverThres.28.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.28.6	Gauge	0
ibLfQuelnOverThres.28.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.28.7	Gauge	0
ibLfQuelnOverThres.28.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.13.28.8	Gauge	0
ibLfQuelnHeadRoomTotal.1.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.1.1	Gauge	0
ibLfQuelnHeadRoomTotal.1.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.1.2	Gauge	0
ibLfQuelnHeadRoomTotal.1.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.1.3	Gauge	0
ibLfQuelnHeadRoomTotal.1.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.1.4	Gauge	0
ibLfQuelnHeadRoomTotal.1.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.1.5	Gauge	0
ibLfQuelnHeadRoomTotal.1.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.1.6	Gauge	0
ibLfQuelnHeadRoomTotal.1.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.1.7	Gauge	0
ibLfQuelnHeadRoomTotal.1.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.1.8	Gauge	0
ibLfQuelnHeadRoomTotal.2.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.2.1	Gauge	0
ibLfQuelnHeadRoomTotal.2.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.2.2	Gauge	0

Name	OID	Value Type	Value Example
iblfQuelnHeadRoomTotal.2.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.2.3	Gauge	0
iblfQuelnHeadRoomTotal.2.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.2.4	Gauge	0
iblfQuelnHeadRoomTotal.2.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.2.5	Gauge	0
iblfQuelnHeadRoomTotal.2.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.2.6	Gauge	0
iblfQuelnHeadRoomTotal.2.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.2.7	Gauge	0
iblfQuelnHeadRoomTotal.2.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.2.8	Gauge	0
iblfQuelnHeadRoomTotal.3.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.3.1	Gauge	0
iblfQuelnHeadRoomTotal.3.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.3.2	Gauge	0
iblfQuelnHeadRoomTotal.3.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.3.3	Gauge	0
iblfQuelnHeadRoomTotal.3.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.3.4	Gauge	0
iblfQuelnHeadRoomTotal.3.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.3.5	Gauge	0
iblfQuelnHeadRoomTotal.3.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.3.6	Gauge	0
iblfQuelnHeadRoomTotal.3.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.3.7	Gauge	0
iblfQuelnHeadRoomTotal.3.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.3.8	Gauge	0
iblfQuelnHeadRoomTotal.4.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.4.1	Gauge	0
iblfQuelnHeadRoomTotal.4.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.4.2	Gauge	0
iblfQuelnHeadRoomTotal.4.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.4.3	Gauge	0
iblfQuelnHeadRoomTotal.4.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.4.4	Gauge	0
iblfQuelnHeadRoomTotal.4.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.4.5	Gauge	0
iblfQuelnHeadRoomTotal.4.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.4.6	Gauge	0
iblfQuelnHeadRoomTotal.4.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.4.7	Gauge	0
iblfQuelnHeadRoomTotal.4.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.4.8	Gauge	0
iblfQuelnHeadRoomTotal.5.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.5.1	Gauge	0
iblfQuelnHeadRoomTotal.5.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.5.2	Gauge	0
iblfQuelnHeadRoomTotal.5.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.5.3	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInHeadRoomTotal.5.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.5.4	Gauge	0
ibLfQuelInHeadRoomTotal.5.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.5.5	Gauge	0
ibLfQuelInHeadRoomTotal.5.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.5.6	Gauge	0
ibLfQuelInHeadRoomTotal.5.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.5.7	Gauge	0
ibLfQuelInHeadRoomTotal.5.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.5.8	Gauge	0
ibLfQuelInHeadRoomTotal.6.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.6.1	Gauge	0
ibLfQuelInHeadRoomTotal.6.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.6.2	Gauge	0
ibLfQuelInHeadRoomTotal.6.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.6.3	Gauge	0
ibLfQuelInHeadRoomTotal.6.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.6.4	Gauge	0
ibLfQuelInHeadRoomTotal.6.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.6.5	Gauge	0
ibLfQuelInHeadRoomTotal.6.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.6.6	Gauge	0
ibLfQuelInHeadRoomTotal.6.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.6.7	Gauge	0
ibLfQuelInHeadRoomTotal.6.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.6.8	Gauge	0
ibLfQuelInHeadRoomTotal.7.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.7.1	Gauge	0
ibLfQuelInHeadRoomTotal.7.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.7.2	Gauge	0
ibLfQuelInHeadRoomTotal.7.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.7.3	Gauge	0
ibLfQuelInHeadRoomTotal.7.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.7.4	Gauge	0
ibLfQuelInHeadRoomTotal.7.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.7.5	Gauge	0
ibLfQuelInHeadRoomTotal.7.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.7.6	Gauge	0
ibLfQuelInHeadRoomTotal.7.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.7.7	Gauge	0
ibLfQuelInHeadRoomTotal.7.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.7.8	Gauge	0
ibLfQuelInHeadRoomTotal.8.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.8.1	Gauge	0
ibLfQuelInHeadRoomTotal.8.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.8.2	Gauge	0
ibLfQuelInHeadRoomTotal.8.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.8.3	Gauge	0
ibLfQuelInHeadRoomTotal.8.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.8.4	Gauge	0

Name	OID	Value Type	Value Example
iblfQuelnHeadRoomTotal.8.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.8.5	Gauge	0
iblfQuelnHeadRoomTotal.8.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.8.6	Gauge	0
iblfQuelnHeadRoomTotal.8.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.8.7	Gauge	0
iblfQuelnHeadRoomTotal.8.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.8.8	Gauge	0
iblfQuelnHeadRoomTotal.9.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.9.1	Gauge	0
iblfQuelnHeadRoomTotal.9.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.9.2	Gauge	0
iblfQuelnHeadRoomTotal.9.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.9.3	Gauge	0
iblfQuelnHeadRoomTotal.9.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.9.4	Gauge	0
iblfQuelnHeadRoomTotal.9.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.9.5	Gauge	0
iblfQuelnHeadRoomTotal.9.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.9.6	Gauge	0
iblfQuelnHeadRoomTotal.9.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.9.7	Gauge	0
iblfQuelnHeadRoomTotal.9.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.9.8	Gauge	0
iblfQuelnHeadRoomTotal.10.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.10.1	Gauge	0
iblfQuelnHeadRoomTotal.10.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.10.2	Gauge	0
iblfQuelnHeadRoomTotal.10.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.10.3	Gauge	0
iblfQuelnHeadRoomTotal.10.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.10.4	Gauge	0
iblfQuelnHeadRoomTotal.10.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.10.5	Gauge	0
iblfQuelnHeadRoomTotal.10.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.10.6	Gauge	0
iblfQuelnHeadRoomTotal.10.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.10.7	Gauge	0
iblfQuelnHeadRoomTotal.10.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.10.8	Gauge	0
iblfQuelnHeadRoomTotal.11.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.11.1	Gauge	0
iblfQuelnHeadRoomTotal.11.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.11.2	Gauge	0
iblfQuelnHeadRoomTotal.11.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.11.3	Gauge	0
iblfQuelnHeadRoomTotal.11.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.11.4	Gauge	0
iblfQuelnHeadRoomTotal.11.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.11.5	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInHeadRoomTotal.11.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.11.6	Gauge	0
ibLfQuelInHeadRoomTotal.11.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.11.7	Gauge	0
ibLfQuelInHeadRoomTotal.11.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.11.8	Gauge	0
ibLfQuelInHeadRoomTotal.12.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.12.1	Gauge	0
ibLfQuelInHeadRoomTotal.12.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.12.2	Gauge	0
ibLfQuelInHeadRoomTotal.12.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.12.3	Gauge	0
ibLfQuelInHeadRoomTotal.12.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.12.4	Gauge	0
ibLfQuelInHeadRoomTotal.12.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.12.5	Gauge	0
ibLfQuelInHeadRoomTotal.12.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.12.6	Gauge	0
ibLfQuelInHeadRoomTotal.12.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.12.7	Gauge	0
ibLfQuelInHeadRoomTotal.12.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.12.8	Gauge	0
ibLfQuelInHeadRoomTotal.13.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.13.1	Gauge	0
ibLfQuelInHeadRoomTotal.13.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.13.2	Gauge	0
ibLfQuelInHeadRoomTotal.13.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.13.3	Gauge	0
ibLfQuelInHeadRoomTotal.13.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.13.4	Gauge	0
ibLfQuelInHeadRoomTotal.13.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.13.5	Gauge	0
ibLfQuelInHeadRoomTotal.13.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.13.6	Gauge	0
ibLfQuelInHeadRoomTotal.13.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.13.7	Gauge	0
ibLfQuelInHeadRoomTotal.13.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.13.8	Gauge	0
ibLfQuelInHeadRoomTotal.14.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.14.1	Gauge	0
ibLfQuelInHeadRoomTotal.14.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.14.2	Gauge	0
ibLfQuelInHeadRoomTotal.14.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.14.3	Gauge	0
ibLfQuelInHeadRoomTotal.14.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.14.4	Gauge	0
ibLfQuelInHeadRoomTotal.14.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.14.5	Gauge	0
ibLfQuelInHeadRoomTotal.14.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.14.6	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInHeadRoomTotal.14.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.14.7	Gauge	0
ibLfQuelInHeadRoomTotal.14.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.14.8	Gauge	0
ibLfQuelInHeadRoomTotal.15.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.15.1	Gauge	0
ibLfQuelInHeadRoomTotal.15.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.15.2	Gauge	0
ibLfQuelInHeadRoomTotal.15.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.15.3	Gauge	0
ibLfQuelInHeadRoomTotal.15.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.15.4	Gauge	0
ibLfQuelInHeadRoomTotal.15.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.15.5	Gauge	0
ibLfQuelInHeadRoomTotal.15.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.15.6	Gauge	0
ibLfQuelInHeadRoomTotal.15.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.15.7	Gauge	0
ibLfQuelInHeadRoomTotal.15.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.15.8	Gauge	0
ibLfQuelInHeadRoomTotal.16.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.16.1	Gauge	0
ibLfQuelInHeadRoomTotal.16.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.16.2	Gauge	0
ibLfQuelInHeadRoomTotal.16.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.16.3	Gauge	0
ibLfQuelInHeadRoomTotal.16.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.16.4	Gauge	0
ibLfQuelInHeadRoomTotal.16.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.16.5	Gauge	0
ibLfQuelInHeadRoomTotal.16.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.16.6	Gauge	0
ibLfQuelInHeadRoomTotal.16.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.16.7	Gauge	0
ibLfQuelInHeadRoomTotal.16.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.16.8	Gauge	0
ibLfQuelInHeadRoomTotal.17.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.17.1	Gauge	0
ibLfQuelInHeadRoomTotal.17.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.17.2	Gauge	0
ibLfQuelInHeadRoomTotal.17.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.17.3	Gauge	0
ibLfQuelInHeadRoomTotal.17.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.17.4	Gauge	0
ibLfQuelInHeadRoomTotal.17.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.17.5	Gauge	0
ibLfQuelInHeadRoomTotal.17.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.17.6	Gauge	0
ibLfQuelInHeadRoomTotal.17.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.17.7	Gauge	0

Name	OID	Value Type	Value Example
iblfQuelnHeadRoomTotal.17.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.17.8	Gauge	0
iblfQuelnHeadRoomTotal.18.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.18.1	Gauge	0
iblfQuelnHeadRoomTotal.18.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.18.2	Gauge	0
iblfQuelnHeadRoomTotal.18.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.18.3	Gauge	0
iblfQuelnHeadRoomTotal.18.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.18.4	Gauge	0
iblfQuelnHeadRoomTotal.18.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.18.5	Gauge	0
iblfQuelnHeadRoomTotal.18.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.18.6	Gauge	0
iblfQuelnHeadRoomTotal.18.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.18.7	Gauge	0
iblfQuelnHeadRoomTotal.18.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.18.8	Gauge	0
iblfQuelnHeadRoomTotal.19.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.19.1	Gauge	0
iblfQuelnHeadRoomTotal.19.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.19.2	Gauge	0
iblfQuelnHeadRoomTotal.19.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.19.3	Gauge	0
iblfQuelnHeadRoomTotal.19.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.19.4	Gauge	0
iblfQuelnHeadRoomTotal.19.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.19.5	Gauge	0
iblfQuelnHeadRoomTotal.19.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.19.6	Gauge	0
iblfQuelnHeadRoomTotal.19.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.19.7	Gauge	0
iblfQuelnHeadRoomTotal.19.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.19.8	Gauge	0
iblfQuelnHeadRoomTotal.20.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.20.1	Gauge	0
iblfQuelnHeadRoomTotal.20.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.20.2	Gauge	0
iblfQuelnHeadRoomTotal.20.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.20.3	Gauge	0
iblfQuelnHeadRoomTotal.20.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.20.4	Gauge	0
iblfQuelnHeadRoomTotal.20.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.20.5	Gauge	0
iblfQuelnHeadRoomTotal.20.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.20.6	Gauge	0
iblfQuelnHeadRoomTotal.20.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.20.7	Gauge	0
iblfQuelnHeadRoomTotal.20.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.20.8	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInHeadRoomTotal.21.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.21.1	Gauge	0
ibLfQuelInHeadRoomTotal.21.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.21.2	Gauge	0
ibLfQuelInHeadRoomTotal.21.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.21.3	Gauge	0
ibLfQuelInHeadRoomTotal.21.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.21.4	Gauge	0
ibLfQuelInHeadRoomTotal.21.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.21.5	Gauge	0
ibLfQuelInHeadRoomTotal.21.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.21.6	Gauge	0
ibLfQuelInHeadRoomTotal.21.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.21.7	Gauge	0
ibLfQuelInHeadRoomTotal.21.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.21.8	Gauge	0
ibLfQuelInHeadRoomTotal.22.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.22.1	Gauge	0
ibLfQuelInHeadRoomTotal.22.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.22.2	Gauge	0
ibLfQuelInHeadRoomTotal.22.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.22.3	Gauge	0
ibLfQuelInHeadRoomTotal.22.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.22.4	Gauge	0
ibLfQuelInHeadRoomTotal.22.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.22.5	Gauge	0
ibLfQuelInHeadRoomTotal.22.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.22.6	Gauge	0
ibLfQuelInHeadRoomTotal.22.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.22.7	Gauge	0
ibLfQuelInHeadRoomTotal.22.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.22.8	Gauge	0
ibLfQuelInHeadRoomTotal.23.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.23.1	Gauge	0
ibLfQuelInHeadRoomTotal.23.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.23.2	Gauge	0
ibLfQuelInHeadRoomTotal.23.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.23.3	Gauge	0
ibLfQuelInHeadRoomTotal.23.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.23.4	Gauge	0
ibLfQuelInHeadRoomTotal.23.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.23.5	Gauge	0
ibLfQuelInHeadRoomTotal.23.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.23.6	Gauge	0
ibLfQuelInHeadRoomTotal.23.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.23.7	Gauge	0
ibLfQuelInHeadRoomTotal.23.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.23.8	Gauge	0
ibLfQuelInHeadRoomTotal.24.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.24.1	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInHeadRoomTotal.24.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.24.2	Gauge	0
ibLfQuelInHeadRoomTotal.24.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.24.3	Gauge	0
ibLfQuelInHeadRoomTotal.24.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.24.4	Gauge	0
ibLfQuelInHeadRoomTotal.24.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.24.5	Gauge	0
ibLfQuelInHeadRoomTotal.24.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.24.6	Gauge	0
ibLfQuelInHeadRoomTotal.24.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.24.7	Gauge	0
ibLfQuelInHeadRoomTotal.24.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.24.8	Gauge	0
ibLfQuelInHeadRoomTotal.25.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.25.1	Gauge	0
ibLfQuelInHeadRoomTotal.25.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.25.2	Gauge	0
ibLfQuelInHeadRoomTotal.25.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.25.3	Gauge	0
ibLfQuelInHeadRoomTotal.25.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.25.4	Gauge	0
ibLfQuelInHeadRoomTotal.25.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.25.5	Gauge	0
ibLfQuelInHeadRoomTotal.25.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.25.6	Gauge	0
ibLfQuelInHeadRoomTotal.25.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.25.7	Gauge	0
ibLfQuelInHeadRoomTotal.25.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.25.8	Gauge	0
ibLfQuelInHeadRoomTotal.26.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.26.1	Gauge	0
ibLfQuelInHeadRoomTotal.26.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.26.2	Gauge	0
ibLfQuelInHeadRoomTotal.26.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.26.3	Gauge	0
ibLfQuelInHeadRoomTotal.26.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.26.4	Gauge	0
ibLfQuelInHeadRoomTotal.26.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.26.5	Gauge	0
ibLfQuelInHeadRoomTotal.26.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.26.6	Gauge	0
ibLfQuelInHeadRoomTotal.26.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.26.7	Gauge	0
ibLfQuelInHeadRoomTotal.26.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.26.8	Gauge	0
ibLfQuelInHeadRoomTotal.27.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.27.1	Gauge	0
ibLfQuelInHeadRoomTotal.27.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.27.2	Gauge	0

Name	OID	Value Type	Value Example
iblfQuelnHeadRoomTotal.27.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.27.3	Gauge	0
iblfQuelnHeadRoomTotal.27.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.27.4	Gauge	0
iblfQuelnHeadRoomTotal.27.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.27.5	Gauge	0
iblfQuelnHeadRoomTotal.27.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.27.6	Gauge	0
iblfQuelnHeadRoomTotal.27.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.27.7	Gauge	0
iblfQuelnHeadRoomTotal.27.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.27.8	Gauge	0
iblfQuelnHeadRoomTotal.28.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.28.1	Gauge	0
iblfQuelnHeadRoomTotal.28.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.28.2	Gauge	0
iblfQuelnHeadRoomTotal.28.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.28.3	Gauge	0
iblfQuelnHeadRoomTotal.28.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.28.4	Gauge	0
iblfQuelnHeadRoomTotal.28.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.28.5	Gauge	0
iblfQuelnHeadRoomTotal.28.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.28.6	Gauge	0
iblfQuelnHeadRoomTotal.28.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.28.7	Gauge	0
iblfQuelnHeadRoomTotal.28.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.14.28.8	Gauge	0
iblfQuelnHeadRoomFree.1.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.1.1	Gauge	0
iblfQuelnHeadRoomFree.1.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.1.2	Gauge	0
iblfQuelnHeadRoomFree.1.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.1.3	Gauge	0
iblfQuelnHeadRoomFree.1.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.1.4	Gauge	0
iblfQuelnHeadRoomFree.1.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.1.5	Gauge	0
iblfQuelnHeadRoomFree.1.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.1.6	Gauge	0
iblfQuelnHeadRoomFree.1.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.1.7	Gauge	0
iblfQuelnHeadRoomFree.1.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.1.8	Gauge	0
iblfQuelnHeadRoomFree.2.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.2.1	Gauge	0
iblfQuelnHeadRoomFree.2.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.2.2	Gauge	0
iblfQuelnHeadRoomFree.2.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.2.3	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInHeadRoomFree.2.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.2.4	Gauge	0
ibLfQuelInHeadRoomFree.2.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.2.5	Gauge	0
ibLfQuelInHeadRoomFree.2.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.2.6	Gauge	0
ibLfQuelInHeadRoomFree.2.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.2.7	Gauge	0
ibLfQuelInHeadRoomFree.2.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.2.8	Gauge	0
ibLfQuelInHeadRoomFree.3.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.3.1	Gauge	0
ibLfQuelInHeadRoomFree.3.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.3.2	Gauge	0
ibLfQuelInHeadRoomFree.3.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.3.3	Gauge	0
ibLfQuelInHeadRoomFree.3.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.3.4	Gauge	0
ibLfQuelInHeadRoomFree.3.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.3.5	Gauge	0
ibLfQuelInHeadRoomFree.3.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.3.6	Gauge	0
ibLfQuelInHeadRoomFree.3.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.3.7	Gauge	0
ibLfQuelInHeadRoomFree.3.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.3.8	Gauge	0
ibLfQuelInHeadRoomFree.4.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.4.1	Gauge	0
ibLfQuelInHeadRoomFree.4.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.4.2	Gauge	0
ibLfQuelInHeadRoomFree.4.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.4.3	Gauge	0
ibLfQuelInHeadRoomFree.4.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.4.4	Gauge	0
ibLfQuelInHeadRoomFree.4.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.4.5	Gauge	0
ibLfQuelInHeadRoomFree.4.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.4.6	Gauge	0
ibLfQuelInHeadRoomFree.4.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.4.7	Gauge	0
ibLfQuelInHeadRoomFree.4.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.4.8	Gauge	0
ibLfQuelInHeadRoomFree.5.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.5.1	Gauge	0
ibLfQuelInHeadRoomFree.5.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.5.2	Gauge	0
ibLfQuelInHeadRoomFree.5.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.5.3	Gauge	0
ibLfQuelInHeadRoomFree.5.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.5.4	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInHeadRoomFree.5.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.5.5	Gauge	0
ibLfQuelInHeadRoomFree.5.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.5.6	Gauge	0
ibLfQuelInHeadRoomFree.5.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.5.7	Gauge	0
ibLfQuelInHeadRoomFree.5.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.5.8	Gauge	0
ibLfQuelInHeadRoomFree.6.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.6.1	Gauge	0
ibLfQuelInHeadRoomFree.6.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.6.2	Gauge	0
ibLfQuelInHeadRoomFree.6.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.6.3	Gauge	0
ibLfQuelInHeadRoomFree.6.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.6.4	Gauge	0
ibLfQuelInHeadRoomFree.6.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.6.5	Gauge	0
ibLfQuelInHeadRoomFree.6.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.6.6	Gauge	0
ibLfQuelInHeadRoomFree.6.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.6.7	Gauge	0
ibLfQuelInHeadRoomFree.6.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.6.8	Gauge	0
ibLfQuelInHeadRoomFree.7.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.7.1	Gauge	0
ibLfQuelInHeadRoomFree.7.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.7.2	Gauge	0
ibLfQuelInHeadRoomFree.7.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.7.3	Gauge	0
ibLfQuelInHeadRoomFree.7.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.7.4	Gauge	0
ibLfQuelInHeadRoomFree.7.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.7.5	Gauge	0
ibLfQuelInHeadRoomFree.7.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.7.6	Gauge	0
ibLfQuelInHeadRoomFree.7.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.7.7	Gauge	0
ibLfQuelInHeadRoomFree.7.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.7.8	Gauge	0
ibLfQuelInHeadRoomFree.8.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.8.1	Gauge	0
ibLfQuelInHeadRoomFree.8.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.8.2	Gauge	0
ibLfQuelInHeadRoomFree.8.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.8.3	Gauge	0
ibLfQuelInHeadRoomFree.8.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.8.4	Gauge	0
ibLfQuelInHeadRoomFree.8.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.8.5	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInHeadRoomFree.8.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.8.6	Gauge	0
ibLfQuelInHeadRoomFree.8.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.8.7	Gauge	0
ibLfQuelInHeadRoomFree.8.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.8.8	Gauge	0
ibLfQuelInHeadRoomFree.9.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.9.1	Gauge	0
ibLfQuelInHeadRoomFree.9.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.9.2	Gauge	0
ibLfQuelInHeadRoomFree.9.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.9.3	Gauge	0
ibLfQuelInHeadRoomFree.9.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.9.4	Gauge	0
ibLfQuelInHeadRoomFree.9.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.9.5	Gauge	0
ibLfQuelInHeadRoomFree.9.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.9.6	Gauge	0
ibLfQuelInHeadRoomFree.9.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.9.7	Gauge	0
ibLfQuelInHeadRoomFree.9.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.9.8	Gauge	0
ibLfQuelInHeadRoomFree.10.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.10.1	Gauge	0
ibLfQuelInHeadRoomFree.10.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.10.2	Gauge	0
ibLfQuelInHeadRoomFree.10.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.10.3	Gauge	0
ibLfQuelInHeadRoomFree.10.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.10.4	Gauge	0
ibLfQuelInHeadRoomFree.10.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.10.5	Gauge	0
ibLfQuelInHeadRoomFree.10.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.10.6	Gauge	0
ibLfQuelInHeadRoomFree.10.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.10.7	Gauge	0
ibLfQuelInHeadRoomFree.10.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.10.8	Gauge	0
ibLfQuelInHeadRoomFree.11.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.11.1	Gauge	0
ibLfQuelInHeadRoomFree.11.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.11.2	Gauge	0
ibLfQuelInHeadRoomFree.11.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.11.3	Gauge	0
ibLfQuelInHeadRoomFree.11.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.11.4	Gauge	0
ibLfQuelInHeadRoomFree.11.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.11.5	Gauge	0
ibLfQuelInHeadRoomFree.11.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.11.6	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInHeadRoomFree.11.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.11.7	Gauge	0
ibLfQuelInHeadRoomFree.11.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.11.8	Gauge	0
ibLfQuelInHeadRoomFree.12.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.12.1	Gauge	0
ibLfQuelInHeadRoomFree.12.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.12.2	Gauge	0
ibLfQuelInHeadRoomFree.12.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.12.3	Gauge	0
ibLfQuelInHeadRoomFree.12.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.12.4	Gauge	0
ibLfQuelInHeadRoomFree.12.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.12.5	Gauge	0
ibLfQuelInHeadRoomFree.12.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.12.6	Gauge	0
ibLfQuelInHeadRoomFree.12.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.12.7	Gauge	0
ibLfQuelInHeadRoomFree.12.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.12.8	Gauge	0
ibLfQuelInHeadRoomFree.13.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.13.1	Gauge	0
ibLfQuelInHeadRoomFree.13.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.13.2	Gauge	0
ibLfQuelInHeadRoomFree.13.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.13.3	Gauge	0
ibLfQuelInHeadRoomFree.13.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.13.4	Gauge	0
ibLfQuelInHeadRoomFree.13.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.13.5	Gauge	0
ibLfQuelInHeadRoomFree.13.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.13.6	Gauge	0
ibLfQuelInHeadRoomFree.13.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.13.7	Gauge	0
ibLfQuelInHeadRoomFree.13.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.13.8	Gauge	0
ibLfQuelInHeadRoomFree.14.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.14.1	Gauge	0
ibLfQuelInHeadRoomFree.14.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.14.2	Gauge	0
ibLfQuelInHeadRoomFree.14.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.14.3	Gauge	0
ibLfQuelInHeadRoomFree.14.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.14.4	Gauge	0
ibLfQuelInHeadRoomFree.14.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.14.5	Gauge	0
ibLfQuelInHeadRoomFree.14.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.14.6	Gauge	0
ibLfQuelInHeadRoomFree.14.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.14.7	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInHeadRoomFree.14.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.14.8	Gauge	0
ibLfQuelInHeadRoomFree.15.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.15.1	Gauge	0
ibLfQuelInHeadRoomFree.15.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.15.2	Gauge	0
ibLfQuelInHeadRoomFree.15.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.15.3	Gauge	0
ibLfQuelInHeadRoomFree.15.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.15.4	Gauge	0
ibLfQuelInHeadRoomFree.15.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.15.5	Gauge	0
ibLfQuelInHeadRoomFree.15.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.15.6	Gauge	0
ibLfQuelInHeadRoomFree.15.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.15.7	Gauge	0
ibLfQuelInHeadRoomFree.15.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.15.8	Gauge	0
ibLfQuelInHeadRoomFree.16.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.16.1	Gauge	0
ibLfQuelInHeadRoomFree.16.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.16.2	Gauge	0
ibLfQuelInHeadRoomFree.16.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.16.3	Gauge	0
ibLfQuelInHeadRoomFree.16.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.16.4	Gauge	0
ibLfQuelInHeadRoomFree.16.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.16.5	Gauge	0
ibLfQuelInHeadRoomFree.16.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.16.6	Gauge	0
ibLfQuelInHeadRoomFree.16.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.16.7	Gauge	0
ibLfQuelInHeadRoomFree.16.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.16.8	Gauge	0
ibLfQuelInHeadRoomFree.17.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.17.1	Gauge	0
ibLfQuelInHeadRoomFree.17.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.17.2	Gauge	0
ibLfQuelInHeadRoomFree.17.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.17.3	Gauge	0
ibLfQuelInHeadRoomFree.17.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.17.4	Gauge	0
ibLfQuelInHeadRoomFree.17.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.17.5	Gauge	0
ibLfQuelInHeadRoomFree.17.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.17.6	Gauge	0
ibLfQuelInHeadRoomFree.17.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.17.7	Gauge	0
ibLfQuelInHeadRoomFree.17.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.17.8	Gauge	0

Name	OID	Value Type	Value Example
iblfQuelnHeadRoomFree.18.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.18.1	Gauge	0
iblfQuelnHeadRoomFree.18.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.18.2	Gauge	0
iblfQuelnHeadRoomFree.18.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.18.3	Gauge	0
iblfQuelnHeadRoomFree.18.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.18.4	Gauge	0
iblfQuelnHeadRoomFree.18.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.18.5	Gauge	0
iblfQuelnHeadRoomFree.18.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.18.6	Gauge	0
iblfQuelnHeadRoomFree.18.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.18.7	Gauge	0
iblfQuelnHeadRoomFree.18.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.18.8	Gauge	0
iblfQuelnHeadRoomFree.19.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.19.1	Gauge	0
iblfQuelnHeadRoomFree.19.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.19.2	Gauge	0
iblfQuelnHeadRoomFree.19.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.19.3	Gauge	0
iblfQuelnHeadRoomFree.19.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.19.4	Gauge	0
iblfQuelnHeadRoomFree.19.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.19.5	Gauge	0
iblfQuelnHeadRoomFree.19.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.19.6	Gauge	0
iblfQuelnHeadRoomFree.19.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.19.7	Gauge	0
iblfQuelnHeadRoomFree.19.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.19.8	Gauge	0
iblfQuelnHeadRoomFree.20.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.20.1	Gauge	0
iblfQuelnHeadRoomFree.20.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.20.2	Gauge	0
iblfQuelnHeadRoomFree.20.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.20.3	Gauge	0
iblfQuelnHeadRoomFree.20.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.20.4	Gauge	0
iblfQuelnHeadRoomFree.20.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.20.5	Gauge	0
iblfQuelnHeadRoomFree.20.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.20.6	Gauge	0
iblfQuelnHeadRoomFree.20.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.20.7	Gauge	0
iblfQuelnHeadRoomFree.20.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.20.8	Gauge	0
iblfQuelnHeadRoomFree.21.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.21.1	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInHeadRoomFree.21.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.21.2	Gauge	0
ibLfQuelInHeadRoomFree.21.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.21.3	Gauge	0
ibLfQuelInHeadRoomFree.21.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.21.4	Gauge	0
ibLfQuelInHeadRoomFree.21.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.21.5	Gauge	0
ibLfQuelInHeadRoomFree.21.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.21.6	Gauge	0
ibLfQuelInHeadRoomFree.21.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.21.7	Gauge	0
ibLfQuelInHeadRoomFree.21.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.21.8	Gauge	0
ibLfQuelInHeadRoomFree.22.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.22.1	Gauge	0
ibLfQuelInHeadRoomFree.22.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.22.2	Gauge	0
ibLfQuelInHeadRoomFree.22.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.22.3	Gauge	0
ibLfQuelInHeadRoomFree.22.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.22.4	Gauge	0
ibLfQuelInHeadRoomFree.22.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.22.5	Gauge	0
ibLfQuelInHeadRoomFree.22.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.22.6	Gauge	0
ibLfQuelInHeadRoomFree.22.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.22.7	Gauge	0
ibLfQuelInHeadRoomFree.22.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.22.8	Gauge	0
ibLfQuelInHeadRoomFree.23.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.23.1	Gauge	0
ibLfQuelInHeadRoomFree.23.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.23.2	Gauge	0
ibLfQuelInHeadRoomFree.23.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.23.3	Gauge	0
ibLfQuelInHeadRoomFree.23.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.23.4	Gauge	0
ibLfQuelInHeadRoomFree.23.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.23.5	Gauge	0
ibLfQuelInHeadRoomFree.23.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.23.6	Gauge	0
ibLfQuelInHeadRoomFree.23.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.23.7	Gauge	0
ibLfQuelInHeadRoomFree.23.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.23.8	Gauge	0
ibLfQuelInHeadRoomFree.24.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.24.1	Gauge	0
ibLfQuelInHeadRoomFree.24.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.24.2	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInHeadRoomFree.24.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.24.3	Gauge	0
ibLfQuelInHeadRoomFree.24.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.24.4	Gauge	0
ibLfQuelInHeadRoomFree.24.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.24.5	Gauge	0
ibLfQuelInHeadRoomFree.24.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.24.6	Gauge	0
ibLfQuelInHeadRoomFree.24.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.24.7	Gauge	0
ibLfQuelInHeadRoomFree.24.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.24.8	Gauge	0
ibLfQuelInHeadRoomFree.25.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.25.1	Gauge	0
ibLfQuelInHeadRoomFree.25.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.25.2	Gauge	0
ibLfQuelInHeadRoomFree.25.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.25.3	Gauge	0
ibLfQuelInHeadRoomFree.25.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.25.4	Gauge	0
ibLfQuelInHeadRoomFree.25.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.25.5	Gauge	0
ibLfQuelInHeadRoomFree.25.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.25.6	Gauge	0
ibLfQuelInHeadRoomFree.25.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.25.7	Gauge	0
ibLfQuelInHeadRoomFree.25.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.25.8	Gauge	0
ibLfQuelInHeadRoomFree.26.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.26.1	Gauge	0
ibLfQuelInHeadRoomFree.26.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.26.2	Gauge	0
ibLfQuelInHeadRoomFree.26.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.26.3	Gauge	0
ibLfQuelInHeadRoomFree.26.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.26.4	Gauge	0
ibLfQuelInHeadRoomFree.26.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.26.5	Gauge	0
ibLfQuelInHeadRoomFree.26.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.26.6	Gauge	0
ibLfQuelInHeadRoomFree.26.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.26.7	Gauge	0
ibLfQuelInHeadRoomFree.26.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.26.8	Gauge	0
ibLfQuelInHeadRoomFree.27.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.27.1	Gauge	0
ibLfQuelInHeadRoomFree.27.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.27.2	Gauge	0
ibLfQuelInHeadRoomFree.27.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.27.3	Gauge	0

Name	OID	Value Type	Value Example
iblfQueInHeadRoomFree.27.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.27.4	Gauge	0
iblfQueInHeadRoomFree.27.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.27.5	Gauge	0
iblfQueInHeadRoomFree.27.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.27.6	Gauge	0
iblfQueInHeadRoomFree.27.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.27.7	Gauge	0
iblfQueInHeadRoomFree.27.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.27.8	Gauge	0
iblfQueInHeadRoomFree.28.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.28.1	Gauge	0
iblfQueInHeadRoomFree.28.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.28.2	Gauge	0
iblfQueInHeadRoomFree.28.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.28.3	Gauge	0
iblfQueInHeadRoomFree.28.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.28.4	Gauge	0
iblfQueInHeadRoomFree.28.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.28.5	Gauge	0
iblfQueInHeadRoomFree.28.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.28.6	Gauge	0
iblfQueInHeadRoomFree.28.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.28.7	Gauge	0
iblfQueInHeadRoomFree.28.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.15.28.8	Gauge	0
iblfQueInHeadRoomUsedRatio.1.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.1.1	Gauge	0
iblfQueInHeadRoomUsedRatio.1.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.1.2	Gauge	0
iblfQueInHeadRoomUsedRatio.1.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.1.3	Gauge	0
iblfQueInHeadRoomUsedRatio.1.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.1.4	Gauge	0
iblfQueInHeadRoomUsedRatio.1.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.1.5	Gauge	0
iblfQueInHeadRoomUsedRatio.1.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.1.6	Gauge	0
iblfQueInHeadRoomUsedRatio.1.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.1.7	Gauge	0
iblfQueInHeadRoomUsedRatio.1.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.1.8	Gauge	0
iblfQueInHeadRoomUsedRatio.2.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.2.1	Gauge	0
iblfQueInHeadRoomUsedRatio.2.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.2.2	Gauge	0
iblfQueInHeadRoomUsedRatio.2.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.2.3	Gauge	0
iblfQueInHeadRoomUsedRatio.2.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.2.4	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInHeadRoomUsedRatio.2.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.2.5	Gauge	0
ibLfQuelInHeadRoomUsedRatio.2.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.2.6	Gauge	0
ibLfQuelInHeadRoomUsedRatio.2.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.2.7	Gauge	0
ibLfQuelInHeadRoomUsedRatio.2.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.2.8	Gauge	0
ibLfQuelInHeadRoomUsedRatio.3.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.3.1	Gauge	0
ibLfQuelInHeadRoomUsedRatio.3.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.3.2	Gauge	0
ibLfQuelInHeadRoomUsedRatio.3.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.3.3	Gauge	0
ibLfQuelInHeadRoomUsedRatio.3.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.3.4	Gauge	0
ibLfQuelInHeadRoomUsedRatio.3.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.3.5	Gauge	0
ibLfQuelInHeadRoomUsedRatio.3.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.3.6	Gauge	0
ibLfQuelInHeadRoomUsedRatio.3.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.3.7	Gauge	0
ibLfQuelInHeadRoomUsedRatio.3.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.3.8	Gauge	0
ibLfQuelInHeadRoomUsedRatio.4.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.4.1	Gauge	0
ibLfQuelInHeadRoomUsedRatio.4.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.4.2	Gauge	0
ibLfQuelInHeadRoomUsedRatio.4.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.4.3	Gauge	0
ibLfQuelInHeadRoomUsedRatio.4.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.4.4	Gauge	0
ibLfQuelInHeadRoomUsedRatio.4.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.4.5	Gauge	0
ibLfQuelInHeadRoomUsedRatio.4.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.4.6	Gauge	0
ibLfQuelInHeadRoomUsedRatio.4.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.4.7	Gauge	0
ibLfQuelInHeadRoomUsedRatio.4.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.4.8	Gauge	0
ibLfQuelInHeadRoomUsedRatio.5.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.5.1	Gauge	0
ibLfQuelInHeadRoomUsedRatio.5.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.5.2	Gauge	0
ibLfQuelInHeadRoomUsedRatio.5.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.5.3	Gauge	0
ibLfQuelInHeadRoomUsedRatio.5.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.5.4	Gauge	0
ibLfQuelInHeadRoomUsedRatio.5.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.5.5	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInHeadRoomUsedRatio.5.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.5.6	Gauge	0
ibLfQuelInHeadRoomUsedRatio.5.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.5.7	Gauge	0
ibLfQuelInHeadRoomUsedRatio.5.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.5.8	Gauge	0
ibLfQuelInHeadRoomUsedRatio.6.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.6.1	Gauge	0
ibLfQuelInHeadRoomUsedRatio.6.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.6.2	Gauge	0
ibLfQuelInHeadRoomUsedRatio.6.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.6.3	Gauge	0
ibLfQuelInHeadRoomUsedRatio.6.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.6.4	Gauge	0
ibLfQuelInHeadRoomUsedRatio.6.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.6.5	Gauge	0
ibLfQuelInHeadRoomUsedRatio.6.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.6.6	Gauge	0
ibLfQuelInHeadRoomUsedRatio.6.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.6.7	Gauge	0
ibLfQuelInHeadRoomUsedRatio.6.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.6.8	Gauge	0
ibLfQuelInHeadRoomUsedRatio.7.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.7.1	Gauge	0
ibLfQuelInHeadRoomUsedRatio.7.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.7.2	Gauge	0
ibLfQuelInHeadRoomUsedRatio.7.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.7.3	Gauge	0
ibLfQuelInHeadRoomUsedRatio.7.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.7.4	Gauge	0
ibLfQuelInHeadRoomUsedRatio.7.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.7.5	Gauge	0
ibLfQuelInHeadRoomUsedRatio.7.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.7.6	Gauge	0
ibLfQuelInHeadRoomUsedRatio.7.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.7.7	Gauge	0
ibLfQuelInHeadRoomUsedRatio.7.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.7.8	Gauge	0
ibLfQuelInHeadRoomUsedRatio.8.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.8.1	Gauge	0
ibLfQuelInHeadRoomUsedRatio.8.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.8.2	Gauge	0
ibLfQuelInHeadRoomUsedRatio.8.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.8.3	Gauge	0
ibLfQuelInHeadRoomUsedRatio.8.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.8.4	Gauge	0
ibLfQuelInHeadRoomUsedRatio.8.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.8.5	Gauge	0
ibLfQuelInHeadRoomUsedRatio.8.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.8.6	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInHeadRoomUsedRatio.8.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.8.7	Gauge	0
ibLfQuelInHeadRoomUsedRatio.8.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.8.8	Gauge	0
ibLfQuelInHeadRoomUsedRatio.9.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.9.1	Gauge	0
ibLfQuelInHeadRoomUsedRatio.9.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.9.2	Gauge	0
ibLfQuelInHeadRoomUsedRatio.9.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.9.3	Gauge	0
ibLfQuelInHeadRoomUsedRatio.9.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.9.4	Gauge	0
ibLfQuelInHeadRoomUsedRatio.9.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.9.5	Gauge	0
ibLfQuelInHeadRoomUsedRatio.9.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.9.6	Gauge	0
ibLfQuelInHeadRoomUsedRatio.9.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.9.7	Gauge	0
ibLfQuelInHeadRoomUsedRatio.9.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.9.8	Gauge	0
ibLfQuelInHeadRoomUsedRatio.10.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.10.1	Gauge	0
ibLfQuelInHeadRoomUsedRatio.10.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.10.2	Gauge	0
ibLfQuelInHeadRoomUsedRatio.10.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.10.3	Gauge	0
ibLfQuelInHeadRoomUsedRatio.10.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.10.4	Gauge	0
ibLfQuelInHeadRoomUsedRatio.10.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.10.5	Gauge	0
ibLfQuelInHeadRoomUsedRatio.10.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.10.6	Gauge	0
ibLfQuelInHeadRoomUsedRatio.10.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.10.7	Gauge	0
ibLfQuelInHeadRoomUsedRatio.10.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.10.8	Gauge	0
ibLfQuelInHeadRoomUsedRatio.11.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.11.1	Gauge	0
ibLfQuelInHeadRoomUsedRatio.11.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.11.2	Gauge	0
ibLfQuelInHeadRoomUsedRatio.11.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.11.3	Gauge	0
ibLfQuelInHeadRoomUsedRatio.11.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.11.4	Gauge	0
ibLfQuelInHeadRoomUsedRatio.11.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.11.5	Gauge	0
ibLfQuelInHeadRoomUsedRatio.11.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.11.6	Gauge	0
ibLfQuelInHeadRoomUsedRatio.11.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.11.7	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueInHeadRoomUsedRatio.11.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.11.8	Gauge	0
ibLfQueInHeadRoomUsedRatio.12.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.12.1	Gauge	0
ibLfQueInHeadRoomUsedRatio.12.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.12.2	Gauge	0
ibLfQueInHeadRoomUsedRatio.12.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.12.3	Gauge	0
ibLfQueInHeadRoomUsedRatio.12.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.12.4	Gauge	0
ibLfQueInHeadRoomUsedRatio.12.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.12.5	Gauge	0
ibLfQueInHeadRoomUsedRatio.12.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.12.6	Gauge	0
ibLfQueInHeadRoomUsedRatio.12.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.12.7	Gauge	0
ibLfQueInHeadRoomUsedRatio.12.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.12.8	Gauge	0
ibLfQueInHeadRoomUsedRatio.13.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.13.1	Gauge	0
ibLfQueInHeadRoomUsedRatio.13.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.13.2	Gauge	0
ibLfQueInHeadRoomUsedRatio.13.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.13.3	Gauge	0
ibLfQueInHeadRoomUsedRatio.13.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.13.4	Gauge	0
ibLfQueInHeadRoomUsedRatio.13.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.13.5	Gauge	0
ibLfQueInHeadRoomUsedRatio.13.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.13.6	Gauge	0
ibLfQueInHeadRoomUsedRatio.13.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.13.7	Gauge	0
ibLfQueInHeadRoomUsedRatio.13.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.13.8	Gauge	0
ibLfQueInHeadRoomUsedRatio.14.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.14.1	Gauge	0
ibLfQueInHeadRoomUsedRatio.14.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.14.2	Gauge	0
ibLfQueInHeadRoomUsedRatio.14.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.14.3	Gauge	0
ibLfQueInHeadRoomUsedRatio.14.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.14.4	Gauge	0
ibLfQueInHeadRoomUsedRatio.14.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.14.5	Gauge	0
ibLfQueInHeadRoomUsedRatio.14.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.14.6	Gauge	0
ibLfQueInHeadRoomUsedRatio.14.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.14.7	Gauge	0
ibLfQueInHeadRoomUsedRatio.14.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.14.8	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueInHeadRoomUsedRatio.15.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.15.1	Gauge	0
ibLfQueInHeadRoomUsedRatio.15.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.15.2	Gauge	0
ibLfQueInHeadRoomUsedRatio.15.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.15.3	Gauge	0
ibLfQueInHeadRoomUsedRatio.15.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.15.4	Gauge	0
ibLfQueInHeadRoomUsedRatio.15.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.15.5	Gauge	0
ibLfQueInHeadRoomUsedRatio.15.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.15.6	Gauge	0
ibLfQueInHeadRoomUsedRatio.15.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.15.7	Gauge	0
ibLfQueInHeadRoomUsedRatio.15.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.15.8	Gauge	0
ibLfQueInHeadRoomUsedRatio.16.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.16.1	Gauge	0
ibLfQueInHeadRoomUsedRatio.16.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.16.2	Gauge	0
ibLfQueInHeadRoomUsedRatio.16.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.16.3	Gauge	0
ibLfQueInHeadRoomUsedRatio.16.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.16.4	Gauge	0
ibLfQueInHeadRoomUsedRatio.16.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.16.5	Gauge	0
ibLfQueInHeadRoomUsedRatio.16.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.16.6	Gauge	0
ibLfQueInHeadRoomUsedRatio.16.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.16.7	Gauge	0
ibLfQueInHeadRoomUsedRatio.16.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.16.8	Gauge	0
ibLfQueInHeadRoomUsedRatio.17.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.17.1	Gauge	0
ibLfQueInHeadRoomUsedRatio.17.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.17.2	Gauge	0
ibLfQueInHeadRoomUsedRatio.17.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.17.3	Gauge	0
ibLfQueInHeadRoomUsedRatio.17.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.17.4	Gauge	0
ibLfQueInHeadRoomUsedRatio.17.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.17.5	Gauge	0
ibLfQueInHeadRoomUsedRatio.17.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.17.6	Gauge	0
ibLfQueInHeadRoomUsedRatio.17.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.17.7	Gauge	0
ibLfQueInHeadRoomUsedRatio.17.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.17.8	Gauge	0
ibLfQueInHeadRoomUsedRatio.18.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.18.1	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInHeadRoomUsedRatio.18.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.18.2	Gauge	0
ibLfQuelInHeadRoomUsedRatio.18.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.18.3	Gauge	0
ibLfQuelInHeadRoomUsedRatio.18.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.18.4	Gauge	0
ibLfQuelInHeadRoomUsedRatio.18.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.18.5	Gauge	0
ibLfQuelInHeadRoomUsedRatio.18.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.18.6	Gauge	0
ibLfQuelInHeadRoomUsedRatio.18.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.18.7	Gauge	0
ibLfQuelInHeadRoomUsedRatio.18.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.18.8	Gauge	0
ibLfQuelInHeadRoomUsedRatio.19.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.19.1	Gauge	0
ibLfQuelInHeadRoomUsedRatio.19.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.19.2	Gauge	0
ibLfQuelInHeadRoomUsedRatio.19.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.19.3	Gauge	0
ibLfQuelInHeadRoomUsedRatio.19.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.19.4	Gauge	0
ibLfQuelInHeadRoomUsedRatio.19.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.19.5	Gauge	0
ibLfQuelInHeadRoomUsedRatio.19.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.19.6	Gauge	0
ibLfQuelInHeadRoomUsedRatio.19.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.19.7	Gauge	0
ibLfQuelInHeadRoomUsedRatio.19.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.19.8	Gauge	0
ibLfQuelInHeadRoomUsedRatio.20.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.20.1	Gauge	0
ibLfQuelInHeadRoomUsedRatio.20.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.20.2	Gauge	0
ibLfQuelInHeadRoomUsedRatio.20.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.20.3	Gauge	0
ibLfQuelInHeadRoomUsedRatio.20.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.20.4	Gauge	0
ibLfQuelInHeadRoomUsedRatio.20.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.20.5	Gauge	0
ibLfQuelInHeadRoomUsedRatio.20.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.20.6	Gauge	0
ibLfQuelInHeadRoomUsedRatio.20.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.20.7	Gauge	0
ibLfQuelInHeadRoomUsedRatio.20.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.20.8	Gauge	0
ibLfQuelInHeadRoomUsedRatio.21.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.21.1	Gauge	0
ibLfQuelInHeadRoomUsedRatio.21.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.21.2	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInHeadRoomUsedRatio.21.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.21.3	Gauge	0
ibLfQuelInHeadRoomUsedRatio.21.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.21.4	Gauge	0
ibLfQuelInHeadRoomUsedRatio.21.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.21.5	Gauge	0
ibLfQuelInHeadRoomUsedRatio.21.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.21.6	Gauge	0
ibLfQuelInHeadRoomUsedRatio.21.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.21.7	Gauge	0
ibLfQuelInHeadRoomUsedRatio.21.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.21.8	Gauge	0
ibLfQuelInHeadRoomUsedRatio.22.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.22.1	Gauge	0
ibLfQuelInHeadRoomUsedRatio.22.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.22.2	Gauge	0
ibLfQuelInHeadRoomUsedRatio.22.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.22.3	Gauge	0
ibLfQuelInHeadRoomUsedRatio.22.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.22.4	Gauge	0
ibLfQuelInHeadRoomUsedRatio.22.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.22.5	Gauge	0
ibLfQuelInHeadRoomUsedRatio.22.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.22.6	Gauge	0
ibLfQuelInHeadRoomUsedRatio.22.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.22.7	Gauge	0
ibLfQuelInHeadRoomUsedRatio.22.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.22.8	Gauge	0
ibLfQuelInHeadRoomUsedRatio.23.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.23.1	Gauge	0
ibLfQuelInHeadRoomUsedRatio.23.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.23.2	Gauge	0
ibLfQuelInHeadRoomUsedRatio.23.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.23.3	Gauge	0
ibLfQuelInHeadRoomUsedRatio.23.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.23.4	Gauge	0
ibLfQuelInHeadRoomUsedRatio.23.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.23.5	Gauge	0
ibLfQuelInHeadRoomUsedRatio.23.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.23.6	Gauge	0
ibLfQuelInHeadRoomUsedRatio.23.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.23.7	Gauge	0
ibLfQuelInHeadRoomUsedRatio.23.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.23.8	Gauge	0
ibLfQuelInHeadRoomUsedRatio.24.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.24.1	Gauge	0
ibLfQuelInHeadRoomUsedRatio.24.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.24.2	Gauge	0
ibLfQuelInHeadRoomUsedRatio.24.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.24.3	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueInHeadRoomUsedRatio.24.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.24.4	Gauge	0
ibLfQueInHeadRoomUsedRatio.24.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.24.5	Gauge	0
ibLfQueInHeadRoomUsedRatio.24.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.24.6	Gauge	0
ibLfQueInHeadRoomUsedRatio.24.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.24.7	Gauge	0
ibLfQueInHeadRoomUsedRatio.24.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.24.8	Gauge	0
ibLfQueInHeadRoomUsedRatio.25.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.25.1	Gauge	0
ibLfQueInHeadRoomUsedRatio.25.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.25.2	Gauge	0
ibLfQueInHeadRoomUsedRatio.25.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.25.3	Gauge	0
ibLfQueInHeadRoomUsedRatio.25.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.25.4	Gauge	0
ibLfQueInHeadRoomUsedRatio.25.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.25.5	Gauge	0
ibLfQueInHeadRoomUsedRatio.25.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.25.6	Gauge	0
ibLfQueInHeadRoomUsedRatio.25.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.25.7	Gauge	0
ibLfQueInHeadRoomUsedRatio.25.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.25.8	Gauge	0
ibLfQueInHeadRoomUsedRatio.26.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.26.1	Gauge	0
ibLfQueInHeadRoomUsedRatio.26.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.26.2	Gauge	0
ibLfQueInHeadRoomUsedRatio.26.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.26.3	Gauge	0
ibLfQueInHeadRoomUsedRatio.26.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.26.4	Gauge	0
ibLfQueInHeadRoomUsedRatio.26.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.26.5	Gauge	0
ibLfQueInHeadRoomUsedRatio.26.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.26.6	Gauge	0
ibLfQueInHeadRoomUsedRatio.26.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.26.7	Gauge	0
ibLfQueInHeadRoomUsedRatio.26.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.26.8	Gauge	0
ibLfQueInHeadRoomUsedRatio.27.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.27.1	Gauge	0
ibLfQueInHeadRoomUsedRatio.27.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.27.2	Gauge	0
ibLfQueInHeadRoomUsedRatio.27.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.27.3	Gauge	0
ibLfQueInHeadRoomUsedRatio.27.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.27.4	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInHeadRoomUsedRatio.27.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.27.5	Gauge	0
ibLfQuelInHeadRoomUsedRatio.27.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.27.6	Gauge	0
ibLfQuelInHeadRoomUsedRatio.27.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.27.7	Gauge	0
ibLfQuelInHeadRoomUsedRatio.27.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.27.8	Gauge	0
ibLfQuelInHeadRoomUsedRatio.28.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.28.1	Gauge	0
ibLfQuelInHeadRoomUsedRatio.28.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.28.2	Gauge	0
ibLfQuelInHeadRoomUsedRatio.28.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.28.3	Gauge	0
ibLfQuelInHeadRoomUsedRatio.28.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.28.4	Gauge	0
ibLfQuelInHeadRoomUsedRatio.28.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.28.5	Gauge	0
ibLfQuelInHeadRoomUsedRatio.28.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.28.6	Gauge	0
ibLfQuelInHeadRoomUsedRatio.28.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.28.7	Gauge	0
ibLfQuelInHeadRoomUsedRatio.28.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.16.28.8	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.1.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.1.1	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.1.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.1.2	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.1.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.1.3	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.1.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.1.4	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.1.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.1.5	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.1.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.1.6	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.1.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.1.7	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.1.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.1.8	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.2.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.2.1	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.2.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.2.2	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.2.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.2.3	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.2.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.2.4	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.2.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.2.5	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueInHeadRoomUsed-Peak.2.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.2.6	Gauge	0
ibLfQueInHeadRoomUsed-Peak.2.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.2.7	Gauge	0
ibLfQueInHeadRoomUsed-Peak.2.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.2.8	Gauge	0
ibLfQueInHeadRoomUsed-Peak.3.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.3.1	Gauge	0
ibLfQueInHeadRoomUsed-Peak.3.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.3.2	Gauge	0
ibLfQueInHeadRoomUsed-Peak.3.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.3.3	Gauge	0
ibLfQueInHeadRoomUsed-Peak.3.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.3.4	Gauge	0
ibLfQueInHeadRoomUsed-Peak.3.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.3.5	Gauge	0
ibLfQueInHeadRoomUsed-Peak.3.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.3.6	Gauge	0
ibLfQueInHeadRoomUsed-Peak.3.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.3.7	Gauge	0
ibLfQueInHeadRoomUsed-Peak.3.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.3.8	Gauge	0
ibLfQueInHeadRoomUsed-Peak.4.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.4.1	Gauge	0
ibLfQueInHeadRoomUsed-Peak.4.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.4.2	Gauge	0
ibLfQueInHeadRoomUsed-Peak.4.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.4.3	Gauge	0
ibLfQueInHeadRoomUsed-Peak.4.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.4.4	Gauge	0
ibLfQueInHeadRoomUsed-Peak.4.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.4.5	Gauge	0
ibLfQueInHeadRoomUsed-Peak.4.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.4.6	Gauge	0
ibLfQueInHeadRoomUsed-Peak.4.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.4.7	Gauge	0
ibLfQueInHeadRoomUsed-Peak.4.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.4.8	Gauge	0
ibLfQueInHeadRoomUsed-Peak.5.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.5.1	Gauge	0
ibLfQueInHeadRoomUsed-Peak.5.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.5.2	Gauge	0
ibLfQueInHeadRoomUsed-Peak.5.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.5.3	Gauge	0
ibLfQueInHeadRoomUsed-Peak.5.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.5.4	Gauge	0
ibLfQueInHeadRoomUsed-Peak.5.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.5.5	Gauge	0
ibLfQueInHeadRoomUsed-Peak.5.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.5.6	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueInHeadRoomUsed-Peak.5.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.5.7	Gauge	0
ibLfQueInHeadRoomUsed-Peak.5.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.5.8	Gauge	0
ibLfQueInHeadRoomUsed-Peak.6.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.6.1	Gauge	0
ibLfQueInHeadRoomUsed-Peak.6.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.6.2	Gauge	0
ibLfQueInHeadRoomUsed-Peak.6.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.6.3	Gauge	0
ibLfQueInHeadRoomUsed-Peak.6.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.6.4	Gauge	0
ibLfQueInHeadRoomUsed-Peak.6.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.6.5	Gauge	0
ibLfQueInHeadRoomUsed-Peak.6.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.6.6	Gauge	0
ibLfQueInHeadRoomUsed-Peak.6.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.6.7	Gauge	0
ibLfQueInHeadRoomUsed-Peak.6.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.6.8	Gauge	0
ibLfQueInHeadRoomUsed-Peak.7.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.7.1	Gauge	0
ibLfQueInHeadRoomUsed-Peak.7.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.7.2	Gauge	0
ibLfQueInHeadRoomUsed-Peak.7.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.7.3	Gauge	0
ibLfQueInHeadRoomUsed-Peak.7.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.7.4	Gauge	0
ibLfQueInHeadRoomUsed-Peak.7.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.7.5	Gauge	0
ibLfQueInHeadRoomUsed-Peak.7.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.7.6	Gauge	0
ibLfQueInHeadRoomUsed-Peak.7.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.7.7	Gauge	0
ibLfQueInHeadRoomUsed-Peak.7.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.7.8	Gauge	0
ibLfQueInHeadRoomUsed-Peak.8.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.8.1	Gauge	0
ibLfQueInHeadRoomUsed-Peak.8.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.8.2	Gauge	0
ibLfQueInHeadRoomUsed-Peak.8.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.8.3	Gauge	0
ibLfQueInHeadRoomUsed-Peak.8.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.8.4	Gauge	0
ibLfQueInHeadRoomUsed-Peak.8.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.8.5	Gauge	0
ibLfQueInHeadRoomUsed-Peak.8.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.8.6	Gauge	0
ibLfQueInHeadRoomUsed-Peak.8.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.8.7	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueInHeadRoomUsed-Peak.8.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.8.8	Gauge	0
ibLfQueInHeadRoomUsed-Peak.9.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.9.1	Gauge	0
ibLfQueInHeadRoomUsed-Peak.9.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.9.2	Gauge	0
ibLfQueInHeadRoomUsed-Peak.9.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.9.3	Gauge	0
ibLfQueInHeadRoomUsed-Peak.9.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.9.4	Gauge	0
ibLfQueInHeadRoomUsed-Peak.9.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.9.5	Gauge	0
ibLfQueInHeadRoomUsed-Peak.9.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.9.6	Gauge	0
ibLfQueInHeadRoomUsed-Peak.9.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.9.7	Gauge	0
ibLfQueInHeadRoomUsed-Peak.9.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.9.8	Gauge	0
ibLfQueInHeadRoomUsed-Peak.10.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.10.1	Gauge	0
ibLfQueInHeadRoomUsed-Peak.10.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.10.2	Gauge	0
ibLfQueInHeadRoomUsed-Peak.10.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.10.3	Gauge	0
ibLfQueInHeadRoomUsed-Peak.10.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.10.4	Gauge	0
ibLfQueInHeadRoomUsed-Peak.10.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.10.5	Gauge	0
ibLfQueInHeadRoomUsed-Peak.10.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.10.6	Gauge	0
ibLfQueInHeadRoomUsed-Peak.10.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.10.7	Gauge	0
ibLfQueInHeadRoomUsed-Peak.10.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.10.8	Gauge	0
ibLfQueInHeadRoomUsed-Peak.11.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.11.1	Gauge	0
ibLfQueInHeadRoomUsed-Peak.11.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.11.2	Gauge	0
ibLfQueInHeadRoomUsed-Peak.11.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.11.3	Gauge	0
ibLfQueInHeadRoomUsed-Peak.11.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.11.4	Gauge	0
ibLfQueInHeadRoomUsed-Peak.11.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.11.5	Gauge	0
ibLfQueInHeadRoomUsed-Peak.11.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.11.6	Gauge	0
ibLfQueInHeadRoomUsed-Peak.11.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.11.7	Gauge	0
ibLfQueInHeadRoomUsed-Peak.11.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.11.8	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueInHeadRoomUsed-Peak.12.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.12.1	Gauge	0
ibLfQueInHeadRoomUsed-Peak.12.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.12.2	Gauge	0
ibLfQueInHeadRoomUsed-Peak.12.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.12.3	Gauge	0
ibLfQueInHeadRoomUsed-Peak.12.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.12.4	Gauge	0
ibLfQueInHeadRoomUsed-Peak.12.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.12.5	Gauge	0
ibLfQueInHeadRoomUsed-Peak.12.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.12.6	Gauge	0
ibLfQueInHeadRoomUsed-Peak.12.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.12.7	Gauge	0
ibLfQueInHeadRoomUsed-Peak.12.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.12.8	Gauge	0
ibLfQueInHeadRoomUsed-Peak.13.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.13.1	Gauge	0
ibLfQueInHeadRoomUsed-Peak.13.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.13.2	Gauge	0
ibLfQueInHeadRoomUsed-Peak.13.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.13.3	Gauge	0
ibLfQueInHeadRoomUsed-Peak.13.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.13.4	Gauge	0
ibLfQueInHeadRoomUsed-Peak.13.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.13.5	Gauge	0
ibLfQueInHeadRoomUsed-Peak.13.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.13.6	Gauge	0
ibLfQueInHeadRoomUsed-Peak.13.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.13.7	Gauge	0
ibLfQueInHeadRoomUsed-Peak.13.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.13.8	Gauge	0
ibLfQueInHeadRoomUsed-Peak.14.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.14.1	Gauge	0
ibLfQueInHeadRoomUsed-Peak.14.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.14.2	Gauge	0
ibLfQueInHeadRoomUsed-Peak.14.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.14.3	Gauge	0
ibLfQueInHeadRoomUsed-Peak.14.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.14.4	Gauge	0
ibLfQueInHeadRoomUsed-Peak.14.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.14.5	Gauge	0
ibLfQueInHeadRoomUsed-Peak.14.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.14.6	Gauge	0
ibLfQueInHeadRoomUsed-Peak.14.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.14.7	Gauge	0
ibLfQueInHeadRoomUsed-Peak.14.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.14.8	Gauge	0
ibLfQueInHeadRoomUsed-Peak.15.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.15.1	Gauge	0

Name	OID	Value Type	Value Example
ibLfQueInHeadRoomUsed-Peak.15.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.15.2	Gauge	0
ibLfQueInHeadRoomUsed-Peak.15.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.15.3	Gauge	0
ibLfQueInHeadRoomUsed-Peak.15.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.15.4	Gauge	0
ibLfQueInHeadRoomUsed-Peak.15.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.15.5	Gauge	0
ibLfQueInHeadRoomUsed-Peak.15.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.15.6	Gauge	0
ibLfQueInHeadRoomUsed-Peak.15.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.15.7	Gauge	0
ibLfQueInHeadRoomUsed-Peak.15.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.15.8	Gauge	0
ibLfQueInHeadRoomUsed-Peak.16.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.16.1	Gauge	0
ibLfQueInHeadRoomUsed-Peak.16.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.16.2	Gauge	0
ibLfQueInHeadRoomUsed-Peak.16.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.16.3	Gauge	0
ibLfQueInHeadRoomUsed-Peak.16.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.16.4	Gauge	0
ibLfQueInHeadRoomUsed-Peak.16.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.16.5	Gauge	0
ibLfQueInHeadRoomUsed-Peak.16.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.16.6	Gauge	0
ibLfQueInHeadRoomUsed-Peak.16.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.16.7	Gauge	0
ibLfQueInHeadRoomUsed-Peak.16.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.16.8	Gauge	0
ibLfQueInHeadRoomUsed-Peak.17.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.17.1	Gauge	0
ibLfQueInHeadRoomUsed-Peak.17.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.17.2	Gauge	0
ibLfQueInHeadRoomUsed-Peak.17.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.17.3	Gauge	0
ibLfQueInHeadRoomUsed-Peak.17.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.17.4	Gauge	0
ibLfQueInHeadRoomUsed-Peak.17.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.17.5	Gauge	0
ibLfQueInHeadRoomUsed-Peak.17.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.17.6	Gauge	0
ibLfQueInHeadRoomUsed-Peak.17.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.17.7	Gauge	0
ibLfQueInHeadRoomUsed-Peak.17.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.17.8	Gauge	0
ibLfQueInHeadRoomUsed-Peak.18.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.18.1	Gauge	0
ibLfQueInHeadRoomUsed-Peak.18.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.18.2	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnHeadRoomUsed-Peak.18.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.18.3	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.18.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.18.4	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.18.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.18.5	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.18.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.18.6	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.18.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.18.7	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.18.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.18.8	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.19.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.19.1	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.19.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.19.2	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.19.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.19.3	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.19.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.19.4	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.19.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.19.5	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.19.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.19.6	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.19.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.19.7	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.19.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.19.8	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.20.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.20.1	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.20.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.20.2	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.20.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.20.3	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.20.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.20.4	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.20.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.20.5	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.20.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.20.6	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.20.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.20.7	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.20.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.20.8	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.21.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.21.1	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.21.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.21.2	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.21.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.21.3	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInHeadRoomUsed-Peak.21.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.21.4	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.21.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.21.5	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.21.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.21.6	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.21.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.21.7	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.21.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.21.8	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.22.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.22.1	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.22.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.22.2	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.22.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.22.3	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.22.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.22.4	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.22.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.22.5	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.22.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.22.6	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.22.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.22.7	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.22.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.22.8	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.23.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.23.1	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.23.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.23.2	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.23.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.23.3	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.23.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.23.4	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.23.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.23.5	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.23.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.23.6	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.23.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.23.7	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.23.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.23.8	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.24.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.24.1	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.24.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.24.2	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.24.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.24.3	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.24.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.24.4	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelnHeadRoomUsed-Peak.24.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.24.5	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.24.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.24.6	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.24.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.24.7	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.24.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.24.8	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.25.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.25.1	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.25.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.25.2	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.25.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.25.3	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.25.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.25.4	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.25.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.25.5	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.25.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.25.6	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.25.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.25.7	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.25.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.25.8	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.26.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.26.1	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.26.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.26.2	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.26.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.26.3	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.26.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.26.4	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.26.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.26.5	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.26.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.26.6	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.26.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.26.7	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.26.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.26.8	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.27.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.27.1	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.27.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.27.2	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.27.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.27.3	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.27.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.27.4	Gauge	0
ibLfQuelnHeadRoomUsed-Peak.27.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.27.5	Gauge	0

Name	OID	Value Type	Value Example
ibLfQuelInHeadRoomUsed-Peak.27.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.27.6	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.27.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.27.7	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.27.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.27.8	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.28.1	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.28.1	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.28.2	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.28.2	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.28.3	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.28.3	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.28.4	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.28.4	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.28.5	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.28.5	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.28.6	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.28.6	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.28.7	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.28.7	Gauge	0
ibLfQuelInHeadRoomUsed-Peak.28.8	.1.3.6.1.4.1.26138.2.40.2.2.6.1.17.28.8	Gauge	0
ibLfPhysicalNumber.0	.1.3.6.1.4.1.26138.2.40.2.3.1.0	Integer	28
ibLfUpDownTimes.1	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.1	Integer	0
ibLfUpDownTimes.2	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.2	Integer	0
ibLfUpDownTimes.3	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.3	Integer	0
ibLfUpDownTimes.4	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.4	Integer	0
ibLfUpDownTimes.5	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.5	Integer	0
ibLfUpDownTimes.6	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.6	Integer	0
ibLfUpDownTimes.7	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.7	Integer	0
ibLfUpDownTimes.8	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.8	Integer	0
ibLfUpDownTimes.9	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.9	Integer	0
ibLfUpDownTimes.10	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.10	Integer	0
ibLfUpDownTimes.11	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.11	Integer	0
ibLfUpDownTimes.12	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.12	Integer	0
ibLfUpDownTimes.13	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.13	Integer	0
ibLfUpDownTimes.14	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.14	Integer	0

Name	OID	Value Type	Value Example
iblfUpDownTimes.15	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.15	Integer	0
iblfUpDownTimes.16	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.16	Integer	2
iblfUpDownTimes.17	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.17	Integer	0
iblfUpDownTimes.18	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.18	Integer	0
iblfUpDownTimes.19	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.19	Integer	0
iblfUpDownTimes.20	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.20	Integer	0
iblfUpDownTimes.21	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.21	Integer	0
iblfUpDownTimes.22	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.22	Integer	2
iblfUpDownTimes.23	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.23	Integer	0
iblfUpDownTimes.24	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.24	Integer	5
iblfUpDownTimes.25	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.25	Integer	0
iblfUpDownTimes.26	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.26	Integer	0
iblfUpDownTimes.27	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.27	Integer	0
iblfUpDownTimes.28	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.28	Integer	0
iblfUpDownTimes.632	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.632	Integer	1
iblfUpDownTimes.633	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.633	Integer	1
iblfUpDownTimes.635	.1.3.6.1.4.1.26138.2.40.2.3.2.1.1.635	Integer	7
iblfMtu.1	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.1	Integer	10240
iblfMtu.2	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.2	Integer	10240
iblfMtu.3	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.3	Integer	10240
iblfMtu.4	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.4	Integer	10240
iblfMtu.5	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.5	Integer	10240
iblfMtu.6	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.6	Integer	10240
iblfMtu.7	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.7	Integer	10240
iblfMtu.8	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.8	Integer	10240

Name	OID	Value Type	Value Example
iblfMtu.9	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.9	Integer	10240
iblfMtu.10	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.10	Integer	10240
iblfMtu.11	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.11	Integer	10240
iblfMtu.12	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.12	Integer	10240
iblfMtu.13	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.13	Integer	10240
iblfMtu.14	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.14	Integer	10240
iblfMtu.15	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.15	Integer	10240
iblfMtu.16	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.16	Integer	10240
iblfMtu.17	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.17	Integer	10240
iblfMtu.18	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.18	Integer	10240
iblfMtu.19	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.19	Integer	10240
iblfMtu.20	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.20	Integer	10240
iblfMtu.21	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.21	Integer	10240
iblfMtu.22	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.22	Integer	10240
iblfMtu.23	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.23	Integer	10240
iblfMtu.24	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.24	Integer	10240
iblfMtu.25	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.25	Integer	10240
iblfMtu.26	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.26	Integer	10240
iblfMtu.27	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.27	Integer	10240
iblfMtu.28	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.28	Integer	10240
iblfMtu.632	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.632	Integer	1500
iblfMtu.633	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.633	Integer	1536
iblfMtu.635	.1.3.6.1.4.1.26138.2.40.2.3.2.1.2.635	Integer	1500
iblfStatusKeepTime.1	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.1	TimeTicks	340 hours 45 minutes 2.1 seconds (122670210)
iblfStatusKeepTime.2	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.2	TimeTicks	340 hours 45 minutes 2.11 seconds (122670211)

Name	OID	Value Type	Value Example
ibLfStatusKeepTime.3	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.3	TimeTicks	340 hours 45 minutes 2.11 seconds (122670211)
ibLfStatusKeepTime.4	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.4	TimeTicks	340 hours 45 minutes 2.12 seconds (122670212)
ibLfStatusKeepTime.5	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.5	TimeTicks	340 hours 45 minutes 2.13 seconds (122670213)
ibLfStatusKeepTime.6	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.6	TimeTicks	340 hours 45 minutes 2.14 seconds (122670214)
ibLfStatusKeepTime.7	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.7	TimeTicks	340 hours 45 minutes 2.15 seconds (122670215)
ibLfStatusKeepTime.8	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.8	TimeTicks	340 hours 45 minutes 2.15 seconds (122670215)
ibLfStatusKeepTime.9	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.9	TimeTicks	340 hours 45 minutes 2.16 seconds (122670216)
ibLfStatusKeepTime.10	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.10	TimeTicks	340 hours 45 minutes 2.17 seconds (122670217)
ibLfStatusKeepTime.11	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.11	TimeTicks	340 hours 45 minutes 2.17 seconds (122670217)
ibLfStatusKeepTime.12	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.12	TimeTicks	340 hours 45 minutes 2.18 seconds (122670218)
ibLfStatusKeepTime.13	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.13	TimeTicks	340 hours 45 minutes 2.19 seconds (122670219)
ibLfStatusKeepTime.14	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.14	TimeTicks	340 hours 45 minutes 2.19 seconds (122670219)
ibLfStatusKeepTime.15	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.15	TimeTicks	340 hours 45 minutes 2.2 seconds (122670220)
ibLfStatusKeepTime.16	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.16	TimeTicks	292 hours 53 minutes 39.74 seconds (105441974)
ibLfStatusKeepTime.17	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.17	TimeTicks	340 hours 45 minutes 2.21 seconds (122670221)
ibLfStatusKeepTime.18	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.18	TimeTicks	340 hours 45 minutes 2.22 seconds (122670222)
ibLfStatusKeepTime.19	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.19	TimeTicks	340 hours 45 minutes 2.23 seconds (122670223)
ibLfStatusKeepTime.20	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.20	TimeTicks	340 hours 45 minutes 2.24 seconds (122670224)
ibLfStatusKeepTime.21	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.21	TimeTicks	340 hours 45 minutes 2.24 seconds (122670224)
ibLfStatusKeepTime.22	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.22	TimeTicks	321 hours 3 minutes 11.72 seconds (115579172)
ibLfStatusKeepTime.23	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.23	TimeTicks	340 hours 45 minutes 2.26 seconds (122670226)
ibLfStatusKeepTime.24	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.24	TimeTicks	292 hours 57 minutes 33.78 seconds (105465378)
ibLfStatusKeepTime.25	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.25	TimeTicks	340 hours 45 minutes 2.27 seconds (122670227)
ibLfStatusKeepTime.26	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.26	TimeTicks	340 hours 45 minutes 2.28 seconds (122670228)
ibLfStatusKeepTime.27	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.27	TimeTicks	340 hours 45 minutes 2.29 seconds (122670229)

Name	OID	Value Type	Value Example
ibLfStatusKeepTime.28	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.28	TimeTicks	340 hours 45 minutes 2.29 seconds (122670229)
ibLfStatusKeepTime.632	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.632	TimeTicks	340 hours 45 minutes 2.31 seconds (122670231)
ibLfStatusKeepTime.633	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.633	TimeTicks	340 hours 44 minutes 22.87 seconds (122666287)
ibLfStatusKeepTime.635	.1.3.6.1.4.1.26138.2.40.2.3.2.1.5.635	TimeTicks	292 hours 59 minutes 14.12 seconds (105475412)
ibLfPfcStatus.1	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.1	Integer	disable (2)
ibLfPfcStatus.2	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.2	Integer	disable (2)
ibLfPfcStatus.3	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.3	Integer	disable (2)
ibLfPfcStatus.4	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.4	Integer	disable (2)
ibLfPfcStatus.5	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.5	Integer	disable (2)
ibLfPfcStatus.6	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.6	Integer	disable (2)
ibLfPfcStatus.7	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.7	Integer	disable (2)
ibLfPfcStatus.8	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.8	Integer	disable (2)
ibLfPfcStatus.9	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.9	Integer	disable (2)
ibLfPfcStatus.10	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.10	Integer	disable (2)
ibLfPfcStatus.11	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.11	Integer	disable (2)
ibLfPfcStatus.12	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.12	Integer	disable (2)
ibLfPfcStatus.13	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.13	Integer	disable (2)
ibLfPfcStatus.14	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.14	Integer	disable (2)
ibLfPfcStatus.15	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.15	Integer	disable (2)
ibLfPfcStatus.16	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.16	Integer	disable (2)
ibLfPfcStatus.17	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.17	Integer	disable (2)
ibLfPfcStatus.18	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.18	Integer	disable (2)
ibLfPfcStatus.19	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.19	Integer	disable (2)
ibLfPfcStatus.20	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.20	Integer	disable (2)
ibLfPfcStatus.21	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.21	Integer	disable (2)

Name	OID	Value Type	Value Example
iblfPfcStatus.22	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.22	Integer	disable (2)
iblfPfcStatus.23	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.23	Integer	disable (2)
iblfPfcStatus.24	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.24	Integer	disable (2)
iblfPfcStatus.25	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.25	Integer	disable (2)
iblfPfcStatus.26	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.26	Integer	disable (2)
iblfPfcStatus.27	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.27	Integer	disable (2)
iblfPfcStatus.28	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.28	Integer	disable (2)
iblfPfcStatus.632	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.632	Integer	disable (2)
iblfPfcStatus.633	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.633	Integer	disable (2)
iblfPfcStatus.635	.1.3.6.1.4.1.26138.2.40.2.3.2.1.11.635	Integer	disable (2)
iblfPfcDot1pNoDrop.1	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.1	OctetString	{}
iblfPfcDot1pNoDrop.2	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.2	OctetString	{}
iblfPfcDot1pNoDrop.3	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.3	OctetString	{}
iblfPfcDot1pNoDrop.4	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.4	OctetString	{}
iblfPfcDot1pNoDrop.5	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.5	OctetString	{}
iblfPfcDot1pNoDrop.6	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.6	OctetString	{}
iblfPfcDot1pNoDrop.7	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.7	OctetString	{}
iblfPfcDot1pNoDrop.8	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.8	OctetString	{}
iblfPfcDot1pNoDrop.9	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.9	OctetString	{}
iblfPfcDot1pNoDrop.10	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.10	OctetString	{}
iblfPfcDot1pNoDrop.11	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.11	OctetString	{}
iblfPfcDot1pNoDrop.12	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.12	OctetString	{}
iblfPfcDot1pNoDrop.13	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.13	OctetString	{}
iblfPfcDot1pNoDrop.14	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.14	OctetString	{}
iblfPfcDot1pNoDrop.15	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.15	OctetString	{}

Name	OID	Value Type	Value Example
iblfPfcDot1pNoDrop.16	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.16	OctetString	{}
iblfPfcDot1pNoDrop.17	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.17	OctetString	{}
iblfPfcDot1pNoDrop.18	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.18	OctetString	{}
iblfPfcDot1pNoDrop.19	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.19	OctetString	{}
iblfPfcDot1pNoDrop.20	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.20	OctetString	{}
iblfPfcDot1pNoDrop.21	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.21	OctetString	{}
iblfPfcDot1pNoDrop.22	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.22	OctetString	{}
iblfPfcDot1pNoDrop.23	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.23	OctetString	{}
iblfPfcDot1pNoDrop.24	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.24	OctetString	{}
iblfPfcDot1pNoDrop.25	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.25	OctetString	{}
iblfPfcDot1pNoDrop.26	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.26	OctetString	{}
iblfPfcDot1pNoDrop.27	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.27	OctetString	{}
iblfPfcDot1pNoDrop.28	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.28	OctetString	{}
iblfPfcDot1pNoDrop.632	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.632	OctetString	{}
iblfPfcDot1pNoDrop.633	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.633	OctetString	{}
iblfPfcDot1pNoDrop.635	.1.3.6.1.4.1.26138.2.40.2.3.2.1.12.635	OctetString	{}
iblfDescription.1	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.1	OctetString	GigabitEthernet1/0/1 Interface
iblfDescription.2	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.2	OctetString	GigabitEthernet1/0/2 Interface
iblfDescription.3	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.3	OctetString	GigabitEthernet1/0/3 Interface
iblfDescription.4	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.4	OctetString	GigabitEthernet1/0/4 Interface
iblfDescription.5	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.5	OctetString	GigabitEthernet1/0/5 Interface
iblfDescription.6	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.6	OctetString	GigabitEthernet1/0/6 Interface
iblfDescription.7	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.7	OctetString	GigabitEthernet1/0/7 Interface
iblfDescription.8	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.8	OctetString	GigabitEthernet1/0/8 Interface
iblfDescription.9	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.9	OctetString	GigabitEthernet1/0/9 Interface

Name	OID	Value Type	Value Example
ibLfDescription.10	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.10	OctetString	GigabitEthernet1/0/10 Interface
ibLfDescription.11	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.11	OctetString	GigabitEthernet1/0/11 Interface
ibLfDescription.12	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.12	OctetString	GigabitEthernet1/0/12 Interface
ibLfDescription.13	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.13	OctetString	GigabitEthernet1/0/13 Interface
ibLfDescription.14	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.14	OctetString	GigabitEthernet1/0/14 Interface
ibLfDescription.15	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.15	OctetString	GigabitEthernet1/0/15 Interface
ibLfDescription.16	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.16	OctetString	GigabitEthernet1/0/16 Interface
ibLfDescription.17	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.17	OctetString	GigabitEthernet1/0/17 Interface
ibLfDescription.18	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.18	OctetString	GigabitEthernet1/0/18 Interface
ibLfDescription.19	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.19	OctetString	GigabitEthernet1/0/19 Interface
ibLfDescription.20	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.20	OctetString	GigabitEthernet1/0/20 Interface
ibLfDescription.21	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.21	OctetString	GigabitEthernet1/0/21 Interface
ibLfDescription.22	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.22	OctetString	GigabitEthernet1/0/22 Interface
ibLfDescription.23	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.23	OctetString	GigabitEthernet1/0/23 Interface
ibLfDescription.24	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.24	OctetString	GigabitEthernet1/0/24 Interface
ibLfDescription.25	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.25	OctetString	Ten-GigabitEthernet1/0/25 Interface
ibLfDescription.26	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.26	OctetString	Ten-GigabitEthernet1/0/26 Interface
ibLfDescription.27	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.27	OctetString	Ten-GigabitEthernet1/0/27 Interface
ibLfDescription.28	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.28	OctetString	Ten-GigabitEthernet1/0/28 Interface
ibLfDescription.632	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.632	OctetString	NULL0 Interface
ibLfDescription.633	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.633	OctetString	InLoopBack0 Interface
ibLfDescription.635	.1.3.6.1.4.1.26138.2.40.2.3.2.1.13.635	OctetString	Vlan-interface1 Interface
ibLfFwdErrDiscards.1	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.1	Gauge	0
ibLfFwdErrDiscards.2	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.2	Gauge	0
ibLfFwdErrDiscards.3	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.3	Gauge	0

Name	OID	Value Type	Value Example
iblfFwdErrDiscards.4	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.4	Gauge	0
iblfFwdErrDiscards.5	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.5	Gauge	0
iblfFwdErrDiscards.6	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.6	Gauge	0
iblfFwdErrDiscards.7	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.7	Gauge	0
iblfFwdErrDiscards.8	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.8	Gauge	0
iblfFwdErrDiscards.9	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.9	Gauge	0
iblfFwdErrDiscards.10	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.10	Gauge	0
iblfFwdErrDiscards.11	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.11	Gauge	0
iblfFwdErrDiscards.12	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.12	Gauge	0
iblfFwdErrDiscards.13	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.13	Gauge	0
iblfFwdErrDiscards.14	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.14	Gauge	0
iblfFwdErrDiscards.15	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.15	Gauge	0
iblfFwdErrDiscards.16	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.16	Gauge	0
iblfFwdErrDiscards.17	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.17	Gauge	0
iblfFwdErrDiscards.18	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.18	Gauge	0
iblfFwdErrDiscards.19	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.19	Gauge	0
iblfFwdErrDiscards.20	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.20	Gauge	0
iblfFwdErrDiscards.21	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.21	Gauge	0
iblfFwdErrDiscards.22	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.22	Gauge	0
iblfFwdErrDiscards.23	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.23	Gauge	0
iblfFwdErrDiscards.24	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.24	Gauge	0
iblfFwdErrDiscards.25	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.25	Gauge	0
iblfFwdErrDiscards.26	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.26	Gauge	0
iblfFwdErrDiscards.27	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.27	Gauge	0
iblfFwdErrDiscards.28	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.28	Gauge	0

Name	OID	Value Type	Value Example
ibLfFwdErrDiscards.632	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.632	Gauge	0
ibLfFwdErrDiscards.633	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.633	Gauge	0
ibLfFwdErrDiscards.635	.1.3.6.1.4.1.26138.2.40.2.3.2.1.14.635	Gauge	0
ibLfFiberOrCopper.1	.1.3.6.1.4.1.26138.2.40.2.3.2.1.15.1	Integer	copper (2)
ibLfFiberOrCopper.2	.1.3.6.1.4.1.26138.2.40.2.3.2.1.15.2	Integer	copper (2)
ibLfFiberOrCopper.3	.1.3.6.1.4.1.26138.2.40.2.3.2.1.15.3	Integer	copper (2)
ibLfFiberOrCopper.4	.1.3.6.1.4.1.26138.2.40.2.3.2.1.15.4	Integer	copper (2)
ibLfFiberOrCopper.5	.1.3.6.1.4.1.26138.2.40.2.3.2.1.15.5	Integer	copper (2)
ibLfFiberOrCopper.6	.1.3.6.1.4.1.26138.2.40.2.3.2.1.15.6	Integer	copper (2)
ibLfFiberOrCopper.7	.1.3.6.1.4.1.26138.2.40.2.3.2.1.15.7	Integer	copper (2)
ibLfFiberOrCopper.8	.1.3.6.1.4.1.26138.2.40.2.3.2.1.15.8	Integer	copper (2)
ibLfFiberOrCopper.9	.1.3.6.1.4.1.26138.2.40.2.3.2.1.15.9	Integer	copper (2)
ibLfFiberOrCopper.10	.1.3.6.1.4.1.26138.2.40.2.3.2.1.15.10	Integer	copper (2)
ibLfFiberOrCopper.11	.1.3.6.1.4.1.26138.2.40.2.3.2.1.15.11	Integer	copper (2)
ibLfFiberOrCopper.12	.1.3.6.1.4.1.26138.2.40.2.3.2.1.15.12	Integer	copper (2)
ibLfFiberOrCopper.13	.1.3.6.1.4.1.26138.2.40.2.3.2.1.15.13	Integer	copper (2)
ibLfFiberOrCopper.14	.1.3.6.1.4.1.26138.2.40.2.3.2.1.15.14	Integer	copper (2)
ibLfFiberOrCopper.15	.1.3.6.1.4.1.26138.2.40.2.3.2.1.15.15	Integer	copper (2)
ibLfFiberOrCopper.16	.1.3.6.1.4.1.26138.2.40.2.3.2.1.15.16	Integer	copper (2)
ibLfFiberOrCopper.17	.1.3.6.1.4.1.26138.2.40.2.3.2.1.15.17	Integer	copper (2)
ibLfFiberOrCopper.18	.1.3.6.1.4.1.26138.2.40.2.3.2.1.15.18	Integer	copper (2)
ibLfFiberOrCopper.19	.1.3.6.1.4.1.26138.2.40.2.3.2.1.15.19	Integer	copper (2)
ibLfFiberOrCopper.20	.1.3.6.1.4.1.26138.2.40.2.3.2.1.15.20	Integer	copper (2)
ibLfFiberOrCopper.21	.1.3.6.1.4.1.26138.2.40.2.3.2.1.15.21	Integer	copper (2)
ibLfFiberOrCopper.22	.1.3.6.1.4.1.26138.2.40.2.3.2.1.15.22	Integer	copper (2)

Name	OID	Value Type	Value Example
ibIfFiberOrCopper.23	.1.3.6.1.4.1.26138.2.40.2.3.2.1.15.23	Integer	copper (2)
ibIfFiberOrCopper.24	.1.3.6.1.4.1.26138.2.40.2.3.2.1.15.24	Integer	copper (2)
ibIfFiberOrCopper.25	.1.3.6.1.4.1.26138.2.40.2.3.2.1.15.25	Integer	fiber (1)
ibIfFiberOrCopper.26	.1.3.6.1.4.1.26138.2.40.2.3.2.1.15.26	Integer	fiber (1)
ibIfFiberOrCopper.27	.1.3.6.1.4.1.26138.2.40.2.3.2.1.15.27	Integer	fiber (1)
ibIfFiberOrCopper.28	.1.3.6.1.4.1.26138.2.40.2.3.2.1.15.28	Integer	fiber (1)
ibDomainDefault.0	.1.3.6.1.4.1.26138.2.46.1.1.0	OctetString	system
ibDomainState.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.46.2.1.1.2.6.115.121.115.116.101.109	Integer	active (1)
ibDomainRowStatus.6.115.121.115.116.101.109	.1.3.6.1.4.1.26138.2.46.2.1.1.14.6.115.121.115.116.101.109	Integer	active (1)
ibDomainSchemeMode.6.115.121.115.116.101.109.1	.1.3.6.1.4.1.26138.2.46.2.2.1.2.6.115.121.115.116.101.109.1	Integer	local (2)
ibDomainSchemeMode.6.115.121.115.116.101.109.2	.1.3.6.1.4.1.26138.2.46.2.2.1.2.6.115.121.115.116.101.109.2	Integer	local (2)
ibDomainSchemeMode.6.115.121.115.116.101.109.3	.1.3.6.1.4.1.26138.2.46.2.2.1.2.6.115.121.115.116.101.109.3	Integer	local (2)
ibDomainSchemeRowStatus.6.115.121.115.116.101.109.1	.1.3.6.1.4.1.26138.2.46.2.2.1.5.6.115.121.115.116.101.109.1	Integer	active (1)
ibDomainSchemeRowStatus.6.115.121.115.116.101.109.2	.1.3.6.1.4.1.26138.2.46.2.2.1.5.6.115.121.115.116.101.109.2	Integer	active (1)
ibDomainSchemeRowStatus.6.115.121.115.116.101.109.3	.1.3.6.1.4.1.26138.2.46.2.2.1.5.6.115.121.115.116.101.109.3	Integer	active (1)
ibDomainSchemeAAAType.6.115.121.115.116.101.109.1	.1.3.6.1.4.1.26138.2.46.2.2.1.6.6.115.121.115.116.101.109.1	Integer	authentication (2)
ibDomainSchemeAAAType.6.115.121.115.116.101.109.2	.1.3.6.1.4.1.26138.2.46.2.2.1.6.6.115.121.115.116.101.109.2	Integer	authorization (3)
ibDomainSchemeAAAType.6.115.121.115.116.101.109.3	.1.3.6.1.4.1.26138.2.46.2.2.1.6.6.115.121.115.116.101.109.3	Integer	accounting (1)
ibDomainSchemeAAAName.6.115.121.115.116.101.109.1	.1.3.6.1.4.1.26138.2.46.2.2.1.7.6.115.121.115.116.101.109.1	OctetString	
ibDomainSchemeAAAName.6.115.121.115.116.101.109.2	.1.3.6.1.4.1.26138.2.46.2.2.1.7.6.115.121.115.116.101.109.2	OctetString	

Name	OID	Value Type	Value Example
ibDomainSchemeAAA-Name.6.115.121.115.116.101.109.3	.1.3.6.1.4.1.26138.2.46.2.2.1.7.6.115.121.115.116.101.109.3	OctetString	
ibDomainSchemeAccess-Mode.6.115.121.115.116.101.109.1	.1.3.6.1.4.1.26138.2.46.2.2.1.8.6.115.121.115.116.101.109.1	Integer	default (1)
ibDomainSchemeAccess-Mode.6.115.121.115.116.101.109.2	.1.3.6.1.4.1.26138.2.46.2.2.1.8.6.115.121.115.116.101.109.2	Integer	default (1)
ibDomainSchemeAccess-Mode.6.115.121.115.116.101.109.3	.1.3.6.1.4.1.26138.2.46.2.2.1.8.6.115.121.115.116.101.109.3	Integer	default (1)
ibSubnetNumAllVlan.0	.1.3.6.1.4.1.26138.2.61.1.1.1.0	Integer	2096128
ibSubnetNumPerVlan.0	.1.3.6.1.4.1.26138.2.61.1.1.2.0	Integer	512
ibIfQoSMode.1	.1.3.6.1.4.1.26138.2.65.1.1.1.1.1.1	Integer	wrr (5)
ibIfQoSMode.2	.1.3.6.1.4.1.26138.2.65.1.1.1.1.1.2	Integer	wrr (5)
ibIfQoSMode.3	.1.3.6.1.4.1.26138.2.65.1.1.1.1.1.3	Integer	wrr (5)
ibIfQoSMode.4	.1.3.6.1.4.1.26138.2.65.1.1.1.1.1.4	Integer	wrr (5)
ibIfQoSMode.5	.1.3.6.1.4.1.26138.2.65.1.1.1.1.1.5	Integer	wrr (5)
ibIfQoSMode.6	.1.3.6.1.4.1.26138.2.65.1.1.1.1.1.6	Integer	wrr (5)
ibIfQoSMode.7	.1.3.6.1.4.1.26138.2.65.1.1.1.1.1.7	Integer	wrr (5)
ibIfQoSMode.8	.1.3.6.1.4.1.26138.2.65.1.1.1.1.1.8	Integer	wrr (5)
ibIfQoSMode.9	.1.3.6.1.4.1.26138.2.65.1.1.1.1.1.9	Integer	wrr (5)
ibIfQoSMode.10	.1.3.6.1.4.1.26138.2.65.1.1.1.1.1.10	Integer	wrr (5)
ibIfQoSMode.11	.1.3.6.1.4.1.26138.2.65.1.1.1.1.1.11	Integer	wrr (5)
ibIfQoSMode.12	.1.3.6.1.4.1.26138.2.65.1.1.1.1.1.12	Integer	wrr (5)
ibIfQoSMode.13	.1.3.6.1.4.1.26138.2.65.1.1.1.1.1.13	Integer	wrr (5)
ibIfQoSMode.14	.1.3.6.1.4.1.26138.2.65.1.1.1.1.1.14	Integer	wrr (5)
ibIfQoSMode.15	.1.3.6.1.4.1.26138.2.65.1.1.1.1.1.15	Integer	wrr (5)
ibIfQoSMode.16	.1.3.6.1.4.1.26138.2.65.1.1.1.1.1.16	Integer	wrr (5)
ibIfQoSMode.17	.1.3.6.1.4.1.26138.2.65.1.1.1.1.1.17	Integer	wrr (5)
ibIfQoSMode.18	.1.3.6.1.4.1.26138.2.65.1.1.1.1.1.18	Integer	wrr (5)

Name	OID	Value Type	Value Example
iblfQoSQSMoDe.19	.1.3.6.1.4.1.26138.2.65.1.1.1.1.1.19	Integer	wrr (5)
iblfQoSQSMoDe.20	.1.3.6.1.4.1.26138.2.65.1.1.1.1.1.20	Integer	wrr (5)
iblfQoSQSMoDe.21	.1.3.6.1.4.1.26138.2.65.1.1.1.1.1.21	Integer	wrr (5)
iblfQoSQSMoDe.22	.1.3.6.1.4.1.26138.2.65.1.1.1.1.1.22	Integer	wrr (5)
iblfQoSQSMoDe.23	.1.3.6.1.4.1.26138.2.65.1.1.1.1.1.23	Integer	wrr (5)
iblfQoSQSMoDe.24	.1.3.6.1.4.1.26138.2.65.1.1.1.1.1.24	Integer	wrr (5)
iblfQoSQSMoDe.25	.1.3.6.1.4.1.26138.2.65.1.1.1.1.1.25	Integer	wrr (5)
iblfQoSQSMoDe.26	.1.3.6.1.4.1.26138.2.65.1.1.1.1.1.26	Integer	wrr (5)
iblfQoSQSMoDe.27	.1.3.6.1.4.1.26138.2.65.1.1.1.1.1.27	Integer	wrr (5)
iblfQoSQSMoDe.28	.1.3.6.1.4.1.26138.2.65.1.1.1.1.1.28	Integer	wrr (5)
iblfQoSQueueGroupType.1.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.1.0	Integer	group1 (2)
iblfQoSQueueGroupType.1.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.1.1	Integer	group1 (2)
iblfQoSQueueGroupType.1.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.1.2	Integer	group1 (2)
iblfQoSQueueGroupType.1.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.1.3	Integer	group1 (2)
iblfQoSQueueGroupType.1.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.1.4	Integer	group1 (2)
iblfQoSQueueGroupType.1.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.1.5	Integer	group1 (2)
iblfQoSQueueGroupType.1.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.1.6	Integer	group1 (2)
iblfQoSQueueGroupType.1.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.1.7	Integer	group1 (2)
iblfQoSQueueGroupType.2.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.2.0	Integer	group1 (2)
iblfQoSQueueGroupType.2.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.2.1	Integer	group1 (2)
iblfQoSQueueGroupType.2.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.2.2	Integer	group1 (2)
iblfQoSQueueGroupType.2.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.2.3	Integer	group1 (2)
iblfQoSQueueGroupType.2.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.2.4	Integer	group1 (2)
iblfQoSQueueGroupType.2.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.2.5	Integer	group1 (2)
iblfQoSQueueGroupType.2.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.2.6	Integer	group1 (2)

Name	OID	Value Type	Value Example
ibLfQoSQueueGroupType.2.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.2.7	Integer	group1 (2)
ibLfQoSQueueGroupType.3.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.3.0	Integer	group1 (2)
ibLfQoSQueueGroupType.3.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.3.1	Integer	group1 (2)
ibLfQoSQueueGroupType.3.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.3.2	Integer	group1 (2)
ibLfQoSQueueGroupType.3.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.3.3	Integer	group1 (2)
ibLfQoSQueueGroupType.3.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.3.4	Integer	group1 (2)
ibLfQoSQueueGroupType.3.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.3.5	Integer	group1 (2)
ibLfQoSQueueGroupType.3.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.3.6	Integer	group1 (2)
ibLfQoSQueueGroupType.3.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.3.7	Integer	group1 (2)
ibLfQoSQueueGroupType.4.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.4.0	Integer	group1 (2)
ibLfQoSQueueGroupType.4.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.4.1	Integer	group1 (2)
ibLfQoSQueueGroupType.4.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.4.2	Integer	group1 (2)
ibLfQoSQueueGroupType.4.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.4.3	Integer	group1 (2)
ibLfQoSQueueGroupType.4.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.4.4	Integer	group1 (2)
ibLfQoSQueueGroupType.4.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.4.5	Integer	group1 (2)
ibLfQoSQueueGroupType.4.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.4.6	Integer	group1 (2)
ibLfQoSQueueGroupType.4.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.4.7	Integer	group1 (2)
ibLfQoSQueueGroupType.5.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.5.0	Integer	group1 (2)
ibLfQoSQueueGroupType.5.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.5.1	Integer	group1 (2)
ibLfQoSQueueGroupType.5.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.5.2	Integer	group1 (2)
ibLfQoSQueueGroupType.5.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.5.3	Integer	group1 (2)
ibLfQoSQueueGroupType.5.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.5.4	Integer	group1 (2)
ibLfQoSQueueGroupType.5.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.5.5	Integer	group1 (2)
ibLfQoSQueueGroupType.5.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.5.6	Integer	group1 (2)
ibLfQoSQueueGroupType.5.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.5.7	Integer	group1 (2)

Name	OID	Value Type	Value Example
ibLfQoSQueueGroupType.6.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.6.0	Integer	group1 (2)
ibLfQoSQueueGroupType.6.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.6.1	Integer	group1 (2)
ibLfQoSQueueGroupType.6.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.6.2	Integer	group1 (2)
ibLfQoSQueueGroupType.6.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.6.3	Integer	group1 (2)
ibLfQoSQueueGroupType.6.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.6.4	Integer	group1 (2)
ibLfQoSQueueGroupType.6.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.6.5	Integer	group1 (2)
ibLfQoSQueueGroupType.6.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.6.6	Integer	group1 (2)
ibLfQoSQueueGroupType.6.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.6.7	Integer	group1 (2)
ibLfQoSQueueGroupType.7.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.7.0	Integer	group1 (2)
ibLfQoSQueueGroupType.7.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.7.1	Integer	group1 (2)
ibLfQoSQueueGroupType.7.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.7.2	Integer	group1 (2)
ibLfQoSQueueGroupType.7.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.7.3	Integer	group1 (2)
ibLfQoSQueueGroupType.7.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.7.4	Integer	group1 (2)
ibLfQoSQueueGroupType.7.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.7.5	Integer	group1 (2)
ibLfQoSQueueGroupType.7.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.7.6	Integer	group1 (2)
ibLfQoSQueueGroupType.7.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.7.7	Integer	group1 (2)
ibLfQoSQueueGroupType.8.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.8.0	Integer	group1 (2)
ibLfQoSQueueGroupType.8.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.8.1	Integer	group1 (2)
ibLfQoSQueueGroupType.8.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.8.2	Integer	group1 (2)
ibLfQoSQueueGroupType.8.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.8.3	Integer	group1 (2)
ibLfQoSQueueGroupType.8.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.8.4	Integer	group1 (2)
ibLfQoSQueueGroupType.8.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.8.5	Integer	group1 (2)
ibLfQoSQueueGroupType.8.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.8.6	Integer	group1 (2)
ibLfQoSQueueGroupType.8.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.8.7	Integer	group1 (2)
ibLfQoSQueueGroupType.9.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.9.0	Integer	group1 (2)

Name	OID	Value Type	Value Example
iblfQoSQueueGroupType.9.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.9.1	Integer	group1 (2)
iblfQoSQueueGroupType.9.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.9.2	Integer	group1 (2)
iblfQoSQueueGroupType.9.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.9.3	Integer	group1 (2)
iblfQoSQueueGroupType.9.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.9.4	Integer	group1 (2)
iblfQoSQueueGroupType.9.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.9.5	Integer	group1 (2)
iblfQoSQueueGroupType.9.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.9.6	Integer	group1 (2)
iblfQoSQueueGroupType.9.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.9.7	Integer	group1 (2)
iblfQoSQueueGroupType.10.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.10.0	Integer	group1 (2)
iblfQoSQueueGroupType.10.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.10.1	Integer	group1 (2)
iblfQoSQueueGroupType.10.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.10.2	Integer	group1 (2)
iblfQoSQueueGroupType.10.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.10.3	Integer	group1 (2)
iblfQoSQueueGroupType.10.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.10.4	Integer	group1 (2)
iblfQoSQueueGroupType.10.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.10.5	Integer	group1 (2)
iblfQoSQueueGroupType.10.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.10.6	Integer	group1 (2)
iblfQoSQueueGroupType.10.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.10.7	Integer	group1 (2)
iblfQoSQueueGroupType.11.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.11.0	Integer	group1 (2)
iblfQoSQueueGroupType.11.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.11.1	Integer	group1 (2)
iblfQoSQueueGroupType.11.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.11.2	Integer	group1 (2)
iblfQoSQueueGroupType.11.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.11.3	Integer	group1 (2)
iblfQoSQueueGroupType.11.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.11.4	Integer	group1 (2)
iblfQoSQueueGroupType.11.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.11.5	Integer	group1 (2)
iblfQoSQueueGroupType.11.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.11.6	Integer	group1 (2)
iblfQoSQueueGroupType.11.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.11.7	Integer	group1 (2)
iblfQoSQueueGroupType.12.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.12.0	Integer	group1 (2)
iblfQoSQueueGroupType.12.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.12.1	Integer	group1 (2)

Name	OID	Value Type	Value Example
iblfQoSQueueGroupType.12.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.12.2	Integer	group1 (2)
iblfQoSQueueGroupType.12.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.12.3	Integer	group1 (2)
iblfQoSQueueGroupType.12.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.12.4	Integer	group1 (2)
iblfQoSQueueGroupType.12.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.12.5	Integer	group1 (2)
iblfQoSQueueGroupType.12.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.12.6	Integer	group1 (2)
iblfQoSQueueGroupType.12.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.12.7	Integer	group1 (2)
iblfQoSQueueGroupType.13.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.13.0	Integer	group1 (2)
iblfQoSQueueGroupType.13.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.13.1	Integer	group1 (2)
iblfQoSQueueGroupType.13.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.13.2	Integer	group1 (2)
iblfQoSQueueGroupType.13.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.13.3	Integer	group1 (2)
iblfQoSQueueGroupType.13.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.13.4	Integer	group1 (2)
iblfQoSQueueGroupType.13.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.13.5	Integer	group1 (2)
iblfQoSQueueGroupType.13.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.13.6	Integer	group1 (2)
iblfQoSQueueGroupType.13.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.13.7	Integer	group1 (2)
iblfQoSQueueGroupType.14.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.14.0	Integer	group1 (2)
iblfQoSQueueGroupType.14.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.14.1	Integer	group1 (2)
iblfQoSQueueGroupType.14.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.14.2	Integer	group1 (2)
iblfQoSQueueGroupType.14.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.14.3	Integer	group1 (2)
iblfQoSQueueGroupType.14.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.14.4	Integer	group1 (2)
iblfQoSQueueGroupType.14.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.14.5	Integer	group1 (2)
iblfQoSQueueGroupType.14.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.14.6	Integer	group1 (2)
iblfQoSQueueGroupType.14.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.14.7	Integer	group1 (2)
iblfQoSQueueGroupType.15.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.15.0	Integer	group1 (2)
iblfQoSQueueGroupType.15.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.15.1	Integer	group1 (2)
iblfQoSQueueGroupType.15.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.15.2	Integer	group1 (2)

Name	OID	Value Type	Value Example
iblfQoSQueueGroupType.15.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.15.3	Integer	group1 (2)
iblfQoSQueueGroupType.15.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.15.4	Integer	group1 (2)
iblfQoSQueueGroupType.15.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.15.5	Integer	group1 (2)
iblfQoSQueueGroupType.15.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.15.6	Integer	group1 (2)
iblfQoSQueueGroupType.15.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.15.7	Integer	group1 (2)
iblfQoSQueueGroupType.16.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.16.0	Integer	group1 (2)
iblfQoSQueueGroupType.16.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.16.1	Integer	group1 (2)
iblfQoSQueueGroupType.16.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.16.2	Integer	group1 (2)
iblfQoSQueueGroupType.16.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.16.3	Integer	group1 (2)
iblfQoSQueueGroupType.16.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.16.4	Integer	group1 (2)
iblfQoSQueueGroupType.16.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.16.5	Integer	group1 (2)
iblfQoSQueueGroupType.16.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.16.6	Integer	group1 (2)
iblfQoSQueueGroupType.16.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.16.7	Integer	group1 (2)
iblfQoSQueueGroupType.17.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.17.0	Integer	group1 (2)
iblfQoSQueueGroupType.17.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.17.1	Integer	group1 (2)
iblfQoSQueueGroupType.17.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.17.2	Integer	group1 (2)
iblfQoSQueueGroupType.17.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.17.3	Integer	group1 (2)
iblfQoSQueueGroupType.17.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.17.4	Integer	group1 (2)
iblfQoSQueueGroupType.17.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.17.5	Integer	group1 (2)
iblfQoSQueueGroupType.17.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.17.6	Integer	group1 (2)
iblfQoSQueueGroupType.17.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.17.7	Integer	group1 (2)
iblfQoSQueueGroupType.18.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.18.0	Integer	group1 (2)
iblfQoSQueueGroupType.18.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.18.1	Integer	group1 (2)
iblfQoSQueueGroupType.18.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.18.2	Integer	group1 (2)
iblfQoSQueueGroupType.18.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.18.3	Integer	group1 (2)

Name	OID	Value Type	Value Example
iblfQoSQueueGroupType.18.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.18.4	Integer	group1 (2)
iblfQoSQueueGroupType.18.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.18.5	Integer	group1 (2)
iblfQoSQueueGroupType.18.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.18.6	Integer	group1 (2)
iblfQoSQueueGroupType.18.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.18.7	Integer	group1 (2)
iblfQoSQueueGroupType.19.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.19.0	Integer	group1 (2)
iblfQoSQueueGroupType.19.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.19.1	Integer	group1 (2)
iblfQoSQueueGroupType.19.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.19.2	Integer	group1 (2)
iblfQoSQueueGroupType.19.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.19.3	Integer	group1 (2)
iblfQoSQueueGroupType.19.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.19.4	Integer	group1 (2)
iblfQoSQueueGroupType.19.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.19.5	Integer	group1 (2)
iblfQoSQueueGroupType.19.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.19.6	Integer	group1 (2)
iblfQoSQueueGroupType.19.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.19.7	Integer	group1 (2)
iblfQoSQueueGroupType.20.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.20.0	Integer	group1 (2)
iblfQoSQueueGroupType.20.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.20.1	Integer	group1 (2)
iblfQoSQueueGroupType.20.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.20.2	Integer	group1 (2)
iblfQoSQueueGroupType.20.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.20.3	Integer	group1 (2)
iblfQoSQueueGroupType.20.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.20.4	Integer	group1 (2)
iblfQoSQueueGroupType.20.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.20.5	Integer	group1 (2)
iblfQoSQueueGroupType.20.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.20.6	Integer	group1 (2)
iblfQoSQueueGroupType.20.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.20.7	Integer	group1 (2)
iblfQoSQueueGroupType.21.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.21.0	Integer	group1 (2)
iblfQoSQueueGroupType.21.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.21.1	Integer	group1 (2)
iblfQoSQueueGroupType.21.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.21.2	Integer	group1 (2)
iblfQoSQueueGroupType.21.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.21.3	Integer	group1 (2)
iblfQoSQueueGroupType.21.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.21.4	Integer	group1 (2)

Name	OID	Value Type	Value Example
iblfQoSQueueGroupType.21.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.21.5	Integer	group1 (2)
iblfQoSQueueGroupType.21.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.21.6	Integer	group1 (2)
iblfQoSQueueGroupType.21.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.21.7	Integer	group1 (2)
iblfQoSQueueGroupType.22.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.22.0	Integer	group1 (2)
iblfQoSQueueGroupType.22.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.22.1	Integer	group1 (2)
iblfQoSQueueGroupType.22.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.22.2	Integer	group1 (2)
iblfQoSQueueGroupType.22.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.22.3	Integer	group1 (2)
iblfQoSQueueGroupType.22.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.22.4	Integer	group1 (2)
iblfQoSQueueGroupType.22.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.22.5	Integer	group1 (2)
iblfQoSQueueGroupType.22.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.22.6	Integer	group1 (2)
iblfQoSQueueGroupType.22.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.22.7	Integer	group1 (2)
iblfQoSQueueGroupType.23.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.23.0	Integer	group1 (2)
iblfQoSQueueGroupType.23.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.23.1	Integer	group1 (2)
iblfQoSQueueGroupType.23.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.23.2	Integer	group1 (2)
iblfQoSQueueGroupType.23.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.23.3	Integer	group1 (2)
iblfQoSQueueGroupType.23.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.23.4	Integer	group1 (2)
iblfQoSQueueGroupType.23.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.23.5	Integer	group1 (2)
iblfQoSQueueGroupType.23.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.23.6	Integer	group1 (2)
iblfQoSQueueGroupType.23.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.23.7	Integer	group1 (2)
iblfQoSQueueGroupType.24.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.24.0	Integer	group1 (2)
iblfQoSQueueGroupType.24.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.24.1	Integer	group1 (2)
iblfQoSQueueGroupType.24.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.24.2	Integer	group1 (2)
iblfQoSQueueGroupType.24.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.24.3	Integer	group1 (2)
iblfQoSQueueGroupType.24.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.24.4	Integer	group1 (2)
iblfQoSQueueGroupType.24.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.24.5	Integer	group1 (2)

Name	OID	Value Type	Value Example
iblfQoSQueueGroupType.24.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.24.6	Integer	group1 (2)
iblfQoSQueueGroupType.24.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.24.7	Integer	group1 (2)
iblfQoSQueueGroupType.25.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.25.0	Integer	group1 (2)
iblfQoSQueueGroupType.25.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.25.1	Integer	group1 (2)
iblfQoSQueueGroupType.25.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.25.2	Integer	group1 (2)
iblfQoSQueueGroupType.25.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.25.3	Integer	group1 (2)
iblfQoSQueueGroupType.25.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.25.4	Integer	group1 (2)
iblfQoSQueueGroupType.25.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.25.5	Integer	group1 (2)
iblfQoSQueueGroupType.25.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.25.6	Integer	group1 (2)
iblfQoSQueueGroupType.25.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.25.7	Integer	group1 (2)
iblfQoSQueueGroupType.26.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.26.0	Integer	group1 (2)
iblfQoSQueueGroupType.26.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.26.1	Integer	group1 (2)
iblfQoSQueueGroupType.26.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.26.2	Integer	group1 (2)
iblfQoSQueueGroupType.26.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.26.3	Integer	group1 (2)
iblfQoSQueueGroupType.26.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.26.4	Integer	group1 (2)
iblfQoSQueueGroupType.26.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.26.5	Integer	group1 (2)
iblfQoSQueueGroupType.26.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.26.6	Integer	group1 (2)
iblfQoSQueueGroupType.26.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.26.7	Integer	group1 (2)
iblfQoSQueueGroupType.27.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.27.0	Integer	group1 (2)
iblfQoSQueueGroupType.27.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.27.1	Integer	group1 (2)
iblfQoSQueueGroupType.27.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.27.2	Integer	group1 (2)
iblfQoSQueueGroupType.27.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.27.3	Integer	group1 (2)
iblfQoSQueueGroupType.27.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.27.4	Integer	group1 (2)
iblfQoSQueueGroupType.27.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.27.5	Integer	group1 (2)
iblfQoSQueueGroupType.27.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.27.6	Integer	group1 (2)

Name	OID	Value Type	Value Example
iblfQoSQueueGroupType.27.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.27.7	Integer	group1 (2)
iblfQoSQueueGroupType.28.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.28.0	Integer	group1 (2)
iblfQoSQueueGroupType.28.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.28.1	Integer	group1 (2)
iblfQoSQueueGroupType.28.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.28.2	Integer	group1 (2)
iblfQoSQueueGroupType.28.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.28.3	Integer	group1 (2)
iblfQoSQueueGroupType.28.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.28.4	Integer	group1 (2)
iblfQoSQueueGroupType.28.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.28.5	Integer	group1 (2)
iblfQoSQueueGroupType.28.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.28.6	Integer	group1 (2)
iblfQoSQueueGroupType.28.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.2.28.7	Integer	group1 (2)
iblfQoSQueueType.1.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.1.0	Integer	weight (1)
iblfQoSQueueType.1.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.1.1	Integer	weight (1)
iblfQoSQueueType.1.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.1.2	Integer	weight (1)
iblfQoSQueueType.1.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.1.3	Integer	weight (1)
iblfQoSQueueType.1.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.1.4	Integer	weight (1)
iblfQoSQueueType.1.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.1.5	Integer	weight (1)
iblfQoSQueueType.1.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.1.6	Integer	weight (1)
iblfQoSQueueType.1.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.1.7	Integer	weight (1)
iblfQoSQueueType.2.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.2.0	Integer	weight (1)
iblfQoSQueueType.2.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.2.1	Integer	weight (1)
iblfQoSQueueType.2.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.2.2	Integer	weight (1)
iblfQoSQueueType.2.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.2.3	Integer	weight (1)
iblfQoSQueueType.2.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.2.4	Integer	weight (1)
iblfQoSQueueType.2.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.2.5	Integer	weight (1)
iblfQoSQueueType.2.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.2.6	Integer	weight (1)
iblfQoSQueueType.2.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.2.7	Integer	weight (1)

Name	OID	Value Type	Value Example
iblfQoSSType.3.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.3.0	Integer	weight (1)
iblfQoSSType.3.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.3.1	Integer	weight (1)
iblfQoSSType.3.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.3.2	Integer	weight (1)
iblfQoSSType.3.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.3.3	Integer	weight (1)
iblfQoSSType.3.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.3.4	Integer	weight (1)
iblfQoSSType.3.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.3.5	Integer	weight (1)
iblfQoSSType.3.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.3.6	Integer	weight (1)
iblfQoSSType.3.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.3.7	Integer	weight (1)
iblfQoSSType.4.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.4.0	Integer	weight (1)
iblfQoSSType.4.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.4.1	Integer	weight (1)
iblfQoSSType.4.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.4.2	Integer	weight (1)
iblfQoSSType.4.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.4.3	Integer	weight (1)
iblfQoSSType.4.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.4.4	Integer	weight (1)
iblfQoSSType.4.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.4.5	Integer	weight (1)
iblfQoSSType.4.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.4.6	Integer	weight (1)
iblfQoSSType.4.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.4.7	Integer	weight (1)
iblfQoSSType.5.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.5.0	Integer	weight (1)
iblfQoSSType.5.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.5.1	Integer	weight (1)
iblfQoSSType.5.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.5.2	Integer	weight (1)
iblfQoSSType.5.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.5.3	Integer	weight (1)
iblfQoSSType.5.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.5.4	Integer	weight (1)
iblfQoSSType.5.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.5.5	Integer	weight (1)
iblfQoSSType.5.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.5.6	Integer	weight (1)
iblfQoSSType.5.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.5.7	Integer	weight (1)
iblfQoSSType.6.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.6.0	Integer	weight (1)

Name	OID	Value Type	Value Example
iblfQoSSType.6.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2. 1.3.6.1	Integer	weight (1)
iblfQoSSType.6.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2. 1.3.6.2	Integer	weight (1)
iblfQoSSType.6.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2. 1.3.6.3	Integer	weight (1)
iblfQoSSType.6.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2. 1.3.6.4	Integer	weight (1)
iblfQoSSType.6.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2. 1.3.6.5	Integer	weight (1)
iblfQoSSType.6.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2. 1.3.6.6	Integer	weight (1)
iblfQoSSType.6.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2. 1.3.6.7	Integer	weight (1)
iblfQoSSType.7.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2. 1.3.7.0	Integer	weight (1)
iblfQoSSType.7.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2. 1.3.7.1	Integer	weight (1)
iblfQoSSType.7.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2. 1.3.7.2	Integer	weight (1)
iblfQoSSType.7.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2. 1.3.7.3	Integer	weight (1)
iblfQoSSType.7.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2. 1.3.7.4	Integer	weight (1)
iblfQoSSType.7.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2. 1.3.7.5	Integer	weight (1)
iblfQoSSType.7.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2. 1.3.7.6	Integer	weight (1)
iblfQoSSType.7.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2. 1.3.7.7	Integer	weight (1)
iblfQoSSType.8.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2. 1.3.8.0	Integer	weight (1)
iblfQoSSType.8.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2. 1.3.8.1	Integer	weight (1)
iblfQoSSType.8.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2. 1.3.8.2	Integer	weight (1)
iblfQoSSType.8.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2. 1.3.8.3	Integer	weight (1)
iblfQoSSType.8.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2. 1.3.8.4	Integer	weight (1)
iblfQoSSType.8.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2. 1.3.8.5	Integer	weight (1)
iblfQoSSType.8.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2. 1.3.8.6	Integer	weight (1)
iblfQoSSType.8.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2. 1.3.8.7	Integer	weight (1)
iblfQoSSType.9.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2. 1.3.9.0	Integer	weight (1)
iblfQoSSType.9.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2. 1.3.9.1	Integer	weight (1)

Name	OID	Value Type	Value Example
iblfQoSQSType.9.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.9.2	Integer	weight (1)
iblfQoSQSType.9.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.9.3	Integer	weight (1)
iblfQoSQSType.9.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.9.4	Integer	weight (1)
iblfQoSQSType.9.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.9.5	Integer	weight (1)
iblfQoSQSType.9.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.9.6	Integer	weight (1)
iblfQoSQSType.9.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.9.7	Integer	weight (1)
iblfQoSQSType.10.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.10.0	Integer	weight (1)
iblfQoSQSType.10.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.10.1	Integer	weight (1)
iblfQoSQSType.10.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.10.2	Integer	weight (1)
iblfQoSQSType.10.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.10.3	Integer	weight (1)
iblfQoSQSType.10.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.10.4	Integer	weight (1)
iblfQoSQSType.10.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.10.5	Integer	weight (1)
iblfQoSQSType.10.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.10.6	Integer	weight (1)
iblfQoSQSType.10.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.10.7	Integer	weight (1)
iblfQoSQSType.11.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.11.0	Integer	weight (1)
iblfQoSQSType.11.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.11.1	Integer	weight (1)
iblfQoSQSType.11.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.11.2	Integer	weight (1)
iblfQoSQSType.11.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.11.3	Integer	weight (1)
iblfQoSQSType.11.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.11.4	Integer	weight (1)
iblfQoSQSType.11.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.11.5	Integer	weight (1)
iblfQoSQSType.11.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.11.6	Integer	weight (1)
iblfQoSQSType.11.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.11.7	Integer	weight (1)
iblfQoSQSType.12.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.12.0	Integer	weight (1)
iblfQoSQSType.12.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.12.1	Integer	weight (1)
iblfQoSQSType.12.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.12.2	Integer	weight (1)

Name	OID	Value Type	Value Example
iblfQoSQSType.12.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.12.3	Integer	weight (1)
iblfQoSQSType.12.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.12.4	Integer	weight (1)
iblfQoSQSType.12.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.12.5	Integer	weight (1)
iblfQoSQSType.12.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.12.6	Integer	weight (1)
iblfQoSQSType.12.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.12.7	Integer	weight (1)
iblfQoSQSType.13.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.13.0	Integer	weight (1)
iblfQoSQSType.13.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.13.1	Integer	weight (1)
iblfQoSQSType.13.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.13.2	Integer	weight (1)
iblfQoSQSType.13.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.13.3	Integer	weight (1)
iblfQoSQSType.13.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.13.4	Integer	weight (1)
iblfQoSQSType.13.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.13.5	Integer	weight (1)
iblfQoSQSType.13.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.13.6	Integer	weight (1)
iblfQoSQSType.13.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.13.7	Integer	weight (1)
iblfQoSQSType.14.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.14.0	Integer	weight (1)
iblfQoSQSType.14.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.14.1	Integer	weight (1)
iblfQoSQSType.14.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.14.2	Integer	weight (1)
iblfQoSQSType.14.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.14.3	Integer	weight (1)
iblfQoSQSType.14.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.14.4	Integer	weight (1)
iblfQoSQSType.14.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.14.5	Integer	weight (1)
iblfQoSQSType.14.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.14.6	Integer	weight (1)
iblfQoSQSType.14.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.14.7	Integer	weight (1)
iblfQoSQSType.15.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.15.0	Integer	weight (1)
iblfQoSQSType.15.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.15.1	Integer	weight (1)
iblfQoSQSType.15.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.15.2	Integer	weight (1)
iblfQoSQSType.15.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.15.3	Integer	weight (1)

Name	OID	Value Type	Value Example
iblfQoSQSType.15.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.15.4	Integer	weight (1)
iblfQoSQSType.15.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.15.5	Integer	weight (1)
iblfQoSQSType.15.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.15.6	Integer	weight (1)
iblfQoSQSType.15.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.15.7	Integer	weight (1)
iblfQoSQSType.16.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.16.0	Integer	weight (1)
iblfQoSQSType.16.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.16.1	Integer	weight (1)
iblfQoSQSType.16.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.16.2	Integer	weight (1)
iblfQoSQSType.16.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.16.3	Integer	weight (1)
iblfQoSQSType.16.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.16.4	Integer	weight (1)
iblfQoSQSType.16.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.16.5	Integer	weight (1)
iblfQoSQSType.16.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.16.6	Integer	weight (1)
iblfQoSQSType.16.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.16.7	Integer	weight (1)
iblfQoSQSType.17.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.17.0	Integer	weight (1)
iblfQoSQSType.17.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.17.1	Integer	weight (1)
iblfQoSQSType.17.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.17.2	Integer	weight (1)
iblfQoSQSType.17.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.17.3	Integer	weight (1)
iblfQoSQSType.17.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.17.4	Integer	weight (1)
iblfQoSQSType.17.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.17.5	Integer	weight (1)
iblfQoSQSType.17.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.17.6	Integer	weight (1)
iblfQoSQSType.17.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.17.7	Integer	weight (1)
iblfQoSQSType.18.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.18.0	Integer	weight (1)
iblfQoSQSType.18.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.18.1	Integer	weight (1)
iblfQoSQSType.18.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.18.2	Integer	weight (1)
iblfQoSQSType.18.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.18.3	Integer	weight (1)
iblfQoSQSType.18.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.18.4	Integer	weight (1)

Name	OID	Value Type	Value Example
iblfQoSSType.18.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.18.5	Integer	weight (1)
iblfQoSSType.18.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.18.6	Integer	weight (1)
iblfQoSSType.18.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.18.7	Integer	weight (1)
iblfQoSSType.19.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.19.0	Integer	weight (1)
iblfQoSSType.19.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.19.1	Integer	weight (1)
iblfQoSSType.19.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.19.2	Integer	weight (1)
iblfQoSSType.19.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.19.3	Integer	weight (1)
iblfQoSSType.19.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.19.4	Integer	weight (1)
iblfQoSSType.19.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.19.5	Integer	weight (1)
iblfQoSSType.19.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.19.6	Integer	weight (1)
iblfQoSSType.19.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.19.7	Integer	weight (1)
iblfQoSSType.20.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.20.0	Integer	weight (1)
iblfQoSSType.20.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.20.1	Integer	weight (1)
iblfQoSSType.20.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.20.2	Integer	weight (1)
iblfQoSSType.20.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.20.3	Integer	weight (1)
iblfQoSSType.20.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.20.4	Integer	weight (1)
iblfQoSSType.20.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.20.5	Integer	weight (1)
iblfQoSSType.20.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.20.6	Integer	weight (1)
iblfQoSSType.20.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.20.7	Integer	weight (1)
iblfQoSSType.21.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.21.0	Integer	weight (1)
iblfQoSSType.21.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.21.1	Integer	weight (1)
iblfQoSSType.21.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.21.2	Integer	weight (1)
iblfQoSSType.21.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.21.3	Integer	weight (1)
iblfQoSSType.21.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.21.4	Integer	weight (1)
iblfQoSSType.21.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.21.5	Integer	weight (1)

Name	OID	Value Type	Value Example
iblfQoSSType.21.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.21.6	Integer	weight (1)
iblfQoSSType.21.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.21.7	Integer	weight (1)
iblfQoSSType.22.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.22.0	Integer	weight (1)
iblfQoSSType.22.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.22.1	Integer	weight (1)
iblfQoSSType.22.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.22.2	Integer	weight (1)
iblfQoSSType.22.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.22.3	Integer	weight (1)
iblfQoSSType.22.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.22.4	Integer	weight (1)
iblfQoSSType.22.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.22.5	Integer	weight (1)
iblfQoSSType.22.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.22.6	Integer	weight (1)
iblfQoSSType.22.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.22.7	Integer	weight (1)
iblfQoSSType.23.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.23.0	Integer	weight (1)
iblfQoSSType.23.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.23.1	Integer	weight (1)
iblfQoSSType.23.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.23.2	Integer	weight (1)
iblfQoSSType.23.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.23.3	Integer	weight (1)
iblfQoSSType.23.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.23.4	Integer	weight (1)
iblfQoSSType.23.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.23.5	Integer	weight (1)
iblfQoSSType.23.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.23.6	Integer	weight (1)
iblfQoSSType.23.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.23.7	Integer	weight (1)
iblfQoSSType.24.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.24.0	Integer	weight (1)
iblfQoSSType.24.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.24.1	Integer	weight (1)
iblfQoSSType.24.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.24.2	Integer	weight (1)
iblfQoSSType.24.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.24.3	Integer	weight (1)
iblfQoSSType.24.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.24.4	Integer	weight (1)
iblfQoSSType.24.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.24.5	Integer	weight (1)
iblfQoSSType.24.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.24.6	Integer	weight (1)

Name	OID	Value Type	Value Example
iblfQoSQSType.24.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.24.7	Integer	weight (1)
iblfQoSQSType.25.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.25.0	Integer	weight (1)
iblfQoSQSType.25.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.25.1	Integer	weight (1)
iblfQoSQSType.25.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.25.2	Integer	weight (1)
iblfQoSQSType.25.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.25.3	Integer	weight (1)
iblfQoSQSType.25.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.25.4	Integer	weight (1)
iblfQoSQSType.25.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.25.5	Integer	weight (1)
iblfQoSQSType.25.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.25.6	Integer	weight (1)
iblfQoSQSType.25.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.25.7	Integer	weight (1)
iblfQoSQSType.26.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.26.0	Integer	weight (1)
iblfQoSQSType.26.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.26.1	Integer	weight (1)
iblfQoSQSType.26.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.26.2	Integer	weight (1)
iblfQoSQSType.26.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.26.3	Integer	weight (1)
iblfQoSQSType.26.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.26.4	Integer	weight (1)
iblfQoSQSType.26.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.26.5	Integer	weight (1)
iblfQoSQSType.26.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.26.6	Integer	weight (1)
iblfQoSQSType.26.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.26.7	Integer	weight (1)
iblfQoSQSType.27.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.27.0	Integer	weight (1)
iblfQoSQSType.27.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.27.1	Integer	weight (1)
iblfQoSQSType.27.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.27.2	Integer	weight (1)
iblfQoSQSType.27.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.27.3	Integer	weight (1)
iblfQoSQSType.27.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.27.4	Integer	weight (1)
iblfQoSQSType.27.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.27.5	Integer	weight (1)
iblfQoSQSType.27.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.27.6	Integer	weight (1)
iblfQoSQSType.27.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.27.7	Integer	weight (1)

Name	OID	Value Type	Value Example
iblfQoSSType.28.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.28.0	Integer	weight (1)
iblfQoSSType.28.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.28.1	Integer	weight (1)
iblfQoSSType.28.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.28.2	Integer	weight (1)
iblfQoSSType.28.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.28.3	Integer	weight (1)
iblfQoSSType.28.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.28.4	Integer	weight (1)
iblfQoSSType.28.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.28.5	Integer	weight (1)
iblfQoSSType.28.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.28.6	Integer	weight (1)
iblfQoSSType.28.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.3.28.7	Integer	weight (1)
iblfQoSValue.1.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.1.0	Integer	1
iblfQoSValue.1.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.1.1	Integer	2
iblfQoSValue.1.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.1.2	Integer	3
iblfQoSValue.1.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.1.3	Integer	4
iblfQoSValue.1.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.1.4	Integer	5
iblfQoSValue.1.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.1.5	Integer	9
iblfQoSValue.1.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.1.6	Integer	13
iblfQoSValue.1.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.1.7	Integer	15
iblfQoSValue.2.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.2.0	Integer	1
iblfQoSValue.2.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.2.1	Integer	2
iblfQoSValue.2.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.2.2	Integer	3
iblfQoSValue.2.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.2.3	Integer	4
iblfQoSValue.2.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.2.4	Integer	5
iblfQoSValue.2.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.2.5	Integer	9
iblfQoSValue.2.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.2.6	Integer	13
iblfQoSValue.2.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.2.7	Integer	15
iblfQoSValue.3.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.3.0	Integer	1

Name	OID	Value Type	Value Example
iblfQoSQSValue.3.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.3.1	Integer	2
iblfQoSQSValue.3.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.3.2	Integer	3
iblfQoSQSValue.3.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.3.3	Integer	4
iblfQoSQSValue.3.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.3.4	Integer	5
iblfQoSQSValue.3.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.3.5	Integer	9
iblfQoSQSValue.3.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.3.6	Integer	13
iblfQoSQSValue.3.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.3.7	Integer	15
iblfQoSQSValue.4.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.4.0	Integer	1
iblfQoSQSValue.4.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.4.1	Integer	2
iblfQoSQSValue.4.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.4.2	Integer	3
iblfQoSQSValue.4.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.4.3	Integer	4
iblfQoSQSValue.4.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.4.4	Integer	5
iblfQoSQSValue.4.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.4.5	Integer	9
iblfQoSQSValue.4.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.4.6	Integer	13
iblfQoSQSValue.4.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.4.7	Integer	15
iblfQoSQSValue.5.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.5.0	Integer	1
iblfQoSQSValue.5.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.5.1	Integer	2
iblfQoSQSValue.5.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.5.2	Integer	3
iblfQoSQSValue.5.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.5.3	Integer	4
iblfQoSQSValue.5.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.5.4	Integer	5
iblfQoSQSValue.5.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.5.5	Integer	9
iblfQoSQSValue.5.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.5.6	Integer	13
iblfQoSQSValue.5.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.5.7	Integer	15
iblfQoSQSValue.6.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.6.0	Integer	1
iblfQoSQSValue.6.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.6.1	Integer	2

Name	OID	Value Type	Value Example
iblfQoSQSValue.6.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.6.2	Integer	3
iblfQoSQSValue.6.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.6.3	Integer	4
iblfQoSQSValue.6.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.6.4	Integer	5
iblfQoSQSValue.6.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.6.5	Integer	9
iblfQoSQSValue.6.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.6.6	Integer	13
iblfQoSQSValue.6.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.6.7	Integer	15
iblfQoSQSValue.7.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.7.0	Integer	1
iblfQoSQSValue.7.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.7.1	Integer	2
iblfQoSQSValue.7.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.7.2	Integer	3
iblfQoSQSValue.7.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.7.3	Integer	4
iblfQoSQSValue.7.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.7.4	Integer	5
iblfQoSQSValue.7.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.7.5	Integer	9
iblfQoSQSValue.7.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.7.6	Integer	13
iblfQoSQSValue.7.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.7.7	Integer	15
iblfQoSQSValue.8.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.8.0	Integer	1
iblfQoSQSValue.8.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.8.1	Integer	2
iblfQoSQSValue.8.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.8.2	Integer	3
iblfQoSQSValue.8.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.8.3	Integer	4
iblfQoSQSValue.8.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.8.4	Integer	5
iblfQoSQSValue.8.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.8.5	Integer	9
iblfQoSQSValue.8.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.8.6	Integer	13
iblfQoSQSValue.8.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.8.7	Integer	15
iblfQoSQSValue.9.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.9.0	Integer	1
iblfQoSQSValue.9.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.9.1	Integer	2
iblfQoSQSValue.9.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.9.2	Integer	3

Name	OID	Value Type	Value Example
ibIfQoSQSValue.9.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.9.3	Integer	4
ibIfQoSQSValue.9.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.9.4	Integer	5
ibIfQoSQSValue.9.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.9.5	Integer	9
ibIfQoSQSValue.9.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.9.6	Integer	13
ibIfQoSQSValue.9.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.9.7	Integer	15
ibIfQoSQSValue.10.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.10.0	Integer	1
ibIfQoSQSValue.10.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.10.1	Integer	2
ibIfQoSQSValue.10.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.10.2	Integer	3
ibIfQoSQSValue.10.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.10.3	Integer	4
ibIfQoSQSValue.10.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.10.4	Integer	5
ibIfQoSQSValue.10.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.10.5	Integer	9
ibIfQoSQSValue.10.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.10.6	Integer	13
ibIfQoSQSValue.10.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.10.7	Integer	15
ibIfQoSQSValue.11.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.11.0	Integer	1
ibIfQoSQSValue.11.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.11.1	Integer	2
ibIfQoSQSValue.11.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.11.2	Integer	3
ibIfQoSQSValue.11.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.11.3	Integer	4
ibIfQoSQSValue.11.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.11.4	Integer	5
ibIfQoSQSValue.11.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.11.5	Integer	9
ibIfQoSQSValue.11.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.11.6	Integer	13
ibIfQoSQSValue.11.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.11.7	Integer	15
ibIfQoSQSValue.12.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.12.0	Integer	1
ibIfQoSQSValue.12.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.12.1	Integer	2
ibIfQoSQSValue.12.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.12.2	Integer	3
ibIfQoSQSValue.12.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.12.3	Integer	4

Name	OID	Value Type	Value Example
ibIfQoSValue.12.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.12.4	Integer	5
ibIfQoSValue.12.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.12.5	Integer	9
ibIfQoSValue.12.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.12.6	Integer	13
ibIfQoSValue.12.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.12.7	Integer	15
ibIfQoSValue.13.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.13.0	Integer	1
ibIfQoSValue.13.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.13.1	Integer	2
ibIfQoSValue.13.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.13.2	Integer	3
ibIfQoSValue.13.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.13.3	Integer	4
ibIfQoSValue.13.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.13.4	Integer	5
ibIfQoSValue.13.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.13.5	Integer	9
ibIfQoSValue.13.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.13.6	Integer	13
ibIfQoSValue.13.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.13.7	Integer	15
ibIfQoSValue.14.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.14.0	Integer	1
ibIfQoSValue.14.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.14.1	Integer	2
ibIfQoSValue.14.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.14.2	Integer	3
ibIfQoSValue.14.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.14.3	Integer	4
ibIfQoSValue.14.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.14.4	Integer	5
ibIfQoSValue.14.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.14.5	Integer	9
ibIfQoSValue.14.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.14.6	Integer	13
ibIfQoSValue.14.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.14.7	Integer	15
ibIfQoSValue.15.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.15.0	Integer	1
ibIfQoSValue.15.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.15.1	Integer	2
ibIfQoSValue.15.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.15.2	Integer	3
ibIfQoSValue.15.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.15.3	Integer	4
ibIfQoSValue.15.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.15.4	Integer	5

Name	OID	Value Type	Value Example
ibIfQoSQSValue.15.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.15.5	Integer	9
ibIfQoSQSValue.15.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.15.6	Integer	13
ibIfQoSQSValue.15.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.15.7	Integer	15
ibIfQoSQSValue.16.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.16.0	Integer	1
ibIfQoSQSValue.16.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.16.1	Integer	2
ibIfQoSQSValue.16.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.16.2	Integer	3
ibIfQoSQSValue.16.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.16.3	Integer	4
ibIfQoSQSValue.16.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.16.4	Integer	5
ibIfQoSQSValue.16.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.16.5	Integer	9
ibIfQoSQSValue.16.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.16.6	Integer	13
ibIfQoSQSValue.16.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.16.7	Integer	15
ibIfQoSQSValue.17.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.17.0	Integer	1
ibIfQoSQSValue.17.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.17.1	Integer	2
ibIfQoSQSValue.17.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.17.2	Integer	3
ibIfQoSQSValue.17.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.17.3	Integer	4
ibIfQoSQSValue.17.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.17.4	Integer	5
ibIfQoSQSValue.17.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.17.5	Integer	9
ibIfQoSQSValue.17.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.17.6	Integer	13
ibIfQoSQSValue.17.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.17.7	Integer	15
ibIfQoSQSValue.18.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.18.0	Integer	1
ibIfQoSQSValue.18.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.18.1	Integer	2
ibIfQoSQSValue.18.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.18.2	Integer	3
ibIfQoSQSValue.18.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.18.3	Integer	4
ibIfQoSQSValue.18.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.18.4	Integer	5
ibIfQoSQSValue.18.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.18.5	Integer	9

Name	OID	Value Type	Value Example
iblfQoSQSValue.18.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.18.6	Integer	13
iblfQoSQSValue.18.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.18.7	Integer	15
iblfQoSQSValue.19.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.19.0	Integer	1
iblfQoSQSValue.19.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.19.1	Integer	2
iblfQoSQSValue.19.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.19.2	Integer	3
iblfQoSQSValue.19.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.19.3	Integer	4
iblfQoSQSValue.19.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.19.4	Integer	5
iblfQoSQSValue.19.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.19.5	Integer	9
iblfQoSQSValue.19.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.19.6	Integer	13
iblfQoSQSValue.19.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.19.7	Integer	15
iblfQoSQSValue.20.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.20.0	Integer	1
iblfQoSQSValue.20.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.20.1	Integer	2
iblfQoSQSValue.20.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.20.2	Integer	3
iblfQoSQSValue.20.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.20.3	Integer	4
iblfQoSQSValue.20.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.20.4	Integer	5
iblfQoSQSValue.20.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.20.5	Integer	9
iblfQoSQSValue.20.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.20.6	Integer	13
iblfQoSQSValue.20.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.20.7	Integer	15
iblfQoSQSValue.21.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.21.0	Integer	1
iblfQoSQSValue.21.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.21.1	Integer	2
iblfQoSQSValue.21.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.21.2	Integer	3
iblfQoSQSValue.21.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.21.3	Integer	4
iblfQoSQSValue.21.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.21.4	Integer	5
iblfQoSQSValue.21.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.21.5	Integer	9
iblfQoSQSValue.21.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.21.6	Integer	13

Name	OID	Value Type	Value Example
ibIfQoSQSValue.21.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.21.7	Integer	15
ibIfQoSQSValue.22.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.22.0	Integer	1
ibIfQoSQSValue.22.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.22.1	Integer	2
ibIfQoSQSValue.22.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.22.2	Integer	3
ibIfQoSQSValue.22.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.22.3	Integer	4
ibIfQoSQSValue.22.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.22.4	Integer	5
ibIfQoSQSValue.22.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.22.5	Integer	9
ibIfQoSQSValue.22.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.22.6	Integer	13
ibIfQoSQSValue.22.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.22.7	Integer	15
ibIfQoSQSValue.23.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.23.0	Integer	1
ibIfQoSQSValue.23.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.23.1	Integer	2
ibIfQoSQSValue.23.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.23.2	Integer	3
ibIfQoSQSValue.23.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.23.3	Integer	4
ibIfQoSQSValue.23.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.23.4	Integer	5
ibIfQoSQSValue.23.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.23.5	Integer	9
ibIfQoSQSValue.23.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.23.6	Integer	13
ibIfQoSQSValue.23.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.23.7	Integer	15
ibIfQoSQSValue.24.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.24.0	Integer	1
ibIfQoSQSValue.24.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.24.1	Integer	2
ibIfQoSQSValue.24.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.24.2	Integer	3
ibIfQoSQSValue.24.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.24.3	Integer	4
ibIfQoSQSValue.24.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.24.4	Integer	5
ibIfQoSQSValue.24.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.24.5	Integer	9
ibIfQoSQSValue.24.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.24.6	Integer	13
ibIfQoSQSValue.24.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.24.7	Integer	15

Name	OID	Value Type	Value Example
ibIfQoSQSValue.25.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.25.0	Integer	1
ibIfQoSQSValue.25.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.25.1	Integer	2
ibIfQoSQSValue.25.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.25.2	Integer	3
ibIfQoSQSValue.25.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.25.3	Integer	4
ibIfQoSQSValue.25.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.25.4	Integer	5
ibIfQoSQSValue.25.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.25.5	Integer	9
ibIfQoSQSValue.25.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.25.6	Integer	13
ibIfQoSQSValue.25.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.25.7	Integer	15
ibIfQoSQSValue.26.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.26.0	Integer	1
ibIfQoSQSValue.26.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.26.1	Integer	2
ibIfQoSQSValue.26.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.26.2	Integer	3
ibIfQoSQSValue.26.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.26.3	Integer	4
ibIfQoSQSValue.26.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.26.4	Integer	5
ibIfQoSQSValue.26.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.26.5	Integer	9
ibIfQoSQSValue.26.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.26.6	Integer	13
ibIfQoSQSValue.26.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.26.7	Integer	15
ibIfQoSQSValue.27.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.27.0	Integer	1
ibIfQoSQSValue.27.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.27.1	Integer	2
ibIfQoSQSValue.27.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.27.2	Integer	3
ibIfQoSQSValue.27.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.27.3	Integer	4
ibIfQoSQSValue.27.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.27.4	Integer	5
ibIfQoSQSValue.27.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.27.5	Integer	9
ibIfQoSQSValue.27.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.27.6	Integer	13
ibIfQoSQSValue.27.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.27.7	Integer	15
ibIfQoSQSValue.28.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.28.0	Integer	1

Name	OID	Value Type	Value Example
iblfQoSQSValue.28.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.28.1	Integer	2
iblfQoSQSValue.28.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.28.2	Integer	3
iblfQoSQSValue.28.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.28.3	Integer	4
iblfQoSQSValue.28.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.28.4	Integer	5
iblfQoSQSValue.28.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.28.5	Integer	9
iblfQoSQSValue.28.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.28.6	Integer	13
iblfQoSQSValue.28.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.4.28.7	Integer	15
iblfQoSQSMaxDelay.1.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.1.0	Integer	9
iblfQoSQSMaxDelay.1.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.1.1	Integer	9
iblfQoSQSMaxDelay.1.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.1.2	Integer	9
iblfQoSQSMaxDelay.1.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.1.3	Integer	9
iblfQoSQSMaxDelay.1.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.1.4	Integer	9
iblfQoSQSMaxDelay.1.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.1.5	Integer	9
iblfQoSQSMaxDelay.1.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.1.6	Integer	9
iblfQoSQSMaxDelay.1.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.1.7	Integer	9
iblfQoSQSMaxDelay.2.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.2.0	Integer	9
iblfQoSQSMaxDelay.2.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.2.1	Integer	9
iblfQoSQSMaxDelay.2.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.2.2	Integer	9
iblfQoSQSMaxDelay.2.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.2.3	Integer	9
iblfQoSQSMaxDelay.2.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.2.4	Integer	9
iblfQoSQSMaxDelay.2.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.2.5	Integer	9
iblfQoSQSMaxDelay.2.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.2.6	Integer	9
iblfQoSQSMaxDelay.2.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.2.7	Integer	9
iblfQoSQSMaxDelay.3.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.3.0	Integer	9
iblfQoSQSMaxDelay.3.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.3.1	Integer	9

Name	OID	Value Type	Value Example
ibIfQoSQSMaDelay.3.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.3.2	Integer	9
ibIfQoSQSMaDelay.3.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.3.3	Integer	9
ibIfQoSQSMaDelay.3.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.3.4	Integer	9
ibIfQoSQSMaDelay.3.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.3.5	Integer	9
ibIfQoSQSMaDelay.3.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.3.6	Integer	9
ibIfQoSQSMaDelay.3.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.3.7	Integer	9
ibIfQoSQSMaDelay.4.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.4.0	Integer	9
ibIfQoSQSMaDelay.4.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.4.1	Integer	9
ibIfQoSQSMaDelay.4.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.4.2	Integer	9
ibIfQoSQSMaDelay.4.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.4.3	Integer	9
ibIfQoSQSMaDelay.4.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.4.4	Integer	9
ibIfQoSQSMaDelay.4.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.4.5	Integer	9
ibIfQoSQSMaDelay.4.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.4.6	Integer	9
ibIfQoSQSMaDelay.4.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.4.7	Integer	9
ibIfQoSQSMaDelay.5.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.5.0	Integer	9
ibIfQoSQSMaDelay.5.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.5.1	Integer	9
ibIfQoSQSMaDelay.5.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.5.2	Integer	9
ibIfQoSQSMaDelay.5.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.5.3	Integer	9
ibIfQoSQSMaDelay.5.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.5.4	Integer	9
ibIfQoSQSMaDelay.5.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.5.5	Integer	9
ibIfQoSQSMaDelay.5.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.5.6	Integer	9
ibIfQoSQSMaDelay.5.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.5.7	Integer	9
ibIfQoSQSMaDelay.6.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.6.0	Integer	9
ibIfQoSQSMaDelay.6.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.6.1	Integer	9
ibIfQoSQSMaDelay.6.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.6.2	Integer	9

Name	OID	Value Type	Value Example
ibIfQoSQSMaXDelay.6.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.6.3	Integer	9
ibIfQoSQSMaXDelay.6.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.6.4	Integer	9
ibIfQoSQSMaXDelay.6.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.6.5	Integer	9
ibIfQoSQSMaXDelay.6.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.6.6	Integer	9
ibIfQoSQSMaXDelay.6.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.6.7	Integer	9
ibIfQoSQSMaXDelay.7.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.7.0	Integer	9
ibIfQoSQSMaXDelay.7.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.7.1	Integer	9
ibIfQoSQSMaXDelay.7.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.7.2	Integer	9
ibIfQoSQSMaXDelay.7.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.7.3	Integer	9
ibIfQoSQSMaXDelay.7.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.7.4	Integer	9
ibIfQoSQSMaXDelay.7.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.7.5	Integer	9
ibIfQoSQSMaXDelay.7.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.7.6	Integer	9
ibIfQoSQSMaXDelay.7.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.7.7	Integer	9
ibIfQoSQSMaXDelay.8.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.8.0	Integer	9
ibIfQoSQSMaXDelay.8.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.8.1	Integer	9
ibIfQoSQSMaXDelay.8.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.8.2	Integer	9
ibIfQoSQSMaXDelay.8.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.8.3	Integer	9
ibIfQoSQSMaXDelay.8.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.8.4	Integer	9
ibIfQoSQSMaXDelay.8.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.8.5	Integer	9
ibIfQoSQSMaXDelay.8.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.8.6	Integer	9
ibIfQoSQSMaXDelay.8.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.8.7	Integer	9
ibIfQoSQSMaXDelay.9.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.9.0	Integer	9
ibIfQoSQSMaXDelay.9.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.9.1	Integer	9
ibIfQoSQSMaXDelay.9.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.9.2	Integer	9
ibIfQoSQSMaXDelay.9.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.9.3	Integer	9

Name	OID	Value Type	Value Example
ibIfQoSQSMaXDelay.9.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.9.4	Integer	9
ibIfQoSQSMaXDelay.9.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.9.5	Integer	9
ibIfQoSQSMaXDelay.9.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.9.6	Integer	9
ibIfQoSQSMaXDelay.9.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.9.7	Integer	9
ibIfQoSQSMaXDelay.10.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.10.0	Integer	9
ibIfQoSQSMaXDelay.10.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.10.1	Integer	9
ibIfQoSQSMaXDelay.10.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.10.2	Integer	9
ibIfQoSQSMaXDelay.10.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.10.3	Integer	9
ibIfQoSQSMaXDelay.10.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.10.4	Integer	9
ibIfQoSQSMaXDelay.10.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.10.5	Integer	9
ibIfQoSQSMaXDelay.10.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.10.6	Integer	9
ibIfQoSQSMaXDelay.10.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.10.7	Integer	9
ibIfQoSQSMaXDelay.11.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.11.0	Integer	9
ibIfQoSQSMaXDelay.11.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.11.1	Integer	9
ibIfQoSQSMaXDelay.11.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.11.2	Integer	9
ibIfQoSQSMaXDelay.11.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.11.3	Integer	9
ibIfQoSQSMaXDelay.11.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.11.4	Integer	9
ibIfQoSQSMaXDelay.11.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.11.5	Integer	9
ibIfQoSQSMaXDelay.11.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.11.6	Integer	9
ibIfQoSQSMaXDelay.11.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.11.7	Integer	9
ibIfQoSQSMaXDelay.12.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.12.0	Integer	9
ibIfQoSQSMaXDelay.12.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.12.1	Integer	9
ibIfQoSQSMaXDelay.12.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.12.2	Integer	9
ibIfQoSQSMaXDelay.12.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.12.3	Integer	9
ibIfQoSQSMaXDelay.12.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.12.4	Integer	9

Name	OID	Value Type	Value Example
ibLfQoSQSMaxDelay.12.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.12.5	Integer	9
ibLfQoSQSMaxDelay.12.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.12.6	Integer	9
ibLfQoSQSMaxDelay.12.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.12.7	Integer	9
ibLfQoSQSMaxDelay.13.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.13.0	Integer	9
ibLfQoSQSMaxDelay.13.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.13.1	Integer	9
ibLfQoSQSMaxDelay.13.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.13.2	Integer	9
ibLfQoSQSMaxDelay.13.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.13.3	Integer	9
ibLfQoSQSMaxDelay.13.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.13.4	Integer	9
ibLfQoSQSMaxDelay.13.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.13.5	Integer	9
ibLfQoSQSMaxDelay.13.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.13.6	Integer	9
ibLfQoSQSMaxDelay.13.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.13.7	Integer	9
ibLfQoSQSMaxDelay.14.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.14.0	Integer	9
ibLfQoSQSMaxDelay.14.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.14.1	Integer	9
ibLfQoSQSMaxDelay.14.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.14.2	Integer	9
ibLfQoSQSMaxDelay.14.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.14.3	Integer	9
ibLfQoSQSMaxDelay.14.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.14.4	Integer	9
ibLfQoSQSMaxDelay.14.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.14.5	Integer	9
ibLfQoSQSMaxDelay.14.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.14.6	Integer	9
ibLfQoSQSMaxDelay.14.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.14.7	Integer	9
ibLfQoSQSMaxDelay.15.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.15.0	Integer	9
ibLfQoSQSMaxDelay.15.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.15.1	Integer	9
ibLfQoSQSMaxDelay.15.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.15.2	Integer	9
ibLfQoSQSMaxDelay.15.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.15.3	Integer	9
ibLfQoSQSMaxDelay.15.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.15.4	Integer	9
ibLfQoSQSMaxDelay.15.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.15.5	Integer	9

Name	OID	Value Type	Value Example
ibIfQoSQSMaXDelay.15.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.15.6	Integer	9
ibIfQoSQSMaXDelay.15.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.15.7	Integer	9
ibIfQoSQSMaXDelay.16.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.16.0	Integer	9
ibIfQoSQSMaXDelay.16.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.16.1	Integer	9
ibIfQoSQSMaXDelay.16.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.16.2	Integer	9
ibIfQoSQSMaXDelay.16.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.16.3	Integer	9
ibIfQoSQSMaXDelay.16.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.16.4	Integer	9
ibIfQoSQSMaXDelay.16.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.16.5	Integer	9
ibIfQoSQSMaXDelay.16.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.16.6	Integer	9
ibIfQoSQSMaXDelay.16.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.16.7	Integer	9
ibIfQoSQSMaXDelay.17.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.17.0	Integer	9
ibIfQoSQSMaXDelay.17.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.17.1	Integer	9
ibIfQoSQSMaXDelay.17.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.17.2	Integer	9
ibIfQoSQSMaXDelay.17.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.17.3	Integer	9
ibIfQoSQSMaXDelay.17.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.17.4	Integer	9
ibIfQoSQSMaXDelay.17.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.17.5	Integer	9
ibIfQoSQSMaXDelay.17.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.17.6	Integer	9
ibIfQoSQSMaXDelay.17.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.17.7	Integer	9
ibIfQoSQSMaXDelay.18.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.18.0	Integer	9
ibIfQoSQSMaXDelay.18.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.18.1	Integer	9
ibIfQoSQSMaXDelay.18.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.18.2	Integer	9
ibIfQoSQSMaXDelay.18.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.18.3	Integer	9
ibIfQoSQSMaXDelay.18.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.18.4	Integer	9
ibIfQoSQSMaXDelay.18.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.18.5	Integer	9
ibIfQoSQSMaXDelay.18.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.18.6	Integer	9

Name	OID	Value Type	Value Example
ibIfQoSQSMaXDelay.18.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.18.7	Integer	9
ibIfQoSQSMaXDelay.19.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.19.0	Integer	9
ibIfQoSQSMaXDelay.19.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.19.1	Integer	9
ibIfQoSQSMaXDelay.19.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.19.2	Integer	9
ibIfQoSQSMaXDelay.19.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.19.3	Integer	9
ibIfQoSQSMaXDelay.19.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.19.4	Integer	9
ibIfQoSQSMaXDelay.19.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.19.5	Integer	9
ibIfQoSQSMaXDelay.19.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.19.6	Integer	9
ibIfQoSQSMaXDelay.19.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.19.7	Integer	9
ibIfQoSQSMaXDelay.20.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.20.0	Integer	9
ibIfQoSQSMaXDelay.20.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.20.1	Integer	9
ibIfQoSQSMaXDelay.20.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.20.2	Integer	9
ibIfQoSQSMaXDelay.20.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.20.3	Integer	9
ibIfQoSQSMaXDelay.20.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.20.4	Integer	9
ibIfQoSQSMaXDelay.20.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.20.5	Integer	9
ibIfQoSQSMaXDelay.20.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.20.6	Integer	9
ibIfQoSQSMaXDelay.20.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.20.7	Integer	9
ibIfQoSQSMaXDelay.21.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.21.0	Integer	9
ibIfQoSQSMaXDelay.21.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.21.1	Integer	9
ibIfQoSQSMaXDelay.21.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.21.2	Integer	9
ibIfQoSQSMaXDelay.21.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.21.3	Integer	9
ibIfQoSQSMaXDelay.21.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.21.4	Integer	9
ibIfQoSQSMaXDelay.21.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.21.5	Integer	9
ibIfQoSQSMaXDelay.21.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.21.6	Integer	9
ibIfQoSQSMaXDelay.21.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.21.7	Integer	9

Name	OID	Value Type	Value Example
ibIfQoSQSMaXDelay.22.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.22.0	Integer	9
ibIfQoSQSMaXDelay.22.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.22.1	Integer	9
ibIfQoSQSMaXDelay.22.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.22.2	Integer	9
ibIfQoSQSMaXDelay.22.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.22.3	Integer	9
ibIfQoSQSMaXDelay.22.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.22.4	Integer	9
ibIfQoSQSMaXDelay.22.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.22.5	Integer	9
ibIfQoSQSMaXDelay.22.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.22.6	Integer	9
ibIfQoSQSMaXDelay.22.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.22.7	Integer	9
ibIfQoSQSMaXDelay.23.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.23.0	Integer	9
ibIfQoSQSMaXDelay.23.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.23.1	Integer	9
ibIfQoSQSMaXDelay.23.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.23.2	Integer	9
ibIfQoSQSMaXDelay.23.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.23.3	Integer	9
ibIfQoSQSMaXDelay.23.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.23.4	Integer	9
ibIfQoSQSMaXDelay.23.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.23.5	Integer	9
ibIfQoSQSMaXDelay.23.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.23.6	Integer	9
ibIfQoSQSMaXDelay.23.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.23.7	Integer	9
ibIfQoSQSMaXDelay.24.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.24.0	Integer	9
ibIfQoSQSMaXDelay.24.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.24.1	Integer	9
ibIfQoSQSMaXDelay.24.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.24.2	Integer	9
ibIfQoSQSMaXDelay.24.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.24.3	Integer	9
ibIfQoSQSMaXDelay.24.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.24.4	Integer	9
ibIfQoSQSMaXDelay.24.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.24.5	Integer	9
ibIfQoSQSMaXDelay.24.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.24.6	Integer	9
ibIfQoSQSMaXDelay.24.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.24.7	Integer	9
ibIfQoSQSMaXDelay.25.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.25.0	Integer	9

Name	OID	Value Type	Value Example
ibIfQoSQSMaDelay.25.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.25.1	Integer	9
ibIfQoSQSMaDelay.25.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.25.2	Integer	9
ibIfQoSQSMaDelay.25.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.25.3	Integer	9
ibIfQoSQSMaDelay.25.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.25.4	Integer	9
ibIfQoSQSMaDelay.25.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.25.5	Integer	9
ibIfQoSQSMaDelay.25.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.25.6	Integer	9
ibIfQoSQSMaDelay.25.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.25.7	Integer	9
ibIfQoSQSMaDelay.26.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.26.0	Integer	9
ibIfQoSQSMaDelay.26.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.26.1	Integer	9
ibIfQoSQSMaDelay.26.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.26.2	Integer	9
ibIfQoSQSMaDelay.26.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.26.3	Integer	9
ibIfQoSQSMaDelay.26.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.26.4	Integer	9
ibIfQoSQSMaDelay.26.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.26.5	Integer	9
ibIfQoSQSMaDelay.26.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.26.6	Integer	9
ibIfQoSQSMaDelay.26.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.26.7	Integer	9
ibIfQoSQSMaDelay.27.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.27.0	Integer	9
ibIfQoSQSMaDelay.27.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.27.1	Integer	9
ibIfQoSQSMaDelay.27.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.27.2	Integer	9
ibIfQoSQSMaDelay.27.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.27.3	Integer	9
ibIfQoSQSMaDelay.27.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.27.4	Integer	9
ibIfQoSQSMaDelay.27.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.27.5	Integer	9
ibIfQoSQSMaDelay.27.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.27.6	Integer	9
ibIfQoSQSMaDelay.27.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.27.7	Integer	9
ibIfQoSQSMaDelay.28.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.28.0	Integer	9
ibIfQoSQSMaDelay.28.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.28.1	Integer	9

Name	OID	Value Type	Value Example
iblfQoSQSMaxDelay.28.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.28.2	Integer	9
iblfQoSQSMaxDelay.28.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.28.3	Integer	9
iblfQoSQSMaxDelay.28.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.28.4	Integer	9
iblfQoSQSMaxDelay.28.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.28.5	Integer	9
iblfQoSQSMaxDelay.28.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.28.6	Integer	9
iblfQoSQSMaxDelay.28.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.5.28.7	Integer	9
iblfQoSQSMinBandwidth.1.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.1.0	Integer	0
iblfQoSQSMinBandwidth.1.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.1.1	Integer	0
iblfQoSQSMinBandwidth.1.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.1.2	Integer	0
iblfQoSQSMinBandwidth.1.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.1.3	Integer	0
iblfQoSQSMinBandwidth.1.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.1.4	Integer	0
iblfQoSQSMinBandwidth.1.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.1.5	Integer	0
iblfQoSQSMinBandwidth.1.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.1.6	Integer	0
iblfQoSQSMinBandwidth.1.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.1.7	Integer	0
iblfQoSQSMinBandwidth.2.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.2.0	Integer	0
iblfQoSQSMinBandwidth.2.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.2.1	Integer	0
iblfQoSQSMinBandwidth.2.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.2.2	Integer	0
iblfQoSQSMinBandwidth.2.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.2.3	Integer	0
iblfQoSQSMinBandwidth.2.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.2.4	Integer	0
iblfQoSQSMinBandwidth.2.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.2.5	Integer	0
iblfQoSQSMinBandwidth.2.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.2.6	Integer	0
iblfQoSQSMinBandwidth.2.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.2.7	Integer	0
iblfQoSQSMinBandwidth.3.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.3.0	Integer	0
iblfQoSQSMinBandwidth.3.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.3.1	Integer	0
iblfQoSQSMinBandwidth.3.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.3.2	Integer	0

Name	OID	Value Type	Value Example
iblfQoSQSMInBandwidth.3.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.3.3	Integer	0
iblfQoSQSMInBandwidth.3.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.3.4	Integer	0
iblfQoSQSMInBandwidth.3.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.3.5	Integer	0
iblfQoSQSMInBandwidth.3.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.3.6	Integer	0
iblfQoSQSMInBandwidth.3.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.3.7	Integer	0
iblfQoSQSMInBandwidth.4.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.4.0	Integer	0
iblfQoSQSMInBandwidth.4.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.4.1	Integer	0
iblfQoSQSMInBandwidth.4.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.4.2	Integer	0
iblfQoSQSMInBandwidth.4.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.4.3	Integer	0
iblfQoSQSMInBandwidth.4.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.4.4	Integer	0
iblfQoSQSMInBandwidth.4.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.4.5	Integer	0
iblfQoSQSMInBandwidth.4.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.4.6	Integer	0
iblfQoSQSMInBandwidth.4.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.4.7	Integer	0
iblfQoSQSMInBandwidth.5.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.5.0	Integer	0
iblfQoSQSMInBandwidth.5.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.5.1	Integer	0
iblfQoSQSMInBandwidth.5.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.5.2	Integer	0
iblfQoSQSMInBandwidth.5.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.5.3	Integer	0
iblfQoSQSMInBandwidth.5.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.5.4	Integer	0
iblfQoSQSMInBandwidth.5.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.5.5	Integer	0
iblfQoSQSMInBandwidth.5.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.5.6	Integer	0
iblfQoSQSMInBandwidth.5.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.5.7	Integer	0
iblfQoSQSMInBandwidth.6.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.6.0	Integer	0
iblfQoSQSMInBandwidth.6.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.6.1	Integer	0
iblfQoSQSMInBandwidth.6.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.6.2	Integer	0
iblfQoSQSMInBandwidth.6.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.6.3	Integer	0

Name	OID	Value Type	Value Example
iblfQoSQSMInBandwidth.6.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.6.4	Integer	0
iblfQoSQSMInBandwidth.6.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.6.5	Integer	0
iblfQoSQSMInBandwidth.6.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.6.6	Integer	0
iblfQoSQSMInBandwidth.6.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.6.7	Integer	0
iblfQoSQSMInBandwidth.7.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.7.0	Integer	0
iblfQoSQSMInBandwidth.7.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.7.1	Integer	0
iblfQoSQSMInBandwidth.7.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.7.2	Integer	0
iblfQoSQSMInBandwidth.7.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.7.3	Integer	0
iblfQoSQSMInBandwidth.7.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.7.4	Integer	0
iblfQoSQSMInBandwidth.7.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.7.5	Integer	0
iblfQoSQSMInBandwidth.7.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.7.6	Integer	0
iblfQoSQSMInBandwidth.7.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.7.7	Integer	0
iblfQoSQSMInBandwidth.8.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.8.0	Integer	0
iblfQoSQSMInBandwidth.8.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.8.1	Integer	0
iblfQoSQSMInBandwidth.8.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.8.2	Integer	0
iblfQoSQSMInBandwidth.8.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.8.3	Integer	0
iblfQoSQSMInBandwidth.8.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.8.4	Integer	0
iblfQoSQSMInBandwidth.8.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.8.5	Integer	0
iblfQoSQSMInBandwidth.8.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.8.6	Integer	0
iblfQoSQSMInBandwidth.8.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.8.7	Integer	0
iblfQoSQSMInBandwidth.9.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.9.0	Integer	0
iblfQoSQSMInBandwidth.9.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.9.1	Integer	0
iblfQoSQSMInBandwidth.9.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.9.2	Integer	0
iblfQoSQSMInBandwidth.9.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.9.3	Integer	0
iblfQoSQSMInBandwidth.9.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.9.4	Integer	0

Name	OID	Value Type	Value Example
iblfQoSQSMInBandwidth.9.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.9.5	Integer	0
iblfQoSQSMInBandwidth.9.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.9.6	Integer	0
iblfQoSQSMInBandwidth.9.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.9.7	Integer	0
iblfQoSQSMInBandwidth.10.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.10.0	Integer	0
iblfQoSQSMInBandwidth.10.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.10.1	Integer	0
iblfQoSQSMInBandwidth.10.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.10.2	Integer	0
iblfQoSQSMInBandwidth.10.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.10.3	Integer	0
iblfQoSQSMInBandwidth.10.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.10.4	Integer	0
iblfQoSQSMInBandwidth.10.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.10.5	Integer	0
iblfQoSQSMInBandwidth.10.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.10.6	Integer	0
iblfQoSQSMInBandwidth.10.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.10.7	Integer	0
iblfQoSQSMInBandwidth.11.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.11.0	Integer	0
iblfQoSQSMInBandwidth.11.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.11.1	Integer	0
iblfQoSQSMInBandwidth.11.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.11.2	Integer	0
iblfQoSQSMInBandwidth.11.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.11.3	Integer	0
iblfQoSQSMInBandwidth.11.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.11.4	Integer	0
iblfQoSQSMInBandwidth.11.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.11.5	Integer	0
iblfQoSQSMInBandwidth.11.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.11.6	Integer	0
iblfQoSQSMInBandwidth.11.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.11.7	Integer	0
iblfQoSQSMInBandwidth.12.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.12.0	Integer	0
iblfQoSQSMInBandwidth.12.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.12.1	Integer	0
iblfQoSQSMInBandwidth.12.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.12.2	Integer	0
iblfQoSQSMInBandwidth.12.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.12.3	Integer	0
iblfQoSQSMInBandwidth.12.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.12.4	Integer	0
iblfQoSQSMInBandwidth.12.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.12.5	Integer	0

Name	OID	Value Type	Value Example
iblfQoSQSMInBandwidth.12.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.12.6	Integer	0
iblfQoSQSMInBandwidth.12.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.12.7	Integer	0
iblfQoSQSMInBandwidth.13.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.13.0	Integer	0
iblfQoSQSMInBandwidth.13.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.13.1	Integer	0
iblfQoSQSMInBandwidth.13.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.13.2	Integer	0
iblfQoSQSMInBandwidth.13.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.13.3	Integer	0
iblfQoSQSMInBandwidth.13.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.13.4	Integer	0
iblfQoSQSMInBandwidth.13.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.13.5	Integer	0
iblfQoSQSMInBandwidth.13.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.13.6	Integer	0
iblfQoSQSMInBandwidth.13.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.13.7	Integer	0
iblfQoSQSMInBandwidth.14.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.14.0	Integer	0
iblfQoSQSMInBandwidth.14.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.14.1	Integer	0
iblfQoSQSMInBandwidth.14.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.14.2	Integer	0
iblfQoSQSMInBandwidth.14.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.14.3	Integer	0
iblfQoSQSMInBandwidth.14.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.14.4	Integer	0
iblfQoSQSMInBandwidth.14.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.14.5	Integer	0
iblfQoSQSMInBandwidth.14.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.14.6	Integer	0
iblfQoSQSMInBandwidth.14.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.14.7	Integer	0
iblfQoSQSMInBandwidth.15.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.15.0	Integer	0
iblfQoSQSMInBandwidth.15.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.15.1	Integer	0
iblfQoSQSMInBandwidth.15.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.15.2	Integer	0
iblfQoSQSMInBandwidth.15.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.15.3	Integer	0
iblfQoSQSMInBandwidth.15.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.15.4	Integer	0
iblfQoSQSMInBandwidth.15.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.15.5	Integer	0
iblfQoSQSMInBandwidth.15.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.15.6	Integer	0

Name	OID	Value Type	Value Example
iblfQoSQSMInBandwidth.15.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.15.7	Integer	0
iblfQoSQSMInBandwidth.16.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.16.0	Integer	0
iblfQoSQSMInBandwidth.16.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.16.1	Integer	0
iblfQoSQSMInBandwidth.16.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.16.2	Integer	0
iblfQoSQSMInBandwidth.16.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.16.3	Integer	0
iblfQoSQSMInBandwidth.16.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.16.4	Integer	0
iblfQoSQSMInBandwidth.16.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.16.5	Integer	0
iblfQoSQSMInBandwidth.16.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.16.6	Integer	0
iblfQoSQSMInBandwidth.16.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.16.7	Integer	0
iblfQoSQSMInBandwidth.17.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.17.0	Integer	0
iblfQoSQSMInBandwidth.17.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.17.1	Integer	0
iblfQoSQSMInBandwidth.17.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.17.2	Integer	0
iblfQoSQSMInBandwidth.17.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.17.3	Integer	0
iblfQoSQSMInBandwidth.17.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.17.4	Integer	0
iblfQoSQSMInBandwidth.17.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.17.5	Integer	0
iblfQoSQSMInBandwidth.17.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.17.6	Integer	0
iblfQoSQSMInBandwidth.17.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.17.7	Integer	0
iblfQoSQSMInBandwidth.18.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.18.0	Integer	0
iblfQoSQSMInBandwidth.18.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.18.1	Integer	0
iblfQoSQSMInBandwidth.18.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.18.2	Integer	0
iblfQoSQSMInBandwidth.18.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.18.3	Integer	0
iblfQoSQSMInBandwidth.18.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.18.4	Integer	0
iblfQoSQSMInBandwidth.18.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.18.5	Integer	0
iblfQoSQSMInBandwidth.18.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.18.6	Integer	0
iblfQoSQSMInBandwidth.18.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.18.7	Integer	0

Name	OID	Value Type	Value Example
iblfQoSQSMInBandwidth.19.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.19.0	Integer	0
iblfQoSQSMInBandwidth.19.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.19.1	Integer	0
iblfQoSQSMInBandwidth.19.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.19.2	Integer	0
iblfQoSQSMInBandwidth.19.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.19.3	Integer	0
iblfQoSQSMInBandwidth.19.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.19.4	Integer	0
iblfQoSQSMInBandwidth.19.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.19.5	Integer	0
iblfQoSQSMInBandwidth.19.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.19.6	Integer	0
iblfQoSQSMInBandwidth.19.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.19.7	Integer	0
iblfQoSQSMInBandwidth.20.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.20.0	Integer	0
iblfQoSQSMInBandwidth.20.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.20.1	Integer	0
iblfQoSQSMInBandwidth.20.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.20.2	Integer	0
iblfQoSQSMInBandwidth.20.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.20.3	Integer	0
iblfQoSQSMInBandwidth.20.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.20.4	Integer	0
iblfQoSQSMInBandwidth.20.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.20.5	Integer	0
iblfQoSQSMInBandwidth.20.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.20.6	Integer	0
iblfQoSQSMInBandwidth.20.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.20.7	Integer	0
iblfQoSQSMInBandwidth.21.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.21.0	Integer	0
iblfQoSQSMInBandwidth.21.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.21.1	Integer	0
iblfQoSQSMInBandwidth.21.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.21.2	Integer	0
iblfQoSQSMInBandwidth.21.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.21.3	Integer	0
iblfQoSQSMInBandwidth.21.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.21.4	Integer	0
iblfQoSQSMInBandwidth.21.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.21.5	Integer	0
iblfQoSQSMInBandwidth.21.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.21.6	Integer	0
iblfQoSQSMInBandwidth.21.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.21.7	Integer	0
iblfQoSQSMInBandwidth.22.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.22.0	Integer	0

Name	OID	Value Type	Value Example
iblfQoSQSMInBandwidth.22.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.22.1	Integer	0
iblfQoSQSMInBandwidth.22.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.22.2	Integer	0
iblfQoSQSMInBandwidth.22.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.22.3	Integer	0
iblfQoSQSMInBandwidth.22.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.22.4	Integer	0
iblfQoSQSMInBandwidth.22.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.22.5	Integer	0
iblfQoSQSMInBandwidth.22.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.22.6	Integer	0
iblfQoSQSMInBandwidth.22.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.22.7	Integer	0
iblfQoSQSMInBandwidth.23.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.23.0	Integer	0
iblfQoSQSMInBandwidth.23.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.23.1	Integer	0
iblfQoSQSMInBandwidth.23.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.23.2	Integer	0
iblfQoSQSMInBandwidth.23.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.23.3	Integer	0
iblfQoSQSMInBandwidth.23.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.23.4	Integer	0
iblfQoSQSMInBandwidth.23.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.23.5	Integer	0
iblfQoSQSMInBandwidth.23.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.23.6	Integer	0
iblfQoSQSMInBandwidth.23.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.23.7	Integer	0
iblfQoSQSMInBandwidth.24.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.24.0	Integer	0
iblfQoSQSMInBandwidth.24.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.24.1	Integer	0
iblfQoSQSMInBandwidth.24.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.24.2	Integer	0
iblfQoSQSMInBandwidth.24.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.24.3	Integer	0
iblfQoSQSMInBandwidth.24.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.24.4	Integer	0
iblfQoSQSMInBandwidth.24.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.24.5	Integer	0
iblfQoSQSMInBandwidth.24.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.24.6	Integer	0
iblfQoSQSMInBandwidth.24.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.24.7	Integer	0
iblfQoSQSMInBandwidth.25.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.25.0	Integer	0
iblfQoSQSMInBandwidth.25.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.25.1	Integer	0

Name	OID	Value Type	Value Example
iblfQoSQSMInBandwidth.25.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.25.2	Integer	0
iblfQoSQSMInBandwidth.25.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.25.3	Integer	0
iblfQoSQSMInBandwidth.25.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.25.4	Integer	0
iblfQoSQSMInBandwidth.25.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.25.5	Integer	0
iblfQoSQSMInBandwidth.25.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.25.6	Integer	0
iblfQoSQSMInBandwidth.25.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.25.7	Integer	0
iblfQoSQSMInBandwidth.26.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.26.0	Integer	0
iblfQoSQSMInBandwidth.26.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.26.1	Integer	0
iblfQoSQSMInBandwidth.26.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.26.2	Integer	0
iblfQoSQSMInBandwidth.26.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.26.3	Integer	0
iblfQoSQSMInBandwidth.26.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.26.4	Integer	0
iblfQoSQSMInBandwidth.26.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.26.5	Integer	0
iblfQoSQSMInBandwidth.26.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.26.6	Integer	0
iblfQoSQSMInBandwidth.26.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.26.7	Integer	0
iblfQoSQSMInBandwidth.27.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.27.0	Integer	0
iblfQoSQSMInBandwidth.27.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.27.1	Integer	0
iblfQoSQSMInBandwidth.27.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.27.2	Integer	0
iblfQoSQSMInBandwidth.27.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.27.3	Integer	0
iblfQoSQSMInBandwidth.27.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.27.4	Integer	0
iblfQoSQSMInBandwidth.27.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.27.5	Integer	0
iblfQoSQSMInBandwidth.27.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.27.6	Integer	0
iblfQoSQSMInBandwidth.27.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.27.7	Integer	0
iblfQoSQSMInBandwidth.28.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.28.0	Integer	0
iblfQoSQSMInBandwidth.28.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.28.1	Integer	0
iblfQoSQSMInBandwidth.28.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.28.2	Integer	0

Name	OID	Value Type	Value Example
ibIfQoSQSMInBandwidth.28.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.28.3	Integer	0
ibIfQoSQSMInBandwidth.28.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.28.4	Integer	0
ibIfQoSQSMInBandwidth.28.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.28.5	Integer	0
ibIfQoSQSMInBandwidth.28.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.28.6	Integer	0
ibIfQoSQSMInBandwidth.28.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.6.28.7	Integer	0
ibIfQoSQSMInBandwidthPer-cent.1.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.1.0	Gauge	0
ibIfQoSQSMInBandwidthPer-cent.1.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.1.1	Gauge	0
ibIfQoSQSMInBandwidthPer-cent.1.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.1.2	Gauge	0
ibIfQoSQSMInBandwidthPer-cent.1.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.1.3	Gauge	0
ibIfQoSQSMInBandwidthPer-cent.1.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.1.4	Gauge	0
ibIfQoSQSMInBandwidthPer-cent.1.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.1.5	Gauge	0
ibIfQoSQSMInBandwidthPer-cent.1.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.1.6	Gauge	0
ibIfQoSQSMInBandwidthPer-cent.1.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.1.7	Gauge	0
ibIfQoSQSMInBandwidthPer-cent.2.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.2.0	Gauge	0
ibIfQoSQSMInBandwidthPer-cent.2.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.2.1	Gauge	0
ibIfQoSQSMInBandwidthPer-cent.2.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.2.2	Gauge	0
ibIfQoSQSMInBandwidthPer-cent.2.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.2.3	Gauge	0
ibIfQoSQSMInBandwidthPer-cent.2.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.2.4	Gauge	0
ibIfQoSQSMInBandwidthPer-cent.2.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.2.5	Gauge	0
ibIfQoSQSMInBandwidthPer-cent.2.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.2.6	Gauge	0
ibIfQoSQSMInBandwidthPer-cent.2.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.2.7	Gauge	0
ibIfQoSQSMInBandwidthPer-cent.3.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.3.0	Gauge	0
ibIfQoSQSMInBandwidthPer-cent.3.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.3.1	Gauge	0
ibIfQoSQSMInBandwidthPer-cent.3.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.3.2	Gauge	0
ibIfQoSQSMInBandwidthPer-cent.3.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.3.3	Gauge	0

Name	OID	Value Type	Value Example
ibIfQoSQSMInBandwidthPercent.3.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.3.4	Gauge	0
ibIfQoSQSMInBandwidthPercent.3.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.3.5	Gauge	0
ibIfQoSQSMInBandwidthPercent.3.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.3.6	Gauge	0
ibIfQoSQSMInBandwidthPercent.3.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.3.7	Gauge	0
ibIfQoSQSMInBandwidthPercent.4.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.4.0	Gauge	0
ibIfQoSQSMInBandwidthPercent.4.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.4.1	Gauge	0
ibIfQoSQSMInBandwidthPercent.4.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.4.2	Gauge	0
ibIfQoSQSMInBandwidthPercent.4.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.4.3	Gauge	0
ibIfQoSQSMInBandwidthPercent.4.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.4.4	Gauge	0
ibIfQoSQSMInBandwidthPercent.4.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.4.5	Gauge	0
ibIfQoSQSMInBandwidthPercent.4.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.4.6	Gauge	0
ibIfQoSQSMInBandwidthPercent.4.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.4.7	Gauge	0
ibIfQoSQSMInBandwidthPercent.5.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.5.0	Gauge	0
ibIfQoSQSMInBandwidthPercent.5.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.5.1	Gauge	0
ibIfQoSQSMInBandwidthPercent.5.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.5.2	Gauge	0
ibIfQoSQSMInBandwidthPercent.5.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.5.3	Gauge	0
ibIfQoSQSMInBandwidthPercent.5.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.5.4	Gauge	0
ibIfQoSQSMInBandwidthPercent.5.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.5.5	Gauge	0
ibIfQoSQSMInBandwidthPercent.5.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.5.6	Gauge	0
ibIfQoSQSMInBandwidthPercent.5.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.5.7	Gauge	0
ibIfQoSQSMInBandwidthPercent.6.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.6.0	Gauge	0
ibIfQoSQSMInBandwidthPercent.6.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.6.1	Gauge	0
ibIfQoSQSMInBandwidthPercent.6.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.6.2	Gauge	0
ibIfQoSQSMInBandwidthPercent.6.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.6.3	Gauge	0
ibIfQoSQSMInBandwidthPercent.6.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.6.4	Gauge	0

Name	OID	Value Type	Value Example
ibIfQoSQSMInBandwidthPercent.6.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.6.5	Gauge	0
ibIfQoSQSMInBandwidthPercent.6.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.6.6	Gauge	0
ibIfQoSQSMInBandwidthPercent.6.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.6.7	Gauge	0
ibIfQoSQSMInBandwidthPercent.7.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.7.0	Gauge	0
ibIfQoSQSMInBandwidthPercent.7.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.7.1	Gauge	0
ibIfQoSQSMInBandwidthPercent.7.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.7.2	Gauge	0
ibIfQoSQSMInBandwidthPercent.7.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.7.3	Gauge	0
ibIfQoSQSMInBandwidthPercent.7.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.7.4	Gauge	0
ibIfQoSQSMInBandwidthPercent.7.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.7.5	Gauge	0
ibIfQoSQSMInBandwidthPercent.7.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.7.6	Gauge	0
ibIfQoSQSMInBandwidthPercent.7.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.7.7	Gauge	0
ibIfQoSQSMInBandwidthPercent.8.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.8.0	Gauge	0
ibIfQoSQSMInBandwidthPercent.8.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.8.1	Gauge	0
ibIfQoSQSMInBandwidthPercent.8.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.8.2	Gauge	0
ibIfQoSQSMInBandwidthPercent.8.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.8.3	Gauge	0
ibIfQoSQSMInBandwidthPercent.8.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.8.4	Gauge	0
ibIfQoSQSMInBandwidthPercent.8.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.8.5	Gauge	0
ibIfQoSQSMInBandwidthPercent.8.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.8.6	Gauge	0
ibIfQoSQSMInBandwidthPercent.8.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.8.7	Gauge	0
ibIfQoSQSMInBandwidthPercent.9.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.9.0	Gauge	0
ibIfQoSQSMInBandwidthPercent.9.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.9.1	Gauge	0
ibIfQoSQSMInBandwidthPercent.9.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.9.2	Gauge	0
ibIfQoSQSMInBandwidthPercent.9.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.9.3	Gauge	0
ibIfQoSQSMInBandwidthPercent.9.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.9.4	Gauge	0
ibIfQoSQSMInBandwidthPercent.9.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.9.5	Gauge	0

Name	OID	Value Type	Value Example
ibIfQoSQSMInBandwidthPercent.9.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.9.6	Gauge	0
ibIfQoSQSMInBandwidthPercent.9.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.9.7	Gauge	0
ibIfQoSQSMInBandwidthPercent.10.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.10.0	Gauge	0
ibIfQoSQSMInBandwidthPercent.10.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.10.1	Gauge	0
ibIfQoSQSMInBandwidthPercent.10.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.10.2	Gauge	0
ibIfQoSQSMInBandwidthPercent.10.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.10.3	Gauge	0
ibIfQoSQSMInBandwidthPercent.10.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.10.4	Gauge	0
ibIfQoSQSMInBandwidthPercent.10.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.10.5	Gauge	0
ibIfQoSQSMInBandwidthPercent.10.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.10.6	Gauge	0
ibIfQoSQSMInBandwidthPercent.10.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.10.7	Gauge	0
ibIfQoSQSMInBandwidthPercent.11.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.11.0	Gauge	0
ibIfQoSQSMInBandwidthPercent.11.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.11.1	Gauge	0
ibIfQoSQSMInBandwidthPercent.11.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.11.2	Gauge	0
ibIfQoSQSMInBandwidthPercent.11.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.11.3	Gauge	0
ibIfQoSQSMInBandwidthPercent.11.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.11.4	Gauge	0
ibIfQoSQSMInBandwidthPercent.11.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.11.5	Gauge	0
ibIfQoSQSMInBandwidthPercent.11.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.11.6	Gauge	0
ibIfQoSQSMInBandwidthPercent.11.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.11.7	Gauge	0

Name	OID	Value Type	Value Example
ibIfQoSQSMInBandwidthPercent.12.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.12.0	Gauge	0
ibIfQoSQSMInBandwidthPercent.12.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.12.1	Gauge	0
ibIfQoSQSMInBandwidthPercent.12.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.12.2	Gauge	0
ibIfQoSQSMInBandwidthPercent.12.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.12.3	Gauge	0
ibIfQoSQSMInBandwidthPercent.12.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.12.4	Gauge	0
ibIfQoSQSMInBandwidthPercent.12.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.12.5	Gauge	0
ibIfQoSQSMInBandwidthPercent.12.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.12.6	Gauge	0
ibIfQoSQSMInBandwidthPercent.12.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.12.7	Gauge	0
ibIfQoSQSMInBandwidthPercent.13.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.13.0	Gauge	0
ibIfQoSQSMInBandwidthPercent.13.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.13.1	Gauge	0
ibIfQoSQSMInBandwidthPercent.13.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.13.2	Gauge	0
ibIfQoSQSMInBandwidthPercent.13.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.13.3	Gauge	0
ibIfQoSQSMInBandwidthPercent.13.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.13.4	Gauge	0
ibIfQoSQSMInBandwidthPercent.13.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.13.5	Gauge	0
ibIfQoSQSMInBandwidthPercent.13.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.13.6	Gauge	0
ibIfQoSQSMInBandwidthPercent.13.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.13.7	Gauge	0
ibIfQoSQSMInBandwidthPercent.14.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.14.0	Gauge	0
ibIfQoSQSMInBandwidthPercent.14.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.14.1	Gauge	0

Name	OID	Value Type	Value Example
ibIfQoSQSMInBandwidthPercent.14.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.14.2	Gauge	0
ibIfQoSQSMInBandwidthPercent.14.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.14.3	Gauge	0
ibIfQoSQSMInBandwidthPercent.14.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.14.4	Gauge	0
ibIfQoSQSMInBandwidthPercent.14.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.14.5	Gauge	0
ibIfQoSQSMInBandwidthPercent.14.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.14.6	Gauge	0
ibIfQoSQSMInBandwidthPercent.14.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.14.7	Gauge	0
ibIfQoSQSMInBandwidthPercent.15.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.15.0	Gauge	0
ibIfQoSQSMInBandwidthPercent.15.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.15.1	Gauge	0
ibIfQoSQSMInBandwidthPercent.15.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.15.2	Gauge	0
ibIfQoSQSMInBandwidthPercent.15.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.15.3	Gauge	0
ibIfQoSQSMInBandwidthPercent.15.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.15.4	Gauge	0
ibIfQoSQSMInBandwidthPercent.15.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.15.5	Gauge	0
ibIfQoSQSMInBandwidthPercent.15.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.15.6	Gauge	0
ibIfQoSQSMInBandwidthPercent.15.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.15.7	Gauge	0
ibIfQoSQSMInBandwidthPercent.16.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.16.0	Gauge	0
ibIfQoSQSMInBandwidthPercent.16.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.16.1	Gauge	0
ibIfQoSQSMInBandwidthPercent.16.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.16.2	Gauge	0
ibIfQoSQSMInBandwidthPercent.16.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.16.3	Gauge	0

Name	OID	Value Type	Value Example
ibIfQoSQSMInBandwidthPercent.16.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.16.4	Gauge	0
ibIfQoSQSMInBandwidthPercent.16.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.16.5	Gauge	0
ibIfQoSQSMInBandwidthPercent.16.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.16.6	Gauge	0
ibIfQoSQSMInBandwidthPercent.16.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.16.7	Gauge	0
ibIfQoSQSMInBandwidthPercent.17.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.17.0	Gauge	0
ibIfQoSQSMInBandwidthPercent.17.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.17.1	Gauge	0
ibIfQoSQSMInBandwidthPercent.17.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.17.2	Gauge	0
ibIfQoSQSMInBandwidthPercent.17.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.17.3	Gauge	0
ibIfQoSQSMInBandwidthPercent.17.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.17.4	Gauge	0
ibIfQoSQSMInBandwidthPercent.17.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.17.5	Gauge	0
ibIfQoSQSMInBandwidthPercent.17.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.17.6	Gauge	0
ibIfQoSQSMInBandwidthPercent.17.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.17.7	Gauge	0
ibIfQoSQSMInBandwidthPercent.18.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.18.0	Gauge	0
ibIfQoSQSMInBandwidthPercent.18.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.18.1	Gauge	0
ibIfQoSQSMInBandwidthPercent.18.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.18.2	Gauge	0
ibIfQoSQSMInBandwidthPercent.18.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.18.3	Gauge	0
ibIfQoSQSMInBandwidthPercent.18.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.18.4	Gauge	0
ibIfQoSQSMInBandwidthPercent.18.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.18.5	Gauge	0

Name	OID	Value Type	Value Example
ibIfQoSQSMInBandwidthPercent.18.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.18.6	Gauge	0
ibIfQoSQSMInBandwidthPercent.18.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.18.7	Gauge	0
ibIfQoSQSMInBandwidthPercent.19.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.19.0	Gauge	0
ibIfQoSQSMInBandwidthPercent.19.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.19.1	Gauge	0
ibIfQoSQSMInBandwidthPercent.19.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.19.2	Gauge	0
ibIfQoSQSMInBandwidthPercent.19.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.19.3	Gauge	0
ibIfQoSQSMInBandwidthPercent.19.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.19.4	Gauge	0
ibIfQoSQSMInBandwidthPercent.19.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.19.5	Gauge	0
ibIfQoSQSMInBandwidthPercent.19.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.19.6	Gauge	0
ibIfQoSQSMInBandwidthPercent.19.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.19.7	Gauge	0
ibIfQoSQSMInBandwidthPercent.20.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.20.0	Gauge	0
ibIfQoSQSMInBandwidthPercent.20.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.20.1	Gauge	0
ibIfQoSQSMInBandwidthPercent.20.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.20.2	Gauge	0
ibIfQoSQSMInBandwidthPercent.20.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.20.3	Gauge	0
ibIfQoSQSMInBandwidthPercent.20.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.20.4	Gauge	0
ibIfQoSQSMInBandwidthPercent.20.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.20.5	Gauge	0
ibIfQoSQSMInBandwidthPercent.20.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.20.6	Gauge	0
ibIfQoSQSMInBandwidthPercent.20.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.20.7	Gauge	0

Name	OID	Value Type	Value Example
ibIfQoSQSMInBandwidthPercent.21.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.21.0	Gauge	0
ibIfQoSQSMInBandwidthPercent.21.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.21.1	Gauge	0
ibIfQoSQSMInBandwidthPercent.21.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.21.2	Gauge	0
ibIfQoSQSMInBandwidthPercent.21.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.21.3	Gauge	0
ibIfQoSQSMInBandwidthPercent.21.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.21.4	Gauge	0
ibIfQoSQSMInBandwidthPercent.21.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.21.5	Gauge	0
ibIfQoSQSMInBandwidthPercent.21.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.21.6	Gauge	0
ibIfQoSQSMInBandwidthPercent.21.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.21.7	Gauge	0
ibIfQoSQSMInBandwidthPercent.22.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.22.0	Gauge	0
ibIfQoSQSMInBandwidthPercent.22.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.22.1	Gauge	0
ibIfQoSQSMInBandwidthPercent.22.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.22.2	Gauge	0
ibIfQoSQSMInBandwidthPercent.22.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.22.3	Gauge	0
ibIfQoSQSMInBandwidthPercent.22.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.22.4	Gauge	0
ibIfQoSQSMInBandwidthPercent.22.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.22.5	Gauge	0
ibIfQoSQSMInBandwidthPercent.22.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.22.6	Gauge	0
ibIfQoSQSMInBandwidthPercent.22.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.22.7	Gauge	0
ibIfQoSQSMInBandwidthPercent.23.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.23.0	Gauge	0
ibIfQoSQSMInBandwidthPercent.23.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.23.1	Gauge	0

Name	OID	Value Type	Value Example
ibIfQoSQSMInBandwidthPercent.23.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.23.2	Gauge	0
ibIfQoSQSMInBandwidthPercent.23.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.23.3	Gauge	0
ibIfQoSQSMInBandwidthPercent.23.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.23.4	Gauge	0
ibIfQoSQSMInBandwidthPercent.23.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.23.5	Gauge	0
ibIfQoSQSMInBandwidthPercent.23.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.23.6	Gauge	0
ibIfQoSQSMInBandwidthPercent.23.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.23.7	Gauge	0
ibIfQoSQSMInBandwidthPercent.24.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.24.0	Gauge	0
ibIfQoSQSMInBandwidthPercent.24.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.24.1	Gauge	0
ibIfQoSQSMInBandwidthPercent.24.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.24.2	Gauge	0
ibIfQoSQSMInBandwidthPercent.24.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.24.3	Gauge	0
ibIfQoSQSMInBandwidthPercent.24.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.24.4	Gauge	0
ibIfQoSQSMInBandwidthPercent.24.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.24.5	Gauge	0
ibIfQoSQSMInBandwidthPercent.24.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.24.6	Gauge	0
ibIfQoSQSMInBandwidthPercent.24.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.24.7	Gauge	0
ibIfQoSQSMInBandwidthPercent.25.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.25.0	Gauge	0
ibIfQoSQSMInBandwidthPercent.25.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.25.1	Gauge	0
ibIfQoSQSMInBandwidthPercent.25.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.25.2	Gauge	0
ibIfQoSQSMInBandwidthPercent.25.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.25.3	Gauge	0

Name	OID	Value Type	Value Example
ibIfQoSQSMInBandwidthPercent.25.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.25.4	Gauge	0
ibIfQoSQSMInBandwidthPercent.25.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.25.5	Gauge	0
ibIfQoSQSMInBandwidthPercent.25.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.25.6	Gauge	0
ibIfQoSQSMInBandwidthPercent.25.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.25.7	Gauge	0
ibIfQoSQSMInBandwidthPercent.26.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.26.0	Gauge	0
ibIfQoSQSMInBandwidthPercent.26.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.26.1	Gauge	0
ibIfQoSQSMInBandwidthPercent.26.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.26.2	Gauge	0
ibIfQoSQSMInBandwidthPercent.26.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.26.3	Gauge	0
ibIfQoSQSMInBandwidthPercent.26.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.26.4	Gauge	0
ibIfQoSQSMInBandwidthPercent.26.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.26.5	Gauge	0
ibIfQoSQSMInBandwidthPercent.26.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.26.6	Gauge	0
ibIfQoSQSMInBandwidthPercent.26.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.26.7	Gauge	0
ibIfQoSQSMInBandwidthPercent.27.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.27.0	Gauge	0
ibIfQoSQSMInBandwidthPercent.27.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.27.1	Gauge	0
ibIfQoSQSMInBandwidthPercent.27.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.27.2	Gauge	0
ibIfQoSQSMInBandwidthPercent.27.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.27.3	Gauge	0
ibIfQoSQSMInBandwidthPercent.27.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.27.4	Gauge	0
ibIfQoSQSMInBandwidthPercent.27.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.27.5	Gauge	0

Name	OID	Value Type	Value Example
ibIfQoSQSMInBandwidthPercent.27.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.27.6	Gauge	0
ibIfQoSQSMInBandwidthPercent.27.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.27.7	Gauge	0
ibIfQoSQSMInBandwidthPercent.28.0	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.28.0	Gauge	0
ibIfQoSQSMInBandwidthPercent.28.1	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.28.1	Gauge	0
ibIfQoSQSMInBandwidthPercent.28.2	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.28.2	Gauge	0
ibIfQoSQSMInBandwidthPercent.28.3	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.28.3	Gauge	0
ibIfQoSQSMInBandwidthPercent.28.4	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.28.4	Gauge	0
ibIfQoSQSMInBandwidthPercent.28.5	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.28.5	Gauge	0
ibIfQoSQSMInBandwidthPercent.28.6	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.28.6	Gauge	0
ibIfQoSQSMInBandwidthPercent.28.7	.1.3.6.1.4.1.26138.2.65.1.1.1.2.1.7.28.7	Gauge	0
ibIfQoSPassPPS.1.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.1.0	Gauge	0
ibIfQoSPassPPS.1.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.1.1	Gauge	0
ibIfQoSPassPPS.1.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.1.2	Gauge	0
ibIfQoSPassPPS.1.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.1.3	Gauge	0
ibIfQoSPassPPS.1.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.1.4	Gauge	0
ibIfQoSPassPPS.1.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.1.5	Gauge	0
ibIfQoSPassPPS.1.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.1.6	Gauge	0
ibIfQoSPassPPS.1.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.1.7	Gauge	0
ibIfQoSPassPPS.2.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.2.0	Gauge	0
ibIfQoSPassPPS.2.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.2.1	Gauge	0
ibIfQoSPassPPS.2.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.2.2	Gauge	0

Name	OID	Value Type	Value Example
iblfQoSPassPPS.2.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.2.3	Gauge	0
iblfQoSPassPPS.2.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.2.4	Gauge	0
iblfQoSPassPPS.2.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.2.5	Gauge	0
iblfQoSPassPPS.2.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.2.6	Gauge	0
iblfQoSPassPPS.2.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.2.7	Gauge	0
iblfQoSPassPPS.3.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.3.0	Gauge	0
iblfQoSPassPPS.3.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.3.1	Gauge	0
iblfQoSPassPPS.3.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.3.2	Gauge	0
iblfQoSPassPPS.3.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.3.3	Gauge	0
iblfQoSPassPPS.3.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.3.4	Gauge	0
iblfQoSPassPPS.3.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.3.5	Gauge	0
iblfQoSPassPPS.3.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.3.6	Gauge	0
iblfQoSPassPPS.3.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.3.7	Gauge	0
iblfQoSPassPPS.4.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.4.0	Gauge	0
iblfQoSPassPPS.4.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.4.1	Gauge	0
iblfQoSPassPPS.4.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.4.2	Gauge	0
iblfQoSPassPPS.4.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.4.3	Gauge	0
iblfQoSPassPPS.4.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.4.4	Gauge	0
iblfQoSPassPPS.4.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.4.5	Gauge	0
iblfQoSPassPPS.4.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.4.6	Gauge	0
iblfQoSPassPPS.4.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.4.7	Gauge	0
iblfQoSPassPPS.5.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.5.0	Gauge	0
iblfQoSPassPPS.5.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.5.1	Gauge	0
iblfQoSPassPPS.5.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.5.2	Gauge	0
iblfQoSPassPPS.5.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.5.3	Gauge	0

Name	OID	Value Type	Value Example
iblfQoSPPS.5.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.5.4	Gauge	0
iblfQoSPPS.5.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.5.5	Gauge	0
iblfQoSPPS.5.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.5.6	Gauge	0
iblfQoSPPS.5.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.5.7	Gauge	0
iblfQoSPPS.6.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.6.0	Gauge	0
iblfQoSPPS.6.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.6.1	Gauge	0
iblfQoSPPS.6.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.6.2	Gauge	0
iblfQoSPPS.6.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.6.3	Gauge	0
iblfQoSPPS.6.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.6.4	Gauge	0
iblfQoSPPS.6.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.6.5	Gauge	0
iblfQoSPPS.6.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.6.6	Gauge	0
iblfQoSPPS.6.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.6.7	Gauge	0
iblfQoSPPS.7.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.7.0	Gauge	0
iblfQoSPPS.7.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.7.1	Gauge	0
iblfQoSPPS.7.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.7.2	Gauge	0
iblfQoSPPS.7.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.7.3	Gauge	0
iblfQoSPPS.7.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.7.4	Gauge	0
iblfQoSPPS.7.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.7.5	Gauge	0
iblfQoSPPS.7.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.7.6	Gauge	0
iblfQoSPPS.7.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.7.7	Gauge	0
iblfQoSPPS.8.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.8.0	Gauge	0
iblfQoSPPS.8.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.8.1	Gauge	0
iblfQoSPPS.8.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.8.2	Gauge	0
iblfQoSPPS.8.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.8.3	Gauge	0
iblfQoSPPS.8.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.8.4	Gauge	0

Name	OID	Value Type	Value Example
ibLfQoSPPS.8.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.8.5	Gauge	0
ibLfQoSPPS.8.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.8.6	Gauge	0
ibLfQoSPPS.8.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.8.7	Gauge	0
ibLfQoSPPS.9.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.9.0	Gauge	0
ibLfQoSPPS.9.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.9.1	Gauge	0
ibLfQoSPPS.9.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.9.2	Gauge	0
ibLfQoSPPS.9.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.9.3	Gauge	0
ibLfQoSPPS.9.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.9.4	Gauge	0
ibLfQoSPPS.9.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.9.5	Gauge	0
ibLfQoSPPS.9.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.9.6	Gauge	0
ibLfQoSPPS.9.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.9.7	Gauge	0
ibLfQoSPPS.10.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.10.0	Gauge	0
ibLfQoSPPS.10.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.10.1	Gauge	0
ibLfQoSPPS.10.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.10.2	Gauge	0
ibLfQoSPPS.10.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.10.3	Gauge	0
ibLfQoSPPS.10.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.10.4	Gauge	0
ibLfQoSPPS.10.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.10.5	Gauge	0
ibLfQoSPPS.10.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.10.6	Gauge	0
ibLfQoSPPS.10.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.10.7	Gauge	0
ibLfQoSPPS.11.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.11.0	Gauge	0
ibLfQoSPPS.11.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.11.1	Gauge	0
ibLfQoSPPS.11.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.11.2	Gauge	0
ibLfQoSPPS.11.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.11.3	Gauge	0
ibLfQoSPPS.11.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.11.4	Gauge	0
ibLfQoSPPS.11.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.11.5	Gauge	0

Name	OID	Value Type	Value Example
ibLfQoSPPS.11.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.11.6	Gauge	0
ibLfQoSPPS.11.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.11.7	Gauge	0
ibLfQoSPPS.12.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.12.0	Gauge	0
ibLfQoSPPS.12.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.12.1	Gauge	0
ibLfQoSPPS.12.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.12.2	Gauge	0
ibLfQoSPPS.12.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.12.3	Gauge	0
ibLfQoSPPS.12.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.12.4	Gauge	0
ibLfQoSPPS.12.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.12.5	Gauge	0
ibLfQoSPPS.12.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.12.6	Gauge	0
ibLfQoSPPS.12.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.12.7	Gauge	0
ibLfQoSPPS.13.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.13.0	Gauge	0
ibLfQoSPPS.13.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.13.1	Gauge	0
ibLfQoSPPS.13.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.13.2	Gauge	0
ibLfQoSPPS.13.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.13.3	Gauge	0
ibLfQoSPPS.13.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.13.4	Gauge	0
ibLfQoSPPS.13.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.13.5	Gauge	0
ibLfQoSPPS.13.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.13.6	Gauge	0
ibLfQoSPPS.13.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.13.7	Gauge	0
ibLfQoSPPS.14.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.14.0	Gauge	0
ibLfQoSPPS.14.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.14.1	Gauge	0
ibLfQoSPPS.14.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.14.2	Gauge	0
ibLfQoSPPS.14.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.14.3	Gauge	0
ibLfQoSPPS.14.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.14.4	Gauge	0
ibLfQoSPPS.14.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.14.5	Gauge	0
ibLfQoSPPS.14.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.14.6	Gauge	0

Name	OID	Value Type	Value Example
ibIfQoSPPS.14.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.14.7	Gauge	0
ibIfQoSPPS.15.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.15.0	Gauge	0
ibIfQoSPPS.15.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.15.1	Gauge	0
ibIfQoSPPS.15.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.15.2	Gauge	0
ibIfQoSPPS.15.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.15.3	Gauge	0
ibIfQoSPPS.15.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.15.4	Gauge	0
ibIfQoSPPS.15.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.15.5	Gauge	0
ibIfQoSPPS.15.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.15.6	Gauge	0
ibIfQoSPPS.15.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.15.7	Gauge	0
ibIfQoSPPS.16.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.16.0	Gauge	0
ibIfQoSPPS.16.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.16.1	Gauge	0
ibIfQoSPPS.16.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.16.2	Gauge	0
ibIfQoSPPS.16.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.16.3	Gauge	0
ibIfQoSPPS.16.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.16.4	Gauge	0
ibIfQoSPPS.16.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.16.5	Gauge	0
ibIfQoSPPS.16.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.16.6	Gauge	0
ibIfQoSPPS.16.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.16.7	Gauge	0
ibIfQoSPPS.17.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.17.0	Gauge	0
ibIfQoSPPS.17.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.17.1	Gauge	0
ibIfQoSPPS.17.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.17.2	Gauge	0
ibIfQoSPPS.17.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.17.3	Gauge	0
ibIfQoSPPS.17.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.17.4	Gauge	0
ibIfQoSPPS.17.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.17.5	Gauge	0
ibIfQoSPPS.17.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.17.6	Gauge	0
ibIfQoSPPS.17.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.17.7	Gauge	0

Name	OID	Value Type	Value Example
iblfQoSPassPPS.18.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.18.0	Gauge	0
iblfQoSPassPPS.18.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.18.1	Gauge	0
iblfQoSPassPPS.18.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.18.2	Gauge	0
iblfQoSPassPPS.18.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.18.3	Gauge	0
iblfQoSPassPPS.18.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.18.4	Gauge	0
iblfQoSPassPPS.18.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.18.5	Gauge	0
iblfQoSPassPPS.18.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.18.6	Gauge	0
iblfQoSPassPPS.18.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.18.7	Gauge	0
iblfQoSPassPPS.19.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.19.0	Gauge	0
iblfQoSPassPPS.19.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.19.1	Gauge	0
iblfQoSPassPPS.19.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.19.2	Gauge	0
iblfQoSPassPPS.19.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.19.3	Gauge	0
iblfQoSPassPPS.19.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.19.4	Gauge	0
iblfQoSPassPPS.19.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.19.5	Gauge	0
iblfQoSPassPPS.19.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.19.6	Gauge	0
iblfQoSPassPPS.19.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.19.7	Gauge	0
iblfQoSPassPPS.20.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.20.0	Gauge	0
iblfQoSPassPPS.20.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.20.1	Gauge	0
iblfQoSPassPPS.20.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.20.2	Gauge	0
iblfQoSPassPPS.20.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.20.3	Gauge	0
iblfQoSPassPPS.20.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.20.4	Gauge	0
iblfQoSPassPPS.20.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.20.5	Gauge	0
iblfQoSPassPPS.20.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.20.6	Gauge	0
iblfQoSPassPPS.20.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.20.7	Gauge	0
iblfQoSPassPPS.21.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.21.0	Gauge	0

Name	OID	Value Type	Value Example
iblfQoSPassPPS.21.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.21.1	Gauge	0
iblfQoSPassPPS.21.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.21.2	Gauge	0
iblfQoSPassPPS.21.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.21.3	Gauge	0
iblfQoSPassPPS.21.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.21.4	Gauge	0
iblfQoSPassPPS.21.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.21.5	Gauge	0
iblfQoSPassPPS.21.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.21.6	Gauge	0
iblfQoSPassPPS.21.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.21.7	Gauge	0
iblfQoSPassPPS.22.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.22.0	Gauge	0
iblfQoSPassPPS.22.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.22.1	Gauge	0
iblfQoSPassPPS.22.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.22.2	Gauge	0
iblfQoSPassPPS.22.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.22.3	Gauge	0
iblfQoSPassPPS.22.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.22.4	Gauge	0
iblfQoSPassPPS.22.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.22.5	Gauge	0
iblfQoSPassPPS.22.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.22.6	Gauge	0
iblfQoSPassPPS.22.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.22.7	Gauge	0
iblfQoSPassPPS.23.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.23.0	Gauge	0
iblfQoSPassPPS.23.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.23.1	Gauge	0
iblfQoSPassPPS.23.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.23.2	Gauge	0
iblfQoSPassPPS.23.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.23.3	Gauge	0
iblfQoSPassPPS.23.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.23.4	Gauge	0
iblfQoSPassPPS.23.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.23.5	Gauge	0
iblfQoSPassPPS.23.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.23.6	Gauge	0
iblfQoSPassPPS.23.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.23.7	Gauge	0
iblfQoSPassPPS.24.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.24.0	Gauge	0
iblfQoSPassPPS.24.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.24.1	Gauge	0

Name	OID	Value Type	Value Example
iblfQoSPPS.24.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.24.2	Gauge	0
iblfQoSPPS.24.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.24.3	Gauge	0
iblfQoSPPS.24.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.24.4	Gauge	0
iblfQoSPPS.24.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.24.5	Gauge	0
iblfQoSPPS.24.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.24.6	Gauge	0
iblfQoSPPS.24.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.24.7	Gauge	0
iblfQoSPPS.25.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.25.0	Gauge	0
iblfQoSPPS.25.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.25.1	Gauge	0
iblfQoSPPS.25.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.25.2	Gauge	0
iblfQoSPPS.25.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.25.3	Gauge	0
iblfQoSPPS.25.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.25.4	Gauge	0
iblfQoSPPS.25.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.25.5	Gauge	0
iblfQoSPPS.25.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.25.6	Gauge	0
iblfQoSPPS.25.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.25.7	Gauge	0
iblfQoSPPS.26.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.26.0	Gauge	0
iblfQoSPPS.26.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.26.1	Gauge	0
iblfQoSPPS.26.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.26.2	Gauge	0
iblfQoSPPS.26.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.26.3	Gauge	0
iblfQoSPPS.26.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.26.4	Gauge	0
iblfQoSPPS.26.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.26.5	Gauge	0
iblfQoSPPS.26.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.26.6	Gauge	0
iblfQoSPPS.26.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.26.7	Gauge	0
iblfQoSPPS.27.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.27.0	Gauge	0
iblfQoSPPS.27.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.27.1	Gauge	0
iblfQoSPPS.27.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.27.2	Gauge	0

Name	OID	Value Type	Value Example
iblfQoSPassPPS.27.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.27.3	Gauge	0
iblfQoSPassPPS.27.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.27.4	Gauge	0
iblfQoSPassPPS.27.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.27.5	Gauge	0
iblfQoSPassPPS.27.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.27.6	Gauge	0
iblfQoSPassPPS.27.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.27.7	Gauge	0
iblfQoSPassPPS.28.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.28.0	Gauge	0
iblfQoSPassPPS.28.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.28.1	Gauge	0
iblfQoSPassPPS.28.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.28.2	Gauge	0
iblfQoSPassPPS.28.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.28.3	Gauge	0
iblfQoSPassPPS.28.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.28.4	Gauge	0
iblfQoSPassPPS.28.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.28.5	Gauge	0
iblfQoSPassPPS.28.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.28.6	Gauge	0
iblfQoSPassPPS.28.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.4.28.7	Gauge	0
iblfQoSPassBPS.1.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.1.0	Gauge	0
iblfQoSPassBPS.1.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.1.1	Gauge	0
iblfQoSPassBPS.1.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.1.2	Gauge	0
iblfQoSPassBPS.1.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.1.3	Gauge	0
iblfQoSPassBPS.1.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.1.4	Gauge	0
iblfQoSPassBPS.1.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.1.5	Gauge	0
iblfQoSPassBPS.1.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.1.6	Gauge	0
iblfQoSPassBPS.1.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.1.7	Gauge	0
iblfQoSPassBPS.2.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.2.0	Gauge	0
iblfQoSPassBPS.2.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.2.1	Gauge	0
iblfQoSPassBPS.2.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.2.2	Gauge	0
iblfQoSPassBPS.2.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.2.3	Gauge	0

Name	OID	Value Type	Value Example
iblfQoSPassBPS.2.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.2.4	Gauge	0
iblfQoSPassBPS.2.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.2.5	Gauge	0
iblfQoSPassBPS.2.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.2.6	Gauge	0
iblfQoSPassBPS.2.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.2.7	Gauge	0
iblfQoSPassBPS.3.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.3.0	Gauge	0
iblfQoSPassBPS.3.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.3.1	Gauge	0
iblfQoSPassBPS.3.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.3.2	Gauge	0
iblfQoSPassBPS.3.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.3.3	Gauge	0
iblfQoSPassBPS.3.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.3.4	Gauge	0
iblfQoSPassBPS.3.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.3.5	Gauge	0
iblfQoSPassBPS.3.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.3.6	Gauge	0
iblfQoSPassBPS.3.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.3.7	Gauge	0
iblfQoSPassBPS.4.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.4.0	Gauge	0
iblfQoSPassBPS.4.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.4.1	Gauge	0
iblfQoSPassBPS.4.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.4.2	Gauge	0
iblfQoSPassBPS.4.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.4.3	Gauge	0
iblfQoSPassBPS.4.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.4.4	Gauge	0
iblfQoSPassBPS.4.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.4.5	Gauge	0
iblfQoSPassBPS.4.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.4.6	Gauge	0
iblfQoSPassBPS.4.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.4.7	Gauge	0
iblfQoSPassBPS.5.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.5.0	Gauge	0
iblfQoSPassBPS.5.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.5.1	Gauge	0
iblfQoSPassBPS.5.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.5.2	Gauge	0
iblfQoSPassBPS.5.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.5.3	Gauge	0
iblfQoSPassBPS.5.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.5.4	Gauge	0

Name	OID	Value Type	Value Example
iblfQoSPassBPS.5.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.5.5	Gauge	0
iblfQoSPassBPS.5.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.5.6	Gauge	0
iblfQoSPassBPS.5.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.5.7	Gauge	0
iblfQoSPassBPS.6.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.6.0	Gauge	0
iblfQoSPassBPS.6.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.6.1	Gauge	0
iblfQoSPassBPS.6.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.6.2	Gauge	0
iblfQoSPassBPS.6.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.6.3	Gauge	0
iblfQoSPassBPS.6.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.6.4	Gauge	0
iblfQoSPassBPS.6.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.6.5	Gauge	0
iblfQoSPassBPS.6.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.6.6	Gauge	0
iblfQoSPassBPS.6.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.6.7	Gauge	0
iblfQoSPassBPS.7.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.7.0	Gauge	0
iblfQoSPassBPS.7.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.7.1	Gauge	0
iblfQoSPassBPS.7.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.7.2	Gauge	0
iblfQoSPassBPS.7.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.7.3	Gauge	0
iblfQoSPassBPS.7.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.7.4	Gauge	0
iblfQoSPassBPS.7.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.7.5	Gauge	0
iblfQoSPassBPS.7.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.7.6	Gauge	0
iblfQoSPassBPS.7.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.7.7	Gauge	0
iblfQoSPassBPS.8.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.8.0	Gauge	0
iblfQoSPassBPS.8.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.8.1	Gauge	0
iblfQoSPassBPS.8.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.8.2	Gauge	0
iblfQoSPassBPS.8.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.8.3	Gauge	0
iblfQoSPassBPS.8.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.8.4	Gauge	0
iblfQoSPassBPS.8.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.8.5	Gauge	0

Name	OID	Value Type	Value Example
iblfQoSPassBPS.8.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.8.6	Gauge	0
iblfQoSPassBPS.8.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.8.7	Gauge	0
iblfQoSPassBPS.9.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.9.0	Gauge	0
iblfQoSPassBPS.9.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.9.1	Gauge	0
iblfQoSPassBPS.9.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.9.2	Gauge	0
iblfQoSPassBPS.9.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.9.3	Gauge	0
iblfQoSPassBPS.9.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.9.4	Gauge	0
iblfQoSPassBPS.9.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.9.5	Gauge	0
iblfQoSPassBPS.9.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.9.6	Gauge	0
iblfQoSPassBPS.9.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.9.7	Gauge	0
iblfQoSPassBPS.10.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.10.0	Gauge	0
iblfQoSPassBPS.10.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.10.1	Gauge	0
iblfQoSPassBPS.10.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.10.2	Gauge	0
iblfQoSPassBPS.10.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.10.3	Gauge	0
iblfQoSPassBPS.10.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.10.4	Gauge	0
iblfQoSPassBPS.10.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.10.5	Gauge	0
iblfQoSPassBPS.10.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.10.6	Gauge	0
iblfQoSPassBPS.10.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.10.7	Gauge	0
iblfQoSPassBPS.11.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.11.0	Gauge	0
iblfQoSPassBPS.11.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.11.1	Gauge	0
iblfQoSPassBPS.11.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.11.2	Gauge	0
iblfQoSPassBPS.11.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.11.3	Gauge	0
iblfQoSPassBPS.11.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.11.4	Gauge	0
iblfQoSPassBPS.11.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.11.5	Gauge	0
iblfQoSPassBPS.11.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.11.6	Gauge	0

Name	OID	Value Type	Value Example
iblfQoSPassBPS.11.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.11.7	Gauge	0
iblfQoSPassBPS.12.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.12.0	Gauge	0
iblfQoSPassBPS.12.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.12.1	Gauge	0
iblfQoSPassBPS.12.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.12.2	Gauge	0
iblfQoSPassBPS.12.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.12.3	Gauge	0
iblfQoSPassBPS.12.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.12.4	Gauge	0
iblfQoSPassBPS.12.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.12.5	Gauge	0
iblfQoSPassBPS.12.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.12.6	Gauge	0
iblfQoSPassBPS.12.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.12.7	Gauge	0
iblfQoSPassBPS.13.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.13.0	Gauge	0
iblfQoSPassBPS.13.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.13.1	Gauge	0
iblfQoSPassBPS.13.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.13.2	Gauge	0
iblfQoSPassBPS.13.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.13.3	Gauge	0
iblfQoSPassBPS.13.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.13.4	Gauge	0
iblfQoSPassBPS.13.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.13.5	Gauge	0
iblfQoSPassBPS.13.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.13.6	Gauge	0
iblfQoSPassBPS.13.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.13.7	Gauge	0
iblfQoSPassBPS.14.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.14.0	Gauge	0
iblfQoSPassBPS.14.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.14.1	Gauge	0
iblfQoSPassBPS.14.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.14.2	Gauge	0
iblfQoSPassBPS.14.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.14.3	Gauge	0
iblfQoSPassBPS.14.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.14.4	Gauge	0
iblfQoSPassBPS.14.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.14.5	Gauge	0
iblfQoSPassBPS.14.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.14.6	Gauge	0
iblfQoSPassBPS.14.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.14.7	Gauge	0

Name	OID	Value Type	Value Example
iblfQoSPassBPS.15.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.15.0	Gauge	0
iblfQoSPassBPS.15.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.15.1	Gauge	0
iblfQoSPassBPS.15.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.15.2	Gauge	0
iblfQoSPassBPS.15.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.15.3	Gauge	0
iblfQoSPassBPS.15.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.15.4	Gauge	0
iblfQoSPassBPS.15.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.15.5	Gauge	0
iblfQoSPassBPS.15.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.15.6	Gauge	0
iblfQoSPassBPS.15.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.15.7	Gauge	0
iblfQoSPassBPS.16.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.16.0	Gauge	0
iblfQoSPassBPS.16.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.16.1	Gauge	0
iblfQoSPassBPS.16.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.16.2	Gauge	0
iblfQoSPassBPS.16.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.16.3	Gauge	0
iblfQoSPassBPS.16.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.16.4	Gauge	0
iblfQoSPassBPS.16.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.16.5	Gauge	0
iblfQoSPassBPS.16.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.16.6	Gauge	0
iblfQoSPassBPS.16.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.16.7	Gauge	0
iblfQoSPassBPS.17.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.17.0	Gauge	0
iblfQoSPassBPS.17.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.17.1	Gauge	0
iblfQoSPassBPS.17.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.17.2	Gauge	0
iblfQoSPassBPS.17.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.17.3	Gauge	0
iblfQoSPassBPS.17.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.17.4	Gauge	0
iblfQoSPassBPS.17.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.17.5	Gauge	0
iblfQoSPassBPS.17.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.17.6	Gauge	0
iblfQoSPassBPS.17.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.17.7	Gauge	0
iblfQoSPassBPS.18.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.18.0	Gauge	0

Name	OID	Value Type	Value Example
iblfQoSPassBPS.18.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.18.1	Gauge	0
iblfQoSPassBPS.18.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.18.2	Gauge	0
iblfQoSPassBPS.18.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.18.3	Gauge	0
iblfQoSPassBPS.18.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.18.4	Gauge	0
iblfQoSPassBPS.18.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.18.5	Gauge	0
iblfQoSPassBPS.18.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.18.6	Gauge	0
iblfQoSPassBPS.18.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.18.7	Gauge	0
iblfQoSPassBPS.19.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.19.0	Gauge	0
iblfQoSPassBPS.19.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.19.1	Gauge	0
iblfQoSPassBPS.19.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.19.2	Gauge	0
iblfQoSPassBPS.19.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.19.3	Gauge	0
iblfQoSPassBPS.19.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.19.4	Gauge	0
iblfQoSPassBPS.19.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.19.5	Gauge	0
iblfQoSPassBPS.19.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.19.6	Gauge	0
iblfQoSPassBPS.19.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.19.7	Gauge	0
iblfQoSPassBPS.20.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.20.0	Gauge	0
iblfQoSPassBPS.20.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.20.1	Gauge	0
iblfQoSPassBPS.20.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.20.2	Gauge	0
iblfQoSPassBPS.20.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.20.3	Gauge	0
iblfQoSPassBPS.20.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.20.4	Gauge	0
iblfQoSPassBPS.20.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.20.5	Gauge	0
iblfQoSPassBPS.20.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.20.6	Gauge	0
iblfQoSPassBPS.20.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.20.7	Gauge	0
iblfQoSPassBPS.21.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.21.0	Gauge	0
iblfQoSPassBPS.21.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.21.1	Gauge	0

Name	OID	Value Type	Value Example
iblfQoSPassBPS.21.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.21.2	Gauge	0
iblfQoSPassBPS.21.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.21.3	Gauge	0
iblfQoSPassBPS.21.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.21.4	Gauge	0
iblfQoSPassBPS.21.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.21.5	Gauge	0
iblfQoSPassBPS.21.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.21.6	Gauge	0
iblfQoSPassBPS.21.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.21.7	Gauge	0
iblfQoSPassBPS.22.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.22.0	Gauge	0
iblfQoSPassBPS.22.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.22.1	Gauge	0
iblfQoSPassBPS.22.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.22.2	Gauge	0
iblfQoSPassBPS.22.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.22.3	Gauge	0
iblfQoSPassBPS.22.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.22.4	Gauge	0
iblfQoSPassBPS.22.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.22.5	Gauge	0
iblfQoSPassBPS.22.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.22.6	Gauge	0
iblfQoSPassBPS.22.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.22.7	Gauge	0
iblfQoSPassBPS.23.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.23.0	Gauge	0
iblfQoSPassBPS.23.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.23.1	Gauge	0
iblfQoSPassBPS.23.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.23.2	Gauge	0
iblfQoSPassBPS.23.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.23.3	Gauge	0
iblfQoSPassBPS.23.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.23.4	Gauge	0
iblfQoSPassBPS.23.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.23.5	Gauge	0
iblfQoSPassBPS.23.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.23.6	Gauge	0
iblfQoSPassBPS.23.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.23.7	Gauge	0
iblfQoSPassBPS.24.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.24.0	Gauge	0
iblfQoSPassBPS.24.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.24.1	Gauge	0
iblfQoSPassBPS.24.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.24.2	Gauge	0

Name	OID	Value Type	Value Example
iblfQoSPassBPS.24.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.24.3	Gauge	0
iblfQoSPassBPS.24.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.24.4	Gauge	0
iblfQoSPassBPS.24.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.24.5	Gauge	0
iblfQoSPassBPS.24.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.24.6	Gauge	0
iblfQoSPassBPS.24.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.24.7	Gauge	0
iblfQoSPassBPS.25.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.25.0	Gauge	0
iblfQoSPassBPS.25.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.25.1	Gauge	0
iblfQoSPassBPS.25.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.25.2	Gauge	0
iblfQoSPassBPS.25.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.25.3	Gauge	0
iblfQoSPassBPS.25.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.25.4	Gauge	0
iblfQoSPassBPS.25.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.25.5	Gauge	0
iblfQoSPassBPS.25.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.25.6	Gauge	0
iblfQoSPassBPS.25.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.25.7	Gauge	0
iblfQoSPassBPS.26.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.26.0	Gauge	0
iblfQoSPassBPS.26.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.26.1	Gauge	0
iblfQoSPassBPS.26.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.26.2	Gauge	0
iblfQoSPassBPS.26.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.26.3	Gauge	0
iblfQoSPassBPS.26.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.26.4	Gauge	0
iblfQoSPassBPS.26.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.26.5	Gauge	0
iblfQoSPassBPS.26.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.26.6	Gauge	0
iblfQoSPassBPS.26.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.26.7	Gauge	0
iblfQoSPassBPS.27.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.27.0	Gauge	0
iblfQoSPassBPS.27.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.27.1	Gauge	0
iblfQoSPassBPS.27.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.27.2	Gauge	0
iblfQoSPassBPS.27.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.27.3	Gauge	0

Name	OID	Value Type	Value Example
iblfQoSPassBPS.27.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.27.4	Gauge	0
iblfQoSPassBPS.27.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.27.5	Gauge	0
iblfQoSPassBPS.27.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.27.6	Gauge	0
iblfQoSPassBPS.27.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.27.7	Gauge	0
iblfQoSPassBPS.28.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.28.0	Gauge	0
iblfQoSPassBPS.28.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.28.1	Gauge	0
iblfQoSPassBPS.28.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.28.2	Gauge	0
iblfQoSPassBPS.28.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.28.3	Gauge	0
iblfQoSPassBPS.28.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.28.4	Gauge	0
iblfQoSPassBPS.28.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.28.5	Gauge	0
iblfQoSPassBPS.28.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.28.6	Gauge	0
iblfQoSPassBPS.28.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.5.28.7	Gauge	0
iblfQoSQueueLengthInPkts.1.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.1.0	Gauge	4294967295
iblfQoSQueueLengthInPkts.1.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.1.1	Gauge	4294967295
iblfQoSQueueLengthInPkts.1.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.1.2	Gauge	4294967295
iblfQoSQueueLengthInPkts.1.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.1.3	Gauge	4294967295
iblfQoSQueueLengthInPkts.1.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.1.4	Gauge	4294967295
iblfQoSQueueLengthInPkts.1.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.1.5	Gauge	4294967295
iblfQoSQueueLengthInPkts.1.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.1.6	Gauge	4294967295
iblfQoSQueueLengthInPkts.1.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.1.7	Gauge	4294967295
iblfQoSQueueLengthInPkts.2.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.2.0	Gauge	4294967295
iblfQoSQueueLengthInPkts.2.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.2.1	Gauge	4294967295
iblfQoSQueueLengthInPkts.2.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.2.2	Gauge	4294967295
iblfQoSQueueLengthInPkts.2.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.2.3	Gauge	4294967295
iblfQoSQueueLengthInPkts.2.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.2.4	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSQueueLengthInPkts.2.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.2.5	Gauge	4294967295
iblfQoSQueueLengthInPkts.2.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.2.6	Gauge	4294967295
iblfQoSQueueLengthInPkts.2.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.2.7	Gauge	4294967295
iblfQoSQueueLengthInPkts.3.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.3.0	Gauge	4294967295
iblfQoSQueueLengthInPkts.3.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.3.1	Gauge	4294967295
iblfQoSQueueLengthInPkts.3.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.3.2	Gauge	4294967295
iblfQoSQueueLengthInPkts.3.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.3.3	Gauge	4294967295
iblfQoSQueueLengthInPkts.3.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.3.4	Gauge	4294967295
iblfQoSQueueLengthInPkts.3.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.3.5	Gauge	4294967295
iblfQoSQueueLengthInPkts.3.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.3.6	Gauge	4294967295
iblfQoSQueueLengthInPkts.3.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.3.7	Gauge	4294967295
iblfQoSQueueLengthInPkts.4.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.4.0	Gauge	4294967295
iblfQoSQueueLengthInPkts.4.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.4.1	Gauge	4294967295
iblfQoSQueueLengthInPkts.4.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.4.2	Gauge	4294967295
iblfQoSQueueLengthInPkts.4.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.4.3	Gauge	4294967295
iblfQoSQueueLengthInPkts.4.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.4.4	Gauge	4294967295
iblfQoSQueueLengthInPkts.4.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.4.5	Gauge	4294967295
iblfQoSQueueLengthInPkts.4.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.4.6	Gauge	4294967295
iblfQoSQueueLengthInPkts.4.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.4.7	Gauge	4294967295
iblfQoSQueueLengthInPkts.5.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.5.0	Gauge	4294967295
iblfQoSQueueLengthInPkts.5.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.5.1	Gauge	4294967295
iblfQoSQueueLengthInPkts.5.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.5.2	Gauge	4294967295
iblfQoSQueueLengthInPkts.5.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.5.3	Gauge	4294967295
iblfQoSQueueLengthInPkts.5.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.5.4	Gauge	4294967295
iblfQoSQueueLengthInPkts.5.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.5.5	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSQueueLengthInPkts.5.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.5.6	Gauge	4294967295
iblfQoSQueueLengthInPkts.5.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.5.7	Gauge	4294967295
iblfQoSQueueLengthInPkts.6.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.6.0	Gauge	4294967295
iblfQoSQueueLengthInPkts.6.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.6.1	Gauge	4294967295
iblfQoSQueueLengthInPkts.6.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.6.2	Gauge	4294967295
iblfQoSQueueLengthInPkts.6.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.6.3	Gauge	4294967295
iblfQoSQueueLengthInPkts.6.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.6.4	Gauge	4294967295
iblfQoSQueueLengthInPkts.6.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.6.5	Gauge	4294967295
iblfQoSQueueLengthInPkts.6.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.6.6	Gauge	4294967295
iblfQoSQueueLengthInPkts.6.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.6.7	Gauge	4294967295
iblfQoSQueueLengthInPkts.7.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.7.0	Gauge	4294967295
iblfQoSQueueLengthInPkts.7.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.7.1	Gauge	4294967295
iblfQoSQueueLengthInPkts.7.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.7.2	Gauge	4294967295
iblfQoSQueueLengthInPkts.7.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.7.3	Gauge	4294967295
iblfQoSQueueLengthInPkts.7.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.7.4	Gauge	4294967295
iblfQoSQueueLengthInPkts.7.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.7.5	Gauge	4294967295
iblfQoSQueueLengthInPkts.7.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.7.6	Gauge	4294967295
iblfQoSQueueLengthInPkts.7.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.7.7	Gauge	4294967295
iblfQoSQueueLengthInPkts.8.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.8.0	Gauge	4294967295
iblfQoSQueueLengthInPkts.8.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.8.1	Gauge	4294967295
iblfQoSQueueLengthInPkts.8.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.8.2	Gauge	4294967295
iblfQoSQueueLengthInPkts.8.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.8.3	Gauge	4294967295
iblfQoSQueueLengthInPkts.8.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.8.4	Gauge	4294967295
iblfQoSQueueLengthInPkts.8.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.8.5	Gauge	4294967295
iblfQoSQueueLengthInPkts.8.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.8.6	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSQueueLengthInPkts.8.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.8.7	Gauge	4294967295
iblfQoSQueueLengthInPkts.9.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.9.0	Gauge	4294967295
iblfQoSQueueLengthInPkts.9.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.9.1	Gauge	4294967295
iblfQoSQueueLengthInPkts.9.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.9.2	Gauge	4294967295
iblfQoSQueueLengthInPkts.9.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.9.3	Gauge	4294967295
iblfQoSQueueLengthInPkts.9.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.9.4	Gauge	4294967295
iblfQoSQueueLengthInPkts.9.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.9.5	Gauge	4294967295
iblfQoSQueueLengthInPkts.9.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.9.6	Gauge	4294967295
iblfQoSQueueLengthInPkts.9.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.9.7	Gauge	4294967295
iblfQoSQueue- LengthInPkts.10.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.10.0	Gauge	4294967295
iblfQoSQueue- LengthInPkts.10.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.10.1	Gauge	4294967295
iblfQoSQueue- LengthInPkts.10.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.10.2	Gauge	4294967295
iblfQoSQueue- LengthInPkts.10.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.10.3	Gauge	4294967295
iblfQoSQueue- LengthInPkts.10.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.10.4	Gauge	4294967295
iblfQoSQueue- LengthInPkts.10.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.10.5	Gauge	4294967295
iblfQoSQueue- LengthInPkts.10.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.10.6	Gauge	4294967295
iblfQoSQueue- LengthInPkts.10.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.10.7	Gauge	4294967295
iblfQoSQueue- LengthInPkts.11.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.11.0	Gauge	4294967295
iblfQoSQueue- LengthInPkts.11.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.11.1	Gauge	4294967295
iblfQoSQueue- LengthInPkts.11.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.11.2	Gauge	4294967295
iblfQoSQueue- LengthInPkts.11.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.11.3	Gauge	4294967295
iblfQoSQueue- LengthInPkts.11.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.11.4	Gauge	4294967295
iblfQoSQueue- LengthInPkts.11.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.11.5	Gauge	4294967295
iblfQoSQueue- LengthInPkts.11.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.11.6	Gauge	4294967295
iblfQoSQueue- LengthInPkts.11.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.11.7	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSQueue- LengthInPkts.12.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.12.0	Gauge	4294967295
iblfQoSQueue- LengthInPkts.12.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.12.1	Gauge	4294967295
iblfQoSQueue- LengthInPkts.12.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.12.2	Gauge	4294967295
iblfQoSQueue- LengthInPkts.12.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.12.3	Gauge	4294967295
iblfQoSQueue- LengthInPkts.12.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.12.4	Gauge	4294967295
iblfQoSQueue- LengthInPkts.12.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.12.5	Gauge	4294967295
iblfQoSQueue- LengthInPkts.12.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.12.6	Gauge	4294967295
iblfQoSQueue- LengthInPkts.12.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.12.7	Gauge	4294967295
iblfQoSQueue- LengthInPkts.13.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.13.0	Gauge	4294967295
iblfQoSQueue- LengthInPkts.13.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.13.1	Gauge	4294967295
iblfQoSQueue- LengthInPkts.13.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.13.2	Gauge	4294967295
iblfQoSQueue- LengthInPkts.13.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.13.3	Gauge	4294967295
iblfQoSQueue- LengthInPkts.13.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.13.4	Gauge	4294967295
iblfQoSQueue- LengthInPkts.13.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.13.5	Gauge	4294967295
iblfQoSQueue- LengthInPkts.13.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.13.6	Gauge	4294967295
iblfQoSQueue- LengthInPkts.13.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.13.7	Gauge	4294967295
iblfQoSQueue- LengthInPkts.14.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.14.0	Gauge	4294967295
iblfQoSQueue- LengthInPkts.14.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.14.1	Gauge	4294967295
iblfQoSQueue- LengthInPkts.14.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.14.2	Gauge	4294967295
iblfQoSQueue- LengthInPkts.14.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.14.3	Gauge	4294967295
iblfQoSQueue- LengthInPkts.14.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.14.4	Gauge	4294967295
iblfQoSQueue- LengthInPkts.14.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.14.5	Gauge	4294967295
iblfQoSQueue- LengthInPkts.14.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.14.6	Gauge	4294967295
iblfQoSQueue- LengthInPkts.14.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.14.7	Gauge	4294967295
iblfQoSQueue- LengthInPkts.15.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.15.0	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSQueue- LengthInPkts.15.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.15.1	Gauge	4294967295
iblfQoSQueue- LengthInPkts.15.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.15.2	Gauge	4294967295
iblfQoSQueue- LengthInPkts.15.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.15.3	Gauge	4294967295
iblfQoSQueue- LengthInPkts.15.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.15.4	Gauge	4294967295
iblfQoSQueue- LengthInPkts.15.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.15.5	Gauge	4294967295
iblfQoSQueue- LengthInPkts.15.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.15.6	Gauge	4294967295
iblfQoSQueue- LengthInPkts.15.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.15.7	Gauge	4294967295
iblfQoSQueue- LengthInPkts.16.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.16.0	Gauge	4294967295
iblfQoSQueue- LengthInPkts.16.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.16.1	Gauge	4294967295
iblfQoSQueue- LengthInPkts.16.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.16.2	Gauge	4294967295
iblfQoSQueue- LengthInPkts.16.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.16.3	Gauge	4294967295
iblfQoSQueue- LengthInPkts.16.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.16.4	Gauge	4294967295
iblfQoSQueue- LengthInPkts.16.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.16.5	Gauge	4294967295
iblfQoSQueue- LengthInPkts.16.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.16.6	Gauge	4294967295
iblfQoSQueue- LengthInPkts.16.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.16.7	Gauge	4294967295
iblfQoSQueue- LengthInPkts.17.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.17.0	Gauge	4294967295
iblfQoSQueue- LengthInPkts.17.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.17.1	Gauge	4294967295
iblfQoSQueue- LengthInPkts.17.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.17.2	Gauge	4294967295
iblfQoSQueue- LengthInPkts.17.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.17.3	Gauge	4294967295
iblfQoSQueue- LengthInPkts.17.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.17.4	Gauge	4294967295
iblfQoSQueue- LengthInPkts.17.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.17.5	Gauge	4294967295
iblfQoSQueue- LengthInPkts.17.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.17.6	Gauge	4294967295
iblfQoSQueue- LengthInPkts.17.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.17.7	Gauge	4294967295
iblfQoSQueue- LengthInPkts.18.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.18.0	Gauge	4294967295
iblfQoSQueue- LengthInPkts.18.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.18.1	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSQueue- LengthInPkts.18.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.18.2	Gauge	4294967295
iblfQoSQueue- LengthInPkts.18.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.18.3	Gauge	4294967295
iblfQoSQueue- LengthInPkts.18.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.18.4	Gauge	4294967295
iblfQoSQueue- LengthInPkts.18.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.18.5	Gauge	4294967295
iblfQoSQueue- LengthInPkts.18.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.18.6	Gauge	4294967295
iblfQoSQueue- LengthInPkts.18.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.18.7	Gauge	4294967295
iblfQoSQueue- LengthInPkts.19.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.19.0	Gauge	4294967295
iblfQoSQueue- LengthInPkts.19.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.19.1	Gauge	4294967295
iblfQoSQueue- LengthInPkts.19.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.19.2	Gauge	4294967295
iblfQoSQueue- LengthInPkts.19.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.19.3	Gauge	4294967295
iblfQoSQueue- LengthInPkts.19.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.19.4	Gauge	4294967295
iblfQoSQueue- LengthInPkts.19.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.19.5	Gauge	4294967295
iblfQoSQueue- LengthInPkts.19.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.19.6	Gauge	4294967295
iblfQoSQueue- LengthInPkts.19.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.19.7	Gauge	4294967295
iblfQoSQueue- LengthInPkts.20.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.20.0	Gauge	4294967295
iblfQoSQueue- LengthInPkts.20.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.20.1	Gauge	4294967295
iblfQoSQueue- LengthInPkts.20.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.20.2	Gauge	4294967295
iblfQoSQueue- LengthInPkts.20.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.20.3	Gauge	4294967295
iblfQoSQueue- LengthInPkts.20.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.20.4	Gauge	4294967295
iblfQoSQueue- LengthInPkts.20.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.20.5	Gauge	4294967295
iblfQoSQueue- LengthInPkts.20.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.20.6	Gauge	4294967295
iblfQoSQueue- LengthInPkts.20.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.20.7	Gauge	4294967295
iblfQoSQueue- LengthInPkts.21.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.21.0	Gauge	4294967295
iblfQoSQueue- LengthInPkts.21.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.21.1	Gauge	4294967295
iblfQoSQueue- LengthInPkts.21.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.21.2	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSQueue- LengthInPkts.21.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.21.3	Gauge	4294967295
iblfQoSQueue- LengthInPkts.21.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.21.4	Gauge	4294967295
iblfQoSQueue- LengthInPkts.21.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.21.5	Gauge	4294967295
iblfQoSQueue- LengthInPkts.21.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.21.6	Gauge	4294967295
iblfQoSQueue- LengthInPkts.21.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.21.7	Gauge	4294967295
iblfQoSQueue- LengthInPkts.22.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.22.0	Gauge	4294967295
iblfQoSQueue- LengthInPkts.22.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.22.1	Gauge	4294967295
iblfQoSQueue- LengthInPkts.22.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.22.2	Gauge	4294967295
iblfQoSQueue- LengthInPkts.22.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.22.3	Gauge	4294967295
iblfQoSQueue- LengthInPkts.22.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.22.4	Gauge	4294967295
iblfQoSQueue- LengthInPkts.22.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.22.5	Gauge	4294967295
iblfQoSQueue- LengthInPkts.22.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.22.6	Gauge	4294967295
iblfQoSQueue- LengthInPkts.22.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.22.7	Gauge	4294967295
iblfQoSQueue- LengthInPkts.23.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.23.0	Gauge	4294967295
iblfQoSQueue- LengthInPkts.23.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.23.1	Gauge	4294967295
iblfQoSQueue- LengthInPkts.23.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.23.2	Gauge	4294967295
iblfQoSQueue- LengthInPkts.23.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.23.3	Gauge	4294967295
iblfQoSQueue- LengthInPkts.23.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.23.4	Gauge	4294967295
iblfQoSQueue- LengthInPkts.23.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.23.5	Gauge	4294967295
iblfQoSQueue- LengthInPkts.23.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.23.6	Gauge	4294967295
iblfQoSQueue- LengthInPkts.23.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.23.7	Gauge	4294967295
iblfQoSQueue- LengthInPkts.24.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.24.0	Gauge	4294967295
iblfQoSQueue- LengthInPkts.24.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.24.1	Gauge	4294967295
iblfQoSQueue- LengthInPkts.24.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.24.2	Gauge	4294967295
iblfQoSQueue- LengthInPkts.24.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.24.3	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSQueue- LengthInPkts.24.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.24.4	Gauge	4294967295
iblfQoSQueue- LengthInPkts.24.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.24.5	Gauge	4294967295
iblfQoSQueue- LengthInPkts.24.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.24.6	Gauge	4294967295
iblfQoSQueue- LengthInPkts.24.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.24.7	Gauge	4294967295
iblfQoSQueue- LengthInPkts.25.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.25.0	Gauge	4294967295
iblfQoSQueue- LengthInPkts.25.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.25.1	Gauge	4294967295
iblfQoSQueue- LengthInPkts.25.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.25.2	Gauge	4294967295
iblfQoSQueue- LengthInPkts.25.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.25.3	Gauge	4294967295
iblfQoSQueue- LengthInPkts.25.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.25.4	Gauge	4294967295
iblfQoSQueue- LengthInPkts.25.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.25.5	Gauge	4294967295
iblfQoSQueue- LengthInPkts.25.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.25.6	Gauge	4294967295
iblfQoSQueue- LengthInPkts.25.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.25.7	Gauge	4294967295
iblfQoSQueue- LengthInPkts.26.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.26.0	Gauge	4294967295
iblfQoSQueue- LengthInPkts.26.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.26.1	Gauge	4294967295
iblfQoSQueue- LengthInPkts.26.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.26.2	Gauge	4294967295
iblfQoSQueue- LengthInPkts.26.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.26.3	Gauge	4294967295
iblfQoSQueue- LengthInPkts.26.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.26.4	Gauge	4294967295
iblfQoSQueue- LengthInPkts.26.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.26.5	Gauge	4294967295
iblfQoSQueue- LengthInPkts.26.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.26.6	Gauge	4294967295
iblfQoSQueue- LengthInPkts.26.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.26.7	Gauge	4294967295
iblfQoSQueue- LengthInPkts.27.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.27.0	Gauge	4294967295
iblfQoSQueue- LengthInPkts.27.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.27.1	Gauge	4294967295
iblfQoSQueue- LengthInPkts.27.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.27.2	Gauge	4294967295
iblfQoSQueue- LengthInPkts.27.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.27.3	Gauge	4294967295
iblfQoSQueue- LengthInPkts.27.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1. 1.7.27.4	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSQueue-LengthInPkts.27.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.27.5	Gauge	4294967295
iblfQoSQueue-LengthInPkts.27.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.27.6	Gauge	4294967295
iblfQoSQueue-LengthInPkts.27.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.27.7	Gauge	4294967295
iblfQoSQueue-LengthInPkts.28.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.28.0	Gauge	4294967295
iblfQoSQueue-LengthInPkts.28.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.28.1	Gauge	4294967295
iblfQoSQueue-LengthInPkts.28.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.28.2	Gauge	4294967295
iblfQoSQueue-LengthInPkts.28.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.28.3	Gauge	4294967295
iblfQoSQueue-LengthInPkts.28.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.28.4	Gauge	4294967295
iblfQoSQueue-LengthInPkts.28.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.28.5	Gauge	4294967295
iblfQoSQueue-LengthInPkts.28.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.28.6	Gauge	4294967295
iblfQoSQueue-LengthInPkts.28.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.7.28.7	Gauge	4294967295
iblfQoSQueueLengthInBytes.1.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.1.0	Gauge	4294967295
iblfQoSQueueLengthInBytes.1.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.1.1	Gauge	4294967295
iblfQoSQueueLengthInBytes.1.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.1.2	Gauge	4294967295
iblfQoSQueueLengthInBytes.1.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.1.3	Gauge	4294967295
iblfQoSQueueLengthInBytes.1.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.1.4	Gauge	4294967295
iblfQoSQueueLengthInBytes.1.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.1.5	Gauge	4294967295
iblfQoSQueueLengthInBytes.1.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.1.6	Gauge	4294967295
iblfQoSQueueLengthInBytes.1.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.1.7	Gauge	4294967295
iblfQoSQueueLengthInBytes.2.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.2.0	Gauge	4294967295
iblfQoSQueueLengthInBytes.2.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.2.1	Gauge	4294967295
iblfQoSQueueLengthInBytes.2.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.2.2	Gauge	4294967295
iblfQoSQueueLengthInBytes.2.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.2.3	Gauge	4294967295
iblfQoSQueueLengthInBytes.2.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.2.4	Gauge	4294967295
iblfQoSQueueLengthInBytes.2.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.2.5	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSQueueLengthInBytes.2.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.2.6	Gauge	4294967295
ibIfQoSQueueLengthInBytes.2.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.2.7	Gauge	4294967295
ibIfQoSQueueLengthInBytes.3.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.3.0	Gauge	4294967295
ibIfQoSQueueLengthInBytes.3.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.3.1	Gauge	4294967295
ibIfQoSQueueLengthInBytes.3.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.3.2	Gauge	4294967295
ibIfQoSQueueLengthInBytes.3.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.3.3	Gauge	4294967295
ibIfQoSQueueLengthInBytes.3.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.3.4	Gauge	4294967295
ibIfQoSQueueLengthInBytes.3.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.3.5	Gauge	4294967295
ibIfQoSQueueLengthInBytes.3.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.3.6	Gauge	4294967295
ibIfQoSQueueLengthInBytes.3.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.3.7	Gauge	4294967295
ibIfQoSQueueLengthInBytes.4.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.4.0	Gauge	4294967295
ibIfQoSQueueLengthInBytes.4.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.4.1	Gauge	4294967295
ibIfQoSQueueLengthInBytes.4.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.4.2	Gauge	4294967295
ibIfQoSQueueLengthInBytes.4.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.4.3	Gauge	4294967295
ibIfQoSQueueLengthInBytes.4.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.4.4	Gauge	4294967295
ibIfQoSQueueLengthInBytes.4.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.4.5	Gauge	4294967295
ibIfQoSQueueLengthInBytes.4.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.4.6	Gauge	4294967295
ibIfQoSQueueLengthInBytes.4.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.4.7	Gauge	4294967295
ibIfQoSQueueLengthInBytes.5.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.5.0	Gauge	4294967295
ibIfQoSQueueLengthInBytes.5.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.5.1	Gauge	4294967295
ibIfQoSQueueLengthInBytes.5.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.5.2	Gauge	4294967295
ibIfQoSQueueLengthInBytes.5.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.5.3	Gauge	4294967295
ibIfQoSQueueLengthInBytes.5.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.5.4	Gauge	4294967295
ibIfQoSQueueLengthInBytes.5.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.5.5	Gauge	4294967295
ibIfQoSQueueLengthInBytes.5.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.5.6	Gauge	4294967295

Name	OID	Value Type	Value Example
ibLfQoSQueueLengthInBytes.5.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.5.7	Gauge	4294967295
ibLfQoSQueueLengthInBytes.6.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.6.0	Gauge	4294967295
ibLfQoSQueueLengthInBytes.6.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.6.1	Gauge	4294967295
ibLfQoSQueueLengthInBytes.6.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.6.2	Gauge	4294967295
ibLfQoSQueueLengthInBytes.6.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.6.3	Gauge	4294967295
ibLfQoSQueueLengthInBytes.6.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.6.4	Gauge	4294967295
ibLfQoSQueueLengthInBytes.6.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.6.5	Gauge	4294967295
ibLfQoSQueueLengthInBytes.6.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.6.6	Gauge	4294967295
ibLfQoSQueueLengthInBytes.6.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.6.7	Gauge	4294967295
ibLfQoSQueueLengthInBytes.7.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.7.0	Gauge	4294967295
ibLfQoSQueueLengthInBytes.7.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.7.1	Gauge	4294967295
ibLfQoSQueueLengthInBytes.7.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.7.2	Gauge	4294967295
ibLfQoSQueueLengthInBytes.7.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.7.3	Gauge	4294967295
ibLfQoSQueueLengthInBytes.7.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.7.4	Gauge	4294967295
ibLfQoSQueueLengthInBytes.7.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.7.5	Gauge	4294967295
ibLfQoSQueueLengthInBytes.7.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.7.6	Gauge	4294967295
ibLfQoSQueueLengthInBytes.7.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.7.7	Gauge	4294967295
ibLfQoSQueueLengthInBytes.8.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.8.0	Gauge	4294967295
ibLfQoSQueueLengthInBytes.8.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.8.1	Gauge	4294967295
ibLfQoSQueueLengthInBytes.8.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.8.2	Gauge	4294967295
ibLfQoSQueueLengthInBytes.8.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.8.3	Gauge	4294967295
ibLfQoSQueueLengthInBytes.8.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.8.4	Gauge	4294967295
ibLfQoSQueueLengthInBytes.8.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.8.5	Gauge	4294967295
ibLfQoSQueueLengthInBytes.8.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.8.6	Gauge	4294967295
ibLfQoSQueueLengthInBytes.8.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.8.7	Gauge	4294967295

Name	OID	Value Type	Value Example
ibLfQoSQueueLengthInBytes.9.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.9.0	Gauge	4294967295
ibLfQoSQueueLengthInBytes.9.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.9.1	Gauge	4294967295
ibLfQoSQueueLengthInBytes.9.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.9.2	Gauge	4294967295
ibLfQoSQueueLengthInBytes.9.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.9.3	Gauge	4294967295
ibLfQoSQueueLengthInBytes.9.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.9.4	Gauge	4294967295
ibLfQoSQueueLengthInBytes.9.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.9.5	Gauge	4294967295
ibLfQoSQueueLengthInBytes.9.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.9.6	Gauge	4294967295
ibLfQoSQueueLengthInBytes.9.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.9.7	Gauge	4294967295
ibLfQoSQueueLengthInBytes.10.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.10.0	Gauge	4294967295
ibLfQoSQueueLengthInBytes.10.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.10.1	Gauge	4294967295
ibLfQoSQueueLengthInBytes.10.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.10.2	Gauge	4294967295
ibLfQoSQueueLengthInBytes.10.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.10.3	Gauge	4294967295
ibLfQoSQueueLengthInBytes.10.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.10.4	Gauge	4294967295
ibLfQoSQueueLengthInBytes.10.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.10.5	Gauge	4294967295
ibLfQoSQueueLengthInBytes.10.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.10.6	Gauge	4294967295
ibLfQoSQueueLengthInBytes.10.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.10.7	Gauge	4294967295
ibLfQoSQueueLengthInBytes.11.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.11.0	Gauge	4294967295
ibLfQoSQueueLengthInBytes.11.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.11.1	Gauge	4294967295
ibLfQoSQueueLengthInBytes.11.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.11.2	Gauge	4294967295
ibLfQoSQueueLengthInBytes.11.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.11.3	Gauge	4294967295
ibLfQoSQueueLengthInBytes.11.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.11.4	Gauge	4294967295
ibLfQoSQueueLengthInBytes.11.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.11.5	Gauge	4294967295
ibLfQoSQueueLengthInBytes.11.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.11.6	Gauge	4294967295
ibLfQoSQueueLengthInBytes.11.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.11.7	Gauge	4294967295
ibLfQoSQueueLengthInBytes.12.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.12.0	Gauge	4294967295

Name	OID	Value Type	Value Example
ibLfQoSQueueLengthInBytes.12.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.12.1	Gauge	4294967295
ibLfQoSQueueLengthInBytes.12.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.12.2	Gauge	4294967295
ibLfQoSQueueLengthInBytes.12.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.12.3	Gauge	4294967295
ibLfQoSQueueLengthInBytes.12.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.12.4	Gauge	4294967295
ibLfQoSQueueLengthInBytes.12.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.12.5	Gauge	4294967295
ibLfQoSQueueLengthInBytes.12.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.12.6	Gauge	4294967295
ibLfQoSQueueLengthInBytes.12.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.12.7	Gauge	4294967295
ibLfQoSQueueLengthInBytes.13.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.13.0	Gauge	4294967295
ibLfQoSQueueLengthInBytes.13.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.13.1	Gauge	4294967295
ibLfQoSQueueLengthInBytes.13.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.13.2	Gauge	4294967295
ibLfQoSQueueLengthInBytes.13.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.13.3	Gauge	4294967295
ibLfQoSQueueLengthInBytes.13.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.13.4	Gauge	4294967295
ibLfQoSQueueLengthInBytes.13.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.13.5	Gauge	4294967295
ibLfQoSQueueLengthInBytes.13.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.13.6	Gauge	4294967295
ibLfQoSQueueLengthInBytes.13.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.13.7	Gauge	4294967295
ibLfQoSQueueLengthInBytes.14.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.14.0	Gauge	4294967295
ibLfQoSQueueLengthInBytes.14.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.14.1	Gauge	4294967295
ibLfQoSQueueLengthInBytes.14.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.14.2	Gauge	4294967295
ibLfQoSQueueLengthInBytes.14.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.14.3	Gauge	4294967295
ibLfQoSQueueLengthInBytes.14.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.14.4	Gauge	4294967295
ibLfQoSQueueLengthInBytes.14.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.14.5	Gauge	4294967295
ibLfQoSQueueLengthInBytes.14.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.14.6	Gauge	4294967295
ibLfQoSQueueLengthInBytes.14.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.14.7	Gauge	4294967295
ibLfQoSQueueLengthInBytes.15.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.15.0	Gauge	4294967295
ibLfQoSQueueLengthInBytes.15.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.15.1	Gauge	4294967295

Name	OID	Value Type	Value Example
ibLfQoSQueueLengthInBytes.15.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.15.2	Gauge	4294967295
ibLfQoSQueueLengthInBytes.15.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.15.3	Gauge	4294967295
ibLfQoSQueueLengthInBytes.15.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.15.4	Gauge	4294967295
ibLfQoSQueueLengthInBytes.15.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.15.5	Gauge	4294967295
ibLfQoSQueueLengthInBytes.15.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.15.6	Gauge	4294967295
ibLfQoSQueueLengthInBytes.15.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.15.7	Gauge	4294967295
ibLfQoSQueueLengthInBytes.16.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.16.0	Gauge	4294967295
ibLfQoSQueueLengthInBytes.16.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.16.1	Gauge	4294967295
ibLfQoSQueueLengthInBytes.16.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.16.2	Gauge	4294967295
ibLfQoSQueueLengthInBytes.16.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.16.3	Gauge	4294967295
ibLfQoSQueueLengthInBytes.16.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.16.4	Gauge	4294967295
ibLfQoSQueueLengthInBytes.16.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.16.5	Gauge	4294967295
ibLfQoSQueueLengthInBytes.16.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.16.6	Gauge	4294967295
ibLfQoSQueueLengthInBytes.16.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.16.7	Gauge	4294967295
ibLfQoSQueueLengthInBytes.17.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.17.0	Gauge	4294967295
ibLfQoSQueueLengthInBytes.17.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.17.1	Gauge	4294967295
ibLfQoSQueueLengthInBytes.17.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.17.2	Gauge	4294967295
ibLfQoSQueueLengthInBytes.17.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.17.3	Gauge	4294967295
ibLfQoSQueueLengthInBytes.17.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.17.4	Gauge	4294967295
ibLfQoSQueueLengthInBytes.17.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.17.5	Gauge	4294967295
ibLfQoSQueueLengthInBytes.17.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.17.6	Gauge	4294967295
ibLfQoSQueueLengthInBytes.17.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.17.7	Gauge	4294967295
ibLfQoSQueueLengthInBytes.18.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.18.0	Gauge	4294967295
ibLfQoSQueueLengthInBytes.18.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.18.1	Gauge	4294967295
ibLfQoSQueueLengthInBytes.18.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.18.2	Gauge	4294967295

Name	OID	Value Type	Value Example
ibLfQoSQueueLengthInBytes.18.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.18.3	Gauge	4294967295
ibLfQoSQueueLengthInBytes.18.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.18.4	Gauge	4294967295
ibLfQoSQueueLengthInBytes.18.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.18.5	Gauge	4294967295
ibLfQoSQueueLengthInBytes.18.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.18.6	Gauge	4294967295
ibLfQoSQueueLengthInBytes.18.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.18.7	Gauge	4294967295
ibLfQoSQueueLengthInBytes.19.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.19.0	Gauge	4294967295
ibLfQoSQueueLengthInBytes.19.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.19.1	Gauge	4294967295
ibLfQoSQueueLengthInBytes.19.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.19.2	Gauge	4294967295
ibLfQoSQueueLengthInBytes.19.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.19.3	Gauge	4294967295
ibLfQoSQueueLengthInBytes.19.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.19.4	Gauge	4294967295
ibLfQoSQueueLengthInBytes.19.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.19.5	Gauge	4294967295
ibLfQoSQueueLengthInBytes.19.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.19.6	Gauge	4294967295
ibLfQoSQueueLengthInBytes.19.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.19.7	Gauge	4294967295
ibLfQoSQueueLengthInBytes.20.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.20.0	Gauge	4294967295
ibLfQoSQueueLengthInBytes.20.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.20.1	Gauge	4294967295
ibLfQoSQueueLengthInBytes.20.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.20.2	Gauge	4294967295
ibLfQoSQueueLengthInBytes.20.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.20.3	Gauge	4294967295
ibLfQoSQueueLengthInBytes.20.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.20.4	Gauge	4294967295
ibLfQoSQueueLengthInBytes.20.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.20.5	Gauge	4294967295
ibLfQoSQueueLengthInBytes.20.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.20.6	Gauge	4294967295
ibLfQoSQueueLengthInBytes.20.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.20.7	Gauge	4294967295
ibLfQoSQueueLengthInBytes.21.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.21.0	Gauge	4294967295
ibLfQoSQueueLengthInBytes.21.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.21.1	Gauge	4294967295
ibLfQoSQueueLengthInBytes.21.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.21.2	Gauge	4294967295
ibLfQoSQueueLengthInBytes.21.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.21.3	Gauge	4294967295

Name	OID	Value Type	Value Example
ibLfQoSQueueLengthInBytes.21.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.21.4	Gauge	4294967295
ibLfQoSQueueLengthInBytes.21.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.21.5	Gauge	4294967295
ibLfQoSQueueLengthInBytes.21.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.21.6	Gauge	4294967295
ibLfQoSQueueLengthInBytes.21.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.21.7	Gauge	4294967295
ibLfQoSQueueLengthInBytes.22.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.22.0	Gauge	4294967295
ibLfQoSQueueLengthInBytes.22.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.22.1	Gauge	4294967295
ibLfQoSQueueLengthInBytes.22.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.22.2	Gauge	4294967295
ibLfQoSQueueLengthInBytes.22.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.22.3	Gauge	4294967295
ibLfQoSQueueLengthInBytes.22.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.22.4	Gauge	4294967295
ibLfQoSQueueLengthInBytes.22.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.22.5	Gauge	4294967295
ibLfQoSQueueLengthInBytes.22.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.22.6	Gauge	4294967295
ibLfQoSQueueLengthInBytes.22.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.22.7	Gauge	4294967295
ibLfQoSQueueLengthInBytes.23.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.23.0	Gauge	4294967295
ibLfQoSQueueLengthInBytes.23.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.23.1	Gauge	4294967295
ibLfQoSQueueLengthInBytes.23.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.23.2	Gauge	4294967295
ibLfQoSQueueLengthInBytes.23.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.23.3	Gauge	4294967295
ibLfQoSQueueLengthInBytes.23.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.23.4	Gauge	4294967295
ibLfQoSQueueLengthInBytes.23.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.23.5	Gauge	4294967295
ibLfQoSQueueLengthInBytes.23.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.23.6	Gauge	4294967295
ibLfQoSQueueLengthInBytes.23.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.23.7	Gauge	4294967295
ibLfQoSQueueLengthInBytes.24.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.24.0	Gauge	4294967295
ibLfQoSQueueLengthInBytes.24.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.24.1	Gauge	4294967295
ibLfQoSQueueLengthInBytes.24.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.24.2	Gauge	4294967295
ibLfQoSQueueLengthInBytes.24.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.24.3	Gauge	4294967295
ibLfQoSQueueLengthInBytes.24.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.24.4	Gauge	4294967295

Name	OID	Value Type	Value Example
ibLfQoSQueueLengthInBytes.24.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.24.5	Gauge	4294967295
ibLfQoSQueueLengthInBytes.24.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.24.6	Gauge	4294967295
ibLfQoSQueueLengthInBytes.24.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.24.7	Gauge	4294967295
ibLfQoSQueueLengthInBytes.25.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.25.0	Gauge	4294967295
ibLfQoSQueueLengthInBytes.25.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.25.1	Gauge	4294967295
ibLfQoSQueueLengthInBytes.25.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.25.2	Gauge	4294967295
ibLfQoSQueueLengthInBytes.25.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.25.3	Gauge	4294967295
ibLfQoSQueueLengthInBytes.25.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.25.4	Gauge	4294967295
ibLfQoSQueueLengthInBytes.25.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.25.5	Gauge	4294967295
ibLfQoSQueueLengthInBytes.25.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.25.6	Gauge	4294967295
ibLfQoSQueueLengthInBytes.25.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.25.7	Gauge	4294967295
ibLfQoSQueueLengthInBytes.26.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.26.0	Gauge	4294967295
ibLfQoSQueueLengthInBytes.26.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.26.1	Gauge	4294967295
ibLfQoSQueueLengthInBytes.26.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.26.2	Gauge	4294967295
ibLfQoSQueueLengthInBytes.26.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.26.3	Gauge	4294967295
ibLfQoSQueueLengthInBytes.26.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.26.4	Gauge	4294967295
ibLfQoSQueueLengthInBytes.26.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.26.5	Gauge	4294967295
ibLfQoSQueueLengthInBytes.26.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.26.6	Gauge	4294967295
ibLfQoSQueueLengthInBytes.26.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.26.7	Gauge	4294967295
ibLfQoSQueueLengthInBytes.27.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.27.0	Gauge	4294967295
ibLfQoSQueueLengthInBytes.27.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.27.1	Gauge	4294967295
ibLfQoSQueueLengthInBytes.27.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.27.2	Gauge	4294967295
ibLfQoSQueueLengthInBytes.27.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.27.3	Gauge	4294967295
ibLfQoSQueueLengthInBytes.27.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.27.4	Gauge	4294967295
ibLfQoSQueueLengthInBytes.27.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.27.5	Gauge	4294967295

Name	OID	Value Type	Value Example
ibLfQoSQueueLengthInBytes.27.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.27.6	Gauge	4294967295
ibLfQoSQueueLengthInBytes.27.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.27.7	Gauge	4294967295
ibLfQoSQueueLengthInBytes.28.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.28.0	Gauge	4294967295
ibLfQoSQueueLengthInBytes.28.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.28.1	Gauge	4294967295
ibLfQoSQueueLengthInBytes.28.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.28.2	Gauge	4294967295
ibLfQoSQueueLengthInBytes.28.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.28.3	Gauge	4294967295
ibLfQoSQueueLengthInBytes.28.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.28.4	Gauge	4294967295
ibLfQoSQueueLengthInBytes.28.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.28.5	Gauge	4294967295
ibLfQoSQueueLengthInBytes.28.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.28.6	Gauge	4294967295
ibLfQoSQueueLengthInBytes.28.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.8.28.7	Gauge	4294967295
ibLfQoSQueuePkts.1.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.1.0	Gauge	0
ibLfQoSQueuePkts.1.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.1.1	Gauge	0
ibLfQoSQueuePkts.1.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.1.2	Gauge	0
ibLfQoSQueuePkts.1.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.1.3	Gauge	0
ibLfQoSQueuePkts.1.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.1.4	Gauge	0
ibLfQoSQueuePkts.1.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.1.5	Gauge	0
ibLfQoSQueuePkts.1.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.1.6	Gauge	0
ibLfQoSQueuePkts.1.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.1.7	Gauge	0
ibLfQoSQueuePkts.2.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.2.0	Gauge	0
ibLfQoSQueuePkts.2.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.2.1	Gauge	0
ibLfQoSQueuePkts.2.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.2.2	Gauge	0
ibLfQoSQueuePkts.2.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.2.3	Gauge	0
ibLfQoSQueuePkts.2.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.2.4	Gauge	0
ibLfQoSQueuePkts.2.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.2.5	Gauge	0
ibLfQoSQueuePkts.2.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.2.6	Gauge	0

Name	OID	Value Type	Value Example
ibLfQoSCurQueuePkts.2.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.2.7	Gauge	0
ibLfQoSCurQueuePkts.3.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.3.0	Gauge	0
ibLfQoSCurQueuePkts.3.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.3.1	Gauge	0
ibLfQoSCurQueuePkts.3.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.3.2	Gauge	0
ibLfQoSCurQueuePkts.3.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.3.3	Gauge	0
ibLfQoSCurQueuePkts.3.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.3.4	Gauge	0
ibLfQoSCurQueuePkts.3.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.3.5	Gauge	0
ibLfQoSCurQueuePkts.3.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.3.6	Gauge	0
ibLfQoSCurQueuePkts.3.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.3.7	Gauge	0
ibLfQoSCurQueuePkts.4.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.4.0	Gauge	0
ibLfQoSCurQueuePkts.4.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.4.1	Gauge	0
ibLfQoSCurQueuePkts.4.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.4.2	Gauge	0
ibLfQoSCurQueuePkts.4.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.4.3	Gauge	0
ibLfQoSCurQueuePkts.4.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.4.4	Gauge	0
ibLfQoSCurQueuePkts.4.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.4.5	Gauge	0
ibLfQoSCurQueuePkts.4.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.4.6	Gauge	0
ibLfQoSCurQueuePkts.4.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.4.7	Gauge	0
ibLfQoSCurQueuePkts.5.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.5.0	Gauge	0
ibLfQoSCurQueuePkts.5.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.5.1	Gauge	0
ibLfQoSCurQueuePkts.5.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.5.2	Gauge	0
ibLfQoSCurQueuePkts.5.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.5.3	Gauge	0
ibLfQoSCurQueuePkts.5.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.5.4	Gauge	0
ibLfQoSCurQueuePkts.5.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.5.5	Gauge	0
ibLfQoSCurQueuePkts.5.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.5.6	Gauge	0
ibLfQoSCurQueuePkts.5.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.5.7	Gauge	0

Name	OID	Value Type	Value Example
ibLfQoSCurQueuePkts.6.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.6.0	Gauge	0
ibLfQoSCurQueuePkts.6.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.6.1	Gauge	0
ibLfQoSCurQueuePkts.6.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.6.2	Gauge	0
ibLfQoSCurQueuePkts.6.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.6.3	Gauge	0
ibLfQoSCurQueuePkts.6.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.6.4	Gauge	0
ibLfQoSCurQueuePkts.6.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.6.5	Gauge	0
ibLfQoSCurQueuePkts.6.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.6.6	Gauge	0
ibLfQoSCurQueuePkts.6.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.6.7	Gauge	0
ibLfQoSCurQueuePkts.7.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.7.0	Gauge	0
ibLfQoSCurQueuePkts.7.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.7.1	Gauge	0
ibLfQoSCurQueuePkts.7.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.7.2	Gauge	0
ibLfQoSCurQueuePkts.7.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.7.3	Gauge	0
ibLfQoSCurQueuePkts.7.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.7.4	Gauge	0
ibLfQoSCurQueuePkts.7.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.7.5	Gauge	0
ibLfQoSCurQueuePkts.7.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.7.6	Gauge	0
ibLfQoSCurQueuePkts.7.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.7.7	Gauge	0
ibLfQoSCurQueuePkts.8.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.8.0	Gauge	0
ibLfQoSCurQueuePkts.8.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.8.1	Gauge	0
ibLfQoSCurQueuePkts.8.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.8.2	Gauge	0
ibLfQoSCurQueuePkts.8.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.8.3	Gauge	0
ibLfQoSCurQueuePkts.8.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.8.4	Gauge	0
ibLfQoSCurQueuePkts.8.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.8.5	Gauge	0
ibLfQoSCurQueuePkts.8.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.8.6	Gauge	0
ibLfQoSCurQueuePkts.8.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.8.7	Gauge	0
ibLfQoSCurQueuePkts.9.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.9.0	Gauge	0

Name	OID	Value Type	Value Example
ibLfQoSCurQueuePkts.9.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.9.1	Gauge	0
ibLfQoSCurQueuePkts.9.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.9.2	Gauge	0
ibLfQoSCurQueuePkts.9.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.9.3	Gauge	0
ibLfQoSCurQueuePkts.9.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.9.4	Gauge	0
ibLfQoSCurQueuePkts.9.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.9.5	Gauge	0
ibLfQoSCurQueuePkts.9.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.9.6	Gauge	0
ibLfQoSCurQueuePkts.9.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.9.7	Gauge	0
ibLfQoSCurQueuePkts.10.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.10.0	Gauge	0
ibLfQoSCurQueuePkts.10.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.10.1	Gauge	0
ibLfQoSCurQueuePkts.10.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.10.2	Gauge	0
ibLfQoSCurQueuePkts.10.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.10.3	Gauge	0
ibLfQoSCurQueuePkts.10.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.10.4	Gauge	0
ibLfQoSCurQueuePkts.10.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.10.5	Gauge	0
ibLfQoSCurQueuePkts.10.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.10.6	Gauge	0
ibLfQoSCurQueuePkts.10.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.10.7	Gauge	0
ibLfQoSCurQueuePkts.11.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.11.0	Gauge	0
ibLfQoSCurQueuePkts.11.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.11.1	Gauge	0
ibLfQoSCurQueuePkts.11.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.11.2	Gauge	0
ibLfQoSCurQueuePkts.11.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.11.3	Gauge	0
ibLfQoSCurQueuePkts.11.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.11.4	Gauge	0
ibLfQoSCurQueuePkts.11.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.11.5	Gauge	0
ibLfQoSCurQueuePkts.11.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.11.6	Gauge	0
ibLfQoSCurQueuePkts.11.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.11.7	Gauge	0
ibLfQoSCurQueuePkts.12.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.12.0	Gauge	0
ibLfQoSCurQueuePkts.12.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.12.1	Gauge	0

Name	OID	Value Type	Value Example
ibLfQoSCurQueuePkts.12.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.12.2	Gauge	0
ibLfQoSCurQueuePkts.12.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.12.3	Gauge	0
ibLfQoSCurQueuePkts.12.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.12.4	Gauge	0
ibLfQoSCurQueuePkts.12.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.12.5	Gauge	0
ibLfQoSCurQueuePkts.12.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.12.6	Gauge	0
ibLfQoSCurQueuePkts.12.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.12.7	Gauge	0
ibLfQoSCurQueuePkts.13.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.13.0	Gauge	0
ibLfQoSCurQueuePkts.13.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.13.1	Gauge	0
ibLfQoSCurQueuePkts.13.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.13.2	Gauge	0
ibLfQoSCurQueuePkts.13.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.13.3	Gauge	0
ibLfQoSCurQueuePkts.13.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.13.4	Gauge	0
ibLfQoSCurQueuePkts.13.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.13.5	Gauge	0
ibLfQoSCurQueuePkts.13.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.13.6	Gauge	0
ibLfQoSCurQueuePkts.13.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.13.7	Gauge	0
ibLfQoSCurQueuePkts.14.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.14.0	Gauge	0
ibLfQoSCurQueuePkts.14.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.14.1	Gauge	0
ibLfQoSCurQueuePkts.14.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.14.2	Gauge	0
ibLfQoSCurQueuePkts.14.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.14.3	Gauge	0
ibLfQoSCurQueuePkts.14.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.14.4	Gauge	0
ibLfQoSCurQueuePkts.14.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.14.5	Gauge	0
ibLfQoSCurQueuePkts.14.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.14.6	Gauge	0
ibLfQoSCurQueuePkts.14.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.14.7	Gauge	0
ibLfQoSCurQueuePkts.15.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.15.0	Gauge	0
ibLfQoSCurQueuePkts.15.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.15.1	Gauge	0
ibLfQoSCurQueuePkts.15.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.15.2	Gauge	0

Name	OID	Value Type	Value Example
ibLfQoSCurQueuePkts.15.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.15.3	Gauge	0
ibLfQoSCurQueuePkts.15.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.15.4	Gauge	0
ibLfQoSCurQueuePkts.15.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.15.5	Gauge	0
ibLfQoSCurQueuePkts.15.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.15.6	Gauge	0
ibLfQoSCurQueuePkts.15.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.15.7	Gauge	0
ibLfQoSCurQueuePkts.16.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.16.0	Gauge	0
ibLfQoSCurQueuePkts.16.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.16.1	Gauge	0
ibLfQoSCurQueuePkts.16.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.16.2	Gauge	0
ibLfQoSCurQueuePkts.16.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.16.3	Gauge	0
ibLfQoSCurQueuePkts.16.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.16.4	Gauge	0
ibLfQoSCurQueuePkts.16.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.16.5	Gauge	0
ibLfQoSCurQueuePkts.16.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.16.6	Gauge	0
ibLfQoSCurQueuePkts.16.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.16.7	Gauge	0
ibLfQoSCurQueuePkts.17.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.17.0	Gauge	0
ibLfQoSCurQueuePkts.17.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.17.1	Gauge	0
ibLfQoSCurQueuePkts.17.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.17.2	Gauge	0
ibLfQoSCurQueuePkts.17.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.17.3	Gauge	0
ibLfQoSCurQueuePkts.17.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.17.4	Gauge	0
ibLfQoSCurQueuePkts.17.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.17.5	Gauge	0
ibLfQoSCurQueuePkts.17.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.17.6	Gauge	0
ibLfQoSCurQueuePkts.17.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.17.7	Gauge	0
ibLfQoSCurQueuePkts.18.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.18.0	Gauge	0
ibLfQoSCurQueuePkts.18.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.18.1	Gauge	0
ibLfQoSCurQueuePkts.18.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.18.2	Gauge	0
ibLfQoSCurQueuePkts.18.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.18.3	Gauge	0

Name	OID	Value Type	Value Example
ibLfQoSCurQueuePkts.18.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.18.4	Gauge	0
ibLfQoSCurQueuePkts.18.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.18.5	Gauge	0
ibLfQoSCurQueuePkts.18.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.18.6	Gauge	0
ibLfQoSCurQueuePkts.18.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.18.7	Gauge	0
ibLfQoSCurQueuePkts.19.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.19.0	Gauge	0
ibLfQoSCurQueuePkts.19.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.19.1	Gauge	0
ibLfQoSCurQueuePkts.19.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.19.2	Gauge	0
ibLfQoSCurQueuePkts.19.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.19.3	Gauge	0
ibLfQoSCurQueuePkts.19.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.19.4	Gauge	0
ibLfQoSCurQueuePkts.19.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.19.5	Gauge	0
ibLfQoSCurQueuePkts.19.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.19.6	Gauge	0
ibLfQoSCurQueuePkts.19.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.19.7	Gauge	0
ibLfQoSCurQueuePkts.20.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.20.0	Gauge	0
ibLfQoSCurQueuePkts.20.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.20.1	Gauge	0
ibLfQoSCurQueuePkts.20.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.20.2	Gauge	0
ibLfQoSCurQueuePkts.20.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.20.3	Gauge	0
ibLfQoSCurQueuePkts.20.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.20.4	Gauge	0
ibLfQoSCurQueuePkts.20.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.20.5	Gauge	0
ibLfQoSCurQueuePkts.20.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.20.6	Gauge	0
ibLfQoSCurQueuePkts.20.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.20.7	Gauge	0
ibLfQoSCurQueuePkts.21.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.21.0	Gauge	0
ibLfQoSCurQueuePkts.21.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.21.1	Gauge	0
ibLfQoSCurQueuePkts.21.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.21.2	Gauge	0
ibLfQoSCurQueuePkts.21.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.21.3	Gauge	0
ibLfQoSCurQueuePkts.21.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.21.4	Gauge	0

Name	OID	Value Type	Value Example
iblfQoScurQueuePkts.21.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.21.5	Gauge	0
iblfQoScurQueuePkts.21.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.21.6	Gauge	0
iblfQoScurQueuePkts.21.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.21.7	Gauge	0
iblfQoScurQueuePkts.22.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.22.0	Gauge	0
iblfQoScurQueuePkts.22.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.22.1	Gauge	0
iblfQoScurQueuePkts.22.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.22.2	Gauge	0
iblfQoScurQueuePkts.22.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.22.3	Gauge	0
iblfQoScurQueuePkts.22.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.22.4	Gauge	0
iblfQoScurQueuePkts.22.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.22.5	Gauge	0
iblfQoScurQueuePkts.22.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.22.6	Gauge	0
iblfQoScurQueuePkts.22.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.22.7	Gauge	0
iblfQoScurQueuePkts.23.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.23.0	Gauge	0
iblfQoScurQueuePkts.23.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.23.1	Gauge	0
iblfQoScurQueuePkts.23.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.23.2	Gauge	0
iblfQoScurQueuePkts.23.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.23.3	Gauge	0
iblfQoScurQueuePkts.23.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.23.4	Gauge	0
iblfQoScurQueuePkts.23.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.23.5	Gauge	0
iblfQoScurQueuePkts.23.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.23.6	Gauge	0
iblfQoScurQueuePkts.23.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.23.7	Gauge	0
iblfQoScurQueuePkts.24.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.24.0	Gauge	0
iblfQoScurQueuePkts.24.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.24.1	Gauge	0
iblfQoScurQueuePkts.24.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.24.2	Gauge	0
iblfQoScurQueuePkts.24.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.24.3	Gauge	0
iblfQoScurQueuePkts.24.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.24.4	Gauge	0
iblfQoScurQueuePkts.24.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.24.5	Gauge	0

Name	OID	Value Type	Value Example
ibLfQoSCurQueuePkts.24.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.24.6	Gauge	0
ibLfQoSCurQueuePkts.24.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.24.7	Gauge	0
ibLfQoSCurQueuePkts.25.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.25.0	Gauge	0
ibLfQoSCurQueuePkts.25.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.25.1	Gauge	0
ibLfQoSCurQueuePkts.25.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.25.2	Gauge	0
ibLfQoSCurQueuePkts.25.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.25.3	Gauge	0
ibLfQoSCurQueuePkts.25.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.25.4	Gauge	0
ibLfQoSCurQueuePkts.25.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.25.5	Gauge	0
ibLfQoSCurQueuePkts.25.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.25.6	Gauge	0
ibLfQoSCurQueuePkts.25.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.25.7	Gauge	0
ibLfQoSCurQueuePkts.26.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.26.0	Gauge	0
ibLfQoSCurQueuePkts.26.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.26.1	Gauge	0
ibLfQoSCurQueuePkts.26.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.26.2	Gauge	0
ibLfQoSCurQueuePkts.26.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.26.3	Gauge	0
ibLfQoSCurQueuePkts.26.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.26.4	Gauge	0
ibLfQoSCurQueuePkts.26.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.26.5	Gauge	0
ibLfQoSCurQueuePkts.26.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.26.6	Gauge	0
ibLfQoSCurQueuePkts.26.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.26.7	Gauge	0
ibLfQoSCurQueuePkts.27.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.27.0	Gauge	0
ibLfQoSCurQueuePkts.27.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.27.1	Gauge	0
ibLfQoSCurQueuePkts.27.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.27.2	Gauge	0
ibLfQoSCurQueuePkts.27.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.27.3	Gauge	0
ibLfQoSCurQueuePkts.27.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.27.4	Gauge	0
ibLfQoSCurQueuePkts.27.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.27.5	Gauge	0
ibLfQoSCurQueuePkts.27.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.27.6	Gauge	0

Name	OID	Value Type	Value Example
ibLfQoSCurQueuePkts.27.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.27.7	Gauge	0
ibLfQoSCurQueuePkts.28.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.28.0	Gauge	0
ibLfQoSCurQueuePkts.28.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.28.1	Gauge	0
ibLfQoSCurQueuePkts.28.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.28.2	Gauge	0
ibLfQoSCurQueuePkts.28.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.28.3	Gauge	0
ibLfQoSCurQueuePkts.28.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.28.4	Gauge	0
ibLfQoSCurQueuePkts.28.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.28.5	Gauge	0
ibLfQoSCurQueuePkts.28.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.28.6	Gauge	0
ibLfQoSCurQueuePkts.28.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.9.28.7	Gauge	0
ibLfQoSCurQueueBytes.1.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.1.0	Gauge	4294967295
ibLfQoSCurQueueBytes.1.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.1.1	Gauge	4294967295
ibLfQoSCurQueueBytes.1.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.1.2	Gauge	4294967295
ibLfQoSCurQueueBytes.1.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.1.3	Gauge	4294967295
ibLfQoSCurQueueBytes.1.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.1.4	Gauge	4294967295
ibLfQoSCurQueueBytes.1.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.1.5	Gauge	4294967295
ibLfQoSCurQueueBytes.1.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.1.6	Gauge	4294967295
ibLfQoSCurQueueBytes.1.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.1.7	Gauge	4294967295
ibLfQoSCurQueueBytes.2.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.2.0	Gauge	4294967295
ibLfQoSCurQueueBytes.2.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.2.1	Gauge	4294967295
ibLfQoSCurQueueBytes.2.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.2.2	Gauge	4294967295
ibLfQoSCurQueueBytes.2.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.2.3	Gauge	4294967295
ibLfQoSCurQueueBytes.2.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.2.4	Gauge	4294967295
ibLfQoSCurQueueBytes.2.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.2.5	Gauge	4294967295
ibLfQoSCurQueueBytes.2.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.2.6	Gauge	4294967295
ibLfQoSCurQueueBytes.2.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.2.7	Gauge	4294967295

Name	OID	Value Type	Value Example
ibLfQoSCurQueueBytes.3.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.3.0	Gauge	4294967295
ibLfQoSCurQueueBytes.3.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.3.1	Gauge	4294967295
ibLfQoSCurQueueBytes.3.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.3.2	Gauge	4294967295
ibLfQoSCurQueueBytes.3.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.3.3	Gauge	4294967295
ibLfQoSCurQueueBytes.3.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.3.4	Gauge	4294967295
ibLfQoSCurQueueBytes.3.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.3.5	Gauge	4294967295
ibLfQoSCurQueueBytes.3.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.3.6	Gauge	4294967295
ibLfQoSCurQueueBytes.3.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.3.7	Gauge	4294967295
ibLfQoSCurQueueBytes.4.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.4.0	Gauge	4294967295
ibLfQoSCurQueueBytes.4.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.4.1	Gauge	4294967295
ibLfQoSCurQueueBytes.4.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.4.2	Gauge	4294967295
ibLfQoSCurQueueBytes.4.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.4.3	Gauge	4294967295
ibLfQoSCurQueueBytes.4.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.4.4	Gauge	4294967295
ibLfQoSCurQueueBytes.4.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.4.5	Gauge	4294967295
ibLfQoSCurQueueBytes.4.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.4.6	Gauge	4294967295
ibLfQoSCurQueueBytes.4.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.4.7	Gauge	4294967295
ibLfQoSCurQueueBytes.5.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.5.0	Gauge	4294967295
ibLfQoSCurQueueBytes.5.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.5.1	Gauge	4294967295
ibLfQoSCurQueueBytes.5.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.5.2	Gauge	4294967295
ibLfQoSCurQueueBytes.5.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.5.3	Gauge	4294967295
ibLfQoSCurQueueBytes.5.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.5.4	Gauge	4294967295
ibLfQoSCurQueueBytes.5.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.5.5	Gauge	4294967295
ibLfQoSCurQueueBytes.5.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.5.6	Gauge	4294967295
ibLfQoSCurQueueBytes.5.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.5.7	Gauge	4294967295
ibLfQoSCurQueueBytes.6.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.6.0	Gauge	4294967295

Name	OID	Value Type	Value Example
ibLfQoSCurQueueBytes.6.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.6.1	Gauge	4294967295
ibLfQoSCurQueueBytes.6.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.6.2	Gauge	4294967295
ibLfQoSCurQueueBytes.6.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.6.3	Gauge	4294967295
ibLfQoSCurQueueBytes.6.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.6.4	Gauge	4294967295
ibLfQoSCurQueueBytes.6.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.6.5	Gauge	4294967295
ibLfQoSCurQueueBytes.6.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.6.6	Gauge	4294967295
ibLfQoSCurQueueBytes.6.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.6.7	Gauge	4294967295
ibLfQoSCurQueueBytes.7.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.7.0	Gauge	4294967295
ibLfQoSCurQueueBytes.7.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.7.1	Gauge	4294967295
ibLfQoSCurQueueBytes.7.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.7.2	Gauge	4294967295
ibLfQoSCurQueueBytes.7.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.7.3	Gauge	4294967295
ibLfQoSCurQueueBytes.7.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.7.4	Gauge	4294967295
ibLfQoSCurQueueBytes.7.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.7.5	Gauge	4294967295
ibLfQoSCurQueueBytes.7.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.7.6	Gauge	4294967295
ibLfQoSCurQueueBytes.7.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.7.7	Gauge	4294967295
ibLfQoSCurQueueBytes.8.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.8.0	Gauge	4294967295
ibLfQoSCurQueueBytes.8.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.8.1	Gauge	4294967295
ibLfQoSCurQueueBytes.8.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.8.2	Gauge	4294967295
ibLfQoSCurQueueBytes.8.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.8.3	Gauge	4294967295
ibLfQoSCurQueueBytes.8.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.8.4	Gauge	4294967295
ibLfQoSCurQueueBytes.8.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.8.5	Gauge	4294967295
ibLfQoSCurQueueBytes.8.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.8.6	Gauge	4294967295
ibLfQoSCurQueueBytes.8.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.8.7	Gauge	4294967295
ibLfQoSCurQueueBytes.9.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.9.0	Gauge	4294967295
ibLfQoSCurQueueBytes.9.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.9.1	Gauge	4294967295

Name	OID	Value Type	Value Example
ibLfQoSQueueBytes.9.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.9.2	Gauge	4294967295
ibLfQoSQueueBytes.9.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.9.3	Gauge	4294967295
ibLfQoSQueueBytes.9.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.9.4	Gauge	4294967295
ibLfQoSQueueBytes.9.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.9.5	Gauge	4294967295
ibLfQoSQueueBytes.9.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.9.6	Gauge	4294967295
ibLfQoSQueueBytes.9.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.9.7	Gauge	4294967295
ibLfQoSQueueBytes.10.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.10.0	Gauge	4294967295
ibLfQoSQueueBytes.10.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.10.1	Gauge	4294967295
ibLfQoSQueueBytes.10.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.10.2	Gauge	4294967295
ibLfQoSQueueBytes.10.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.10.3	Gauge	4294967295
ibLfQoSQueueBytes.10.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.10.4	Gauge	4294967295
ibLfQoSQueueBytes.10.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.10.5	Gauge	4294967295
ibLfQoSQueueBytes.10.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.10.6	Gauge	4294967295
ibLfQoSQueueBytes.10.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.10.7	Gauge	4294967295
ibLfQoSQueueBytes.11.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.11.0	Gauge	4294967295
ibLfQoSQueueBytes.11.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.11.1	Gauge	4294967295
ibLfQoSQueueBytes.11.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.11.2	Gauge	4294967295
ibLfQoSQueueBytes.11.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.11.3	Gauge	4294967295
ibLfQoSQueueBytes.11.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.11.4	Gauge	4294967295
ibLfQoSQueueBytes.11.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.11.5	Gauge	4294967295
ibLfQoSQueueBytes.11.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.11.6	Gauge	4294967295
ibLfQoSQueueBytes.11.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.11.7	Gauge	4294967295
ibLfQoSQueueBytes.12.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.12.0	Gauge	4294967295
ibLfQoSQueueBytes.12.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.12.1	Gauge	4294967295
ibLfQoSQueueBytes.12.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.12.2	Gauge	4294967295

Name	OID	Value Type	Value Example
ibLfQoSQueueBytes.12.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.12.3	Gauge	4294967295
ibLfQoSQueueBytes.12.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.12.4	Gauge	4294967295
ibLfQoSQueueBytes.12.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.12.5	Gauge	4294967295
ibLfQoSQueueBytes.12.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.12.6	Gauge	4294967295
ibLfQoSQueueBytes.12.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.12.7	Gauge	4294967295
ibLfQoSQueueBytes.13.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.13.0	Gauge	4294967295
ibLfQoSQueueBytes.13.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.13.1	Gauge	4294967295
ibLfQoSQueueBytes.13.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.13.2	Gauge	4294967295
ibLfQoSQueueBytes.13.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.13.3	Gauge	4294967295
ibLfQoSQueueBytes.13.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.13.4	Gauge	4294967295
ibLfQoSQueueBytes.13.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.13.5	Gauge	4294967295
ibLfQoSQueueBytes.13.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.13.6	Gauge	4294967295
ibLfQoSQueueBytes.13.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.13.7	Gauge	4294967295
ibLfQoSQueueBytes.14.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.14.0	Gauge	4294967295
ibLfQoSQueueBytes.14.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.14.1	Gauge	4294967295
ibLfQoSQueueBytes.14.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.14.2	Gauge	4294967295
ibLfQoSQueueBytes.14.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.14.3	Gauge	4294967295
ibLfQoSQueueBytes.14.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.14.4	Gauge	4294967295
ibLfQoSQueueBytes.14.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.14.5	Gauge	4294967295
ibLfQoSQueueBytes.14.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.14.6	Gauge	4294967295
ibLfQoSQueueBytes.14.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.14.7	Gauge	4294967295
ibLfQoSQueueBytes.15.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.15.0	Gauge	4294967295
ibLfQoSQueueBytes.15.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.15.1	Gauge	4294967295
ibLfQoSQueueBytes.15.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.15.2	Gauge	4294967295
ibLfQoSQueueBytes.15.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.15.3	Gauge	4294967295

Name	OID	Value Type	Value Example
ibLfQoSCurQueueBytes.15.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.15.4	Gauge	4294967295
ibLfQoSCurQueueBytes.15.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.15.5	Gauge	4294967295
ibLfQoSCurQueueBytes.15.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.15.6	Gauge	4294967295
ibLfQoSCurQueueBytes.15.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.15.7	Gauge	4294967295
ibLfQoSCurQueueBytes.16.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.16.0	Gauge	4294967295
ibLfQoSCurQueueBytes.16.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.16.1	Gauge	4294967295
ibLfQoSCurQueueBytes.16.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.16.2	Gauge	4294967295
ibLfQoSCurQueueBytes.16.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.16.3	Gauge	4294967295
ibLfQoSCurQueueBytes.16.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.16.4	Gauge	4294967295
ibLfQoSCurQueueBytes.16.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.16.5	Gauge	4294967295
ibLfQoSCurQueueBytes.16.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.16.6	Gauge	4294967295
ibLfQoSCurQueueBytes.16.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.16.7	Gauge	4294967295
ibLfQoSCurQueueBytes.17.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.17.0	Gauge	4294967295
ibLfQoSCurQueueBytes.17.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.17.1	Gauge	4294967295
ibLfQoSCurQueueBytes.17.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.17.2	Gauge	4294967295
ibLfQoSCurQueueBytes.17.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.17.3	Gauge	4294967295
ibLfQoSCurQueueBytes.17.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.17.4	Gauge	4294967295
ibLfQoSCurQueueBytes.17.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.17.5	Gauge	4294967295
ibLfQoSCurQueueBytes.17.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.17.6	Gauge	4294967295
ibLfQoSCurQueueBytes.17.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.17.7	Gauge	4294967295
ibLfQoSCurQueueBytes.18.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.18.0	Gauge	4294967295
ibLfQoSCurQueueBytes.18.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.18.1	Gauge	4294967295
ibLfQoSCurQueueBytes.18.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.18.2	Gauge	4294967295
ibLfQoSCurQueueBytes.18.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.18.3	Gauge	4294967295
ibLfQoSCurQueueBytes.18.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.18.4	Gauge	4294967295

Name	OID	Value Type	Value Example
ibLfQoSCurQueueBytes.18.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.18.5	Gauge	4294967295
ibLfQoSCurQueueBytes.18.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.18.6	Gauge	4294967295
ibLfQoSCurQueueBytes.18.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.18.7	Gauge	4294967295
ibLfQoSCurQueueBytes.19.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.19.0	Gauge	4294967295
ibLfQoSCurQueueBytes.19.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.19.1	Gauge	4294967295
ibLfQoSCurQueueBytes.19.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.19.2	Gauge	4294967295
ibLfQoSCurQueueBytes.19.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.19.3	Gauge	4294967295
ibLfQoSCurQueueBytes.19.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.19.4	Gauge	4294967295
ibLfQoSCurQueueBytes.19.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.19.5	Gauge	4294967295
ibLfQoSCurQueueBytes.19.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.19.6	Gauge	4294967295
ibLfQoSCurQueueBytes.19.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.19.7	Gauge	4294967295
ibLfQoSCurQueueBytes.20.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.20.0	Gauge	4294967295
ibLfQoSCurQueueBytes.20.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.20.1	Gauge	4294967295
ibLfQoSCurQueueBytes.20.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.20.2	Gauge	4294967295
ibLfQoSCurQueueBytes.20.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.20.3	Gauge	4294967295
ibLfQoSCurQueueBytes.20.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.20.4	Gauge	4294967295
ibLfQoSCurQueueBytes.20.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.20.5	Gauge	4294967295
ibLfQoSCurQueueBytes.20.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.20.6	Gauge	4294967295
ibLfQoSCurQueueBytes.20.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.20.7	Gauge	4294967295
ibLfQoSCurQueueBytes.21.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.21.0	Gauge	4294967295
ibLfQoSCurQueueBytes.21.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.21.1	Gauge	4294967295
ibLfQoSCurQueueBytes.21.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.21.2	Gauge	4294967295
ibLfQoSCurQueueBytes.21.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.21.3	Gauge	4294967295
ibLfQoSCurQueueBytes.21.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.21.4	Gauge	4294967295
ibLfQoSCurQueueBytes.21.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.21.5	Gauge	4294967295

Name	OID	Value Type	Value Example
ibLfQoSCurQueueBytes.21.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.21.6	Gauge	4294967295
ibLfQoSCurQueueBytes.21.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.21.7	Gauge	4294967295
ibLfQoSCurQueueBytes.22.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.22.0	Gauge	4294967295
ibLfQoSCurQueueBytes.22.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.22.1	Gauge	4294967295
ibLfQoSCurQueueBytes.22.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.22.2	Gauge	4294967295
ibLfQoSCurQueueBytes.22.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.22.3	Gauge	4294967295
ibLfQoSCurQueueBytes.22.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.22.4	Gauge	4294967295
ibLfQoSCurQueueBytes.22.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.22.5	Gauge	4294967295
ibLfQoSCurQueueBytes.22.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.22.6	Gauge	4294967295
ibLfQoSCurQueueBytes.22.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.22.7	Gauge	4294967295
ibLfQoSCurQueueBytes.23.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.23.0	Gauge	4294967295
ibLfQoSCurQueueBytes.23.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.23.1	Gauge	4294967295
ibLfQoSCurQueueBytes.23.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.23.2	Gauge	4294967295
ibLfQoSCurQueueBytes.23.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.23.3	Gauge	4294967295
ibLfQoSCurQueueBytes.23.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.23.4	Gauge	4294967295
ibLfQoSCurQueueBytes.23.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.23.5	Gauge	4294967295
ibLfQoSCurQueueBytes.23.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.23.6	Gauge	4294967295
ibLfQoSCurQueueBytes.23.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.23.7	Gauge	4294967295
ibLfQoSCurQueueBytes.24.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.24.0	Gauge	4294967295
ibLfQoSCurQueueBytes.24.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.24.1	Gauge	4294967295
ibLfQoSCurQueueBytes.24.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.24.2	Gauge	4294967295
ibLfQoSCurQueueBytes.24.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.24.3	Gauge	4294967295
ibLfQoSCurQueueBytes.24.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.24.4	Gauge	4294967295
ibLfQoSCurQueueBytes.24.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.24.5	Gauge	4294967295
ibLfQoSCurQueueBytes.24.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.24.6	Gauge	4294967295

Name	OID	Value Type	Value Example
ibLfQoSCurQueueBytes.24.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.24.7	Gauge	4294967295
ibLfQoSCurQueueBytes.25.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.25.0	Gauge	4294967295
ibLfQoSCurQueueBytes.25.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.25.1	Gauge	4294967295
ibLfQoSCurQueueBytes.25.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.25.2	Gauge	4294967295
ibLfQoSCurQueueBytes.25.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.25.3	Gauge	4294967295
ibLfQoSCurQueueBytes.25.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.25.4	Gauge	4294967295
ibLfQoSCurQueueBytes.25.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.25.5	Gauge	4294967295
ibLfQoSCurQueueBytes.25.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.25.6	Gauge	4294967295
ibLfQoSCurQueueBytes.25.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.25.7	Gauge	4294967295
ibLfQoSCurQueueBytes.26.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.26.0	Gauge	4294967295
ibLfQoSCurQueueBytes.26.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.26.1	Gauge	4294967295
ibLfQoSCurQueueBytes.26.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.26.2	Gauge	4294967295
ibLfQoSCurQueueBytes.26.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.26.3	Gauge	4294967295
ibLfQoSCurQueueBytes.26.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.26.4	Gauge	4294967295
ibLfQoSCurQueueBytes.26.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.26.5	Gauge	4294967295
ibLfQoSCurQueueBytes.26.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.26.6	Gauge	4294967295
ibLfQoSCurQueueBytes.26.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.26.7	Gauge	4294967295
ibLfQoSCurQueueBytes.27.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.27.0	Gauge	4294967295
ibLfQoSCurQueueBytes.27.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.27.1	Gauge	4294967295
ibLfQoSCurQueueBytes.27.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.27.2	Gauge	4294967295
ibLfQoSCurQueueBytes.27.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.27.3	Gauge	4294967295
ibLfQoSCurQueueBytes.27.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.27.4	Gauge	4294967295
ibLfQoSCurQueueBytes.27.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.27.5	Gauge	4294967295
ibLfQoSCurQueueBytes.27.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.27.6	Gauge	4294967295
ibLfQoSCurQueueBytes.27.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.27.7	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSCurQueueBytes.28.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.28.0	Gauge	4294967295
iblfQoSCurQueueBytes.28.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.28.1	Gauge	4294967295
iblfQoSCurQueueBytes.28.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.28.2	Gauge	4294967295
iblfQoSCurQueueBytes.28.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.28.3	Gauge	4294967295
iblfQoSCurQueueBytes.28.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.28.4	Gauge	4294967295
iblfQoSCurQueueBytes.28.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.28.5	Gauge	4294967295
iblfQoSCurQueueBytes.28.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.28.6	Gauge	4294967295
iblfQoSCurQueueBytes.28.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.10.28.7	Gauge	4294967295
iblfQoSCurQueuePPS.1.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.1.0	Gauge	4294967295
iblfQoSCurQueuePPS.1.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.1.1	Gauge	4294967295
iblfQoSCurQueuePPS.1.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.1.2	Gauge	4294967295
iblfQoSCurQueuePPS.1.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.1.3	Gauge	4294967295
iblfQoSCurQueuePPS.1.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.1.4	Gauge	4294967295
iblfQoSCurQueuePPS.1.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.1.5	Gauge	4294967295
iblfQoSCurQueuePPS.1.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.1.6	Gauge	4294967295
iblfQoSCurQueuePPS.1.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.1.7	Gauge	4294967295
iblfQoSCurQueuePPS.2.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.2.0	Gauge	4294967295
iblfQoSCurQueuePPS.2.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.2.1	Gauge	4294967295
iblfQoSCurQueuePPS.2.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.2.2	Gauge	4294967295
iblfQoSCurQueuePPS.2.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.2.3	Gauge	4294967295
iblfQoSCurQueuePPS.2.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.2.4	Gauge	4294967295
iblfQoSCurQueuePPS.2.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.2.5	Gauge	4294967295
iblfQoSCurQueuePPS.2.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.2.6	Gauge	4294967295
iblfQoSCurQueuePPS.2.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.2.7	Gauge	4294967295
iblfQoSCurQueuePPS.3.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.3.0	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSQueuePPS.3.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.3.1	Gauge	4294967295
iblfQoSQueuePPS.3.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.3.2	Gauge	4294967295
iblfQoSQueuePPS.3.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.3.3	Gauge	4294967295
iblfQoSQueuePPS.3.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.3.4	Gauge	4294967295
iblfQoSQueuePPS.3.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.3.5	Gauge	4294967295
iblfQoSQueuePPS.3.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.3.6	Gauge	4294967295
iblfQoSQueuePPS.3.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.3.7	Gauge	4294967295
iblfQoSQueuePPS.4.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.4.0	Gauge	4294967295
iblfQoSQueuePPS.4.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.4.1	Gauge	4294967295
iblfQoSQueuePPS.4.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.4.2	Gauge	4294967295
iblfQoSQueuePPS.4.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.4.3	Gauge	4294967295
iblfQoSQueuePPS.4.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.4.4	Gauge	4294967295
iblfQoSQueuePPS.4.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.4.5	Gauge	4294967295
iblfQoSQueuePPS.4.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.4.6	Gauge	4294967295
iblfQoSQueuePPS.4.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.4.7	Gauge	4294967295
iblfQoSQueuePPS.5.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.5.0	Gauge	4294967295
iblfQoSQueuePPS.5.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.5.1	Gauge	4294967295
iblfQoSQueuePPS.5.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.5.2	Gauge	4294967295
iblfQoSQueuePPS.5.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.5.3	Gauge	4294967295
iblfQoSQueuePPS.5.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.5.4	Gauge	4294967295
iblfQoSQueuePPS.5.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.5.5	Gauge	4294967295
iblfQoSQueuePPS.5.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.5.6	Gauge	4294967295
iblfQoSQueuePPS.5.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.5.7	Gauge	4294967295
iblfQoSQueuePPS.6.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.6.0	Gauge	4294967295
iblfQoSQueuePPS.6.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.6.1	Gauge	4294967295

Name	OID	Value Type	Value Example
ibLfQoSCurQueuePPS.6.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.6.2	Gauge	4294967295
ibLfQoSCurQueuePPS.6.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.6.3	Gauge	4294967295
ibLfQoSCurQueuePPS.6.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.6.4	Gauge	4294967295
ibLfQoSCurQueuePPS.6.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.6.5	Gauge	4294967295
ibLfQoSCurQueuePPS.6.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.6.6	Gauge	4294967295
ibLfQoSCurQueuePPS.6.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.6.7	Gauge	4294967295
ibLfQoSCurQueuePPS.7.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.7.0	Gauge	4294967295
ibLfQoSCurQueuePPS.7.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.7.1	Gauge	4294967295
ibLfQoSCurQueuePPS.7.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.7.2	Gauge	4294967295
ibLfQoSCurQueuePPS.7.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.7.3	Gauge	4294967295
ibLfQoSCurQueuePPS.7.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.7.4	Gauge	4294967295
ibLfQoSCurQueuePPS.7.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.7.5	Gauge	4294967295
ibLfQoSCurQueuePPS.7.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.7.6	Gauge	4294967295
ibLfQoSCurQueuePPS.7.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.7.7	Gauge	4294967295
ibLfQoSCurQueuePPS.8.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.8.0	Gauge	4294967295
ibLfQoSCurQueuePPS.8.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.8.1	Gauge	4294967295
ibLfQoSCurQueuePPS.8.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.8.2	Gauge	4294967295
ibLfQoSCurQueuePPS.8.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.8.3	Gauge	4294967295
ibLfQoSCurQueuePPS.8.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.8.4	Gauge	4294967295
ibLfQoSCurQueuePPS.8.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.8.5	Gauge	4294967295
ibLfQoSCurQueuePPS.8.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.8.6	Gauge	4294967295
ibLfQoSCurQueuePPS.8.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.8.7	Gauge	4294967295
ibLfQoSCurQueuePPS.9.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.9.0	Gauge	4294967295
ibLfQoSCurQueuePPS.9.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.9.1	Gauge	4294967295
ibLfQoSCurQueuePPS.9.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.9.2	Gauge	4294967295

Name	OID	Value Type	Value Example
ibLfQoSCurQueuePPS.9.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.9.3	Gauge	4294967295
ibLfQoSCurQueuePPS.9.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.9.4	Gauge	4294967295
ibLfQoSCurQueuePPS.9.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.9.5	Gauge	4294967295
ibLfQoSCurQueuePPS.9.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.9.6	Gauge	4294967295
ibLfQoSCurQueuePPS.9.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.9.7	Gauge	4294967295
ibLfQoSCurQueuePPS.10.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.10.0	Gauge	4294967295
ibLfQoSCurQueuePPS.10.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.10.1	Gauge	4294967295
ibLfQoSCurQueuePPS.10.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.10.2	Gauge	4294967295
ibLfQoSCurQueuePPS.10.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.10.3	Gauge	4294967295
ibLfQoSCurQueuePPS.10.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.10.4	Gauge	4294967295
ibLfQoSCurQueuePPS.10.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.10.5	Gauge	4294967295
ibLfQoSCurQueuePPS.10.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.10.6	Gauge	4294967295
ibLfQoSCurQueuePPS.10.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.10.7	Gauge	4294967295
ibLfQoSCurQueuePPS.11.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.11.0	Gauge	4294967295
ibLfQoSCurQueuePPS.11.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.11.1	Gauge	4294967295
ibLfQoSCurQueuePPS.11.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.11.2	Gauge	4294967295
ibLfQoSCurQueuePPS.11.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.11.3	Gauge	4294967295
ibLfQoSCurQueuePPS.11.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.11.4	Gauge	4294967295
ibLfQoSCurQueuePPS.11.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.11.5	Gauge	4294967295
ibLfQoSCurQueuePPS.11.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.11.6	Gauge	4294967295
ibLfQoSCurQueuePPS.11.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.11.7	Gauge	4294967295
ibLfQoSCurQueuePPS.12.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.12.0	Gauge	4294967295
ibLfQoSCurQueuePPS.12.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.12.1	Gauge	4294967295
ibLfQoSCurQueuePPS.12.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.12.2	Gauge	4294967295
ibLfQoSCurQueuePPS.12.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.12.3	Gauge	4294967295

Name	OID	Value Type	Value Example
ibLfQoSCurQueuePPS.12.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.12.4	Gauge	4294967295
ibLfQoSCurQueuePPS.12.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.12.5	Gauge	4294967295
ibLfQoSCurQueuePPS.12.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.12.6	Gauge	4294967295
ibLfQoSCurQueuePPS.12.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.12.7	Gauge	4294967295
ibLfQoSCurQueuePPS.13.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.13.0	Gauge	4294967295
ibLfQoSCurQueuePPS.13.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.13.1	Gauge	4294967295
ibLfQoSCurQueuePPS.13.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.13.2	Gauge	4294967295
ibLfQoSCurQueuePPS.13.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.13.3	Gauge	4294967295
ibLfQoSCurQueuePPS.13.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.13.4	Gauge	4294967295
ibLfQoSCurQueuePPS.13.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.13.5	Gauge	4294967295
ibLfQoSCurQueuePPS.13.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.13.6	Gauge	4294967295
ibLfQoSCurQueuePPS.13.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.13.7	Gauge	4294967295
ibLfQoSCurQueuePPS.14.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.14.0	Gauge	4294967295
ibLfQoSCurQueuePPS.14.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.14.1	Gauge	4294967295
ibLfQoSCurQueuePPS.14.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.14.2	Gauge	4294967295
ibLfQoSCurQueuePPS.14.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.14.3	Gauge	4294967295
ibLfQoSCurQueuePPS.14.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.14.4	Gauge	4294967295
ibLfQoSCurQueuePPS.14.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.14.5	Gauge	4294967295
ibLfQoSCurQueuePPS.14.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.14.6	Gauge	4294967295
ibLfQoSCurQueuePPS.14.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.14.7	Gauge	4294967295
ibLfQoSCurQueuePPS.15.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.15.0	Gauge	4294967295
ibLfQoSCurQueuePPS.15.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.15.1	Gauge	4294967295
ibLfQoSCurQueuePPS.15.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.15.2	Gauge	4294967295
ibLfQoSCurQueuePPS.15.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.15.3	Gauge	4294967295
ibLfQoSCurQueuePPS.15.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.15.4	Gauge	4294967295

Name	OID	Value Type	Value Example
ibLfQoSCurQueuePPS.15.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.15.5	Gauge	4294967295
ibLfQoSCurQueuePPS.15.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.15.6	Gauge	4294967295
ibLfQoSCurQueuePPS.15.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.15.7	Gauge	4294967295
ibLfQoSCurQueuePPS.16.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.16.0	Gauge	4294967295
ibLfQoSCurQueuePPS.16.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.16.1	Gauge	4294967295
ibLfQoSCurQueuePPS.16.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.16.2	Gauge	4294967295
ibLfQoSCurQueuePPS.16.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.16.3	Gauge	4294967295
ibLfQoSCurQueuePPS.16.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.16.4	Gauge	4294967295
ibLfQoSCurQueuePPS.16.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.16.5	Gauge	4294967295
ibLfQoSCurQueuePPS.16.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.16.6	Gauge	4294967295
ibLfQoSCurQueuePPS.16.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.16.7	Gauge	4294967295
ibLfQoSCurQueuePPS.17.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.17.0	Gauge	4294967295
ibLfQoSCurQueuePPS.17.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.17.1	Gauge	4294967295
ibLfQoSCurQueuePPS.17.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.17.2	Gauge	4294967295
ibLfQoSCurQueuePPS.17.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.17.3	Gauge	4294967295
ibLfQoSCurQueuePPS.17.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.17.4	Gauge	4294967295
ibLfQoSCurQueuePPS.17.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.17.5	Gauge	4294967295
ibLfQoSCurQueuePPS.17.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.17.6	Gauge	4294967295
ibLfQoSCurQueuePPS.17.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.17.7	Gauge	4294967295
ibLfQoSCurQueuePPS.18.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.18.0	Gauge	4294967295
ibLfQoSCurQueuePPS.18.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.18.1	Gauge	4294967295
ibLfQoSCurQueuePPS.18.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.18.2	Gauge	4294967295
ibLfQoSCurQueuePPS.18.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.18.3	Gauge	4294967295
ibLfQoSCurQueuePPS.18.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.18.4	Gauge	4294967295
ibLfQoSCurQueuePPS.18.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.18.5	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSCurQueuePPS.18.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.18.6	Gauge	4294967295
iblfQoSCurQueuePPS.18.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.18.7	Gauge	4294967295
iblfQoSCurQueuePPS.19.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.19.0	Gauge	4294967295
iblfQoSCurQueuePPS.19.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.19.1	Gauge	4294967295
iblfQoSCurQueuePPS.19.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.19.2	Gauge	4294967295
iblfQoSCurQueuePPS.19.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.19.3	Gauge	4294967295
iblfQoSCurQueuePPS.19.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.19.4	Gauge	4294967295
iblfQoSCurQueuePPS.19.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.19.5	Gauge	4294967295
iblfQoSCurQueuePPS.19.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.19.6	Gauge	4294967295
iblfQoSCurQueuePPS.19.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.19.7	Gauge	4294967295
iblfQoSCurQueuePPS.20.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.20.0	Gauge	4294967295
iblfQoSCurQueuePPS.20.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.20.1	Gauge	4294967295
iblfQoSCurQueuePPS.20.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.20.2	Gauge	4294967295
iblfQoSCurQueuePPS.20.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.20.3	Gauge	4294967295
iblfQoSCurQueuePPS.20.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.20.4	Gauge	4294967295
iblfQoSCurQueuePPS.20.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.20.5	Gauge	4294967295
iblfQoSCurQueuePPS.20.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.20.6	Gauge	4294967295
iblfQoSCurQueuePPS.20.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.20.7	Gauge	4294967295
iblfQoSCurQueuePPS.21.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.21.0	Gauge	4294967295
iblfQoSCurQueuePPS.21.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.21.1	Gauge	4294967295
iblfQoSCurQueuePPS.21.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.21.2	Gauge	4294967295
iblfQoSCurQueuePPS.21.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.21.3	Gauge	4294967295
iblfQoSCurQueuePPS.21.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.21.4	Gauge	4294967295
iblfQoSCurQueuePPS.21.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.21.5	Gauge	4294967295
iblfQoSCurQueuePPS.21.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.21.6	Gauge	4294967295

Name	OID	Value Type	Value Example
ibLfQoSCurQueuePPS.21.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.21.7	Gauge	4294967295
ibLfQoSCurQueuePPS.22.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.22.0	Gauge	4294967295
ibLfQoSCurQueuePPS.22.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.22.1	Gauge	4294967295
ibLfQoSCurQueuePPS.22.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.22.2	Gauge	4294967295
ibLfQoSCurQueuePPS.22.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.22.3	Gauge	4294967295
ibLfQoSCurQueuePPS.22.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.22.4	Gauge	4294967295
ibLfQoSCurQueuePPS.22.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.22.5	Gauge	4294967295
ibLfQoSCurQueuePPS.22.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.22.6	Gauge	4294967295
ibLfQoSCurQueuePPS.22.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.22.7	Gauge	4294967295
ibLfQoSCurQueuePPS.23.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.23.0	Gauge	4294967295
ibLfQoSCurQueuePPS.23.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.23.1	Gauge	4294967295
ibLfQoSCurQueuePPS.23.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.23.2	Gauge	4294967295
ibLfQoSCurQueuePPS.23.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.23.3	Gauge	4294967295
ibLfQoSCurQueuePPS.23.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.23.4	Gauge	4294967295
ibLfQoSCurQueuePPS.23.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.23.5	Gauge	4294967295
ibLfQoSCurQueuePPS.23.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.23.6	Gauge	4294967295
ibLfQoSCurQueuePPS.23.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.23.7	Gauge	4294967295
ibLfQoSCurQueuePPS.24.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.24.0	Gauge	4294967295
ibLfQoSCurQueuePPS.24.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.24.1	Gauge	4294967295
ibLfQoSCurQueuePPS.24.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.24.2	Gauge	4294967295
ibLfQoSCurQueuePPS.24.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.24.3	Gauge	4294967295
ibLfQoSCurQueuePPS.24.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.24.4	Gauge	4294967295
ibLfQoSCurQueuePPS.24.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.24.5	Gauge	4294967295
ibLfQoSCurQueuePPS.24.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.24.6	Gauge	4294967295
ibLfQoSCurQueuePPS.24.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.24.7	Gauge	4294967295

Name	OID	Value Type	Value Example
ibLfQoSCurQueuePPS.25.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.25.0	Gauge	4294967295
ibLfQoSCurQueuePPS.25.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.25.1	Gauge	4294967295
ibLfQoSCurQueuePPS.25.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.25.2	Gauge	4294967295
ibLfQoSCurQueuePPS.25.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.25.3	Gauge	4294967295
ibLfQoSCurQueuePPS.25.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.25.4	Gauge	4294967295
ibLfQoSCurQueuePPS.25.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.25.5	Gauge	4294967295
ibLfQoSCurQueuePPS.25.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.25.6	Gauge	4294967295
ibLfQoSCurQueuePPS.25.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.25.7	Gauge	4294967295
ibLfQoSCurQueuePPS.26.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.26.0	Gauge	4294967295
ibLfQoSCurQueuePPS.26.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.26.1	Gauge	4294967295
ibLfQoSCurQueuePPS.26.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.26.2	Gauge	4294967295
ibLfQoSCurQueuePPS.26.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.26.3	Gauge	4294967295
ibLfQoSCurQueuePPS.26.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.26.4	Gauge	4294967295
ibLfQoSCurQueuePPS.26.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.26.5	Gauge	4294967295
ibLfQoSCurQueuePPS.26.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.26.6	Gauge	4294967295
ibLfQoSCurQueuePPS.26.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.26.7	Gauge	4294967295
ibLfQoSCurQueuePPS.27.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.27.0	Gauge	4294967295
ibLfQoSCurQueuePPS.27.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.27.1	Gauge	4294967295
ibLfQoSCurQueuePPS.27.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.27.2	Gauge	4294967295
ibLfQoSCurQueuePPS.27.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.27.3	Gauge	4294967295
ibLfQoSCurQueuePPS.27.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.27.4	Gauge	4294967295
ibLfQoSCurQueuePPS.27.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.27.5	Gauge	4294967295
ibLfQoSCurQueuePPS.27.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.27.6	Gauge	4294967295
ibLfQoSCurQueuePPS.27.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.27.7	Gauge	4294967295
ibLfQoSCurQueuePPS.28.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.28.0	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSCurQueuePPS.28.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.28.1	Gauge	4294967295
iblfQoSCurQueuePPS.28.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.28.2	Gauge	4294967295
iblfQoSCurQueuePPS.28.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.28.3	Gauge	4294967295
iblfQoSCurQueuePPS.28.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.28.4	Gauge	4294967295
iblfQoSCurQueuePPS.28.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.28.5	Gauge	4294967295
iblfQoSCurQueuePPS.28.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.28.6	Gauge	4294967295
iblfQoSCurQueuePPS.28.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.11.28.7	Gauge	4294967295
iblfQoSCurQueueBPS.1.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.1.0	Gauge	4294967295
iblfQoSCurQueueBPS.1.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.1.1	Gauge	4294967295
iblfQoSCurQueueBPS.1.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.1.2	Gauge	4294967295
iblfQoSCurQueueBPS.1.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.1.3	Gauge	4294967295
iblfQoSCurQueueBPS.1.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.1.4	Gauge	4294967295
iblfQoSCurQueueBPS.1.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.1.5	Gauge	4294967295
iblfQoSCurQueueBPS.1.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.1.6	Gauge	4294967295
iblfQoSCurQueueBPS.1.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.1.7	Gauge	4294967295
iblfQoSCurQueueBPS.2.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.2.0	Gauge	4294967295
iblfQoSCurQueueBPS.2.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.2.1	Gauge	4294967295
iblfQoSCurQueueBPS.2.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.2.2	Gauge	4294967295
iblfQoSCurQueueBPS.2.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.2.3	Gauge	4294967295
iblfQoSCurQueueBPS.2.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.2.4	Gauge	4294967295
iblfQoSCurQueueBPS.2.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.2.5	Gauge	4294967295
iblfQoSCurQueueBPS.2.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.2.6	Gauge	4294967295
iblfQoSCurQueueBPS.2.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.2.7	Gauge	4294967295
iblfQoSCurQueueBPS.3.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.3.0	Gauge	4294967295
iblfQoSCurQueueBPS.3.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.3.1	Gauge	4294967295

Name	OID	Value Type	Value Example
ibLfQoSCurQueueBPS.3.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.3.2	Gauge	4294967295
ibLfQoSCurQueueBPS.3.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.3.3	Gauge	4294967295
ibLfQoSCurQueueBPS.3.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.3.4	Gauge	4294967295
ibLfQoSCurQueueBPS.3.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.3.5	Gauge	4294967295
ibLfQoSCurQueueBPS.3.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.3.6	Gauge	4294967295
ibLfQoSCurQueueBPS.3.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.3.7	Gauge	4294967295
ibLfQoSCurQueueBPS.4.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.4.0	Gauge	4294967295
ibLfQoSCurQueueBPS.4.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.4.1	Gauge	4294967295
ibLfQoSCurQueueBPS.4.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.4.2	Gauge	4294967295
ibLfQoSCurQueueBPS.4.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.4.3	Gauge	4294967295
ibLfQoSCurQueueBPS.4.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.4.4	Gauge	4294967295
ibLfQoSCurQueueBPS.4.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.4.5	Gauge	4294967295
ibLfQoSCurQueueBPS.4.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.4.6	Gauge	4294967295
ibLfQoSCurQueueBPS.4.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.4.7	Gauge	4294967295
ibLfQoSCurQueueBPS.5.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.5.0	Gauge	4294967295
ibLfQoSCurQueueBPS.5.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.5.1	Gauge	4294967295
ibLfQoSCurQueueBPS.5.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.5.2	Gauge	4294967295
ibLfQoSCurQueueBPS.5.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.5.3	Gauge	4294967295
ibLfQoSCurQueueBPS.5.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.5.4	Gauge	4294967295
ibLfQoSCurQueueBPS.5.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.5.5	Gauge	4294967295
ibLfQoSCurQueueBPS.5.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.5.6	Gauge	4294967295
ibLfQoSCurQueueBPS.5.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.5.7	Gauge	4294967295
ibLfQoSCurQueueBPS.6.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.6.0	Gauge	4294967295
ibLfQoSCurQueueBPS.6.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.6.1	Gauge	4294967295
ibLfQoSCurQueueBPS.6.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.6.2	Gauge	4294967295

Name	OID	Value Type	Value Example
ibLfQoSCurQueueBPS.6.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.6.3	Gauge	4294967295
ibLfQoSCurQueueBPS.6.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.6.4	Gauge	4294967295
ibLfQoSCurQueueBPS.6.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.6.5	Gauge	4294967295
ibLfQoSCurQueueBPS.6.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.6.6	Gauge	4294967295
ibLfQoSCurQueueBPS.6.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.6.7	Gauge	4294967295
ibLfQoSCurQueueBPS.7.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.7.0	Gauge	4294967295
ibLfQoSCurQueueBPS.7.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.7.1	Gauge	4294967295
ibLfQoSCurQueueBPS.7.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.7.2	Gauge	4294967295
ibLfQoSCurQueueBPS.7.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.7.3	Gauge	4294967295
ibLfQoSCurQueueBPS.7.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.7.4	Gauge	4294967295
ibLfQoSCurQueueBPS.7.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.7.5	Gauge	4294967295
ibLfQoSCurQueueBPS.7.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.7.6	Gauge	4294967295
ibLfQoSCurQueueBPS.7.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.7.7	Gauge	4294967295
ibLfQoSCurQueueBPS.8.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.8.0	Gauge	4294967295
ibLfQoSCurQueueBPS.8.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.8.1	Gauge	4294967295
ibLfQoSCurQueueBPS.8.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.8.2	Gauge	4294967295
ibLfQoSCurQueueBPS.8.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.8.3	Gauge	4294967295
ibLfQoSCurQueueBPS.8.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.8.4	Gauge	4294967295
ibLfQoSCurQueueBPS.8.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.8.5	Gauge	4294967295
ibLfQoSCurQueueBPS.8.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.8.6	Gauge	4294967295
ibLfQoSCurQueueBPS.8.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.8.7	Gauge	4294967295
ibLfQoSCurQueueBPS.9.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.9.0	Gauge	4294967295
ibLfQoSCurQueueBPS.9.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.9.1	Gauge	4294967295
ibLfQoSCurQueueBPS.9.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.9.2	Gauge	4294967295
ibLfQoSCurQueueBPS.9.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.9.3	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSQueueBPS.9.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.9.4	Gauge	4294967295
iblfQoSQueueBPS.9.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.9.5	Gauge	4294967295
iblfQoSQueueBPS.9.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.9.6	Gauge	4294967295
iblfQoSQueueBPS.9.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.9.7	Gauge	4294967295
iblfQoSQueueBPS.10.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.10.0	Gauge	4294967295
iblfQoSQueueBPS.10.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.10.1	Gauge	4294967295
iblfQoSQueueBPS.10.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.10.2	Gauge	4294967295
iblfQoSQueueBPS.10.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.10.3	Gauge	4294967295
iblfQoSQueueBPS.10.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.10.4	Gauge	4294967295
iblfQoSQueueBPS.10.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.10.5	Gauge	4294967295
iblfQoSQueueBPS.10.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.10.6	Gauge	4294967295
iblfQoSQueueBPS.10.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.10.7	Gauge	4294967295
iblfQoSQueueBPS.11.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.11.0	Gauge	4294967295
iblfQoSQueueBPS.11.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.11.1	Gauge	4294967295
iblfQoSQueueBPS.11.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.11.2	Gauge	4294967295
iblfQoSQueueBPS.11.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.11.3	Gauge	4294967295
iblfQoSQueueBPS.11.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.11.4	Gauge	4294967295
iblfQoSQueueBPS.11.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.11.5	Gauge	4294967295
iblfQoSQueueBPS.11.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.11.6	Gauge	4294967295
iblfQoSQueueBPS.11.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.11.7	Gauge	4294967295
iblfQoSQueueBPS.12.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.12.0	Gauge	4294967295
iblfQoSQueueBPS.12.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.12.1	Gauge	4294967295
iblfQoSQueueBPS.12.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.12.2	Gauge	4294967295
iblfQoSQueueBPS.12.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.12.3	Gauge	4294967295
iblfQoSQueueBPS.12.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.12.4	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSQueueBPS.12.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.12.5	Gauge	4294967295
iblfQoSQueueBPS.12.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.12.6	Gauge	4294967295
iblfQoSQueueBPS.12.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.12.7	Gauge	4294967295
iblfQoSQueueBPS.13.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.13.0	Gauge	4294967295
iblfQoSQueueBPS.13.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.13.1	Gauge	4294967295
iblfQoSQueueBPS.13.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.13.2	Gauge	4294967295
iblfQoSQueueBPS.13.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.13.3	Gauge	4294967295
iblfQoSQueueBPS.13.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.13.4	Gauge	4294967295
iblfQoSQueueBPS.13.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.13.5	Gauge	4294967295
iblfQoSQueueBPS.13.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.13.6	Gauge	4294967295
iblfQoSQueueBPS.13.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.13.7	Gauge	4294967295
iblfQoSQueueBPS.14.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.14.0	Gauge	4294967295
iblfQoSQueueBPS.14.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.14.1	Gauge	4294967295
iblfQoSQueueBPS.14.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.14.2	Gauge	4294967295
iblfQoSQueueBPS.14.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.14.3	Gauge	4294967295
iblfQoSQueueBPS.14.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.14.4	Gauge	4294967295
iblfQoSQueueBPS.14.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.14.5	Gauge	4294967295
iblfQoSQueueBPS.14.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.14.6	Gauge	4294967295
iblfQoSQueueBPS.14.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.14.7	Gauge	4294967295
iblfQoSQueueBPS.15.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.15.0	Gauge	4294967295
iblfQoSQueueBPS.15.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.15.1	Gauge	4294967295
iblfQoSQueueBPS.15.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.15.2	Gauge	4294967295
iblfQoSQueueBPS.15.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.15.3	Gauge	4294967295
iblfQoSQueueBPS.15.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.15.4	Gauge	4294967295
iblfQoSQueueBPS.15.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.15.5	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSQueueBPS.15.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.15.6	Gauge	4294967295
iblfQoSQueueBPS.15.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.15.7	Gauge	4294967295
iblfQoSQueueBPS.16.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.16.0	Gauge	4294967295
iblfQoSQueueBPS.16.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.16.1	Gauge	4294967295
iblfQoSQueueBPS.16.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.16.2	Gauge	4294967295
iblfQoSQueueBPS.16.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.16.3	Gauge	4294967295
iblfQoSQueueBPS.16.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.16.4	Gauge	4294967295
iblfQoSQueueBPS.16.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.16.5	Gauge	4294967295
iblfQoSQueueBPS.16.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.16.6	Gauge	4294967295
iblfQoSQueueBPS.16.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.16.7	Gauge	4294967295
iblfQoSQueueBPS.17.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.17.0	Gauge	4294967295
iblfQoSQueueBPS.17.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.17.1	Gauge	4294967295
iblfQoSQueueBPS.17.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.17.2	Gauge	4294967295
iblfQoSQueueBPS.17.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.17.3	Gauge	4294967295
iblfQoSQueueBPS.17.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.17.4	Gauge	4294967295
iblfQoSQueueBPS.17.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.17.5	Gauge	4294967295
iblfQoSQueueBPS.17.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.17.6	Gauge	4294967295
iblfQoSQueueBPS.17.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.17.7	Gauge	4294967295
iblfQoSQueueBPS.18.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.18.0	Gauge	4294967295
iblfQoSQueueBPS.18.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.18.1	Gauge	4294967295
iblfQoSQueueBPS.18.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.18.2	Gauge	4294967295
iblfQoSQueueBPS.18.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.18.3	Gauge	4294967295
iblfQoSQueueBPS.18.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.18.4	Gauge	4294967295
iblfQoSQueueBPS.18.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.18.5	Gauge	4294967295
iblfQoSQueueBPS.18.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.18.6	Gauge	4294967295

Name	OID	Value Type	Value Example
ibLfQoSQueueBPS.18.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.18.7	Gauge	4294967295
ibLfQoSQueueBPS.19.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.19.0	Gauge	4294967295
ibLfQoSQueueBPS.19.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.19.1	Gauge	4294967295
ibLfQoSQueueBPS.19.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.19.2	Gauge	4294967295
ibLfQoSQueueBPS.19.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.19.3	Gauge	4294967295
ibLfQoSQueueBPS.19.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.19.4	Gauge	4294967295
ibLfQoSQueueBPS.19.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.19.5	Gauge	4294967295
ibLfQoSQueueBPS.19.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.19.6	Gauge	4294967295
ibLfQoSQueueBPS.19.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.19.7	Gauge	4294967295
ibLfQoSQueueBPS.20.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.20.0	Gauge	4294967295
ibLfQoSQueueBPS.20.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.20.1	Gauge	4294967295
ibLfQoSQueueBPS.20.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.20.2	Gauge	4294967295
ibLfQoSQueueBPS.20.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.20.3	Gauge	4294967295
ibLfQoSQueueBPS.20.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.20.4	Gauge	4294967295
ibLfQoSQueueBPS.20.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.20.5	Gauge	4294967295
ibLfQoSQueueBPS.20.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.20.6	Gauge	4294967295
ibLfQoSQueueBPS.20.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.20.7	Gauge	4294967295
ibLfQoSQueueBPS.21.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.21.0	Gauge	4294967295
ibLfQoSQueueBPS.21.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.21.1	Gauge	4294967295
ibLfQoSQueueBPS.21.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.21.2	Gauge	4294967295
ibLfQoSQueueBPS.21.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.21.3	Gauge	4294967295
ibLfQoSQueueBPS.21.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.21.4	Gauge	4294967295
ibLfQoSQueueBPS.21.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.21.5	Gauge	4294967295
ibLfQoSQueueBPS.21.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.21.6	Gauge	4294967295
ibLfQoSQueueBPS.21.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.21.7	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSQueueBPS.22.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.22.0	Gauge	4294967295
iblfQoSQueueBPS.22.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.22.1	Gauge	4294967295
iblfQoSQueueBPS.22.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.22.2	Gauge	4294967295
iblfQoSQueueBPS.22.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.22.3	Gauge	4294967295
iblfQoSQueueBPS.22.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.22.4	Gauge	4294967295
iblfQoSQueueBPS.22.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.22.5	Gauge	4294967295
iblfQoSQueueBPS.22.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.22.6	Gauge	4294967295
iblfQoSQueueBPS.22.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.22.7	Gauge	4294967295
iblfQoSQueueBPS.23.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.23.0	Gauge	4294967295
iblfQoSQueueBPS.23.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.23.1	Gauge	4294967295
iblfQoSQueueBPS.23.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.23.2	Gauge	4294967295
iblfQoSQueueBPS.23.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.23.3	Gauge	4294967295
iblfQoSQueueBPS.23.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.23.4	Gauge	4294967295
iblfQoSQueueBPS.23.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.23.5	Gauge	4294967295
iblfQoSQueueBPS.23.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.23.6	Gauge	4294967295
iblfQoSQueueBPS.23.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.23.7	Gauge	4294967295
iblfQoSQueueBPS.24.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.24.0	Gauge	4294967295
iblfQoSQueueBPS.24.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.24.1	Gauge	4294967295
iblfQoSQueueBPS.24.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.24.2	Gauge	4294967295
iblfQoSQueueBPS.24.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.24.3	Gauge	4294967295
iblfQoSQueueBPS.24.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.24.4	Gauge	4294967295
iblfQoSQueueBPS.24.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.24.5	Gauge	4294967295
iblfQoSQueueBPS.24.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.24.6	Gauge	4294967295
iblfQoSQueueBPS.24.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.24.7	Gauge	4294967295
iblfQoSQueueBPS.25.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.25.0	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSQueueBPS.25.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.25.1	Gauge	4294967295
iblfQoSQueueBPS.25.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.25.2	Gauge	4294967295
iblfQoSQueueBPS.25.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.25.3	Gauge	4294967295
iblfQoSQueueBPS.25.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.25.4	Gauge	4294967295
iblfQoSQueueBPS.25.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.25.5	Gauge	4294967295
iblfQoSQueueBPS.25.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.25.6	Gauge	4294967295
iblfQoSQueueBPS.25.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.25.7	Gauge	4294967295
iblfQoSQueueBPS.26.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.26.0	Gauge	4294967295
iblfQoSQueueBPS.26.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.26.1	Gauge	4294967295
iblfQoSQueueBPS.26.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.26.2	Gauge	4294967295
iblfQoSQueueBPS.26.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.26.3	Gauge	4294967295
iblfQoSQueueBPS.26.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.26.4	Gauge	4294967295
iblfQoSQueueBPS.26.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.26.5	Gauge	4294967295
iblfQoSQueueBPS.26.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.26.6	Gauge	4294967295
iblfQoSQueueBPS.26.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.26.7	Gauge	4294967295
iblfQoSQueueBPS.27.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.27.0	Gauge	4294967295
iblfQoSQueueBPS.27.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.27.1	Gauge	4294967295
iblfQoSQueueBPS.27.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.27.2	Gauge	4294967295
iblfQoSQueueBPS.27.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.27.3	Gauge	4294967295
iblfQoSQueueBPS.27.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.27.4	Gauge	4294967295
iblfQoSQueueBPS.27.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.27.5	Gauge	4294967295
iblfQoSQueueBPS.27.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.27.6	Gauge	4294967295
iblfQoSQueueBPS.27.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.27.7	Gauge	4294967295
iblfQoSQueueBPS.28.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.28.0	Gauge	4294967295
iblfQoSQueueBPS.28.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.28.1	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSQueueBPS.28.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.28.2	Gauge	4294967295
iblfQoSQueueBPS.28.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.28.3	Gauge	4294967295
iblfQoSQueueBPS.28.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.28.4	Gauge	4294967295
iblfQoSQueueBPS.28.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.28.5	Gauge	4294967295
iblfQoSQueueBPS.28.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.28.6	Gauge	4294967295
iblfQoSQueueBPS.28.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.12.28.7	Gauge	4294967295
iblfQoSQueuePPS.1.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.1.0	Gauge	4294967295
iblfQoSQueuePPS.1.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.1.1	Gauge	4294967295
iblfQoSQueuePPS.1.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.1.2	Gauge	4294967295
iblfQoSQueuePPS.1.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.1.3	Gauge	4294967295
iblfQoSQueuePPS.1.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.1.4	Gauge	4294967295
iblfQoSQueuePPS.1.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.1.5	Gauge	4294967295
iblfQoSQueuePPS.1.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.1.6	Gauge	4294967295
iblfQoSQueuePPS.1.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.1.7	Gauge	4294967295
iblfQoSQueuePPS.2.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.2.0	Gauge	4294967295
iblfQoSQueuePPS.2.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.2.1	Gauge	4294967295
iblfQoSQueuePPS.2.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.2.2	Gauge	4294967295
iblfQoSQueuePPS.2.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.2.3	Gauge	4294967295
iblfQoSQueuePPS.2.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.2.4	Gauge	4294967295
iblfQoSQueuePPS.2.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.2.5	Gauge	4294967295
iblfQoSQueuePPS.2.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.2.6	Gauge	4294967295
iblfQoSQueuePPS.2.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.2.7	Gauge	4294967295
iblfQoSQueuePPS.3.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.3.0	Gauge	4294967295
iblfQoSQueuePPS.3.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.3.1	Gauge	4294967295
iblfQoSQueuePPS.3.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.3.2	Gauge	4294967295

Name	OID	Value Type	Value Example
ibLfQoS Tail Drop PPS.3.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.3.3	Gauge	4294967295
ibLfQoS Tail Drop PPS.3.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.3.4	Gauge	4294967295
ibLfQoS Tail Drop PPS.3.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.3.5	Gauge	4294967295
ibLfQoS Tail Drop PPS.3.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.3.6	Gauge	4294967295
ibLfQoS Tail Drop PPS.3.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.3.7	Gauge	4294967295
ibLfQoS Tail Drop PPS.4.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.4.0	Gauge	4294967295
ibLfQoS Tail Drop PPS.4.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.4.1	Gauge	4294967295
ibLfQoS Tail Drop PPS.4.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.4.2	Gauge	4294967295
ibLfQoS Tail Drop PPS.4.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.4.3	Gauge	4294967295
ibLfQoS Tail Drop PPS.4.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.4.4	Gauge	4294967295
ibLfQoS Tail Drop PPS.4.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.4.5	Gauge	4294967295
ibLfQoS Tail Drop PPS.4.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.4.6	Gauge	4294967295
ibLfQoS Tail Drop PPS.4.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.4.7	Gauge	4294967295
ibLfQoS Tail Drop PPS.5.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.5.0	Gauge	4294967295
ibLfQoS Tail Drop PPS.5.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.5.1	Gauge	4294967295
ibLfQoS Tail Drop PPS.5.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.5.2	Gauge	4294967295
ibLfQoS Tail Drop PPS.5.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.5.3	Gauge	4294967295
ibLfQoS Tail Drop PPS.5.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.5.4	Gauge	4294967295
ibLfQoS Tail Drop PPS.5.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.5.5	Gauge	4294967295
ibLfQoS Tail Drop PPS.5.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.5.6	Gauge	4294967295
ibLfQoS Tail Drop PPS.5.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.5.7	Gauge	4294967295
ibLfQoS Tail Drop PPS.6.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.6.0	Gauge	4294967295
ibLfQoS Tail Drop PPS.6.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.6.1	Gauge	4294967295
ibLfQoS Tail Drop PPS.6.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.6.2	Gauge	4294967295
ibLfQoS Tail Drop PPS.6.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.6.3	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoS Tail Drop PPS.6.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.6.4	Gauge	4294967295
iblfQoS Tail Drop PPS.6.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.6.5	Gauge	4294967295
iblfQoS Tail Drop PPS.6.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.6.6	Gauge	4294967295
iblfQoS Tail Drop PPS.6.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.6.7	Gauge	4294967295
iblfQoS Tail Drop PPS.7.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.7.0	Gauge	4294967295
iblfQoS Tail Drop PPS.7.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.7.1	Gauge	4294967295
iblfQoS Tail Drop PPS.7.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.7.2	Gauge	4294967295
iblfQoS Tail Drop PPS.7.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.7.3	Gauge	4294967295
iblfQoS Tail Drop PPS.7.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.7.4	Gauge	4294967295
iblfQoS Tail Drop PPS.7.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.7.5	Gauge	4294967295
iblfQoS Tail Drop PPS.7.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.7.6	Gauge	4294967295
iblfQoS Tail Drop PPS.7.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.7.7	Gauge	4294967295
iblfQoS Tail Drop PPS.8.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.8.0	Gauge	4294967295
iblfQoS Tail Drop PPS.8.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.8.1	Gauge	4294967295
iblfQoS Tail Drop PPS.8.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.8.2	Gauge	4294967295
iblfQoS Tail Drop PPS.8.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.8.3	Gauge	4294967295
iblfQoS Tail Drop PPS.8.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.8.4	Gauge	4294967295
iblfQoS Tail Drop PPS.8.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.8.5	Gauge	4294967295
iblfQoS Tail Drop PPS.8.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.8.6	Gauge	4294967295
iblfQoS Tail Drop PPS.8.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.8.7	Gauge	4294967295
iblfQoS Tail Drop PPS.9.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.9.0	Gauge	4294967295
iblfQoS Tail Drop PPS.9.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.9.1	Gauge	4294967295
iblfQoS Tail Drop PPS.9.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.9.2	Gauge	4294967295
iblfQoS Tail Drop PPS.9.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.9.3	Gauge	4294967295
iblfQoS Tail Drop PPS.9.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.9.4	Gauge	4294967295

Name	OID	Value Type	Value Example
ibLfQoS Tail Drop PPS.9.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.9.5	Gauge	4294967295
ibLfQoS Tail Drop PPS.9.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.9.6	Gauge	4294967295
ibLfQoS Tail Drop PPS.9.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.9.7	Gauge	4294967295
ibLfQoS Tail Drop PPS.10.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.10.0	Gauge	4294967295
ibLfQoS Tail Drop PPS.10.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.10.1	Gauge	4294967295
ibLfQoS Tail Drop PPS.10.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.10.2	Gauge	4294967295
ibLfQoS Tail Drop PPS.10.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.10.3	Gauge	4294967295
ibLfQoS Tail Drop PPS.10.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.10.4	Gauge	4294967295
ibLfQoS Tail Drop PPS.10.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.10.5	Gauge	4294967295
ibLfQoS Tail Drop PPS.10.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.10.6	Gauge	4294967295
ibLfQoS Tail Drop PPS.10.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.10.7	Gauge	4294967295
ibLfQoS Tail Drop PPS.11.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.11.0	Gauge	4294967295
ibLfQoS Tail Drop PPS.11.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.11.1	Gauge	4294967295
ibLfQoS Tail Drop PPS.11.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.11.2	Gauge	4294967295
ibLfQoS Tail Drop PPS.11.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.11.3	Gauge	4294967295
ibLfQoS Tail Drop PPS.11.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.11.4	Gauge	4294967295
ibLfQoS Tail Drop PPS.11.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.11.5	Gauge	4294967295
ibLfQoS Tail Drop PPS.11.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.11.6	Gauge	4294967295
ibLfQoS Tail Drop PPS.11.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.11.7	Gauge	4294967295
ibLfQoS Tail Drop PPS.12.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.12.0	Gauge	4294967295
ibLfQoS Tail Drop PPS.12.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.12.1	Gauge	4294967295
ibLfQoS Tail Drop PPS.12.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.12.2	Gauge	4294967295
ibLfQoS Tail Drop PPS.12.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.12.3	Gauge	4294967295
ibLfQoS Tail Drop PPS.12.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.12.4	Gauge	4294967295
ibLfQoS Tail Drop PPS.12.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.12.5	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoS Tail Drop PPS.12.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.12.6	Gauge	4294967295
iblfQoS Tail Drop PPS.12.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.12.7	Gauge	4294967295
iblfQoS Tail Drop PPS.13.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.13.0	Gauge	4294967295
iblfQoS Tail Drop PPS.13.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.13.1	Gauge	4294967295
iblfQoS Tail Drop PPS.13.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.13.2	Gauge	4294967295
iblfQoS Tail Drop PPS.13.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.13.3	Gauge	4294967295
iblfQoS Tail Drop PPS.13.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.13.4	Gauge	4294967295
iblfQoS Tail Drop PPS.13.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.13.5	Gauge	4294967295
iblfQoS Tail Drop PPS.13.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.13.6	Gauge	4294967295
iblfQoS Tail Drop PPS.13.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.13.7	Gauge	4294967295
iblfQoS Tail Drop PPS.14.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.14.0	Gauge	4294967295
iblfQoS Tail Drop PPS.14.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.14.1	Gauge	4294967295
iblfQoS Tail Drop PPS.14.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.14.2	Gauge	4294967295
iblfQoS Tail Drop PPS.14.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.14.3	Gauge	4294967295
iblfQoS Tail Drop PPS.14.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.14.4	Gauge	4294967295
iblfQoS Tail Drop PPS.14.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.14.5	Gauge	4294967295
iblfQoS Tail Drop PPS.14.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.14.6	Gauge	4294967295
iblfQoS Tail Drop PPS.14.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.14.7	Gauge	4294967295
iblfQoS Tail Drop PPS.15.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.15.0	Gauge	4294967295
iblfQoS Tail Drop PPS.15.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.15.1	Gauge	4294967295
iblfQoS Tail Drop PPS.15.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.15.2	Gauge	4294967295
iblfQoS Tail Drop PPS.15.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.15.3	Gauge	4294967295
iblfQoS Tail Drop PPS.15.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.15.4	Gauge	4294967295
iblfQoS Tail Drop PPS.15.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.15.5	Gauge	4294967295
iblfQoS Tail Drop PPS.15.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.15.6	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoS Tail Drop PPS.15.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.15.7	Gauge	4294967295
iblfQoS Tail Drop PPS.16.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.16.0	Gauge	4294967295
iblfQoS Tail Drop PPS.16.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.16.1	Gauge	4294967295
iblfQoS Tail Drop PPS.16.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.16.2	Gauge	4294967295
iblfQoS Tail Drop PPS.16.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.16.3	Gauge	4294967295
iblfQoS Tail Drop PPS.16.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.16.4	Gauge	4294967295
iblfQoS Tail Drop PPS.16.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.16.5	Gauge	4294967295
iblfQoS Tail Drop PPS.16.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.16.6	Gauge	4294967295
iblfQoS Tail Drop PPS.16.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.16.7	Gauge	4294967295
iblfQoS Tail Drop PPS.17.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.17.0	Gauge	4294967295
iblfQoS Tail Drop PPS.17.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.17.1	Gauge	4294967295
iblfQoS Tail Drop PPS.17.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.17.2	Gauge	4294967295
iblfQoS Tail Drop PPS.17.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.17.3	Gauge	4294967295
iblfQoS Tail Drop PPS.17.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.17.4	Gauge	4294967295
iblfQoS Tail Drop PPS.17.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.17.5	Gauge	4294967295
iblfQoS Tail Drop PPS.17.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.17.6	Gauge	4294967295
iblfQoS Tail Drop PPS.17.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.17.7	Gauge	4294967295
iblfQoS Tail Drop PPS.18.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.18.0	Gauge	4294967295
iblfQoS Tail Drop PPS.18.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.18.1	Gauge	4294967295
iblfQoS Tail Drop PPS.18.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.18.2	Gauge	4294967295
iblfQoS Tail Drop PPS.18.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.18.3	Gauge	4294967295
iblfQoS Tail Drop PPS.18.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.18.4	Gauge	4294967295
iblfQoS Tail Drop PPS.18.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.18.5	Gauge	4294967295
iblfQoS Tail Drop PPS.18.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.18.6	Gauge	4294967295
iblfQoS Tail Drop PPS.18.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.18.7	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoS Tail Drop PPS.19.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.19.0	Gauge	4294967295
iblfQoS Tail Drop PPS.19.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.19.1	Gauge	4294967295
iblfQoS Tail Drop PPS.19.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.19.2	Gauge	4294967295
iblfQoS Tail Drop PPS.19.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.19.3	Gauge	4294967295
iblfQoS Tail Drop PPS.19.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.19.4	Gauge	4294967295
iblfQoS Tail Drop PPS.19.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.19.5	Gauge	4294967295
iblfQoS Tail Drop PPS.19.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.19.6	Gauge	4294967295
iblfQoS Tail Drop PPS.19.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.19.7	Gauge	4294967295
iblfQoS Tail Drop PPS.20.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.20.0	Gauge	4294967295
iblfQoS Tail Drop PPS.20.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.20.1	Gauge	4294967295
iblfQoS Tail Drop PPS.20.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.20.2	Gauge	4294967295
iblfQoS Tail Drop PPS.20.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.20.3	Gauge	4294967295
iblfQoS Tail Drop PPS.20.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.20.4	Gauge	4294967295
iblfQoS Tail Drop PPS.20.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.20.5	Gauge	4294967295
iblfQoS Tail Drop PPS.20.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.20.6	Gauge	4294967295
iblfQoS Tail Drop PPS.20.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.20.7	Gauge	4294967295
iblfQoS Tail Drop PPS.21.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.21.0	Gauge	4294967295
iblfQoS Tail Drop PPS.21.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.21.1	Gauge	4294967295
iblfQoS Tail Drop PPS.21.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.21.2	Gauge	4294967295
iblfQoS Tail Drop PPS.21.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.21.3	Gauge	4294967295
iblfQoS Tail Drop PPS.21.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.21.4	Gauge	4294967295
iblfQoS Tail Drop PPS.21.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.21.5	Gauge	4294967295
iblfQoS Tail Drop PPS.21.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.21.6	Gauge	4294967295
iblfQoS Tail Drop PPS.21.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.21.7	Gauge	4294967295
iblfQoS Tail Drop PPS.22.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.22.0	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSailDropPPS.22.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.22.1	Gauge	4294967295
iblfQoSailDropPPS.22.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.22.2	Gauge	4294967295
iblfQoSailDropPPS.22.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.22.3	Gauge	4294967295
iblfQoSailDropPPS.22.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.22.4	Gauge	4294967295
iblfQoSailDropPPS.22.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.22.5	Gauge	4294967295
iblfQoSailDropPPS.22.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.22.6	Gauge	4294967295
iblfQoSailDropPPS.22.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.22.7	Gauge	4294967295
iblfQoSailDropPPS.23.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.23.0	Gauge	4294967295
iblfQoSailDropPPS.23.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.23.1	Gauge	4294967295
iblfQoSailDropPPS.23.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.23.2	Gauge	4294967295
iblfQoSailDropPPS.23.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.23.3	Gauge	4294967295
iblfQoSailDropPPS.23.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.23.4	Gauge	4294967295
iblfQoSailDropPPS.23.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.23.5	Gauge	4294967295
iblfQoSailDropPPS.23.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.23.6	Gauge	4294967295
iblfQoSailDropPPS.23.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.23.7	Gauge	4294967295
iblfQoSailDropPPS.24.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.24.0	Gauge	4294967295
iblfQoSailDropPPS.24.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.24.1	Gauge	4294967295
iblfQoSailDropPPS.24.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.24.2	Gauge	4294967295
iblfQoSailDropPPS.24.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.24.3	Gauge	4294967295
iblfQoSailDropPPS.24.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.24.4	Gauge	4294967295
iblfQoSailDropPPS.24.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.24.5	Gauge	4294967295
iblfQoSailDropPPS.24.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.24.6	Gauge	4294967295
iblfQoSailDropPPS.24.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.24.7	Gauge	4294967295
iblfQoSailDropPPS.25.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.25.0	Gauge	4294967295
iblfQoSailDropPPS.25.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.25.1	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoS Tail Drop PPS.25.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.25.2	Gauge	4294967295
iblfQoS Tail Drop PPS.25.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.25.3	Gauge	4294967295
iblfQoS Tail Drop PPS.25.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.25.4	Gauge	4294967295
iblfQoS Tail Drop PPS.25.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.25.5	Gauge	4294967295
iblfQoS Tail Drop PPS.25.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.25.6	Gauge	4294967295
iblfQoS Tail Drop PPS.25.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.25.7	Gauge	4294967295
iblfQoS Tail Drop PPS.26.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.26.0	Gauge	4294967295
iblfQoS Tail Drop PPS.26.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.26.1	Gauge	4294967295
iblfQoS Tail Drop PPS.26.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.26.2	Gauge	4294967295
iblfQoS Tail Drop PPS.26.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.26.3	Gauge	4294967295
iblfQoS Tail Drop PPS.26.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.26.4	Gauge	4294967295
iblfQoS Tail Drop PPS.26.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.26.5	Gauge	4294967295
iblfQoS Tail Drop PPS.26.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.26.6	Gauge	4294967295
iblfQoS Tail Drop PPS.26.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.26.7	Gauge	4294967295
iblfQoS Tail Drop PPS.27.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.27.0	Gauge	4294967295
iblfQoS Tail Drop PPS.27.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.27.1	Gauge	4294967295
iblfQoS Tail Drop PPS.27.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.27.2	Gauge	4294967295
iblfQoS Tail Drop PPS.27.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.27.3	Gauge	4294967295
iblfQoS Tail Drop PPS.27.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.27.4	Gauge	4294967295
iblfQoS Tail Drop PPS.27.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.27.5	Gauge	4294967295
iblfQoS Tail Drop PPS.27.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.27.6	Gauge	4294967295
iblfQoS Tail Drop PPS.27.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.27.7	Gauge	4294967295
iblfQoS Tail Drop PPS.28.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.28.0	Gauge	4294967295
iblfQoS Tail Drop PPS.28.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.28.1	Gauge	4294967295
iblfQoS Tail Drop PPS.28.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.28.2	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoS Tail Drop PPS.28.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.28.3	Gauge	4294967295
iblfQoS Tail Drop PPS.28.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.28.4	Gauge	4294967295
iblfQoS Tail Drop PPS.28.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.28.5	Gauge	4294967295
iblfQoS Tail Drop PPS.28.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.28.6	Gauge	4294967295
iblfQoS Tail Drop PPS.28.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.15.28.7	Gauge	4294967295
iblfQoS Tail Drop BPS.1.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.1.0	Gauge	4294967295
iblfQoS Tail Drop BPS.1.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.1.1	Gauge	4294967295
iblfQoS Tail Drop BPS.1.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.1.2	Gauge	4294967295
iblfQoS Tail Drop BPS.1.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.1.3	Gauge	4294967295
iblfQoS Tail Drop BPS.1.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.1.4	Gauge	4294967295
iblfQoS Tail Drop BPS.1.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.1.5	Gauge	4294967295
iblfQoS Tail Drop BPS.1.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.1.6	Gauge	4294967295
iblfQoS Tail Drop BPS.1.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.1.7	Gauge	4294967295
iblfQoS Tail Drop BPS.2.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.2.0	Gauge	4294967295
iblfQoS Tail Drop BPS.2.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.2.1	Gauge	4294967295
iblfQoS Tail Drop BPS.2.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.2.2	Gauge	4294967295
iblfQoS Tail Drop BPS.2.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.2.3	Gauge	4294967295
iblfQoS Tail Drop BPS.2.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.2.4	Gauge	4294967295
iblfQoS Tail Drop BPS.2.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.2.5	Gauge	4294967295
iblfQoS Tail Drop BPS.2.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.2.6	Gauge	4294967295
iblfQoS Tail Drop BPS.2.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.2.7	Gauge	4294967295
iblfQoS Tail Drop BPS.3.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.3.0	Gauge	4294967295
iblfQoS Tail Drop BPS.3.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.3.1	Gauge	4294967295
iblfQoS Tail Drop BPS.3.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.3.2	Gauge	4294967295
iblfQoS Tail Drop BPS.3.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.3.3	Gauge	4294967295

Name	OID	Value Type	Value Example
ibLfQoS Tail Drop BPS.3.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.3.4	Gauge	4294967295
ibLfQoS Tail Drop BPS.3.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.3.5	Gauge	4294967295
ibLfQoS Tail Drop BPS.3.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.3.6	Gauge	4294967295
ibLfQoS Tail Drop BPS.3.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.3.7	Gauge	4294967295
ibLfQoS Tail Drop BPS.4.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.4.0	Gauge	4294967295
ibLfQoS Tail Drop BPS.4.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.4.1	Gauge	4294967295
ibLfQoS Tail Drop BPS.4.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.4.2	Gauge	4294967295
ibLfQoS Tail Drop BPS.4.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.4.3	Gauge	4294967295
ibLfQoS Tail Drop BPS.4.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.4.4	Gauge	4294967295
ibLfQoS Tail Drop BPS.4.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.4.5	Gauge	4294967295
ibLfQoS Tail Drop BPS.4.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.4.6	Gauge	4294967295
ibLfQoS Tail Drop BPS.4.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.4.7	Gauge	4294967295
ibLfQoS Tail Drop BPS.5.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.5.0	Gauge	4294967295
ibLfQoS Tail Drop BPS.5.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.5.1	Gauge	4294967295
ibLfQoS Tail Drop BPS.5.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.5.2	Gauge	4294967295
ibLfQoS Tail Drop BPS.5.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.5.3	Gauge	4294967295
ibLfQoS Tail Drop BPS.5.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.5.4	Gauge	4294967295
ibLfQoS Tail Drop BPS.5.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.5.5	Gauge	4294967295
ibLfQoS Tail Drop BPS.5.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.5.6	Gauge	4294967295
ibLfQoS Tail Drop BPS.5.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.5.7	Gauge	4294967295
ibLfQoS Tail Drop BPS.6.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.6.0	Gauge	4294967295
ibLfQoS Tail Drop BPS.6.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.6.1	Gauge	4294967295
ibLfQoS Tail Drop BPS.6.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.6.2	Gauge	4294967295
ibLfQoS Tail Drop BPS.6.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.6.3	Gauge	4294967295
ibLfQoS Tail Drop BPS.6.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.6.4	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoS Tail Drop BPS.6.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.6.5	Gauge	4294967295
iblfQoS Tail Drop BPS.6.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.6.6	Gauge	4294967295
iblfQoS Tail Drop BPS.6.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.6.7	Gauge	4294967295
iblfQoS Tail Drop BPS.7.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.7.0	Gauge	4294967295
iblfQoS Tail Drop BPS.7.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.7.1	Gauge	4294967295
iblfQoS Tail Drop BPS.7.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.7.2	Gauge	4294967295
iblfQoS Tail Drop BPS.7.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.7.3	Gauge	4294967295
iblfQoS Tail Drop BPS.7.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.7.4	Gauge	4294967295
iblfQoS Tail Drop BPS.7.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.7.5	Gauge	4294967295
iblfQoS Tail Drop BPS.7.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.7.6	Gauge	4294967295
iblfQoS Tail Drop BPS.7.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.7.7	Gauge	4294967295
iblfQoS Tail Drop BPS.8.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.8.0	Gauge	4294967295
iblfQoS Tail Drop BPS.8.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.8.1	Gauge	4294967295
iblfQoS Tail Drop BPS.8.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.8.2	Gauge	4294967295
iblfQoS Tail Drop BPS.8.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.8.3	Gauge	4294967295
iblfQoS Tail Drop BPS.8.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.8.4	Gauge	4294967295
iblfQoS Tail Drop BPS.8.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.8.5	Gauge	4294967295
iblfQoS Tail Drop BPS.8.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.8.6	Gauge	4294967295
iblfQoS Tail Drop BPS.8.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.8.7	Gauge	4294967295
iblfQoS Tail Drop BPS.9.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.9.0	Gauge	4294967295
iblfQoS Tail Drop BPS.9.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.9.1	Gauge	4294967295
iblfQoS Tail Drop BPS.9.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.9.2	Gauge	4294967295
iblfQoS Tail Drop BPS.9.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.9.3	Gauge	4294967295
iblfQoS Tail Drop BPS.9.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.9.4	Gauge	4294967295
iblfQoS Tail Drop BPS.9.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.9.5	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoS Tail Drop BPS.9.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.9.6	Gauge	4294967295
iblfQoS Tail Drop BPS.9.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.9.7	Gauge	4294967295
iblfQoS Tail Drop BPS.10.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.10.0	Gauge	4294967295
iblfQoS Tail Drop BPS.10.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.10.1	Gauge	4294967295
iblfQoS Tail Drop BPS.10.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.10.2	Gauge	4294967295
iblfQoS Tail Drop BPS.10.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.10.3	Gauge	4294967295
iblfQoS Tail Drop BPS.10.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.10.4	Gauge	4294967295
iblfQoS Tail Drop BPS.10.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.10.5	Gauge	4294967295
iblfQoS Tail Drop BPS.10.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.10.6	Gauge	4294967295
iblfQoS Tail Drop BPS.10.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.10.7	Gauge	4294967295
iblfQoS Tail Drop BPS.11.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.11.0	Gauge	4294967295
iblfQoS Tail Drop BPS.11.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.11.1	Gauge	4294967295
iblfQoS Tail Drop BPS.11.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.11.2	Gauge	4294967295
iblfQoS Tail Drop BPS.11.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.11.3	Gauge	4294967295
iblfQoS Tail Drop BPS.11.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.11.4	Gauge	4294967295
iblfQoS Tail Drop BPS.11.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.11.5	Gauge	4294967295
iblfQoS Tail Drop BPS.11.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.11.6	Gauge	4294967295
iblfQoS Tail Drop BPS.11.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.11.7	Gauge	4294967295
iblfQoS Tail Drop BPS.12.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.12.0	Gauge	4294967295
iblfQoS Tail Drop BPS.12.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.12.1	Gauge	4294967295
iblfQoS Tail Drop BPS.12.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.12.2	Gauge	4294967295
iblfQoS Tail Drop BPS.12.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.12.3	Gauge	4294967295
iblfQoS Tail Drop BPS.12.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.12.4	Gauge	4294967295
iblfQoS Tail Drop BPS.12.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.12.5	Gauge	4294967295
iblfQoS Tail Drop BPS.12.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.12.6	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoS TailDropBPS.12.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.12.7	Gauge	4294967295
iblfQoS TailDropBPS.13.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.13.0	Gauge	4294967295
iblfQoS TailDropBPS.13.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.13.1	Gauge	4294967295
iblfQoS TailDropBPS.13.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.13.2	Gauge	4294967295
iblfQoS TailDropBPS.13.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.13.3	Gauge	4294967295
iblfQoS TailDropBPS.13.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.13.4	Gauge	4294967295
iblfQoS TailDropBPS.13.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.13.5	Gauge	4294967295
iblfQoS TailDropBPS.13.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.13.6	Gauge	4294967295
iblfQoS TailDropBPS.13.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.13.7	Gauge	4294967295
iblfQoS TailDropBPS.14.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.14.0	Gauge	4294967295
iblfQoS TailDropBPS.14.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.14.1	Gauge	4294967295
iblfQoS TailDropBPS.14.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.14.2	Gauge	4294967295
iblfQoS TailDropBPS.14.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.14.3	Gauge	4294967295
iblfQoS TailDropBPS.14.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.14.4	Gauge	4294967295
iblfQoS TailDropBPS.14.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.14.5	Gauge	4294967295
iblfQoS TailDropBPS.14.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.14.6	Gauge	4294967295
iblfQoS TailDropBPS.14.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.14.7	Gauge	4294967295
iblfQoS TailDropBPS.15.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.15.0	Gauge	4294967295
iblfQoS TailDropBPS.15.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.15.1	Gauge	4294967295
iblfQoS TailDropBPS.15.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.15.2	Gauge	4294967295
iblfQoS TailDropBPS.15.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.15.3	Gauge	4294967295
iblfQoS TailDropBPS.15.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.15.4	Gauge	4294967295
iblfQoS TailDropBPS.15.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.15.5	Gauge	4294967295
iblfQoS TailDropBPS.15.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.15.6	Gauge	4294967295
iblfQoS TailDropBPS.15.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.15.7	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoS TailDropBPS.16.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.16.0	Gauge	4294967295
iblfQoS TailDropBPS.16.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.16.1	Gauge	4294967295
iblfQoS TailDropBPS.16.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.16.2	Gauge	4294967295
iblfQoS TailDropBPS.16.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.16.3	Gauge	4294967295
iblfQoS TailDropBPS.16.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.16.4	Gauge	4294967295
iblfQoS TailDropBPS.16.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.16.5	Gauge	4294967295
iblfQoS TailDropBPS.16.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.16.6	Gauge	4294967295
iblfQoS TailDropBPS.16.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.16.7	Gauge	4294967295
iblfQoS TailDropBPS.17.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.17.0	Gauge	4294967295
iblfQoS TailDropBPS.17.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.17.1	Gauge	4294967295
iblfQoS TailDropBPS.17.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.17.2	Gauge	4294967295
iblfQoS TailDropBPS.17.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.17.3	Gauge	4294967295
iblfQoS TailDropBPS.17.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.17.4	Gauge	4294967295
iblfQoS TailDropBPS.17.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.17.5	Gauge	4294967295
iblfQoS TailDropBPS.17.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.17.6	Gauge	4294967295
iblfQoS TailDropBPS.17.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.17.7	Gauge	4294967295
iblfQoS TailDropBPS.18.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.18.0	Gauge	4294967295
iblfQoS TailDropBPS.18.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.18.1	Gauge	4294967295
iblfQoS TailDropBPS.18.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.18.2	Gauge	4294967295
iblfQoS TailDropBPS.18.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.18.3	Gauge	4294967295
iblfQoS TailDropBPS.18.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.18.4	Gauge	4294967295
iblfQoS TailDropBPS.18.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.18.5	Gauge	4294967295
iblfQoS TailDropBPS.18.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.18.6	Gauge	4294967295
iblfQoS TailDropBPS.18.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.18.7	Gauge	4294967295
iblfQoS TailDropBPS.19.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.19.0	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoS TailDropBPS.19.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.19.1	Gauge	4294967295
iblfQoS TailDropBPS.19.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.19.2	Gauge	4294967295
iblfQoS TailDropBPS.19.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.19.3	Gauge	4294967295
iblfQoS TailDropBPS.19.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.19.4	Gauge	4294967295
iblfQoS TailDropBPS.19.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.19.5	Gauge	4294967295
iblfQoS TailDropBPS.19.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.19.6	Gauge	4294967295
iblfQoS TailDropBPS.19.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.19.7	Gauge	4294967295
iblfQoS TailDropBPS.20.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.20.0	Gauge	4294967295
iblfQoS TailDropBPS.20.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.20.1	Gauge	4294967295
iblfQoS TailDropBPS.20.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.20.2	Gauge	4294967295
iblfQoS TailDropBPS.20.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.20.3	Gauge	4294967295
iblfQoS TailDropBPS.20.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.20.4	Gauge	4294967295
iblfQoS TailDropBPS.20.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.20.5	Gauge	4294967295
iblfQoS TailDropBPS.20.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.20.6	Gauge	4294967295
iblfQoS TailDropBPS.20.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.20.7	Gauge	4294967295
iblfQoS TailDropBPS.21.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.21.0	Gauge	4294967295
iblfQoS TailDropBPS.21.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.21.1	Gauge	4294967295
iblfQoS TailDropBPS.21.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.21.2	Gauge	4294967295
iblfQoS TailDropBPS.21.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.21.3	Gauge	4294967295
iblfQoS TailDropBPS.21.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.21.4	Gauge	4294967295
iblfQoS TailDropBPS.21.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.21.5	Gauge	4294967295
iblfQoS TailDropBPS.21.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.21.6	Gauge	4294967295
iblfQoS TailDropBPS.21.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.21.7	Gauge	4294967295
iblfQoS TailDropBPS.22.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.22.0	Gauge	4294967295
iblfQoS TailDropBPS.22.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.22.1	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoS TailDropBPS.22.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.22.2	Gauge	4294967295
iblfQoS TailDropBPS.22.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.22.3	Gauge	4294967295
iblfQoS TailDropBPS.22.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.22.4	Gauge	4294967295
iblfQoS TailDropBPS.22.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.22.5	Gauge	4294967295
iblfQoS TailDropBPS.22.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.22.6	Gauge	4294967295
iblfQoS TailDropBPS.22.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.22.7	Gauge	4294967295
iblfQoS TailDropBPS.23.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.23.0	Gauge	4294967295
iblfQoS TailDropBPS.23.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.23.1	Gauge	4294967295
iblfQoS TailDropBPS.23.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.23.2	Gauge	4294967295
iblfQoS TailDropBPS.23.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.23.3	Gauge	4294967295
iblfQoS TailDropBPS.23.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.23.4	Gauge	4294967295
iblfQoS TailDropBPS.23.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.23.5	Gauge	4294967295
iblfQoS TailDropBPS.23.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.23.6	Gauge	4294967295
iblfQoS TailDropBPS.23.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.23.7	Gauge	4294967295
iblfQoS TailDropBPS.24.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.24.0	Gauge	4294967295
iblfQoS TailDropBPS.24.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.24.1	Gauge	4294967295
iblfQoS TailDropBPS.24.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.24.2	Gauge	4294967295
iblfQoS TailDropBPS.24.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.24.3	Gauge	4294967295
iblfQoS TailDropBPS.24.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.24.4	Gauge	4294967295
iblfQoS TailDropBPS.24.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.24.5	Gauge	4294967295
iblfQoS TailDropBPS.24.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.24.6	Gauge	4294967295
iblfQoS TailDropBPS.24.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.24.7	Gauge	4294967295
iblfQoS TailDropBPS.25.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.25.0	Gauge	4294967295
iblfQoS TailDropBPS.25.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.25.1	Gauge	4294967295
iblfQoS TailDropBPS.25.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.25.2	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoS TailDropBPS.25.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.25.3	Gauge	4294967295
iblfQoS TailDropBPS.25.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.25.4	Gauge	4294967295
iblfQoS TailDropBPS.25.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.25.5	Gauge	4294967295
iblfQoS TailDropBPS.25.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.25.6	Gauge	4294967295
iblfQoS TailDropBPS.25.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.25.7	Gauge	4294967295
iblfQoS TailDropBPS.26.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.26.0	Gauge	4294967295
iblfQoS TailDropBPS.26.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.26.1	Gauge	4294967295
iblfQoS TailDropBPS.26.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.26.2	Gauge	4294967295
iblfQoS TailDropBPS.26.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.26.3	Gauge	4294967295
iblfQoS TailDropBPS.26.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.26.4	Gauge	4294967295
iblfQoS TailDropBPS.26.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.26.5	Gauge	4294967295
iblfQoS TailDropBPS.26.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.26.6	Gauge	4294967295
iblfQoS TailDropBPS.26.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.26.7	Gauge	4294967295
iblfQoS TailDropBPS.27.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.27.0	Gauge	4294967295
iblfQoS TailDropBPS.27.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.27.1	Gauge	4294967295
iblfQoS TailDropBPS.27.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.27.2	Gauge	4294967295
iblfQoS TailDropBPS.27.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.27.3	Gauge	4294967295
iblfQoS TailDropBPS.27.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.27.4	Gauge	4294967295
iblfQoS TailDropBPS.27.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.27.5	Gauge	4294967295
iblfQoS TailDropBPS.27.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.27.6	Gauge	4294967295
iblfQoS TailDropBPS.27.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.27.7	Gauge	4294967295
iblfQoS TailDropBPS.28.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.28.0	Gauge	4294967295
iblfQoS TailDropBPS.28.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.28.1	Gauge	4294967295
iblfQoS TailDropBPS.28.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.28.2	Gauge	4294967295
iblfQoS TailDropBPS.28.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.28.3	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoS TailDropBPS.28.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.28.4	Gauge	4294967295
iblfQoS TailDropBPS.28.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.28.5	Gauge	4294967295
iblfQoS TailDropBPS.28.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.28.6	Gauge	4294967295
iblfQoS TailDropBPS.28.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.16.28.7	Gauge	4294967295
iblfQoS WredDropPPS.1.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.1.0	Gauge	4294967295
iblfQoS WredDropPPS.1.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.1.1	Gauge	4294967295
iblfQoS WredDropPPS.1.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.1.2	Gauge	4294967295
iblfQoS WredDropPPS.1.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.1.3	Gauge	4294967295
iblfQoS WredDropPPS.1.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.1.4	Gauge	4294967295
iblfQoS WredDropPPS.1.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.1.5	Gauge	4294967295
iblfQoS WredDropPPS.1.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.1.6	Gauge	4294967295
iblfQoS WredDropPPS.1.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.1.7	Gauge	4294967295
iblfQoS WredDropPPS.2.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.2.0	Gauge	4294967295
iblfQoS WredDropPPS.2.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.2.1	Gauge	4294967295
iblfQoS WredDropPPS.2.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.2.2	Gauge	4294967295
iblfQoS WredDropPPS.2.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.2.3	Gauge	4294967295
iblfQoS WredDropPPS.2.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.2.4	Gauge	4294967295
iblfQoS WredDropPPS.2.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.2.5	Gauge	4294967295
iblfQoS WredDropPPS.2.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.2.6	Gauge	4294967295
iblfQoS WredDropPPS.2.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.2.7	Gauge	4294967295
iblfQoS WredDropPPS.3.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.3.0	Gauge	4294967295
iblfQoS WredDropPPS.3.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.3.1	Gauge	4294967295
iblfQoS WredDropPPS.3.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.3.2	Gauge	4294967295
iblfQoS WredDropPPS.3.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.3.3	Gauge	4294967295
iblfQoS WredDropPPS.3.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.3.4	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSRedDropPPS.3.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.3.5	Gauge	4294967295
ibIfQoSRedDropPPS.3.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.3.6	Gauge	4294967295
ibIfQoSRedDropPPS.3.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.3.7	Gauge	4294967295
ibIfQoSRedDropPPS.4.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.4.0	Gauge	4294967295
ibIfQoSRedDropPPS.4.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.4.1	Gauge	4294967295
ibIfQoSRedDropPPS.4.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.4.2	Gauge	4294967295
ibIfQoSRedDropPPS.4.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.4.3	Gauge	4294967295
ibIfQoSRedDropPPS.4.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.4.4	Gauge	4294967295
ibIfQoSRedDropPPS.4.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.4.5	Gauge	4294967295
ibIfQoSRedDropPPS.4.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.4.6	Gauge	4294967295
ibIfQoSRedDropPPS.4.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.4.7	Gauge	4294967295
ibIfQoSRedDropPPS.5.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.5.0	Gauge	4294967295
ibIfQoSRedDropPPS.5.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.5.1	Gauge	4294967295
ibIfQoSRedDropPPS.5.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.5.2	Gauge	4294967295
ibIfQoSRedDropPPS.5.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.5.3	Gauge	4294967295
ibIfQoSRedDropPPS.5.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.5.4	Gauge	4294967295
ibIfQoSRedDropPPS.5.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.5.5	Gauge	4294967295
ibIfQoSRedDropPPS.5.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.5.6	Gauge	4294967295
ibIfQoSRedDropPPS.5.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.5.7	Gauge	4294967295
ibIfQoSRedDropPPS.6.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.6.0	Gauge	4294967295
ibIfQoSRedDropPPS.6.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.6.1	Gauge	4294967295
ibIfQoSRedDropPPS.6.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.6.2	Gauge	4294967295
ibIfQoSRedDropPPS.6.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.6.3	Gauge	4294967295
ibIfQoSRedDropPPS.6.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.6.4	Gauge	4294967295
ibIfQoSRedDropPPS.6.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.6.5	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSredDropPPS.6.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.6.6	Gauge	4294967295
iblfQoSredDropPPS.6.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.6.7	Gauge	4294967295
iblfQoSredDropPPS.7.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.7.0	Gauge	4294967295
iblfQoSredDropPPS.7.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.7.1	Gauge	4294967295
iblfQoSredDropPPS.7.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.7.2	Gauge	4294967295
iblfQoSredDropPPS.7.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.7.3	Gauge	4294967295
iblfQoSredDropPPS.7.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.7.4	Gauge	4294967295
iblfQoSredDropPPS.7.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.7.5	Gauge	4294967295
iblfQoSredDropPPS.7.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.7.6	Gauge	4294967295
iblfQoSredDropPPS.7.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.7.7	Gauge	4294967295
iblfQoSredDropPPS.8.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.8.0	Gauge	4294967295
iblfQoSredDropPPS.8.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.8.1	Gauge	4294967295
iblfQoSredDropPPS.8.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.8.2	Gauge	4294967295
iblfQoSredDropPPS.8.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.8.3	Gauge	4294967295
iblfQoSredDropPPS.8.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.8.4	Gauge	4294967295
iblfQoSredDropPPS.8.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.8.5	Gauge	4294967295
iblfQoSredDropPPS.8.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.8.6	Gauge	4294967295
iblfQoSredDropPPS.8.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.8.7	Gauge	4294967295
iblfQoSredDropPPS.9.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.9.0	Gauge	4294967295
iblfQoSredDropPPS.9.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.9.1	Gauge	4294967295
iblfQoSredDropPPS.9.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.9.2	Gauge	4294967295
iblfQoSredDropPPS.9.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.9.3	Gauge	4294967295
iblfQoSredDropPPS.9.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.9.4	Gauge	4294967295
iblfQoSredDropPPS.9.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.9.5	Gauge	4294967295
iblfQoSredDropPPS.9.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.9.6	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSredDropPPS.9.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.9.7	Gauge	4294967295
iblfQoSredDropPPS.10.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.10.0	Gauge	4294967295
iblfQoSredDropPPS.10.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.10.1	Gauge	4294967295
iblfQoSredDropPPS.10.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.10.2	Gauge	4294967295
iblfQoSredDropPPS.10.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.10.3	Gauge	4294967295
iblfQoSredDropPPS.10.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.10.4	Gauge	4294967295
iblfQoSredDropPPS.10.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.10.5	Gauge	4294967295
iblfQoSredDropPPS.10.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.10.6	Gauge	4294967295
iblfQoSredDropPPS.10.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.10.7	Gauge	4294967295
iblfQoSredDropPPS.11.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.11.0	Gauge	4294967295
iblfQoSredDropPPS.11.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.11.1	Gauge	4294967295
iblfQoSredDropPPS.11.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.11.2	Gauge	4294967295
iblfQoSredDropPPS.11.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.11.3	Gauge	4294967295
iblfQoSredDropPPS.11.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.11.4	Gauge	4294967295
iblfQoSredDropPPS.11.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.11.5	Gauge	4294967295
iblfQoSredDropPPS.11.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.11.6	Gauge	4294967295
iblfQoSredDropPPS.11.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.11.7	Gauge	4294967295
iblfQoSredDropPPS.12.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.12.0	Gauge	4294967295
iblfQoSredDropPPS.12.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.12.1	Gauge	4294967295
iblfQoSredDropPPS.12.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.12.2	Gauge	4294967295
iblfQoSredDropPPS.12.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.12.3	Gauge	4294967295
iblfQoSredDropPPS.12.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.12.4	Gauge	4294967295
iblfQoSredDropPPS.12.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.12.5	Gauge	4294967295
iblfQoSredDropPPS.12.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.12.6	Gauge	4294967295
iblfQoSredDropPPS.12.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.12.7	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSredDropPPS.13.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.13.0	Gauge	4294967295
iblfQoSredDropPPS.13.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.13.1	Gauge	4294967295
iblfQoSredDropPPS.13.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.13.2	Gauge	4294967295
iblfQoSredDropPPS.13.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.13.3	Gauge	4294967295
iblfQoSredDropPPS.13.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.13.4	Gauge	4294967295
iblfQoSredDropPPS.13.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.13.5	Gauge	4294967295
iblfQoSredDropPPS.13.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.13.6	Gauge	4294967295
iblfQoSredDropPPS.13.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.13.7	Gauge	4294967295
iblfQoSredDropPPS.14.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.14.0	Gauge	4294967295
iblfQoSredDropPPS.14.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.14.1	Gauge	4294967295
iblfQoSredDropPPS.14.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.14.2	Gauge	4294967295
iblfQoSredDropPPS.14.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.14.3	Gauge	4294967295
iblfQoSredDropPPS.14.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.14.4	Gauge	4294967295
iblfQoSredDropPPS.14.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.14.5	Gauge	4294967295
iblfQoSredDropPPS.14.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.14.6	Gauge	4294967295
iblfQoSredDropPPS.14.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.14.7	Gauge	4294967295
iblfQoSredDropPPS.15.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.15.0	Gauge	4294967295
iblfQoSredDropPPS.15.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.15.1	Gauge	4294967295
iblfQoSredDropPPS.15.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.15.2	Gauge	4294967295
iblfQoSredDropPPS.15.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.15.3	Gauge	4294967295
iblfQoSredDropPPS.15.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.15.4	Gauge	4294967295
iblfQoSredDropPPS.15.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.15.5	Gauge	4294967295
iblfQoSredDropPPS.15.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.15.6	Gauge	4294967295
iblfQoSredDropPPS.15.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.15.7	Gauge	4294967295
iblfQoSredDropPPS.16.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.16.0	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSredDropPPS.16.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.16.1	Gauge	4294967295
iblfQoSredDropPPS.16.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.16.2	Gauge	4294967295
iblfQoSredDropPPS.16.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.16.3	Gauge	4294967295
iblfQoSredDropPPS.16.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.16.4	Gauge	4294967295
iblfQoSredDropPPS.16.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.16.5	Gauge	4294967295
iblfQoSredDropPPS.16.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.16.6	Gauge	4294967295
iblfQoSredDropPPS.16.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.16.7	Gauge	4294967295
iblfQoSredDropPPS.17.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.17.0	Gauge	4294967295
iblfQoSredDropPPS.17.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.17.1	Gauge	4294967295
iblfQoSredDropPPS.17.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.17.2	Gauge	4294967295
iblfQoSredDropPPS.17.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.17.3	Gauge	4294967295
iblfQoSredDropPPS.17.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.17.4	Gauge	4294967295
iblfQoSredDropPPS.17.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.17.5	Gauge	4294967295
iblfQoSredDropPPS.17.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.17.6	Gauge	4294967295
iblfQoSredDropPPS.17.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.17.7	Gauge	4294967295
iblfQoSredDropPPS.18.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.18.0	Gauge	4294967295
iblfQoSredDropPPS.18.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.18.1	Gauge	4294967295
iblfQoSredDropPPS.18.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.18.2	Gauge	4294967295
iblfQoSredDropPPS.18.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.18.3	Gauge	4294967295
iblfQoSredDropPPS.18.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.18.4	Gauge	4294967295
iblfQoSredDropPPS.18.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.18.5	Gauge	4294967295
iblfQoSredDropPPS.18.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.18.6	Gauge	4294967295
iblfQoSredDropPPS.18.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.18.7	Gauge	4294967295
iblfQoSredDropPPS.19.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.19.0	Gauge	4294967295
iblfQoSredDropPPS.19.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.19.1	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSredDropPPS.19.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.19.2	Gauge	4294967295
iblfQoSredDropPPS.19.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.19.3	Gauge	4294967295
iblfQoSredDropPPS.19.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.19.4	Gauge	4294967295
iblfQoSredDropPPS.19.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.19.5	Gauge	4294967295
iblfQoSredDropPPS.19.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.19.6	Gauge	4294967295
iblfQoSredDropPPS.19.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.19.7	Gauge	4294967295
iblfQoSredDropPPS.20.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.20.0	Gauge	4294967295
iblfQoSredDropPPS.20.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.20.1	Gauge	4294967295
iblfQoSredDropPPS.20.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.20.2	Gauge	4294967295
iblfQoSredDropPPS.20.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.20.3	Gauge	4294967295
iblfQoSredDropPPS.20.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.20.4	Gauge	4294967295
iblfQoSredDropPPS.20.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.20.5	Gauge	4294967295
iblfQoSredDropPPS.20.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.20.6	Gauge	4294967295
iblfQoSredDropPPS.20.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.20.7	Gauge	4294967295
iblfQoSredDropPPS.21.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.21.0	Gauge	4294967295
iblfQoSredDropPPS.21.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.21.1	Gauge	4294967295
iblfQoSredDropPPS.21.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.21.2	Gauge	4294967295
iblfQoSredDropPPS.21.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.21.3	Gauge	4294967295
iblfQoSredDropPPS.21.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.21.4	Gauge	4294967295
iblfQoSredDropPPS.21.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.21.5	Gauge	4294967295
iblfQoSredDropPPS.21.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.21.6	Gauge	4294967295
iblfQoSredDropPPS.21.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.21.7	Gauge	4294967295
iblfQoSredDropPPS.22.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.22.0	Gauge	4294967295
iblfQoSredDropPPS.22.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.22.1	Gauge	4294967295
iblfQoSredDropPPS.22.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.22.2	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSredDropPPS.22.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.22.3	Gauge	4294967295
iblfQoSredDropPPS.22.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.22.4	Gauge	4294967295
iblfQoSredDropPPS.22.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.22.5	Gauge	4294967295
iblfQoSredDropPPS.22.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.22.6	Gauge	4294967295
iblfQoSredDropPPS.22.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.22.7	Gauge	4294967295
iblfQoSredDropPPS.23.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.23.0	Gauge	4294967295
iblfQoSredDropPPS.23.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.23.1	Gauge	4294967295
iblfQoSredDropPPS.23.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.23.2	Gauge	4294967295
iblfQoSredDropPPS.23.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.23.3	Gauge	4294967295
iblfQoSredDropPPS.23.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.23.4	Gauge	4294967295
iblfQoSredDropPPS.23.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.23.5	Gauge	4294967295
iblfQoSredDropPPS.23.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.23.6	Gauge	4294967295
iblfQoSredDropPPS.23.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.23.7	Gauge	4294967295
iblfQoSredDropPPS.24.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.24.0	Gauge	4294967295
iblfQoSredDropPPS.24.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.24.1	Gauge	4294967295
iblfQoSredDropPPS.24.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.24.2	Gauge	4294967295
iblfQoSredDropPPS.24.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.24.3	Gauge	4294967295
iblfQoSredDropPPS.24.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.24.4	Gauge	4294967295
iblfQoSredDropPPS.24.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.24.5	Gauge	4294967295
iblfQoSredDropPPS.24.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.24.6	Gauge	4294967295
iblfQoSredDropPPS.24.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.24.7	Gauge	4294967295
iblfQoSredDropPPS.25.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.25.0	Gauge	4294967295
iblfQoSredDropPPS.25.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.25.1	Gauge	4294967295
iblfQoSredDropPPS.25.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.25.2	Gauge	4294967295
iblfQoSredDropPPS.25.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.25.3	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSredDropPPS.25.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.25.4	Gauge	4294967295
iblfQoSredDropPPS.25.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.25.5	Gauge	4294967295
iblfQoSredDropPPS.25.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.25.6	Gauge	4294967295
iblfQoSredDropPPS.25.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.25.7	Gauge	4294967295
iblfQoSredDropPPS.26.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.26.0	Gauge	4294967295
iblfQoSredDropPPS.26.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.26.1	Gauge	4294967295
iblfQoSredDropPPS.26.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.26.2	Gauge	4294967295
iblfQoSredDropPPS.26.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.26.3	Gauge	4294967295
iblfQoSredDropPPS.26.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.26.4	Gauge	4294967295
iblfQoSredDropPPS.26.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.26.5	Gauge	4294967295
iblfQoSredDropPPS.26.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.26.6	Gauge	4294967295
iblfQoSredDropPPS.26.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.26.7	Gauge	4294967295
iblfQoSredDropPPS.27.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.27.0	Gauge	4294967295
iblfQoSredDropPPS.27.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.27.1	Gauge	4294967295
iblfQoSredDropPPS.27.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.27.2	Gauge	4294967295
iblfQoSredDropPPS.27.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.27.3	Gauge	4294967295
iblfQoSredDropPPS.27.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.27.4	Gauge	4294967295
iblfQoSredDropPPS.27.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.27.5	Gauge	4294967295
iblfQoSredDropPPS.27.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.27.6	Gauge	4294967295
iblfQoSredDropPPS.27.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.27.7	Gauge	4294967295
iblfQoSredDropPPS.28.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.28.0	Gauge	4294967295
iblfQoSredDropPPS.28.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.28.1	Gauge	4294967295
iblfQoSredDropPPS.28.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.28.2	Gauge	4294967295
iblfQoSredDropPPS.28.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.28.3	Gauge	4294967295
iblfQoSredDropPPS.28.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.28.4	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSredDropPPS.28.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.28.5	Gauge	4294967295
iblfQoSredDropPPS.28.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.28.6	Gauge	4294967295
iblfQoSredDropPPS.28.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.19.28.7	Gauge	4294967295
iblfQoSredDropBPS.1.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.1.0	Gauge	4294967295
iblfQoSredDropBPS.1.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.1.1	Gauge	4294967295
iblfQoSredDropBPS.1.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.1.2	Gauge	4294967295
iblfQoSredDropBPS.1.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.1.3	Gauge	4294967295
iblfQoSredDropBPS.1.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.1.4	Gauge	4294967295
iblfQoSredDropBPS.1.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.1.5	Gauge	4294967295
iblfQoSredDropBPS.1.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.1.6	Gauge	4294967295
iblfQoSredDropBPS.1.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.1.7	Gauge	4294967295
iblfQoSredDropBPS.2.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.2.0	Gauge	4294967295
iblfQoSredDropBPS.2.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.2.1	Gauge	4294967295
iblfQoSredDropBPS.2.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.2.2	Gauge	4294967295
iblfQoSredDropBPS.2.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.2.3	Gauge	4294967295
iblfQoSredDropBPS.2.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.2.4	Gauge	4294967295
iblfQoSredDropBPS.2.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.2.5	Gauge	4294967295
iblfQoSredDropBPS.2.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.2.6	Gauge	4294967295
iblfQoSredDropBPS.2.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.2.7	Gauge	4294967295
iblfQoSredDropBPS.3.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.3.0	Gauge	4294967295
iblfQoSredDropBPS.3.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.3.1	Gauge	4294967295
iblfQoSredDropBPS.3.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.3.2	Gauge	4294967295
iblfQoSredDropBPS.3.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.3.3	Gauge	4294967295
iblfQoSredDropBPS.3.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.3.4	Gauge	4294967295
iblfQoSredDropBPS.3.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.3.5	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSredDropBPS.3.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.3.6	Gauge	4294967295
ibIfQoSredDropBPS.3.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.3.7	Gauge	4294967295
ibIfQoSredDropBPS.4.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.4.0	Gauge	4294967295
ibIfQoSredDropBPS.4.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.4.1	Gauge	4294967295
ibIfQoSredDropBPS.4.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.4.2	Gauge	4294967295
ibIfQoSredDropBPS.4.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.4.3	Gauge	4294967295
ibIfQoSredDropBPS.4.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.4.4	Gauge	4294967295
ibIfQoSredDropBPS.4.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.4.5	Gauge	4294967295
ibIfQoSredDropBPS.4.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.4.6	Gauge	4294967295
ibIfQoSredDropBPS.4.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.4.7	Gauge	4294967295
ibIfQoSredDropBPS.5.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.5.0	Gauge	4294967295
ibIfQoSredDropBPS.5.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.5.1	Gauge	4294967295
ibIfQoSredDropBPS.5.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.5.2	Gauge	4294967295
ibIfQoSredDropBPS.5.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.5.3	Gauge	4294967295
ibIfQoSredDropBPS.5.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.5.4	Gauge	4294967295
ibIfQoSredDropBPS.5.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.5.5	Gauge	4294967295
ibIfQoSredDropBPS.5.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.5.6	Gauge	4294967295
ibIfQoSredDropBPS.5.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.5.7	Gauge	4294967295
ibIfQoSredDropBPS.6.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.6.0	Gauge	4294967295
ibIfQoSredDropBPS.6.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.6.1	Gauge	4294967295
ibIfQoSredDropBPS.6.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.6.2	Gauge	4294967295
ibIfQoSredDropBPS.6.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.6.3	Gauge	4294967295
ibIfQoSredDropBPS.6.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.6.4	Gauge	4294967295
ibIfQoSredDropBPS.6.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.6.5	Gauge	4294967295
ibIfQoSredDropBPS.6.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.6.6	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSRedDropBPS.6.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.6.7	Gauge	4294967295
ibIfQoSRedDropBPS.7.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.7.0	Gauge	4294967295
ibIfQoSRedDropBPS.7.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.7.1	Gauge	4294967295
ibIfQoSRedDropBPS.7.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.7.2	Gauge	4294967295
ibIfQoSRedDropBPS.7.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.7.3	Gauge	4294967295
ibIfQoSRedDropBPS.7.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.7.4	Gauge	4294967295
ibIfQoSRedDropBPS.7.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.7.5	Gauge	4294967295
ibIfQoSRedDropBPS.7.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.7.6	Gauge	4294967295
ibIfQoSRedDropBPS.7.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.7.7	Gauge	4294967295
ibIfQoSRedDropBPS.8.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.8.0	Gauge	4294967295
ibIfQoSRedDropBPS.8.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.8.1	Gauge	4294967295
ibIfQoSRedDropBPS.8.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.8.2	Gauge	4294967295
ibIfQoSRedDropBPS.8.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.8.3	Gauge	4294967295
ibIfQoSRedDropBPS.8.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.8.4	Gauge	4294967295
ibIfQoSRedDropBPS.8.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.8.5	Gauge	4294967295
ibIfQoSRedDropBPS.8.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.8.6	Gauge	4294967295
ibIfQoSRedDropBPS.8.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.8.7	Gauge	4294967295
ibIfQoSRedDropBPS.9.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.9.0	Gauge	4294967295
ibIfQoSRedDropBPS.9.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.9.1	Gauge	4294967295
ibIfQoSRedDropBPS.9.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.9.2	Gauge	4294967295
ibIfQoSRedDropBPS.9.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.9.3	Gauge	4294967295
ibIfQoSRedDropBPS.9.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.9.4	Gauge	4294967295
ibIfQoSRedDropBPS.9.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.9.5	Gauge	4294967295
ibIfQoSRedDropBPS.9.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.9.6	Gauge	4294967295
ibIfQoSRedDropBPS.9.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.9.7	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSredDropBPS.10.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.10.0	Gauge	4294967295
iblfQoSredDropBPS.10.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.10.1	Gauge	4294967295
iblfQoSredDropBPS.10.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.10.2	Gauge	4294967295
iblfQoSredDropBPS.10.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.10.3	Gauge	4294967295
iblfQoSredDropBPS.10.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.10.4	Gauge	4294967295
iblfQoSredDropBPS.10.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.10.5	Gauge	4294967295
iblfQoSredDropBPS.10.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.10.6	Gauge	4294967295
iblfQoSredDropBPS.10.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.10.7	Gauge	4294967295
iblfQoSredDropBPS.11.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.11.0	Gauge	4294967295
iblfQoSredDropBPS.11.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.11.1	Gauge	4294967295
iblfQoSredDropBPS.11.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.11.2	Gauge	4294967295
iblfQoSredDropBPS.11.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.11.3	Gauge	4294967295
iblfQoSredDropBPS.11.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.11.4	Gauge	4294967295
iblfQoSredDropBPS.11.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.11.5	Gauge	4294967295
iblfQoSredDropBPS.11.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.11.6	Gauge	4294967295
iblfQoSredDropBPS.11.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.11.7	Gauge	4294967295
iblfQoSredDropBPS.12.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.12.0	Gauge	4294967295
iblfQoSredDropBPS.12.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.12.1	Gauge	4294967295
iblfQoSredDropBPS.12.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.12.2	Gauge	4294967295
iblfQoSredDropBPS.12.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.12.3	Gauge	4294967295
iblfQoSredDropBPS.12.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.12.4	Gauge	4294967295
iblfQoSredDropBPS.12.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.12.5	Gauge	4294967295
iblfQoSredDropBPS.12.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.12.6	Gauge	4294967295
iblfQoSredDropBPS.12.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.12.7	Gauge	4294967295
iblfQoSredDropBPS.13.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.13.0	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSredDropBPS.13.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.13.1	Gauge	4294967295
iblfQoSredDropBPS.13.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.13.2	Gauge	4294967295
iblfQoSredDropBPS.13.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.13.3	Gauge	4294967295
iblfQoSredDropBPS.13.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.13.4	Gauge	4294967295
iblfQoSredDropBPS.13.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.13.5	Gauge	4294967295
iblfQoSredDropBPS.13.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.13.6	Gauge	4294967295
iblfQoSredDropBPS.13.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.13.7	Gauge	4294967295
iblfQoSredDropBPS.14.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.14.0	Gauge	4294967295
iblfQoSredDropBPS.14.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.14.1	Gauge	4294967295
iblfQoSredDropBPS.14.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.14.2	Gauge	4294967295
iblfQoSredDropBPS.14.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.14.3	Gauge	4294967295
iblfQoSredDropBPS.14.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.14.4	Gauge	4294967295
iblfQoSredDropBPS.14.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.14.5	Gauge	4294967295
iblfQoSredDropBPS.14.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.14.6	Gauge	4294967295
iblfQoSredDropBPS.14.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.14.7	Gauge	4294967295
iblfQoSredDropBPS.15.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.15.0	Gauge	4294967295
iblfQoSredDropBPS.15.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.15.1	Gauge	4294967295
iblfQoSredDropBPS.15.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.15.2	Gauge	4294967295
iblfQoSredDropBPS.15.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.15.3	Gauge	4294967295
iblfQoSredDropBPS.15.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.15.4	Gauge	4294967295
iblfQoSredDropBPS.15.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.15.5	Gauge	4294967295
iblfQoSredDropBPS.15.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.15.6	Gauge	4294967295
iblfQoSredDropBPS.15.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.15.7	Gauge	4294967295
iblfQoSredDropBPS.16.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.16.0	Gauge	4294967295
iblfQoSredDropBPS.16.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.16.1	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSredDropBPS.16.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.16.2	Gauge	4294967295
iblfQoSredDropBPS.16.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.16.3	Gauge	4294967295
iblfQoSredDropBPS.16.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.16.4	Gauge	4294967295
iblfQoSredDropBPS.16.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.16.5	Gauge	4294967295
iblfQoSredDropBPS.16.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.16.6	Gauge	4294967295
iblfQoSredDropBPS.16.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.16.7	Gauge	4294967295
iblfQoSredDropBPS.17.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.17.0	Gauge	4294967295
iblfQoSredDropBPS.17.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.17.1	Gauge	4294967295
iblfQoSredDropBPS.17.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.17.2	Gauge	4294967295
iblfQoSredDropBPS.17.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.17.3	Gauge	4294967295
iblfQoSredDropBPS.17.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.17.4	Gauge	4294967295
iblfQoSredDropBPS.17.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.17.5	Gauge	4294967295
iblfQoSredDropBPS.17.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.17.6	Gauge	4294967295
iblfQoSredDropBPS.17.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.17.7	Gauge	4294967295
iblfQoSredDropBPS.18.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.18.0	Gauge	4294967295
iblfQoSredDropBPS.18.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.18.1	Gauge	4294967295
iblfQoSredDropBPS.18.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.18.2	Gauge	4294967295
iblfQoSredDropBPS.18.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.18.3	Gauge	4294967295
iblfQoSredDropBPS.18.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.18.4	Gauge	4294967295
iblfQoSredDropBPS.18.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.18.5	Gauge	4294967295
iblfQoSredDropBPS.18.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.18.6	Gauge	4294967295
iblfQoSredDropBPS.18.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.18.7	Gauge	4294967295
iblfQoSredDropBPS.19.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.19.0	Gauge	4294967295
iblfQoSredDropBPS.19.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.19.1	Gauge	4294967295
iblfQoSredDropBPS.19.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.19.2	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSWredDropBPS.19.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.19.3	Gauge	4294967295
iblfQoSWredDropBPS.19.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.19.4	Gauge	4294967295
iblfQoSWredDropBPS.19.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.19.5	Gauge	4294967295
iblfQoSWredDropBPS.19.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.19.6	Gauge	4294967295
iblfQoSWredDropBPS.19.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.19.7	Gauge	4294967295
iblfQoSWredDropBPS.20.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.20.0	Gauge	4294967295
iblfQoSWredDropBPS.20.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.20.1	Gauge	4294967295
iblfQoSWredDropBPS.20.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.20.2	Gauge	4294967295
iblfQoSWredDropBPS.20.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.20.3	Gauge	4294967295
iblfQoSWredDropBPS.20.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.20.4	Gauge	4294967295
iblfQoSWredDropBPS.20.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.20.5	Gauge	4294967295
iblfQoSWredDropBPS.20.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.20.6	Gauge	4294967295
iblfQoSWredDropBPS.20.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.20.7	Gauge	4294967295
iblfQoSWredDropBPS.21.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.21.0	Gauge	4294967295
iblfQoSWredDropBPS.21.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.21.1	Gauge	4294967295
iblfQoSWredDropBPS.21.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.21.2	Gauge	4294967295
iblfQoSWredDropBPS.21.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.21.3	Gauge	4294967295
iblfQoSWredDropBPS.21.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.21.4	Gauge	4294967295
iblfQoSWredDropBPS.21.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.21.5	Gauge	4294967295
iblfQoSWredDropBPS.21.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.21.6	Gauge	4294967295
iblfQoSWredDropBPS.21.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.21.7	Gauge	4294967295
iblfQoSWredDropBPS.22.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.22.0	Gauge	4294967295
iblfQoSWredDropBPS.22.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.22.1	Gauge	4294967295
iblfQoSWredDropBPS.22.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.22.2	Gauge	4294967295
iblfQoSWredDropBPS.22.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.22.3	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSredDropBPS.22.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.22.4	Gauge	4294967295
iblfQoSredDropBPS.22.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.22.5	Gauge	4294967295
iblfQoSredDropBPS.22.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.22.6	Gauge	4294967295
iblfQoSredDropBPS.22.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.22.7	Gauge	4294967295
iblfQoSredDropBPS.23.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.23.0	Gauge	4294967295
iblfQoSredDropBPS.23.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.23.1	Gauge	4294967295
iblfQoSredDropBPS.23.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.23.2	Gauge	4294967295
iblfQoSredDropBPS.23.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.23.3	Gauge	4294967295
iblfQoSredDropBPS.23.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.23.4	Gauge	4294967295
iblfQoSredDropBPS.23.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.23.5	Gauge	4294967295
iblfQoSredDropBPS.23.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.23.6	Gauge	4294967295
iblfQoSredDropBPS.23.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.23.7	Gauge	4294967295
iblfQoSredDropBPS.24.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.24.0	Gauge	4294967295
iblfQoSredDropBPS.24.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.24.1	Gauge	4294967295
iblfQoSredDropBPS.24.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.24.2	Gauge	4294967295
iblfQoSredDropBPS.24.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.24.3	Gauge	4294967295
iblfQoSredDropBPS.24.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.24.4	Gauge	4294967295
iblfQoSredDropBPS.24.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.24.5	Gauge	4294967295
iblfQoSredDropBPS.24.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.24.6	Gauge	4294967295
iblfQoSredDropBPS.24.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.24.7	Gauge	4294967295
iblfQoSredDropBPS.25.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.25.0	Gauge	4294967295
iblfQoSredDropBPS.25.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.25.1	Gauge	4294967295
iblfQoSredDropBPS.25.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.25.2	Gauge	4294967295
iblfQoSredDropBPS.25.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.25.3	Gauge	4294967295
iblfQoSredDropBPS.25.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.25.4	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSredDropBPS.25.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.25.5	Gauge	4294967295
iblfQoSredDropBPS.25.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.25.6	Gauge	4294967295
iblfQoSredDropBPS.25.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.25.7	Gauge	4294967295
iblfQoSredDropBPS.26.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.26.0	Gauge	4294967295
iblfQoSredDropBPS.26.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.26.1	Gauge	4294967295
iblfQoSredDropBPS.26.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.26.2	Gauge	4294967295
iblfQoSredDropBPS.26.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.26.3	Gauge	4294967295
iblfQoSredDropBPS.26.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.26.4	Gauge	4294967295
iblfQoSredDropBPS.26.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.26.5	Gauge	4294967295
iblfQoSredDropBPS.26.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.26.6	Gauge	4294967295
iblfQoSredDropBPS.26.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.26.7	Gauge	4294967295
iblfQoSredDropBPS.27.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.27.0	Gauge	4294967295
iblfQoSredDropBPS.27.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.27.1	Gauge	4294967295
iblfQoSredDropBPS.27.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.27.2	Gauge	4294967295
iblfQoSredDropBPS.27.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.27.3	Gauge	4294967295
iblfQoSredDropBPS.27.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.27.4	Gauge	4294967295
iblfQoSredDropBPS.27.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.27.5	Gauge	4294967295
iblfQoSredDropBPS.27.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.27.6	Gauge	4294967295
iblfQoSredDropBPS.27.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.27.7	Gauge	4294967295
iblfQoSredDropBPS.28.0	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.28.0	Gauge	4294967295
iblfQoSredDropBPS.28.1	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.28.1	Gauge	4294967295
iblfQoSredDropBPS.28.2	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.28.2	Gauge	4294967295
iblfQoSredDropBPS.28.3	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.28.3	Gauge	4294967295
iblfQoSredDropBPS.28.4	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.28.4	Gauge	4294967295
iblfQoSredDropBPS.28.5	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.28.5	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropBPS.28.6	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.28.6	Gauge	4294967295
ibIfQoSWredDropBPS.28.7	.1.3.6.1.4.1.26138.2.65.1.1.2.1.1.20.28.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.1.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.1.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.1.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.1.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.1.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.1.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.1.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.1.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.1.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.1.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.1.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.1.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.1.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.1.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.1.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.1.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.2.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.2.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.2.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.2.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.2.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.2.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.2.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.2.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.2.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.2.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.2.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.2.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.2.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.2.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.2.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.2.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.3.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.3.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.3.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.3.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.3.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.3.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.3.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.3.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.3.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.3.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.3.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.3.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.3.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.3.6	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropL-PreNTcpPPS.3.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.3.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.4.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.4.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.4.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.4.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.4.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.4.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.4.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.4.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.4.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.4.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.4.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.4.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.4.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.4.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.4.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.4.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.5.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.5.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.5.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.5.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.5.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.5.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.5.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.5.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.5.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.5.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.5.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.5.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.5.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.5.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.5.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.5.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.6.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.6.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.6.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.6.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.6.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.6.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.6.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.6.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.6.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.6.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.6.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.6.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.6.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.6.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.6.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.6.7	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropL-PreNTcpPPS.7.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.7.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.7.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.7.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.7.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.7.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.7.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.7.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.7.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.7.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.7.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.7.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.7.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.7.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.7.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.7.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.8.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.8.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.8.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.8.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.8.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.8.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.8.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.8.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.8.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.8.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.8.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.8.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.8.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.8.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.8.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.8.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.9.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.9.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.9.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.9.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.9.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.9.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.9.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.9.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.9.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.9.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.9.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.9.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.9.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.9.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.9.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.9.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.10.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.10.0	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropL-PreNTcpPPS.10.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.10.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.10.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.10.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.10.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.10.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.10.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.10.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.10.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.10.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.10.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.10.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.10.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.10.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.11.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.11.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.11.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.11.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.11.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.11.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.11.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.11.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.11.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.11.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.11.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.11.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.11.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.11.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.11.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.11.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.12.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.12.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.12.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.12.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.12.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.12.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.12.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.12.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.12.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.12.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.12.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.12.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.12.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.12.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.12.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.12.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.13.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.13.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.13.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.13.1	Gauge	4294967295

Name	OID	Value Type	Value Example
ibLfQoSWredDropL-PreNTcpPPS.13.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.13.2	Gauge	4294967295
ibLfQoSWredDropL-PreNTcpPPS.13.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.13.3	Gauge	4294967295
ibLfQoSWredDropL-PreNTcpPPS.13.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.13.4	Gauge	4294967295
ibLfQoSWredDropL-PreNTcpPPS.13.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.13.5	Gauge	4294967295
ibLfQoSWredDropL-PreNTcpPPS.13.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.13.6	Gauge	4294967295
ibLfQoSWredDropL-PreNTcpPPS.13.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.13.7	Gauge	4294967295
ibLfQoSWredDropL-PreNTcpPPS.14.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.14.0	Gauge	4294967295
ibLfQoSWredDropL-PreNTcpPPS.14.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.14.1	Gauge	4294967295
ibLfQoSWredDropL-PreNTcpPPS.14.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.14.2	Gauge	4294967295
ibLfQoSWredDropL-PreNTcpPPS.14.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.14.3	Gauge	4294967295
ibLfQoSWredDropL-PreNTcpPPS.14.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.14.4	Gauge	4294967295
ibLfQoSWredDropL-PreNTcpPPS.14.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.14.5	Gauge	4294967295
ibLfQoSWredDropL-PreNTcpPPS.14.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.14.6	Gauge	4294967295
ibLfQoSWredDropL-PreNTcpPPS.14.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.14.7	Gauge	4294967295
ibLfQoSWredDropL-PreNTcpPPS.15.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.15.0	Gauge	4294967295
ibLfQoSWredDropL-PreNTcpPPS.15.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.15.1	Gauge	4294967295
ibLfQoSWredDropL-PreNTcpPPS.15.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.15.2	Gauge	4294967295
ibLfQoSWredDropL-PreNTcpPPS.15.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.15.3	Gauge	4294967295
ibLfQoSWredDropL-PreNTcpPPS.15.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.15.4	Gauge	4294967295
ibLfQoSWredDropL-PreNTcpPPS.15.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.15.5	Gauge	4294967295
ibLfQoSWredDropL-PreNTcpPPS.15.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.15.6	Gauge	4294967295
ibLfQoSWredDropL-PreNTcpPPS.15.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.15.7	Gauge	4294967295
ibLfQoSWredDropL-PreNTcpPPS.16.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.16.0	Gauge	4294967295
ibLfQoSWredDropL-PreNTcpPPS.16.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.16.1	Gauge	4294967295
ibLfQoSWredDropL-PreNTcpPPS.16.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.16.2	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropL-PreNTcpPPS.16.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.16.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.16.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.16.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.16.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.16.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.16.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.16.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.16.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.16.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.17.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.17.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.17.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.17.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.17.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.17.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.17.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.17.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.17.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.17.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.17.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.17.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.17.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.17.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.17.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.17.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.18.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.18.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.18.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.18.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.18.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.18.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.18.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.18.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.18.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.18.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.18.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.18.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.18.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.18.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.18.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.18.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.19.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.19.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.19.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.19.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.19.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.19.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.19.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.19.3	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropL-PreNTcpPPS.19.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.19.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.19.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.19.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.19.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.19.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.19.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.19.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.20.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.20.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.20.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.20.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.20.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.20.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.20.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.20.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.20.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.20.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.20.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.20.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.20.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.20.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.20.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.20.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.21.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.21.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.21.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.21.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.21.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.21.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.21.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.21.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.21.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.21.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.21.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.21.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.21.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.21.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.21.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.21.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.22.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.22.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.22.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.22.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.22.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.22.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.22.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.22.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.22.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.22.4	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropL-PreNTcpPPS.22.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.22.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.22.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.22.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.22.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.22.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.23.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.23.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.23.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.23.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.23.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.23.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.23.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.23.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.23.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.23.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.23.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.23.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.23.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.23.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.23.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.23.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.24.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.24.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.24.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.24.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.24.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.24.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.24.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.24.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.24.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.24.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.24.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.24.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.24.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.24.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.24.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.24.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.25.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.25.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.25.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.25.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.25.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.25.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.25.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.25.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.25.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.25.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.25.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.25.5	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropL-PreNTcpPPS.25.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.25.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.25.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.25.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.26.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.26.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.26.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.26.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.26.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.26.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.26.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.26.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.26.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.26.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.26.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.26.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.26.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.26.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.26.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.26.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.27.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.27.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.27.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.27.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.27.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.27.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.27.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.27.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.27.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.27.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.27.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.27.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.27.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.27.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.27.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.27.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.28.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.28.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.28.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.28.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.28.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.28.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.28.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.28.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.28.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.28.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.28.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.28.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpPPS.28.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.28.6	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropL-PreNTcpPPS.28.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.3.28.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.1.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.1.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.1.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.1.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.1.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.1.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.1.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.1.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.1.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.1.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.1.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.1.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.1.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.1.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.1.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.1.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.2.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.2.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.2.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.2.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.2.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.2.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.2.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.2.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.2.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.2.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.2.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.2.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.2.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.2.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.2.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.2.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.3.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.3.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.3.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.3.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.3.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.3.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.3.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.3.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.3.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.3.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.3.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.3.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.3.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.3.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.3.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.3.7	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropL-PreNTcpBPS.4.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.4.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.4.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.4.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.4.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.4.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.4.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.4.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.4.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.4.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.4.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.4.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.4.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.4.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.4.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.4.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.5.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.5.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.5.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.5.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.5.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.5.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.5.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.5.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.5.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.5.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.5.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.5.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.5.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.5.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.5.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.5.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.6.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.6.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.6.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.6.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.6.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.6.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.6.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.6.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.6.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.6.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.6.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.6.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.6.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.6.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.6.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.6.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.7.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.7.0	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropL-PreNTcpBPS.7.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.7.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.7.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.7.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.7.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.7.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.7.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.7.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.7.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.7.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.7.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.7.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.7.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.7.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.8.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.8.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.8.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.8.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.8.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.8.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.8.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.8.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.8.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.8.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.8.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.8.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.8.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.8.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.8.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.8.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.9.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.9.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.9.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.9.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.9.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.9.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.9.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.9.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.9.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.9.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.9.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.9.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.9.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.9.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.9.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.9.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.10.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.10.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.10.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.10.1	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropL-PreNTcpBPS.10.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.10.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.10.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.10.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.10.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.10.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.10.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.10.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.10.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.10.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.10.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.10.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.11.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.11.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.11.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.11.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.11.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.11.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.11.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.11.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.11.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.11.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.11.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.11.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.11.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.11.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.11.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.11.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.12.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.12.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.12.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.12.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.12.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.12.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.12.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.12.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.12.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.12.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.12.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.12.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.12.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.12.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.12.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.12.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.13.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.13.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.13.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.13.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.13.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.13.2	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropL-PreNTcpBPS.13.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.13.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.13.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.13.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.13.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.13.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.13.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.13.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.13.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.13.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.14.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.14.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.14.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.14.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.14.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.14.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.14.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.14.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.14.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.14.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.14.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.14.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.14.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.14.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.14.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.14.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.15.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.15.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.15.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.15.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.15.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.15.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.15.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.15.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.15.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.15.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.15.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.15.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.15.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.15.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.15.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.15.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.16.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.16.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.16.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.16.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.16.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.16.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.16.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.16.3	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropL-PreNTcpBPS.16.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.16.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.16.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.16.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.16.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.16.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.16.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.16.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.17.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.17.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.17.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.17.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.17.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.17.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.17.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.17.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.17.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.17.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.17.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.17.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.17.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.17.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.17.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.17.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.18.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.18.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.18.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.18.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.18.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.18.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.18.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.18.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.18.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.18.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.18.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.18.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.18.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.18.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.18.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.18.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.19.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.19.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.19.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.19.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.19.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.19.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.19.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.19.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.19.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.19.4	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropL-PreNTcpBPS.19.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.19.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.19.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.19.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.19.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.19.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.20.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.20.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.20.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.20.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.20.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.20.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.20.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.20.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.20.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.20.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.20.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.20.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.20.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.20.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.20.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.20.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.21.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.21.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.21.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.21.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.21.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.21.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.21.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.21.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.21.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.21.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.21.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.21.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.21.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.21.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.21.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.21.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.22.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.22.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.22.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.22.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.22.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.22.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.22.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.22.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.22.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.22.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.22.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.22.5	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropL-PreNTcpBPS.22.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.22.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.22.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.22.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.23.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.23.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.23.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.23.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.23.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.23.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.23.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.23.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.23.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.23.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.23.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.23.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.23.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.23.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.23.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.23.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.24.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.24.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.24.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.24.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.24.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.24.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.24.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.24.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.24.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.24.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.24.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.24.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.24.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.24.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.24.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.24.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.25.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.25.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.25.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.25.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.25.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.25.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.25.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.25.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.25.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.25.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.25.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.25.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.25.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.25.6	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropL-PreNTcpBPS.25.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.25.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.26.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.26.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.26.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.26.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.26.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.26.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.26.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.26.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.26.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.26.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.26.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.26.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.26.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.26.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.26.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.26.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.27.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.27.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.27.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.27.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.27.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.27.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.27.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.27.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.27.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.27.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.27.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.27.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.27.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.27.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.27.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.27.7	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.28.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.28.0	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.28.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.28.1	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.28.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.28.2	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.28.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.28.3	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.28.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.28.4	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.28.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.28.5	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.28.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.28.6	Gauge	4294967295
ibIfQoSWredDropL-PreNTcpBPS.28.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.4.28.7	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSWredDropL-PreTcpPPS.1.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.1.0	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.1.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.1.1	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.1.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.1.2	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.1.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.1.3	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.1.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.1.4	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.1.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.1.5	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.1.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.1.6	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.1.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.1.7	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.2.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.2.0	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.2.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.2.1	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.2.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.2.2	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.2.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.2.3	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.2.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.2.4	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.2.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.2.5	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.2.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.2.6	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.2.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.2.7	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.3.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.3.0	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.3.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.3.1	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.3.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.3.2	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.3.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.3.3	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.3.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.3.4	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.3.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.3.5	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.3.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.3.6	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.3.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.3.7	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.4.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.4.0	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSWredDropL-PreTcpPPS.4.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.4.1	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.4.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.4.2	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.4.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.4.3	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.4.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.4.4	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.4.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.4.5	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.4.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.4.6	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.4.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.4.7	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.5.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.5.0	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.5.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.5.1	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.5.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.5.2	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.5.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.5.3	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.5.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.5.4	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.5.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.5.5	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.5.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.5.6	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.5.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.5.7	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.6.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.6.0	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.6.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.6.1	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.6.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.6.2	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.6.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.6.3	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.6.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.6.4	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.6.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.6.5	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.6.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.6.6	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.6.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.6.7	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.7.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.7.0	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.7.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.7.1	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSWredDropL-PreTcpPPS.7.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.7.2	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.7.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.7.3	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.7.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.7.4	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.7.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.7.5	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.7.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.7.6	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.7.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.7.7	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.8.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.8.0	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.8.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.8.1	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.8.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.8.2	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.8.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.8.3	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.8.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.8.4	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.8.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.8.5	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.8.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.8.6	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.8.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.8.7	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.9.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.9.0	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.9.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.9.1	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.9.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.9.2	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.9.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.9.3	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.9.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.9.4	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.9.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.9.5	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.9.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.9.6	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.9.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.9.7	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.10.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.10.0	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.10.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.10.1	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.10.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.10.2	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSWredDropL-PreTcpPPS.10.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.10.3	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.10.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.10.4	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.10.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.10.5	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.10.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.10.6	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.10.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.10.7	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.11.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.11.0	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.11.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.11.1	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.11.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.11.2	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.11.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.11.3	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.11.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.11.4	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.11.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.11.5	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.11.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.11.6	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.11.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.11.7	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.12.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.12.0	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.12.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.12.1	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.12.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.12.2	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.12.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.12.3	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.12.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.12.4	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.12.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.12.5	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.12.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.12.6	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.12.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.12.7	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.13.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.13.0	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.13.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.13.1	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.13.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.13.2	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.13.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.13.3	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropL-PreTcpPPS.13.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.13.4	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.13.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.13.5	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.13.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.13.6	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.13.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.13.7	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.14.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.14.0	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.14.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.14.1	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.14.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.14.2	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.14.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.14.3	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.14.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.14.4	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.14.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.14.5	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.14.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.14.6	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.14.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.14.7	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.15.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.15.0	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.15.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.15.1	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.15.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.15.2	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.15.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.15.3	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.15.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.15.4	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.15.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.15.5	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.15.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.15.6	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.15.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.15.7	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.16.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.16.0	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.16.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.16.1	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.16.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.16.2	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.16.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.16.3	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.16.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.16.4	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSWredDropL-PreTcpPPS.16.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.16.5	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.16.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.16.6	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.16.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.16.7	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.17.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.17.0	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.17.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.17.1	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.17.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.17.2	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.17.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.17.3	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.17.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.17.4	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.17.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.17.5	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.17.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.17.6	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.17.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.17.7	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.18.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.18.0	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.18.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.18.1	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.18.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.18.2	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.18.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.18.3	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.18.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.18.4	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.18.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.18.5	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.18.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.18.6	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.18.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.18.7	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.19.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.19.0	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.19.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.19.1	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.19.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.19.2	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.19.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.19.3	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.19.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.19.4	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.19.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.19.5	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSWredDropL-PreTcpPPS.19.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.19.6	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.19.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.19.7	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.20.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.20.0	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.20.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.20.1	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.20.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.20.2	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.20.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.20.3	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.20.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.20.4	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.20.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.20.5	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.20.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.20.6	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.20.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.20.7	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.21.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.21.0	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.21.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.21.1	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.21.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.21.2	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.21.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.21.3	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.21.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.21.4	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.21.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.21.5	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.21.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.21.6	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.21.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.21.7	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.22.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.22.0	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.22.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.22.1	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.22.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.22.2	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.22.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.22.3	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.22.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.22.4	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.22.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.22.5	Gauge	4294967295
iblfQoSWredDropL-PreTcpPPS.22.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.22.6	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropL-PreTcpPPS.22.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.22.7	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.23.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.23.0	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.23.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.23.1	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.23.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.23.2	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.23.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.23.3	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.23.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.23.4	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.23.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.23.5	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.23.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.23.6	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.23.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.23.7	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.24.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.24.0	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.24.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.24.1	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.24.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.24.2	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.24.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.24.3	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.24.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.24.4	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.24.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.24.5	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.24.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.24.6	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.24.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.24.7	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.25.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.25.0	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.25.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.25.1	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.25.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.25.2	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.25.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.25.3	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.25.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.25.4	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.25.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.25.5	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.25.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.25.6	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.25.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.25.7	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropL-PreTcpPPS.26.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.26.0	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.26.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.26.1	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.26.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.26.2	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.26.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.26.3	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.26.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.26.4	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.26.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.26.5	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.26.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.26.6	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.26.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.26.7	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.27.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.27.0	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.27.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.27.1	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.27.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.27.2	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.27.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.27.3	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.27.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.27.4	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.27.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.27.5	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.27.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.27.6	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.27.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.27.7	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.28.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.28.0	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.28.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.28.1	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.28.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.28.2	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.28.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.28.3	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.28.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.28.4	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.28.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.28.5	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.28.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.28.6	Gauge	4294967295
ibIfQoSWredDropL-PreTcpPPS.28.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.7.28.7	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.1.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.1.0	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropL-PreTcpBPS.1.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.1.1	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.1.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.1.2	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.1.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.1.3	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.1.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.1.4	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.1.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.1.5	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.1.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.1.6	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.1.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.1.7	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.2.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.2.0	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.2.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.2.1	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.2.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.2.2	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.2.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.2.3	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.2.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.2.4	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.2.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.2.5	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.2.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.2.6	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.2.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.2.7	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.3.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.3.0	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.3.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.3.1	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.3.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.3.2	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.3.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.3.3	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.3.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.3.4	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.3.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.3.5	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.3.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.3.6	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.3.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.3.7	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.4.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.4.0	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.4.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.4.1	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropL-PreTcpBPS.4.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.4.2	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.4.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.4.3	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.4.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.4.4	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.4.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.4.5	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.4.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.4.6	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.4.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.4.7	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.5.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.5.0	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.5.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.5.1	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.5.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.5.2	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.5.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.5.3	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.5.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.5.4	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.5.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.5.5	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.5.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.5.6	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.5.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.5.7	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.6.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.6.0	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.6.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.6.1	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.6.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.6.2	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.6.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.6.3	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.6.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.6.4	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.6.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.6.5	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.6.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.6.6	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.6.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.6.7	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.7.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.7.0	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.7.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.7.1	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.7.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.7.2	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSWredDropL-PreTcpBPS.7.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.7.3	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.7.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.7.4	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.7.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.7.5	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.7.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.7.6	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.7.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.7.7	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.8.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.8.0	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.8.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.8.1	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.8.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.8.2	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.8.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.8.3	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.8.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.8.4	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.8.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.8.5	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.8.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.8.6	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.8.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.8.7	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.9.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.9.0	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.9.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.9.1	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.9.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.9.2	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.9.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.9.3	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.9.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.9.4	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.9.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.9.5	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.9.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.9.6	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.9.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.9.7	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.10.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.10.0	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.10.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.10.1	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.10.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.10.2	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.10.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.10.3	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSWredDropL-PreTcpBPS.10.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.10.4	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.10.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.10.5	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.10.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.10.6	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.10.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.10.7	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.11.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.11.0	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.11.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.11.1	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.11.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.11.2	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.11.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.11.3	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.11.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.11.4	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.11.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.11.5	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.11.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.11.6	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.11.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.11.7	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.12.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.12.0	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.12.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.12.1	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.12.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.12.2	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.12.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.12.3	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.12.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.12.4	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.12.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.12.5	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.12.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.12.6	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.12.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.12.7	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.13.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.13.0	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.13.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.13.1	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.13.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.13.2	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.13.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.13.3	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.13.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.13.4	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropL-PreTcpBPS.13.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.13.5	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.13.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.13.6	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.13.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.13.7	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.14.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.14.0	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.14.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.14.1	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.14.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.14.2	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.14.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.14.3	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.14.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.14.4	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.14.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.14.5	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.14.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.14.6	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.14.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.14.7	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.15.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.15.0	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.15.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.15.1	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.15.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.15.2	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.15.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.15.3	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.15.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.15.4	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.15.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.15.5	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.15.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.15.6	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.15.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.15.7	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.16.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.16.0	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.16.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.16.1	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.16.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.16.2	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.16.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.16.3	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.16.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.16.4	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.16.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.16.5	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSWredDropL-PreTcpBPS.16.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.16.6	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.16.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.16.7	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.17.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.17.0	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.17.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.17.1	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.17.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.17.2	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.17.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.17.3	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.17.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.17.4	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.17.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.17.5	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.17.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.17.6	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.17.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.17.7	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.18.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.18.0	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.18.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.18.1	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.18.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.18.2	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.18.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.18.3	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.18.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.18.4	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.18.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.18.5	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.18.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.18.6	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.18.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.18.7	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.19.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.19.0	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.19.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.19.1	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.19.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.19.2	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.19.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.19.3	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.19.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.19.4	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.19.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.19.5	Gauge	4294967295
iblfQoSWredDropL-PreTcpBPS.19.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.19.6	Gauge	4294967295

Name	OID	Value Type	Value Example
ibLfQoSWredDropL-PreTcpBPS.19.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.19.7	Gauge	4294967295
ibLfQoSWredDropL-PreTcpBPS.20.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.20.0	Gauge	4294967295
ibLfQoSWredDropL-PreTcpBPS.20.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.20.1	Gauge	4294967295
ibLfQoSWredDropL-PreTcpBPS.20.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.20.2	Gauge	4294967295
ibLfQoSWredDropL-PreTcpBPS.20.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.20.3	Gauge	4294967295
ibLfQoSWredDropL-PreTcpBPS.20.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.20.4	Gauge	4294967295
ibLfQoSWredDropL-PreTcpBPS.20.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.20.5	Gauge	4294967295
ibLfQoSWredDropL-PreTcpBPS.20.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.20.6	Gauge	4294967295
ibLfQoSWredDropL-PreTcpBPS.20.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.20.7	Gauge	4294967295
ibLfQoSWredDropL-PreTcpBPS.21.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.21.0	Gauge	4294967295
ibLfQoSWredDropL-PreTcpBPS.21.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.21.1	Gauge	4294967295
ibLfQoSWredDropL-PreTcpBPS.21.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.21.2	Gauge	4294967295
ibLfQoSWredDropL-PreTcpBPS.21.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.21.3	Gauge	4294967295
ibLfQoSWredDropL-PreTcpBPS.21.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.21.4	Gauge	4294967295
ibLfQoSWredDropL-PreTcpBPS.21.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.21.5	Gauge	4294967295
ibLfQoSWredDropL-PreTcpBPS.21.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.21.6	Gauge	4294967295
ibLfQoSWredDropL-PreTcpBPS.21.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.21.7	Gauge	4294967295
ibLfQoSWredDropL-PreTcpBPS.22.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.22.0	Gauge	4294967295
ibLfQoSWredDropL-PreTcpBPS.22.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.22.1	Gauge	4294967295
ibLfQoSWredDropL-PreTcpBPS.22.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.22.2	Gauge	4294967295
ibLfQoSWredDropL-PreTcpBPS.22.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.22.3	Gauge	4294967295
ibLfQoSWredDropL-PreTcpBPS.22.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.22.4	Gauge	4294967295
ibLfQoSWredDropL-PreTcpBPS.22.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.22.5	Gauge	4294967295
ibLfQoSWredDropL-PreTcpBPS.22.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.22.6	Gauge	4294967295
ibLfQoSWredDropL-PreTcpBPS.22.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.22.7	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropL-PreTcpBPS.23.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.23.0	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.23.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.23.1	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.23.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.23.2	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.23.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.23.3	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.23.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.23.4	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.23.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.23.5	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.23.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.23.6	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.23.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.23.7	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.24.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.24.0	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.24.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.24.1	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.24.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.24.2	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.24.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.24.3	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.24.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.24.4	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.24.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.24.5	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.24.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.24.6	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.24.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.24.7	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.25.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.25.0	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.25.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.25.1	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.25.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.25.2	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.25.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.25.3	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.25.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.25.4	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.25.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.25.5	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.25.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.25.6	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.25.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.25.7	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.26.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.26.0	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropL-PreTcpBPS.26.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.26.1	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.26.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.26.2	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.26.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.26.3	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.26.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.26.4	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.26.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.26.5	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.26.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.26.6	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.26.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.26.7	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.27.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.27.0	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.27.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.27.1	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.27.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.27.2	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.27.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.27.3	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.27.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.27.4	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.27.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.27.5	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.27.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.27.6	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.27.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.27.7	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.28.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.28.0	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.28.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.28.1	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.28.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.28.2	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.28.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.28.3	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.28.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.28.4	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.28.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.28.5	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.28.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.28.6	Gauge	4294967295
ibIfQoSWredDropL-PreTcpBPS.28.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.8.28.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.1.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.1.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.1.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.1.1	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropH-PreNTcpPPS.1.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.1.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.1.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.1.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.1.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.1.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.1.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.1.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.1.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.1.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.1.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.1.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.2.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.2.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.2.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.2.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.2.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.2.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.2.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.2.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.2.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.2.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.2.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.2.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.2.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.2.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.2.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.2.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.3.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.3.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.3.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.3.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.3.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.3.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.3.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.3.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.3.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.3.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.3.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.3.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.3.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.3.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.3.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.3.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.4.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.4.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.4.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.4.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.4.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.4.2	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropH-PreNTcpPPS.4.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.4.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.4.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.4.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.4.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.4.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.4.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.4.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.4.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.4.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.5.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.5.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.5.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.5.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.5.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.5.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.5.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.5.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.5.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.5.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.5.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.5.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.5.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.5.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.5.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.5.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.6.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.6.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.6.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.6.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.6.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.6.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.6.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.6.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.6.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.6.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.6.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.6.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.6.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.6.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.6.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.6.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.7.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.7.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.7.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.7.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.7.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.7.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.7.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.7.3	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropH-PreNTcpPPS.7.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.7.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.7.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.7.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.7.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.7.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.7.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.7.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.8.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.8.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.8.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.8.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.8.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.8.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.8.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.8.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.8.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.8.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.8.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.8.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.8.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.8.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.8.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.8.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.9.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.9.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.9.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.9.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.9.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.9.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.9.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.9.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.9.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.9.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.9.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.9.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.9.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.9.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.9.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.9.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.10.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.10.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.10.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.10.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.10.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.10.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.10.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.10.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.10.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.10.4	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropH-PreNTcpPPS.10.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.10.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.10.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.10.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.10.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.10.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.11.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.11.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.11.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.11.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.11.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.11.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.11.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.11.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.11.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.11.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.11.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.11.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.11.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.11.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.11.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.11.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.12.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.12.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.12.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.12.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.12.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.12.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.12.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.12.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.12.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.12.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.12.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.12.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.12.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.12.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.12.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.12.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.13.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.13.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.13.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.13.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.13.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.13.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.13.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.13.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.13.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.13.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.13.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.13.5	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropH-PreNTcpPPS.13.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.13.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.13.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.13.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.14.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.14.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.14.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.14.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.14.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.14.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.14.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.14.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.14.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.14.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.14.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.14.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.14.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.14.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.14.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.14.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.15.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.15.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.15.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.15.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.15.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.15.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.15.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.15.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.15.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.15.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.15.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.15.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.15.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.15.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.15.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.15.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.16.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.16.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.16.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.16.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.16.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.16.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.16.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.16.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.16.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.16.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.16.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.16.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.16.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.16.6	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropH-PreNTcpPPS.16.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.16.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.17.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.17.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.17.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.17.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.17.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.17.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.17.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.17.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.17.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.17.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.17.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.17.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.17.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.17.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.17.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.17.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.18.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.18.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.18.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.18.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.18.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.18.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.18.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.18.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.18.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.18.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.18.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.18.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.18.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.18.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.18.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.18.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.19.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.19.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.19.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.19.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.19.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.19.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.19.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.19.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.19.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.19.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.19.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.19.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.19.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.19.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.19.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.19.7	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropH-PreNTcpPPS.20.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.20.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.20.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.20.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.20.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.20.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.20.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.20.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.20.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.20.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.20.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.20.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.20.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.20.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.20.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.20.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.21.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.21.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.21.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.21.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.21.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.21.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.21.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.21.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.21.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.21.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.21.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.21.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.21.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.21.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.21.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.21.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.22.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.22.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.22.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.22.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.22.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.22.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.22.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.22.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.22.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.22.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.22.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.22.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.22.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.22.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.22.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.22.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.23.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.23.0	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropH-PreNTcpPPS.23.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.23.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.23.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.23.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.23.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.23.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.23.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.23.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.23.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.23.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.23.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.23.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.23.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.23.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.24.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.24.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.24.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.24.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.24.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.24.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.24.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.24.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.24.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.24.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.24.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.24.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.24.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.24.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.24.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.24.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.25.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.25.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.25.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.25.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.25.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.25.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.25.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.25.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.25.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.25.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.25.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.25.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.25.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.25.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.25.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.25.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.26.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.26.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.26.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.26.1	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropH-PreNTcpPPS.26.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.26.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.26.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.26.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.26.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.26.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.26.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.26.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.26.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.26.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.26.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.26.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.27.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.27.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.27.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.27.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.27.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.27.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.27.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.27.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.27.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.27.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.27.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.27.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.27.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.27.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.27.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.27.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.28.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.28.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.28.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.28.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.28.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.28.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.28.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.28.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.28.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.28.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.28.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.28.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.28.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.28.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpPPS.28.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.11.28.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.1.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.1.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.1.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.1.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.1.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.1.2	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropH-PreNTcpBPS.1.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.1.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.1.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.1.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.1.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.1.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.1.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.1.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.1.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.1.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.2.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.2.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.2.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.2.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.2.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.2.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.2.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.2.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.2.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.2.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.2.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.2.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.2.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.2.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.2.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.2.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.3.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.3.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.3.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.3.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.3.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.3.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.3.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.3.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.3.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.3.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.3.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.3.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.3.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.3.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.3.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.3.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.4.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.4.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.4.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.4.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.4.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.4.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.4.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.4.3	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropH-PreNTcpBPS.4.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.4.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.4.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.4.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.4.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.4.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.4.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.4.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.5.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.5.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.5.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.5.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.5.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.5.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.5.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.5.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.5.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.5.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.5.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.5.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.5.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.5.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.5.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.5.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.6.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.6.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.6.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.6.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.6.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.6.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.6.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.6.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.6.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.6.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.6.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.6.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.6.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.6.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.6.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.6.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.7.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.7.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.7.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.7.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.7.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.7.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.7.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.7.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.7.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.7.4	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropH-PreNTcpBPS.7.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.7.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.7.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.7.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.7.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.7.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.8.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.8.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.8.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.8.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.8.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.8.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.8.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.8.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.8.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.8.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.8.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.8.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.8.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.8.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.8.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.8.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.9.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.9.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.9.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.9.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.9.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.9.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.9.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.9.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.9.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.9.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.9.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.9.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.9.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.9.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.9.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.9.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.10.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.10.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.10.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.10.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.10.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.10.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.10.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.10.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.10.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.10.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.10.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.10.5	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropH-PreNTcpBPS.10.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.10.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.10.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.10.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.11.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.11.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.11.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.11.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.11.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.11.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.11.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.11.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.11.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.11.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.11.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.11.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.11.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.11.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.11.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.11.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.12.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.12.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.12.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.12.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.12.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.12.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.12.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.12.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.12.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.12.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.12.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.12.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.12.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.12.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.12.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.12.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.13.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.13.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.13.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.13.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.13.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.13.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.13.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.13.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.13.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.13.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.13.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.13.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.13.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.13.6	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropH-PreNTcpBPS.13.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.13.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.14.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.14.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.14.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.14.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.14.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.14.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.14.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.14.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.14.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.14.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.14.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.14.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.14.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.14.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.14.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.14.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.15.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.15.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.15.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.15.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.15.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.15.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.15.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.15.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.15.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.15.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.15.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.15.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.15.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.15.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.15.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.15.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.16.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.16.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.16.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.16.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.16.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.16.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.16.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.16.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.16.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.16.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.16.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.16.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.16.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.16.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.16.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.16.7	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropH-PreNTcpBPS.17.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.17.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.17.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.17.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.17.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.17.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.17.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.17.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.17.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.17.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.17.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.17.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.17.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.17.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.17.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.17.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.18.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.18.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.18.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.18.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.18.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.18.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.18.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.18.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.18.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.18.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.18.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.18.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.18.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.18.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.18.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.18.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.19.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.19.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.19.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.19.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.19.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.19.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.19.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.19.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.19.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.19.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.19.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.19.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.19.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.19.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.19.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.19.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.20.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.20.0	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropH-PreNTcpBPS.20.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.20.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.20.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.20.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.20.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.20.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.20.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.20.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.20.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.20.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.20.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.20.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.20.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.20.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.21.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.21.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.21.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.21.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.21.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.21.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.21.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.21.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.21.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.21.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.21.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.21.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.21.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.21.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.21.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.21.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.22.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.22.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.22.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.22.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.22.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.22.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.22.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.22.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.22.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.22.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.22.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.22.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.22.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.22.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.22.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.22.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.23.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.23.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.23.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.23.1	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropH-PreNTcpBPS.23.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.23.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.23.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.23.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.23.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.23.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.23.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.23.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.23.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.23.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.23.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.23.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.24.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.24.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.24.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.24.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.24.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.24.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.24.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.24.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.24.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.24.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.24.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.24.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.24.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.24.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.24.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.24.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.25.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.25.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.25.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.25.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.25.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.25.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.25.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.25.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.25.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.25.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.25.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.25.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.25.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.25.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.25.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.25.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.26.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.26.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.26.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.26.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.26.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.26.2	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropH-PreNTcpBPS.26.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.26.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.26.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.26.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.26.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.26.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.26.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.26.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.26.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.26.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.27.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.27.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.27.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.27.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.27.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.27.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.27.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.27.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.27.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.27.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.27.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.27.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.27.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.27.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.27.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.27.7	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.28.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.28.0	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.28.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.28.1	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.28.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.28.2	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.28.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.28.3	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.28.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.28.4	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.28.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.28.5	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.28.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.28.6	Gauge	4294967295
ibIfQoSWredDropH-PreNTcpBPS.28.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.12.28.7	Gauge	4294967295
ibIfQoSWredDropH-PreTcpPPS.1.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.1.0	Gauge	4294967295
ibIfQoSWredDropH-PreTcpPPS.1.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.1.1	Gauge	4294967295
ibIfQoSWredDropH-PreTcpPPS.1.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.1.2	Gauge	4294967295
ibIfQoSWredDropH-PreTcpPPS.1.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.1.3	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSWredDropH-PreTcpPPS.1.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.1.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.1.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.1.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.1.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.1.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.1.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.1.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.2.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.2.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.2.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.2.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.2.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.2.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.2.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.2.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.2.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.2.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.2.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.2.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.2.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.2.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.2.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.2.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.3.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.3.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.3.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.3.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.3.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.3.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.3.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.3.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.3.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.3.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.3.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.3.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.3.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.3.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.3.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.3.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.4.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.4.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.4.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.4.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.4.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.4.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.4.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.4.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.4.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.4.4	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSWredDropH-PreTcpPPS.4.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.4.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.4.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.4.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.4.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.4.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.5.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.5.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.5.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.5.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.5.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.5.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.5.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.5.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.5.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.5.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.5.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.5.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.5.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.5.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.5.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.5.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.6.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.6.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.6.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.6.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.6.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.6.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.6.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.6.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.6.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.6.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.6.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.6.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.6.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.6.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.6.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.6.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.7.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.7.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.7.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.7.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.7.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.7.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.7.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.7.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.7.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.7.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.7.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.7.5	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSWredDropH-PreTcpPPS.7.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.7.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.7.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.7.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.8.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.8.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.8.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.8.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.8.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.8.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.8.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.8.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.8.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.8.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.8.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.8.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.8.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.8.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.8.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.8.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.9.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.9.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.9.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.9.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.9.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.9.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.9.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.9.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.9.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.9.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.9.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.9.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.9.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.9.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.9.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.9.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.10.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.10.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.10.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.10.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.10.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.10.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.10.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.10.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.10.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.10.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.10.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.10.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.10.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.10.6	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSWredDropH-PreTcpPPS.10.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.10.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.11.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.11.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.11.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.11.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.11.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.11.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.11.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.11.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.11.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.11.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.11.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.11.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.11.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.11.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.11.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.11.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.12.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.12.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.12.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.12.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.12.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.12.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.12.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.12.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.12.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.12.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.12.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.12.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.12.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.12.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.12.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.12.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.13.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.13.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.13.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.13.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.13.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.13.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.13.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.13.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.13.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.13.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.13.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.13.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.13.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.13.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.13.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.13.7	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSWredDropH-PreTcpPPS.14.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.14.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.14.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.14.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.14.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.14.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.14.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.14.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.14.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.14.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.14.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.14.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.14.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.14.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.14.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.14.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.15.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.15.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.15.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.15.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.15.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.15.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.15.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.15.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.15.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.15.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.15.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.15.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.15.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.15.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.15.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.15.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.16.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.16.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.16.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.16.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.16.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.16.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.16.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.16.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.16.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.16.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.16.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.16.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.16.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.16.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.16.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.16.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.17.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.17.0	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSredDropH-PreTcpPPS.17.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.17.1	Gauge	4294967295
iblfQoSredDropH-PreTcpPPS.17.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.17.2	Gauge	4294967295
iblfQoSredDropH-PreTcpPPS.17.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.17.3	Gauge	4294967295
iblfQoSredDropH-PreTcpPPS.17.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.17.4	Gauge	4294967295
iblfQoSredDropH-PreTcpPPS.17.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.17.5	Gauge	4294967295
iblfQoSredDropH-PreTcpPPS.17.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.17.6	Gauge	4294967295
iblfQoSredDropH-PreTcpPPS.17.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.17.7	Gauge	4294967295
iblfQoSredDropH-PreTcpPPS.18.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.18.0	Gauge	4294967295
iblfQoSredDropH-PreTcpPPS.18.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.18.1	Gauge	4294967295
iblfQoSredDropH-PreTcpPPS.18.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.18.2	Gauge	4294967295
iblfQoSredDropH-PreTcpPPS.18.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.18.3	Gauge	4294967295
iblfQoSredDropH-PreTcpPPS.18.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.18.4	Gauge	4294967295
iblfQoSredDropH-PreTcpPPS.18.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.18.5	Gauge	4294967295
iblfQoSredDropH-PreTcpPPS.18.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.18.6	Gauge	4294967295
iblfQoSredDropH-PreTcpPPS.18.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.18.7	Gauge	4294967295
iblfQoSredDropH-PreTcpPPS.19.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.19.0	Gauge	4294967295
iblfQoSredDropH-PreTcpPPS.19.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.19.1	Gauge	4294967295
iblfQoSredDropH-PreTcpPPS.19.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.19.2	Gauge	4294967295
iblfQoSredDropH-PreTcpPPS.19.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.19.3	Gauge	4294967295
iblfQoSredDropH-PreTcpPPS.19.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.19.4	Gauge	4294967295
iblfQoSredDropH-PreTcpPPS.19.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.19.5	Gauge	4294967295
iblfQoSredDropH-PreTcpPPS.19.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.19.6	Gauge	4294967295
iblfQoSredDropH-PreTcpPPS.19.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.19.7	Gauge	4294967295
iblfQoSredDropH-PreTcpPPS.20.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.20.0	Gauge	4294967295
iblfQoSredDropH-PreTcpPPS.20.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.20.1	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSWredDropH-PreTcpPPS.20.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.20.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.20.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.20.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.20.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.20.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.20.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.20.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.20.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.20.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.20.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.20.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.21.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.21.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.21.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.21.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.21.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.21.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.21.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.21.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.21.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.21.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.21.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.21.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.21.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.21.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.21.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.21.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.22.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.22.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.22.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.22.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.22.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.22.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.22.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.22.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.22.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.22.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.22.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.22.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.22.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.22.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.22.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.22.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.23.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.23.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.23.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.23.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.23.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.23.2	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSWredDropH-PreTcpPPS.23.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.23.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.23.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.23.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.23.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.23.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.23.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.23.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.23.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.23.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.24.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.24.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.24.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.24.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.24.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.24.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.24.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.24.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.24.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.24.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.24.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.24.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.24.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.24.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.24.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.24.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.25.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.25.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.25.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.25.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.25.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.25.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.25.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.25.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.25.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.25.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.25.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.25.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.25.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.25.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.25.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.25.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.26.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.26.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.26.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.26.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.26.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.26.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.26.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.26.3	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSWredDropH-PreTcpPPS.26.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.26.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.26.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.26.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.26.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.26.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.26.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.26.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.27.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.27.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.27.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.27.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.27.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.27.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.27.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.27.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.27.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.27.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.27.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.27.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.27.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.27.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.27.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.27.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.28.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.28.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.28.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.28.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.28.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.28.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.28.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.28.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.28.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.28.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.28.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.28.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.28.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.28.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpPPS.28.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.15.28.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.1.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.1.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.1.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.1.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.1.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.1.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.1.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.1.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.1.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.1.4	Gauge	4294967295

Name	OID	Value Type	Value Example
ibIfQoSWredDropH-PreTcpBPS.1.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.1.5	Gauge	4294967295
ibIfQoSWredDropH-PreTcpBPS.1.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.1.6	Gauge	4294967295
ibIfQoSWredDropH-PreTcpBPS.1.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.1.7	Gauge	4294967295
ibIfQoSWredDropH-PreTcpBPS.2.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.2.0	Gauge	4294967295
ibIfQoSWredDropH-PreTcpBPS.2.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.2.1	Gauge	4294967295
ibIfQoSWredDropH-PreTcpBPS.2.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.2.2	Gauge	4294967295
ibIfQoSWredDropH-PreTcpBPS.2.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.2.3	Gauge	4294967295
ibIfQoSWredDropH-PreTcpBPS.2.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.2.4	Gauge	4294967295
ibIfQoSWredDropH-PreTcpBPS.2.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.2.5	Gauge	4294967295
ibIfQoSWredDropH-PreTcpBPS.2.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.2.6	Gauge	4294967295
ibIfQoSWredDropH-PreTcpBPS.2.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.2.7	Gauge	4294967295
ibIfQoSWredDropH-PreTcpBPS.3.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.3.0	Gauge	4294967295
ibIfQoSWredDropH-PreTcpBPS.3.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.3.1	Gauge	4294967295
ibIfQoSWredDropH-PreTcpBPS.3.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.3.2	Gauge	4294967295
ibIfQoSWredDropH-PreTcpBPS.3.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.3.3	Gauge	4294967295
ibIfQoSWredDropH-PreTcpBPS.3.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.3.4	Gauge	4294967295
ibIfQoSWredDropH-PreTcpBPS.3.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.3.5	Gauge	4294967295
ibIfQoSWredDropH-PreTcpBPS.3.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.3.6	Gauge	4294967295
ibIfQoSWredDropH-PreTcpBPS.3.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.3.7	Gauge	4294967295
ibIfQoSWredDropH-PreTcpBPS.4.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.4.0	Gauge	4294967295
ibIfQoSWredDropH-PreTcpBPS.4.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.4.1	Gauge	4294967295
ibIfQoSWredDropH-PreTcpBPS.4.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.4.2	Gauge	4294967295
ibIfQoSWredDropH-PreTcpBPS.4.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.4.3	Gauge	4294967295
ibIfQoSWredDropH-PreTcpBPS.4.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.4.4	Gauge	4294967295
ibIfQoSWredDropH-PreTcpBPS.4.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.4.5	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSWredDropH-PreTcpBPS.4.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.4.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.4.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.4.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.5.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.5.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.5.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.5.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.5.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.5.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.5.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.5.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.5.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.5.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.5.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.5.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.5.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.5.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.5.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.5.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.6.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.6.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.6.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.6.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.6.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.6.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.6.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.6.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.6.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.6.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.6.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.6.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.6.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.6.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.6.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.6.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.7.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.7.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.7.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.7.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.7.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.7.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.7.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.7.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.7.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.7.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.7.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.7.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.7.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.7.6	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSWredDropH-PreTcpBPS.7.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.7.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.8.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.8.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.8.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.8.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.8.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.8.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.8.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.8.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.8.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.8.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.8.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.8.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.8.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.8.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.8.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.8.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.9.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.9.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.9.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.9.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.9.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.9.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.9.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.9.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.9.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.9.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.9.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.9.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.9.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.9.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.9.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.9.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.10.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.10.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.10.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.10.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.10.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.10.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.10.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.10.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.10.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.10.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.10.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.10.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.10.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.10.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.10.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.10.7	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSWredDropH-PreTcpBPS.11.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.11.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.11.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.11.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.11.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.11.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.11.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.11.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.11.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.11.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.11.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.11.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.11.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.11.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.11.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.11.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.12.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.12.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.12.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.12.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.12.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.12.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.12.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.12.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.12.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.12.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.12.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.12.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.12.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.12.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.12.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.12.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.13.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.13.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.13.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.13.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.13.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.13.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.13.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.13.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.13.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.13.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.13.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.13.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.13.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.13.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.13.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.13.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.14.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.14.0	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSWredDropH-PreTcpBPS.14.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.14.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.14.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.14.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.14.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.14.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.14.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.14.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.14.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.14.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.14.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.14.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.14.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.14.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.15.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.15.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.15.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.15.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.15.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.15.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.15.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.15.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.15.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.15.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.15.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.15.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.15.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.15.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.15.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.15.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.16.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.16.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.16.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.16.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.16.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.16.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.16.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.16.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.16.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.16.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.16.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.16.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.16.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.16.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.16.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.16.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.17.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.17.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.17.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.17.1	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSWredDropH-PreTcpBPS.17.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.17.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.17.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.17.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.17.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.17.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.17.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.17.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.17.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.17.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.17.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.17.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.18.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.18.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.18.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.18.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.18.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.18.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.18.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.18.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.18.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.18.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.18.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.18.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.18.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.18.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.18.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.18.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.19.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.19.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.19.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.19.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.19.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.19.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.19.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.19.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.19.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.19.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.19.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.19.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.19.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.19.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.19.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.19.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.20.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.20.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.20.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.20.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.20.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.20.2	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSredDropH-PreTcpBPS.20.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.20.3	Gauge	4294967295
iblfQoSredDropH-PreTcpBPS.20.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.20.4	Gauge	4294967295
iblfQoSredDropH-PreTcpBPS.20.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.20.5	Gauge	4294967295
iblfQoSredDropH-PreTcpBPS.20.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.20.6	Gauge	4294967295
iblfQoSredDropH-PreTcpBPS.20.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.20.7	Gauge	4294967295
iblfQoSredDropH-PreTcpBPS.21.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.21.0	Gauge	4294967295
iblfQoSredDropH-PreTcpBPS.21.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.21.1	Gauge	4294967295
iblfQoSredDropH-PreTcpBPS.21.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.21.2	Gauge	4294967295
iblfQoSredDropH-PreTcpBPS.21.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.21.3	Gauge	4294967295
iblfQoSredDropH-PreTcpBPS.21.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.21.4	Gauge	4294967295
iblfQoSredDropH-PreTcpBPS.21.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.21.5	Gauge	4294967295
iblfQoSredDropH-PreTcpBPS.21.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.21.6	Gauge	4294967295
iblfQoSredDropH-PreTcpBPS.21.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.21.7	Gauge	4294967295
iblfQoSredDropH-PreTcpBPS.22.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.22.0	Gauge	4294967295
iblfQoSredDropH-PreTcpBPS.22.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.22.1	Gauge	4294967295
iblfQoSredDropH-PreTcpBPS.22.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.22.2	Gauge	4294967295
iblfQoSredDropH-PreTcpBPS.22.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.22.3	Gauge	4294967295
iblfQoSredDropH-PreTcpBPS.22.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.22.4	Gauge	4294967295
iblfQoSredDropH-PreTcpBPS.22.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.22.5	Gauge	4294967295
iblfQoSredDropH-PreTcpBPS.22.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.22.6	Gauge	4294967295
iblfQoSredDropH-PreTcpBPS.22.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.22.7	Gauge	4294967295
iblfQoSredDropH-PreTcpBPS.23.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.23.0	Gauge	4294967295
iblfQoSredDropH-PreTcpBPS.23.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.23.1	Gauge	4294967295
iblfQoSredDropH-PreTcpBPS.23.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.23.2	Gauge	4294967295
iblfQoSredDropH-PreTcpBPS.23.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.23.3	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSWredDropH-PreTcpBPS.23.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.23.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.23.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.23.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.23.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.23.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.23.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.23.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.24.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.24.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.24.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.24.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.24.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.24.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.24.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.24.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.24.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.24.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.24.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.24.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.24.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.24.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.24.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.24.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.25.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.25.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.25.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.25.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.25.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.25.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.25.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.25.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.25.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.25.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.25.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.25.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.25.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.25.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.25.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.25.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.26.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.26.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.26.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.26.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.26.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.26.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.26.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.26.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.26.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.26.4	Gauge	4294967295

Name	OID	Value Type	Value Example
iblfQoSWredDropH-PreTcpBPS.26.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.26.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.26.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.26.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.26.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.26.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.27.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.27.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.27.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.27.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.27.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.27.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.27.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.27.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.27.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.27.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.27.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.27.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.27.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.27.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.27.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.27.7	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.28.0	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.28.0	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.28.1	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.28.1	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.28.2	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.28.2	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.28.3	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.28.3	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.28.4	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.28.4	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.28.5	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.28.5	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.28.6	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.28.6	Gauge	4294967295
iblfQoSWredDropH-PreTcpBPS.28.7	.1.3.6.1.4.1.26138.2.65.1.1.2.2.1.16.28.7	Gauge	4294967295
iblfQoSAggregativeCarNextIndex.0	.1.3.6.1.4.1.26138.2.65.1.4.1.1.0	Integer	1
iblfQoSWredGroupNextIndex.0	.1.3.6.1.4.1.26138.2.65.1.6.1.1.0	Integer	1
iblfQoSPortPriorityValue.1	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.1	Integer	0
iblfQoSPortPriorityValue.2	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.2	Integer	0
iblfQoSPortPriorityValue.3	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.3	Integer	0
iblfQoSPortPriorityValue.4	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.4	Integer	0

Name	OID	Value Type	Value Example
ibLfQoSPortPriorityValue.5	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.5	Integer	0
ibLfQoSPortPriorityValue.6	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.6	Integer	0
ibLfQoSPortPriorityValue.7	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.7	Integer	0
ibLfQoSPortPriorityValue.8	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.8	Integer	0
ibLfQoSPortPriorityValue.9	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.9	Integer	0
ibLfQoSPortPriorityValue.10	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.10	Integer	0
ibLfQoSPortPriorityValue.11	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.11	Integer	0
ibLfQoSPortPriorityValue.12	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.12	Integer	0
ibLfQoSPortPriorityValue.13	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.13	Integer	0
ibLfQoSPortPriorityValue.14	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.14	Integer	0
ibLfQoSPortPriorityValue.15	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.15	Integer	0
ibLfQoSPortPriorityValue.16	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.16	Integer	0
ibLfQoSPortPriorityValue.17	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.17	Integer	0
ibLfQoSPortPriorityValue.18	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.18	Integer	0
ibLfQoSPortPriorityValue.19	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.19	Integer	0
ibLfQoSPortPriorityValue.20	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.20	Integer	0
ibLfQoSPortPriorityValue.21	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.21	Integer	0
ibLfQoSPortPriorityValue.22	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.22	Integer	0
ibLfQoSPortPriorityValue.23	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.23	Integer	0
ibLfQoSPortPriorityValue.24	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.24	Integer	0
ibLfQoSPortPriorityValue.25	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.25	Integer	0
ibLfQoSPortPriorityValue.26	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.26	Integer	0
ibLfQoSPortPriorityValue.27	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.27	Integer	0
ibLfQoSPortPriorityValue.28	.1.3.6.1.4.1.26138.2.65.1.7.1.1.1.1.28	Integer	0
ibLfQoSPortPriorityTrust-TrustType.1	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.1	Integer	untrust (1)

Name	OID	Value Type	Value Example
ibLfQoSPortPriorityTrust-TrustTyp e.2	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.2	Integer	untrust (1)
ibLfQoSPortPriorityTrust-TrustTyp e.3	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.3	Integer	untrust (1)
ibLfQoSPortPriorityTrust-TrustTyp e.4	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.4	Integer	untrust (1)
ibLfQoSPortPriorityTrust-TrustTyp e.5	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.5	Integer	untrust (1)
ibLfQoSPortPriorityTrust-TrustTyp e.6	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.6	Integer	untrust (1)
ibLfQoSPortPriorityTrust-TrustTyp e.7	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.7	Integer	untrust (1)
ibLfQoSPortPriorityTrust-TrustTyp e.8	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.8	Integer	untrust (1)
ibLfQoSPortPriorityTrust-TrustTyp e.9	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.9	Integer	untrust (1)
ibLfQoSPortPriorityTrust-TrustTyp e.10	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.10	Integer	untrust (1)
ibLfQoSPortPriorityTrust-TrustTyp e.11	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.11	Integer	untrust (1)
ibLfQoSPortPriorityTrust-TrustTyp e.12	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.12	Integer	untrust (1)
ibLfQoSPortPriorityTrust-TrustTyp e.13	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.13	Integer	untrust (1)
ibLfQoSPortPriorityTrust-TrustTyp e.14	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.14	Integer	untrust (1)
ibLfQoSPortPriorityTrust-TrustTyp e.15	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.15	Integer	untrust (1)
ibLfQoSPortPriorityTrust-TrustTyp e.16	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.16	Integer	untrust (1)
ibLfQoSPortPriorityTrust-TrustTyp e.17	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.17	Integer	untrust (1)
ibLfQoSPortPriorityTrust-TrustTyp e.18	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.18	Integer	untrust (1)
ibLfQoSPortPriorityTrust-TrustTyp e.19	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.19	Integer	untrust (1)

Name	OID	Value Type	Value Example
ibIfQoSPortPriorityTrust-TrustType e.20	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.20	Integer	untrust (1)
ibIfQoSPortPriorityTrust-TrustType e.21	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.21	Integer	untrust (1)
ibIfQoSPortPriorityTrust-TrustType e.22	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.22	Integer	untrust (1)
ibIfQoSPortPriorityTrust-TrustType e.23	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.23	Integer	untrust (1)
ibIfQoSPortPriorityTrust-TrustType e.24	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.24	Integer	untrust (1)
ibIfQoSPortPriorityTrust-TrustType e.25	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.25	Integer	untrust (1)
ibIfQoSPortPriorityTrust-TrustType e.26	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.26	Integer	untrust (1)
ibIfQoSPortPriorityTrust-TrustType e.27	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.27	Integer	untrust (1)
ibIfQoSPortPriorityTrust-TrustType e.28	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.1.28	Integer	untrust (1)
ibIfQoSPortPriorityTrustOver-cast Type.1	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.1	Integer	noOvercast (1)
ibIfQoSPortPriorityTrustOver-cast Type.2	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.2	Integer	noOvercast (1)
ibIfQoSPortPriorityTrustOver-cast Type.3	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.3	Integer	noOvercast (1)
ibIfQoSPortPriorityTrustOver-cast Type.4	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.4	Integer	noOvercast (1)
ibIfQoSPortPriorityTrustOver-cast Type.5	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.5	Integer	noOvercast (1)
ibIfQoSPortPriorityTrustOver-cast Type.6	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.6	Integer	noOvercast (1)
ibIfQoSPortPriorityTrustOver-cast Type.7	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.7	Integer	noOvercast (1)
ibIfQoSPortPriorityTrustOver-cast Type.8	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.8	Integer	noOvercast (1)
ibIfQoSPortPriorityTrustOver-cast Type.9	.1.3.6.1.4.1.26138.2.65.1.7.1.2.1.2.9	Integer	noOvercast (1)

Name	OID	Value Type	Value Example
ibIfQoSPortPriorityTrustOvercast Type.10	.1.3.6.1.4.1.26138.2.65.1.7.1.2. 1.2.10	Integer	noOvercast (1)
ibIfQoSPortPriorityTrustOvercast Type.11	.1.3.6.1.4.1.26138.2.65.1.7.1.2. 1.2.11	Integer	noOvercast (1)
ibIfQoSPortPriorityTrustOvercast Type.12	.1.3.6.1.4.1.26138.2.65.1.7.1.2. 1.2.12	Integer	noOvercast (1)
ibIfQoSPortPriorityTrustOvercast Type.13	.1.3.6.1.4.1.26138.2.65.1.7.1.2. 1.2.13	Integer	noOvercast (1)
ibIfQoSPortPriorityTrustOvercast Type.14	.1.3.6.1.4.1.26138.2.65.1.7.1.2. 1.2.14	Integer	noOvercast (1)
ibIfQoSPortPriorityTrustOvercast Type.15	.1.3.6.1.4.1.26138.2.65.1.7.1.2. 1.2.15	Integer	noOvercast (1)
ibIfQoSPortPriorityTrustOvercast Type.16	.1.3.6.1.4.1.26138.2.65.1.7.1.2. 1.2.16	Integer	noOvercast (1)
ibIfQoSPortPriorityTrustOvercast Type.17	.1.3.6.1.4.1.26138.2.65.1.7.1.2. 1.2.17	Integer	noOvercast (1)
ibIfQoSPortPriorityTrustOvercast Type.18	.1.3.6.1.4.1.26138.2.65.1.7.1.2. 1.2.18	Integer	noOvercast (1)
ibIfQoSPortPriorityTrustOvercast Type.19	.1.3.6.1.4.1.26138.2.65.1.7.1.2. 1.2.19	Integer	noOvercast (1)
ibIfQoSPortPriorityTrustOvercast Type.20	.1.3.6.1.4.1.26138.2.65.1.7.1.2. 1.2.20	Integer	noOvercast (1)
ibIfQoSPortPriorityTrustOvercast Type.21	.1.3.6.1.4.1.26138.2.65.1.7.1.2. 1.2.21	Integer	noOvercast (1)
ibIfQoSPortPriorityTrustOvercast Type.22	.1.3.6.1.4.1.26138.2.65.1.7.1.2. 1.2.22	Integer	noOvercast (1)
ibIfQoSPortPriorityTrustOvercast Type.23	.1.3.6.1.4.1.26138.2.65.1.7.1.2. 1.2.23	Integer	noOvercast (1)
ibIfQoSPortPriorityTrustOvercast Type.24	.1.3.6.1.4.1.26138.2.65.1.7.1.2. 1.2.24	Integer	noOvercast (1)
ibIfQoSPortPriorityTrustOvercast Type.25	.1.3.6.1.4.1.26138.2.65.1.7.1.2. 1.2.25	Integer	noOvercast (1)
ibIfQoSPortPriorityTrustOvercast Type.26	.1.3.6.1.4.1.26138.2.65.1.7.1.2. 1.2.26	Integer	noOvercast (1)
ibIfQoSPortPriorityTrustOvercast Type.27	.1.3.6.1.4.1.26138.2.65.1.7.1.2. 1.2.27	Integer	noOvercast (1)

Name	OID	Value Type	Value Example
ibIfQoSPortPriorityTrustOvercast Type.28	.1.3.6.1.4.1.26138.2.65.1.7.1.2. 1.2.28	Integer	noOvercast (1)
ibIfQoSPrePriMapTableExport- Value .1.1.1.0	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.1.1.1.0	Integer	2
ibIfQoSPrePriMapTableExport- Value .1.1.1.1	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.1.1.1.1	Integer	0
ibIfQoSPrePriMapTableExport- Value .1.1.1.2	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.1.1.1.2	Integer	1
ibIfQoSPrePriMapTableExport- Value .1.1.1.3	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.1.1.1.3	Integer	3
ibIfQoSPrePriMapTableExport- Value .1.1.1.4	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.1.1.1.4	Integer	4
ibIfQoSPrePriMapTableExport- Value .1.1.1.5	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.1.1.1.5	Integer	5
ibIfQoSPrePriMapTableExport- Value .1.1.1.6	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.1.1.1.6	Integer	6
ibIfQoSPrePriMapTableExport- Value .1.1.1.7	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.1.1.1.7	Integer	7
ibIfQoSPrePriMapTableExport- Value .7.1.1.0	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.0	Integer	0
ibIfQoSPrePriMapTableExport- Value .7.1.1.1	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.1	Integer	0
ibIfQoSPrePriMapTableExport- Value .7.1.1.2	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.2	Integer	0
ibIfQoSPrePriMapTableExport- Value .7.1.1.3	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.3	Integer	0
ibIfQoSPrePriMapTableExport- Value .7.1.1.4	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.4	Integer	0
ibIfQoSPrePriMapTableExport- Value .7.1.1.5	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.5	Integer	0
ibIfQoSPrePriMapTableExport- Value .7.1.1.6	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.6	Integer	0
ibIfQoSPrePriMapTableExport- Value .7.1.1.7	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.7	Integer	0
ibIfQoSPrePriMapTableExport- Value .7.1.1.8	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.8	Integer	1

Name	OID	Value Type	Value Example
ibIfQoSPrePriMapTableExport-Value .7.1.1.9	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.9	Integer	1
ibIfQoSPrePriMapTableExport-Value .7.1.1.10	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.10	Integer	1
ibIfQoSPrePriMapTableExport-Value .7.1.1.11	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.11	Integer	1
ibIfQoSPrePriMapTableExport-Value .7.1.1.12	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.12	Integer	1
ibIfQoSPrePriMapTableExport-Value .7.1.1.13	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.13	Integer	1
ibIfQoSPrePriMapTableExport-Value .7.1.1.14	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.14	Integer	1
ibIfQoSPrePriMapTableExport-Value .7.1.1.15	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.15	Integer	1
ibIfQoSPrePriMapTableExport-Value .7.1.1.16	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.16	Integer	2
ibIfQoSPrePriMapTableExport-Value .7.1.1.17	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.17	Integer	2
ibIfQoSPrePriMapTableExport-Value .7.1.1.18	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.18	Integer	2
ibIfQoSPrePriMapTableExport-Value .7.1.1.19	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.19	Integer	2
ibIfQoSPrePriMapTableExport-Value .7.1.1.20	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.20	Integer	2
ibIfQoSPrePriMapTableExport-Value .7.1.1.21	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.21	Integer	2
ibIfQoSPrePriMapTableExport-Value .7.1.1.22	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.22	Integer	2
ibIfQoSPrePriMapTableExport-Value .7.1.1.23	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.23	Integer	2
ibIfQoSPrePriMapTableExport-Value .7.1.1.24	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.24	Integer	3
ibIfQoSPrePriMapTableExport-Value .7.1.1.25	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.25	Integer	3
ibIfQoSPrePriMapTableExport-Value .7.1.1.26	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.26	Integer	3

Name	OID	Value Type	Value Example
ibIfQoSPrePriMapTableExport-Value .7.1.1.27	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.27	Integer	3
ibIfQoSPrePriMapTableExport-Value .7.1.1.28	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.28	Integer	3
ibIfQoSPrePriMapTableExport-Value .7.1.1.29	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.29	Integer	3
ibIfQoSPrePriMapTableExport-Value .7.1.1.30	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.30	Integer	3
ibIfQoSPrePriMapTableExport-Value .7.1.1.31	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.31	Integer	3
ibIfQoSPrePriMapTableExport-Value .7.1.1.32	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.32	Integer	4
ibIfQoSPrePriMapTableExport-Value .7.1.1.33	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.33	Integer	4
ibIfQoSPrePriMapTableExport-Value .7.1.1.34	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.34	Integer	4
ibIfQoSPrePriMapTableExport-Value .7.1.1.35	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.35	Integer	4
ibIfQoSPrePriMapTableExport-Value .7.1.1.36	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.36	Integer	4
ibIfQoSPrePriMapTableExport-Value .7.1.1.37	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.37	Integer	4
ibIfQoSPrePriMapTableExport-Value .7.1.1.38	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.38	Integer	4
ibIfQoSPrePriMapTableExport-Value .7.1.1.39	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.39	Integer	4
ibIfQoSPrePriMapTableExport-Value .7.1.1.40	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.40	Integer	5
ibIfQoSPrePriMapTableExport-Value .7.1.1.41	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.41	Integer	5
ibIfQoSPrePriMapTableExport-Value .7.1.1.42	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.42	Integer	5
ibIfQoSPrePriMapTableExport-Value .7.1.1.43	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.43	Integer	5
ibIfQoSPrePriMapTableExport-Value .7.1.1.44	.1.3.6.1.4.1.26138.2.65.1.9.1.4. 1.5.7.1.1.44	Integer	5

Name	OID	Value Type	Value Example
ibIfQoSPrePriMapTableExport-Value .7.1.1.45	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.7.1.1.45	Integer	5
ibIfQoSPrePriMapTableExport-Value .7.1.1.46	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.7.1.1.46	Integer	5
ibIfQoSPrePriMapTableExport-Value .7.1.1.47	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.7.1.1.47	Integer	5
ibIfQoSPrePriMapTableExport-Value .7.1.1.48	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.7.1.1.48	Integer	6
ibIfQoSPrePriMapTableExport-Value .7.1.1.49	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.7.1.1.49	Integer	6
ibIfQoSPrePriMapTableExport-Value .7.1.1.50	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.7.1.1.50	Integer	6
ibIfQoSPrePriMapTableExport-Value .7.1.1.51	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.7.1.1.51	Integer	6
ibIfQoSPrePriMapTableExport-Value .7.1.1.52	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.7.1.1.52	Integer	6
ibIfQoSPrePriMapTableExport-Value .7.1.1.53	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.7.1.1.53	Integer	6
ibIfQoSPrePriMapTableExport-Value .7.1.1.54	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.7.1.1.54	Integer	6
ibIfQoSPrePriMapTableExport-Value .7.1.1.55	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.7.1.1.55	Integer	6
ibIfQoSPrePriMapTableExport-Value .7.1.1.56	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.7.1.1.56	Integer	7
ibIfQoSPrePriMapTableExport-Value .7.1.1.57	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.7.1.1.57	Integer	7
ibIfQoSPrePriMapTableExport-Value .7.1.1.58	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.7.1.1.58	Integer	7
ibIfQoSPrePriMapTableExport-Value .7.1.1.59	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.7.1.1.59	Integer	7
ibIfQoSPrePriMapTableExport-Value .7.1.1.60	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.7.1.1.60	Integer	7
ibIfQoSPrePriMapTableExport-Value .7.1.1.61	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.7.1.1.61	Integer	7
ibIfQoSPrePriMapTableExport-Value .7.1.1.62	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.7.1.1.62	Integer	7

Name	OID	Value Type	Value Example
ibIfQoSPrePriMapTableExport-Value .7.1.1.63	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.7.1.1.63	Integer	7
ibIfQoSPrePriMapTableExport-Value .9.1.1.0	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.0	Integer	0
ibIfQoSPrePriMapTableExport-Value .9.1.1.1	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.1	Integer	1
ibIfQoSPrePriMapTableExport-Value .9.1.1.2	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.2	Integer	2
ibIfQoSPrePriMapTableExport-Value .9.1.1.3	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.3	Integer	3
ibIfQoSPrePriMapTableExport-Value .9.1.1.4	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.4	Integer	4
ibIfQoSPrePriMapTableExport-Value .9.1.1.5	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.5	Integer	5
ibIfQoSPrePriMapTableExport-Value .9.1.1.6	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.6	Integer	6
ibIfQoSPrePriMapTableExport-Value .9.1.1.7	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.7	Integer	7
ibIfQoSPrePriMapTableExport-Value .9.1.1.8	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.8	Integer	8
ibIfQoSPrePriMapTableExport-Value .9.1.1.9	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.9	Integer	9
ibIfQoSPrePriMapTableExport-Value .9.1.1.10	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.10	Integer	10
ibIfQoSPrePriMapTableExport-Value .9.1.1.11	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.11	Integer	11
ibIfQoSPrePriMapTableExport-Value .9.1.1.12	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.12	Integer	12
ibIfQoSPrePriMapTableExport-Value .9.1.1.13	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.13	Integer	13
ibIfQoSPrePriMapTableExport-Value .9.1.1.14	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.14	Integer	14
ibIfQoSPrePriMapTableExport-Value .9.1.1.15	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.15	Integer	15
ibIfQoSPrePriMapTableExport-Value .9.1.1.16	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.16	Integer	16

Name	OID	Value Type	Value Example
ibIfQoSPrePriMapTableExport-Value .9.1.1.17	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.17	Integer	17
ibIfQoSPrePriMapTableExport-Value .9.1.1.18	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.18	Integer	18
ibIfQoSPrePriMapTableExport-Value .9.1.1.19	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.19	Integer	19
ibIfQoSPrePriMapTableExport-Value .9.1.1.20	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.20	Integer	20
ibIfQoSPrePriMapTableExport-Value .9.1.1.21	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.21	Integer	21
ibIfQoSPrePriMapTableExport-Value .9.1.1.22	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.22	Integer	22
ibIfQoSPrePriMapTableExport-Value .9.1.1.23	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.23	Integer	23
ibIfQoSPrePriMapTableExport-Value .9.1.1.24	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.24	Integer	24
ibIfQoSPrePriMapTableExport-Value .9.1.1.25	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.25	Integer	25
ibIfQoSPrePriMapTableExport-Value .9.1.1.26	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.26	Integer	26
ibIfQoSPrePriMapTableExport-Value .9.1.1.27	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.27	Integer	27
ibIfQoSPrePriMapTableExport-Value .9.1.1.28	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.28	Integer	28
ibIfQoSPrePriMapTableExport-Value .9.1.1.29	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.29	Integer	29
ibIfQoSPrePriMapTableExport-Value .9.1.1.30	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.30	Integer	30
ibIfQoSPrePriMapTableExport-Value .9.1.1.31	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.31	Integer	31
ibIfQoSPrePriMapTableExport-Value .9.1.1.32	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.32	Integer	32
ibIfQoSPrePriMapTableExport-Value .9.1.1.33	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.33	Integer	33
ibIfQoSPrePriMapTableExport-Value .9.1.1.34	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.34	Integer	34

Name	OID	Value Type	Value Example
ibIfQoSPrePriMapTableExport-Value .9.1.1.35	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.35	Integer	35
ibIfQoSPrePriMapTableExport-Value .9.1.1.36	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.36	Integer	36
ibIfQoSPrePriMapTableExport-Value .9.1.1.37	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.37	Integer	37
ibIfQoSPrePriMapTableExport-Value .9.1.1.38	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.38	Integer	38
ibIfQoSPrePriMapTableExport-Value .9.1.1.39	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.39	Integer	39
ibIfQoSPrePriMapTableExport-Value .9.1.1.40	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.40	Integer	40
ibIfQoSPrePriMapTableExport-Value .9.1.1.41	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.41	Integer	41
ibIfQoSPrePriMapTableExport-Value .9.1.1.42	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.42	Integer	42
ibIfQoSPrePriMapTableExport-Value .9.1.1.43	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.43	Integer	43
ibIfQoSPrePriMapTableExport-Value .9.1.1.44	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.44	Integer	44
ibIfQoSPrePriMapTableExport-Value .9.1.1.45	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.45	Integer	45
ibIfQoSPrePriMapTableExport-Value .9.1.1.46	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.46	Integer	46
ibIfQoSPrePriMapTableExport-Value .9.1.1.47	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.47	Integer	47
ibIfQoSPrePriMapTableExport-Value .9.1.1.48	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.48	Integer	48
ibIfQoSPrePriMapTableExport-Value .9.1.1.49	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.49	Integer	49
ibIfQoSPrePriMapTableExport-Value .9.1.1.50	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.50	Integer	50
ibIfQoSPrePriMapTableExport-Value .9.1.1.51	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.51	Integer	51
ibIfQoSPrePriMapTableExport-Value .9.1.1.52	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.52	Integer	52

Name	OID	Value Type	Value Example
ibIfQoSPrePriMapTableExport-Value .9.1.1.53	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.53	Integer	53
ibIfQoSPrePriMapTableExport-Value .9.1.1.54	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.54	Integer	54
ibIfQoSPrePriMapTableExport-Value .9.1.1.55	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.55	Integer	55
ibIfQoSPrePriMapTableExport-Value .9.1.1.56	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.56	Integer	56
ibIfQoSPrePriMapTableExport-Value .9.1.1.57	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.57	Integer	57
ibIfQoSPrePriMapTableExport-Value .9.1.1.58	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.58	Integer	58
ibIfQoSPrePriMapTableExport-Value .9.1.1.59	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.59	Integer	59
ibIfQoSPrePriMapTableExport-Value .9.1.1.60	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.60	Integer	60
ibIfQoSPrePriMapTableExport-Value .9.1.1.61	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.61	Integer	61
ibIfQoSPrePriMapTableExport-Value .9.1.1.62	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.62	Integer	62
ibIfQoSPrePriMapTableExport-Value .9.1.1.63	.1.3.6.1.4.1.26138.2.65.1.9.1.4.1.5.9.1.1.63	Integer	63
ibIfQoSProcessingStatus.0	.1.3.6.1.4.1.26138.2.65.1.13.1.0	Integer	idle (1)
ibCBQoSClassifierIndexNext.0	.1.3.6.1.4.1.26138.2.65.2.1.1.1.0	Integer	100
ibCBQoSBehaviorIndexNext.0	.1.3.6.1.4.1.26138.2.65.2.1.2.1.0	Integer	100
ibCBQoSPolicyIndexNext.0	.1.3.6.1.4.1.26138.2.65.2.1.3.1.0	Integer	100
ibCBQoSApplyingStatus.0	.1.3.6.1.4.1.26138.2.65.2.1.6.1.0	Integer	idle (1)
ibIpAddrSet-Mask.635.1.4.10.100.26.30	.1.3.6.1.4.1.26138.2.67.1.1.1.1.4.635.1.4.10.100.26.30	IpAddress	255.255.255.0
ibIpAddrSetSource-Type.635.1.4.10.100.26.30	.1.3.6.1.4.1.26138.2.67.1.1.1.1.5.635.1.4.10.100.26.30	Integer	assignedIp (1)
ibIpAddrSetCatalog.635.1.4.10.100.26.30	.1.3.6.1.4.1.26138.2.67.1.1.1.1.6.635.1.4.10.100.26.30	Integer	primary (1)

Name	OID	Value Type	Value Example
ibIpAddrSetRowStatus.635.1.4.10.100.26.30	.1.3.6.1.4.1.26138.2.67.1.1.1.1.7.635.1.4.10.100.26.30	Integer	active (1)
ibIpAddrReadMask.635.1.4.10.100.26.30	.1.3.6.1.4.1.26138.2.67.1.1.2.1.4.635.1.4.10.100.26.30	IpAddress	255.255.255.0
ibIpAddrReadSourceType.635.1.4.10.100.26.30	.1.3.6.1.4.1.26138.2.67.1.1.2.1.5.635.1.4.10.100.26.30	Integer	assignedIp (1)
ibIpAddrReadCatalog.635.1.4.10.100.26.30	.1.3.6.1.4.1.26138.2.67.1.1.2.1.6.635.1.4.10.100.26.30	Integer	primary (1)
ibIpv4AddrAddr.635	.1.3.6.1.4.1.26138.2.67.1.1.3.1.1.635	IpAddress	10.100.26.30
ibIpv4AddrMask.635	.1.3.6.1.4.1.26138.2.67.1.1.3.1.2.635	IpAddress	255.255.255.0
ibIpv4AddrRowStatus.635	.1.3.6.1.4.1.26138.2.67.1.1.3.1.3.635	Integer	active (1)
ibTransceiverExtrAlarmEnable.0	.1.3.6.1.4.1.26138.2.70.2.1.0	Integer	true (1)
ibMACInformationEnabled.0	.1.3.6.1.4.1.26138.2.87.1.1.1.0	Integer	disabled (2)
ibMACInformationcSendInterval.0	.1.3.6.1.4.1.26138.2.87.1.1.2.0	Gauge	1
ibMACInformationLearntMACNum.0	.1.3.6.1.4.1.26138.2.87.1.1.3.0	Counter32	0
ibMACInformationRemovedMACNum.0	.1.3.6.1.4.1.26138.2.87.1.1.4.0	Counter32	0
ibMACInformationTrapSendNum.0	.1.3.6.1.4.1.26138.2.87.1.1.5.0	Counter32	0
ibMACInformationSyslogSendNum.0	.1.3.6.1.4.1.26138.2.87.1.1.6.0	Counter32	0
ibMACInformationCacheLen.0	.1.3.6.1.4.1.26138.2.87.1.1.7.0	Gauge	50
ibMACInformationWorkMode.0	.1.3.6.1.4.1.26138.2.87.1.1.8.0	Integer	trap (1)
ibMACLearntEnable.1	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1	Integer	disabled (2)
ibMACLearntEnable.2	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2	Integer	disabled (2)
ibMACLearntEnable.3	.1.3.6.1.4.1.26138.2.87.1.2.1.1.3	Integer	disabled (2)
ibMACLearntEnable.4	.1.3.6.1.4.1.26138.2.87.1.2.1.1.4	Integer	disabled (2)
ibMACLearntEnable.5	.1.3.6.1.4.1.26138.2.87.1.2.1.1.5	Integer	disabled (2)
ibMACLearntEnable.6	.1.3.6.1.4.1.26138.2.87.1.2.1.1.6	Integer	disabled (2)
ibMACLearntEnable.7	.1.3.6.1.4.1.26138.2.87.1.2.1.1.7	Integer	disabled (2)
ibMACLearntEnable.8	.1.3.6.1.4.1.26138.2.87.1.2.1.1.8	Integer	disabled (2)
ibMACLearntEnable.9	.1.3.6.1.4.1.26138.2.87.1.2.1.1.9	Integer	disabled (2)

Name	OID	Value Type	Value Example
ibMACLearntEnable.10	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.10	Integer	disabled (2)
ibMACLearntEnable.11	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.11	Integer	disabled (2)
ibMACLearntEnable.12	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.12	Integer	disabled (2)
ibMACLearntEnable.13	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.13	Integer	disabled (2)
ibMACLearntEnable.14	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.14	Integer	disabled (2)
ibMACLearntEnable.15	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.15	Integer	disabled (2)
ibMACLearntEnable.16	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.16	Integer	disabled (2)
ibMACLearntEnable.17	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.17	Integer	disabled (2)
ibMACLearntEnable.18	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.18	Integer	disabled (2)
ibMACLearntEnable.19	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.19	Integer	disabled (2)
ibMACLearntEnable.20	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.20	Integer	disabled (2)
ibMACLearntEnable.21	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.21	Integer	disabled (2)
ibMACLearntEnable.22	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.22	Integer	disabled (2)
ibMACLearntEnable.23	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.23	Integer	disabled (2)
ibMACLearntEnable.24	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.24	Integer	disabled (2)
ibMACLearntEnable.25	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.25	Integer	disabled (2)
ibMACLearntEnable.26	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.26	Integer	disabled (2)
ibMACLearntEnable.27	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.27	Integer	disabled (2)
ibMACLearntEnable.28	.1.3.6.1.4.1.26138.2.87.1.2.1.1.1.28	Integer	disabled (2)
ibMACRemovedEnable.1	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.1	Integer	disabled (2)
ibMACRemovedEnable.2	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.2	Integer	disabled (2)
ibMACRemovedEnable.3	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.3	Integer	disabled (2)
ibMACRemovedEnable.4	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.4	Integer	disabled (2)
ibMACRemovedEnable.5	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.5	Integer	disabled (2)
ibMACRemovedEnable.6	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.6	Integer	disabled (2)

Name	OID	Value Type	Value Example
ibMACRemovedEnable.7	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.7	Integer	disabled (2)
ibMACRemovedEnable.8	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.8	Integer	disabled (2)
ibMACRemovedEnable.9	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.9	Integer	disabled (2)
ibMACRemovedEnable.10	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.10	Integer	disabled (2)
ibMACRemovedEnable.11	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.11	Integer	disabled (2)
ibMACRemovedEnable.12	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.12	Integer	disabled (2)
ibMACRemovedEnable.13	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.13	Integer	disabled (2)
ibMACRemovedEnable.14	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.14	Integer	disabled (2)
ibMACRemovedEnable.15	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.15	Integer	disabled (2)
ibMACRemovedEnable.16	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.16	Integer	disabled (2)
ibMACRemovedEnable.17	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.17	Integer	disabled (2)
ibMACRemovedEnable.18	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.18	Integer	disabled (2)
ibMACRemovedEnable.19	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.19	Integer	disabled (2)
ibMACRemovedEnable.20	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.20	Integer	disabled (2)
ibMACRemovedEnable.21	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.21	Integer	disabled (2)
ibMACRemovedEnable.22	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.22	Integer	disabled (2)
ibMACRemovedEnable.23	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.23	Integer	disabled (2)
ibMACRemovedEnable.24	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.24	Integer	disabled (2)
ibMACRemovedEnable.25	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.25	Integer	disabled (2)
ibMACRemovedEnable.26	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.26	Integer	disabled (2)
ibMACRemovedEnable.27	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.27	Integer	disabled (2)
ibMACRemovedEnable.28	.1.3.6.1.4.1.26138.2.87.1.2.1.1.2.28	Integer	disabled (2)
ibStackMaxMember.0	.1.3.6.1.4.1.26138.2.91.1.1.0	Integer	10
ibStackMemberNum.0	.1.3.6.1.4.1.26138.2.91.1.2.0	Integer	1
ibStackMaxConfigPriority.0	.1.3.6.1.4.1.26138.2.91.1.3.0	Integer	32
ibStackAutoUpdate.0	.1.3.6.1.4.1.26138.2.91.1.4.0	Integer	enabled (2)
ibStackMacPersistence.0	.1.3.6.1.4.1.26138.2.91.1.5.0	Integer	persistForSixMin (2)
ibStackLinkDelayInterval.0	.1.3.6.1.4.1.26138.2.91.1.6.0	Integer	4000

Name	OID	Value Type	Value Example
ibStackTopology.0	.1.3.6.1.4.1.26138.2.91.1.7.0	Integer	chainConn (1)
ibStackDomainId.0	.1.3.6.1.4.1.26138.2.91.1.8.0	Gauge	0
ibStackPortConfigActivate.0	.1.3.6.1.4.1.26138.2.91.1.9.0	Integer	none (1)
ibStackMemberID.2	.1.3.6.1.4.1.26138.2.91.2.1.1.2	Integer	1
ibStackConfigMemberID.2	.1.3.6.1.4.1.26138.2.91.2.1.2.2	Integer	1
ibStackPriority.2	.1.3.6.1.4.1.26138.2.91.2.1.3.2	Integer	1
ibStackPortNum.2	.1.3.6.1.4.1.26138.2.91.2.1.4.2	Integer	0
ibStackPortMaxNum.2	.1.3.6.1.4.1.26138.2.91.2.1.5.2	Integer	2
ibStackBoardRole.212	.1.3.6.1.4.1.26138.2.91.3.1.1.21 2	Integer	master (2)
ibStackBoardBelongtoMember.212	.1.3.6.1.4.1.26138.2.91.3.1.2.21 2	Integer	1
ibStackPortEnable.1.1	.1.3.6.1.4.1.26138.2.91.4.1.2.1. 1	Integer	disabled (1)
ibStackPortEnable.1.2	.1.3.6.1.4.1.26138.2.91.4.1.2.1. 2	Integer	disabled (1)
ibStackPortStatus.1.1	.1.3.6.1.4.1.26138.2.91.4.1.3.1. 1	Integer	disabled (4)
ibStackPortStatus.1.2	.1.3.6.1.4.1.26138.2.91.4.1.3.1. 2	Integer	disabled (4)
ibStackNeighbor.1.1	.1.3.6.1.4.1.26138.2.91.4.1.4.1. 1	Integer	0
ibStackNeighbor.1.2	.1.3.6.1.4.1.26138.2.91.4.1.4.1. 2	Integer	0
ibStackPortForwardingPath.1.1	.1.3.6.1.4.1.26138.2.91.4.1.5.1. 1	OctetString	
ibStackPortForwardingPath.1.2	.1.3.6.1.4.1.26138.2.91.4.1.5.1. 2	OctetString	
ibStackBelongtoPort.472	.1.3.6.1.4.1.26138.2.91.5.1.1.47 2	Integer	0
ibStackBelongtoPort.473	.1.3.6.1.4.1.26138.2.91.5.1.1.47 3	Integer	0
ibStackBelongtoPort.474	.1.3.6.1.4.1.26138.2.91.5.1.1.47 4	Integer	0
ibStackBelongtoPort.475	.1.3.6.1.4.1.26138.2.91.5.1.1.47 5	Integer	0
ibStackBelongtoPort.476	.1.3.6.1.4.1.26138.2.91.5.1.1.47 6	Integer	0
ibStackBelongtoPort.477	.1.3.6.1.4.1.26138.2.91.5.1.1.47 7	Integer	0
ibStackBelongtoPort.478	.1.3.6.1.4.1.26138.2.91.5.1.1.47 8	Integer	0
ibStackBelongtoPort.479	.1.3.6.1.4.1.26138.2.91.5.1.1.47 9	Integer	0
ibStackBelongtoPort.480	.1.3.6.1.4.1.26138.2.91.5.1.1.48 0	Integer	0
ibStackBelongtoPort.481	.1.3.6.1.4.1.26138.2.91.5.1.1.48 1	Integer	0

Name	OID	Value Type	Value Example
ibStackBelongtoPort.482	.1.3.6.1.4.1.26138.2.91.5.1.1.48 2	Integer	0
ibStackBelongtoPort.483	.1.3.6.1.4.1.26138.2.91.5.1.1.48 3	Integer	0
ibStackBelongtoPort.484	.1.3.6.1.4.1.26138.2.91.5.1.1.48 4	Integer	0
ibStackBelongtoPort.485	.1.3.6.1.4.1.26138.2.91.5.1.1.48 5	Integer	0
ibStackBelongtoPort.486	.1.3.6.1.4.1.26138.2.91.5.1.1.48 6	Integer	0
ibStackBelongtoPort.487	.1.3.6.1.4.1.26138.2.91.5.1.1.48 7	Integer	0
ibStackBelongtoPort.488	.1.3.6.1.4.1.26138.2.91.5.1.1.48 8	Integer	0
ibStackBelongtoPort.489	.1.3.6.1.4.1.26138.2.91.5.1.1.48 9	Integer	0
ibStackBelongtoPort.490	.1.3.6.1.4.1.26138.2.91.5.1.1.49 0	Integer	0
ibStackBelongtoPort.491	.1.3.6.1.4.1.26138.2.91.5.1.1.49 1	Integer	0
ibStackBelongtoPort.492	.1.3.6.1.4.1.26138.2.91.5.1.1.49 2	Integer	0
ibStackBelongtoPort.493	.1.3.6.1.4.1.26138.2.91.5.1.1.49 3	Integer	0
ibStackBelongtoPort.494	.1.3.6.1.4.1.26138.2.91.5.1.1.49 4	Integer	0
ibStackBelongtoPort.495	.1.3.6.1.4.1.26138.2.91.5.1.1.49 5	Integer	0
ibStackBelongtoPort.496	.1.3.6.1.4.1.26138.2.91.5.1.1.49 6	Integer	0
ibStackBelongtoPort.497	.1.3.6.1.4.1.26138.2.91.5.1.1.49 7	Integer	0
ibStackBelongtoPort.498	.1.3.6.1.4.1.26138.2.91.5.1.1.49 8	Integer	0
ibStackBelongtoPort.499	.1.3.6.1.4.1.26138.2.91.5.1.1.49 9	Integer	0
ibDnsStaticSrvIpPriority.1.4.8.8 .8.8	.1.3.6.1.4.1.26138.2.97.1.1.1.3. 1.4.8.8.8.8	Integer	0
ibDnsStaticSrvIpRowSta- tus.1.4.8. 8.8.8	.1.3.6.1.4.1.26138.2.97.1.1.1.4. 1.4.8.8.8.8	Integer	active (1)
ibSnmpExtMaxContextNum.0	.1.3.6.1.4.1.26138.2.104.1.4.0	Integer	20
ibSnmpExtVersion.0	.1.3.6.1.4.1.26138.2.104.1.5.0	OctetString	{snmpV1, snmpV2c, snmpV3}
ibSnmpExtTrapSource.0	.1.3.6.1.4.1.26138.2.104.1.6.0	OctetString	
ibSnmpExtInformSource.0	.1.3.6.1.4.1.26138.2.104.1.7.0	OctetString	
ibICMaxLogbufferSize.0	.1.3.6.1.4.1.26138.2.119.1.1.1.0	Gauge	1024
ibICLogbufferSize.0	.1.3.6.1.4.1.26138.2.119.1.1.2.0	Gauge	512
ibICLogbufferCurrentMessa- ges.0	.1.3.6.1.4.1.26138.2.119.1.1.3.0	Gauge	512

Name	OID	Value Type	Value Example
ibICLogbufferOverwrittenMessages.0	.1.3.6.1.4.1.26138.2.119.1.1.4.0	Counter32	6614
ibICLogbufferDroppedMessages.0	.1.3.6.1.4.1.26138.2.119.1.1.5.0	Counter32	0
ibICLogbufferContDescription.1	.1.3.6.1.4.1.26138.2.119.1.2.1.2.1	OctetString	%Jan 14 18:05:17:779 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.2	.1.3.6.1.4.1.26138.2.119.1.2.1.2.2	OctetString	%Jan 14 18:05:21:835 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.3	.1.3.6.1.4.1.26138.2.119.1.2.1.2.3	OctetString	%Jan 14 18:05:23:844 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.4	.1.3.6.1.4.1.26138.2.119.1.2.1.2.4	OctetString	%Jan 14 18:06:10:318 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.5	.1.3.6.1.4.1.26138.2.119.1.2.1.2.5	OctetString	%Jan 14 18:06:12:321 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.6	.1.3.6.1.4.1.26138.2.119.1.2.1.2.6	OctetString	%Jan 14 18:06:14:358 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.7	.1.3.6.1.4.1.26138.2.119.1.2.1.2.7	OctetString	%Jan 14 18:06:16:362 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.8	.1.3.6.1.4.1.26138.2.119.1.2.1.2.8	OctetString	%Jan 14 18:06:22:441 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.9	.1.3.6.1.4.1.26138.2.119.1.2.1.2.9	OctetString	%Jan 14 18:06:24:460 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.10	.1.3.6.1.4.1.26138.2.119.1.2.1.2.10	OctetString	%Jan 14 18:06:32:545 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.

Name	OID	Value Type	Value Example
ibICLogbufferContDescription.11	.1.3.6.1.4.1.26138.2.119.1.2.1.2.11	OctetString	%Jan 14 18:06:34:551 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.12	.1.3.6.1.4.1.26138.2.119.1.2.1.2.12	OctetString	%Jan 14 18:06:38:610 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.13	.1.3.6.1.4.1.26138.2.119.1.2.1.2.13	OctetString	%Jan 14 18:06:40:614 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.14	.1.3.6.1.4.1.26138.2.119.1.2.1.2.14	OctetString	%Jan 14 18:08:05:467 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.15	.1.3.6.1.4.1.26138.2.119.1.2.1.2.15	OctetString	%Jan 14 18:08:07:470 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.16	.1.3.6.1.4.1.26138.2.119.1.2.1.2.16	OctetString	%Jan 14 18:08:11:533 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.17	.1.3.6.1.4.1.26138.2.119.1.2.1.2.17	OctetString	%Jan 14 18:08:13:538 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.18	.1.3.6.1.4.1.26138.2.119.1.2.1.2.18	OctetString	%Jan 14 18:10:06:697 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.19	.1.3.6.1.4.1.26138.2.119.1.2.1.2.19	OctetString	%Jan 14 18:10:08:702 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.20	.1.3.6.1.4.1.26138.2.119.1.2.1.2.20	OctetString	%Jan 14 18:11:01:242 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.21	.1.3.6.1.4.1.26138.2.119.1.2.1.2.21	OctetString	%Jan 14 18:11:03:245 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.22	.1.3.6.1.4.1.26138.2.119.1.2.1.2.22	OctetString	%Jan 14 18:11:05:282 2013 INTELBRAS STP/6/STP_NOTIFI-

Name	OID	Value Type	Value Example
			ED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.23	.1.3.6.1.4.1.26138.2.119.1.2.1.2.23	OctetString	%Jan 14 18:11:07:287 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.24	.1.3.6.1.4.1.26138.2.119.1.2.1.2.24	OctetString	%Jan 14 18:11:09:323 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.25	.1.3.6.1.4.1.26138.2.119.1.2.1.2.25	OctetString	%Jan 14 18:11:11:313 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.26	.1.3.6.1.4.1.26138.2.119.1.2.1.2.26	OctetString	%Jan 14 18:11:43:662 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.27	.1.3.6.1.4.1.26138.2.119.1.2.1.2.27	OctetString	%Jan 14 18:11:45:667 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.28	.1.3.6.1.4.1.26138.2.119.1.2.1.2.28	OctetString	%Jan 14 18:11:47:701 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.29	.1.3.6.1.4.1.26138.2.119.1.2.1.2.29	OctetString	%Jan 14 18:11:49:742 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.30	.1.3.6.1.4.1.26138.2.119.1.2.1.2.30	OctetString	%Jan 14 18:12:58:411 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.31	.1.3.6.1.4.1.26138.2.119.1.2.1.2.31	OctetString	%Jan 14 18:13:00:422 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.32	.1.3.6.1.4.1.26138.2.119.1.2.1.2.32	OctetString	%Jan 14 18:13:02:453 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.33	.1.3.6.1.4.1.26138.2.119.1.2.1.2.33	OctetString	%Jan 14 18:13:04:457 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port Gigabi-

Name	OID	Value Type	Value Example
			tEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.34	.1.3.6.1.4.1.26138.2.119.1.2.1.2.34	OctetString	%Jan 14 18:14:37:399 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.35	.1.3.6.1.4.1.26138.2.119.1.2.1.2.35	OctetString	%Jan 14 18:14:39:403 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.36	.1.3.6.1.4.1.26138.2.119.1.2.1.2.36	OctetString	%Jan 14 18:14:41:437 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.37	.1.3.6.1.4.1.26138.2.119.1.2.1.2.37	OctetString	%Jan 14 18:14:43:441 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.38	.1.3.6.1.4.1.26138.2.119.1.2.1.2.38	OctetString	%Jan 14 18:15:21:853 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.39	.1.3.6.1.4.1.26138.2.119.1.2.1.2.39	OctetString	%Jan 14 18:15:23:856 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.40	.1.3.6.1.4.1.26138.2.119.1.2.1.2.40	OctetString	%Jan 14 18:16:10:334 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.41	.1.3.6.1.4.1.26138.2.119.1.2.1.2.41	OctetString	%Jan 14 18:16:12:343 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.42	.1.3.6.1.4.1.26138.2.119.1.2.1.2.42	OctetString	%Jan 14 18:16:14:376 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.43	.1.3.6.1.4.1.26138.2.119.1.2.1.2.43	OctetString	%Jan 14 18:16:16:364 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.44	.1.3.6.1.4.1.26138.2.119.1.2.1.2.44	OctetString	%Jan 14 18:16:48:712 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.

Name	OID	Value Type	Value Example
ibICLogbufferContDescription.45	.1.3.6.1.4.1.26138.2.119.1.2.1.2.45	OctetString	%Jan 14 18:16:50:720 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.46	.1.3.6.1.4.1.26138.2.119.1.2.1.2.46	OctetString	%Jan 14 18:17:25:086 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.47	.1.3.6.1.4.1.26138.2.119.1.2.1.2.47	OctetString	%Jan 14 18:17:27:096 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.48	.1.3.6.1.4.1.26138.2.119.1.2.1.2.48	OctetString	%Jan 14 18:17:29:127 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.49	.1.3.6.1.4.1.26138.2.119.1.2.1.2.49	OctetString	%Jan 14 18:17:31:115 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.50	.1.3.6.1.4.1.26138.2.119.1.2.1.2.50	OctetString	%Jan 14 18:18:21:651 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.51	.1.3.6.1.4.1.26138.2.119.1.2.1.2.51	OctetString	%Jan 14 18:18:23:655 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.52	.1.3.6.1.4.1.26138.2.119.1.2.1.2.52	OctetString	%Jan 14 18:18:25:691 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.53	.1.3.6.1.4.1.26138.2.119.1.2.1.2.53	OctetString	%Jan 14 18:18:27:696 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.54	.1.3.6.1.4.1.26138.2.119.1.2.1.2.54	OctetString	%Jan 14 18:19:00:029 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.55	.1.3.6.1.4.1.26138.2.119.1.2.1.2.55	OctetString	%Jan 14 18:19:02:017 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.56	.1.3.6.1.4.1.26138.2.119.1.2.1.2.56	OctetString	%Jan 14 18:19:04:070 2013 INTELBRAS STP/6/STP_NOTIFI-

Name	OID	Value Type	Value Example
			ED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.57	.1.3.6.1.4.1.26138.2.119.1.2.1.2.57	OctetString	%Jan 14 18:19:06:074 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.58	.1.3.6.1.4.1.26138.2.119.1.2.1.2.58	OctetString	%Jan 14 18:21:09:324 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.59	.1.3.6.1.4.1.26138.2.119.1.2.1.2.59	OctetString	%Jan 14 18:21:11:334 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.60	.1.3.6.1.4.1.26138.2.119.1.2.1.2.60	OctetString	%Jan 14 18:21:13:365 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.61	.1.3.6.1.4.1.26138.2.119.1.2.1.2.61	OctetString	%Jan 14 18:21:15:371 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.62	.1.3.6.1.4.1.26138.2.119.1.2.1.2.62	OctetString	%Jan 14 18:25:03:683 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.63	.1.3.6.1.4.1.26138.2.119.1.2.1.2.63	OctetString	%Jan 14 18:25:05:688 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.64	.1.3.6.1.4.1.26138.2.119.1.2.1.2.64	OctetString	%Jan 14 18:25:07:724 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.65	.1.3.6.1.4.1.26138.2.119.1.2.1.2.65	OctetString	%Jan 14 18:25:09:730 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.66	.1.3.6.1.4.1.26138.2.119.1.2.1.2.66	OctetString	%Jan 14 18:27:43:273 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.67	.1.3.6.1.4.1.26138.2.119.1.2.1.2.67	OctetString	%Jan 14 18:27:45:279 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port Gigabi-

Name	OID	Value Type	Value Example
			tEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.68	.1.3.6.1.4.1.26138.2.119.1.2.1.2.68	OctetString	%Jan 14 18:27:47:313 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.69	.1.3.6.1.4.1.26138.2.119.1.2.1.2.69	OctetString	%Jan 14 18:27:49:318 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.70	.1.3.6.1.4.1.26138.2.119.1.2.1.2.70	OctetString	%Jan 14 18:32:03:887 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.71	.1.3.6.1.4.1.26138.2.119.1.2.1.2.71	OctetString	%Jan 14 18:32:03:951 2013 INTELBRAS DRVPLAT/4/SOFTCAR DROP: PktType=ARP, SrcMAC=1484-77c6-b92b, Dropped from interface=GigabitEthernet1/0/24 at Stage=63, StageCnt=36161, TotalCnt=1644335, MaxRateInterface=GigabitEthernet1/0/24.
ibICLogbufferContDescription.72	.1.3.6.1.4.1.26138.2.119.1.2.1.2.72	OctetString	%Jan 14 18:32:05:899 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.73	.1.3.6.1.4.1.26138.2.119.1.2.1.2.73	OctetString	%Jan 14 18:33:55:011 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.74	.1.3.6.1.4.1.26138.2.119.1.2.1.2.74	OctetString	%Jan 14 18:33:57:019 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.75	.1.3.6.1.4.1.26138.2.119.1.2.1.2.75	OctetString	%Jan 14 18:34:03:082 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.76	.1.3.6.1.4.1.26138.2.119.1.2.1.2.76	OctetString	%Jan 14 18:34:05:086 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.77	.1.3.6.1.4.1.26138.2.119.1.2.1.2.77	OctetString	%Jan 14 18:34:35:409 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.

Name	OID	Value Type	Value Example
ibICLogbufferContDescription.78	.1.3.6.1.4.1.26138.2.119.1.2.1.2.78	OctetString	%Jan 14 18:34:37:419 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.79	.1.3.6.1.4.1.26138.2.119.1.2.1.2.79	OctetString	%Jan 14 18:34:39:450 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.80	.1.3.6.1.4.1.26138.2.119.1.2.1.2.80	OctetString	%Jan 14 18:34:41:454 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.81	.1.3.6.1.4.1.26138.2.119.1.2.1.2.81	OctetString	%Jan 14 18:36:24:498 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.82	.1.3.6.1.4.1.26138.2.119.1.2.1.2.82	OctetString	%Jan 14 18:36:26:492 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.83	.1.3.6.1.4.1.26138.2.119.1.2.1.2.83	OctetString	%Jan 14 18:36:28:537 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.84	.1.3.6.1.4.1.26138.2.119.1.2.1.2.84	OctetString	%Jan 14 18:36:30:531 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.85	.1.3.6.1.4.1.26138.2.119.1.2.1.2.85	OctetString	%Jan 14 18:39:24:294 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.86	.1.3.6.1.4.1.26138.2.119.1.2.1.2.86	OctetString	%Jan 14 18:39:26:304 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.87	.1.3.6.1.4.1.26138.2.119.1.2.1.2.87	OctetString	%Jan 14 18:39:28:336 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.88	.1.3.6.1.4.1.26138.2.119.1.2.1.2.88	OctetString	%Jan 14 18:39:30:331 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.89	.1.3.6.1.4.1.26138.2.119.1.2.1.2.89	OctetString	%Jan 14 18:40:55:213 2013 INTELBRAS STP/6/STP_NOTIFI-

Name	OID	Value Type	Value Example
			ED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.90	.1.3.6.1.4.1.26138.2.119.1.2.1.2.90	OctetString	%Jan 14 18:40:57:223 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.91	.1.3.6.1.4.1.26138.2.119.1.2.1.2.91	OctetString	%Jan 14 18:40:59:254 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.92	.1.3.6.1.4.1.26138.2.119.1.2.1.2.92	OctetString	%Jan 14 18:41:01:247 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.93	.1.3.6.1.4.1.26138.2.119.1.2.1.2.93	OctetString	%Jan 14 18:41:59:863 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.94	.1.3.6.1.4.1.26138.2.119.1.2.1.2.94	OctetString	%Jan 14 18:42:01:885 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.95	.1.3.6.1.4.1.26138.2.119.1.2.1.2.95	OctetString	%Jan 14 18:42:03:901 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.96	.1.3.6.1.4.1.26138.2.119.1.2.1.2.96	OctetString	%Jan 14 18:42:05:895 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.97	.1.3.6.1.4.1.26138.2.119.1.2.1.2.97	OctetString	%Jan 14 18:42:14:005 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.98	.1.3.6.1.4.1.26138.2.119.1.2.1.2.98	OctetString	%Jan 14 18:42:16:003 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.99	.1.3.6.1.4.1.26138.2.119.1.2.1.2.99	OctetString	%Jan 14 18:43:36:823 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.100	.1.3.6.1.4.1.26138.2.119.1.2.1.2.100	OctetString	%Jan 14 18:43:38:846 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port Gigabi-

Name	OID	Value Type	Value Example
			tEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.101	.1.3.6.1.4.1.26138.2.119.1.2.1.2.101	OctetString	%Jan 14 18:43:40:865 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.102	.1.3.6.1.4.1.26138.2.119.1.2.1.2.102	OctetString	%Jan 14 18:43:42:874 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.103	.1.3.6.1.4.1.26138.2.119.1.2.1.2.103	OctetString	%Jan 14 18:44:03:096 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.104	.1.3.6.1.4.1.26138.2.119.1.2.1.2.104	OctetString	%Jan 14 18:44:05:106 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.105	.1.3.6.1.4.1.26138.2.119.1.2.1.2.105	OctetString	%Jan 14 18:44:07:135 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.106	.1.3.6.1.4.1.26138.2.119.1.2.1.2.106	OctetString	%Jan 14 18:44:09:146 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.107	.1.3.6.1.4.1.26138.2.119.1.2.1.2.107	OctetString	%Jan 14 18:44:11:176 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.108	.1.3.6.1.4.1.26138.2.119.1.2.1.2.108	OctetString	%Jan 14 18:44:13:185 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.109	.1.3.6.1.4.1.26138.2.119.1.2.1.2.109	OctetString	%Jan 14 18:45:25:931 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.110	.1.3.6.1.4.1.26138.2.119.1.2.1.2.110	OctetString	%Jan 14 18:45:27:944 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.111	.1.3.6.1.4.1.26138.2.119.1.2.1.2.111	OctetString	%Jan 14 18:45:29:969 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.

Name	OID	Value Type	Value Example
ibICLogbufferContDescription.112	.1.3.6.1.4.1.26138.2.119.1.2.1.2.112	OctetString	%Jan 14 18:45:31:962 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.113	.1.3.6.1.4.1.26138.2.119.1.2.1.2.113	OctetString	%Jan 14 18:46:46:743 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.114	.1.3.6.1.4.1.26138.2.119.1.2.1.2.114	OctetString	%Jan 14 18:46:48:738 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.115	.1.3.6.1.4.1.26138.2.119.1.2.1.2.115	OctetString	%Jan 14 18:46:50:766 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.116	.1.3.6.1.4.1.26138.2.119.1.2.1.2.116	OctetString	%Jan 14 18:46:52:777 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.117	.1.3.6.1.4.1.26138.2.119.1.2.1.2.117	OctetString	%Jan 14 18:46:54:811 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.118	.1.3.6.1.4.1.26138.2.119.1.2.1.2.118	OctetString	%Jan 14 18:46:56:820 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.119	.1.3.6.1.4.1.26138.2.119.1.2.1.2.119	OctetString	%Jan 14 18:47:08:954 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.120	.1.3.6.1.4.1.26138.2.119.1.2.1.2.120	OctetString	%Jan 14 18:47:10:963 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.121	.1.3.6.1.4.1.26138.2.119.1.2.1.2.121	OctetString	%Jan 14 18:47:12:995 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.122	.1.3.6.1.4.1.26138.2.119.1.2.1.2.122	OctetString	%Jan 14 18:47:15:005 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.123	.1.3.6.1.4.1.26138.2.119.1.2.1.2.123	OctetString	%Jan 14 18:48:05:522 2013 INTELBRAS STP/6/STP_NOTIFI-

Name	OID	Value Type	Value Example
			ED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.124	.1.3.6.1.4.1.26138.2.119.1.2.1.2.124	OctetString	%Jan 14 18:48:07:519 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.125	.1.3.6.1.4.1.26138.2.119.1.2.1.2.125	OctetString	%Jan 14 18:48:09:561 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.126	.1.3.6.1.4.1.26138.2.119.1.2.1.2.126	OctetString	%Jan 14 18:48:11:555 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.127	.1.3.6.1.4.1.26138.2.119.1.2.1.2.127	OctetString	%Jan 14 18:50:12:795 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.128	.1.3.6.1.4.1.26138.2.119.1.2.1.2.128	OctetString	%Jan 14 18:50:14:789 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.129	.1.3.6.1.4.1.26138.2.119.1.2.1.2.129	OctetString	%Jan 14 18:50:16:834 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.130	.1.3.6.1.4.1.26138.2.119.1.2.1.2.130	OctetString	%Jan 14 18:50:18:847 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.131	.1.3.6.1.4.1.26138.2.119.1.2.1.2.131	OctetString	%Jan 14 18:50:26:942 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.132	.1.3.6.1.4.1.26138.2.119.1.2.1.2.132	OctetString	%Jan 14 18:50:28:936 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.133	.1.3.6.1.4.1.26138.2.119.1.2.1.2.133	OctetString	%Jan 14 18:50:33:003 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.134	.1.3.6.1.4.1.26138.2.119.1.2.1.2.134	OctetString	%Jan 14 18:50:35:017 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port Gigabi-

Name	OID	Value Type	Value Example
			tEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.135	.1.3.6.1.4.1.26138.2.119.1.2.1.2.135	OctetString	%Jan 14 18:58:33:829 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.136	.1.3.6.1.4.1.26138.2.119.1.2.1.2.136	OctetString	%Jan 14 18:58:35:824 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.137	.1.3.6.1.4.1.26138.2.119.1.2.1.2.137	OctetString	%Jan 14 18:58:37:850 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.138	.1.3.6.1.4.1.26138.2.119.1.2.1.2.138	OctetString	%Jan 14 18:58:39:846 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.139	.1.3.6.1.4.1.26138.2.119.1.2.1.2.139	OctetString	%Jan 14 19:00:59:271 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.140	.1.3.6.1.4.1.26138.2.119.1.2.1.2.140	OctetString	%Jan 14 19:01:01:285 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.141	.1.3.6.1.4.1.26138.2.119.1.2.1.2.141	OctetString	%Jan 14 19:01:03:313 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.142	.1.3.6.1.4.1.26138.2.119.1.2.1.2.142	OctetString	%Jan 14 19:01:05:304 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.143	.1.3.6.1.4.1.26138.2.119.1.2.1.2.143	OctetString	%Jan 14 19:02:01:898 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.144	.1.3.6.1.4.1.26138.2.119.1.2.1.2.144	OctetString	%Jan 14 19:02:03:891 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.145	.1.3.6.1.4.1.26138.2.119.1.2.1.2.145	OctetString	%Jan 14 19:02:07:960 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.

Name	OID	Value Type	Value Example
ibICLogbufferContDescription.146	.1.3.6.1.4.1.26138.2.119.1.2.1.2.146	OctetString	%Jan 14 19:02:09:957 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.147	.1.3.6.1.4.1.26138.2.119.1.2.1.2.147	OctetString	%Jan 14 19:06:36:656 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.148	.1.3.6.1.4.1.26138.2.119.1.2.1.2.148	OctetString	%Jan 14 19:06:38:646 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.149	.1.3.6.1.4.1.26138.2.119.1.2.1.2.149	OctetString	%Jan 14 19:06:40:697 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.150	.1.3.6.1.4.1.26138.2.119.1.2.1.2.150	OctetString	%Jan 14 19:06:42:710 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.151	.1.3.6.1.4.1.26138.2.119.1.2.1.2.151	OctetString	%Jan 14 19:07:25:137 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.152	.1.3.6.1.4.1.26138.2.119.1.2.1.2.152	OctetString	%Jan 14 19:07:27:135 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.153	.1.3.6.1.4.1.26138.2.119.1.2.1.2.153	OctetString	%Jan 14 19:07:31:199 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.154	.1.3.6.1.4.1.26138.2.119.1.2.1.2.154	OctetString	%Jan 14 19:07:33:192 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.155	.1.3.6.1.4.1.26138.2.119.1.2.1.2.155	OctetString	%Jan 14 19:09:00:099 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.156	.1.3.6.1.4.1.26138.2.119.1.2.1.2.156	OctetString	%Jan 14 19:09:02:106 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.157	.1.3.6.1.4.1.26138.2.119.1.2.1.2.157	OctetString	%Jan 14 19:09:04:138 2013 INTELBRAS STP/6/STP_NOTIFI-

Name	OID	Value Type	Value Example
			ED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.158	.1.3.6.1.4.1.26138.2.119.1.2.1.2.158	OctetString	%Jan 14 19:09:06:130 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.159	.1.3.6.1.4.1.26138.2.119.1.2.1.2.159	OctetString	%Jan 14 19:12:50:399 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.160	.1.3.6.1.4.1.26138.2.119.1.2.1.2.160	OctetString	%Jan 14 19:12:52:405 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.161	.1.3.6.1.4.1.26138.2.119.1.2.1.2.161	OctetString	%Jan 14 19:16:14:444 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.162	.1.3.6.1.4.1.26138.2.119.1.2.1.2.162	OctetString	%Jan 14 19:16:16:454 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.163	.1.3.6.1.4.1.26138.2.119.1.2.1.2.163	OctetString	%Jan 14 19:16:18:485 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.164	.1.3.6.1.4.1.26138.2.119.1.2.1.2.164	OctetString	%Jan 14 19:16:20:483 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.165	.1.3.6.1.4.1.26138.2.119.1.2.1.2.165	OctetString	%Jan 14 19:17:49:386 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.166	.1.3.6.1.4.1.26138.2.119.1.2.1.2.166	OctetString	%Jan 14 19:17:51:392 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.167	.1.3.6.1.4.1.26138.2.119.1.2.1.2.167	OctetString	%Jan 14 19:17:53:428 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.168	.1.3.6.1.4.1.26138.2.119.1.2.1.2.168	OctetString	%Jan 14 19:17:55:416 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port Gigabi-

Name	OID	Value Type	Value Example
			tEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.169	.1.3.6.1.4.1.26138.2.119.1.2.1.2.169	OctetString	%Jan 14 19:17:57:469 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.170	.1.3.6.1.4.1.26138.2.119.1.2.1.2.170	OctetString	%Jan 14 19:17:59:476 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.171	.1.3.6.1.4.1.26138.2.119.1.2.1.2.171	OctetString	%Jan 14 19:27:02:943 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.172	.1.3.6.1.4.1.26138.2.119.1.2.1.2.172	OctetString	%Jan 14 19:27:04:953 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.173	.1.3.6.1.4.1.26138.2.119.1.2.1.2.173	OctetString	%Jan 14 19:27:06:983 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.174	.1.3.6.1.4.1.26138.2.119.1.2.1.2.174	OctetString	%Jan 14 19:27:08:988 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.175	.1.3.6.1.4.1.26138.2.119.1.2.1.2.175	OctetString	%Jan 14 19:27:43:341 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.176	.1.3.6.1.4.1.26138.2.119.1.2.1.2.176	OctetString	%Jan 14 19:27:45:349 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.177	.1.3.6.1.4.1.26138.2.119.1.2.1.2.177	OctetString	%Jan 14 19:28:43:948 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.178	.1.3.6.1.4.1.26138.2.119.1.2.1.2.178	OctetString	%Jan 14 19:28:45:936 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.179	.1.3.6.1.4.1.26138.2.119.1.2.1.2.179	OctetString	%Jan 14 19:28:47:988 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.

Name	OID	Value Type	Value Example
ibILogbufferContDescription.180	.1.3.6.1.4.1.26138.2.119.1.2.1.2.180	OctetString	%Jan 14 19:28:49:993 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibILogbufferContDescription.181	.1.3.6.1.4.1.26138.2.119.1.2.1.2.181	OctetString	%Jan 14 19:35:23:960 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibILogbufferContDescription.182	.1.3.6.1.4.1.26138.2.119.1.2.1.2.182	OctetString	%Jan 14 19:35:24:000 2013 INTELBRAS DRVPLAT/4/SOFTCAR DROP: PktType=ARP, SrcMAC=8085-4406-b270, Dropped from interface=GigabitEthernet1/0/24 at Stage=63, StageCnt=38316, TotalCnt=1682651, MaxRateInterface=GigabitEthernet1/0/24.
ibILogbufferContDescription.183	.1.3.6.1.4.1.26138.2.119.1.2.1.2.183	OctetString	%Jan 14 19:35:25:967 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibILogbufferContDescription.184	.1.3.6.1.4.1.26138.2.119.1.2.1.2.184	OctetString	%Jan 14 19:35:28:000 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibILogbufferContDescription.185	.1.3.6.1.4.1.26138.2.119.1.2.1.2.185	OctetString	%Jan 14 19:35:30:005 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibILogbufferContDescription.186	.1.3.6.1.4.1.26138.2.119.1.2.1.2.186	OctetString	%Jan 14 19:38:48:009 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibILogbufferContDescription.187	.1.3.6.1.4.1.26138.2.119.1.2.1.2.187	OctetString	%Jan 14 19:38:50:018 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibILogbufferContDescription.188	.1.3.6.1.4.1.26138.2.119.1.2.1.2.188	OctetString	%Jan 14 19:38:54:068 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibILogbufferContDescription.189	.1.3.6.1.4.1.26138.2.119.1.2.1.2.189	OctetString	%Jan 14 19:38:56:058 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibILogbufferContDescription.190	.1.3.6.1.4.1.26138.2.119.1.2.1.2.190	OctetString	%Jan 14 19:39:10:221 2013 INTELBRAS STP/6/STP_NOTIFI-

Name	OID	Value Type	Value Example
			ED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.191	.1.3.6.1.4.1.26138.2.119.1.2.1.2.191	OctetString	%Jan 14 19:39:12:208 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.192	.1.3.6.1.4.1.26138.2.119.1.2.1.2.192	OctetString	%Jan 14 19:39:14:259 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.193	.1.3.6.1.4.1.26138.2.119.1.2.1.2.193	OctetString	%Jan 14 19:39:16:310 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.194	.1.3.6.1.4.1.26138.2.119.1.2.1.2.194	OctetString	%Jan 14 19:39:50:633 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.195	.1.3.6.1.4.1.26138.2.119.1.2.1.2.195	OctetString	%Jan 14 19:39:52:640 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.196	.1.3.6.1.4.1.26138.2.119.1.2.1.2.196	OctetString	%Jan 14 19:39:54:674 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.197	.1.3.6.1.4.1.26138.2.119.1.2.1.2.197	OctetString	%Jan 14 19:39:56:681 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.198	.1.3.6.1.4.1.26138.2.119.1.2.1.2.198	OctetString	%Jan 14 19:40:55:281 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.199	.1.3.6.1.4.1.26138.2.119.1.2.1.2.199	OctetString	%Jan 14 19:40:57:297 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.200	.1.3.6.1.4.1.26138.2.119.1.2.1.2.200	OctetString	%Jan 14 19:41:01:344 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.201	.1.3.6.1.4.1.26138.2.119.1.2.1.2.201	OctetString	%Jan 14 19:41:03:361 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port Gigabi-

Name	OID	Value Type	Value Example
			tEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.202	.1.3.6.1.4.1.26138.2.119.1.2.1.2.202	OctetString	%Jan 14 19:45:11:852 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.203	.1.3.6.1.4.1.26138.2.119.1.2.1.2.203	OctetString	%Jan 14 19:45:13:856 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.204	.1.3.6.1.4.1.26138.2.119.1.2.1.2.204	OctetString	%Jan 14 19:45:17:898 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.205	.1.3.6.1.4.1.26138.2.119.1.2.1.2.205	OctetString	%Jan 14 19:45:19:903 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.206	.1.3.6.1.4.1.26138.2.119.1.2.1.2.206	OctetString	%Jan 14 20:10:59:340 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.207	.1.3.6.1.4.1.26138.2.119.1.2.1.2.207	OctetString	%Jan 14 20:11:01:335 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.208	.1.3.6.1.4.1.26138.2.119.1.2.1.2.208	OctetString	%Jan 14 20:11:03:381 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.209	.1.3.6.1.4.1.26138.2.119.1.2.1.2.209	OctetString	%Jan 14 20:11:05:388 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.210	.1.3.6.1.4.1.26138.2.119.1.2.1.2.210	OctetString	%Jan 14 20:17:48:847 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.211	.1.3.6.1.4.1.26138.2.119.1.2.1.2.211	OctetString	%Jan 14 20:17:50:860 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.212	.1.3.6.1.4.1.26138.2.119.1.2.1.2.212	OctetString	%Jan 14 20:25:40:193 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.

Name	OID	Value Type	Value Example
ibICLogbufferContDescription.213	.1.3.6.1.4.1.26138.2.119.1.2.1.2.213	OctetString	%Jan 14 20:25:42:199 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.214	.1.3.6.1.4.1.26138.2.119.1.2.1.2.214	OctetString	%Jan 14 20:25:44:233 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.215	.1.3.6.1.4.1.26138.2.119.1.2.1.2.215	OctetString	%Jan 14 20:25:46:239 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.216	.1.3.6.1.4.1.26138.2.119.1.2.1.2.216	OctetString	%Jan 14 20:33:04:644 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.217	.1.3.6.1.4.1.26138.2.119.1.2.1.2.217	OctetString	%Jan 14 20:33:06:650 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.218	.1.3.6.1.4.1.26138.2.119.1.2.1.2.218	OctetString	%Jan 14 20:33:08:686 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.219	.1.3.6.1.4.1.26138.2.119.1.2.1.2.219	OctetString	%Jan 14 20:33:10:691 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.220	.1.3.6.1.4.1.26138.2.119.1.2.1.2.220	OctetString	%Jan 14 20:34:59:795 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.221	.1.3.6.1.4.1.26138.2.119.1.2.1.2.221	OctetString	%Jan 14 20:35:01:797 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.222	.1.3.6.1.4.1.26138.2.119.1.2.1.2.222	OctetString	%Jan 14 20:35:03:837 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.223	.1.3.6.1.4.1.26138.2.119.1.2.1.2.223	OctetString	%Jan 14 20:35:05:844 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.224	.1.3.6.1.4.1.26138.2.119.1.2.1.2.224	OctetString	%Jan 14 21:04:09:327 2013 INTELBRAS STP/6/STP_NOTIFI-

Name	OID	Value Type	Value Example
			ED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.225	.1.3.6.1.4.1.26138.2.119.1.2.1.2.225	OctetString	%Jan 14 21:04:09:388 2013 INTELBRAS DRVPLAT/4/SOFTCAR DROP: PktType=ARP, SrcMAC=8085-4400-3a4f, Dropped from interface=GigabitEthernet1/0/24 at Stage=59, StageCnt=15476, TotalCnt=1698127, MaxRateInterface=GigabitEthernet1/0/24.
ibICLogbufferContDescription.226	.1.3.6.1.4.1.26138.2.119.1.2.1.2.226	OctetString	%Jan 14 21:04:11:332 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.227	.1.3.6.1.4.1.26138.2.119.1.2.1.2.227	OctetString	%Jan 14 21:05:50:332 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.228	.1.3.6.1.4.1.26138.2.119.1.2.1.2.228	OctetString	%Jan 14 21:05:52:337 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.229	.1.3.6.1.4.1.26138.2.119.1.2.1.2.229	OctetString	%Jan 14 21:05:54:372 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.230	.1.3.6.1.4.1.26138.2.119.1.2.1.2.230	OctetString	%Jan 14 21:05:56:375 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.231	.1.3.6.1.4.1.26138.2.119.1.2.1.2.231	OctetString	%Jan 14 21:08:31:946 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.232	.1.3.6.1.4.1.26138.2.119.1.2.1.2.232	OctetString	%Jan 14 21:08:33:953 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.233	.1.3.6.1.4.1.26138.2.119.1.2.1.2.233	OctetString	%Jan 14 21:08:35:983 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.234	.1.3.6.1.4.1.26138.2.119.1.2.1.2.234	OctetString	%Jan 14 21:08:37:990 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.

Name	OID	Value Type	Value Example
ibICLogbufferContDescription.235	.1.3.6.1.4.1.26138.2.119.1.2.1.2.235	OctetString	%Jan 14 21:13:37:011 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.236	.1.3.6.1.4.1.26138.2.119.1.2.1.2.236	OctetString	%Jan 14 21:13:39:022 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.237	.1.3.6.1.4.1.26138.2.119.1.2.1.2.237	OctetString	%Jan 14 21:19:08:317 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.238	.1.3.6.1.4.1.26138.2.119.1.2.1.2.238	OctetString	%Jan 14 21:19:10:322 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.239	.1.3.6.1.4.1.26138.2.119.1.2.1.2.239	OctetString	%Jan 14 21:19:12:358 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.240	.1.3.6.1.4.1.26138.2.119.1.2.1.2.240	OctetString	%Jan 14 21:19:14:347 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.241	.1.3.6.1.4.1.26138.2.119.1.2.1.2.241	OctetString	%Jan 14 21:32:30:360 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.242	.1.3.6.1.4.1.26138.2.119.1.2.1.2.242	OctetString	%Jan 14 21:32:32:364 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.243	.1.3.6.1.4.1.26138.2.119.1.2.1.2.243	OctetString	%Jan 14 21:32:34:403 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.244	.1.3.6.1.4.1.26138.2.119.1.2.1.2.244	OctetString	%Jan 14 21:32:36:408 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.245	.1.3.6.1.4.1.26138.2.119.1.2.1.2.245	OctetString	%Jan 14 21:32:46:509 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.246	.1.3.6.1.4.1.26138.2.119.1.2.1.2.246	OctetString	%Jan 14 21:32:48:517 2013 INTELBRAS STP/6/STP_NOTIFI-

Name	OID	Value Type	Value Example
			ED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.247	.1.3.6.1.4.1.26138.2.119.1.2.1.2.247	OctetString	%Jan 14 21:32:52:572 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.248	.1.3.6.1.4.1.26138.2.119.1.2.1.2.248	OctetString	%Jan 14 21:32:54:579 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.249	.1.3.6.1.4.1.26138.2.119.1.2.1.2.249	OctetString	%Jan 14 21:32:56:612 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.250	.1.3.6.1.4.1.26138.2.119.1.2.1.2.250	OctetString	%Jan 14 21:32:58:620 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.251	.1.3.6.1.4.1.26138.2.119.1.2.1.2.251	OctetString	%Jan 14 21:41:56:025 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.252	.1.3.6.1.4.1.26138.2.119.1.2.1.2.252	OctetString	%Jan 14 21:41:58:030 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.253	.1.3.6.1.4.1.26138.2.119.1.2.1.2.253	OctetString	%Jan 14 21:57:47:554 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.254	.1.3.6.1.4.1.26138.2.119.1.2.1.2.254	OctetString	%Jan 14 21:57:49:559 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.255	.1.3.6.1.4.1.26138.2.119.1.2.1.2.255	OctetString	%Jan 14 21:57:51:596 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.256	.1.3.6.1.4.1.26138.2.119.1.2.1.2.256	OctetString	%Jan 14 21:57:53:585 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.257	.1.3.6.1.4.1.26138.2.119.1.2.1.2.257	OctetString	%Jan 14 22:04:55:842 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port Gigabi-

Name	OID	Value Type	Value Example
			tEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.258	.1.3.6.1.4.1.26138.2.119.1.2.1.2.258	OctetString	%Jan 14 22:04:55:878 2013 INTELBRAS DRVPLAT/4/SOFTCAR DROP: PktType=ARP, SrcMAC=8085-4407-82f6, Dropped from interface=GigabitEthernet1/0/24 at Stage=47, StageCnt=11470, TotalCnt=1709597, MaxRateInterface=GigabitEthernet1/0/24.
ibICLogbufferContDescription.259	.1.3.6.1.4.1.26138.2.119.1.2.1.2.259	OctetString	%Jan 14 22:04:57:852 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.260	.1.3.6.1.4.1.26138.2.119.1.2.1.2.260	OctetString	%Jan 14 22:05:01:904 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.261	.1.3.6.1.4.1.26138.2.119.1.2.1.2.261	OctetString	%Jan 14 22:05:03:910 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.262	.1.3.6.1.4.1.26138.2.119.1.2.1.2.262	OctetString	%Jan 14 22:31:17:682 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.263	.1.3.6.1.4.1.26138.2.119.1.2.1.2.263	OctetString	%Jan 14 22:31:19:671 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.264	.1.3.6.1.4.1.26138.2.119.1.2.1.2.264	OctetString	%Jan 14 22:54:17:497 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.265	.1.3.6.1.4.1.26138.2.119.1.2.1.2.265	OctetString	%Jan 14 22:54:19:503 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.266	.1.3.6.1.4.1.26138.2.119.1.2.1.2.266	OctetString	%Jan 14 22:54:21:538 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.267	.1.3.6.1.4.1.26138.2.119.1.2.1.2.267	OctetString	%Jan 14 22:54:23:544 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.

Name	OID	Value Type	Value Example
ibICLogbufferContDescription.268	.1.3.6.1.4.1.26138.2.119.1.2.1.2.268	OctetString	%Jan 14 22:55:50:437 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.269	.1.3.6.1.4.1.26138.2.119.1.2.1.2.269	OctetString	%Jan 14 22:55:52:445 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.270	.1.3.6.1.4.1.26138.2.119.1.2.1.2.270	OctetString	%Jan 14 22:55:54:476 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.271	.1.3.6.1.4.1.26138.2.119.1.2.1.2.271	OctetString	%Jan 14 22:55:56:467 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.272	.1.3.6.1.4.1.26138.2.119.1.2.1.2.272	OctetString	%Jan 14 22:55:58:521 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.273	.1.3.6.1.4.1.26138.2.119.1.2.1.2.273	OctetString	%Jan 14 22:56:00:529 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.274	.1.3.6.1.4.1.26138.2.119.1.2.1.2.274	OctetString	%Jan 14 23:11:09:635 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.275	.1.3.6.1.4.1.26138.2.119.1.2.1.2.275	OctetString	%Jan 14 23:11:09:681 2013 INTELBRAS DRVPLAT/4/SOFTCAR DROP: PktType=ARP, Src-MAC=8085-4407-cb1f, Dropped from interface=GigabitEthernet1/0/24 at Stage=53, StageCnt=5451, TotalCnt=1715048, MaxRateInterface=GigabitEthernet1/0/24.
ibICLogbufferContDescription.276	.1.3.6.1.4.1.26138.2.119.1.2.1.2.276	OctetString	%Jan 14 23:11:11:641 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.277	.1.3.6.1.4.1.26138.2.119.1.2.1.2.277	OctetString	%Jan 14 23:11:13:674 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.278	.1.3.6.1.4.1.26138.2.119.1.2.1.2.278	OctetString	%Jan 14 23:11:15:718 2013 INTELBRAS STP/6/STP_NOTIFI-

Name	OID	Value Type	Value Example
			ED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.279	.1.3.6.1.4.1.26138.2.119.1.2.1.2.279	OctetString	%Jan 14 23:41:05:629 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.280	.1.3.6.1.4.1.26138.2.119.1.2.1.2.280	OctetString	%Jan 14 23:41:07:624 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.281	.1.3.6.1.4.1.26138.2.119.1.2.1.2.281	OctetString	%Jan 14 23:41:09:667 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.282	.1.3.6.1.4.1.26138.2.119.1.2.1.2.282	OctetString	%Jan 14 23:41:11:673 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.283	.1.3.6.1.4.1.26138.2.119.1.2.1.2.283	OctetString	%Jan 14 23:49:26:644 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.284	.1.3.6.1.4.1.26138.2.119.1.2.1.2.284	OctetString	%Jan 14 23:49:28:659 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.285	.1.3.6.1.4.1.26138.2.119.1.2.1.2.285	OctetString	%Jan 14 23:49:30:683 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.286	.1.3.6.1.4.1.26138.2.119.1.2.1.2.286	OctetString	%Jan 14 23:49:32:690 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.287	.1.3.6.1.4.1.26138.2.119.1.2.1.2.287	OctetString	%Jan 14 23:54:59:984 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.288	.1.3.6.1.4.1.26138.2.119.1.2.1.2.288	OctetString	%Jan 14 23:55:01:989 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.289	.1.3.6.1.4.1.26138.2.119.1.2.1.2.289	OctetString	%Jan 14 23:55:04:025 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port Gigabi-

Name	OID	Value Type	Value Example
			tEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.290	.1.3.6.1.4.1.26138.2.119.1.2.1.2.290	OctetString	%Jan 14 23:55:06:014 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.291	.1.3.6.1.4.1.26138.2.119.1.2.1.2.291	OctetString	%Jan 15 00:02:18:376 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.292	.1.3.6.1.4.1.26138.2.119.1.2.1.2.292	OctetString	%Jan 15 00:02:20:386 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.293	.1.3.6.1.4.1.26138.2.119.1.2.1.2.293	OctetString	%Jan 15 00:02:22:415 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.294	.1.3.6.1.4.1.26138.2.119.1.2.1.2.294	OctetString	%Jan 15 00:02:24:404 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.295	.1.3.6.1.4.1.26138.2.119.1.2.1.2.295	OctetString	%Jan 15 00:06:08:677 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.296	.1.3.6.1.4.1.26138.2.119.1.2.1.2.296	OctetString	%Jan 15 00:06:10:683 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.297	.1.3.6.1.4.1.26138.2.119.1.2.1.2.297	OctetString	%Jan 15 00:06:14:737 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.298	.1.3.6.1.4.1.26138.2.119.1.2.1.2.298	OctetString	%Jan 15 00:06:16:744 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.299	.1.3.6.1.4.1.26138.2.119.1.2.1.2.299	OctetString	%Jan 15 00:06:28:881 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.300	.1.3.6.1.4.1.26138.2.119.1.2.1.2.300	OctetString	%Jan 15 00:06:30:879 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.

Name	OID	Value Type	Value Example
ibICLogbufferContDescription.301	.1.3.6.1.4.1.26138.2.119.1.2.1.2.301	OctetString	%Jan 15 00:06:34:945 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.302	.1.3.6.1.4.1.26138.2.119.1.2.1.2.302	OctetString	%Jan 15 00:06:36:953 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.303	.1.3.6.1.4.1.26138.2.119.1.2.1.2.303	OctetString	%Jan 15 00:07:31:509 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.304	.1.3.6.1.4.1.26138.2.119.1.2.1.2.304	OctetString	%Jan 15 00:07:33:520 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.305	.1.3.6.1.4.1.26138.2.119.1.2.1.2.305	OctetString	%Jan 15 00:07:35:549 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.306	.1.3.6.1.4.1.26138.2.119.1.2.1.2.306	OctetString	%Jan 15 00:07:37:543 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.307	.1.3.6.1.4.1.26138.2.119.1.2.1.2.307	OctetString	%Jan 15 00:14:39:835 2013 INTELBRAS DRVPLAT/4/SOFTCAR DROP: PktType=ARP, SrcMAC=30e1-f1fc-90d2, Dropped from interface=GigabitEthernet1/0/24 at Stage=61, StageCnt=11400, TotalCnt=1726448, MaxRateInterface=GigabitEthernet1/0/24.
ibICLogbufferContDescription.308	.1.3.6.1.4.1.26138.2.119.1.2.1.2.308	OctetString	%Jan 15 00:14:39:845 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.309	.1.3.6.1.4.1.26138.2.119.1.2.1.2.309	OctetString	%Jan 15 00:14:41:792 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.310	.1.3.6.1.4.1.26138.2.119.1.2.1.2.310	OctetString	%Jan 15 00:20:21:220 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.311	.1.3.6.1.4.1.26138.2.119.1.2.1.2.311	OctetString	%Jan 15 00:20:23:211 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.

Name	OID	Value Type	Value Example
			tEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.312	.1.3.6.1.4.1.26138.2.119.1.2.1.2.312	OctetString	%Jan 15 00:32:28:495 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.313	.1.3.6.1.4.1.26138.2.119.1.2.1.2.313	OctetString	%Jan 15 00:32:30:484 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.314	.1.3.6.1.4.1.26138.2.119.1.2.1.2.314	OctetString	%Jan 15 00:32:32:536 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.315	.1.3.6.1.4.1.26138.2.119.1.2.1.2.315	OctetString	%Jan 15 00:32:34:542 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.316	.1.3.6.1.4.1.26138.2.119.1.2.1.2.316	OctetString	%Jan 15 00:33:25:063 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.317	.1.3.6.1.4.1.26138.2.119.1.2.1.2.317	OctetString	%Jan 15 00:33:27:054 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.318	.1.3.6.1.4.1.26138.2.119.1.2.1.2.318	OctetString	%Jan 15 00:33:29:100 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.319	.1.3.6.1.4.1.26138.2.119.1.2.1.2.319	OctetString	%Jan 15 00:33:31:107 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.320	.1.3.6.1.4.1.26138.2.119.1.2.1.2.320	OctetString	%Jan 15 00:33:43:248 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.321	.1.3.6.1.4.1.26138.2.119.1.2.1.2.321	OctetString	%Jan 15 00:33:45:239 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.322	.1.3.6.1.4.1.26138.2.119.1.2.1.2.322	OctetString	%Jan 15 00:33:47:287 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.

Name	OID	Value Type	Value Example
ibICLogbufferContDescription.323	.1.3.6.1.4.1.26138.2.119.1.2.1.2.323	OctetString	%Jan 15 00:33:49:294 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.324	.1.3.6.1.4.1.26138.2.119.1.2.1.2.324	OctetString	%Jan 15 00:36:57:192 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.325	.1.3.6.1.4.1.26138.2.119.1.2.1.2.325	OctetString	%Jan 15 00:36:59:189 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.326	.1.3.6.1.4.1.26138.2.119.1.2.1.2.326	OctetString	%Jan 15 00:37:37:591 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.327	.1.3.6.1.4.1.26138.2.119.1.2.1.2.327	OctetString	%Jan 15 00:37:39:597 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.328	.1.3.6.1.4.1.26138.2.119.1.2.1.2.328	OctetString	%Jan 15 00:38:05:882 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.329	.1.3.6.1.4.1.26138.2.119.1.2.1.2.329	OctetString	%Jan 15 00:38:07:893 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.330	.1.3.6.1.4.1.26138.2.119.1.2.1.2.330	OctetString	%Jan 15 00:38:09:920 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.331	.1.3.6.1.4.1.26138.2.119.1.2.1.2.331	OctetString	%Jan 15 00:38:11:925 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.332	.1.3.6.1.4.1.26138.2.119.1.2.1.2.332	OctetString	%Jan 15 00:43:37:205 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.333	.1.3.6.1.4.1.26138.2.119.1.2.1.2.333	OctetString	%Jan 15 00:43:39:211 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.334	.1.3.6.1.4.1.26138.2.119.1.2.1.2.334	OctetString	%Jan 15 00:43:45:268 2013 INTELBRAS STP/6/STP_NOTIFI-

Name	OID	Value Type	Value Example
			ED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.335	.1.3.6.1.4.1.26138.2.119.1.2.1.2.335	OctetString	%Jan 15 00:43:47:257 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.336	.1.3.6.1.4.1.26138.2.119.1.2.1.2.336	OctetString	%Jan 15 00:48:46:297 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.337	.1.3.6.1.4.1.26138.2.119.1.2.1.2.337	OctetString	%Jan 15 00:48:48:311 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.338	.1.3.6.1.4.1.26138.2.119.1.2.1.2.338	OctetString	%Jan 15 00:51:09:719 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.339	.1.3.6.1.4.1.26138.2.119.1.2.1.2.339	OctetString	%Jan 15 00:51:11:727 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.340	.1.3.6.1.4.1.26138.2.119.1.2.1.2.340	OctetString	%Jan 15 01:04:33:783 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.341	.1.3.6.1.4.1.26138.2.119.1.2.1.2.341	OctetString	%Jan 15 01:04:35:793 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.342	.1.3.6.1.4.1.26138.2.119.1.2.1.2.342	OctetString	%Jan 15 01:04:37:824 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.343	.1.3.6.1.4.1.26138.2.119.1.2.1.2.343	OctetString	%Jan 15 01:04:39:833 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.344	.1.3.6.1.4.1.26138.2.119.1.2.1.2.344	OctetString	%Jan 15 01:14:45:909 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.345	.1.3.6.1.4.1.26138.2.119.1.2.1.2.345	OctetString	%Jan 15 01:14:45:953 2013 INTELBRAS DRVPLAT/4/SOFTCAR DROP: PktType=ARP, SrcMAC=8085-

Name	OID	Value Type	Value Example
			-4405-9e70, Dropped from interface=GigabitEthernet1/0/24 at Stage=63, StageCnt=15188, TotalCnt=1741636, MaxRateInterface=GigabitEthernet1/0/24.
ibICLogbufferContDescription.346	.1.3.6.1.4.1.26138.2.119.1.2.1.2.346	OctetString	%Jan 15 01:14:47:927 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.347	.1.3.6.1.4.1.26138.2.119.1.2.1.2.347	OctetString	%Jan 15 01:14:49:949 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.348	.1.3.6.1.4.1.26138.2.119.1.2.1.2.348	OctetString	%Jan 15 01:14:51:955 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.349	.1.3.6.1.4.1.26138.2.119.1.2.1.2.349	OctetString	%Jan 15 01:16:41:058 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.350	.1.3.6.1.4.1.26138.2.119.1.2.1.2.350	OctetString	%Jan 15 01:16:43:067 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.351	.1.3.6.1.4.1.26138.2.119.1.2.1.2.351	OctetString	%Jan 15 01:16:45:100 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.352	.1.3.6.1.4.1.26138.2.119.1.2.1.2.352	OctetString	%Jan 15 01:16:47:106 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.353	.1.3.6.1.4.1.26138.2.119.1.2.1.2.353	OctetString	%Jan 15 01:16:57:224 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.354	.1.3.6.1.4.1.26138.2.119.1.2.1.2.354	OctetString	%Jan 15 01:16:59:256 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.355	.1.3.6.1.4.1.26138.2.119.1.2.1.2.355	OctetString	%Jan 15 01:17:01:266 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.356	.1.3.6.1.4.1.26138.2.119.1.2.1.2.356	OctetString	%Jan 15 01:17:03:271 2013 INTELBRAS STP/6/STP_NOTIFI-

Name	OID	Value Type	Value Example
			ED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.357	.1.3.6.1.4.1.26138.2.119.1.2.1.2.357	OctetString	%Jan 15 01:20:29:354 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.358	.1.3.6.1.4.1.26138.2.119.1.2.1.2.358	OctetString	%Jan 15 01:20:31:343 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.359	.1.3.6.1.4.1.26138.2.119.1.2.1.2.359	OctetString	%Jan 15 01:20:37:438 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.360	.1.3.6.1.4.1.26138.2.119.1.2.1.2.360	OctetString	%Jan 15 01:20:39:429 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.361	.1.3.6.1.4.1.26138.2.119.1.2.1.2.361	OctetString	%Jan 15 01:22:36:633 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.362	.1.3.6.1.4.1.26138.2.119.1.2.1.2.362	OctetString	%Jan 15 01:22:38:644 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.363	.1.3.6.1.4.1.26138.2.119.1.2.1.2.363	OctetString	%Jan 15 01:22:42:736 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.364	.1.3.6.1.4.1.26138.2.119.1.2.1.2.364	OctetString	%Jan 15 01:22:44:696 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.365	.1.3.6.1.4.1.26138.2.119.1.2.1.2.365	OctetString	%Jan 15 01:24:35:821 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.366	.1.3.6.1.4.1.26138.2.119.1.2.1.2.366	OctetString	%Jan 15 01:24:37:814 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.367	.1.3.6.1.4.1.26138.2.119.1.2.1.2.367	OctetString	%Jan 15 01:25:24:303 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port Gigabi-

Name	OID	Value Type	Value Example
			tEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.368	.1.3.6.1.4.1.26138.2.119.1.2.1.2.368	OctetString	%Jan 15 01:25:26:310 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.369	.1.3.6.1.4.1.26138.2.119.1.2.1.2.369	OctetString	%Jan 15 01:26:28:953 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.370	.1.3.6.1.4.1.26138.2.119.1.2.1.2.370	OctetString	%Jan 15 01:26:30:958 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.371	.1.3.6.1.4.1.26138.2.119.1.2.1.2.371	OctetString	%Jan 15 01:27:03:287 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.372	.1.3.6.1.4.1.26138.2.119.1.2.1.2.372	OctetString	%Jan 15 01:27:05:293 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.373	.1.3.6.1.4.1.26138.2.119.1.2.1.2.373	OctetString	%Jan 15 01:27:07:328 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.374	.1.3.6.1.4.1.26138.2.119.1.2.1.2.374	OctetString	%Jan 15 01:27:09:317 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.375	.1.3.6.1.4.1.26138.2.119.1.2.1.2.375	OctetString	%Jan 15 01:27:59:852 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.376	.1.3.6.1.4.1.26138.2.119.1.2.1.2.376	OctetString	%Jan 15 01:28:01:856 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.377	.1.3.6.1.4.1.26138.2.119.1.2.1.2.377	OctetString	%Jan 15 01:37:55:827 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.378	.1.3.6.1.4.1.26138.2.119.1.2.1.2.378	OctetString	%Jan 15 01:37:57:823 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.

Name	OID	Value Type	Value Example
ibICLogbufferContDescription.379	.1.3.6.1.4.1.26138.2.119.1.2.1.2.379	OctetString	%Jan 15 01:44:41:901 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.380	.1.3.6.1.4.1.26138.2.119.1.2.1.2.380	OctetString	%Jan 15 01:44:43:902 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.381	.1.3.6.1.4.1.26138.2.119.1.2.1.2.381	OctetString	%Jan 15 01:46:26:390 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.382	.1.3.6.1.4.1.26138.2.119.1.2.1.2.382	OctetString	%Jan 15 01:46:28:406 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.383	.1.3.6.1.4.1.26138.2.119.1.2.1.2.383	OctetString	%Jan 15 01:55:10:228 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.384	.1.3.6.1.4.1.26138.2.119.1.2.1.2.384	OctetString	%Jan 15 01:55:12:232 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.385	.1.3.6.1.4.1.26138.2.119.1.2.1.2.385	OctetString	%Jan 15 01:55:16:287 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.386	.1.3.6.1.4.1.26138.2.119.1.2.1.2.386	OctetString	%Jan 15 01:55:18:292 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.387	.1.3.6.1.4.1.26138.2.119.1.2.1.2.387	OctetString	%Jan 15 01:56:41:129 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.388	.1.3.6.1.4.1.26138.2.119.1.2.1.2.388	OctetString	%Jan 15 01:56:43:135 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.389	.1.3.6.1.4.1.26138.2.119.1.2.1.2.389	OctetString	%Jan 15 01:56:45:167 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.390	.1.3.6.1.4.1.26138.2.119.1.2.1.2.390	OctetString	%Jan 15 01:56:47:173 2013 INTELBRAS STP/6/STP_NOTIFI-

Name	OID	Value Type	Value Example
			ED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.391	.1.3.6.1.4.1.26138.2.119.1.2.1.2.391	OctetString	%Jan 15 02:01:13:863 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.392	.1.3.6.1.4.1.26138.2.119.1.2.1.2.392	OctetString	%Jan 15 02:01:15:869 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.393	.1.3.6.1.4.1.26138.2.119.1.2.1.2.393	OctetString	%Jan 15 02:03:15:076 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.394	.1.3.6.1.4.1.26138.2.119.1.2.1.2.394	OctetString	%Jan 15 02:03:17:082 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.395	.1.3.6.1.4.1.26138.2.119.1.2.1.2.395	OctetString	%Jan 15 02:03:19:116 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.396	.1.3.6.1.4.1.26138.2.119.1.2.1.2.396	OctetString	%Jan 15 02:03:21:120 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.397	.1.3.6.1.4.1.26138.2.119.1.2.1.2.397	OctetString	%Jan 15 02:05:40:540 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.398	.1.3.6.1.4.1.26138.2.119.1.2.1.2.398	OctetString	%Jan 15 02:05:42:546 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.399	.1.3.6.1.4.1.26138.2.119.1.2.1.2.399	OctetString	%Jan 15 02:05:44:578 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.400	.1.3.6.1.4.1.26138.2.119.1.2.1.2.400	OctetString	%Jan 15 02:05:46:584 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.401	.1.3.6.1.4.1.26138.2.119.1.2.1.2.401	OctetString	%Jan 15 02:06:10:832 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port Gigabi-

Name	OID	Value Type	Value Example
			tEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.402	.1.3.6.1.4.1.26138.2.119.1.2.1.2.402	OctetString	%Jan 15 02:06:12:821 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.403	.1.3.6.1.4.1.26138.2.119.1.2.1.2.403	OctetString	%Jan 15 02:08:30:232 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.404	.1.3.6.1.4.1.26138.2.119.1.2.1.2.404	OctetString	%Jan 15 02:08:32:246 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.405	.1.3.6.1.4.1.26138.2.119.1.2.1.2.405	OctetString	%Jan 15 02:09:28:817 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.406	.1.3.6.1.4.1.26138.2.119.1.2.1.2.406	OctetString	%Jan 15 02:09:30:821 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.407	.1.3.6.1.4.1.26138.2.119.1.2.1.2.407	OctetString	%Jan 15 02:22:26:611 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.408	.1.3.6.1.4.1.26138.2.119.1.2.1.2.408	OctetString	%Jan 15 02:22:26:673 2013 INTELBRAS DRVPLAT/4/SOFTCAR DROP: PktType=ARP, SrcMAC=8085-4400-3a4f, Dropped from interface=GigabitEthernet1/0/24 at Stage=63, StageCnt=22567, TotalCnt=1764203, MaxRateInterface=GigabitEthernet1/0/24.
ibICLogbufferContDescription.409	.1.3.6.1.4.1.26138.2.119.1.2.1.2.409	OctetString	%Jan 15 02:22:28:625 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.410	.1.3.6.1.4.1.26138.2.119.1.2.1.2.410	OctetString	%Jan 15 02:25:20:349 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.411	.1.3.6.1.4.1.26138.2.119.1.2.1.2.411	OctetString	%Jan 15 02:25:22:355 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.

Name	OID	Value Type	Value Example
ibICLogbufferContDescription.412	.1.3.6.1.4.1.26138.2.119.1.2.1.2.412	OctetString	%Jan 15 02:32:30:653 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.413	.1.3.6.1.4.1.26138.2.119.1.2.1.2.413	OctetString	%Jan 15 02:32:32:663 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.414	.1.3.6.1.4.1.26138.2.119.1.2.1.2.414	OctetString	%Jan 15 02:32:34:694 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.415	.1.3.6.1.4.1.26138.2.119.1.2.1.2.415	OctetString	%Jan 15 02:32:36:698 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.416	.1.3.6.1.4.1.26138.2.119.1.2.1.2.416	OctetString	%Jan 15 02:37:41:770 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.417	.1.3.6.1.4.1.26138.2.119.1.2.1.2.417	OctetString	%Jan 15 02:37:43:776 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.418	.1.3.6.1.4.1.26138.2.119.1.2.1.2.418	OctetString	%Jan 15 02:37:45:808 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.419	.1.3.6.1.4.1.26138.2.119.1.2.1.2.419	OctetString	%Jan 15 02:37:47:815 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.420	.1.3.6.1.4.1.26138.2.119.1.2.1.2.420	OctetString	%Jan 15 02:39:02:583 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.421	.1.3.6.1.4.1.26138.2.119.1.2.1.2.421	OctetString	%Jan 15 02:39:04:589 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.422	.1.3.6.1.4.1.26138.2.119.1.2.1.2.422	OctetString	%Jan 15 02:39:06:622 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.423	.1.3.6.1.4.1.26138.2.119.1.2.1.2.423	OctetString	%Jan 15 02:39:08:626 2013 INTELBRAS STP/6/STP_NOTIFI-

Name	OID	Value Type	Value Example
			ED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.424	.1.3.6.1.4.1.26138.2.119.1.2.1.2.424	OctetString	%Jan 15 02:44:21:782 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.425	.1.3.6.1.4.1.26138.2.119.1.2.1.2.425	OctetString	%Jan 15 02:44:23:790 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.426	.1.3.6.1.4.1.26138.2.119.1.2.1.2.426	OctetString	%Jan 15 02:44:25:820 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.427	.1.3.6.1.4.1.26138.2.119.1.2.1.2.427	OctetString	%Jan 15 02:44:27:826 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.428	.1.3.6.1.4.1.26138.2.119.1.2.1.2.428	OctetString	%Jan 15 02:46:47:242 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.429	.1.3.6.1.4.1.26138.2.119.1.2.1.2.429	OctetString	%Jan 15 02:46:49:252 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.430	.1.3.6.1.4.1.26138.2.119.1.2.1.2.430	OctetString	%Jan 15 02:46:51:282 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.431	.1.3.6.1.4.1.26138.2.119.1.2.1.2.431	OctetString	%Jan 15 02:46:53:273 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.432	.1.3.6.1.4.1.26138.2.119.1.2.1.2.432	OctetString	%Jan 15 02:49:47:041 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.433	.1.3.6.1.4.1.26138.2.119.1.2.1.2.433	OctetString	%Jan 15 02:49:49:046 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.434	.1.3.6.1.4.1.26138.2.119.1.2.1.2.434	OctetString	%Jan 15 02:51:32:088 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port Gigabi-

Name	OID	Value Type	Value Example
			tEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.435	.1.3.6.1.4.1.26138.2.119.1.2.1.2.435	OctetString	%Jan 15 02:51:34:076 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.436	.1.3.6.1.4.1.26138.2.119.1.2.1.2.436	OctetString	%Jan 15 02:51:36:126 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.437	.1.3.6.1.4.1.26138.2.119.1.2.1.2.437	OctetString	%Jan 15 02:51:38:131 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.438	.1.3.6.1.4.1.26138.2.119.1.2.1.2.438	OctetString	%Jan 15 02:54:05:630 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.439	.1.3.6.1.4.1.26138.2.119.1.2.1.2.439	OctetString	%Jan 15 02:54:07:635 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.440	.1.3.6.1.4.1.26138.2.119.1.2.1.2.440	OctetString	%Jan 15 02:54:09:671 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.441	.1.3.6.1.4.1.26138.2.119.1.2.1.2.441	OctetString	%Jan 15 02:54:11:675 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.442	.1.3.6.1.4.1.26138.2.119.1.2.1.2.442	OctetString	%Jan 15 02:54:13:713 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.443	.1.3.6.1.4.1.26138.2.119.1.2.1.2.443	OctetString	%Jan 15 02:54:15:718 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.444	.1.3.6.1.4.1.26138.2.119.1.2.1.2.444	OctetString	%Jan 15 02:57:15:531 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.445	.1.3.6.1.4.1.26138.2.119.1.2.1.2.445	OctetString	%Jan 15 02:57:17:551 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.

Name	OID	Value Type	Value Example
ibICLogbufferContDescription.446	.1.3.6.1.4.1.26138.2.119.1.2.1.2.446	OctetString	%Jan 15 02:57:19:572 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.447	.1.3.6.1.4.1.26138.2.119.1.2.1.2.447	OctetString	%Jan 15 02:57:21:580 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.448	.1.3.6.1.4.1.26138.2.119.1.2.1.2.448	OctetString	%Jan 15 02:57:55:933 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.449	.1.3.6.1.4.1.26138.2.119.1.2.1.2.449	OctetString	%Jan 15 02:57:57:938 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.450	.1.3.6.1.4.1.26138.2.119.1.2.1.2.450	OctetString	%Jan 15 02:57:59:970 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.451	.1.3.6.1.4.1.26138.2.119.1.2.1.2.451	OctetString	%Jan 15 02:58:01:975 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.452	.1.3.6.1.4.1.26138.2.119.1.2.1.2.452	OctetString	%Jan 15 02:58:04:014 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.453	.1.3.6.1.4.1.26138.2.119.1.2.1.2.453	OctetString	%Jan 15 02:58:06:018 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.454	.1.3.6.1.4.1.26138.2.119.1.2.1.2.454	OctetString	%Jan 15 03:03:13:107 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.455	.1.3.6.1.4.1.26138.2.119.1.2.1.2.455	OctetString	%Jan 15 03:03:15:118 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.456	.1.3.6.1.4.1.26138.2.119.1.2.1.2.456	OctetString	%Jan 15 03:09:14:724 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.457	.1.3.6.1.4.1.26138.2.119.1.2.1.2.457	OctetString	%Jan 15 03:09:16:728 2013 INTELBRAS STP/6/STP_NOTIFI-

Name	OID	Value Type	Value Example
			ED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.458	.1.3.6.1.4.1.26138.2.119.1.2.1.2.458	OctetString	%Jan 15 03:09:20:785 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.459	.1.3.6.1.4.1.26138.2.119.1.2.1.2.459	OctetString	%Jan 15 03:09:22:791 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.460	.1.3.6.1.4.1.26138.2.119.1.2.1.2.460	OctetString	%Jan 15 03:14:37:968 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.461	.1.3.6.1.4.1.26138.2.119.1.2.1.2.461	OctetString	%Jan 15 03:14:39:956 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.462	.1.3.6.1.4.1.26138.2.119.1.2.1.2.462	OctetString	%Jan 15 03:14:42:003 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.463	.1.3.6.1.4.1.26138.2.119.1.2.1.2.463	OctetString	%Jan 15 03:14:44:006 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.464	.1.3.6.1.4.1.26138.2.119.1.2.1.2.464	OctetString	%Jan 15 03:15:38:569 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.465	.1.3.6.1.4.1.26138.2.119.1.2.1.2.465	OctetString	%Jan 15 03:15:40:557 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.466	.1.3.6.1.4.1.26138.2.119.1.2.1.2.466	OctetString	%Jan 15 03:15:42:609 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.467	.1.3.6.1.4.1.26138.2.119.1.2.1.2.467	OctetString	%Jan 15 03:15:44:612 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.468	.1.3.6.1.4.1.26138.2.119.1.2.1.2.468	OctetString	%Jan 15 03:39:55:159 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port Gigabi-

Name	OID	Value Type	Value Example
			tEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.469	.1.3.6.1.4.1.26138.2.119.1.2.1.2.469	OctetString	%Jan 15 03:39:55:198 2013 INTELBRAS DRVPLAT/4/SOFTCAR DROP: PktType=ARP, SrcMAC=8085-4400-3a4f, Dropped from interface=GigabitEthernet1/0/24 at Stage=63, StageCnt=19276, TotalCnt=1783479, MaxRateInterface=GigabitEthernet1/0/24.
ibICLogbufferContDescription.470	.1.3.6.1.4.1.26138.2.119.1.2.1.2.470	OctetString	%Jan 15 03:39:57:166 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.471	.1.3.6.1.4.1.26138.2.119.1.2.1.2.471	OctetString	%Jan 15 03:39:59:198 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.472	.1.3.6.1.4.1.26138.2.119.1.2.1.2.472	OctetString	%Jan 15 03:40:01:186 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.473	.1.3.6.1.4.1.26138.2.119.1.2.1.2.473	OctetString	%Jan 15 03:43:49:500 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.474	.1.3.6.1.4.1.26138.2.119.1.2.1.2.474	OctetString	%Jan 15 03:43:51:502 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.475	.1.3.6.1.4.1.26138.2.119.1.2.1.2.475	OctetString	%Jan 15 03:43:53:539 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.476	.1.3.6.1.4.1.26138.2.119.1.2.1.2.476	OctetString	%Jan 15 03:43:55:543 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.477	.1.3.6.1.4.1.26138.2.119.1.2.1.2.477	OctetString	%Jan 15 03:45:00:208 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.478	.1.3.6.1.4.1.26138.2.119.1.2.1.2.478	OctetString	%Jan 15 03:45:02:212 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.

Name	OID	Value Type	Value Example
ibICLogbufferContDescription.479	.1.3.6.1.4.1.26138.2.119.1.2.1.2.479	OctetString	%Jan 15 03:45:04:249 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.480	.1.3.6.1.4.1.26138.2.119.1.2.1.2.480	OctetString	%Jan 15 03:45:06:244 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.481	.1.3.6.1.4.1.26138.2.119.1.2.1.2.481	OctetString	%Jan 15 03:48:06:068 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.482	.1.3.6.1.4.1.26138.2.119.1.2.1.2.482	OctetString	%Jan 15 03:48:08:067 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.483	.1.3.6.1.4.1.26138.2.119.1.2.1.2.483	OctetString	%Jan 15 03:48:12:133 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.484	.1.3.6.1.4.1.26138.2.119.1.2.1.2.484	OctetString	%Jan 15 03:48:14:138 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.485	.1.3.6.1.4.1.26138.2.119.1.2.1.2.485	OctetString	%Jan 15 03:50:55:779 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.486	.1.3.6.1.4.1.26138.2.119.1.2.1.2.486	OctetString	%Jan 15 03:50:57:783 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.487	.1.3.6.1.4.1.26138.2.119.1.2.1.2.487	OctetString	%Jan 15 03:53:13:169 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.488	.1.3.6.1.4.1.26138.2.119.1.2.1.2.488	OctetString	%Jan 15 03:53:15:182 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.489	.1.3.6.1.4.1.26138.2.119.1.2.1.2.489	OctetString	%Jan 15 03:53:19:221 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.490	.1.3.6.1.4.1.26138.2.119.1.2.1.2.490	OctetString	%Jan 15 03:53:21:213 2013 INTELBRAS STP/6/STP_NOTIFI-

Name	OID	Value Type	Value Example
			ED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.491	.1.3.6.1.4.1.26138.2.119.1.2.1.2.491	OctetString	%Jan 15 04:02:38:824 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.492	.1.3.6.1.4.1.26138.2.119.1.2.1.2.492	OctetString	%Jan 15 04:02:40:829 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.493	.1.3.6.1.4.1.26138.2.119.1.2.1.2.493	OctetString	%Jan 15 04:08:56:605 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.494	.1.3.6.1.4.1.26138.2.119.1.2.1.2.494	OctetString	%Jan 15 04:08:58:612 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.495	.1.3.6.1.4.1.26138.2.119.1.2.1.2.495	OctetString	%Jan 15 04:09:00:646 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.496	.1.3.6.1.4.1.26138.2.119.1.2.1.2.496	OctetString	%Jan 15 04:09:02:635 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.497	.1.3.6.1.4.1.26138.2.119.1.2.1.2.497	OctetString	%Jan 15 04:26:25:098 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.498	.1.3.6.1.4.1.26138.2.119.1.2.1.2.498	OctetString	%Jan 15 04:26:27:111 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.499	.1.3.6.1.4.1.26138.2.119.1.2.1.2.499	OctetString	%Jan 15 04:26:29:139 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.500	.1.3.6.1.4.1.26138.2.119.1.2.1.2.500	OctetString	%Jan 15 04:26:31:129 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.501	.1.3.6.1.4.1.26138.2.119.1.2.1.2.501	OctetString	%Jan 15 04:36:12:990 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port Gigabi-

Name	OID	Value Type	Value Example
			tEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.502	.1.3.6.1.4.1.26138.2.119.1.2.1.2.502	OctetString	%Jan 15 04:36:15:005 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.503	.1.3.6.1.4.1.26138.2.119.1.2.1.2.503	OctetString	%Jan 15 04:36:19:057 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.504	.1.3.6.1.4.1.26138.2.119.1.2.1.2.504	OctetString	%Jan 15 04:36:21:070 2013 INTELBRAS STP/6/STP_NOTIFIED_TC: Instance 0's port GigabitEthernet1/0/24 was notified a topology change.
ibICLogbufferContDescription.505	.1.3.6.1.4.1.26138.2.119.1.2.1.2.505	OctetString	%Jan 15 04:40:17:485 2013 INTELBRAS SHELL/5/SHELL_LOGIN: admin logged in from 10.100.65.183.
ibICLogbufferContDescription.506	.1.3.6.1.4.1.26138.2.119.1.2.1.2.506	OctetString	%Jan 15 04:40:18:922 2013 INTELBRAS SHELL/6/SHELL_CMD: -Line=vty0-IPAddr=10.100.65.183-User=admin; Command is sys
ibICLogbufferContDescription.507	.1.3.6.1.4.1.26138.2.119.1.2.1.2.507	OctetString	%Jan 15 04:40:26:613 2013 INTELBRAS SHELL/6/SHELL_CMD: -Line=vty0-IPAddr=10.100.65.183-User=admin; Command is snmp-agent community intelbras123 user-role network-admin
ibICLogbufferContDescription.508	.1.3.6.1.4.1.26138.2.119.1.2.1.2.508	OctetString	%Jan 15 04:44:02:827 2013 INTELBRAS SHELL/6/SHELL_CMD: -Line=vty0-IPAddr=10.100.65.183-User=admin; Command is snmp-agent sys-info version all
ibICLogbufferContDescription.509	.1.3.6.1.4.1.26138.2.119.1.2.1.2.509	OctetString	%Jan 15 04:44:04:227 2013 INTELBRAS SHELL/6/SHELL_CMD: -Line=vty0-IPAddr=10.100.65.183-User=admin; Command is save
ibICLogbufferContDescription.510	.1.3.6.1.4.1.26138.2.119.1.2.1.2.510	OctetString	%Jan 15 04:44:04:966 2013 INTELBRAS SHELL/6/SHELL_CMD_CONFIRM: Confirm option of command save is yes.
ibICLogbufferContDescription.511	.1.3.6.1.4.1.26138.2.119.1.2.1.2.511	OctetString	%Jan 15 04:44:05:391 2013 INTELBRAS SHELL/6/SHELL_CMD_INPUT: Input string for the save command is the Enter key.
ibICLogbufferContDescription.512	.1.3.6.1.4.1.26138.2.119.1.2.1.2.512	OctetString	%Jan 15 04:44:06:061 2013 INTELBRAS SHELL/6/

Name	OID	Value Type	Value Example
			SHELL_CMD_CONFIRM: Confirm option of command save is yes.
ibICMaxLoghost.0	.1.3.6.1.4.1.26138.2.119.2.1.1.0	Gauge	20
ibICLoghostSourceInterface.0	.1.3.6.1.4.1.26138.2.119.2.1.2.0	Integer	0
ibICLoghostTimestampType.0	.1.3.6.1.4.1.26138.2.119.2.1.3.0	Integer	date (0)
ibICDirectionName.1	.1.3.6.1.4.1.26138.2.119.3.1.1.2 .1	OctetString	Console
ibICDirectionName.2	.1.3.6.1.4.1.26138.2.119.3.1.1.2 .2	OctetString	Monitor
ibICDirectionName.3	.1.3.6.1.4.1.26138.2.119.3.1.1.2 .3	OctetString	Log buffer
ibICDirectionName.4	.1.3.6.1.4.1.26138.2.119.3.1.1.2 .4	OctetString	Log host
ibICDirectionName.5	.1.3.6.1.4.1.26138.2.119.3.1.1.2 .5	OctetString	Log file
ibICDirectionName.6	.1.3.6.1.4.1.26138.2.119.3.1.1.2 .6	OctetString	Diagnostic log file
ibICDirectionName.7	.1.3.6.1.4.1.26138.2.119.3.1.1.2 .7	OctetString	Security log file
ibICDirectionName.9	.1.3.6.1.4.1.26138.2.119.3.1.1.2 .9	OctetString	Trap
ibICDirectionState.1	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .1	Integer	true (1)
ibICDirectionState.2	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .2	Integer	true (1)
ibICDirectionState.3	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .3	Integer	true (1)
ibICDirectionState.4	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .4	Integer	true (1)
ibICDirectionState.5	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .5	Integer	true (1)
ibICDirectionState.6	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .6	Integer	true (1)
ibICDirectionState.7	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .7	Integer	false (2)
ibICDirectionState.9	.1.3.6.1.4.1.26138.2.119.3.1.1.3 .9	Integer	true (1)
ibICModuleName.65.67.76	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .65.67.76	OctetString	ACL
ibICModuleName.65.68.74.52	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .65.68.74.52	OctetString	ADJ4
ibICModuleName.65.68.74.54	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .65.68.74.54	OctetString	ADJ6
ibICModuleName.65.80.82	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .65.80.82	OctetString	APR
ibICModuleName.65.82.80	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .65.82.80	OctetString	ARP
ibICModuleName.67.67.70	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .67.67.70	OctetString	CCF

Name	OID	Value Type	Value Example
ibICModule- Name.67.70.71.77.65.78	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .67.70.71.77.65.78	OctetString	CFGMAN
ibICModule- Name.67.77.68.69.86.77 .79.78	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .67.77.68.69.86.77.79.78	OctetString	CMDEVMON
ibICModule- Name.67.77.84.78.76.77 .71.82	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .67.77.84.78.76.77.71.82	OctetString	CMTNLMGR
ibICModuleName.68.66.77	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .68.66.77	OctetString	DBM
ibICModuleName.68.67.66.88	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .68.67.66.88	OctetString	DCBX
ibICModuleName.68.69.86	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .68.69.86	OctetString	DEV
ibICModuleName.68.72.67.80	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .68.72.67.80	OctetString	DHCP
ibICModule- Name.68.72.67.80.54	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .68.72.67.80.54	OctetString	DHCP6
ibICModule- Name.68.72.67.80.67	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .68.72.67.80.67	OctetString	DHCPC
ibICModule- Name.68.72.67.80.67.54	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .68.72.67.80.67.54	OctetString	DHCPC6
ibICModule- Name.68.72.67.80.75.68 .82.86	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .68.72.67.80.75.68.82.86	OctetString	DHCPKDRV
ibICModule- Name.68.72.67.80.76.73 .66	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .68.72.67.80.76.73.66	OctetString	DHCPLIB
ibICModule- Name.68.72.67.80.83.80 .52	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .68.72.67.80.83.80.52	OctetString	DHCPSP4
ibICModule- Name.68.72.67.80.83.80 .54	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .68.72.67.80.83.80.54	OctetString	DHCPSP6
ibICModule- Name.68.72.67.80.83.82 .52	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .68.72.67.80.83.82.52	OctetString	DHCPSR4
ibICModuleName.68.78.83	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .68.78.83	OctetString	DNS
ibICModule- Name.68.87.65.82.69.95 .79.80	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .68.87.65.82.69.95.79.80	OctetString	DWARE_OP
ibICModule- Name.68.87.95.73.78.70 .79	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .68.87.95.73.78.70.79	OctetString	DW_INFO
ibICModuleName.69.68.69.86	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .69.68.69.86	OctetString	EDEV
ibICModuleName.69.84.72	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .69.84.72	OctetString	ETH
ibICModuleName.70.73.66	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .70.73.66	OctetString	FIB

Name	OID	Value Type	Value Example
ibICModuleName.71.82.69	.1.3.6.1.4.1.26138.2.119.4.1.1.1.71.82.69	OctetString	GRE
ibICModuleName.72.84.84.80	.1.3.6.1.4.1.26138.2.119.4.1.1.1.72.84.84.80	OctetString	HTTP
ibICModule-Name.72.84.84.80.82.69.68.82	.1.3.6.1.4.1.26138.2.119.4.1.1.1.72.84.84.80.82.69.68.82	OctetString	HTTPREDR
ibICModule-Name.73.69.67.77.82.80.75	.1.3.6.1.4.1.26138.2.119.4.1.1.1.73.69.67.77.82.80.75	OctetString	IECMRPK
ibICModule-Name.73.70.77.79.78	.1.3.6.1.4.1.26138.2.119.4.1.1.1.73.70.77.79.78	OctetString	IFMON
ibICModule-Name.73.70.78.69.84	.1.3.6.1.4.1.26138.2.119.4.1.1.1.73.70.78.69.84	OctetString	IFNET
ibICModule-Name.73.80.54.65.68.68.82	.1.3.6.1.4.1.26138.2.119.4.1.1.1.73.80.54.65.68.68.82	OctetString	IP6ADDR
ibICModule-Name.73.80.54.70.87	.1.3.6.1.4.1.26138.2.119.4.1.1.1.73.80.54.70.87	OctetString	IP6FW
ibICModule-Name.73.80.54.80.77.84.85	.1.3.6.1.4.1.26138.2.119.4.1.1.1.73.80.54.80.77.84.85	OctetString	IP6PMTU
ibICModule-Name.73.80.65.68.68.82	.1.3.6.1.4.1.26138.2.119.4.1.1.1.73.80.65.68.68.82	OctetString	IPADDR
ibICModuleName.73.80.70.87	.1.3.6.1.4.1.26138.2.119.4.1.1.1.73.80.70.87	OctetString	IPFW
ibICModuleName.73.80.83.71	.1.3.6.1.4.1.26138.2.119.4.1.1.1.73.80.83.71	OctetString	IPSG
ibICModule-Name.73.80.86.70.82	.1.3.6.1.4.1.26138.2.119.4.1.1.1.73.80.86.70.82	OctetString	IPVFR
ibICModuleName.73.82.68.80	.1.3.6.1.4.1.26138.2.119.4.1.1.1.73.82.68.80	OctetString	IRDPA
ibICModule-Name.75.69.84.72.68.82.78.73	.1.3.6.1.4.1.26138.2.119.4.1.1.1.75.69.84.72.68.82.78.73	OctetString	KETHDRNI
ibICModuleName.75.83.84.71	.1.3.6.1.4.1.26138.2.119.4.1.1.1.75.83.84.71	OctetString	KSTG
ibICModuleName.76.65.71.71	.1.3.6.1.4.1.26138.2.119.4.1.1.1.76.65.71.71	OctetString	LAGG
ibICModule-Name.76.65.71.71.75	.1.3.6.1.4.1.26138.2.119.4.1.1.1.76.65.71.71.75	OctetString	LAGGK
ibICModuleName.76.68.65.80	.1.3.6.1.4.1.26138.2.119.4.1.1.1.76.68.65.80	OctetString	LDAP
ibICModuleName.76.73.67	.1.3.6.1.4.1.26138.2.119.4.1.1.1.76.73.67	OctetString	LIC
ibICModule-Name.76.73.67.83.89.78	.1.3.6.1.4.1.26138.2.119.4.1.1.1.76.73.67.83.89.78	OctetString	LICSYN
ibICModuleName.76.76.68.80	.1.3.6.1.4.1.26138.2.119.4.1.1.1.76.76.68.80	OctetString	LLDP
ibICModule-Name.76.76.68.80.75	.1.3.6.1.4.1.26138.2.119.4.1.1.1.76.76.68.80.75	OctetString	LLDPK

Name	OID	Value Type	Value Example
ibICModuleName.77.65.67	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .77.65.67	OctetString	MAC
ibICModuleName.77.66.85.70	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .77.66.85.70	OctetString	MBUF
ibICModuleName.78.68	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .78.68	OctetString	ND
ibICModule- Name.78.69.84.67.79.78 .70	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .78.69.84.67.79.78.70	OctetString	NETCONF
ibICModuleName.79.70.80.75	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .79.70.80.75	OctetString	OFPK
ibICModule- Name.79.80.84.77.79.68	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .79.80.84.77.79.68	OctetString	OPTMOD
ibICModule- Name.80.70.73.76.84.69 .82	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .80.70.73.76.84.69.82	OctetString	PFILTER
ibICModuleName.80.73.78.71	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .80.73.78.71	OctetString	PING
ibICModuleName.80.75.71	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .80.75.71	OctetString	PKG
ibICModule- Name.80.75.84.50.67.80 .85	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .80.75.84.50.67.80.85	OctetString	PKT2CPU
ibICModule- Name.80.79.82.84.65.76	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .80.79.82.84.65.76	OctetString	PORTAL
ibICModule- Name.80.79.82.84.83.69 .67.75	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .80.79.82.84.83.69.67.75	OctetString	PORTSECK
ibICModuleName.81.79.83	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .81.79.83	OctetString	QOS
ibICModule- Name.82.65.68.73.85.83	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .82.65.68.73.85.83	OctetString	RADIUS
ibICModuleName.82.66.65.67	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .82.66.65.67	OctetString	RBAC
ibICModule- Name.82.69.83.77.79.78	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .82.69.83.77.79.78	OctetString	RESMON
ibICModuleName.82.77	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .82.77	OctetString	RM
ibICModuleName.82.77.54	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .82.77.54	OctetString	RM6
ibICModuleName.83.65.86.73	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .83.65.86.73	OctetString	SAVI
ibICModuleName.83.67.77.68	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .83.67.77.68	OctetString	SCMD
ibICModule- Name.83.69.83.83.73.79 .78	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .83.69.83.83.73.79.78	OctetString	SESSION
ibICModule- Name.83.72.69.76.76	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .83.72.69.76.76	OctetString	SHELL
ibICModuleName.83.78.77.80	.1.3.6.1.4.1.26138.2.119.4.1.1.1 .83.78.77.80	OctetString	SNMP

Name	OID	Value Type	Value Example
ibICModuleName.83.79.65.80	.1.3.6.1.4.1.26138.2.119.4.1.1.1.83.79.65.80	OctetString	SOAP
ibICModule-Name.83.79.67.75.69.84	.1.3.6.1.4.1.26138.2.119.4.1.1.1.83.79.67.75.69.84	OctetString	SOCKET
ibICModuleName.83.84.73	.1.3.6.1.4.1.26138.2.119.4.1.1.1.83.84.73	OctetString	STI
ibICModuleName.83.84.77	.1.3.6.1.4.1.26138.2.119.4.1.1.1.83.84.77	OctetString	STM
ibICModuleName.83.84.80	.1.3.6.1.4.1.26138.2.119.4.1.1.1.83.84.80	OctetString	STP
ibICModule-Name.83.89.83.76.79.71	.1.3.6.1.4.1.26138.2.119.4.1.1.1.83.89.83.76.79.71	OctetString	SYSLOG
ibICModule-Name.84.65.67.65.67.83	.1.3.6.1.4.1.26138.2.119.4.1.1.1.84.65.67.65.67.83	OctetString	TACACS
ibICModule-Name.84.69.76.78.69.84.68	.1.3.6.1.4.1.26138.2.119.4.1.1.1.84.69.76.78.69.84.68	OctetString	TELNETD
ibICModule-Name.84.82.65.78.71.69	.1.3.6.1.4.1.26138.2.119.4.1.1.1.84.82.65.78.71.69	OctetString	TRANGE
ibICModule-Name.84.85.78.78.69.76.52	.1.3.6.1.4.1.26138.2.119.4.1.1.1.84.85.78.78.69.76.52	OctetString	TUNNEL4
ibICModule-Name.84.85.78.78.69.76.54	.1.3.6.1.4.1.26138.2.119.4.1.1.1.84.85.78.78.69.76.54	OctetString	TUNNEL6
ibICModuleName.85.68.80.72	.1.3.6.1.4.1.26138.2.119.4.1.1.1.85.68.80.72	OctetString	UDPH
ibICModuleName.85.82.80.70	.1.3.6.1.4.1.26138.2.119.4.1.1.1.85.82.80.70	OctetString	URPF
ibICModuleName.86.76.65.78	.1.3.6.1.4.1.26138.2.119.4.1.1.1.86.76.65.78	OctetString	VLAN
ibICModuleName.86.82.82.80	.1.3.6.1.4.1.26138.2.119.4.1.1.1.86.82.82.80	OctetString	VRRP
ibICModule-Name.86.88.76.65.78	.1.3.6.1.4.1.26138.2.119.4.1.1.1.86.88.76.65.78	OctetString	VXLAN
ibICModuleName.87.69.66	.1.3.6.1.4.1.26138.2.119.4.1.1.1.87.69.66	OctetString	WEB
ibICModuleName.87.83.65.76	.1.3.6.1.4.1.26138.2.119.4.1.1.1.87.83.65.76	OctetString	WSAL
ibICModuleName.88.67.77.80	.1.3.6.1.4.1.26138.2.119.4.1.1.1.88.67.77.80	OctetString	XCMP
ibICModule-Name.88.77.76.65.71.69.78.84	.1.3.6.1.4.1.26138.2.119.4.1.1.1.88.77.76.65.71.69.78.84	OctetString	XMLAGENT
ibICModule-Name.88.77.76.67.70.71	.1.3.6.1.4.1.26138.2.119.4.1.1.1.88.77.76.67.70.71	OctetString	XMLCFG
ibICModule-Name.88.77.76.83.79.65.80	.1.3.6.1.4.1.26138.2.119.4.1.1.1.88.77.76.83.79.65.80	OctetString	XMLSOAP
ibICLogGlobalState.0	.1.3.6.1.4.1.26138.2.119.5.1.1.0	Integer	true (1)
ibICLogTimestampType.0	.1.3.6.1.4.1.26138.2.119.5.1.2.0	Integer	date (0)

Name	OID	Value Type	Value Example
ibICLogLe- vel.1.100.101.102.97.11 7.108.116	.1.3.6.1.4.1.26138.2.119.5.2.1.1 .1.100.101.102.97.117.108.116	Integer	debug (7)
ibICLogLe- vel.2.100.101.102.97.11 7.108.116	.1.3.6.1.4.1.26138.2.119.5.2.1.1 .2.100.101.102.97.117.108.116	Integer	debug (7)
ibICLogLe- vel.3.100.101.102.97.11 7.108.116	.1.3.6.1.4.1.26138.2.119.5.2.1.1 .3.100.101.102.97.117.108.116	Integer	informational (6)
ibICLogLe- vel.4.100.101.102.97.11 7.108.116	.1.3.6.1.4.1.26138.2.119.5.2.1.1 .4.100.101.102.97.117.108.116	Integer	informational (6)
ibICLogLe- vel.5.100.101.102.97.11 7.108.116	.1.3.6.1.4.1.26138.2.119.5.2.1.1 .5.100.101.102.97.117.108.116	Integer	informational (6)
ibICLogLe- vel.9.100.101.102.97.11 7.108.116	.1.3.6.1.4.1.26138.2.119.5.2.1.1 .9.100.101.102.97.117.108.116	Integer	debug (7)
ibICLogRowSta- tus.1.100.101.102.9 7.117.108.116	.1.3.6.1.4.1.26138.2.119.5.2.1.2 .1.100.101.102.97.117.108.116	Integer	active (1)
ibICLogRowSta- tus.2.100.101.102.9 7.117.108.116	.1.3.6.1.4.1.26138.2.119.5.2.1.2 .2.100.101.102.97.117.108.116	Integer	active (1)
ibICLogRowSta- tus.3.100.101.102.9 7.117.108.116	.1.3.6.1.4.1.26138.2.119.5.2.1.2 .3.100.101.102.97.117.108.116	Integer	active (1)
ibICLogRowSta- tus.4.100.101.102.9 7.117.108.116	.1.3.6.1.4.1.26138.2.119.5.2.1.2 .4.100.101.102.97.117.108.116	Integer	active (1)
ibICLogRowSta- tus.5.100.101.102.9 7.117.108.116	.1.3.6.1.4.1.26138.2.119.5.2.1.2 .5.100.101.102.97.117.108.116	Integer	active (1)
ibICLogRowSta- tus.9.100.101.102.9 7.117.108.116	.1.3.6.1.4.1.26138.2.119.5.2.1.2 .9.100.101.102.97.117.108.116	Integer	active (1)
ibQinQv2ServiceTPID.0	.1.3.6.1.4.1.26138.2.137.1.1.1.0	Integer	33024
ibQinQv2CustomerTPID.0	.1.3.6.1.4.1.26138.2.137.1.1.2.0	Integer	33024
ibQinQv2IfState.1	.1.3.6.1.4.1.26138.2.137.1.2.1.1 .1	Integer	false (2)
ibQinQv2IfState.2	.1.3.6.1.4.1.26138.2.137.1.2.1.1 .2	Integer	false (2)
ibQinQv2IfState.3	.1.3.6.1.4.1.26138.2.137.1.2.1.1 .3	Integer	false (2)
ibQinQv2IfState.4	.1.3.6.1.4.1.26138.2.137.1.2.1.1 .4	Integer	false (2)
ibQinQv2IfState.5	.1.3.6.1.4.1.26138.2.137.1.2.1.1 .5	Integer	false (2)
ibQinQv2IfState.6	.1.3.6.1.4.1.26138.2.137.1.2.1.1 .6	Integer	false (2)
ibQinQv2IfState.7	.1.3.6.1.4.1.26138.2.137.1.2.1.1 .7	Integer	false (2)

Name	OID	Value Type	Value Example
ibQinQv2IfState.8	.1.3.6.1.4.1.26138.2.137.1.2.1.1.8	Integer	false (2)
ibQinQv2IfState.9	.1.3.6.1.4.1.26138.2.137.1.2.1.1.9	Integer	false (2)
ibQinQv2IfState.10	.1.3.6.1.4.1.26138.2.137.1.2.1.1.10	Integer	false (2)
ibQinQv2IfState.11	.1.3.6.1.4.1.26138.2.137.1.2.1.1.11	Integer	false (2)
ibQinQv2IfState.12	.1.3.6.1.4.1.26138.2.137.1.2.1.1.12	Integer	false (2)
ibQinQv2IfState.13	.1.3.6.1.4.1.26138.2.137.1.2.1.1.13	Integer	false (2)
ibQinQv2IfState.14	.1.3.6.1.4.1.26138.2.137.1.2.1.1.14	Integer	false (2)
ibQinQv2IfState.15	.1.3.6.1.4.1.26138.2.137.1.2.1.1.15	Integer	false (2)
ibQinQv2IfState.16	.1.3.6.1.4.1.26138.2.137.1.2.1.1.16	Integer	false (2)
ibQinQv2IfState.17	.1.3.6.1.4.1.26138.2.137.1.2.1.1.17	Integer	false (2)
ibQinQv2IfState.18	.1.3.6.1.4.1.26138.2.137.1.2.1.1.18	Integer	false (2)
ibQinQv2IfState.19	.1.3.6.1.4.1.26138.2.137.1.2.1.1.19	Integer	false (2)
ibQinQv2IfState.20	.1.3.6.1.4.1.26138.2.137.1.2.1.1.20	Integer	false (2)
ibQinQv2IfState.21	.1.3.6.1.4.1.26138.2.137.1.2.1.1.21	Integer	false (2)
ibQinQv2IfState.22	.1.3.6.1.4.1.26138.2.137.1.2.1.1.22	Integer	false (2)
ibQinQv2IfState.23	.1.3.6.1.4.1.26138.2.137.1.2.1.1.23	Integer	false (2)
ibQinQv2IfState.24	.1.3.6.1.4.1.26138.2.137.1.2.1.1.24	Integer	false (2)
ibQinQv2IfState.25	.1.3.6.1.4.1.26138.2.137.1.2.1.1.25	Integer	false (2)
ibQinQv2IfState.26	.1.3.6.1.4.1.26138.2.137.1.2.1.1.26	Integer	false (2)
ibQinQv2IfState.27	.1.3.6.1.4.1.26138.2.137.1.2.1.1.27	Integer	false (2)
ibQinQv2IfState.28	.1.3.6.1.4.1.26138.2.137.1.2.1.1.28	Integer	false (2)
ibQinQv2IfServiceTPID.1	.1.3.6.1.4.1.26138.2.137.1.2.1.2.1	Integer	33024
ibQinQv2IfServiceTPID.2	.1.3.6.1.4.1.26138.2.137.1.2.1.2.2	Integer	33024
ibQinQv2IfServiceTPID.3	.1.3.6.1.4.1.26138.2.137.1.2.1.2.3	Integer	33024
ibQinQv2IfServiceTPID.4	.1.3.6.1.4.1.26138.2.137.1.2.1.2.4	Integer	33024

Name	OID	Value Type	Value Example
ibQinQv2IfServiceTPID.5	.1.3.6.1.4.1.26138.2.137.1.2.1.2.5	Integer	33024
ibQinQv2IfServiceTPID.6	.1.3.6.1.4.1.26138.2.137.1.2.1.2.6	Integer	33024
ibQinQv2IfServiceTPID.7	.1.3.6.1.4.1.26138.2.137.1.2.1.2.7	Integer	33024
ibQinQv2IfServiceTPID.8	.1.3.6.1.4.1.26138.2.137.1.2.1.2.8	Integer	33024
ibQinQv2IfServiceTPID.9	.1.3.6.1.4.1.26138.2.137.1.2.1.2.9	Integer	33024
ibQinQv2IfServiceTPID.10	.1.3.6.1.4.1.26138.2.137.1.2.1.2.10	Integer	33024
ibQinQv2IfServiceTPID.11	.1.3.6.1.4.1.26138.2.137.1.2.1.2.11	Integer	33024
ibQinQv2IfServiceTPID.12	.1.3.6.1.4.1.26138.2.137.1.2.1.2.12	Integer	33024
ibQinQv2IfServiceTPID.13	.1.3.6.1.4.1.26138.2.137.1.2.1.2.13	Integer	33024
ibQinQv2IfServiceTPID.14	.1.3.6.1.4.1.26138.2.137.1.2.1.2.14	Integer	33024
ibQinQv2IfServiceTPID.15	.1.3.6.1.4.1.26138.2.137.1.2.1.2.15	Integer	33024
ibQinQv2IfServiceTPID.16	.1.3.6.1.4.1.26138.2.137.1.2.1.2.16	Integer	33024
ibQinQv2IfServiceTPID.17	.1.3.6.1.4.1.26138.2.137.1.2.1.2.17	Integer	33024
ibQinQv2IfServiceTPID.18	.1.3.6.1.4.1.26138.2.137.1.2.1.2.18	Integer	33024
ibQinQv2IfServiceTPID.19	.1.3.6.1.4.1.26138.2.137.1.2.1.2.19	Integer	33024
ibQinQv2IfServiceTPID.20	.1.3.6.1.4.1.26138.2.137.1.2.1.2.20	Integer	33024
ibQinQv2IfServiceTPID.21	.1.3.6.1.4.1.26138.2.137.1.2.1.2.21	Integer	33024
ibQinQv2IfServiceTPID.22	.1.3.6.1.4.1.26138.2.137.1.2.1.2.22	Integer	33024
ibQinQv2IfServiceTPID.23	.1.3.6.1.4.1.26138.2.137.1.2.1.2.23	Integer	33024
ibQinQv2IfServiceTPID.24	.1.3.6.1.4.1.26138.2.137.1.2.1.2.24	Integer	33024
ibQinQv2IfServiceTPID.25	.1.3.6.1.4.1.26138.2.137.1.2.1.2.25	Integer	33024
ibQinQv2IfServiceTPID.26	.1.3.6.1.4.1.26138.2.137.1.2.1.2.26	Integer	33024
ibQinQv2IfServiceTPID.27	.1.3.6.1.4.1.26138.2.137.1.2.1.2.27	Integer	33024
ibQinQv2IfServiceTPID.28	.1.3.6.1.4.1.26138.2.137.1.2.1.2.28	Integer	33024
ibQinQv2IfCustomerTPID.1	.1.3.6.1.4.1.26138.2.137.1.2.1.3.1	Integer	33024

Name	OID	Value Type	Value Example
ibQinQv2IfCustomerTPID.2	.1.3.6.1.4.1.26138.2.137.1.2.1.3.2	Integer	33024
ibQinQv2IfCustomerTPID.3	.1.3.6.1.4.1.26138.2.137.1.2.1.3.3	Integer	33024
ibQinQv2IfCustomerTPID.4	.1.3.6.1.4.1.26138.2.137.1.2.1.3.4	Integer	33024
ibQinQv2IfCustomerTPID.5	.1.3.6.1.4.1.26138.2.137.1.2.1.3.5	Integer	33024
ibQinQv2IfCustomerTPID.6	.1.3.6.1.4.1.26138.2.137.1.2.1.3.6	Integer	33024
ibQinQv2IfCustomerTPID.7	.1.3.6.1.4.1.26138.2.137.1.2.1.3.7	Integer	33024
ibQinQv2IfCustomerTPID.8	.1.3.6.1.4.1.26138.2.137.1.2.1.3.8	Integer	33024
ibQinQv2IfCustomerTPID.9	.1.3.6.1.4.1.26138.2.137.1.2.1.3.9	Integer	33024
ibQinQv2IfCustomerTPID.10	.1.3.6.1.4.1.26138.2.137.1.2.1.3.10	Integer	33024
ibQinQv2IfCustomerTPID.11	.1.3.6.1.4.1.26138.2.137.1.2.1.3.11	Integer	33024
ibQinQv2IfCustomerTPID.12	.1.3.6.1.4.1.26138.2.137.1.2.1.3.12	Integer	33024
ibQinQv2IfCustomerTPID.13	.1.3.6.1.4.1.26138.2.137.1.2.1.3.13	Integer	33024
ibQinQv2IfCustomerTPID.14	.1.3.6.1.4.1.26138.2.137.1.2.1.3.14	Integer	33024
ibQinQv2IfCustomerTPID.15	.1.3.6.1.4.1.26138.2.137.1.2.1.3.15	Integer	33024
ibQinQv2IfCustomerTPID.16	.1.3.6.1.4.1.26138.2.137.1.2.1.3.16	Integer	33024
ibQinQv2IfCustomerTPID.17	.1.3.6.1.4.1.26138.2.137.1.2.1.3.17	Integer	33024
ibQinQv2IfCustomerTPID.18	.1.3.6.1.4.1.26138.2.137.1.2.1.3.18	Integer	33024
ibQinQv2IfCustomerTPID.19	.1.3.6.1.4.1.26138.2.137.1.2.1.3.19	Integer	33024
ibQinQv2IfCustomerTPID.20	.1.3.6.1.4.1.26138.2.137.1.2.1.3.20	Integer	33024
ibQinQv2IfCustomerTPID.21	.1.3.6.1.4.1.26138.2.137.1.2.1.3.21	Integer	33024
ibQinQv2IfCustomerTPID.22	.1.3.6.1.4.1.26138.2.137.1.2.1.3.22	Integer	33024
ibQinQv2IfCustomerTPID.23	.1.3.6.1.4.1.26138.2.137.1.2.1.3.23	Integer	33024
ibQinQv2IfCustomerTPID.24	.1.3.6.1.4.1.26138.2.137.1.2.1.3.24	Integer	33024
ibQinQv2IfCustomerTPID.25	.1.3.6.1.4.1.26138.2.137.1.2.1.3.25	Integer	33024
ibQinQv2IfCustomerTPID.26	.1.3.6.1.4.1.26138.2.137.1.2.1.3.26	Integer	33024

Name	OID	Value Type	Value Example
			00 00
ibQinQv2IfTransVlanList.8	.1.3.6.1.4.1.26138.2.137.1.2.1.4 .8	OctetString	0x00 00
ibQinQv2IfTransVlanList.9	.1.3.6.1.4.1.26138.2.137.1.2.1.4 .9	OctetString	0x00 00

[illegible]

Name	OID	Value Type	Value Example
ibVMAPNNIState.2	.1.3.6.1.4.1.26138.2.138.1.1.1.2	Integer	false (2)
ibVMAPNNIState.3	.1.3.6.1.4.1.26138.2.138.1.1.1.3	Integer	false (2)
ibVMAPNNIState.4	.1.3.6.1.4.1.26138.2.138.1.1.1.4	Integer	false (2)
ibVMAPNNIState.5	.1.3.6.1.4.1.26138.2.138.1.1.1.5	Integer	false (2)
ibVMAPNNIState.6	.1.3.6.1.4.1.26138.2.138.1.1.1.6	Integer	false (2)
ibVMAPNNIState.7	.1.3.6.1.4.1.26138.2.138.1.1.1.7	Integer	false (2)
ibVMAPNNIState.8	.1.3.6.1.4.1.26138.2.138.1.1.1.8	Integer	false (2)
ibVMAPNNIState.9	.1.3.6.1.4.1.26138.2.138.1.1.1.9	Integer	false (2)
ibVMAPNNIState.10	.1.3.6.1.4.1.26138.2.138.1.1.1.10	Integer	false (2)
ibVMAPNNIState.11	.1.3.6.1.4.1.26138.2.138.1.1.1.11	Integer	false (2)
ibVMAPNNIState.12	.1.3.6.1.4.1.26138.2.138.1.1.1.12	Integer	false (2)
ibVMAPNNIState.13	.1.3.6.1.4.1.26138.2.138.1.1.1.13	Integer	false (2)
ibVMAPNNIState.14	.1.3.6.1.4.1.26138.2.138.1.1.1.14	Integer	false (2)
ibVMAPNNIState.15	.1.3.6.1.4.1.26138.2.138.1.1.1.15	Integer	false (2)
ibVMAPNNIState.16	.1.3.6.1.4.1.26138.2.138.1.1.1.16	Integer	false (2)
ibVMAPNNIState.17	.1.3.6.1.4.1.26138.2.138.1.1.1.17	Integer	false (2)
ibVMAPNNIState.18	.1.3.6.1.4.1.26138.2.138.1.1.1.18	Integer	false (2)
ibVMAPNNIState.19	.1.3.6.1.4.1.26138.2.138.1.1.1.19	Integer	false (2)
ibVMAPNNIState.20	.1.3.6.1.4.1.26138.2.138.1.1.1.20	Integer	false (2)
ibVMAPNNIState.21	.1.3.6.1.4.1.26138.2.138.1.1.1.21	Integer	false (2)
ibVMAPNNIState.22	.1.3.6.1.4.1.26138.2.138.1.1.1.22	Integer	false (2)
ibVMAPNNIState.23	.1.3.6.1.4.1.26138.2.138.1.1.1.23	Integer	false (2)
ibVMAPNNIState.24	.1.3.6.1.4.1.26138.2.138.1.1.1.24	Integer	false (2)
ibVMAPNNIState.25	.1.3.6.1.4.1.26138.2.138.1.1.1.25	Integer	false (2)
ibVMAPNNIState.26	.1.3.6.1.4.1.26138.2.138.1.1.1.26	Integer	false (2)
ibVMAPNNIState.27	.1.3.6.1.4.1.26138.2.138.1.1.1.27	Integer	false (2)
ibVMAPNNIState.28	.1.3.6.1.4.1.26138.2.138.1.1.1.28	Integer	false (2)
ibResMonMinorResendEnable.0	.1.3.6.1.4.1.26138.2.169.1.1.0	Integer	true (1)

Name	OID	Value Type	Value Example
ibResMonOutputEnable.0	.1.3.6.1.4.1.26138.2.169.1.2.0	OctetString	{syslog, snmpNotification, net-confEvent}
ibResMonChassisIndex.0.1.0.2.110.100	.1.3.6.1.4.1.26138.2.169.2.1.1.1.0.1.0.2.110.100	Gauge	0
ibResMonChassisIndex.0.1.0.3.97.114.112	.1.3.6.1.4.1.26138.2.169.2.1.1.1.0.1.0.3.97.114.112	Gauge	0
ibResMonChassisIndex.0.1.0.8.105.112.118.52.104.111.115.116	.1.3.6.1.4.1.26138.2.169.2.1.1.1.0.1.0.8.105.112.118.52.104.111.115.116	Gauge	0
ibResMonChassisIndex.0.1.0.8.105.112.118.54.104.111.115.116	.1.3.6.1.4.1.26138.2.169.2.1.1.1.0.1.0.8.105.112.118.54.104.111.115.116	Gauge	0
ibResMonChassisIndex.0.1.0.9.105.112.118.52.114.111.117.116.101	.1.3.6.1.4.1.26138.2.169.2.1.1.1.0.1.0.9.105.112.118.52.114.111.117.116.101	Gauge	0
ibResMonChassisIndex.0.1.0.9.105.112.118.54.114.111.117.116.101	.1.3.6.1.4.1.26138.2.169.2.1.1.1.0.1.0.9.105.112.118.54.114.111.117.116.101	Gauge	0
ibResMonChassisIndex.0.1.0.12.110.101.120.116.104.111.112.112.111.111.108.49	.1.3.6.1.4.1.26138.2.169.2.1.1.1.0.1.0.12.110.101.120.116.104.111.112.112.111.111.108.49	Gauge	0
ibResMonSlotIndex.0.1.0.2.110.100	.1.3.6.1.4.1.26138.2.169.2.1.1.2.0.1.0.2.110.100	Gauge	1
ibResMonSlotIndex.0.1.0.3.97.114.112	.1.3.6.1.4.1.26138.2.169.2.1.1.2.0.1.0.3.97.114.112	Gauge	1
ibResMonSlotIndex.0.1.0.8.105.112.118.52.104.111.115.116	.1.3.6.1.4.1.26138.2.169.2.1.1.2.0.1.0.8.105.112.118.52.104.111.115.116	Gauge	1
ibResMonSlotIndex.0.1.0.8.105.112.118.54.104.111.115.116	.1.3.6.1.4.1.26138.2.169.2.1.1.2.0.1.0.8.105.112.118.54.104.111.115.116	Gauge	1
ibResMonSlotIndex.0.1.0.9.105.112.118.52.114.111.117.116.101	.1.3.6.1.4.1.26138.2.169.2.1.1.2.0.1.0.9.105.112.118.52.114.111.117.116.101	Gauge	1
ibResMonSlotIndex.0.1.0.9.105.112.118.54.114.111.117.116.101	.1.3.6.1.4.1.26138.2.169.2.1.1.2.0.1.0.9.105.112.118.54.114.111.117.116.101	Gauge	1
ibResMonSlotIndex.0.1.0.12.110.101.120.116.104.111.112.112.111.111.108.49	.1.3.6.1.4.1.26138.2.169.2.1.1.2.0.1.0.12.110.101.120.116.104.111.112.112.111.111.108.49	Gauge	1
ibResMonCpuIndex.0.1.0.2.110.100	.1.3.6.1.4.1.26138.2.169.2.1.1.3.0.1.0.2.110.100	Gauge	0
ibResMonCpuIndex.0.1.0.3.97.114.112	.1.3.6.1.4.1.26138.2.169.2.1.1.3.0.1.0.3.97.114.112	Gauge	0
ibResMonCpuIndex.0.1.0.8.105.112.118.52.104.111.115.116	.1.3.6.1.4.1.26138.2.169.2.1.1.3.0.1.0.8.105.112.118.52.104.111.115.116	Gauge	0

Name	OID	Value Type	Value Example
ibResMonCpuIn-dex.0.1.0.8.105.112 .118.54.104.111.115.116	.1.3.6.1.4.1.26138.2.169.2.1.1.3 .0.1.0.8.105.112.118.54.104.111. 115.116	Gauge	0
ibResMonCpuIn-dex.0.1.0.9.105.112 .118.52.114.111.117.116.101	.1.3.6.1.4.1.26138.2.169.2.1.1.3 .0.1.0.9.105.112.118.52.114.111. 117.116.101	Gauge	0
ibResMonCpuIn-dex.0.1.0.9.105.112 .118.54.114.111.117.116.101	.1.3.6.1.4.1.26138.2.169.2.1.1.3 .0.1.0.9.105.112.118.54.114.111. 117.116.101	Gauge	0
ibResMonCpuIn-dex.0.1.0.12.110.10 1.120.116.104.111.112.112.111.11 1.108.49	.1.3.6.1.4.1.26138.2.169.2.1.1.3 .0.1.0.12.110.101.120.116.104.11 1.112.112.111.111.108.49	Gauge	0
ibResMonResource-Name.0.1.0.2.110 .100	.1.3.6.1.4.1.26138.2.169.2.1.1.4 .0.1.0.2.110.100	OctetString	nd
ibResMonResource-Name.0.1.0.3.97. 114.112	.1.3.6.1.4.1.26138.2.169.2.1.1.4 .0.1.0.3.97.114.112	OctetString	arp
ibResMonResource-Name.0.1.0.8.105 .112.118.52.104.111.115.116	.1.3.6.1.4.1.26138.2.169.2.1.1.4 .0.1.0.8.105.112.118.52.104.111. 115.116	OctetString	ipv4host
ibResMonResource-Name.0.1.0.8.105 .112.118.54.104.111.115.116	.1.3.6.1.4.1.26138.2.169.2.1.1.4 .0.1.0.8.105.112.118.54.104.111. 115.116	OctetString	ipv6host
ibResMonResource-Name.0.1.0.9.105 .112.118.52.114.111.117.116.101	.1.3.6.1.4.1.26138.2.169.2.1.1.4 .0.1.0.9.105.112.118.52.114.111. 117.116.101	OctetString	ipv4route
ibResMonResource-Name.0.1.0.9.105 .112.118.54.114.111.117.116.101	.1.3.6.1.4.1.26138.2.169.2.1.1.4 .0.1.0.9.105.112.118.54.114.111. 117.116.101	OctetString	ipv6route
ibResMonResource-Name.0.1.0.12.11 0.101.120.116.104.111.112.112.11 1.111.108.49	.1.3.6.1.4.1.26138.2.169.2.1.1.4 .0.1.0.12.110.101.120.116.104.11 1.112.112.111.111.108.49	OctetString	nexthoppool1
ibResMonThresholdUnit.0.1.0.2.11 0.100	.1.3.6.1.4.1.26138.2.169.2.1.1.5 .0.1.0.2.110.100	Integer	percentage (2)
ibResMonThresholdUnit.0.1.0.3.97 .114.112	.1.3.6.1.4.1.26138.2.169.2.1.1.5 .0.1.0.3.97.114.112	Integer	percentage (2)
ibResMonThresholdUnit.0.1.0.8.10 5.112.118.52.104.111.115.116	.1.3.6.1.4.1.26138.2.169.2.1.1.5 .0.1.0.8.105.112.118.52.104.111. 115.116	Integer	percentage (2)
ibResMonThresholdUnit.0.1.0.8.10 5.112.118.54.104.111.115.116	.1.3.6.1.4.1.26138.2.169.2.1.1.5 .0.1.0.8.105.112.118.54.104.111. 115.116	Integer	percentage (2)
ibResMonThresholdUnit.0.1.0.9.10 5.112.118.52.114.111.117.116.101	.1.3.6.1.4.1.26138.2.169.2.1.1.5 .0.1.0.9.105.112.118.52.114.111. 117.116.101	Integer	percentage (2)
ibResMonThresholdUnit.0.1.0.9.10 5.112.118.54.114.111.117.116.101	.1.3.6.1.4.1.26138.2.169.2.1.1.5 .0.1.0.9.105.112.118.54.114.111. 117.116.101	Integer	percentage (2)

Name	OID	Value Type	Value Example
ibResMonThresholdUnit.0.1.0.12.1 10.101.120.116.104.111.112.112.111.111.108.49	.1.3.6.1.4.1.26138.2.169.2.1.1.5 .0.1.0.12.110.101.120.116.104.11 1.112.112.111.111.108.49	Integer	percentage (2)
ibResMonMinorThreshold.0.1.0.2.1 10.100	.1.3.6.1.4.1.26138.2.169.2.1.1.6 .0.1.0.2.110.100	Gauge	20
ibResMonMinorThreshold.0.1.0.3.9 7.114.112	.1.3.6.1.4.1.26138.2.169.2.1.1.6 .0.1.0.3.97.114.112	Gauge	20
ibResMonMinorThreshold.0.1.0.8.1 05.112.118.52.104.111.115.116	.1.3.6.1.4.1.26138.2.169.2.1.1.6 .0.1.0.8.105.112.118.52.104.111. 115.116	Gauge	20
ibResMonMinorThreshold.0.1.0.8.1 05.112.118.54.104.111.115.116	.1.3.6.1.4.1.26138.2.169.2.1.1.6 .0.1.0.8.105.112.118.54.104.111. 115.116	Gauge	20
ibResMonMinorThreshold.0.1.0.9.1 05.112.118.52.114.111.117.116.101	.1.3.6.1.4.1.26138.2.169.2.1.1.6 .0.1.0.9.105.112.118.52.114.111. 117.116.101	Gauge	20
ibResMonMinorThreshold.0.1.0.9.1 05.112.118.54.114.111.117.116.101	.1.3.6.1.4.1.26138.2.169.2.1.1.6 .0.1.0.9.105.112.118.54.114.111. 117.116.101	Gauge	20
ibResMonMinorThreshold.0.1.0.12. 110.101.120.116.104.111.112.112. 111.111.108.49	.1.3.6.1.4.1.26138.2.169.2.1.1.6 .0.1.0.12.110.101.120.116.104.11 1.112.112.111.111.108.49	Gauge	20
ibResMonSevereThreshold.0.1.0.2. 110.100	.1.3.6.1.4.1.26138.2.169.2.1.1.7 .0.1.0.2.110.100	Gauge	10
ibResMonSevereThreshold.0.1.0.3. 97.114.112	.1.3.6.1.4.1.26138.2.169.2.1.1.7 .0.1.0.3.97.114.112	Gauge	10
ibResMonSevereThreshold.0.1.0.8. 105.112.118.52.104.111.115.116	.1.3.6.1.4.1.26138.2.169.2.1.1.7 .0.1.0.8.105.112.118.52.104.111. 115.116	Gauge	10
ibResMonSevereThreshold.0.1.0.8. 105.112.118.54.104.111.115.116	.1.3.6.1.4.1.26138.2.169.2.1.1.7 .0.1.0.8.105.112.118.54.104.111. 115.116	Gauge	10
ibResMonSevereThreshold.0.1.0.9. 105.112.118.52.114.111.117.116.101	.1.3.6.1.4.1.26138.2.169.2.1.1.7 .0.1.0.9.105.112.118.52.114.111. 117.116.101	Gauge	10
ibResMonSevereThreshold.0.1.0.9. 105.112.118.54.114.111.117.116.101	.1.3.6.1.4.1.26138.2.169.2.1.1.7 .0.1.0.9.105.112.118.54.114.111. 117.116.101	Gauge	10
ibResMonSevereThreshold.0.1.0.12 .110.101.120.116.104.111.112.112. .111.111.108.49	.1.3.6.1.4.1.26138.2.169.2.1.1.7 .0.1.0.12.110.101.120.116.104.11 1.112.112.111.111.108.49	Gauge	10
ibResMonUnit.0.1.0.2.110.100	.1.3.6.1.4.1.26138.2.169.2.2.1.1 .0.1.0.2.110.100	Integer	percentage (2)

Name	OID	Value Type	Value Example
ibResMonUnit.0.1.0.3.97.114.112	.1.3.6.1.4.1.26138.2.169.2.2.1.1.0.1.0.3.97.114.112	Integer	percentage (2)
ibResMonUnit.0.1.0.8.105.112.118.52.104.111.115.116	.1.3.6.1.4.1.26138.2.169.2.2.1.1.0.1.0.8.105.112.118.52.104.111.115.116	Integer	percentage (2)
ibResMonUnit.0.1.0.8.105.112.118.54.104.111.115.116	.1.3.6.1.4.1.26138.2.169.2.2.1.1.0.1.0.8.105.112.118.54.104.111.115.116	Integer	percentage (2)
ibResMonUnit.0.1.0.9.105.112.118.52.114.111.117.116.101	.1.3.6.1.4.1.26138.2.169.2.2.1.1.0.1.0.9.105.112.118.52.114.111.117.116.101	Integer	percentage (2)
ibResMonUnit.0.1.0.9.105.112.118.54.114.111.117.116.101	.1.3.6.1.4.1.26138.2.169.2.2.1.1.0.1.0.9.105.112.118.54.114.111.117.116.101	Integer	percentage (2)
ibResMonUnit.0.1.0.12.110.101.120.116.104.111.112.112.111.111.108.49	.1.3.6.1.4.1.26138.2.169.2.2.1.1.0.1.0.12.110.101.120.116.104.111.112.112.111.111.108.49	Integer	percentage (2)
ibResMonCurrent.0.1.0.2.110.100	.1.3.6.1.4.1.26138.2.169.2.2.1.2.0.1.0.2.110.100	Gauge	0
ibResMonCurrent.0.1.0.3.97.114.112	.1.3.6.1.4.1.26138.2.169.2.2.1.2.0.1.0.3.97.114.112	Gauge	29
ibResMonCurrent.0.1.0.8.105.112.118.52.104.111.115.116	.1.3.6.1.4.1.26138.2.169.2.2.1.2.0.1.0.8.105.112.118.52.104.111.115.116	Gauge	0
ibResMonCurrent.0.1.0.8.105.112.118.54.104.111.115.116	.1.3.6.1.4.1.26138.2.169.2.2.1.2.0.1.0.8.105.112.118.54.104.111.115.116	Gauge	0
ibResMonCurrent.0.1.0.9.105.112.118.52.114.111.117.116.101	.1.3.6.1.4.1.26138.2.169.2.2.1.2.0.1.0.9.105.112.118.52.114.111.117.116.101	Gauge	34
ibResMonCurrent.0.1.0.9.105.112.118.54.114.111.117.116.101	.1.3.6.1.4.1.26138.2.169.2.2.1.2.0.1.0.9.105.112.118.54.114.111.117.116.101	Gauge	1
ibResMonCurrent.0.1.0.12.110.101.120.116.104.111.112.112.111.111.108.49	.1.3.6.1.4.1.26138.2.169.2.2.1.2.0.1.0.12.110.101.120.116.104.111.112.112.111.111.108.49	Gauge	38
ibResMonFree.0.1.0.2.110.100	.1.3.6.1.4.1.26138.2.169.2.2.1.3.0.1.0.2.110.100	Gauge	995
ibResMonFree.0.1.0.3.97.114.112	.1.3.6.1.4.1.26138.2.169.2.2.1.3.0.1.0.3.97.114.112	Gauge	995
ibResMonFree.0.1.0.8.105.112.118.52.104.111.115.116	.1.3.6.1.4.1.26138.2.169.2.2.1.3.0.1.0.8.105.112.118.52.104.111.115.116	Gauge	1024
ibResMonFree.0.1.0.8.105.112.118.54.104.111.115.116	.1.3.6.1.4.1.26138.2.169.2.2.1.3.0.1.0.8.105.112.118.54.104.111.115.116	Gauge	682
ibResMonFree.0.1.0.9.105.112.118.52.114.111.117.116.101	.1.3.6.1.4.1.26138.2.169.2.2.1.3.0.1.0.9.105.112.118.52.114.111.117.116.101	Gauge	966

Name	OID	Value Type	Value Example
ibResMon-Free.0.1.0.9.105.112.118.54.114.111.117.116.101	.1.3.6.1.4.1.26138.2.169.2.2.1.3.0.1.0.9.105.112.118.54.114.111.117.116.101	Gauge	249
ibResMon-Free.0.1.0.12.110.101.120.116.104.111.112.112.111.111.110.112.112.111.111.108.49	.1.3.6.1.4.1.26138.2.169.2.2.1.3.0.1.0.12.110.101.120.116.104.111.112.112.111.111.110.112.112.111.111.108.49	Gauge	986
ibResMonTotal.0.1.0.2.110.100	.1.3.6.1.4.1.26138.2.169.2.2.1.4.0.1.0.2.110.100	Gauge	995
ibResMonTo-tal.0.1.0.3.97.114.112	.1.3.6.1.4.1.26138.2.169.2.2.1.4.0.1.0.3.97.114.112	Gauge	1024
ibResMonTo-tal.0.1.0.8.105.112.118.52.104.111.115.116	.1.3.6.1.4.1.26138.2.169.2.2.1.4.0.1.0.8.105.112.118.52.104.111.115.116	Gauge	1024
ibResMonTo-tal.0.1.0.8.105.112.118.54.104.111.115.116	.1.3.6.1.4.1.26138.2.169.2.2.1.4.0.1.0.8.105.112.118.54.104.111.115.116	Gauge	682
ibResMonTo-tal.0.1.0.9.105.112.118.52.114.111.117.116.101	.1.3.6.1.4.1.26138.2.169.2.2.1.4.0.1.0.9.105.112.118.52.114.111.117.116.101	Gauge	1000
ibResMonTo-tal.0.1.0.9.105.112.118.54.114.111.117.116.101	.1.3.6.1.4.1.26138.2.169.2.2.1.4.0.1.0.9.105.112.118.54.114.111.117.116.101	Gauge	250
ibResMonTo-tal.0.1.0.12.110.101.120.116.104.111.112.112.111.111.110.112.112.111.111.108.49	.1.3.6.1.4.1.26138.2.169.2.2.1.4.0.1.0.12.110.101.120.116.104.111.112.112.111.111.110.112.112.111.111.108.49	Gauge	1024
ibResMonTo-tal.0.1.0.12.110.101.120.116.104.111.112.112.111.111.110.112.112.111.111.108.49	.1.3.6.1.4.1.26138.2.169.2.2.1.4.0.1.0.12.110.101.120.116.104.111.112.112.111.111.110.112.112.111.111.108.49	Null	